

# [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	Door lock repair or replacement
<b>Inquiry Sub-Category</b>	Lockouts
<b>Description</b>	Assistance needed when locked outside the house or room due to a broken or lost key.
<b>Data Size</b>	5,684 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

Will \_\_\_\_\_ involved if \_\_\_\_\_ has \_\_\_\_\_ drill \_\_\_\_\_ the damaged cylinder?  
 \_\_\_\_\_ drill on a \_\_\_\_\_ incur any \_\_\_\_\_?  
 Will \_\_\_\_\_ expenses apply if \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ you think using a \_\_\_\_\_ a broken \_\_\_\_\_ will cost \_\_\_\_\_?  
 If the incompetent \_\_\_\_\_ to drill it \_\_\_\_\_ the \_\_\_\_\_ fix involve \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ you more \_\_\_\_\_ your \_\_\_\_\_ to open \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ open my \_\_\_\_\_ cylinder, there \_\_\_\_\_ a \_\_\_\_\_ of additional \_\_\_\_\_.  
 Should an increase \_\_\_\_\_ be expected \_\_\_\_\_ a drill \_\_\_\_\_ needed \_\_\_\_\_?  
 \_\_\_\_\_ more charges \_\_\_\_\_ fix cylinder?  
 Will the increased costs \_\_\_\_\_ damaged cylinder \_\_\_\_\_?  
 \_\_\_\_\_ a drill \_\_\_\_\_ cylinder \_\_\_\_\_ money?  
 If \_\_\_\_\_ have to drill \_\_\_\_\_ what \_\_\_\_\_ it cost \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ fees \_\_\_\_\_ is \_\_\_\_\_ open \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ you \_\_\_\_\_ charge \_\_\_\_\_ more when \_\_\_\_\_ worker drills into the \_\_\_\_\_?  
 Can \_\_\_\_\_ be additional \_\_\_\_\_ drilling into a \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ cylinder \_\_\_\_\_ surcharges?  
 \_\_\_\_\_ to \_\_\_\_\_ the cylinder, should an \_\_\_\_\_ fees be expected?  
 \_\_\_\_\_ drilling becomes necessary after \_\_\_\_\_ there an \_\_\_\_\_ fee \_\_\_\_\_?  
 If \_\_\_\_\_ technician is \_\_\_\_\_ to drill into a \_\_\_\_\_ cylinder, \_\_\_\_\_ to \_\_\_\_\_?  
 Is \_\_\_\_\_ needed \_\_\_\_\_ the guy drills \_\_\_\_\_ hole \_\_\_\_\_ the broken \_\_\_\_\_?  
 If \_\_\_\_\_ to drill \_\_\_\_\_ the \_\_\_\_\_ what \_\_\_\_\_ cost me?  
 \_\_\_\_\_ technician needs \_\_\_\_\_ drill a damaged \_\_\_\_\_ any additional \_\_\_\_\_?  
 \_\_\_\_\_ drilling is \_\_\_\_\_ on \_\_\_\_\_ we need \_\_\_\_\_ for supplementary fees?  
 \_\_\_\_\_ result in increased costs \_\_\_\_\_ the \_\_\_\_\_ cylinder \_\_\_\_\_ a \_\_\_\_\_ has \_\_\_\_\_?  
 Is \_\_\_\_\_ extra fees because the \_\_\_\_\_ person \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ if the technician \_\_\_\_\_ a \_\_\_\_\_ the cylinder?  
 Is there \_\_\_\_\_ fee for \_\_\_\_\_ is damaged?  
 If \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ cylinder, will that \_\_\_\_\_ in increased \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ fees for \_\_\_\_\_ into a \_\_\_\_\_ cylinder?  
 There will \_\_\_\_\_ expenses \_\_\_\_\_ drilling is necessary \_\_\_\_\_ cylinder.  
 \_\_\_\_\_ it \_\_\_\_\_ costly \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ need to pay more if \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ expect \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ drill is \_\_\_\_\_ to \_\_\_\_\_ the cylinder?  
 Will the \_\_\_\_\_ costs result \_\_\_\_\_ to drill \_\_\_\_\_ cylinder?  
 Will \_\_\_\_\_ costs \_\_\_\_\_ incurred if \_\_\_\_\_ technician \_\_\_\_\_ drill \_\_\_\_\_ a damaged \_\_\_\_\_?  
 There's a chance \_\_\_\_\_ fix involves more money if \_\_\_\_\_ the \_\_\_\_\_.  
 If \_\_\_\_\_ drill \_\_\_\_\_ needed \_\_\_\_\_ the cylinder, should \_\_\_\_\_ increased \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ drilling \_\_\_\_\_ cylinder \_\_\_\_\_ on?  
 Is \_\_\_\_\_ any \_\_\_\_\_ drilling \_\_\_\_\_ damaged cylinder?  
 Should \_\_\_\_\_ more fees when the \_\_\_\_\_ cracked \_\_\_\_\_?  
 \_\_\_\_\_ worker going \_\_\_\_\_ charge \_\_\_\_\_ more when he \_\_\_\_\_ into \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ cost \_\_\_\_\_ repairing \_\_\_\_\_ damaged cylinder \_\_\_\_\_ a \_\_\_\_\_ has to \_\_\_\_\_ it?  
 When \_\_\_\_\_ is \_\_\_\_\_ on a faulty \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_?  
 Is \_\_\_\_\_ money \_\_\_\_\_ a \_\_\_\_\_ in a broke thing?  
 Is there \_\_\_\_\_ cost for \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ an extra \_\_\_\_\_ if \_\_\_\_\_ becomes \_\_\_\_\_ to cylinder damage?  
 Can there \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ technician need \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ your \_\_\_\_\_ drilling \_\_\_\_\_ damaged cylinder, will \_\_\_\_\_ be \_\_\_\_\_ charges?  
 \_\_\_\_\_ will be associated \_\_\_\_\_ the \_\_\_\_\_ cylinder if \_\_\_\_\_ has \_\_\_\_\_ drill.  
 \_\_\_\_\_ you tell \_\_\_\_\_ there \_\_\_\_\_ any additional charges for \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ cylinder fix \_\_\_\_\_ involve \_\_\_\_\_ money if \_\_\_\_\_ tech has \_\_\_\_\_ drill \_\_\_\_\_ open?  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ a damaged cylinder?  
 \_\_\_\_\_ result in \_\_\_\_\_ costs \_\_\_\_\_ the \_\_\_\_\_ cylinder if \_\_\_\_\_ has to \_\_\_\_\_?  
 Would using \_\_\_\_\_ access \_\_\_\_\_ broken tank \_\_\_\_\_ higher costs?  
 If \_\_\_\_\_ technician \_\_\_\_\_ to \_\_\_\_\_ to fix the \_\_\_\_\_ will it \_\_\_\_\_?  
 Will you \_\_\_\_\_ any additional costs if \_\_\_\_\_ needs \_\_\_\_\_ open \_\_\_\_\_?  
 Will the \_\_\_\_\_ for \_\_\_\_\_ be caused \_\_\_\_\_ having to drill?  
 Is it \_\_\_\_\_ if \_\_\_\_\_ drill \_\_\_\_\_ a damaged cylinder?  
 \_\_\_\_\_ needed for the faulty \_\_\_\_\_ additional \_\_\_\_\_ apply?  
 \_\_\_\_\_ expect \_\_\_\_\_ additional fees \_\_\_\_\_ drilling into \_\_\_\_\_ damaged \_\_\_\_\_ when setting aside \_\_\_\_\_ repair \_\_\_\_\_?  
 Should \_\_\_\_\_ to \_\_\_\_\_ if a tech \_\_\_\_\_ broken cylinder?  
 Can additional \_\_\_\_\_ applied \_\_\_\_\_ the technician needs \_\_\_\_\_ into \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ charge \_\_\_\_\_ using drills in order \_\_\_\_\_ a \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ your technician needs \_\_\_\_\_ drill \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ drilling a \_\_\_\_\_ any surcharges?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ for additional fees \_\_\_\_\_ on a \_\_\_\_\_ cylinder?  
 If \_\_\_\_\_ have \_\_\_\_\_ this cylinder, will \_\_\_\_\_ me?  
 \_\_\_\_\_ going \_\_\_\_\_ cost you \_\_\_\_\_ when your worker drills \_\_\_\_\_ up \_\_\_\_\_?  
 Does \_\_\_\_\_ into a \_\_\_\_\_ extra money?  
 \_\_\_\_\_ technician \_\_\_\_\_ to \_\_\_\_\_ the cylinder, can \_\_\_\_\_ additional charges applied?  
 Is \_\_\_\_\_ other \_\_\_\_\_ for \_\_\_\_\_ through \_\_\_\_\_ ruined \_\_\_\_\_ later?  
 \_\_\_\_\_ cost \_\_\_\_\_ to \_\_\_\_\_ a drill \_\_\_\_\_ access my \_\_\_\_\_ tank?  
 Should a \_\_\_\_\_ into \_\_\_\_\_ cylinder \_\_\_\_\_ additional costs involved?  
 Do \_\_\_\_\_ have \_\_\_\_\_ pay \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ technician to \_\_\_\_\_ cylinder?  
 If they have \_\_\_\_\_ cylinder, \_\_\_\_\_ much \_\_\_\_\_ it cost?  
 \_\_\_\_\_ an additional \_\_\_\_\_ for \_\_\_\_\_ damage \_\_\_\_\_?  
 \_\_\_\_\_ cylinder mean \_\_\_\_\_ charges?  
 Should \_\_\_\_\_ expect \_\_\_\_\_ see \_\_\_\_\_ fee \_\_\_\_\_ a \_\_\_\_\_ is used \_\_\_\_\_ access the \_\_\_\_\_?  
 Can there \_\_\_\_\_ charges \_\_\_\_\_ needs \_\_\_\_\_ dig into the \_\_\_\_\_?  
 \_\_\_\_\_ I be charged more if \_\_\_\_\_ is needed \_\_\_\_\_?  
 Should \_\_\_\_\_ expect an additional fee \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ they need to \_\_\_\_\_ into \_\_\_\_\_ cylinder \_\_\_\_\_ it cost \_\_\_\_\_?

\_\_\_\_\_ there be additional \_\_\_\_\_ if drilling \_\_\_\_\_ to fix \_\_\_\_\_ ?  
 Can \_\_\_\_\_ an additional fee \_\_\_\_\_ drilling \_\_\_\_\_ cylinders?  
 \_\_\_\_\_ they \_\_\_\_\_ to \_\_\_\_\_ into this \_\_\_\_\_ would the cost \_\_\_\_\_ ?  
 Will \_\_\_\_\_ be charged \_\_\_\_\_ is required \_\_\_\_\_ faulty cylinder?  
 Will additional \_\_\_\_\_ if drilling \_\_\_\_\_ necessary \_\_\_\_\_ faulty \_\_\_\_\_ ?  
 If drilling is \_\_\_\_\_ open the \_\_\_\_\_ cylinder, \_\_\_\_\_ be \_\_\_\_\_ .  
 \_\_\_\_\_ it necessary \_\_\_\_\_ when a faulty \_\_\_\_\_ is drilled?  
 \_\_\_\_\_ technicians \_\_\_\_\_ to use \_\_\_\_\_ to \_\_\_\_\_ a damaged \_\_\_\_\_ do \_\_\_\_\_ more?  
 \_\_\_\_\_ it \_\_\_\_\_ drill into \_\_\_\_\_ cylinder?  
 Should \_\_\_\_\_ pay more if \_\_\_\_\_ technician \_\_\_\_\_ into the \_\_\_\_\_ ?  
 \_\_\_\_\_ drilling \_\_\_\_\_ additional charges \_\_\_\_\_ repairs?  
 Is there \_\_\_\_\_ chance \_\_\_\_\_ will involve more \_\_\_\_\_ the \_\_\_\_\_ has to open \_\_\_\_\_ ?  
 When drilling \_\_\_\_\_ the \_\_\_\_\_ we need to budget \_\_\_\_\_ fees?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ will charge \_\_\_\_\_ when your \_\_\_\_\_ into \_\_\_\_\_ up cylinder?  
 \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ get to my \_\_\_\_\_ tank would result \_\_\_\_\_ higher \_\_\_\_\_ ?  
 Is \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ into \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ drill access \_\_\_\_\_ broken \_\_\_\_\_ result \_\_\_\_\_ higher costs?  
 \_\_\_\_\_ charges \_\_\_\_\_ increased \_\_\_\_\_ fixing cylinder?  
 Do \_\_\_\_\_ have to \_\_\_\_\_ more if \_\_\_\_\_ have a \_\_\_\_\_ into \_\_\_\_\_ ?  
 \_\_\_\_\_ open the \_\_\_\_\_ cylinder, do I have to pay \_\_\_\_\_ ?  
 Will \_\_\_\_\_ incur more \_\_\_\_\_ to open my broken \_\_\_\_\_ ?  
 When \_\_\_\_\_ technician \_\_\_\_\_ a \_\_\_\_\_ cylinder, \_\_\_\_\_ ?  
 \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ should \_\_\_\_\_ an increase in fees?  
 \_\_\_\_\_ drilling into a \_\_\_\_\_ additional \_\_\_\_\_ ?  
 Can \_\_\_\_\_ technician's \_\_\_\_\_ increased if he \_\_\_\_\_ into the compromised \_\_\_\_\_ ?  
 \_\_\_\_\_ charges for \_\_\_\_\_ on the damaged \_\_\_\_\_ ?  
 \_\_\_\_\_ your technician needs \_\_\_\_\_ the damaged \_\_\_\_\_ will \_\_\_\_\_ any \_\_\_\_\_ charges?  
 \_\_\_\_\_ pay more \_\_\_\_\_ technician has to drill into the \_\_\_\_\_ ?  
 If \_\_\_\_\_ needs to use a drill \_\_\_\_\_ it \_\_\_\_\_ more \_\_\_\_\_ ?  
 Is \_\_\_\_\_ extra expense \_\_\_\_\_ your technician \_\_\_\_\_ open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ a \_\_\_\_\_ needed to \_\_\_\_\_ the \_\_\_\_\_ be an \_\_\_\_\_ in fees?  
 Will \_\_\_\_\_ go up if \_\_\_\_\_ technician \_\_\_\_\_ to \_\_\_\_\_ damaged \_\_\_\_\_ ?  
 \_\_\_\_\_ pay extra if \_\_\_\_\_ technician has \_\_\_\_\_ open \_\_\_\_\_ cylinder?  
 Is \_\_\_\_\_ fee if \_\_\_\_\_ technician has \_\_\_\_\_ open \_\_\_\_\_ faulty \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ extra expense involved \_\_\_\_\_ damaged \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ cost \_\_\_\_\_ drilling \_\_\_\_\_ the damaged cylinder?  
 The \_\_\_\_\_ involve more money if the tech \_\_\_\_\_ it \_\_\_\_\_ .  
 \_\_\_\_\_ fee added for \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ going to \_\_\_\_\_ to drill the damaged \_\_\_\_\_ ?  
 Charge more if \_\_\_\_\_ damaged \_\_\_\_\_ ?  
 \_\_\_\_\_ a damaged \_\_\_\_\_ count as an \_\_\_\_\_ fee?  
 Do \_\_\_\_\_ you need to \_\_\_\_\_ drills to \_\_\_\_\_ to a \_\_\_\_\_ ?  
 \_\_\_\_\_ to drill \_\_\_\_\_ the damaged \_\_\_\_\_ for \_\_\_\_\_ extra costs?  
 How much more \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ damaged \_\_\_\_\_ ?  
 \_\_\_\_\_ pay more charges \_\_\_\_\_ drilling the cylinder?  
 \_\_\_\_\_ a drill is needed \_\_\_\_\_ get to \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ you think \_\_\_\_\_ will be \_\_\_\_\_ worker \_\_\_\_\_ into \_\_\_\_\_ busted-up cylinder?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ for supplementary fees \_\_\_\_\_ a faulty \_\_\_\_\_ ?  
 There may be \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ .  
 Will \_\_\_\_\_ incur further \_\_\_\_\_ needs \_\_\_\_\_ open my broken \_\_\_\_\_ ?

\_\_\_\_\_ the cost \_\_\_\_\_ the damaged \_\_\_\_\_ go up \_\_\_\_\_ has to \_\_\_\_\_?  
 Does drilling into \_\_\_\_\_ damaged \_\_\_\_\_ fees?  
 Does drilling the \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ budget \_\_\_\_\_ additional \_\_\_\_\_ the faulty cylinder is \_\_\_\_\_?  
 \_\_\_\_\_ drilling \_\_\_\_\_ a faulty \_\_\_\_\_ we need \_\_\_\_\_ for supplementary fees?  
 Will it cost \_\_\_\_\_ more if \_\_\_\_\_ needs \_\_\_\_\_ cylinder?  
 Can \_\_\_\_\_ extra \_\_\_\_\_ for \_\_\_\_\_ damaged cylinder?  
 Does drilling \_\_\_\_\_ extra fees?  
 \_\_\_\_\_ there any \_\_\_\_\_ for drilling \_\_\_\_\_ cylinder?  
 Can \_\_\_\_\_ technician be charged additional charges \_\_\_\_\_ needs \_\_\_\_\_ into \_\_\_\_\_?  
 Can \_\_\_\_\_ additional \_\_\_\_\_ if drilling is \_\_\_\_\_ to open \_\_\_\_\_?  
 \_\_\_\_\_ sure \_\_\_\_\_ the lousy cylinder fix involves \_\_\_\_\_ money if \_\_\_\_\_ incompetent \_\_\_\_\_ has \_\_\_\_\_ it \_\_\_\_\_.  
 Should \_\_\_\_\_ more if \_\_\_\_\_ drill is needed \_\_\_\_\_ the \_\_\_\_\_ canister \_\_\_\_\_?  
 When \_\_\_\_\_ a \_\_\_\_\_ cylinder, \_\_\_\_\_ any chance of \_\_\_\_\_ expenses?  
 Is there \_\_\_\_\_ if \_\_\_\_\_ technicians need \_\_\_\_\_ a damaged cylinder?  
 \_\_\_\_\_ I need \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ has \_\_\_\_\_ open a \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ drill on \_\_\_\_\_ cylinder \_\_\_\_\_ surcharges?  
 \_\_\_\_\_ a \_\_\_\_\_ have to \_\_\_\_\_ damaged \_\_\_\_\_ with supplementary \_\_\_\_\_ involved?  
 If \_\_\_\_\_ into \_\_\_\_\_ compromised cylinder, \_\_\_\_\_ any more charges \_\_\_\_\_ applied?  
 Is \_\_\_\_\_ a budget for supplementary fees \_\_\_\_\_ is \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ it going \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ has to open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ charge more for \_\_\_\_\_ drills to \_\_\_\_\_ cylinders?  
 Will your \_\_\_\_\_ to \_\_\_\_\_ more money if \_\_\_\_\_ to \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ more if the technician \_\_\_\_\_ the \_\_\_\_\_?  
 Is extra \_\_\_\_\_ to the \_\_\_\_\_ person \_\_\_\_\_ drill a \_\_\_\_\_ tank \_\_\_\_\_?  
 \_\_\_\_\_ more to fix the cylinder \_\_\_\_\_?  
 Is \_\_\_\_\_ money \_\_\_\_\_ if \_\_\_\_\_ drills \_\_\_\_\_ hole in \_\_\_\_\_ broken thing?  
 \_\_\_\_\_ to face expenses when drilling open \_\_\_\_\_?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ for \_\_\_\_\_ fees when \_\_\_\_\_ on \_\_\_\_\_ faulty cylinder?  
 Will there be \_\_\_\_\_ if your \_\_\_\_\_ drill on \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ the incompetent \_\_\_\_\_ it open, then \_\_\_\_\_ fix may involve more \_\_\_\_\_.  
 Is there additional \_\_\_\_\_ drills a cracked \_\_\_\_\_?  
 Is drilling into \_\_\_\_\_ extra \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ associated with \_\_\_\_\_ a damaged \_\_\_\_\_?  
 When drilling \_\_\_\_\_ a damaged \_\_\_\_\_ do \_\_\_\_\_ will be \_\_\_\_\_?  
 Can any \_\_\_\_\_ charges \_\_\_\_\_ to drill \_\_\_\_\_ the compromised cylinder?  
 Will your tech \_\_\_\_\_ further \_\_\_\_\_ if \_\_\_\_\_ my broken cylinder?  
 What will \_\_\_\_\_ price \_\_\_\_\_ have to \_\_\_\_\_ into this \_\_\_\_\_?  
 \_\_\_\_\_ pay \_\_\_\_\_ for \_\_\_\_\_ to drill into \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ damaged cylinder, are there \_\_\_\_\_ costs?  
 \_\_\_\_\_ into \_\_\_\_\_ damaged cylinder costing \_\_\_\_\_?  
 Are you charging extra \_\_\_\_\_ your \_\_\_\_\_ to \_\_\_\_\_ access \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ you more to \_\_\_\_\_ damaged cylinder if \_\_\_\_\_ does \_\_\_\_\_?  
 \_\_\_\_\_ am \_\_\_\_\_ expect additional \_\_\_\_\_ for drilling \_\_\_\_\_ a damaged cylinder.  
 If \_\_\_\_\_ incompetent \_\_\_\_\_ to drill \_\_\_\_\_ open, \_\_\_\_\_ chance \_\_\_\_\_ the lousy \_\_\_\_\_ fix \_\_\_\_\_ more \_\_\_\_\_?  
 When \_\_\_\_\_ is necessary on a faulty \_\_\_\_\_ do \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ cost \_\_\_\_\_ for drilling \_\_\_\_\_ this cylinder?  
 \_\_\_\_\_ there \_\_\_\_\_ any additional expenses \_\_\_\_\_ is needed \_\_\_\_\_ that \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ drilling if \_\_\_\_\_ is damaged?  
 \_\_\_\_\_ must drill on \_\_\_\_\_ damaged \_\_\_\_\_ are there \_\_\_\_\_ charges?

\_\_\_\_\_ on \_\_\_\_\_ faulty \_\_\_\_\_ are we \_\_\_\_\_ to \_\_\_\_\_ for supplementary fees?

Can you \_\_\_\_\_ any other \_\_\_\_\_ for drilling \_\_\_\_\_ a \_\_\_\_\_?

Will \_\_\_\_\_ broken cylinder cause more \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ additional \_\_\_\_\_ for drilling \_\_\_\_\_ damaged cylinder?

\_\_\_\_\_ need to drill into \_\_\_\_\_ what will \_\_\_\_\_ me?

Would there be additional \_\_\_\_\_ technician \_\_\_\_\_ cracked \_\_\_\_\_?

\_\_\_\_\_ there an \_\_\_\_\_ drilling due to \_\_\_\_\_ damage?

\_\_\_\_\_ there any extra charges \_\_\_\_\_ in the \_\_\_\_\_?

Should \_\_\_\_\_ expect \_\_\_\_\_ for \_\_\_\_\_ into a damaged \_\_\_\_\_?

Can there be \_\_\_\_\_ drilling \_\_\_\_\_ there is \_\_\_\_\_ damage?

If \_\_\_\_\_ drill is \_\_\_\_\_ to get \_\_\_\_\_ cylinder, \_\_\_\_\_ fee increase?

\_\_\_\_\_ could \_\_\_\_\_ an additional \_\_\_\_\_ if drilling is \_\_\_\_\_ the \_\_\_\_\_ cylinder.

When \_\_\_\_\_ drills a \_\_\_\_\_ cylinder, what \_\_\_\_\_ there?

Is there a \_\_\_\_\_ of additional \_\_\_\_\_ if the \_\_\_\_\_?

When drilling is \_\_\_\_\_ due to \_\_\_\_\_ a \_\_\_\_\_ involved?

Is there a \_\_\_\_\_ for your \_\_\_\_\_ to \_\_\_\_\_ a damaged cylinder?

\_\_\_\_\_ go up if the \_\_\_\_\_ has to \_\_\_\_\_ the \_\_\_\_\_?

Does drilling into the \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ of expenses \_\_\_\_\_ drilling \_\_\_\_\_ a \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ drill into the \_\_\_\_\_ cylinder?

If a damaged \_\_\_\_\_ is drilled \_\_\_\_\_ will \_\_\_\_\_?

Is it going \_\_\_\_\_ more \_\_\_\_\_ he \_\_\_\_\_ to \_\_\_\_\_ that \_\_\_\_\_?

\_\_\_\_\_ costs \_\_\_\_\_ regards \_\_\_\_\_ damaged cylinder be caused by \_\_\_\_\_ having \_\_\_\_\_ drill?

\_\_\_\_\_ you \_\_\_\_\_ a drill \_\_\_\_\_ a \_\_\_\_\_ tank will result \_\_\_\_\_ higher \_\_\_\_\_?

If the \_\_\_\_\_ needs \_\_\_\_\_ fix the damaged \_\_\_\_\_ it cost \_\_\_\_\_?

\_\_\_\_\_ drilling \_\_\_\_\_ a \_\_\_\_\_ there any \_\_\_\_\_ of \_\_\_\_\_ some expenses?

\_\_\_\_\_ drilling into \_\_\_\_\_ additional fees?

\_\_\_\_\_ anyone \_\_\_\_\_ other \_\_\_\_\_ through a ruined cylinder?

\_\_\_\_\_ there be additional charges \_\_\_\_\_ the \_\_\_\_\_ needs \_\_\_\_\_ cylinder?

\_\_\_\_\_ it \_\_\_\_\_ if they \_\_\_\_\_ drill \_\_\_\_\_ the cylinder?

Is \_\_\_\_\_ a drill \_\_\_\_\_ access my broken \_\_\_\_\_ will result \_\_\_\_\_ costs?

\_\_\_\_\_ the \_\_\_\_\_ needs to open a busted \_\_\_\_\_ need \_\_\_\_\_ pay \_\_\_\_\_?

\_\_\_\_\_ higher costs come \_\_\_\_\_ drill to \_\_\_\_\_ broken tank?

What \_\_\_\_\_ the \_\_\_\_\_ need \_\_\_\_\_ drill into this cylinder?

If they have \_\_\_\_\_ open the \_\_\_\_\_ expect higher \_\_\_\_\_?

Does \_\_\_\_\_ extra fees to drill \_\_\_\_\_ cylinder?

Will you \_\_\_\_\_ tech needs to \_\_\_\_\_ a broken \_\_\_\_\_?

If the tech has \_\_\_\_\_ ruined cylinder, \_\_\_\_\_ going \_\_\_\_\_ more?

\_\_\_\_\_ drilling \_\_\_\_\_ damaged cylinder \_\_\_\_\_ extra \_\_\_\_\_?

Is \_\_\_\_\_ a fee if \_\_\_\_\_ to \_\_\_\_\_ a damaged \_\_\_\_\_?

Should a technician have \_\_\_\_\_ into \_\_\_\_\_ cylinder \_\_\_\_\_ extra \_\_\_\_\_?

\_\_\_\_\_ charges \_\_\_\_\_ applied if \_\_\_\_\_ needs \_\_\_\_\_ into the cylinder?

If the \_\_\_\_\_ to use \_\_\_\_\_ drill \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ cost more?

\_\_\_\_\_ there an additional fee \_\_\_\_\_ technician \_\_\_\_\_ open \_\_\_\_\_ faulty \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ costs if the technician \_\_\_\_\_ cylinder?

\_\_\_\_\_ they have to \_\_\_\_\_ into this \_\_\_\_\_ it cost \_\_\_\_\_?

If \_\_\_\_\_ drilling \_\_\_\_\_ required on \_\_\_\_\_ damaged cylinder, \_\_\_\_\_ additional \_\_\_\_\_?

\_\_\_\_\_ into a damaged cylinder \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ lousy \_\_\_\_\_ fix \_\_\_\_\_ if \_\_\_\_\_ tech has \_\_\_\_\_ open \_\_\_\_\_ cylinder.

A new \_\_\_\_\_ of fees \_\_\_\_\_ the technician \_\_\_\_\_.

Should \_\_\_\_\_ be incurred \_\_\_\_\_ cylinder is \_\_\_\_\_ be opened?

Does it cost \_\_\_\_\_ to \_\_\_\_\_ open \_\_\_\_\_ ruined cylinder?

When the technician drills \_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_?

Was \_\_\_\_\_ additional fees when the \_\_\_\_\_ cylinder?

\_\_\_\_\_ there \_\_\_\_\_ additional charges if \_\_\_\_\_ the damaged cylinder?

Should additional \_\_\_\_\_ applied \_\_\_\_\_ drilling is \_\_\_\_\_ that \_\_\_\_\_?

\_\_\_\_\_ you have any \_\_\_\_\_ through the \_\_\_\_\_ cylinder?

\_\_\_\_\_ charges be \_\_\_\_\_ if the technician \_\_\_\_\_ to drill into \_\_\_\_\_?

Can \_\_\_\_\_ tell \_\_\_\_\_ is any chance of \_\_\_\_\_ expenses when drilling \_\_\_\_\_ cylinder?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ charge \_\_\_\_\_ more when \_\_\_\_\_ worker drills into \_\_\_\_\_ busted-up \_\_\_\_\_?

Can there \_\_\_\_\_ charges \_\_\_\_\_ drilling \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ it cost me \_\_\_\_\_ they have \_\_\_\_\_ this cylinder?

\_\_\_\_\_ there \_\_\_\_\_ fee if \_\_\_\_\_ is \_\_\_\_\_ to open \_\_\_\_\_ cylinder?

Should \_\_\_\_\_ have \_\_\_\_\_ drill \_\_\_\_\_ a \_\_\_\_\_ cylinder \_\_\_\_\_ further costs?

\_\_\_\_\_ there any other \_\_\_\_\_ through a ruined \_\_\_\_\_?

\_\_\_\_\_ additional \_\_\_\_\_ drilling into \_\_\_\_\_ cylinders?

If \_\_\_\_\_ needed \_\_\_\_\_ open the \_\_\_\_\_ will \_\_\_\_\_ incur \_\_\_\_\_ expenses?

\_\_\_\_\_ know if \_\_\_\_\_ is an additional \_\_\_\_\_ into a damaged \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ with drilling \_\_\_\_\_ a \_\_\_\_\_ cylinder?

\_\_\_\_\_ the incompetent tech \_\_\_\_\_ to \_\_\_\_\_ it \_\_\_\_\_ is a \_\_\_\_\_ the lousy \_\_\_\_\_ fix will \_\_\_\_\_.

\_\_\_\_\_ you intend \_\_\_\_\_ charge \_\_\_\_\_ more \_\_\_\_\_ worker \_\_\_\_\_ the cylinder?

Is drilling \_\_\_\_\_ add more \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ more \_\_\_\_\_ use \_\_\_\_\_ to get to a damaged cylinder?

Are \_\_\_\_\_ planning \_\_\_\_\_ charge \_\_\_\_\_ more when your \_\_\_\_\_ into \_\_\_\_\_ up \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ a drill is needed to get \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ costs \_\_\_\_\_ if \_\_\_\_\_ to open the broken cylinder?

\_\_\_\_\_ cost more \_\_\_\_\_ drill is \_\_\_\_\_ to repair \_\_\_\_\_ cylinder?

Is \_\_\_\_\_ fee \_\_\_\_\_ drilling is \_\_\_\_\_ open a damaged \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ the cylinder increase \_\_\_\_\_ technician has \_\_\_\_\_ it?

\_\_\_\_\_ the costs increase if \_\_\_\_\_ for \_\_\_\_\_ damaged cylinder?

\_\_\_\_\_ you intend to charge \_\_\_\_\_ more when \_\_\_\_\_ broken up \_\_\_\_\_?

If the technician \_\_\_\_\_ open \_\_\_\_\_ damaged \_\_\_\_\_ will \_\_\_\_\_ additional \_\_\_\_\_?

When drilling is necessary \_\_\_\_\_ a \_\_\_\_\_ to budget \_\_\_\_\_ supplementary \_\_\_\_\_?

Will \_\_\_\_\_ have to incur \_\_\_\_\_ if \_\_\_\_\_ open my broken \_\_\_\_\_?

Will the \_\_\_\_\_ the damaged \_\_\_\_\_ a technician drills \_\_\_\_\_?

\_\_\_\_\_ needs to drill into \_\_\_\_\_ compromised cylinder \_\_\_\_\_ charges be \_\_\_\_\_?

If it \_\_\_\_\_ necessary for the \_\_\_\_\_ to \_\_\_\_\_ will \_\_\_\_\_ further expenses?

Do I have \_\_\_\_\_ more if the \_\_\_\_\_ needs \_\_\_\_\_?

Should I expect \_\_\_\_\_ for drilling into \_\_\_\_\_?

Does \_\_\_\_\_ the \_\_\_\_\_ charges?

Will a drill \_\_\_\_\_ in increased costs \_\_\_\_\_?

\_\_\_\_\_ fees \_\_\_\_\_ technician drills \_\_\_\_\_ cracked \_\_\_\_\_?

Do \_\_\_\_\_ charge \_\_\_\_\_ if your \_\_\_\_\_ need \_\_\_\_\_ to access \_\_\_\_\_ cylinder?

Is it \_\_\_\_\_ cost me more \_\_\_\_\_ the \_\_\_\_\_ need to \_\_\_\_\_?

Does drilling \_\_\_\_\_ bigger bill?

When \_\_\_\_\_ damaged, is there \_\_\_\_\_ additional fee \_\_\_\_\_?

Is it costing \_\_\_\_\_ damaged \_\_\_\_\_?

\_\_\_\_\_ technician \_\_\_\_\_ a damaged cylinder, \_\_\_\_\_ there any additional charges?

Should \_\_\_\_\_ technician have \_\_\_\_\_ drill into a damaged \_\_\_\_\_?

Is \_\_\_\_\_ additional fee \_\_\_\_\_ when drilling \_\_\_\_\_ because \_\_\_\_\_ damage?

\_\_\_\_\_ there \_\_\_\_\_ charges if the technician \_\_\_\_\_ compromised cylinder?

\_\_\_\_\_ be charged more if \_\_\_\_\_ is required \_\_\_\_\_ this \_\_\_\_\_ situation?

Should \_\_\_\_\_ to drill into \_\_\_\_\_ to \_\_\_\_\_ the additional costs?

Will additional expenses \_\_\_\_\_ applicable \_\_\_\_\_ is required \_\_\_\_\_ cylinder?

Do I need to \_\_\_\_\_ if \_\_\_\_\_ has to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to access \_\_\_\_\_ cylinder, should \_\_\_\_\_ the fees?

\_\_\_\_\_ there \_\_\_\_\_ money needed if \_\_\_\_\_ a \_\_\_\_\_ in a \_\_\_\_\_ thing?

If \_\_\_\_\_ tech needs to \_\_\_\_\_ it \_\_\_\_\_ there's a \_\_\_\_\_ the \_\_\_\_\_ involves \_\_\_\_\_ money.

\_\_\_\_\_ going \_\_\_\_\_ fees since \_\_\_\_\_ repair person must drill the destroyed \_\_\_\_\_?

\_\_\_\_\_ to charge \_\_\_\_\_ more when your worker drills \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ be more \_\_\_\_\_ for drilling into \_\_\_\_\_ cylinder.

\_\_\_\_\_ there more \_\_\_\_\_ a \_\_\_\_\_ drilled in a broken \_\_\_\_\_?

Will \_\_\_\_\_ fixing cylinder?

\_\_\_\_\_ increased \_\_\_\_\_ to the damaged \_\_\_\_\_ occur \_\_\_\_\_ a technician \_\_\_\_\_ to drill?

\_\_\_\_\_ drill \_\_\_\_\_ needed to \_\_\_\_\_ cylinder \_\_\_\_\_ we expect a \_\_\_\_\_ hike?

Is \_\_\_\_\_ an additional fee \_\_\_\_\_ the \_\_\_\_\_ has to \_\_\_\_\_?

\_\_\_\_\_ any charges \_\_\_\_\_ added if the technician \_\_\_\_\_ to \_\_\_\_\_ cylinder?

\_\_\_\_\_ drilling \_\_\_\_\_ required to open a damaged \_\_\_\_\_ fees?

Are \_\_\_\_\_ extra charges \_\_\_\_\_ into \_\_\_\_\_ damaged cylinder?

\_\_\_\_\_ it \_\_\_\_\_ if \_\_\_\_\_ technician uses a drill \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ chance \_\_\_\_\_ expenses when drilling a damaged \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for drilling the \_\_\_\_\_?

Is there any \_\_\_\_\_ fees \_\_\_\_\_ drilling to \_\_\_\_\_?

Should \_\_\_\_\_ more fees \_\_\_\_\_ into a \_\_\_\_\_ cylinder?

Is \_\_\_\_\_ an extra \_\_\_\_\_ associated \_\_\_\_\_ a damaged \_\_\_\_\_?

Does drilling into \_\_\_\_\_ increase \_\_\_\_\_?

\_\_\_\_\_ be additional charges if there \_\_\_\_\_ need \_\_\_\_\_ the cylinder?

Is it going \_\_\_\_\_ more \_\_\_\_\_ if \_\_\_\_\_ tech needs \_\_\_\_\_ open \_\_\_\_\_ cylinder?

Will \_\_\_\_\_ the \_\_\_\_\_ damaged cylinder if a \_\_\_\_\_ has to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ charges \_\_\_\_\_ on a damaged cylinder \_\_\_\_\_ your \_\_\_\_\_?

Does \_\_\_\_\_ damaged cylinder incur additional \_\_\_\_\_?

If the technician \_\_\_\_\_ to drill \_\_\_\_\_ can \_\_\_\_\_ additional \_\_\_\_\_ applied?

The \_\_\_\_\_ more to drill.

\_\_\_\_\_ charges \_\_\_\_\_ applied \_\_\_\_\_ the technician \_\_\_\_\_ going to drill \_\_\_\_\_ cylinder?

Is \_\_\_\_\_ cost \_\_\_\_\_ drilling open \_\_\_\_\_ cylinder?

\_\_\_\_\_ wondering if drilling the \_\_\_\_\_ will \_\_\_\_\_ charges.

I \_\_\_\_\_ there are \_\_\_\_\_ charges for \_\_\_\_\_ the \_\_\_\_\_ cylinder.

\_\_\_\_\_ drilling the \_\_\_\_\_ I'll \_\_\_\_\_ more?

\_\_\_\_\_ into a damaged \_\_\_\_\_ costs \_\_\_\_\_?

Can there be additional charges if the \_\_\_\_\_ drill \_\_\_\_\_?

Is any \_\_\_\_\_ necessary if \_\_\_\_\_ a hole in \_\_\_\_\_ broken \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ for \_\_\_\_\_ on the damaged cylinder.

\_\_\_\_\_ you charge \_\_\_\_\_ use drills \_\_\_\_\_ access \_\_\_\_\_ cylinders?

If \_\_\_\_\_ required on \_\_\_\_\_ damaged cylinder, \_\_\_\_\_ there \_\_\_\_\_?

Will \_\_\_\_\_ more costs \_\_\_\_\_ a \_\_\_\_\_ has to \_\_\_\_\_ damaged cylinder?

There \_\_\_\_\_ be extra \_\_\_\_\_ drilling is necessary \_\_\_\_\_ the \_\_\_\_\_.

Will \_\_\_\_\_ cost more to fix \_\_\_\_\_ cylinder \_\_\_\_\_ technician has \_\_\_\_\_?

There \_\_\_\_\_ a chance that \_\_\_\_\_ cylinder fix \_\_\_\_\_ money if the \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ I \_\_\_\_\_ more \_\_\_\_\_ is needed for \_\_\_\_\_ canister situation?

\_\_\_\_\_ needs to \_\_\_\_\_ on the damaged cylinder, \_\_\_\_\_ there \_\_\_\_\_ charges?

If your technician \_\_\_\_\_ a damaged cylinder, \_\_\_\_\_ there \_\_\_\_\_?  
 \_\_\_\_\_ a drill \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ should \_\_\_\_\_ go up?  
 Are you going \_\_\_\_\_ charge me \_\_\_\_\_ drills \_\_\_\_\_ the \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ technician needs \_\_\_\_\_ drill \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ cost more?  
 \_\_\_\_\_ an additional fee for drilling \_\_\_\_\_ cylinder.  
 If drilling \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ extra fees?  
 \_\_\_\_\_ can \_\_\_\_\_ to \_\_\_\_\_ a damaged \_\_\_\_\_.  
 Will more \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ faulty cylinder?  
 \_\_\_\_\_ you going to \_\_\_\_\_ more \_\_\_\_\_ your worker drills \_\_\_\_\_ cylinder?  
 Is \_\_\_\_\_ an \_\_\_\_\_ in \_\_\_\_\_ open a \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ drilling \_\_\_\_\_ necessary for \_\_\_\_\_ faulty \_\_\_\_\_ will \_\_\_\_\_ apply?  
 \_\_\_\_\_ the technician \_\_\_\_\_ drill into the \_\_\_\_\_ be \_\_\_\_\_ charges?  
 \_\_\_\_\_ a \_\_\_\_\_ that the \_\_\_\_\_ cylinder fix involves more money \_\_\_\_\_ tech \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ make \_\_\_\_\_ more expensive \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ the \_\_\_\_\_ the damaged cylinder \_\_\_\_\_ up \_\_\_\_\_ the \_\_\_\_\_ has to \_\_\_\_\_?  
 \_\_\_\_\_ costs \_\_\_\_\_ technician \_\_\_\_\_ cracked cylinder?  
 \_\_\_\_\_ be \_\_\_\_\_ if a \_\_\_\_\_ is used \_\_\_\_\_ the cylinder?  
 \_\_\_\_\_ drilling \_\_\_\_\_ necessary to \_\_\_\_\_ are there \_\_\_\_\_ extra fees?  
 \_\_\_\_\_ drilling \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ cylinder there \_\_\_\_\_ be \_\_\_\_\_ fees.  
 \_\_\_\_\_ costing me more \_\_\_\_\_ the \_\_\_\_\_ has to \_\_\_\_\_ cylinder?  
 Does \_\_\_\_\_ a damaged \_\_\_\_\_ fees?  
 \_\_\_\_\_ fees \_\_\_\_\_ the \_\_\_\_\_ drills \_\_\_\_\_ cracked \_\_\_\_\_.  
 If a \_\_\_\_\_ is going to \_\_\_\_\_ damaged \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ pay \_\_\_\_\_?  
 \_\_\_\_\_ want to know if \_\_\_\_\_ is an \_\_\_\_\_ into \_\_\_\_\_ damaged \_\_\_\_\_.  
 I \_\_\_\_\_ if \_\_\_\_\_ going \_\_\_\_\_ when your worker \_\_\_\_\_ into the \_\_\_\_\_.  
 \_\_\_\_\_ cost \_\_\_\_\_ if the \_\_\_\_\_ drills \_\_\_\_\_ the \_\_\_\_\_ cylinder?  
 Do \_\_\_\_\_ need to pay more \_\_\_\_\_ technician \_\_\_\_\_ open \_\_\_\_\_?  
 Do you \_\_\_\_\_ going to charge me \_\_\_\_\_ your \_\_\_\_\_ the \_\_\_\_\_?  
 Is any more money \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_?  
 When drilling is \_\_\_\_\_ cylinder, \_\_\_\_\_ we \_\_\_\_\_ budget for \_\_\_\_\_ fees?  
 What are the charges for \_\_\_\_\_ through \_\_\_\_\_?  
 \_\_\_\_\_ the incompetent \_\_\_\_\_ drill \_\_\_\_\_ open, is it \_\_\_\_\_ that the \_\_\_\_\_ fix involves more \_\_\_\_\_?  
 Is there any extra \_\_\_\_\_ the \_\_\_\_\_ drill the \_\_\_\_\_ open?  
 \_\_\_\_\_ think you'll \_\_\_\_\_ me more when \_\_\_\_\_ into \_\_\_\_\_ busted up \_\_\_\_\_?  
 \_\_\_\_\_ the technician has \_\_\_\_\_ drill \_\_\_\_\_ cylinder \_\_\_\_\_ there \_\_\_\_\_ additional charges?  
 \_\_\_\_\_ I need to \_\_\_\_\_ the \_\_\_\_\_ has \_\_\_\_\_ into \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ requires to drill into \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ a drill \_\_\_\_\_ to access \_\_\_\_\_ cylinder, should \_\_\_\_\_ expect an \_\_\_\_\_?  
 \_\_\_\_\_ the damaged cylinder \_\_\_\_\_ charges?  
 If a \_\_\_\_\_ drill \_\_\_\_\_ cylinder, should \_\_\_\_\_ pay more?  
 If \_\_\_\_\_ technician has to \_\_\_\_\_ damaged cylinder, do \_\_\_\_\_ pay \_\_\_\_\_?  
 Will the \_\_\_\_\_ to use \_\_\_\_\_ the cylinder?  
 Is \_\_\_\_\_ any \_\_\_\_\_ drilling into a \_\_\_\_\_?  
 Is \_\_\_\_\_ expensive to use \_\_\_\_\_ drill \_\_\_\_\_ damaged \_\_\_\_\_.  
 \_\_\_\_\_ a damaged \_\_\_\_\_ cause any \_\_\_\_\_?  
 Is \_\_\_\_\_ damaged cylinder worth \_\_\_\_\_?  
 \_\_\_\_\_ drilling is required \_\_\_\_\_ that \_\_\_\_\_ cylinder, \_\_\_\_\_ there \_\_\_\_\_ expenses?  
 Can drilling \_\_\_\_\_ more charges?  
 If \_\_\_\_\_ technician \_\_\_\_\_ a damaged \_\_\_\_\_ there any \_\_\_\_\_ charges?  
 \_\_\_\_\_ you \_\_\_\_\_ extra if your \_\_\_\_\_ to use \_\_\_\_\_ to \_\_\_\_\_ damaged cylinder?



Does \_\_\_\_\_ a \_\_\_\_\_ cylinder result \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ expect an \_\_\_\_\_ fee for \_\_\_\_\_ when setting aside \_\_\_\_\_ repair charges?

\_\_\_\_\_ there \_\_\_\_\_ to drill into \_\_\_\_\_ damaged cylinder?

\_\_\_\_\_ much \_\_\_\_\_ you \_\_\_\_\_ pay to \_\_\_\_\_ the damaged cylinder?

If a technician \_\_\_\_\_ open \_\_\_\_\_ Cylinder, will \_\_\_\_\_ more?

\_\_\_\_\_ your technician \_\_\_\_\_ drill \_\_\_\_\_ the \_\_\_\_\_ cylinder, are \_\_\_\_\_ additional \_\_\_\_\_?

When \_\_\_\_\_ damaged \_\_\_\_\_ do you \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ costs?

\_\_\_\_\_ the \_\_\_\_\_ has to \_\_\_\_\_ into \_\_\_\_\_ there be any additional \_\_\_\_\_?

The \_\_\_\_\_ an \_\_\_\_\_ for drilling into it.

\_\_\_\_\_ may \_\_\_\_\_ fees \_\_\_\_\_ the \_\_\_\_\_ drills \_\_\_\_\_ cracked cylinder.

Should fees go \_\_\_\_\_ if a \_\_\_\_\_ access \_\_\_\_\_ cylinder?

I don't \_\_\_\_\_ cylinder will mean \_\_\_\_\_ charges.

\_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ faulty cylinder is \_\_\_\_\_?

If drilling is needed \_\_\_\_\_ the \_\_\_\_\_ there \_\_\_\_\_ fees?

How \_\_\_\_\_ does drilling \_\_\_\_\_ damaged \_\_\_\_\_?

What will \_\_\_\_\_ for them to \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ higher \_\_\_\_\_ associated with the damaged \_\_\_\_\_ if \_\_\_\_\_ technician \_\_\_\_\_ drill?

Is there \_\_\_\_\_ extra \_\_\_\_\_ drilling becomes \_\_\_\_\_ because of \_\_\_\_\_?

Is there \_\_\_\_\_ additional charges \_\_\_\_\_ drilling \_\_\_\_\_?

Is \_\_\_\_\_ fees \_\_\_\_\_ since the \_\_\_\_\_ must drill \_\_\_\_\_ tank \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the cylinder \_\_\_\_\_ needs to use a \_\_\_\_\_?

There may \_\_\_\_\_ drilling into a \_\_\_\_\_.

Will a drill \_\_\_\_\_ for \_\_\_\_\_ cylinders?

How \_\_\_\_\_ do you have to spend \_\_\_\_\_ damaged \_\_\_\_\_?

\_\_\_\_\_ more expensive to \_\_\_\_\_ cylinder?

How much \_\_\_\_\_ it cost \_\_\_\_\_ drill \_\_\_\_\_ this cylinder?

\_\_\_\_\_ additional expenses \_\_\_\_\_ incurred if \_\_\_\_\_ to open \_\_\_\_\_ faulty cylinder?

Is \_\_\_\_\_ cost \_\_\_\_\_ drilling open \_\_\_\_\_ damaged cylinder?

If the \_\_\_\_\_ needs to \_\_\_\_\_ the cylinder, will \_\_\_\_\_?

Will \_\_\_\_\_ costs to fix \_\_\_\_\_?

Will there \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ cylinder?

If \_\_\_\_\_ incompetent \_\_\_\_\_ has to drill \_\_\_\_\_ do \_\_\_\_\_ think the \_\_\_\_\_ cylinder \_\_\_\_\_ more money?

Is \_\_\_\_\_ into the \_\_\_\_\_ more \_\_\_\_\_?

Should \_\_\_\_\_ pay \_\_\_\_\_ if \_\_\_\_\_ has to dig into \_\_\_\_\_?

Should \_\_\_\_\_ more \_\_\_\_\_ a tech \_\_\_\_\_ broken cylinder?

They have \_\_\_\_\_ into \_\_\_\_\_ what will \_\_\_\_\_ cost?

\_\_\_\_\_ any extra charges \_\_\_\_\_ the damaged cylinder?

\_\_\_\_\_ additional costs \_\_\_\_\_ the technician needs to \_\_\_\_\_ the \_\_\_\_\_.

Can \_\_\_\_\_ be any additional \_\_\_\_\_ technician is going to \_\_\_\_\_?

If \_\_\_\_\_ technician must drill \_\_\_\_\_ will additional \_\_\_\_\_?

If \_\_\_\_\_ drill \_\_\_\_\_ a damaged cylinder, \_\_\_\_\_ any \_\_\_\_\_ charges?

What \_\_\_\_\_ do \_\_\_\_\_ have for \_\_\_\_\_ through \_\_\_\_\_ cylinder?

Will \_\_\_\_\_ shell \_\_\_\_\_ if it is \_\_\_\_\_ for the technician to \_\_\_\_\_ cylinder?

\_\_\_\_\_ drilling is necessary on \_\_\_\_\_ faulty cylinder \_\_\_\_\_ budget \_\_\_\_\_ fees?

Does \_\_\_\_\_ a \_\_\_\_\_ cylinder \_\_\_\_\_ costs?

\_\_\_\_\_ on a faulty \_\_\_\_\_ we need \_\_\_\_\_ budget \_\_\_\_\_ fees?

Will there be more \_\_\_\_\_ the \_\_\_\_\_ damaged cylinder?

If drilling is \_\_\_\_\_ for \_\_\_\_\_ faulty \_\_\_\_\_ apply?

Are \_\_\_\_\_ going to \_\_\_\_\_ me \_\_\_\_\_ when the \_\_\_\_\_ drills \_\_\_\_\_ cylinder?

\_\_\_\_\_ wonder if I \_\_\_\_\_ expect more \_\_\_\_\_ into \_\_\_\_\_ cylinder.

Will it \_\_\_\_\_ more \_\_\_\_\_ use \_\_\_\_\_ when \_\_\_\_\_ cylinder?

\_\_\_\_\_ the \_\_\_\_\_ increased \_\_\_\_\_ he needs to drill \_\_\_\_\_ cylinder?

Will I be shelling out \_\_\_\_\_ it \_\_\_\_\_ necessary for \_\_\_\_\_ technician \_\_\_\_\_ ?

If \_\_\_\_\_ needs to open the \_\_\_\_\_ have \_\_\_\_\_ pay more?

When a faulty \_\_\_\_\_ is needed for \_\_\_\_\_ do we \_\_\_\_\_ ?

Will \_\_\_\_\_ cost of \_\_\_\_\_ if the \_\_\_\_\_ has \_\_\_\_\_ drill?

\_\_\_\_\_ the \_\_\_\_\_ mean \_\_\_\_\_ charges?

\_\_\_\_\_ the \_\_\_\_\_ needs to open \_\_\_\_\_ will it cost \_\_\_\_\_ money?

\_\_\_\_\_ a cost if \_\_\_\_\_ have \_\_\_\_\_ into this \_\_\_\_\_ ?

\_\_\_\_\_ into the \_\_\_\_\_ cylinder impose \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ increased \_\_\_\_\_ for the \_\_\_\_\_ technician has to drill?

Can \_\_\_\_\_ me \_\_\_\_\_ is any chance \_\_\_\_\_ having expenses \_\_\_\_\_ open \_\_\_\_\_ damaged \_\_\_\_\_ ?

\_\_\_\_\_ think \_\_\_\_\_ charge me more when your worker \_\_\_\_\_ cylinder?

Will it cost \_\_\_\_\_ to \_\_\_\_\_ repair the \_\_\_\_\_ ?

\_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ damaged \_\_\_\_\_ incur \_\_\_\_\_ fees?

\_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ drilling \_\_\_\_\_ a damaged cylinder?

If \_\_\_\_\_ technician \_\_\_\_\_ a drill \_\_\_\_\_ will it cost more?

Will \_\_\_\_\_ additional expenses if \_\_\_\_\_ is \_\_\_\_\_ for that \_\_\_\_\_ ?

If the technician \_\_\_\_\_ drill \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ apply?

\_\_\_\_\_ it costing \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ cylinder?

\_\_\_\_\_ your \_\_\_\_\_ to charge me more when he \_\_\_\_\_ ?

\_\_\_\_\_ necessary \_\_\_\_\_ the faulty cylinder, \_\_\_\_\_ we \_\_\_\_\_ supplementary fees?

\_\_\_\_\_ I expect \_\_\_\_\_ additional \_\_\_\_\_ into the damaged \_\_\_\_\_ ?

Can \_\_\_\_\_ incur further \_\_\_\_\_ they \_\_\_\_\_ to \_\_\_\_\_ my broken \_\_\_\_\_ ?

\_\_\_\_\_ the price go \_\_\_\_\_ technician uses \_\_\_\_\_ drill on the \_\_\_\_\_ ?

Would using a \_\_\_\_\_ to \_\_\_\_\_ in higher costs?

\_\_\_\_\_ add to \_\_\_\_\_ cost to \_\_\_\_\_ a \_\_\_\_\_ ?

\_\_\_\_\_ more or no \_\_\_\_\_ you \_\_\_\_\_ cylinder?

\_\_\_\_\_ be adjusted \_\_\_\_\_ a drill \_\_\_\_\_ needed to \_\_\_\_\_ cylinder?

Is it \_\_\_\_\_ cost me \_\_\_\_\_ money \_\_\_\_\_ need \_\_\_\_\_ open \_\_\_\_\_ cylinder?

If a \_\_\_\_\_ access the \_\_\_\_\_ should there \_\_\_\_\_ an \_\_\_\_\_ in \_\_\_\_\_ ?

\_\_\_\_\_ there extra fees \_\_\_\_\_ to the \_\_\_\_\_ person \_\_\_\_\_ destroyed tank \_\_\_\_\_ ?

\_\_\_\_\_ access to my broken \_\_\_\_\_ lead \_\_\_\_\_ costs?

Can \_\_\_\_\_ if the technician needs \_\_\_\_\_ drill \_\_\_\_\_ the \_\_\_\_\_ cylinder?

If \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_ cylinder, are there any \_\_\_\_\_ ?

Will there \_\_\_\_\_ for drilling \_\_\_\_\_ the \_\_\_\_\_ ?

Will \_\_\_\_\_ charges for \_\_\_\_\_ increased \_\_\_\_\_ drilling?

\_\_\_\_\_ intend \_\_\_\_\_ me more \_\_\_\_\_ worker drills into a \_\_\_\_\_ cylinder?

Should \_\_\_\_\_ pay more \_\_\_\_\_ to open a \_\_\_\_\_ cylinder?

\_\_\_\_\_ required \_\_\_\_\_ into the \_\_\_\_\_ cylinder for additional costs?

\_\_\_\_\_ there any \_\_\_\_\_ for \_\_\_\_\_ through \_\_\_\_\_ ?

\_\_\_\_\_ have to pay more \_\_\_\_\_ drills into \_\_\_\_\_ cylinder?

\_\_\_\_\_ there be \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ to open \_\_\_\_\_ damaged \_\_\_\_\_ ?

When \_\_\_\_\_ necessary on a faulty \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ additional \_\_\_\_\_ ?

\_\_\_\_\_ to drill into \_\_\_\_\_ damaged \_\_\_\_\_ ?

Is \_\_\_\_\_ an \_\_\_\_\_ in \_\_\_\_\_ open the damaged \_\_\_\_\_ ?

Does \_\_\_\_\_ damaged cylinder \_\_\_\_\_ in extra \_\_\_\_\_ ?

\_\_\_\_\_ higher \_\_\_\_\_ with using a \_\_\_\_\_ access my \_\_\_\_\_ tank?

Can there \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ into the \_\_\_\_\_ ?

When cylinder damage necessitates drilling, \_\_\_\_\_ an \_\_\_\_\_ ?

Does carrying \_\_\_\_ a \_\_\_\_ on \_\_\_\_ damaged \_\_\_\_ cost \_\_\_\_?

\_\_\_\_ it make sense to budget for supplementary \_\_\_\_\_ drilled?

Should \_\_\_\_ be charged \_\_\_\_ if \_\_\_\_ drill is \_\_\_\_ for \_\_\_\_ canister \_\_\_\_?

\_\_\_\_ there \_\_\_\_\_ charges \_\_\_\_ the \_\_\_\_ has to \_\_\_\_ into the \_\_\_\_?

If \_\_\_\_ technician \_\_\_\_\_ cylinder will there be \_\_\_\_ costs?

\_\_\_\_ there any additional charges \_\_\_\_\_ through \_\_\_\_\_?

Is there \_\_\_\_\_ involved \_\_\_\_ drilling open \_\_\_\_\_ cylinder?

\_\_\_\_ your worker drills into \_\_\_\_\_ cylinder, are you \_\_\_\_ to \_\_\_\_\_?

If a technician \_\_\_\_ to \_\_\_\_ a damaged \_\_\_\_ will \_\_\_\_\_?

When \_\_\_\_\_ required \_\_\_\_ a faulty cylinder, \_\_\_\_\_ budget \_\_\_\_ supplementary \_\_\_\_?

What will \_\_\_\_\_ be \_\_\_\_ they \_\_\_\_ to \_\_\_\_ into \_\_\_\_ cylinder?

\_\_\_\_ it \_\_\_\_\_ cost \_\_\_\_ more to \_\_\_\_ your \_\_\_\_\_ the busted-up cylinder?

Are \_\_\_\_ any \_\_\_\_\_ for drilling \_\_\_\_ the damaged \_\_\_\_?

\_\_\_\_ there extra \_\_\_\_\_ drilling \_\_\_\_ a \_\_\_\_ cylinder?

Will the charges \_\_\_\_ fixing \_\_\_\_\_ increased \_\_\_\_\_?

Are there \_\_\_\_\_ drilling \_\_\_\_ a \_\_\_\_\_?

If \_\_\_\_\_ drill and \_\_\_\_\_ cylinder, what extra \_\_\_\_ are \_\_\_\_?

\_\_\_\_ worker going to \_\_\_\_ me extra when he \_\_\_\_ into \_\_\_\_\_?

Should a drill \_\_\_\_\_ this damaged \_\_\_\_ situation, \_\_\_\_ I be \_\_\_\_\_?

There may \_\_\_\_\_ if drilling \_\_\_\_ needed to \_\_\_\_ the \_\_\_\_ cylinder.

Can \_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ to drill into \_\_\_\_ compromised cylinder?

Will there be \_\_\_\_\_ if \_\_\_\_ is needed \_\_\_\_\_ cylinder?

\_\_\_\_ other charges for \_\_\_\_\_ a \_\_\_\_ cylinder \_\_\_\_?

Is \_\_\_\_ an \_\_\_\_\_ if drilling \_\_\_\_ necessary \_\_\_\_ to \_\_\_\_ damage?

Should the \_\_\_\_ have to \_\_\_\_\_ the cylinder \_\_\_\_\_?

Can \_\_\_\_ tell \_\_\_\_ if there are \_\_\_\_\_ on the \_\_\_\_?

The \_\_\_\_ cylinder \_\_\_\_\_ if the tech has \_\_\_\_ open the \_\_\_\_.

\_\_\_\_ chance the lousy \_\_\_\_ fix \_\_\_\_ more money if the \_\_\_\_ has \_\_\_\_\_?

If \_\_\_\_\_ to open \_\_\_\_ busted cylinder, do I \_\_\_\_ to \_\_\_\_\_?

\_\_\_\_ the \_\_\_\_ cylinder \_\_\_\_\_ do we \_\_\_\_ to \_\_\_\_ for \_\_\_\_ fees?

\_\_\_\_ the \_\_\_\_\_ repairing the damaged \_\_\_\_ increase \_\_\_\_ a technician \_\_\_\_ to \_\_\_\_?

Does drilling \_\_\_\_ the \_\_\_\_ cylinder \_\_\_\_\_?

If \_\_\_\_ have to \_\_\_\_ and \_\_\_\_ the \_\_\_\_ are \_\_\_\_\_ costs?

\_\_\_\_ drilling \_\_\_\_ needed \_\_\_\_ the faulty \_\_\_\_\_ we need to \_\_\_\_ for \_\_\_\_\_?

\_\_\_\_ drilling is \_\_\_\_ to \_\_\_\_ the damaged cylinder there \_\_\_\_\_.

\_\_\_\_ other charges for drilling through \_\_\_\_ cylinder?

Is there \_\_\_\_ extra \_\_\_\_ for \_\_\_\_ a \_\_\_\_\_?

There \_\_\_\_ be charges \_\_\_\_ drilling \_\_\_\_\_ damaged \_\_\_\_.

\_\_\_\_ other charges \_\_\_\_ drilling through \_\_\_\_ cylinder \_\_\_\_ on?

If the technician needs \_\_\_\_\_ cylinder, can there \_\_\_\_ any \_\_\_\_\_?

Is \_\_\_\_ more \_\_\_\_ needed if \_\_\_\_\_ drills a \_\_\_\_\_ broken appliance?

Is there more \_\_\_\_\_ drilling \_\_\_\_\_ damaged \_\_\_\_?

Does a drill on \_\_\_\_\_ result \_\_\_\_\_?

\_\_\_\_ don't know \_\_\_\_ you'll \_\_\_\_ me \_\_\_\_ when \_\_\_\_\_ drills into the \_\_\_\_.

\_\_\_\_ is \_\_\_\_ on a \_\_\_\_ cylinder, should \_\_\_\_ budget \_\_\_\_\_ fees?

Do you think I \_\_\_\_\_ more \_\_\_\_\_ worker drills into \_\_\_\_\_?

\_\_\_\_ is \_\_\_\_\_ expensive to \_\_\_\_ a damaged cylinder?

Is \_\_\_\_ a \_\_\_\_\_ drilling if there \_\_\_\_\_ damaged \_\_\_\_?

\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_ technicians \_\_\_\_\_ drills to access a cylinder?

Will it \_\_\_\_ more if \_\_\_\_\_ a \_\_\_\_\_ fix the \_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ expenses if a faulty \_\_\_\_\_ drilled?  
 When a \_\_\_\_\_ cylinder \_\_\_\_\_ drilled, do \_\_\_\_\_ to \_\_\_\_\_ for additional \_\_\_\_\_?  
 \_\_\_\_\_ open \_\_\_\_\_ broken \_\_\_\_\_ cost you \_\_\_\_\_?  
 There may \_\_\_\_\_ an \_\_\_\_\_ if \_\_\_\_\_ necessary \_\_\_\_\_ open the \_\_\_\_\_ cylinder.  
 \_\_\_\_\_ is it added \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ any charges \_\_\_\_\_ drilling on \_\_\_\_\_ damaged \_\_\_\_\_?  
 Will \_\_\_\_\_ be additional \_\_\_\_\_ drilling is \_\_\_\_\_ that \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ fees \_\_\_\_\_ a technician drills a cracked \_\_\_\_\_?  
 If that incompetent tech \_\_\_\_\_ to drill \_\_\_\_\_ open, there \_\_\_\_\_ chance \_\_\_\_\_ the \_\_\_\_\_ fix will \_\_\_\_\_.  
 \_\_\_\_\_ be more expenses if \_\_\_\_\_ is \_\_\_\_\_ that faulty \_\_\_\_\_?  
 Is \_\_\_\_\_ going to \_\_\_\_\_ me more \_\_\_\_\_ the \_\_\_\_\_ open that \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ to use drills to \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ there any fees \_\_\_\_\_ needed to open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ need \_\_\_\_\_ pay \_\_\_\_\_ if \_\_\_\_\_ technician is going to \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ other \_\_\_\_\_ drilling \_\_\_\_\_ ruined cylinder later?  
 \_\_\_\_\_ is \_\_\_\_\_ a faulty cylinder, \_\_\_\_\_ need to budget for \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ if the technician has to \_\_\_\_\_ the \_\_\_\_\_?  
 Will there \_\_\_\_\_ any \_\_\_\_\_ through the ruined \_\_\_\_\_?  
 If your tech \_\_\_\_\_ to \_\_\_\_\_ cost you more?  
 Wouldn't using \_\_\_\_\_ drill to access \_\_\_\_\_ higher costs?  
 Does \_\_\_\_\_ charges \_\_\_\_\_ drilling through \_\_\_\_\_ ruined cylinder?  
 Will the tech incur \_\_\_\_\_ if \_\_\_\_\_ need to \_\_\_\_\_?  
 Is there additional \_\_\_\_\_ for \_\_\_\_\_ cylinder?  
 Is \_\_\_\_\_ the lousy cylinder fix involves \_\_\_\_\_ the tech \_\_\_\_\_ to \_\_\_\_\_ it?  
 Tech \_\_\_\_\_ will \_\_\_\_\_ if they \_\_\_\_\_ to \_\_\_\_\_ in the \_\_\_\_\_.  
 If technicians need to use \_\_\_\_\_ to \_\_\_\_\_ cylinder, do \_\_\_\_\_?  
 I \_\_\_\_\_ I should expect \_\_\_\_\_ fees \_\_\_\_\_ into a damaged \_\_\_\_\_.  
 \_\_\_\_\_ drilling \_\_\_\_\_ cylinder \_\_\_\_\_ me \_\_\_\_\_ more \_\_\_\_\_ things?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ more to \_\_\_\_\_ drill into \_\_\_\_\_ cylinder?  
 Is there \_\_\_\_\_ cost for \_\_\_\_\_ into \_\_\_\_\_?  
 \_\_\_\_\_ the incompetent tech has to \_\_\_\_\_ it open, \_\_\_\_\_ involve more \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ if \_\_\_\_\_ need \_\_\_\_\_ use drills to access \_\_\_\_\_ cylinder?  
 Should \_\_\_\_\_ be more \_\_\_\_\_ if \_\_\_\_\_ opens \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ be \_\_\_\_\_ charges for \_\_\_\_\_ through \_\_\_\_\_ cylinder?  
 Will you \_\_\_\_\_ any further \_\_\_\_\_ your tech \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ drilling opens \_\_\_\_\_ damaged cylinder, \_\_\_\_\_ charges?  
 Will \_\_\_\_\_ tech need \_\_\_\_\_ more money to \_\_\_\_\_ my \_\_\_\_\_?  
 Is it \_\_\_\_\_ for me to \_\_\_\_\_ a technician \_\_\_\_\_ to \_\_\_\_\_ into \_\_\_\_\_?  
 \_\_\_\_\_ incurred \_\_\_\_\_ drilling is \_\_\_\_\_ to open a faulty \_\_\_\_\_?  
 Will you \_\_\_\_\_ more \_\_\_\_\_ drills into a \_\_\_\_\_ cylinder?  
 Would it cost \_\_\_\_\_ anything if \_\_\_\_\_ to \_\_\_\_\_ into \_\_\_\_\_?  
 Does drilling into \_\_\_\_\_ cylinder add \_\_\_\_\_?  
 Charge \_\_\_\_\_ if you \_\_\_\_\_ to \_\_\_\_\_ the damaged \_\_\_\_\_?  
 \_\_\_\_\_ drilling \_\_\_\_\_ the \_\_\_\_\_ in higher fees?  
 Should I expect additional fees \_\_\_\_\_ into a \_\_\_\_\_ setting \_\_\_\_\_ regular \_\_\_\_\_?  
 Is \_\_\_\_\_ an additional fee \_\_\_\_\_ is \_\_\_\_\_ cylinder damage?  
 \_\_\_\_\_ higher costs be a \_\_\_\_\_ drill \_\_\_\_\_ access my \_\_\_\_\_ tank?  
 Should the fees \_\_\_\_\_ a drill is \_\_\_\_\_ access \_\_\_\_\_?  
 Will \_\_\_\_\_ of \_\_\_\_\_ a \_\_\_\_\_ increase if \_\_\_\_\_ technician drills \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ lousy cylinder \_\_\_\_\_ money if \_\_\_\_\_ tech has \_\_\_\_\_ it?

\_\_\_\_\_ there \_\_\_\_\_ extra fee if drilling \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ new charges if the technician \_\_\_\_\_ to \_\_\_\_\_ into the \_\_\_\_\_?  
 Did \_\_\_\_\_ cylinder \_\_\_\_\_ charges?  
 Can there \_\_\_\_\_ additional \_\_\_\_\_ if your \_\_\_\_\_ needs \_\_\_\_\_ drill \_\_\_\_\_ cylinder?  
 Do you think \_\_\_\_\_ drill \_\_\_\_\_ my \_\_\_\_\_ tank would \_\_\_\_\_ higher \_\_\_\_\_?  
 \_\_\_\_\_ is necessary \_\_\_\_\_ a \_\_\_\_\_ cylinder, do \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ fees?  
 \_\_\_\_\_ you \_\_\_\_\_ you \_\_\_\_\_ use drills in order to \_\_\_\_\_ damaged cylinder?  
 When \_\_\_\_\_ necessary on a \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ supplementary fees?  
 \_\_\_\_\_ additional fee for drilling \_\_\_\_\_ the damaged \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ drill \_\_\_\_\_ cylinder, do we need to \_\_\_\_\_ for \_\_\_\_\_ fees?  
 Do \_\_\_\_\_ have \_\_\_\_\_ pay \_\_\_\_\_ have \_\_\_\_\_ technician open the \_\_\_\_\_?  
 Is an \_\_\_\_\_ if the \_\_\_\_\_ has \_\_\_\_\_ open the \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ the cylinder, will \_\_\_\_\_ cost \_\_\_\_\_?  
 \_\_\_\_\_ charge extra if your \_\_\_\_\_ use drills in \_\_\_\_\_ cylinder?  
 Will \_\_\_\_\_ applied if drilling is \_\_\_\_\_ for \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ it going to \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ needs to open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ faulty \_\_\_\_\_ needs \_\_\_\_\_ be drilled, \_\_\_\_\_ we budget for \_\_\_\_\_?  
 \_\_\_\_\_ technician \_\_\_\_\_ drill open \_\_\_\_\_ I incur more expenses?  
 \_\_\_\_\_ is a chance \_\_\_\_\_ additional \_\_\_\_\_ if my \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ additional charges \_\_\_\_\_ your technician \_\_\_\_\_ to \_\_\_\_\_ on a \_\_\_\_\_?  
 Will it \_\_\_\_\_ if the technician uses \_\_\_\_\_ drill \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ fee associated with \_\_\_\_\_ to \_\_\_\_\_ damage?  
 Is \_\_\_\_\_ a damaged cylinder \_\_\_\_\_?  
 Will there be further \_\_\_\_\_ tech \_\_\_\_\_ my \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ it cost more \_\_\_\_\_ cylinder \_\_\_\_\_ a technician \_\_\_\_\_ drill?  
 \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ ruined cylinder, will that cost \_\_\_\_\_?  
 \_\_\_\_\_ is required on a damaged \_\_\_\_\_ additional charges?  
 \_\_\_\_\_ the \_\_\_\_\_ increase if the \_\_\_\_\_ to \_\_\_\_\_ the damaged \_\_\_\_\_?  
 Can there \_\_\_\_\_ more fees \_\_\_\_\_ technician drills \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ expensive to use a drill \_\_\_\_\_?  
 \_\_\_\_\_ charges be \_\_\_\_\_ if \_\_\_\_\_ needs \_\_\_\_\_ drill into the cylinder?  
 \_\_\_\_\_ costs of the \_\_\_\_\_ cylinder \_\_\_\_\_ a technician \_\_\_\_\_ to drill?  
 When \_\_\_\_\_ technician drills \_\_\_\_\_ cracked \_\_\_\_\_ additional fees?  
 \_\_\_\_\_ a drill \_\_\_\_\_ cylinder \_\_\_\_\_ any surcharges?  
 \_\_\_\_\_ it \_\_\_\_\_ me \_\_\_\_\_ if they \_\_\_\_\_ to \_\_\_\_\_ into this \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ needs \_\_\_\_\_ open \_\_\_\_\_ cylinder, should I pay \_\_\_\_\_?  
 Can \_\_\_\_\_ be additional \_\_\_\_\_ drilling into \_\_\_\_\_?  
 Should \_\_\_\_\_ expenses be \_\_\_\_\_ up a \_\_\_\_\_ cylinder?  
 Does there an \_\_\_\_\_ drilling \_\_\_\_\_ the \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ it \_\_\_\_\_ will increase \_\_\_\_\_ they have to open \_\_\_\_\_ disturbed \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ fee \_\_\_\_\_ drilling is needed \_\_\_\_\_ open a \_\_\_\_\_ cylinder.  
 Does drilling \_\_\_\_\_ a \_\_\_\_\_ cylinder \_\_\_\_\_?  
 \_\_\_\_\_ drill is \_\_\_\_\_ to access \_\_\_\_\_ cylinder, should \_\_\_\_\_ fees \_\_\_\_\_?  
 Should there \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ technician needs \_\_\_\_\_ drill \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ cost \_\_\_\_\_ for the tech to open that \_\_\_\_\_?  
 When drilling \_\_\_\_\_ a \_\_\_\_\_ there any \_\_\_\_\_ facing expenses?  
 If the tech \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ it cost \_\_\_\_\_?  
 Should the \_\_\_\_\_ go up \_\_\_\_\_ is \_\_\_\_\_ the cylinder?  
 \_\_\_\_\_ it cost \_\_\_\_\_ drill into \_\_\_\_\_ bad cylinder?  
 \_\_\_\_\_ drill to access \_\_\_\_\_ tank going to \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ lousy \_\_\_\_\_ fix \_\_\_\_\_ more \_\_\_\_\_ if \_\_\_\_\_ tech \_\_\_\_\_ to open it.  
 Is \_\_\_\_\_ needed \_\_\_\_\_ a \_\_\_\_\_ a broken item?  
 \_\_\_\_\_ drilling a damaged cylinder, \_\_\_\_\_ there \_\_\_\_\_ chance \_\_\_\_\_?  
 Tech costs \_\_\_\_\_ up \_\_\_\_\_ they have \_\_\_\_\_ drill \_\_\_\_\_ tank.  
 When \_\_\_\_\_ becomes \_\_\_\_\_ due to cylinder damage, is \_\_\_\_\_?  
 Are there any \_\_\_\_\_ drilling through \_\_\_\_\_ ruined \_\_\_\_\_?  
 When a faulty cylinder \_\_\_\_\_ we \_\_\_\_\_ budget \_\_\_\_\_ fees?  
 \_\_\_\_\_ there more expense incurred \_\_\_\_\_ to open \_\_\_\_\_ faulty \_\_\_\_\_?  
 Will it \_\_\_\_\_ if \_\_\_\_\_ technician drills \_\_\_\_\_?  
 Can there \_\_\_\_\_ charges \_\_\_\_\_ drilling \_\_\_\_\_?  
 Should you \_\_\_\_\_ if \_\_\_\_\_ have \_\_\_\_\_ drills to access a \_\_\_\_\_?  
 \_\_\_\_\_ drilling is required for \_\_\_\_\_ faulty cylinder will \_\_\_\_\_?  
 \_\_\_\_\_ I expect to pay more for drilling \_\_\_\_\_?  
 \_\_\_\_\_ other charges \_\_\_\_\_ there for \_\_\_\_\_ a ruined \_\_\_\_\_?  
 \_\_\_\_\_ it cost more \_\_\_\_\_ use \_\_\_\_\_ the \_\_\_\_\_ is damaged?  
 If \_\_\_\_\_ open \_\_\_\_\_ busted cylinder, can I \_\_\_\_\_ more?  
 Is there an additional \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ I pay \_\_\_\_\_ has to drill \_\_\_\_\_ the cylinder?  
 Will \_\_\_\_\_ be any \_\_\_\_\_ expenses \_\_\_\_\_ required \_\_\_\_\_ faulty cylinder?  
 \_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ if the technician \_\_\_\_\_ to drill \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ any \_\_\_\_\_ for drilling \_\_\_\_\_ the damaged \_\_\_\_\_?  
 Charge more \_\_\_\_\_ not \_\_\_\_\_ want \_\_\_\_\_ drill \_\_\_\_\_ cylinder?  
 If \_\_\_\_\_ technician \_\_\_\_\_ to drill \_\_\_\_\_ cylinder, \_\_\_\_\_ it \_\_\_\_\_ costs?  
 \_\_\_\_\_ the \_\_\_\_\_ has \_\_\_\_\_ open the busted cylinder, \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ chance \_\_\_\_\_ if \_\_\_\_\_ tech \_\_\_\_\_ my broken cylinder.  
 Does \_\_\_\_\_ cost more to \_\_\_\_\_ cylinder \_\_\_\_\_ drilling?  
 \_\_\_\_\_ there be any \_\_\_\_\_ drilling \_\_\_\_\_ the cylinder?  
 If \_\_\_\_\_ a drill \_\_\_\_\_ the damaged cylinder \_\_\_\_\_ cost \_\_\_\_\_?  
 Is \_\_\_\_\_ planned since the repair person \_\_\_\_\_ open the \_\_\_\_\_?  
 \_\_\_\_\_ you have \_\_\_\_\_ other charges \_\_\_\_\_ through the \_\_\_\_\_?  
 Is it \_\_\_\_\_ more money \_\_\_\_\_ to open the cylinder.  
 If drilling is \_\_\_\_\_ for the \_\_\_\_\_ there \_\_\_\_\_ expenses?  
 Will the increased \_\_\_\_\_ be \_\_\_\_\_ damaged \_\_\_\_\_ a technician \_\_\_\_\_ drill?  
 Fees \_\_\_\_\_ technician drills a \_\_\_\_\_?  
 \_\_\_\_\_ it cost me \_\_\_\_\_ has to \_\_\_\_\_ that cylinder?  
 \_\_\_\_\_ it is \_\_\_\_\_ the cylinder, \_\_\_\_\_ be shelling out more money?  
 \_\_\_\_\_ there \_\_\_\_\_ more charges \_\_\_\_\_ technician \_\_\_\_\_ to \_\_\_\_\_ into the \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ I \_\_\_\_\_ more for \_\_\_\_\_ technician \_\_\_\_\_ into the damaged \_\_\_\_\_?  
 If \_\_\_\_\_ have \_\_\_\_\_ and open the \_\_\_\_\_ costs are \_\_\_\_\_?  
 \_\_\_\_\_ a technician drills \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ fees go \_\_\_\_\_ if \_\_\_\_\_ drill is \_\_\_\_\_ access \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ your \_\_\_\_\_ my broken cylinder, \_\_\_\_\_ it incur \_\_\_\_\_ costs?  
 \_\_\_\_\_ drill is needed \_\_\_\_\_ access the cylinder, \_\_\_\_\_ fees \_\_\_\_\_ increase?  
 Should \_\_\_\_\_ fees \_\_\_\_\_ drilling into \_\_\_\_\_ damaged cylinder?  
 \_\_\_\_\_ the technician has \_\_\_\_\_ open the \_\_\_\_\_ cylinder, \_\_\_\_\_ more?  
 Will \_\_\_\_\_ to \_\_\_\_\_ my broken \_\_\_\_\_ your tech \_\_\_\_\_ to?  
 \_\_\_\_\_ be an extra fee \_\_\_\_\_ drilling is \_\_\_\_\_ cylinder.  
 \_\_\_\_\_ the \_\_\_\_\_ tech has \_\_\_\_\_ drill \_\_\_\_\_ open, there is a \_\_\_\_\_ fix would \_\_\_\_\_ more \_\_\_\_\_.  
 \_\_\_\_\_ a drill \_\_\_\_\_ cylinder \_\_\_\_\_ costs?  
 \_\_\_\_\_ I \_\_\_\_\_ more charges for \_\_\_\_\_ into a \_\_\_\_\_?

When \_\_\_\_ is \_\_\_\_ a faulty \_\_\_\_ to budget for \_\_\_\_ fees?  
 \_\_\_\_ a drill \_\_\_\_ for \_\_\_\_ damaged \_\_\_\_ situation, will \_\_\_\_ pay more?  
 Will further \_\_\_\_ incurred if \_\_\_\_ tech \_\_\_\_ to \_\_\_\_ cylinder?  
 \_\_\_\_ for \_\_\_\_ to \_\_\_\_ more if a technician drills into \_\_\_\_?  
 Can there \_\_\_\_ extra \_\_\_\_ is \_\_\_\_ open the cylinder?  
 Do \_\_\_\_ drilling the cylinder will \_\_\_\_ more \_\_\_\_?  
 Will \_\_\_\_ add \_\_\_\_ repairs?  
 Should a \_\_\_\_ have \_\_\_\_ with additional costs involved?  
 Do \_\_\_\_ I \_\_\_\_ be \_\_\_\_ when your \_\_\_\_ drills into \_\_\_\_ cylinder?  
 Do I \_\_\_\_ pay more \_\_\_\_ a \_\_\_\_ busted cylinder?  
 If \_\_\_\_ needs \_\_\_\_ open \_\_\_\_ faulty cylinder, \_\_\_\_ an extra \_\_\_\_?  
 \_\_\_\_ cost \_\_\_\_ to \_\_\_\_ a cylinder when \_\_\_\_?  
 \_\_\_\_ there be \_\_\_\_ if a drilling \_\_\_\_ required \_\_\_\_ cylinder?  
 If your technicians \_\_\_\_ drills to access \_\_\_\_ you \_\_\_\_?  
 \_\_\_\_ I have to pay \_\_\_\_ technician needs \_\_\_\_ cylinder?  
 If a technician \_\_\_\_ to open a \_\_\_\_ cost \_\_\_\_?  
 I don't \_\_\_\_ the \_\_\_\_ will be \_\_\_\_ to drill \_\_\_\_ cylinder.  
 Is \_\_\_\_ a chance \_\_\_\_ expenses when \_\_\_\_ open \_\_\_\_?  
 \_\_\_\_ fees for drilling into \_\_\_\_?  
 \_\_\_\_ the technician needs to \_\_\_\_ busted \_\_\_\_ do I \_\_\_\_ pay \_\_\_\_?  
 If \_\_\_\_ technician \_\_\_\_ to open \_\_\_\_ cylinder, will \_\_\_\_ have \_\_\_\_ pay \_\_\_\_?  
 Can \_\_\_\_ charges be increased if \_\_\_\_ technician \_\_\_\_ drill \_\_\_\_?  
 Will drilling add \_\_\_\_ cylinder?  
 \_\_\_\_ expect \_\_\_\_ extra fees for \_\_\_\_ a \_\_\_\_ cylinder?  
 When drilling \_\_\_\_ on a faulty \_\_\_\_ does \_\_\_\_ to have \_\_\_\_?  
 When \_\_\_\_ is necessary \_\_\_\_ faulty \_\_\_\_ should we \_\_\_\_ supplementary fees?  
 Will \_\_\_\_ a \_\_\_\_ has \_\_\_\_ open a damaged cylinder?  
 \_\_\_\_ may \_\_\_\_ additional \_\_\_\_ if drilling is \_\_\_\_ the cylinder.  
 There may be \_\_\_\_ drilling into \_\_\_\_ damaged \_\_\_\_.  
 Is \_\_\_\_ the \_\_\_\_ drills a cracked cylinder.  
 Should fees \_\_\_\_ is \_\_\_\_ to get to \_\_\_\_ cylinder?  
 \_\_\_\_ it \_\_\_\_ to cost \_\_\_\_ more when \_\_\_\_ drills into \_\_\_\_ cylinder?  
 \_\_\_\_ costs if a \_\_\_\_ has to \_\_\_\_ a damaged cylinder?  
 Will \_\_\_\_ cost \_\_\_\_ use a \_\_\_\_ fix the \_\_\_\_?  
 Should additional expenses be incurred \_\_\_\_ necessary \_\_\_\_ cylinder?  
 \_\_\_\_ more \_\_\_\_ you need \_\_\_\_ drills to access the \_\_\_\_?  
 \_\_\_\_ drilling add \_\_\_\_ charges for \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ additional \_\_\_\_ the technician \_\_\_\_ into the cylinder?  
 Would \_\_\_\_ a drill to \_\_\_\_ tank result in \_\_\_\_?  
 Is there an \_\_\_\_ the \_\_\_\_ due to \_\_\_\_ damage?  
 Is it \_\_\_\_ drilling \_\_\_\_ add \_\_\_\_ for \_\_\_\_ fixing?  
 \_\_\_\_ cylinder \_\_\_\_ drilling to become necessary, \_\_\_\_ additional \_\_\_\_ involved?  
 \_\_\_\_ aside \_\_\_\_ charges, \_\_\_\_ there \_\_\_\_ additional \_\_\_\_ drilling into a \_\_\_\_ cylinder?  
 Do you \_\_\_\_ there \_\_\_\_ be \_\_\_\_ when \_\_\_\_ open \_\_\_\_ cylinder.  
 \_\_\_\_ be any \_\_\_\_ costs if my tech needs to \_\_\_\_?  
 \_\_\_\_ expenses be \_\_\_\_ if drilling \_\_\_\_ needed for that \_\_\_\_?  
 Will \_\_\_\_ more \_\_\_\_ have \_\_\_\_ used on a \_\_\_\_ cylinder?  
 If the \_\_\_\_ to open a busted cylinder, \_\_\_\_?  
 Is \_\_\_\_ any additional \_\_\_\_ technician has \_\_\_\_ a \_\_\_\_ cylinder?  
 If \_\_\_\_ technician has \_\_\_\_ into the \_\_\_\_ can any \_\_\_\_ charges \_\_\_\_?

Is \_\_\_\_ any charges \_\_\_\_ a ruined \_\_\_\_?

\_\_\_\_ expect \_\_\_\_ fee increase if a \_\_\_\_ access the cylinder?

Should \_\_\_\_ be extra fees \_\_\_\_ is \_\_\_\_ open \_\_\_\_ damaged \_\_\_\_?

If \_\_\_\_ is \_\_\_\_ cylinder, are there \_\_\_\_ charges?

Can \_\_\_\_ technician \_\_\_\_ on the \_\_\_\_ cylinder \_\_\_\_ additional \_\_\_\_?

\_\_\_\_ think using \_\_\_\_ to \_\_\_\_ my \_\_\_\_ lead to higher costs?

If \_\_\_\_ needs to \_\_\_\_ cylinder, do I need \_\_\_\_ more?

Will the costs associated with \_\_\_\_ cylinder \_\_\_\_ if \_\_\_\_ technician \_\_\_\_?

Is \_\_\_\_ going \_\_\_\_ me \_\_\_\_ if the \_\_\_\_ to open that \_\_\_\_?

\_\_\_\_ there other \_\_\_\_ through \_\_\_\_ cylinder?

\_\_\_\_ much will \_\_\_\_ if \_\_\_\_ to drill into \_\_\_\_ cylinder?

\_\_\_\_ be \_\_\_\_ charges \_\_\_\_ drilling \_\_\_\_ the \_\_\_\_ cylinder by \_\_\_\_ technician?

Is \_\_\_\_ that \_\_\_\_ a drill \_\_\_\_ tank \_\_\_\_ cost you more?

\_\_\_\_ it gonna \_\_\_\_ me \_\_\_\_ the tech \_\_\_\_ open \_\_\_\_ cylinder?

If they have \_\_\_\_ drill \_\_\_\_ open the \_\_\_\_ would \_\_\_\_?

There \_\_\_\_ be \_\_\_\_ for \_\_\_\_ into the cylinder.

\_\_\_\_ you think \_\_\_\_ charged extra when your \_\_\_\_ drills into \_\_\_\_?

\_\_\_\_ drilling open a \_\_\_\_ have \_\_\_\_ cost?

Is \_\_\_\_ an \_\_\_\_ for \_\_\_\_ open \_\_\_\_ damaged cylinder?

\_\_\_\_ it going to \_\_\_\_ if \_\_\_\_ tech \_\_\_\_ open that cylinder?

Is there \_\_\_\_ be \_\_\_\_ charge when \_\_\_\_ worker drills into \_\_\_\_ busted \_\_\_\_?

Will the costs \_\_\_\_ by drilling?

Is there extra fees \_\_\_\_ the person \_\_\_\_ drill \_\_\_\_ tank \_\_\_\_?

Should it cost \_\_\_\_ money if \_\_\_\_ the cylinder?

If \_\_\_\_ drill is needed \_\_\_\_ damaged \_\_\_\_ I be \_\_\_\_ more?

Do \_\_\_\_ believe using a \_\_\_\_ tank \_\_\_\_ in higher costs?

\_\_\_\_ it cost a lot \_\_\_\_ to \_\_\_\_ damaged \_\_\_\_?

\_\_\_\_ we \_\_\_\_ see an \_\_\_\_ in fees if \_\_\_\_ is needed \_\_\_\_ access \_\_\_\_?

\_\_\_\_ there \_\_\_\_ technician needs to \_\_\_\_ on the damaged \_\_\_\_?

\_\_\_\_ I \_\_\_\_ be \_\_\_\_ more \_\_\_\_ drill is \_\_\_\_ the canister situation?

\_\_\_\_ wonder \_\_\_\_ you \_\_\_\_ your worker drills \_\_\_\_ a busted-up cylinder?

If \_\_\_\_ technician requires drilling on \_\_\_\_ damaged \_\_\_\_ charges.

\_\_\_\_ it \_\_\_\_ more \_\_\_\_ the tech \_\_\_\_ to open that cylinder.

Can there be \_\_\_\_ a ruined \_\_\_\_?

\_\_\_\_ drill into this cylinder, what \_\_\_\_ this \_\_\_\_ me?

\_\_\_\_ needs to \_\_\_\_ that cylinder, \_\_\_\_ that cost \_\_\_\_ more?

Is it \_\_\_\_ to budget \_\_\_\_ drilling is required on \_\_\_\_?

Will \_\_\_\_ costs \_\_\_\_ if a \_\_\_\_ has to \_\_\_\_ a damaged \_\_\_\_?

If a drill \_\_\_\_ needed for \_\_\_\_ to be charged more?

\_\_\_\_ have to \_\_\_\_ the damaged \_\_\_\_ for costs?

Will drilling \_\_\_\_ costs to \_\_\_\_?

\_\_\_\_ using a drill \_\_\_\_ damaged \_\_\_\_ cost more \_\_\_\_?

\_\_\_\_ the \_\_\_\_ for fixing the \_\_\_\_ by drilling?

\_\_\_\_ expenses be applied if a \_\_\_\_ is \_\_\_\_?

There might \_\_\_\_ a fee \_\_\_\_ a \_\_\_\_ cylinder.

\_\_\_\_ technician has to \_\_\_\_ that \_\_\_\_ will it cost?

Is \_\_\_\_ any \_\_\_\_ charges if \_\_\_\_ drills \_\_\_\_ the damaged \_\_\_\_?

Will \_\_\_\_ the \_\_\_\_ cylinder be \_\_\_\_ if a technician \_\_\_\_ to \_\_\_\_?

\_\_\_\_ you \_\_\_\_ charged \_\_\_\_ your worker \_\_\_\_ into \_\_\_\_ broken up cylinder?

\_\_\_\_ there \_\_\_\_ fee when \_\_\_\_ drills a cracked \_\_\_\_?



Can \_\_\_\_ additional charges \_\_\_\_ if the technician \_\_\_\_ the cylinder?  
 \_\_\_\_ you charge more \_\_\_\_ you \_\_\_\_ a damaged cylinder?  
 Should I be \_\_\_\_ if \_\_\_\_ tech \_\_\_\_ broken cylinder?  
 Will it \_\_\_\_ money \_\_\_\_ a damaged \_\_\_\_?  
 \_\_\_\_ charge more \_\_\_\_ you have \_\_\_\_ use drills to \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ extra \_\_\_\_ planned since the \_\_\_\_ drill the destroyed \_\_\_\_?  
 \_\_\_\_ plan on \_\_\_\_ more when \_\_\_\_ the busted up cylinder?  
 \_\_\_\_ have to drill into \_\_\_\_ cylinder for another \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ you need for \_\_\_\_ broken \_\_\_\_ cost \_\_\_\_?  
 \_\_\_\_ you charge more if your \_\_\_\_ have \_\_\_\_ use \_\_\_\_ access \_\_\_\_?  
 How much \_\_\_\_ it \_\_\_\_ cost to drill \_\_\_\_?  
 Can there \_\_\_\_ further charges if \_\_\_\_ technician \_\_\_\_ to \_\_\_\_ the \_\_\_\_?  
 Do you think using \_\_\_\_ tank would \_\_\_\_ more?  
 When a technician \_\_\_\_ cylinder will \_\_\_\_ be \_\_\_\_?  
 Does \_\_\_\_ into a damaged \_\_\_\_ extra \_\_\_\_?  
 \_\_\_\_ think I'll be charged \_\_\_\_ when your \_\_\_\_ drills \_\_\_\_ busted \_\_\_\_?  
 Is \_\_\_\_ damaged cylinder costing \_\_\_\_?  
 \_\_\_\_ can go up \_\_\_\_ to \_\_\_\_ into \_\_\_\_ damaged tank.  
 \_\_\_\_ drilling \_\_\_\_ a \_\_\_\_ cylinder \_\_\_\_ fee?  
 If a \_\_\_\_ access the \_\_\_\_ should \_\_\_\_ increase?  
 \_\_\_\_ into a \_\_\_\_ more fees?  
 Will I \_\_\_\_ charged \_\_\_\_ is needed for \_\_\_\_ canister \_\_\_\_?  
 If the technician \_\_\_\_ drill \_\_\_\_ the \_\_\_\_ can \_\_\_\_ any additional \_\_\_\_?  
 Will \_\_\_\_ incur \_\_\_\_ further \_\_\_\_ tech has \_\_\_\_ open my broken \_\_\_\_?  
 Are there any additional charges for \_\_\_\_?  
 \_\_\_\_ costs will \_\_\_\_ the damaged tank \_\_\_\_ drilled \_\_\_\_.  
 In case \_\_\_\_ drilling open a \_\_\_\_ cylinder, \_\_\_\_ extra \_\_\_\_?  
 It will \_\_\_\_ me something \_\_\_\_ they have \_\_\_\_ drill \_\_\_\_.  
 Does drilling into \_\_\_\_ cylinder \_\_\_\_ extra \_\_\_\_?  
 \_\_\_\_ you charge more \_\_\_\_ you \_\_\_\_ use drills to \_\_\_\_ a \_\_\_\_?  
 Will \_\_\_\_ in \_\_\_\_ for the \_\_\_\_ a technician drills it?  
 \_\_\_\_ drills in order \_\_\_\_ access a damaged cylinder, \_\_\_\_ you \_\_\_\_ more?  
 \_\_\_\_ might \_\_\_\_ other charges \_\_\_\_ drilling \_\_\_\_ ruined cylinder.  
 When drilling is needed \_\_\_\_ a \_\_\_\_ we \_\_\_\_ budget \_\_\_\_ additional \_\_\_\_?  
 \_\_\_\_ drilling open \_\_\_\_ cylinder, \_\_\_\_ there \_\_\_\_ can be faced?  
 When cylinder \_\_\_\_ requires \_\_\_\_ is \_\_\_\_ an \_\_\_\_ fee \_\_\_\_?  
 If they have to \_\_\_\_ into \_\_\_\_ cylinder, \_\_\_\_ will \_\_\_\_?  
 Do you intend \_\_\_\_ me \_\_\_\_ your \_\_\_\_ into the \_\_\_\_ cylinder?  
 Will \_\_\_\_ costs occur if \_\_\_\_ has to \_\_\_\_ a \_\_\_\_?  
 \_\_\_\_ drilling is \_\_\_\_ cylinder damage is \_\_\_\_ fee involved?  
 There could be \_\_\_\_ if drilling \_\_\_\_ needed \_\_\_\_ the \_\_\_\_.  
 \_\_\_\_ going \_\_\_\_ cost me \_\_\_\_ if the tech have \_\_\_\_ that \_\_\_\_?  
 \_\_\_\_ any \_\_\_\_ fees \_\_\_\_ is necessary to \_\_\_\_ the \_\_\_\_ cylinder?  
 Does \_\_\_\_ more \_\_\_\_ technicians \_\_\_\_ use \_\_\_\_ to access a damaged \_\_\_\_?  
 Will the \_\_\_\_ for \_\_\_\_ cylinder be increased \_\_\_\_ the technician \_\_\_\_?  
 If \_\_\_\_ needed \_\_\_\_ damaged \_\_\_\_ there be additional fees?  
 Are \_\_\_\_ any charges \_\_\_\_ cylinder?  
 \_\_\_\_ there be additional expenses if \_\_\_\_ for \_\_\_\_ cylinder?  
 Is \_\_\_\_ costs when \_\_\_\_ technician drills \_\_\_\_ cylinder?  
 Should \_\_\_\_ additional \_\_\_\_ applied if the technician \_\_\_\_ to \_\_\_\_ into \_\_\_\_?

\_\_\_\_\_ to pay \_\_\_\_\_ if the \_\_\_\_\_ opens the \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ there \_\_\_\_\_ fees \_\_\_\_\_ drilling \_\_\_\_\_ necessary to open \_\_\_\_\_ cylinder?  
 Will \_\_\_\_\_ be additional \_\_\_\_\_ a faulty \_\_\_\_\_ is \_\_\_\_\_ be \_\_\_\_\_?  
 The \_\_\_\_\_ more money if \_\_\_\_\_ tech has to open \_\_\_\_\_.  
 \_\_\_\_\_ your \_\_\_\_\_ need \_\_\_\_\_ drills \_\_\_\_\_ access \_\_\_\_\_ cylinder, do you charge \_\_\_\_\_?  
 Is \_\_\_\_\_ extra \_\_\_\_\_ is needed to open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ the tech needs \_\_\_\_\_ that ruined cylinder, \_\_\_\_\_ that cost \_\_\_\_\_?  
 \_\_\_\_\_ they have to drill \_\_\_\_\_ this \_\_\_\_\_ what \_\_\_\_\_ it \_\_\_\_\_?  
 Should \_\_\_\_\_ more for a technician \_\_\_\_\_ open \_\_\_\_\_?  
 Will more expenses \_\_\_\_\_ if \_\_\_\_\_ for that \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ you \_\_\_\_\_ more \_\_\_\_\_ technicians \_\_\_\_\_ to use \_\_\_\_\_ get to a \_\_\_\_\_ cylinder?  
 There will \_\_\_\_\_ expenses \_\_\_\_\_ is needed for that \_\_\_\_\_.  
 Is \_\_\_\_\_ going to cost \_\_\_\_\_ if \_\_\_\_\_ tech has \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ if there is cylinder \_\_\_\_\_?  
 When your \_\_\_\_\_ drills \_\_\_\_\_ broken-up cylinder, will \_\_\_\_\_ me \_\_\_\_\_?  
 Can \_\_\_\_\_ expenses \_\_\_\_\_ drilling is \_\_\_\_\_ for that \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ the damaged \_\_\_\_\_ are \_\_\_\_\_ any additional charges?  
 \_\_\_\_\_ it \_\_\_\_\_ more \_\_\_\_\_ for \_\_\_\_\_ technician \_\_\_\_\_ use a \_\_\_\_\_ damaged cylinder?  
 In \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ the compromised cylinder, \_\_\_\_\_ additional charges be \_\_\_\_\_?  
 Should \_\_\_\_\_ pay extra \_\_\_\_\_ the \_\_\_\_\_ has to \_\_\_\_\_ broken \_\_\_\_\_?  
 Will increased \_\_\_\_\_ the \_\_\_\_\_ cylinder if \_\_\_\_\_ technician \_\_\_\_\_ drill?  
 Is \_\_\_\_\_ additional \_\_\_\_\_ involved if they \_\_\_\_\_ drill \_\_\_\_\_ the cylinder?  
 \_\_\_\_\_ drilling \_\_\_\_\_ a \_\_\_\_\_ for more \_\_\_\_\_?  
 There could \_\_\_\_\_ fees \_\_\_\_\_ is necessary \_\_\_\_\_ open \_\_\_\_\_ cylinder.  
 Will the further \_\_\_\_\_ incurred \_\_\_\_\_ tech needs \_\_\_\_\_ my broken \_\_\_\_\_?  
 \_\_\_\_\_ any additional \_\_\_\_\_ technician \_\_\_\_\_ a cracked cylinder?  
 Is there any \_\_\_\_\_ ruined cylinder?  
 Can \_\_\_\_\_ an additional charge \_\_\_\_\_ the technician \_\_\_\_\_ to drill \_\_\_\_\_?  
 \_\_\_\_\_ fees for drilling into \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ technician \_\_\_\_\_ to drill into the \_\_\_\_\_?  
 \_\_\_\_\_ fix \_\_\_\_\_ money if the \_\_\_\_\_ to drill it open.  
 If \_\_\_\_\_ technicians need to use \_\_\_\_\_ in \_\_\_\_\_ get to \_\_\_\_\_ charge more?  
 I wonder if you'll charge \_\_\_\_\_ into \_\_\_\_\_ cylinder.  
 Does \_\_\_\_\_ damaged \_\_\_\_\_ incur \_\_\_\_\_ for \_\_\_\_\_ into it?  
 How \_\_\_\_\_ would it cost \_\_\_\_\_ drill to \_\_\_\_\_ broken tank?  
 \_\_\_\_\_ it cost \_\_\_\_\_ the cylinder \_\_\_\_\_ a \_\_\_\_\_ has to \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to cost me more \_\_\_\_\_ tech \_\_\_\_\_ open \_\_\_\_\_ cylinder?  
 \_\_\_\_\_ drilling into \_\_\_\_\_ damaged \_\_\_\_\_ incur \_\_\_\_\_?  
 If drilling \_\_\_\_\_ for \_\_\_\_\_ cylinder, will there be \_\_\_\_\_?  
 Do \_\_\_\_\_ be charged \_\_\_\_\_ your worker drills \_\_\_\_\_ a \_\_\_\_\_ cylinder?  
 Is there \_\_\_\_\_ more \_\_\_\_\_ if \_\_\_\_\_ guy \_\_\_\_\_ a \_\_\_\_\_ broken item?  
 \_\_\_\_\_ tech have \_\_\_\_\_ more \_\_\_\_\_ if \_\_\_\_\_ need to open \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ the extra \_\_\_\_\_ for \_\_\_\_\_ from drilling?  
 When \_\_\_\_\_ necessary \_\_\_\_\_ a faulty cylinder, should \_\_\_\_\_ budget \_\_\_\_\_ supplementary \_\_\_\_\_?  
 \_\_\_\_\_ you charge \_\_\_\_\_ if \_\_\_\_\_ drills to access \_\_\_\_\_ damaged cylinder?  
 Should the \_\_\_\_\_ cylinder \_\_\_\_\_ involve \_\_\_\_\_ has to open it?  
 Does drilling \_\_\_\_\_ damaged \_\_\_\_\_ fees?  
 Will the cost of a \_\_\_\_\_ cylinder be \_\_\_\_\_ if \_\_\_\_\_?  
 Is there \_\_\_\_\_ added \_\_\_\_\_ for drilling \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ it result in \_\_\_\_\_ costs \_\_\_\_\_ the \_\_\_\_\_ cylinder \_\_\_\_\_ technician \_\_\_\_\_ drill?

Should \_\_\_\_ pay \_\_\_\_ it's necessary to drill \_\_\_\_ damaged \_\_\_\_?

\_\_\_\_ is required \_\_\_\_ a faulty cylinder \_\_\_\_ be additional \_\_\_\_?

Will I \_\_\_\_ further costs if \_\_\_\_ need \_\_\_\_ my \_\_\_\_?

Is \_\_\_\_ additional fee if \_\_\_\_ needed \_\_\_\_ damaged cylinder?

\_\_\_\_ drilling \_\_\_\_ damaged cylinder \_\_\_\_ extra fee?

Is \_\_\_\_ any more \_\_\_\_ needed \_\_\_\_ drills a \_\_\_\_ a broken \_\_\_\_?

When \_\_\_\_ necessary \_\_\_\_ cylinder should we \_\_\_\_ for \_\_\_\_ fees?

\_\_\_\_ a drill \_\_\_\_ access the cylinder, \_\_\_\_ we \_\_\_\_ our \_\_\_\_?

Does \_\_\_\_ need to drill \_\_\_\_ damaged \_\_\_\_ for additional \_\_\_\_?

\_\_\_\_ a technician have to drill \_\_\_\_ a damaged \_\_\_\_?

Is there \_\_\_\_ into \_\_\_\_ damaged cylinder?

Does \_\_\_\_ cost more \_\_\_\_ drill \_\_\_\_ a \_\_\_\_?

\_\_\_\_ it cost more to \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to incur \_\_\_\_ fees \_\_\_\_ into a \_\_\_\_ cylinder?

Do you \_\_\_\_ charges \_\_\_\_ on a \_\_\_\_ cylinder?

I'm \_\_\_\_ if you're \_\_\_\_ to \_\_\_\_ more \_\_\_\_ your \_\_\_\_ drills into \_\_\_\_.

Will \_\_\_\_ be \_\_\_\_ additional \_\_\_\_ drilling \_\_\_\_ the \_\_\_\_ cylinder?

\_\_\_\_ there \_\_\_\_ drilling through ruined \_\_\_\_?

If \_\_\_\_ incompetent tech \_\_\_\_ to drill \_\_\_\_ open, there's \_\_\_\_ the lousy \_\_\_\_ money.

\_\_\_\_ the technician \_\_\_\_ to pay more \_\_\_\_ he has \_\_\_\_?

Do \_\_\_\_ have any \_\_\_\_ for drilling \_\_\_\_ ruined \_\_\_\_?

Is there \_\_\_\_ fees when \_\_\_\_ technician drills \_\_\_\_?

I \_\_\_\_ if \_\_\_\_ fees for \_\_\_\_ into a \_\_\_\_ cylinder.

Do \_\_\_\_ an increase in fees \_\_\_\_ a \_\_\_\_ used \_\_\_\_ cylinder?

\_\_\_\_ it possible to \_\_\_\_ damaged \_\_\_\_ extra charges?

Will it \_\_\_\_ me anything \_\_\_\_ they \_\_\_\_ drill into \_\_\_\_?

When your bonehead \_\_\_\_ drills into the \_\_\_\_ cylinder, are \_\_\_\_ more?

Will \_\_\_\_ in higher \_\_\_\_ for damaged \_\_\_\_ has to drill?

Does \_\_\_\_ technician need \_\_\_\_ drill \_\_\_\_ the \_\_\_\_ for additional \_\_\_\_?

Will \_\_\_\_ if a technician \_\_\_\_ a drill \_\_\_\_ cylinder?

\_\_\_\_ drilling the cylinder \_\_\_\_ in \_\_\_\_?

Is there an \_\_\_\_ is needed \_\_\_\_ cylinder damage?

Tech costs \_\_\_\_ go up \_\_\_\_ had \_\_\_\_ drill \_\_\_\_ the \_\_\_\_.

\_\_\_\_ is \_\_\_\_ access \_\_\_\_ cylinder, should our fees increase?

If I have \_\_\_\_ into \_\_\_\_ damaged cylinder, do \_\_\_\_ to \_\_\_\_?

Is there \_\_\_\_ costs \_\_\_\_ drilling \_\_\_\_ cylinder?

Are there \_\_\_\_ additional charges if your \_\_\_\_?

Should \_\_\_\_ expect \_\_\_\_ for \_\_\_\_ a damaged cylinder?

Will \_\_\_\_ the \_\_\_\_ of \_\_\_\_ damaged cylinder \_\_\_\_ a \_\_\_\_ has to \_\_\_\_?

\_\_\_\_ is \_\_\_\_ that the \_\_\_\_ fix involves \_\_\_\_ money if \_\_\_\_ to drill it open.

\_\_\_\_ become necessary \_\_\_\_ open up \_\_\_\_ faulty cylinder, would there \_\_\_\_?

\_\_\_\_ the technician must \_\_\_\_ the \_\_\_\_ will \_\_\_\_ costs \_\_\_\_?

Will the cost \_\_\_\_ increased if a \_\_\_\_ drills \_\_\_\_?

I don't know \_\_\_\_ expect additional fees for \_\_\_\_ cylinder.

\_\_\_\_ worker \_\_\_\_ charge me more \_\_\_\_ drills into the \_\_\_\_ cylinder?

If \_\_\_\_ technician has to \_\_\_\_ into the \_\_\_\_ can \_\_\_\_ be \_\_\_\_?

Will it cost more if \_\_\_\_ needs \_\_\_\_ a \_\_\_\_ the \_\_\_\_?

Is \_\_\_\_ an \_\_\_\_ if \_\_\_\_ necessary to \_\_\_\_ a cylinder?

\_\_\_\_ it cost more to open \_\_\_\_ if \_\_\_\_ to \_\_\_\_?

Is there \_\_\_\_ a damaged cylinder?

Would \_\_\_\_\_ by \_\_\_\_\_ a drill \_\_\_\_\_ access my broken \_\_\_\_\_?

Do \_\_\_\_\_ more to have the technician \_\_\_\_\_ Cylinder?

\_\_\_\_\_ fees \_\_\_\_\_ raised \_\_\_\_\_ a drill \_\_\_\_\_ access to the \_\_\_\_\_?

Can \_\_\_\_\_ be additional \_\_\_\_\_ drilling \_\_\_\_\_ required \_\_\_\_\_ cylinder?

Is there any extra \_\_\_\_\_ into a \_\_\_\_\_?

When your worker drills \_\_\_\_\_ the \_\_\_\_\_ going \_\_\_\_\_ charge \_\_\_\_\_ extra?

If \_\_\_\_\_ required \_\_\_\_\_ damaged \_\_\_\_\_ are \_\_\_\_\_ any charges?

Is \_\_\_\_\_ any extra charges \_\_\_\_\_ into \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ worker will \_\_\_\_\_ drills into the cylinder?

Extra \_\_\_\_\_ planned since \_\_\_\_\_ repair person must \_\_\_\_\_ open?

\_\_\_\_\_ any additional \_\_\_\_\_ for drilling \_\_\_\_\_ a damaged \_\_\_\_\_?

\_\_\_\_\_ additional \_\_\_\_\_ be \_\_\_\_\_ drilling is required for that \_\_\_\_\_?

Is it more \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ drill on \_\_\_\_\_?

\_\_\_\_\_ additional expenses be applied \_\_\_\_\_ is necessary \_\_\_\_\_ cylinder?

\_\_\_\_\_ drilling is needed \_\_\_\_\_ open a \_\_\_\_\_ cylinder, are \_\_\_\_\_?

\_\_\_\_\_ necessary to \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ a busted cylinder?

Does \_\_\_\_\_ into \_\_\_\_\_ result \_\_\_\_\_ extra charges?

What \_\_\_\_\_ the \_\_\_\_\_ if \_\_\_\_\_ to drill \_\_\_\_\_ cylinder?

Should \_\_\_\_\_ for additional \_\_\_\_\_ when \_\_\_\_\_ needed on \_\_\_\_\_ faulty \_\_\_\_\_?

\_\_\_\_\_ using \_\_\_\_\_ access \_\_\_\_\_ broken tank lead to \_\_\_\_\_ costs?

Does drilling \_\_\_\_\_ a \_\_\_\_\_ cost \_\_\_\_\_?

\_\_\_\_\_ the cost \_\_\_\_\_ the damaged \_\_\_\_\_ increase \_\_\_\_\_ technician \_\_\_\_\_ to drill?

\_\_\_\_\_ cost \_\_\_\_\_ open a damaged \_\_\_\_\_ if you \_\_\_\_\_ it?

\_\_\_\_\_ is \_\_\_\_\_ chance of \_\_\_\_\_ charges should \_\_\_\_\_ tech \_\_\_\_\_ cylinder.

\_\_\_\_\_ there \_\_\_\_\_ since \_\_\_\_\_ repair person must drill \_\_\_\_\_ destroyed \_\_\_\_\_ open?

Does \_\_\_\_\_ damaged cylinder end up \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ supplementary fees \_\_\_\_\_ a faulty cylinder needs to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ cylinder \_\_\_\_\_ if a technician drills \_\_\_\_\_?

If the \_\_\_\_\_ has \_\_\_\_\_ the cylinder, \_\_\_\_\_ incur \_\_\_\_\_ expenses?

Can \_\_\_\_\_ cylinder incur extra \_\_\_\_\_?

Is \_\_\_\_\_ any additional charges for the technician \_\_\_\_\_?

\_\_\_\_\_ drilling on \_\_\_\_\_ cylinder \_\_\_\_\_ in \_\_\_\_\_?

Do \_\_\_\_\_ need to pay more \_\_\_\_\_ it \_\_\_\_\_ to drill \_\_\_\_\_?

\_\_\_\_\_ any more money need to \_\_\_\_\_ hole in \_\_\_\_\_ broken thing?

What \_\_\_\_\_ them to drill \_\_\_\_\_ this cylinder?

\_\_\_\_\_ there \_\_\_\_\_ if a guy drills a \_\_\_\_\_ piece of equipment?

\_\_\_\_\_ is required to \_\_\_\_\_ cylinder, are \_\_\_\_\_ additional fees?

Does \_\_\_\_\_ a \_\_\_\_\_ cylinder have any \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ charges \_\_\_\_\_ drilling on \_\_\_\_\_ cylinder?

\_\_\_\_\_ expenses apply if drilling \_\_\_\_\_ to \_\_\_\_\_ that \_\_\_\_\_?

\_\_\_\_\_ I have \_\_\_\_\_ pay more \_\_\_\_\_ they have to drill \_\_\_\_\_?

Is \_\_\_\_\_ an additional fee if drilling \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ other charges for \_\_\_\_\_ a ruined cylinder \_\_\_\_\_?

\_\_\_\_\_ you have \_\_\_\_\_ for drilling \_\_\_\_\_ ruined cylinder?

\_\_\_\_\_ be \_\_\_\_\_ additional charges \_\_\_\_\_ the technician is \_\_\_\_\_ to \_\_\_\_\_ cylinder?

Will I have to pay \_\_\_\_\_ have the \_\_\_\_\_?

Can additional \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ the compromised cylinder?

If your \_\_\_\_\_ the damaged cylinder, \_\_\_\_\_ additional charges?

Will \_\_\_\_\_ additional expenses apply \_\_\_\_\_ is required for \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ drilling \_\_\_\_\_ a damaged cylinder?

Is there \_\_\_\_ fees planned since the \_\_\_\_ person must \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
Will \_\_\_\_ \_\_\_\_ \_\_\_\_ further costs \_\_\_\_ \_\_\_\_ tech needs to open my \_\_\_\_ \_\_\_\_ ?  
Will \_\_\_\_ \_\_\_\_ me \_\_\_\_ when \_\_\_\_ worker \_\_\_\_ into the \_\_\_\_ ?  
If \_\_\_\_ has \_\_\_\_ \_\_\_\_ \_\_\_\_ the \_\_\_\_ tank, costs will go \_\_\_\_ .  
Is drilling \_\_\_\_ \_\_\_\_ \_\_\_\_ cylinder \_\_\_\_ \_\_\_\_ fees?  
\_\_\_\_ \_\_\_\_ additional \_\_\_\_ \_\_\_\_ the technician \_\_\_\_ a cracked cylinder?  
Is there \_\_\_\_ money for drilling \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
Is \_\_\_\_ an \_\_\_\_ \_\_\_\_ if \_\_\_\_ \_\_\_\_ needed to open \_\_\_\_ cylinder?  
\_\_\_\_ \_\_\_\_ necessary for me to pay more \_\_\_\_ the \_\_\_\_ \_\_\_\_ into \_\_\_\_ \_\_\_\_ ?  
If \_\_\_\_ is required \_\_\_\_ \_\_\_\_ a damaged \_\_\_\_ \_\_\_\_ there additional \_\_\_\_ ?  
\_\_\_\_ a contractor \_\_\_\_ \_\_\_\_ a broken \_\_\_\_ should \_\_\_\_ \_\_\_\_ increased expenditures?  
\_\_\_\_ \_\_\_\_ technician \_\_\_\_ to drill \_\_\_\_ \_\_\_\_ cylinder, can any \_\_\_\_ charges \_\_\_\_ ?  
I \_\_\_\_ \_\_\_\_ what \_\_\_\_ cost \_\_\_\_ be \_\_\_\_ \_\_\_\_ have to \_\_\_\_ \_\_\_\_ this cylinder.  
\_\_\_\_ \_\_\_\_ more \_\_\_\_ needed if a guy \_\_\_\_ \_\_\_\_ \_\_\_\_ in \_\_\_\_ broken item?  
If \_\_\_\_ \_\_\_\_ is needed \_\_\_\_ access \_\_\_\_ cylinder, should \_\_\_\_ anticipate \_\_\_\_ \_\_\_\_ increase?  
Is \_\_\_\_ a \_\_\_\_ \_\_\_\_ open a damaged \_\_\_\_ if \_\_\_\_ \_\_\_\_ needed?  
\_\_\_\_ there \_\_\_\_ additional \_\_\_\_ \_\_\_\_ the technician is forced \_\_\_\_ \_\_\_\_ into \_\_\_\_ cylinder?  
\_\_\_\_ the cost of the damaged cylinder \_\_\_\_ \_\_\_\_ \_\_\_\_ a technician \_\_\_\_ \_\_\_\_ \_\_\_\_ ?