

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Meter reading and usage questions
<b>Inquiry Sub-Category</b>	High water bill
<b>Description</b>	Customers seeking clarification or dispute resolution regarding unexpectedly high charges on their water bills, including questions about meter accuracy, billing accuracy, or water consumption patterns.
<b>Data Size</b>	5,117 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ might equipment failure cause \_\_\_\_\_ figures recorded by \_\_\_\_\_ reader \_\_\_\_\_ pipes \_\_\_\_\_ residence \_\_\_\_\_ property?  
\_\_\_\_\_ may \_\_\_\_\_ malfunctioning \_\_\_\_\_ readers \_\_\_\_\_ homes.  
When \_\_\_\_\_ failure might cause \_\_\_\_\_ to \_\_\_\_\_ recorded by a \_\_\_\_\_ at a \_\_\_\_\_ property  
\_\_\_\_\_ about \_\_\_\_\_ effects of \_\_\_\_\_ malfunctioning pipe reader.  
Is \_\_\_\_\_ that a \_\_\_\_\_ reader causes \_\_\_\_\_ to \_\_\_\_\_ distorted?  
\_\_\_\_\_ if a malfunctioning \_\_\_\_\_ reader \_\_\_\_\_ a distortion.  
\_\_\_\_\_ am wondering \_\_\_\_\_ collected by \_\_\_\_\_ reader device were \_\_\_\_\_ by \_\_\_\_\_ equipment nearby  
\_\_\_\_\_ reader is \_\_\_\_\_ pipe \_\_\_\_\_ could cause distorted figures.  
Is \_\_\_\_\_ that the \_\_\_\_\_ readings \_\_\_\_\_ be \_\_\_\_\_ as a result \_\_\_\_\_ equipment \_\_\_\_\_?  
\_\_\_\_\_ that \_\_\_\_\_ pipe reader \_\_\_\_\_ would occur \_\_\_\_\_ to equipment failures?  
Is it likely that \_\_\_\_\_ pipe \_\_\_\_\_ readings will \_\_\_\_\_ equipment \_\_\_\_\_?  
When might equipment \_\_\_\_\_ lead to \_\_\_\_\_ figures being \_\_\_\_\_ a \_\_\_\_\_?  
When \_\_\_\_\_ reader \_\_\_\_\_ pipes that are \_\_\_\_\_ working be at \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ distorted?  
Did \_\_\_\_\_ gear skew the \_\_\_\_\_?  
\_\_\_\_\_ busted gear \_\_\_\_\_ readings on \_\_\_\_\_ pipe \_\_\_\_\_ by \_\_\_\_\_ house?  
How likely is it \_\_\_\_\_ pipe \_\_\_\_\_ due to equipment failure?  
Should \_\_\_\_\_ careful \_\_\_\_\_ failure \_\_\_\_\_ wrong figures \_\_\_\_\_ the pipe \_\_\_\_\_ the property?  
\_\_\_\_\_ it possible that \_\_\_\_\_ numbers shown \_\_\_\_\_ reader \_\_\_\_\_ home \_\_\_\_\_ affected by equipment \_\_\_\_\_?  
When \_\_\_\_\_ failure cause \_\_\_\_\_ near \_\_\_\_\_ home to \_\_\_\_\_ figures?  
\_\_\_\_\_ reader \_\_\_\_\_ attached \_\_\_\_\_ a malfunctioning pipe \_\_\_\_\_ of \_\_\_\_\_ distorted figures?  
When \_\_\_\_\_ cause distorted \_\_\_\_\_ recorded by a reader near \_\_\_\_\_?  
\_\_\_\_\_ equipment failure cause distorted \_\_\_\_\_ residential \_\_\_\_\_ reader?  
How \_\_\_\_\_ is \_\_\_\_\_ the \_\_\_\_\_ pipe reader \_\_\_\_\_ due to equipment failure?  
\_\_\_\_\_ probable that \_\_\_\_\_ pipe \_\_\_\_\_ occur due to equipment failure?  
\_\_\_\_\_ a failed pipe \_\_\_\_\_ will cause \_\_\_\_\_ to \_\_\_\_\_ distorted?  
When \_\_\_\_\_ attached to \_\_\_\_\_ malfunctioning \_\_\_\_\_ be to cause distorted \_\_\_\_\_?  
Is \_\_\_\_\_ likely \_\_\_\_\_ a \_\_\_\_\_ residential \_\_\_\_\_ reader reading is \_\_\_\_\_ nearby?  
I'm wondering \_\_\_\_\_ the \_\_\_\_\_ device readings \_\_\_\_\_ affected by \_\_\_\_\_ problems.

Is \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ would be distorted as a \_\_\_\_\_ equipment \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ distorted \_\_\_\_\_ readings \_\_\_\_\_ a result of equipment failure?  
 \_\_\_\_\_ might \_\_\_\_\_ questions if \_\_\_\_\_ pipe \_\_\_\_\_ to distorted figures.

I'm \_\_\_\_\_ by the pipe \_\_\_\_\_ device might have been influenced \_\_\_\_\_ my house.

Is \_\_\_\_\_ that a residential \_\_\_\_\_ reader \_\_\_\_\_ is distorted \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ possible the \_\_\_\_\_ will \_\_\_\_\_ distorted \_\_\_\_\_ to \_\_\_\_\_ pipe reader?  
 \_\_\_\_\_ it likely that a \_\_\_\_\_ reader \_\_\_\_\_ occur \_\_\_\_\_ of \_\_\_\_\_ failures?  
 \_\_\_\_\_ if the readings collected \_\_\_\_\_ the pipe reader \_\_\_\_\_ been \_\_\_\_\_ by \_\_\_\_\_ problems \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ pipe \_\_\_\_\_ malfunctioning \_\_\_\_\_ cause distortion.

Is it \_\_\_\_\_ that a \_\_\_\_\_ residential \_\_\_\_\_ by an equipment \_\_\_\_\_?  
 When \_\_\_\_\_ a reader \_\_\_\_\_ to pipes \_\_\_\_\_ not \_\_\_\_\_ be at risk of \_\_\_\_\_?  
 Readers connected \_\_\_\_\_ residence \_\_\_\_\_ influenced \_\_\_\_\_ device malfunctions.  
 \_\_\_\_\_ possible that \_\_\_\_\_ gear is causing \_\_\_\_\_ results \_\_\_\_\_ that \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ a distorted residential pipe reader \_\_\_\_\_ is caused \_\_\_\_\_?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ numbers shown \_\_\_\_\_ that \_\_\_\_\_ reader \_\_\_\_\_ home \_\_\_\_\_ changed by equipment \_\_\_\_\_?  
 Is \_\_\_\_\_ distorted residential \_\_\_\_\_ reading is \_\_\_\_\_ of equipment \_\_\_\_\_ close by?  
 \_\_\_\_\_ I \_\_\_\_\_ careful if the device \_\_\_\_\_ inaccurate figures on the \_\_\_\_\_ near \_\_\_\_\_ property?  
 \_\_\_\_\_ possible \_\_\_\_\_ failure \_\_\_\_\_ to blame \_\_\_\_\_ a distorted \_\_\_\_\_ reader reading?  
 \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ and causes \_\_\_\_\_ figures on \_\_\_\_\_ pipe reader near my \_\_\_\_\_ property?  
 Maybe \_\_\_\_\_ pipe reader \_\_\_\_\_ figures to appear \_\_\_\_\_.  
 \_\_\_\_\_ my \_\_\_\_\_ affect the \_\_\_\_\_ gathered \_\_\_\_\_ the pipe reader device?  
 When \_\_\_\_\_ reader is attached \_\_\_\_\_ pipes \_\_\_\_\_ possible \_\_\_\_\_ distorted figures \_\_\_\_\_.  
 Is \_\_\_\_\_ possible that \_\_\_\_\_ to blame for a \_\_\_\_\_ reading?  
 Is it a possibility \_\_\_\_\_ the equipment near \_\_\_\_\_ residences can \_\_\_\_\_ readings?  
 It is \_\_\_\_\_ the figures will \_\_\_\_\_ the \_\_\_\_\_ is malfunctioning.  
 \_\_\_\_\_ if the \_\_\_\_\_ failure causes \_\_\_\_\_ figures on the \_\_\_\_\_ at \_\_\_\_\_ property or home?  
 \_\_\_\_\_ wondering \_\_\_\_\_ the readings collected \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ been affected \_\_\_\_\_ malfunction.  
 \_\_\_\_\_ it possible \_\_\_\_\_ near \_\_\_\_\_ can \_\_\_\_\_ error in the recorded readings?  
 \_\_\_\_\_ equipment failure lead \_\_\_\_\_ figures that \_\_\_\_\_ recorded \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ equipment \_\_\_\_\_ could lead \_\_\_\_\_ distorted \_\_\_\_\_ by a reader \_\_\_\_\_ a \_\_\_\_\_.  
 It is \_\_\_\_\_ that a \_\_\_\_\_ will cause \_\_\_\_\_ to appear distorted due \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_.  
 \_\_\_\_\_ gear cause \_\_\_\_\_ attached pipe readers?  
 \_\_\_\_\_ if \_\_\_\_\_ taken by the \_\_\_\_\_ might \_\_\_\_\_ been \_\_\_\_\_ by the \_\_\_\_\_ malfunction.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ reader \_\_\_\_\_ would \_\_\_\_\_ a \_\_\_\_\_ equipment failure?  
 Should \_\_\_\_\_ be \_\_\_\_\_ if a device failure \_\_\_\_\_ incorrect figures on \_\_\_\_\_ reader \_\_\_\_\_ home \_\_\_\_\_?  
 There \_\_\_\_\_ be problems \_\_\_\_\_ pipe-attached \_\_\_\_\_ to homes.  
 \_\_\_\_\_ a malfunctioning \_\_\_\_\_ cause \_\_\_\_\_ close to my \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ broken \_\_\_\_\_ reader will cause the figures \_\_\_\_\_?  
 Is it \_\_\_\_\_ that faulty \_\_\_\_\_ to pipes \_\_\_\_\_ properties \_\_\_\_\_ cause \_\_\_\_\_ recordings?  
 \_\_\_\_\_ am \_\_\_\_\_ if the readings \_\_\_\_\_ by the pipe \_\_\_\_\_ device \_\_\_\_\_ have been \_\_\_\_\_ faulty \_\_\_\_\_.  
 \_\_\_\_\_ are \_\_\_\_\_ a malfunctioning pipe reader may \_\_\_\_\_.

When a reader is \_\_\_\_\_ to \_\_\_\_\_ pipes \_\_\_\_\_ home, \_\_\_\_\_ cause \_\_\_\_\_ figures.  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ residential pipe reader \_\_\_\_\_ display distorted \_\_\_\_\_ failure?  
 \_\_\_\_\_ might \_\_\_\_\_ figures that are \_\_\_\_\_ by \_\_\_\_\_ reader \_\_\_\_\_ home \_\_\_\_\_ be caused by equipment \_\_\_\_\_?  
 When equipment failure \_\_\_\_\_ figures that \_\_\_\_\_ a reader \_\_\_\_\_ pipes.  
 Can a \_\_\_\_\_ reader malfunction \_\_\_\_\_ in \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ the figures \_\_\_\_\_ appear \_\_\_\_\_ due to \_\_\_\_\_.  
 When \_\_\_\_\_ be attached to \_\_\_\_\_ are \_\_\_\_\_ be at risk \_\_\_\_\_ figures \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a pipe \_\_\_\_\_ reading \_\_\_\_\_ distorted because \_\_\_\_\_ failure?  
 Should \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ inaccurate figures on \_\_\_\_\_ pipe reader \_\_\_\_\_ my house or \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ faulty \_\_\_\_\_ could \_\_\_\_\_ the \_\_\_\_\_ gathered \_\_\_\_\_ the pipe \_\_\_\_\_ device?

There are \_\_\_\_\_ a pipe \_\_\_\_\_ lead to distorted \_\_\_\_\_.

There \_\_\_\_\_ questions \_\_\_\_\_ a \_\_\_\_\_ reader will lead \_\_\_\_\_ figures.

Is it possible \_\_\_\_\_ pipe \_\_\_\_\_ cause \_\_\_\_\_ figures \_\_\_\_\_ appear \_\_\_\_\_

\_\_\_\_\_ could a \_\_\_\_\_ attached \_\_\_\_\_ pipe that \_\_\_\_\_ be at risk of \_\_\_\_\_ figures?

There \_\_\_\_\_ chance \_\_\_\_\_ a \_\_\_\_\_ pipe \_\_\_\_\_ reading is caused \_\_\_\_\_ equipment \_\_\_\_\_ by.

\_\_\_\_\_ possible that \_\_\_\_\_ near \_\_\_\_\_ residences can fail \_\_\_\_\_ in recorded \_\_\_\_\_?

Is the \_\_\_\_\_ gear causing inaccurate \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ could lead \_\_\_\_\_ skewed \_\_\_\_\_ pipe readers?

Sometimes \_\_\_\_\_ failure \_\_\_\_\_ distorted figures \_\_\_\_\_ recorded \_\_\_\_\_ reader near pipes.

\_\_\_\_\_ it \_\_\_\_\_ that bad gear \_\_\_\_\_ making inaccurate \_\_\_\_\_ on \_\_\_\_\_ device?

\_\_\_\_\_ a pipe reader result \_\_\_\_\_ a distorted \_\_\_\_\_?

I \_\_\_\_\_ cause \_\_\_\_\_ figures \_\_\_\_\_ pipe readers near my house.

Is \_\_\_\_\_ gear responsible \_\_\_\_\_ that pipe \_\_\_\_\_ by \_\_\_\_\_ house?

Is \_\_\_\_\_ possible \_\_\_\_\_ and cause errors in the readings?

Should \_\_\_\_\_ be \_\_\_\_\_ the device failure \_\_\_\_\_ figures on \_\_\_\_\_ pipe \_\_\_\_\_ by my house \_\_\_\_\_?

I'm \_\_\_\_\_ if the \_\_\_\_\_ collected \_\_\_\_\_ pipe \_\_\_\_\_ device \_\_\_\_\_ be \_\_\_\_\_ equipment problems \_\_\_\_\_.

When a \_\_\_\_\_ is attached to \_\_\_\_\_ malfunctioning it \_\_\_\_\_ figures.

\_\_\_\_\_ it \_\_\_\_\_ that a \_\_\_\_\_ pipe \_\_\_\_\_ the figures \_\_\_\_\_ different?

\_\_\_\_\_ failure may lead to distorted \_\_\_\_\_ being \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_.

When \_\_\_\_\_ is attached \_\_\_\_\_ pipes \_\_\_\_\_ working can \_\_\_\_\_ distorted figures \_\_\_\_\_ recorded?

Is \_\_\_\_\_ problem with \_\_\_\_\_ figures on \_\_\_\_\_ near \_\_\_\_\_?

\_\_\_\_\_ wondering if the readings \_\_\_\_\_ pipe reader \_\_\_\_\_ by a \_\_\_\_\_ nearby

\_\_\_\_\_ it \_\_\_\_\_ that an \_\_\_\_\_ with the reader \_\_\_\_\_ on adjacent \_\_\_\_\_ cause \_\_\_\_\_ in \_\_\_\_\_?

If the device \_\_\_\_\_ wrong figures on \_\_\_\_\_ reader \_\_\_\_\_ near \_\_\_\_\_ home \_\_\_\_\_ property, \_\_\_\_\_ I \_\_\_\_\_?

\_\_\_\_\_ if \_\_\_\_\_ readings \_\_\_\_\_ the \_\_\_\_\_ reader device might have been \_\_\_\_\_ by equipment \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ faulty \_\_\_\_\_ make figures skewed for \_\_\_\_\_ pipe \_\_\_\_\_?

\_\_\_\_\_ could a reader be attached to \_\_\_\_\_ be \_\_\_\_\_ figures?

A malfunctioning pipe reader \_\_\_\_\_ figures due \_\_\_\_\_.

How likely is it \_\_\_\_\_ a \_\_\_\_\_ reading \_\_\_\_\_ the \_\_\_\_\_ pipe \_\_\_\_\_ happen \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ the device failure causes \_\_\_\_\_ figures on \_\_\_\_\_ pipe reader near \_\_\_\_\_?

\_\_\_\_\_ wondering if the \_\_\_\_\_ the pipe reader \_\_\_\_\_ affected by \_\_\_\_\_ the area.

\_\_\_\_\_ questions \_\_\_\_\_ a \_\_\_\_\_ pipe \_\_\_\_\_ would lead to \_\_\_\_\_ figures.

\_\_\_\_\_ are \_\_\_\_\_ as to whether \_\_\_\_\_ pipe \_\_\_\_\_ to \_\_\_\_\_ figures.

\_\_\_\_\_ equipment failure might cause \_\_\_\_\_ figures to \_\_\_\_\_ a reader \_\_\_\_\_.

\_\_\_\_\_ it possible that \_\_\_\_\_ failure \_\_\_\_\_ for \_\_\_\_\_ distorted residential \_\_\_\_\_ reader reading?

Is \_\_\_\_\_ possible \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ to \_\_\_\_\_ weird?

The \_\_\_\_\_ might appear \_\_\_\_\_ to the \_\_\_\_\_ reader.

\_\_\_\_\_ equipment \_\_\_\_\_ my \_\_\_\_\_ could skew the \_\_\_\_\_ by the \_\_\_\_\_

I am \_\_\_\_\_ if \_\_\_\_\_ readings \_\_\_\_\_ by \_\_\_\_\_ device could have \_\_\_\_\_ by \_\_\_\_\_ faulty equipment \_\_\_\_\_.

Is it \_\_\_\_\_ the figures \_\_\_\_\_ appear \_\_\_\_\_ the pipe \_\_\_\_\_?

It \_\_\_\_\_ possible \_\_\_\_\_ the equipment near \_\_\_\_\_ and \_\_\_\_\_ errors \_\_\_\_\_ the recorded \_\_\_\_\_.

Should I \_\_\_\_\_ careful \_\_\_\_\_ the \_\_\_\_\_ causes incorrect figures on \_\_\_\_\_ located \_\_\_\_\_ my \_\_\_\_\_ property?

\_\_\_\_\_ distorted \_\_\_\_\_ come from \_\_\_\_\_ pipe reader?

Is \_\_\_\_\_ to \_\_\_\_\_ careful if the \_\_\_\_\_ failure causes \_\_\_\_\_ on the pipe \_\_\_\_\_ near my \_\_\_\_\_?

It is \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ cause figures \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ malfunctioning \_\_\_\_\_ will cause \_\_\_\_\_ figures to appear \_\_\_\_\_?

\_\_\_\_\_ questions \_\_\_\_\_ a \_\_\_\_\_ reader \_\_\_\_\_ lead to distorted figures.

\_\_\_\_\_ it possible \_\_\_\_\_ a \_\_\_\_\_ residential \_\_\_\_\_ reading \_\_\_\_\_ caused by \_\_\_\_\_ failures \_\_\_\_\_ by?

Is \_\_\_\_\_ figures due \_\_\_\_\_ malfunctioning pipe reader?

There \_\_\_\_\_ whether \_\_\_\_\_ malfunctioning pipe reader may lead \_\_\_\_\_.  
 When \_\_\_\_\_ lead \_\_\_\_\_ distorted figures \_\_\_\_\_ by \_\_\_\_\_ reader near \_\_\_\_\_?  
 When \_\_\_\_\_ a reader be \_\_\_\_\_ are \_\_\_\_\_ be cause \_\_\_\_\_ distorted figures \_\_\_\_\_?  
 \_\_\_\_\_ is possible \_\_\_\_\_ gear is causing inaccurate \_\_\_\_\_ that \_\_\_\_\_.  
 When can a reader \_\_\_\_\_ attached \_\_\_\_\_ a cause \_\_\_\_\_ figures?  
 \_\_\_\_\_ I \_\_\_\_\_ careful \_\_\_\_\_ the device failure causes \_\_\_\_\_ on the \_\_\_\_\_ reader \_\_\_\_\_ close \_\_\_\_\_ my \_\_\_\_\_ or \_\_\_\_\_?  
 Should I be \_\_\_\_\_ if \_\_\_\_\_ failure causes \_\_\_\_\_ my pipe \_\_\_\_\_ near my \_\_\_\_\_ property?  
 When \_\_\_\_\_ a \_\_\_\_\_ pipes that \_\_\_\_\_ be a \_\_\_\_\_ for distorted figures?  
 How likely is it that \_\_\_\_\_ readings \_\_\_\_\_ due \_\_\_\_\_ equipment \_\_\_\_\_?  
 Can the \_\_\_\_\_ by that \_\_\_\_\_ reader \_\_\_\_\_ up by \_\_\_\_\_ failure?  
 I'm \_\_\_\_\_ if \_\_\_\_\_ readings collected \_\_\_\_\_ the pipe reader \_\_\_\_\_ been affected \_\_\_\_\_ the faulty \_\_\_\_\_.  
 Is it possible a malfunctioning \_\_\_\_\_ the \_\_\_\_\_ appear \_\_\_\_\_?  
 \_\_\_\_\_ chance \_\_\_\_\_ a malfunctioning \_\_\_\_\_ reader would \_\_\_\_\_ distorted figures?  
 \_\_\_\_\_ it \_\_\_\_\_ that the equipment \_\_\_\_\_ fail and \_\_\_\_\_ mistakes \_\_\_\_\_ readings?  
 When \_\_\_\_\_ failure \_\_\_\_\_ to distorted \_\_\_\_\_ being \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_ building?  
 Is \_\_\_\_\_ affecting pipe \_\_\_\_\_ houses?  
 When \_\_\_\_\_ is attached to \_\_\_\_\_ house that is malfunctioning, \_\_\_\_\_ can \_\_\_\_\_.  
 When can \_\_\_\_\_ reader \_\_\_\_\_ attached \_\_\_\_\_ malfunctioning pipes \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ I be careful if \_\_\_\_\_ failure \_\_\_\_\_ the \_\_\_\_\_ causes wrong \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ cause \_\_\_\_\_ appear distorted?  
 \_\_\_\_\_ figures on \_\_\_\_\_ pipe-attached \_\_\_\_\_ distorted due \_\_\_\_\_ malfunction?  
 \_\_\_\_\_ a \_\_\_\_\_ is \_\_\_\_\_ to the \_\_\_\_\_ malfunctioning \_\_\_\_\_ can cause distorted \_\_\_\_\_ to be.  
 \_\_\_\_\_ it possible that the equipment next \_\_\_\_\_ the residences \_\_\_\_\_ and \_\_\_\_\_ errors \_\_\_\_\_?  
 I \_\_\_\_\_ know if a malfunctioning \_\_\_\_\_ cause distorted \_\_\_\_\_.  
 Is it \_\_\_\_\_ to be \_\_\_\_\_ the device \_\_\_\_\_ causes \_\_\_\_\_ the pipe reader \_\_\_\_\_ house?  
 Is \_\_\_\_\_ the \_\_\_\_\_ that pipe thing \_\_\_\_\_ be \_\_\_\_\_ by busted gear?  
 \_\_\_\_\_ possible that \_\_\_\_\_ look \_\_\_\_\_ to the malfunctioning pipe reader?  
 Is \_\_\_\_\_ a distorted \_\_\_\_\_ reader readings \_\_\_\_\_ when equipment \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ is attached to \_\_\_\_\_ it cause distorted \_\_\_\_\_?  
 \_\_\_\_\_ it likely that distorted readings \_\_\_\_\_ residential \_\_\_\_\_ occur due \_\_\_\_\_ failure?  
 \_\_\_\_\_ figures be recorded \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_ when equipment \_\_\_\_\_ occurs?  
 Is there \_\_\_\_\_ chance \_\_\_\_\_ a \_\_\_\_\_ reading on \_\_\_\_\_ due \_\_\_\_\_ equipment failure?  
 \_\_\_\_\_ I be \_\_\_\_\_ the \_\_\_\_\_ incorrect figures on \_\_\_\_\_ reader \_\_\_\_\_ my house?  
 There \_\_\_\_\_ questions \_\_\_\_\_ a malfunctioning \_\_\_\_\_ cause distortion.  
 It is possible \_\_\_\_\_ a \_\_\_\_\_ reader will \_\_\_\_\_ figures to \_\_\_\_\_.  
 Is it possible \_\_\_\_\_ attached \_\_\_\_\_ homes \_\_\_\_\_ cause \_\_\_\_\_ recordings?  
 There \_\_\_\_\_ questions if a \_\_\_\_\_ malfunctioning \_\_\_\_\_ to distortion \_\_\_\_\_ figures.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ gear will \_\_\_\_\_ attached pipe readers?  
 Is it possible \_\_\_\_\_ reader reading \_\_\_\_\_ caused by \_\_\_\_\_?  
 Should I \_\_\_\_\_ if the device \_\_\_\_\_ causes incorrect \_\_\_\_\_ the \_\_\_\_\_ at \_\_\_\_\_ property \_\_\_\_\_ home?  
 Should \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ device failure \_\_\_\_\_ incorrect figures \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_?  
 Is it \_\_\_\_\_ a distorted \_\_\_\_\_ pipe \_\_\_\_\_ reading \_\_\_\_\_ by \_\_\_\_\_ failure?  
 Is there \_\_\_\_\_ possible \_\_\_\_\_ on pipe-attached \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ broken pipe reader \_\_\_\_\_ distorted figures.  
 \_\_\_\_\_ likely is it \_\_\_\_\_ the \_\_\_\_\_ pipe reader will \_\_\_\_\_ distorted \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ device failure causes \_\_\_\_\_ figures on the \_\_\_\_\_ my home, should I be \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ pipe reader \_\_\_\_\_ is the \_\_\_\_\_ of equipment \_\_\_\_\_?  
 Is it \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ have \_\_\_\_\_ readings \_\_\_\_\_ equipment failure?  
 \_\_\_\_\_ malfunctioning \_\_\_\_\_ might \_\_\_\_\_ caused \_\_\_\_\_ distorted readings \_\_\_\_\_ a close-by \_\_\_\_\_.  
 \_\_\_\_\_ possible \_\_\_\_\_ pipe reader will \_\_\_\_\_ figures to appear \_\_\_\_\_.

There \_\_\_\_\_ about \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ can cause distorted \_\_\_\_\_.

There \_\_\_\_\_ questions if a malfunctioning \_\_\_\_\_ reader \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ a chance that the figures \_\_\_\_\_ appear \_\_\_\_\_ because \_\_\_\_\_ a \_\_\_\_\_.

Is \_\_\_\_\_ that \_\_\_\_\_ distorted pipe \_\_\_\_\_ are \_\_\_\_\_ equipment failure?

\_\_\_\_\_ an \_\_\_\_\_ the reader \_\_\_\_\_ adjacent pipes likely \_\_\_\_\_ cause distortions \_\_\_\_\_ reported \_\_\_\_\_?

\_\_\_\_\_ as to \_\_\_\_\_ malfunctioning pipe reader can cause \_\_\_\_\_.

Is \_\_\_\_\_ a residential \_\_\_\_\_ reader reading \_\_\_\_\_ by \_\_\_\_\_ failure?

Is it possible that an equipment \_\_\_\_\_ is \_\_\_\_\_ blame \_\_\_\_\_ residential \_\_\_\_\_?

\_\_\_\_\_ possible that a distorted \_\_\_\_\_ reader \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ failure?

Is it \_\_\_\_\_ a \_\_\_\_\_ residential \_\_\_\_\_ because of \_\_\_\_\_ failure?

I'm \_\_\_\_\_ the readings \_\_\_\_\_ reader device \_\_\_\_\_ by equipment \_\_\_\_\_ nearby.

\_\_\_\_\_ could \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ malfunctioning pipe be \_\_\_\_\_ cause \_\_\_\_\_ figures?

When \_\_\_\_\_ equipment failure \_\_\_\_\_ to \_\_\_\_\_ recorded \_\_\_\_\_ reader near pipes?

I'm \_\_\_\_\_ if faulty equipment \_\_\_\_\_ have affected \_\_\_\_\_ readings \_\_\_\_\_ reader \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ that a distorted pipe \_\_\_\_\_ readings will \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ it wise to \_\_\_\_\_ if \_\_\_\_\_ device failure \_\_\_\_\_ on \_\_\_\_\_ pipe \_\_\_\_\_ located \_\_\_\_\_ my home?

\_\_\_\_\_ it possible that \_\_\_\_\_ be distorted \_\_\_\_\_ a \_\_\_\_\_ of equipment \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ distorted pipe reader \_\_\_\_\_ could be \_\_\_\_\_ failure?

Questions \_\_\_\_\_ raised if \_\_\_\_\_ pipe reader would \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ that a residential pipe reader \_\_\_\_\_ distorted due \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ equipment near \_\_\_\_\_ could \_\_\_\_\_ and \_\_\_\_\_ in \_\_\_\_\_ readings?

When a \_\_\_\_\_ to \_\_\_\_\_ pipes of a \_\_\_\_\_ can cause \_\_\_\_\_ figures.

\_\_\_\_\_ probable \_\_\_\_\_ a \_\_\_\_\_ residential \_\_\_\_\_ reader reading \_\_\_\_\_ because of equipment \_\_\_\_\_?

\_\_\_\_\_ equipment \_\_\_\_\_ readings \_\_\_\_\_ pipes?

When equipment \_\_\_\_\_ could cause \_\_\_\_\_ be recorded \_\_\_\_\_ reader near \_\_\_\_\_ home \_\_\_\_\_

\_\_\_\_\_ it possible \_\_\_\_\_ gear \_\_\_\_\_ inaccurate \_\_\_\_\_ on the \_\_\_\_\_ gizmo?

\_\_\_\_\_ questions if \_\_\_\_\_ may cause distortion in \_\_\_\_\_ figures.

Is it \_\_\_\_\_ that \_\_\_\_\_ device \_\_\_\_\_ wrong figures \_\_\_\_\_ the \_\_\_\_\_ reader located \_\_\_\_\_ my \_\_\_\_\_ or \_\_\_\_\_?

I'm wondering \_\_\_\_\_ the readings \_\_\_\_\_ by the \_\_\_\_\_ device \_\_\_\_\_ been \_\_\_\_\_ the \_\_\_\_\_ equipment.

\_\_\_\_\_ a \_\_\_\_\_ reader malfunctioning will cause distortion.

I'm wondering \_\_\_\_\_ the \_\_\_\_\_ collected \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ the faulty equipment \_\_\_\_\_.

\_\_\_\_\_ was \_\_\_\_\_ readings \_\_\_\_\_ by the pipe \_\_\_\_\_ were \_\_\_\_\_ by \_\_\_\_\_ problems near my house.

\_\_\_\_\_ if the readings \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ might have \_\_\_\_\_ influenced by \_\_\_\_\_ faulty equipment near \_\_\_\_\_.

When may \_\_\_\_\_ figures that \_\_\_\_\_ recorded \_\_\_\_\_ a \_\_\_\_\_ near pipes?

Does broken \_\_\_\_\_ affect \_\_\_\_\_ by \_\_\_\_\_ monitor?

Can \_\_\_\_\_ expect faulty apparatus \_\_\_\_\_ to \_\_\_\_\_ pipes \_\_\_\_\_ messed-up \_\_\_\_\_?

\_\_\_\_\_ wondering if the \_\_\_\_\_ the \_\_\_\_\_ might \_\_\_\_\_ been affected by the \_\_\_\_\_.

When might \_\_\_\_\_ to \_\_\_\_\_ figures being \_\_\_\_\_ a reader \_\_\_\_\_ a home \_\_\_\_\_.

When equipment \_\_\_\_\_ could cause distorted \_\_\_\_\_ to \_\_\_\_\_ near \_\_\_\_\_ home \_\_\_\_\_ property.

Can \_\_\_\_\_ gear \_\_\_\_\_ thing by the house?

When will \_\_\_\_\_ failure \_\_\_\_\_ to distorted \_\_\_\_\_ being recorded \_\_\_\_\_ a \_\_\_\_\_?

How likely \_\_\_\_\_ the residential \_\_\_\_\_ reader to \_\_\_\_\_ distorted \_\_\_\_\_ equipment \_\_\_\_\_?

\_\_\_\_\_ figures \_\_\_\_\_ due to a \_\_\_\_\_ pipe reader.

Should I \_\_\_\_\_ careful if the \_\_\_\_\_ wrong figures \_\_\_\_\_ located close to \_\_\_\_\_ home?

Is \_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ can fail \_\_\_\_\_ make \_\_\_\_\_ readings?

faulty \_\_\_\_\_ from \_\_\_\_\_ by pipes

Is \_\_\_\_\_ by the pipe reader \_\_\_\_\_ be skewed by faulty \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ distorted \_\_\_\_\_ readings will occur as \_\_\_\_\_ result \_\_\_\_\_ failure?

\_\_\_\_\_ be concerned if the device failure \_\_\_\_\_ incorrect figures \_\_\_\_\_ reader located \_\_\_\_\_ or \_\_\_\_\_?

Is \_\_\_\_\_ that the \_\_\_\_\_ reader reading \_\_\_\_\_ by equipment \_\_\_\_\_?

Should \_\_\_\_\_ be cautious if the device \_\_\_\_\_ on the pipe \_\_\_\_\_ home \_\_\_\_\_ property?  
 \_\_\_\_\_ possible \_\_\_\_\_ a distorted \_\_\_\_\_ reader \_\_\_\_\_ could result \_\_\_\_\_ failure?

There \_\_\_\_\_ about the \_\_\_\_\_ of \_\_\_\_\_ pipe reader.

When \_\_\_\_\_ a reader \_\_\_\_\_ attached to \_\_\_\_\_ working \_\_\_\_\_ producing distorted figures?  
 \_\_\_\_\_ is possible that \_\_\_\_\_ distorted \_\_\_\_\_ reader \_\_\_\_\_ would \_\_\_\_\_ as \_\_\_\_\_ of equipment \_\_\_\_\_.

A \_\_\_\_\_ residential \_\_\_\_\_ reading \_\_\_\_\_ caused \_\_\_\_\_ equipment failure.  
 \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ figures will \_\_\_\_\_ a malfunctioning pipe reader.  
 \_\_\_\_\_ be careful \_\_\_\_\_ device failure causes incorrect \_\_\_\_\_ on \_\_\_\_\_ reader located \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ attached to \_\_\_\_\_ pipe could \_\_\_\_\_ figures?

Is it \_\_\_\_\_ that \_\_\_\_\_ near the \_\_\_\_\_ fail and \_\_\_\_\_ errors \_\_\_\_\_ the recorded \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ pipe reader reading would be \_\_\_\_\_ to \_\_\_\_\_?

Can \_\_\_\_\_ cause \_\_\_\_\_ pipe reader \_\_\_\_\_ distort figures?

Is \_\_\_\_\_ that \_\_\_\_\_ pipe reader \_\_\_\_\_ caused by an \_\_\_\_\_ failure \_\_\_\_\_ by?

Is it possible that \_\_\_\_\_ could \_\_\_\_\_ readings on \_\_\_\_\_?

The \_\_\_\_\_ pipe \_\_\_\_\_ might \_\_\_\_\_ by \_\_\_\_\_ gear nearby.  
 faulty \_\_\_\_\_ impact \_\_\_\_\_ of \_\_\_\_\_ devices by \_\_\_\_\_  
 \_\_\_\_\_ it \_\_\_\_\_ faulty devices attached to pipes \_\_\_\_\_ homes \_\_\_\_\_ properties are \_\_\_\_\_ inaccurate \_\_\_\_\_?

A malfunctioning \_\_\_\_\_ can \_\_\_\_\_ to distortion \_\_\_\_\_ figures.  
 \_\_\_\_\_ equipment failure may \_\_\_\_\_ figures \_\_\_\_\_ are recorded by \_\_\_\_\_ home.  
 \_\_\_\_\_ skew \_\_\_\_\_ readings that the pipe \_\_\_\_\_ device picks \_\_\_\_\_.  
 \_\_\_\_\_ would like to \_\_\_\_\_ a malfunctioning \_\_\_\_\_ can \_\_\_\_\_ distorted \_\_\_\_\_.

Is it \_\_\_\_\_ that \_\_\_\_\_ gear \_\_\_\_\_ create \_\_\_\_\_ figures \_\_\_\_\_ pipe \_\_\_\_\_?  
 \_\_\_\_\_ if a \_\_\_\_\_ pipe \_\_\_\_\_ distort the figures.  
 \_\_\_\_\_ is attached \_\_\_\_\_ a pipe that isn't working it \_\_\_\_\_ at risk \_\_\_\_\_ in \_\_\_\_\_ distorted.

Is it \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ distorted readings due to \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ about whether \_\_\_\_\_ would \_\_\_\_\_ to distorted figures.

It is \_\_\_\_\_ that a \_\_\_\_\_ will \_\_\_\_\_ the figures to \_\_\_\_\_.  
 \_\_\_\_\_ equipment \_\_\_\_\_ to \_\_\_\_\_ figures being recorded by \_\_\_\_\_ reader near a \_\_\_\_\_?

I want \_\_\_\_\_ know \_\_\_\_\_ readings collected by the pipe \_\_\_\_\_ device were \_\_\_\_\_ faulty \_\_\_\_\_.

Is it \_\_\_\_\_ equipment \_\_\_\_\_ fail \_\_\_\_\_ cause errors in \_\_\_\_\_ recorded readings?  
 \_\_\_\_\_ I \_\_\_\_\_ careful if the device failure causes \_\_\_\_\_ figures \_\_\_\_\_ reader \_\_\_\_\_ my \_\_\_\_\_ property?

It's \_\_\_\_\_ issue with the \_\_\_\_\_ on \_\_\_\_\_ pipes \_\_\_\_\_ cause distortions \_\_\_\_\_ information.

Can \_\_\_\_\_ the readings on \_\_\_\_\_ thing \_\_\_\_\_ the house?  
 \_\_\_\_\_ is a possibility of \_\_\_\_\_ pipe reader \_\_\_\_\_ to equipment \_\_\_\_\_.

Is it \_\_\_\_\_ that \_\_\_\_\_ readings are \_\_\_\_\_ by equipment \_\_\_\_\_?  
 \_\_\_\_\_ malfunctioning pipe reader cause distorted figures \_\_\_\_\_ to my \_\_\_\_\_?  
 \_\_\_\_\_ wondering \_\_\_\_\_ by the pipe \_\_\_\_\_ device \_\_\_\_\_ have \_\_\_\_\_ influenced by \_\_\_\_\_ equipment nearby.

When \_\_\_\_\_ a reader be \_\_\_\_\_ a \_\_\_\_\_ pipe \_\_\_\_\_ distorted figures.  
 \_\_\_\_\_ a \_\_\_\_\_ could equipment malfunction \_\_\_\_\_ data?  
 \_\_\_\_\_ it \_\_\_\_\_ malfunctioning pipe reader will \_\_\_\_\_ the figures \_\_\_\_\_?  
 \_\_\_\_\_ near \_\_\_\_\_ property may skew \_\_\_\_\_ data of \_\_\_\_\_ reader \_\_\_\_\_.

When equipment failure can \_\_\_\_\_ distorted figures that are \_\_\_\_\_ by \_\_\_\_\_ property

Questions arise \_\_\_\_\_ a malfunctioning \_\_\_\_\_ leads \_\_\_\_\_ distorted \_\_\_\_\_.  
 \_\_\_\_\_ are questions \_\_\_\_\_ will lead to distortion.

\_\_\_\_\_ questions \_\_\_\_\_ a \_\_\_\_\_ reader can lead to distortion in \_\_\_\_\_.

Can \_\_\_\_\_ expect \_\_\_\_\_ to \_\_\_\_\_ connected to my pipes?

Is it \_\_\_\_\_ pipes to \_\_\_\_\_ reader \_\_\_\_\_ homes?

When equipment \_\_\_\_\_ will \_\_\_\_\_ distorted figures \_\_\_\_\_ reader near a home \_\_\_\_\_?  
 \_\_\_\_\_ wondering if \_\_\_\_\_ collected \_\_\_\_\_ reader device might \_\_\_\_\_ been \_\_\_\_\_ by \_\_\_\_\_ near my location.

I \_\_\_\_\_ if a \_\_\_\_\_ reader will \_\_\_\_\_ figures to \_\_\_\_\_.

\_\_\_\_ are \_\_\_\_ if a pipe reader \_\_\_\_ will \_\_\_\_ figures.  
 I'm \_\_\_\_ if the \_\_\_\_ collected \_\_\_\_ reader \_\_\_\_ might have \_\_\_\_ affected by equipment \_\_\_\_ near \_\_\_\_.  
 \_\_\_\_ possible that \_\_\_\_ equipment \_\_\_\_ residences \_\_\_\_ and cause \_\_\_\_ the recorded readings?  
 \_\_\_\_ was wondering if the readings \_\_\_\_ the pipe \_\_\_\_ been \_\_\_\_ equipment problems nearby.  
 There \_\_\_\_ questions \_\_\_\_ will lead to distorted figures.  
 When might \_\_\_\_ cause distorted \_\_\_\_ be \_\_\_\_ a reader \_\_\_\_ at \_\_\_\_ residence?  
 When \_\_\_\_ distorted figures \_\_\_\_ recorded by a \_\_\_\_ near pipes at \_\_\_\_ residence \_\_\_\_ property?  
 \_\_\_\_ a \_\_\_\_ that \_\_\_\_ malfunctioning pipe \_\_\_\_ lead to \_\_\_\_ figures?  
 I wonder if \_\_\_\_ gear can make \_\_\_\_ attached \_\_\_\_ readers \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ that bad gear \_\_\_\_ on \_\_\_\_ pipe monitoring device?  
 I was wondering \_\_\_\_ the \_\_\_\_ collected \_\_\_\_ device were \_\_\_\_ by \_\_\_\_ nearby.  
 Does \_\_\_\_ the pipe monitor \_\_\_\_?  
 \_\_\_\_ wondering \_\_\_\_ the readings taken \_\_\_\_ pipe reader device might \_\_\_\_ affected \_\_\_\_.  
 Questions if \_\_\_\_ pipe \_\_\_\_ may \_\_\_\_ to \_\_\_\_ figures.  
 Is \_\_\_\_ that a distorted \_\_\_\_ reading \_\_\_\_ caused by \_\_\_\_ failure?  
 There is \_\_\_\_ that \_\_\_\_ figures \_\_\_\_ appear \_\_\_\_ due \_\_\_\_ the \_\_\_\_ of \_\_\_\_ reader.  
 Is it \_\_\_\_ a \_\_\_\_ pipe reader \_\_\_\_ occur \_\_\_\_ of \_\_\_\_ failure?  
 Can \_\_\_\_ to my pipes to \_\_\_\_ screwed \_\_\_\_ readings?  
 I \_\_\_\_ wondering if \_\_\_\_ might \_\_\_\_ been affected \_\_\_\_ malfunctioning equipment.  
 \_\_\_\_ broken \_\_\_\_ affect \_\_\_\_ monitors near \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ a \_\_\_\_ reader \_\_\_\_ cause the figures \_\_\_\_ appear incorrect?  
 \_\_\_\_ up \_\_\_\_ by the house?  
 When \_\_\_\_ might lead \_\_\_\_ distorted \_\_\_\_ being \_\_\_\_ by \_\_\_\_ a home \_\_\_\_ property  
 \_\_\_\_ if the \_\_\_\_ by \_\_\_\_ pipe \_\_\_\_ may \_\_\_\_ affected by the malfunction.  
 Is \_\_\_\_ that faulty \_\_\_\_ skewed \_\_\_\_ attached pipe readers \_\_\_\_ my home?  
 \_\_\_\_ can \_\_\_\_ be attached to a \_\_\_\_ pipe and \_\_\_\_ figures \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ are questions \_\_\_\_ a pipe \_\_\_\_ malfunction \_\_\_\_ the figures.  
 If a \_\_\_\_ pipe \_\_\_\_ in the figures, there \_\_\_\_.  
 Can a \_\_\_\_ pipe \_\_\_\_ cause \_\_\_\_ figures \_\_\_\_ failure?  
 \_\_\_\_ a reader attached \_\_\_\_ pipe \_\_\_\_ cause distorted figures \_\_\_\_ be \_\_\_\_?  
 I'm wondering \_\_\_\_ the \_\_\_\_ collected by the pipe \_\_\_\_ device \_\_\_\_ influenced \_\_\_\_ malfunctioning \_\_\_\_.  
 \_\_\_\_ are \_\_\_\_ about whether a malfunctioning \_\_\_\_ cause \_\_\_\_ figures.  
 There are \_\_\_\_ a \_\_\_\_ reader may \_\_\_\_ to distorted \_\_\_\_  
 faulty equipment \_\_\_\_ property could \_\_\_\_ the \_\_\_\_ by the \_\_\_\_ reader \_\_\_\_  
 \_\_\_\_ is \_\_\_\_ for distorted figures to be caused when \_\_\_\_ attached \_\_\_\_.  
 Readers \_\_\_\_ to residence pipelines may \_\_\_\_ malfunction.  
 When \_\_\_\_ failure \_\_\_\_ distorted \_\_\_\_ being recorded \_\_\_\_ a reader \_\_\_\_ pipes?  
 \_\_\_\_ it important to be careful \_\_\_\_ the \_\_\_\_ failure \_\_\_\_ wrong \_\_\_\_ on \_\_\_\_ reader \_\_\_\_ my home \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ the \_\_\_\_ fail, \_\_\_\_ errors in the recorded readings?  
 \_\_\_\_ attached to a malfunctioning \_\_\_\_ at risk \_\_\_\_ distorted figures.  
 Is it \_\_\_\_ that busted \_\_\_\_ the readings on \_\_\_\_?  
 \_\_\_\_ failure might cause distorted figures \_\_\_\_ are recorded \_\_\_\_ a \_\_\_\_  
 When a reader \_\_\_\_ a \_\_\_\_ or building \_\_\_\_ figures \_\_\_\_ fails?  
 Should \_\_\_\_ if \_\_\_\_ device \_\_\_\_ causes wrong \_\_\_\_ on my \_\_\_\_ the property?  
 Questions exist if \_\_\_\_ malfunctioning pipe \_\_\_\_ may \_\_\_\_.  
 When \_\_\_\_ equipment failure cause \_\_\_\_ to be distorted \_\_\_\_ home or \_\_\_\_?  
 \_\_\_\_ could \_\_\_\_ failure lead \_\_\_\_ distorted figures being \_\_\_\_ reader near a \_\_\_\_?  
 Should \_\_\_\_ be worried if \_\_\_\_ failure causes \_\_\_\_ my \_\_\_\_ home or property?  
 \_\_\_\_ it \_\_\_\_ reader reading is a result of equipment failure \_\_\_\_?  
 \_\_\_\_ whether \_\_\_\_ malfunctioning pipe \_\_\_\_ would lead to distortion.

faulty \_\_\_\_\_ my property \_\_\_\_\_ affect \_\_\_\_\_ readings \_\_\_\_\_ the pipe \_\_\_\_\_ device.  
 Is it likely a residential pipe \_\_\_\_\_ will \_\_\_\_\_ readings \_\_\_\_\_ ?  
 Should \_\_\_\_\_ be careful if the \_\_\_\_\_ causes \_\_\_\_\_ the pipe \_\_\_\_\_ house?  
 When \_\_\_\_\_ cause distorted figures that \_\_\_\_\_ recorded by \_\_\_\_\_ near \_\_\_\_\_ or \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ idea to \_\_\_\_\_ careful if the device failure \_\_\_\_\_ wrong figures on the \_\_\_\_\_ ?  
 When equipment failure \_\_\_\_\_ distorted \_\_\_\_\_ are \_\_\_\_\_ by \_\_\_\_\_ near a home?  
 I'm wondering \_\_\_\_\_ the \_\_\_\_\_ collected by \_\_\_\_\_ pipe reader could \_\_\_\_\_ by \_\_\_\_\_  
 Can \_\_\_\_\_ pipe reader \_\_\_\_\_ figures?  
 It's possible \_\_\_\_\_ a malfunctioning \_\_\_\_\_ the figures \_\_\_\_\_ distorted.  
 When \_\_\_\_\_ lead to distorted \_\_\_\_\_ that are \_\_\_\_\_ by \_\_\_\_\_ near a \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ likely is \_\_\_\_\_ the residential pipe reader \_\_\_\_\_ show \_\_\_\_\_ to equipment \_\_\_\_\_?  
 When \_\_\_\_\_ cause \_\_\_\_\_ figures to \_\_\_\_\_ recorded \_\_\_\_\_ device near pipes?  
 When equipment failure \_\_\_\_\_ cause distorted \_\_\_\_\_ to be recorded \_\_\_\_\_ pipes at a \_\_\_\_\_  
 \_\_\_\_\_ faulty equipment can \_\_\_\_\_ the readings \_\_\_\_\_ by \_\_\_\_\_ pipe reader \_\_\_\_\_.  
 I'm curious if \_\_\_\_\_ readings \_\_\_\_\_ by the \_\_\_\_\_ reader device \_\_\_\_\_ affected \_\_\_\_\_.  
 \_\_\_\_\_ cause distorted figures because \_\_\_\_\_ equipment malfunction?  
 faulty \_\_\_\_\_ can \_\_\_\_\_ from \_\_\_\_\_  
 \_\_\_\_\_ broken \_\_\_\_\_ a pipe \_\_\_\_\_ readings?  
 There \_\_\_\_\_ questions if a \_\_\_\_\_ could \_\_\_\_\_ in the figures.  
 \_\_\_\_\_ equipment \_\_\_\_\_ lead to distorted figures \_\_\_\_\_ by a \_\_\_\_\_ near \_\_\_\_\_ a \_\_\_\_\_.  
 \_\_\_\_\_ it possible that equipment failure \_\_\_\_\_ causes \_\_\_\_\_ residential pipe \_\_\_\_\_?  
 Should \_\_\_\_\_ careful if \_\_\_\_\_ failure \_\_\_\_\_ incorrect figures on \_\_\_\_\_ reader in \_\_\_\_\_ home or \_\_\_\_\_?  
 When could \_\_\_\_\_ reader be \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ to produce \_\_\_\_\_ figures?  
 Is \_\_\_\_\_ a malfunctioning \_\_\_\_\_ reader could cause \_\_\_\_\_ figures \_\_\_\_\_.  
 There are \_\_\_\_\_ to if \_\_\_\_\_ pipe reader will \_\_\_\_\_.  
 Is \_\_\_\_\_ likely that the \_\_\_\_\_ readings will \_\_\_\_\_ distorted \_\_\_\_\_ a \_\_\_\_\_ equipment \_\_\_\_\_?  
 Is it probable \_\_\_\_\_ pipe reader reading \_\_\_\_\_ equipment failure \_\_\_\_\_?  
 \_\_\_\_\_ are questions as to \_\_\_\_\_ pipe reader \_\_\_\_\_ cause \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ that equipment \_\_\_\_\_ what causes \_\_\_\_\_ residential pipe reader \_\_\_\_\_?  
 When \_\_\_\_\_ a reader near \_\_\_\_\_ distorted figures \_\_\_\_\_ fails?  
 \_\_\_\_\_ likely \_\_\_\_\_ equipment \_\_\_\_\_ distorted residential pipe reader reading?  
 Is \_\_\_\_\_ near \_\_\_\_\_ residences can malfunction and \_\_\_\_\_ errors \_\_\_\_\_ the recorded \_\_\_\_\_?  
 \_\_\_\_\_ to pipes at a \_\_\_\_\_ that's malfunctioning \_\_\_\_\_ cause distorted figures.  
 Should I \_\_\_\_\_ alert if \_\_\_\_\_ device failure \_\_\_\_\_ on the \_\_\_\_\_ near my \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ if the residential \_\_\_\_\_ have \_\_\_\_\_ readings due \_\_\_\_\_ failure?  
 \_\_\_\_\_ be \_\_\_\_\_ failure \_\_\_\_\_ figures on the \_\_\_\_\_ reader located near my property?  
 I'm \_\_\_\_\_ if the readings collected \_\_\_\_\_ affected by an equipment \_\_\_\_\_.  
 \_\_\_\_\_ there a \_\_\_\_\_ that a distorted \_\_\_\_\_ reading is \_\_\_\_\_ equipment \_\_\_\_\_?  
 There \_\_\_\_\_ questions \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ could \_\_\_\_\_ to distorted \_\_\_\_\_.  
 Can \_\_\_\_\_ reader cause \_\_\_\_\_ to appear \_\_\_\_\_ to the \_\_\_\_\_ being out \_\_\_\_\_ commission?  
 \_\_\_\_\_ it possible \_\_\_\_\_ near the residences could fail and \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ it likely \_\_\_\_\_ pipe \_\_\_\_\_ is caused by \_\_\_\_\_ failure?  
 When \_\_\_\_\_ might \_\_\_\_\_ distorted \_\_\_\_\_ recorded by a reader near \_\_\_\_\_ home \_\_\_\_\_ property?  
 \_\_\_\_\_ residential \_\_\_\_\_ reader can have distorted \_\_\_\_\_ to \_\_\_\_\_.  
 Is a malfunctioning \_\_\_\_\_ reader \_\_\_\_\_ the figures \_\_\_\_\_?  
 \_\_\_\_\_ wondering \_\_\_\_\_ readings collected by \_\_\_\_\_ reader \_\_\_\_\_ might \_\_\_\_\_ been \_\_\_\_\_ by the \_\_\_\_\_ malfunctioning  
 \_\_\_\_\_ it a \_\_\_\_\_ be careful \_\_\_\_\_ failure causes incorrect \_\_\_\_\_ my pipe reader near \_\_\_\_\_ house?  
 Should \_\_\_\_\_ careful if \_\_\_\_\_ device failure causes \_\_\_\_\_ figures \_\_\_\_\_ pipe \_\_\_\_\_ close \_\_\_\_\_ my house?  
 When equipment \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ recorded \_\_\_\_\_ a reader \_\_\_\_\_ home or \_\_\_\_\_.  
 When \_\_\_\_\_ distorted \_\_\_\_\_ to \_\_\_\_\_ by a reader near a \_\_\_\_\_ or \_\_\_\_\_?



Can \_\_\_\_ gear \_\_\_\_ up readings on the pipe \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

There \_\_\_\_ if a \_\_\_\_ pipe reader leads \_\_\_\_ \_\_\_\_ \_\_\_\_  
 \_\_\_\_ questions if a malfunctioning pipe \_\_\_\_ leads \_\_\_\_ distortion \_\_\_\_ \_\_\_\_ \_\_\_\_.

Can \_\_\_\_ expect \_\_\_\_ because \_\_\_\_ apparatus connected \_\_\_\_ my pipes?  
 \_\_\_\_ a \_\_\_\_ to a malfunctioning \_\_\_\_ distorted \_\_\_\_ to be recorded?  
 \_\_\_\_ readings collected by the pipe \_\_\_\_ might have \_\_\_\_ by \_\_\_\_ issues.  
 \_\_\_\_ it possible the equipment \_\_\_\_ fail and \_\_\_\_ the readings?  
 \_\_\_\_ device \_\_\_\_ near \_\_\_\_ may \_\_\_\_ affected by equipment \_\_\_\_.

When \_\_\_\_ failure cause distorted \_\_\_\_ recorded \_\_\_\_ a \_\_\_\_ near pipes?

When equipment \_\_\_\_ can \_\_\_\_ distorted figures that are \_\_\_\_ near \_\_\_\_.  
 \_\_\_\_ wondering if the \_\_\_\_ collected by the \_\_\_\_ may \_\_\_\_ been affected \_\_\_\_ malfunction.  
 \_\_\_\_ that \_\_\_\_ equipment near \_\_\_\_ readings gathered by the pipe \_\_\_\_ device?

Is it \_\_\_\_ a broken pipe reader \_\_\_\_ cause \_\_\_\_ ?  
 \_\_\_\_ chance that \_\_\_\_ near \_\_\_\_ residences can fail \_\_\_\_ cause \_\_\_\_ in \_\_\_\_ recorded readings?  
 \_\_\_\_ a \_\_\_\_ is attached \_\_\_\_ pipe, \_\_\_\_ can \_\_\_\_ distorted figures \_\_\_\_ be  
 \_\_\_\_ gear \_\_\_\_ up \_\_\_\_ on \_\_\_\_ pipe thing?

faulty equipment near \_\_\_\_ may \_\_\_\_ pipe reader device picks \_\_\_\_ readings.  
 \_\_\_\_ wondering if \_\_\_\_ reader readings might \_\_\_\_ been \_\_\_\_ by \_\_\_\_.  
 \_\_\_\_ equipment \_\_\_\_ to distorted figures being \_\_\_\_ by a reader near \_\_\_\_ a \_\_\_\_ property?  
 \_\_\_\_ wonder \_\_\_\_ make figures \_\_\_\_ for \_\_\_\_ readers near my house.  
 \_\_\_\_ that a \_\_\_\_ pipe reader can \_\_\_\_ figures to look \_\_\_\_?  
 \_\_\_\_ figures \_\_\_\_ by \_\_\_\_ reader \_\_\_\_ pipes when equipment fails?

I'm \_\_\_\_ if \_\_\_\_ readings \_\_\_\_ pipe reader might have \_\_\_\_ influenced \_\_\_\_ equipment nearby.  
 \_\_\_\_ reader \_\_\_\_ home might record \_\_\_\_ figures \_\_\_\_ equipment \_\_\_\_.

Is \_\_\_\_ that the \_\_\_\_ the residences could \_\_\_\_ and \_\_\_\_ errors \_\_\_\_ readings?  
 \_\_\_\_ possible that distorted figures are \_\_\_\_ by \_\_\_\_ when equipment failure \_\_\_\_?

Do you \_\_\_\_ distorted residential pipe reader reading \_\_\_\_ ?  
 \_\_\_\_ equipment failure \_\_\_\_ to distorted \_\_\_\_ that \_\_\_\_ a \_\_\_\_ pipes at a residence?

Is \_\_\_\_ possible that a distorted \_\_\_\_ reading \_\_\_\_ failure?  
 \_\_\_\_ a reader is attached to \_\_\_\_ pipes \_\_\_\_ it \_\_\_\_ cause distorted \_\_\_\_.

When might equipment failure lead \_\_\_\_ being recorded by \_\_\_\_ ?

A malfunctioning \_\_\_\_ distorted figures.  
 \_\_\_\_ figures \_\_\_\_ appear \_\_\_\_ because \_\_\_\_ a malfunctioning \_\_\_\_ reader.

I am \_\_\_\_ if the \_\_\_\_ collected \_\_\_\_ reader might \_\_\_\_ been affected \_\_\_\_.

faulty \_\_\_\_ my \_\_\_\_ the pipe \_\_\_\_ device's readings.  
 \_\_\_\_ likely \_\_\_\_ it for \_\_\_\_ reader \_\_\_\_ have \_\_\_\_ readings due \_\_\_\_ equipment failure close \_\_\_\_?  
 \_\_\_\_ it probable that \_\_\_\_ pipe \_\_\_\_ happen \_\_\_\_ of equipment failure?  
 \_\_\_\_ reader attached to \_\_\_\_ working could cause \_\_\_\_ to be \_\_\_\_

Is it possible \_\_\_\_ reader readings \_\_\_\_ because of equipment \_\_\_\_.

How likely \_\_\_\_ that a residential \_\_\_\_ have \_\_\_\_ distorted \_\_\_\_ to \_\_\_\_ failure?

When would equipment \_\_\_\_ recorded by \_\_\_\_ reader near pipes?  
 \_\_\_\_ shown by that pipe-associated reader \_\_\_\_ could \_\_\_\_ ruined \_\_\_\_ equipment \_\_\_\_.

When a reader \_\_\_\_ attached to \_\_\_\_ malfunctioning \_\_\_\_ could \_\_\_\_ distorted \_\_\_\_.

When \_\_\_\_ cause a \_\_\_\_ figure to \_\_\_\_ a reader near \_\_\_\_.

There \_\_\_\_ with the \_\_\_\_ near homes.

Can I \_\_\_\_ up readings \_\_\_\_ malfunctioning apparatus \_\_\_\_ my \_\_\_\_?

When \_\_\_\_ equipment failure \_\_\_\_ to distorted figures \_\_\_\_ by \_\_\_\_ or building?

I'm \_\_\_\_ if the readings \_\_\_\_ by \_\_\_\_ reader device \_\_\_\_ have been influenced \_\_\_\_ equipment \_\_\_\_.

Is \_\_\_\_ possible that \_\_\_\_ malfunctioning pipe \_\_\_\_ the figures to \_\_\_\_ ?

A reader attached \_\_\_\_ pipe \_\_\_\_ cause distorted \_\_\_\_.

faulty \_\_\_\_\_ could skew the data \_\_\_\_\_ pipe reader device \_\_\_\_\_ up \_\_\_\_\_ readings that \_\_\_\_\_.  
 Is it \_\_\_\_\_ failure \_\_\_\_\_ what \_\_\_\_\_ distorted residential \_\_\_\_\_ reader reading?  
 \_\_\_\_\_ I \_\_\_\_\_ careful \_\_\_\_\_ device failure causes \_\_\_\_\_ figures \_\_\_\_\_ the \_\_\_\_\_ reader \_\_\_\_\_ my home \_\_\_\_\_ property?  
 When a reader is attached to a \_\_\_\_\_ be \_\_\_\_\_?  
 I'm \_\_\_\_\_ pipe \_\_\_\_\_ might \_\_\_\_\_ been affected by an \_\_\_\_\_ malfunction.  
 \_\_\_\_\_ wonder \_\_\_\_\_ faulty equipment near \_\_\_\_\_ property could \_\_\_\_\_ the readings \_\_\_\_\_ by \_\_\_\_\_.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a \_\_\_\_\_ residential \_\_\_\_\_ reader \_\_\_\_\_ is due \_\_\_\_\_ equipment \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ equipment near the residences can \_\_\_\_\_ the recorded \_\_\_\_\_?  
 There \_\_\_\_\_ questions whether a \_\_\_\_\_ reader may \_\_\_\_\_.  
 \_\_\_\_\_ it possible the \_\_\_\_\_ residences \_\_\_\_\_ fail and cause \_\_\_\_\_ recorded readings?  
 \_\_\_\_\_ a malfunctioning pipe reader \_\_\_\_\_ lead \_\_\_\_\_ distorted figures.  
 \_\_\_\_\_ may lead \_\_\_\_\_ distorted \_\_\_\_\_ recorded \_\_\_\_\_ a reader near a \_\_\_\_\_ or \_\_\_\_\_.  
 \_\_\_\_\_ attached \_\_\_\_\_ a pipe that isn't \_\_\_\_\_ it could \_\_\_\_\_ figures to be \_\_\_\_\_.  
 Is \_\_\_\_\_ a chance a \_\_\_\_\_ cause the figures to \_\_\_\_\_?  
 There are \_\_\_\_\_ effect of \_\_\_\_\_ pipe reader.  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ readings would be \_\_\_\_\_ due to \_\_\_\_\_?  
 I'm wondering \_\_\_\_\_ the readings collected \_\_\_\_\_ pipe \_\_\_\_\_ device \_\_\_\_\_ have \_\_\_\_\_ influenced \_\_\_\_\_ faulty equipment \_\_\_\_\_  
 \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ reader will have distorted \_\_\_\_\_ due \_\_\_\_\_ failure?  
 If a malfunctioning pipe reader \_\_\_\_\_ the \_\_\_\_\_ there \_\_\_\_\_.  
 \_\_\_\_\_ if \_\_\_\_\_ failure causes the wrong \_\_\_\_\_ on \_\_\_\_\_ pipe reader outside \_\_\_\_\_ home?  
 \_\_\_\_\_ might \_\_\_\_\_ equipment \_\_\_\_\_ cause \_\_\_\_\_ to be recorded by a \_\_\_\_\_ near \_\_\_\_\_?  
 When \_\_\_\_\_ are \_\_\_\_\_ reader \_\_\_\_\_ a \_\_\_\_\_ or building be caused by equipment failure?  
 When \_\_\_\_\_ attached to \_\_\_\_\_ pipe can cause distorted \_\_\_\_\_ be \_\_\_\_\_.  
 Is \_\_\_\_\_ likely that a distorted \_\_\_\_\_ reader readings would \_\_\_\_\_ a \_\_\_\_\_?  
 When \_\_\_\_\_ a reader be attached to \_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ malfunctioning \_\_\_\_\_ for \_\_\_\_\_ figures \_\_\_\_\_  
 \_\_\_\_\_ could distorted \_\_\_\_\_ be recorded by \_\_\_\_\_ pipes \_\_\_\_\_ equipment \_\_\_\_\_?  
 When faulty \_\_\_\_\_ skews \_\_\_\_\_?  
 \_\_\_\_\_ busted gear \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ pipe thing \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ the numbers \_\_\_\_\_ by that \_\_\_\_\_ at \_\_\_\_\_ changed by \_\_\_\_\_ failure?  
 Is \_\_\_\_\_ that the \_\_\_\_\_ pipe reader would \_\_\_\_\_ equipment failure?  
 I \_\_\_\_\_ faulty \_\_\_\_\_ the \_\_\_\_\_ gathered by \_\_\_\_\_ pipe reader device.  
 Shouldn't \_\_\_\_\_ cautious \_\_\_\_\_ the \_\_\_\_\_ failure \_\_\_\_\_ wrong figures on \_\_\_\_\_ reader located near \_\_\_\_\_ property?  
 When \_\_\_\_\_ attached \_\_\_\_\_ pipes \_\_\_\_\_ not \_\_\_\_\_ be \_\_\_\_\_ risk of producing distorted figures?  
 There are questions \_\_\_\_\_ malfunctioning \_\_\_\_\_ reader could \_\_\_\_\_.  
 The question is if a \_\_\_\_\_ reader \_\_\_\_\_ lead \_\_\_\_\_.  
 \_\_\_\_\_ equipment failure leads \_\_\_\_\_ are recorded \_\_\_\_\_ a reader near pipes \_\_\_\_\_ residence \_\_\_\_\_ when?  
 Is it \_\_\_\_\_ a \_\_\_\_\_ pipe reader will cause the \_\_\_\_\_?  
 \_\_\_\_\_ likely is \_\_\_\_\_ the residential pipe reader will have \_\_\_\_\_ equipment \_\_\_\_\_?  
 \_\_\_\_\_ a reader is \_\_\_\_\_ to a \_\_\_\_\_ it could \_\_\_\_\_ distorted \_\_\_\_\_ be \_\_\_\_\_.  
 There \_\_\_\_\_ if a malfunctioning \_\_\_\_\_ cause distortion.  
 \_\_\_\_\_ equipment \_\_\_\_\_ lead to \_\_\_\_\_ recorded \_\_\_\_\_ at a residence or property?  
 \_\_\_\_\_ it \_\_\_\_\_ the equipment \_\_\_\_\_ the \_\_\_\_\_ may \_\_\_\_\_ and \_\_\_\_\_ in the readings?  
 \_\_\_\_\_ equipment \_\_\_\_\_ my property can affect \_\_\_\_\_ device  
 \_\_\_\_\_ if a \_\_\_\_\_ pipe \_\_\_\_\_ lead to distortion.  
 \_\_\_\_\_ if the \_\_\_\_\_ failure \_\_\_\_\_ incorrect figures on my \_\_\_\_\_ reader outside \_\_\_\_\_ house or \_\_\_\_\_?  
 \_\_\_\_\_ possible a \_\_\_\_\_ pipe reader \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ distorted.  
 \_\_\_\_\_ to a \_\_\_\_\_ isn't \_\_\_\_\_ distorted figures to be recorded.  
 Is \_\_\_\_\_ possible the equipment near \_\_\_\_\_ could fail and \_\_\_\_\_ the \_\_\_\_\_?  
 How \_\_\_\_\_ it that equipment failure \_\_\_\_\_ distorted readings \_\_\_\_\_ reader?  
 I'm wondering if \_\_\_\_\_ reader readings \_\_\_\_\_ affected \_\_\_\_\_ the equipment \_\_\_\_\_

There are \_\_\_\_\_ pipe \_\_\_\_\_ could \_\_\_\_\_ the figures.  
 \_\_\_\_\_ possible that a \_\_\_\_\_ can lead to distorted \_\_\_\_\_?  
 Is \_\_\_\_\_ readings on the pipe reader will \_\_\_\_\_ distorted \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ is a chance \_\_\_\_\_ on the \_\_\_\_\_ pipe reader due \_\_\_\_\_ failure \_\_\_\_\_.  
 Is faulty gear the cause \_\_\_\_\_ figures \_\_\_\_\_ my abode?  
 When a \_\_\_\_\_ is attached to \_\_\_\_\_ working \_\_\_\_\_ at risk of \_\_\_\_\_ figures \_\_\_\_\_.  
 I'm \_\_\_\_\_ if the \_\_\_\_\_ collected \_\_\_\_\_ pipe \_\_\_\_\_ might have \_\_\_\_\_ influenced \_\_\_\_\_ faulty \_\_\_\_\_ near my \_\_\_\_\_.  
 \_\_\_\_\_ attached \_\_\_\_\_ residence that is malfunctioning it will cause distorted \_\_\_\_\_.  
 \_\_\_\_\_ possible that \_\_\_\_\_ the \_\_\_\_\_ could fail and cause \_\_\_\_\_ recorded readings?  
 faulty equipment \_\_\_\_\_ pipes?  
 \_\_\_\_\_ reader \_\_\_\_\_ to the pipes \_\_\_\_\_ a \_\_\_\_\_ residence, it \_\_\_\_\_ cause \_\_\_\_\_ figures.  
 \_\_\_\_\_ that \_\_\_\_\_ figures will \_\_\_\_\_ because \_\_\_\_\_ the failure of \_\_\_\_\_ pipe reader?  
 There \_\_\_\_\_ a chance that a \_\_\_\_\_ pipe \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_.  
 faulty equipment \_\_\_\_\_ could skew \_\_\_\_\_ readings \_\_\_\_\_ pipe reader \_\_\_\_\_ picks \_\_\_\_\_.  
 \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ cause the figures to \_\_\_\_\_?  
 Is there \_\_\_\_\_ the equipment near the residences \_\_\_\_\_ fail and \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ will cause \_\_\_\_\_ to become distorted?  
 Is it \_\_\_\_\_ equipment \_\_\_\_\_ is \_\_\_\_\_ blame \_\_\_\_\_ the \_\_\_\_\_ residential \_\_\_\_\_ reader \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ collected by the \_\_\_\_\_ could have \_\_\_\_\_ by the malfunction.  
 \_\_\_\_\_ may \_\_\_\_\_ failure \_\_\_\_\_ distorted figures \_\_\_\_\_ be recorded \_\_\_\_\_ a reader \_\_\_\_\_ or \_\_\_\_\_?  
 Can the \_\_\_\_\_ on \_\_\_\_\_ pipe \_\_\_\_\_ be \_\_\_\_\_ by busted \_\_\_\_\_?  
 When could a \_\_\_\_\_ attached to a pipe that \_\_\_\_\_ distorted \_\_\_\_\_ recorded?  
 \_\_\_\_\_ when \_\_\_\_\_ skews \_\_\_\_\_ from pipes?  
 Should \_\_\_\_\_ careful if the device failure causes \_\_\_\_\_ appear \_\_\_\_\_ reader \_\_\_\_\_ near my \_\_\_\_\_ property?  
 \_\_\_\_\_ pipe reader could cause the \_\_\_\_\_ to appear distorted?  
 Readers connected \_\_\_\_\_ be \_\_\_\_\_ by device malfunctioning.  
 \_\_\_\_\_ bad gear causing inaccurate \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ a reader \_\_\_\_\_ to a pipe that isn't \_\_\_\_\_ of producing \_\_\_\_\_ figures?  
 When \_\_\_\_\_ reader is attached to \_\_\_\_\_ at risk \_\_\_\_\_ figures distorted?  
 \_\_\_\_\_ busted gear \_\_\_\_\_ readings \_\_\_\_\_ the pipe thing?  
 Is a \_\_\_\_\_ pipe reader going to \_\_\_\_\_?  
 \_\_\_\_\_ it likely \_\_\_\_\_ residential \_\_\_\_\_ reader \_\_\_\_\_ experience distorted \_\_\_\_\_ due to \_\_\_\_\_?  
 \_\_\_\_\_ be cautious if \_\_\_\_\_ failure causes wrong \_\_\_\_\_ pipe reader near \_\_\_\_\_ home \_\_\_\_\_ property?  
 When \_\_\_\_\_ figures \_\_\_\_\_ recorded by a reader near a \_\_\_\_\_ building \_\_\_\_\_?  
 There are questions \_\_\_\_\_ if a \_\_\_\_\_ reader \_\_\_\_\_ distortion.  
 \_\_\_\_\_ is \_\_\_\_\_ that a distorted \_\_\_\_\_ reader \_\_\_\_\_ of equipment failure.  
 \_\_\_\_\_ that \_\_\_\_\_ distorted \_\_\_\_\_ pipe reading is \_\_\_\_\_ to \_\_\_\_\_ failure?  
 \_\_\_\_\_ that a \_\_\_\_\_ residential pipe reader \_\_\_\_\_ by \_\_\_\_\_ equipment failure?  
 \_\_\_\_\_ chance \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ cause figures to \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ that bad gear is \_\_\_\_\_ inaccurate \_\_\_\_\_ gizmo.  
 \_\_\_\_\_ equipment failure cause a reader near \_\_\_\_\_ or \_\_\_\_\_ make \_\_\_\_\_?  
 Is it \_\_\_\_\_ a distorted residential \_\_\_\_\_ reader reading \_\_\_\_\_ by equipment \_\_\_\_\_?  
 When \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ are malfunctioning \_\_\_\_\_ cause \_\_\_\_\_ figures to \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ attached to the pipes of a \_\_\_\_\_ distorted figures to \_\_\_\_\_.  
 It \_\_\_\_\_ possible \_\_\_\_\_ residential pipe \_\_\_\_\_ reading \_\_\_\_\_ by equipment \_\_\_\_\_.  
 \_\_\_\_\_ if \_\_\_\_\_ readings \_\_\_\_\_ by \_\_\_\_\_ might have been affected by equipment issues \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ equipment \_\_\_\_\_ distorted pipe \_\_\_\_\_ readings?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a distorted \_\_\_\_\_ occur as a \_\_\_\_\_ of equipment \_\_\_\_\_.  
 It \_\_\_\_\_ thought \_\_\_\_\_ reader could cause the \_\_\_\_\_ appear distorted.  
 \_\_\_\_\_ it likely that \_\_\_\_\_ pipe \_\_\_\_\_ will \_\_\_\_\_ due to equipment \_\_\_\_\_?

\_\_\_\_\_ by the pipe reader \_\_\_\_\_ been impacted by the equipment \_\_\_\_\_.

\_\_\_\_\_ equipment \_\_\_\_\_ may \_\_\_\_\_ to distorted figures \_\_\_\_\_ near a \_\_\_\_\_ or property?

\_\_\_\_\_ it likely \_\_\_\_\_ residential \_\_\_\_\_ reader will cause \_\_\_\_\_ readings \_\_\_\_\_ failure?

faulty \_\_\_\_\_ my property \_\_\_\_\_ the data when the \_\_\_\_\_ device \_\_\_\_\_ up \_\_\_\_\_.

Is \_\_\_\_\_ possible that malfunctioning \_\_\_\_\_ could \_\_\_\_\_ near \_\_\_\_\_?

Should \_\_\_\_\_ device failure \_\_\_\_\_ figures on the pipe \_\_\_\_\_ located \_\_\_\_\_ my home or \_\_\_\_\_?

I \_\_\_\_\_ if \_\_\_\_\_ collected by \_\_\_\_\_ reader device might have \_\_\_\_\_ equipment \_\_\_\_\_ nearby.

\_\_\_\_\_ a distorted residential pipe reader \_\_\_\_\_ is caused \_\_\_\_\_?

When \_\_\_\_\_ failure \_\_\_\_\_ cause \_\_\_\_\_ to be \_\_\_\_\_ reader near pipes \_\_\_\_\_ a residence \_\_\_\_\_?

\_\_\_\_\_ reader \_\_\_\_\_ to a \_\_\_\_\_ that \_\_\_\_\_ cause distorted figures to \_\_\_\_\_ recorded.

It is possible \_\_\_\_\_ readings will occur as \_\_\_\_\_ of equipment \_\_\_\_\_.

\_\_\_\_\_ likely that \_\_\_\_\_ on the \_\_\_\_\_ pipe reader \_\_\_\_\_ of equipment failure?

There \_\_\_\_\_ questions \_\_\_\_\_ a \_\_\_\_\_ pipe reader can cause \_\_\_\_\_ figures.

\_\_\_\_\_ am \_\_\_\_\_ collected \_\_\_\_\_ the pipe reader device might have been affected by \_\_\_\_\_.

\_\_\_\_\_ malfunctioning equipment \_\_\_\_\_ near \_\_\_\_\_ property?

Can I \_\_\_\_\_ screwed-up \_\_\_\_\_ there is \_\_\_\_\_ to my \_\_\_\_\_?

\_\_\_\_\_ equipment near \_\_\_\_\_ fail \_\_\_\_\_ cause \_\_\_\_\_ in the recorded \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ a distorted \_\_\_\_\_ reading is \_\_\_\_\_ to \_\_\_\_\_ failure?

When \_\_\_\_\_ equipment \_\_\_\_\_ figures \_\_\_\_\_ recorded by a reader \_\_\_\_\_ of pipes?

Is it \_\_\_\_\_ a \_\_\_\_\_ pipe reader \_\_\_\_\_ figures \_\_\_\_\_ appear \_\_\_\_\_?

Should I \_\_\_\_\_ if \_\_\_\_\_ device \_\_\_\_\_ causes \_\_\_\_\_ on the \_\_\_\_\_ my home or property?

\_\_\_\_\_ wondering if the \_\_\_\_\_ pipe \_\_\_\_\_ device might \_\_\_\_\_ been \_\_\_\_\_ by \_\_\_\_\_ equipment problems.

If equipment \_\_\_\_\_ distorted \_\_\_\_\_ recorded \_\_\_\_\_ a reader \_\_\_\_\_ a \_\_\_\_\_ when?

\_\_\_\_\_ that \_\_\_\_\_ reader readings \_\_\_\_\_ distorted as a \_\_\_\_\_ of equipment \_\_\_\_\_?

I'm \_\_\_\_\_ if the readings \_\_\_\_\_ by \_\_\_\_\_ reader might \_\_\_\_\_ by a faulty \_\_\_\_\_

\_\_\_\_\_ the \_\_\_\_\_ collected by \_\_\_\_\_ been affected by the equipment malfunction

There might \_\_\_\_\_ problems \_\_\_\_\_ pipe-attached \_\_\_\_\_ close \_\_\_\_\_.

When a \_\_\_\_\_ attached to a pipe \_\_\_\_\_ it \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ recorded.

\_\_\_\_\_ a \_\_\_\_\_ of distorted figures due to \_\_\_\_\_ reader?

\_\_\_\_\_ equipment failure \_\_\_\_\_ to distorted figures that \_\_\_\_\_ by \_\_\_\_\_ near a \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ near residences \_\_\_\_\_ and \_\_\_\_\_ incorrect \_\_\_\_\_?

\_\_\_\_\_ malfunction of the \_\_\_\_\_ cause \_\_\_\_\_ figures?

The figures \_\_\_\_\_ appear \_\_\_\_\_ to the \_\_\_\_\_ pipe \_\_\_\_\_ being \_\_\_\_\_ commission.

\_\_\_\_\_ pipe reader cause distorted \_\_\_\_\_ when \_\_\_\_\_ not \_\_\_\_\_?

Is \_\_\_\_\_ probable that a \_\_\_\_\_ reader \_\_\_\_\_ occur \_\_\_\_\_ result of equipment \_\_\_\_\_?

\_\_\_\_\_ the residential \_\_\_\_\_ reader \_\_\_\_\_ distorted by equipment failure?

\_\_\_\_\_ wondering \_\_\_\_\_ by \_\_\_\_\_ pipe reader device might \_\_\_\_\_ been influenced \_\_\_\_\_ a malfunction \_\_\_\_\_.

When could \_\_\_\_\_ reader be \_\_\_\_\_ to \_\_\_\_\_ pipe be \_\_\_\_\_ of producing \_\_\_\_\_?

I'm wondering if the \_\_\_\_\_ collected \_\_\_\_\_ could \_\_\_\_\_ affected by equipment \_\_\_\_\_.

\_\_\_\_\_ pipe reader \_\_\_\_\_ the figures to \_\_\_\_\_ distorted?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ equipment \_\_\_\_\_ the residence \_\_\_\_\_ fail \_\_\_\_\_ errors in \_\_\_\_\_ readings?

Is \_\_\_\_\_ result \_\_\_\_\_ skewed figures for attached \_\_\_\_\_ readers?

\_\_\_\_\_ likely that a distorted residential \_\_\_\_\_ reading is \_\_\_\_\_ by \_\_\_\_\_?

It is \_\_\_\_\_ a malfunctioning pipe reader will \_\_\_\_\_.

Is \_\_\_\_\_ distorted \_\_\_\_\_ from \_\_\_\_\_ malfunction on pipe-attached readers \_\_\_\_\_?

Due \_\_\_\_\_ equipment \_\_\_\_\_ how \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ residential pipe reader?

I'm wondering if the \_\_\_\_\_ readings \_\_\_\_\_ been \_\_\_\_\_ the equipment \_\_\_\_\_.

When a reader \_\_\_\_\_ to \_\_\_\_\_ that aren't \_\_\_\_\_ at risk of \_\_\_\_\_?

When a \_\_\_\_\_ is \_\_\_\_\_ a house \_\_\_\_\_ malfunctioning it \_\_\_\_\_ cause \_\_\_\_\_ figures.

The \_\_\_\_\_ might \_\_\_\_\_ the pipe reader is \_\_\_\_\_.

Is it possible \_\_\_\_\_ malfunctioning \_\_\_\_\_ could cause the figures \_\_\_\_\_.

\_\_\_\_\_ wondering if \_\_\_\_\_ readings \_\_\_\_\_ by \_\_\_\_\_ device were influenced \_\_\_\_\_ faulty equipment \_\_\_\_\_

\_\_\_\_\_ could a \_\_\_\_\_ be attached \_\_\_\_\_ a \_\_\_\_\_ be \_\_\_\_\_ distorted figures.

Is it possible that \_\_\_\_\_ pipes around \_\_\_\_\_ incorrect recordings?

\_\_\_\_\_ possible the \_\_\_\_\_ near the \_\_\_\_\_ can \_\_\_\_\_ cause \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ that a distorted \_\_\_\_\_ readings would \_\_\_\_\_ if \_\_\_\_\_ failed?

\_\_\_\_\_ may \_\_\_\_\_ with \_\_\_\_\_ readers close to \_\_\_\_\_.

Has broken \_\_\_\_\_ skewed the readings \_\_\_\_\_ monitor?

Is it very \_\_\_\_\_ that \_\_\_\_\_ will have distorted \_\_\_\_\_ due to \_\_\_\_\_?

\_\_\_\_\_ that a distorted pipe \_\_\_\_\_ would \_\_\_\_\_ to equipment failure?

\_\_\_\_\_ it \_\_\_\_\_ a malfunctioning \_\_\_\_\_ reader will cause \_\_\_\_\_ look bad?

There are questions \_\_\_\_\_ reader might lead \_\_\_\_\_ distortion.

Is it \_\_\_\_\_ that the equipment near the \_\_\_\_\_ errors \_\_\_\_\_ readings?

\_\_\_\_\_ are questions if \_\_\_\_\_ pipe reader \_\_\_\_\_.

Is \_\_\_\_\_ that faulty \_\_\_\_\_ figures \_\_\_\_\_ for attached pipe \_\_\_\_\_?

faulty equipment near \_\_\_\_\_ skew the \_\_\_\_\_ reader device picks \_\_\_\_\_.

\_\_\_\_\_ wondering if \_\_\_\_\_ readings \_\_\_\_\_ pipe \_\_\_\_\_ affected by the equipment malfunction \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ the residential pipe reader \_\_\_\_\_ distorted readings due \_\_\_\_\_ equipment \_\_\_\_\_?

\_\_\_\_\_ a reader device attached \_\_\_\_\_ and cause a \_\_\_\_\_ to \_\_\_\_\_ recorded?

\_\_\_\_\_ possible the equipment near \_\_\_\_\_ can fail and cause \_\_\_\_\_ recorded \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ bad \_\_\_\_\_ affecting the results \_\_\_\_\_ that \_\_\_\_\_?

Is it \_\_\_\_\_ a distorted residential \_\_\_\_\_ reading \_\_\_\_\_ to \_\_\_\_\_ equipment?

faulty equipment near \_\_\_\_\_ may skew \_\_\_\_\_ readings when the \_\_\_\_\_ up \_\_\_\_\_.

I'm \_\_\_\_\_ if \_\_\_\_\_ readings \_\_\_\_\_ the \_\_\_\_\_ device \_\_\_\_\_ have been \_\_\_\_\_ by a faulty \_\_\_\_\_ nearby.

When a \_\_\_\_\_ can be attached \_\_\_\_\_ cause for distorted \_\_\_\_\_?

\_\_\_\_\_ it probable \_\_\_\_\_ distorted pipe reader readings?

\_\_\_\_\_ is possible that \_\_\_\_\_ to a \_\_\_\_\_ pipe \_\_\_\_\_ cause distorted \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ gear could \_\_\_\_\_ on that pipe \_\_\_\_\_?

\_\_\_\_\_ a malfunctioning \_\_\_\_\_ cause distorted \_\_\_\_\_?

It's a possibility \_\_\_\_\_ cause the \_\_\_\_\_ to appear distorted.

\_\_\_\_\_ a reader near a \_\_\_\_\_ record distorted \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ with \_\_\_\_\_ equipment can \_\_\_\_\_ by \_\_\_\_\_ on \_\_\_\_\_ close-by pipe

I \_\_\_\_\_ the readings gathered \_\_\_\_\_ the pipe reader device \_\_\_\_\_ skewed \_\_\_\_\_ faulty \_\_\_\_\_ near \_\_\_\_\_.

It's \_\_\_\_\_ bad gear is \_\_\_\_\_ on that pipe \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ a \_\_\_\_\_ pipe reader \_\_\_\_\_ cause \_\_\_\_\_ figures.

Is \_\_\_\_\_ that \_\_\_\_\_ distorted residential \_\_\_\_\_ reader reading is \_\_\_\_\_ failures?

\_\_\_\_\_ could a reader be attached to \_\_\_\_\_ are \_\_\_\_\_ and be \_\_\_\_\_ figures?

\_\_\_\_\_ will equipment \_\_\_\_\_ cause \_\_\_\_\_ figures to \_\_\_\_\_ by \_\_\_\_\_ reader \_\_\_\_\_ home?

When \_\_\_\_\_ pipes \_\_\_\_\_ a residence that's malfunctioning they can \_\_\_\_\_ distorted \_\_\_\_\_.

Is it possible that a distorted \_\_\_\_\_ pipe \_\_\_\_\_ is \_\_\_\_\_?

When equipment failure may \_\_\_\_\_ distorted \_\_\_\_\_ be recorded \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ raised \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ distorted figures.

\_\_\_\_\_ if the readings collected \_\_\_\_\_ pipe reader \_\_\_\_\_ been \_\_\_\_\_ problems nearby.

Is it \_\_\_\_\_ gear skews \_\_\_\_\_ taken near \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ failure \_\_\_\_\_ distorted figures to be recorded \_\_\_\_\_ pipes?

Is \_\_\_\_\_ that \_\_\_\_\_ pipe reader reading is caused \_\_\_\_\_ malfunctioning \_\_\_\_\_?

\_\_\_\_\_ wondering if the \_\_\_\_\_ by the pipe \_\_\_\_\_ been \_\_\_\_\_ by \_\_\_\_\_ issues

Should I be cautious \_\_\_\_\_ device \_\_\_\_\_ wrong figures \_\_\_\_\_ located near \_\_\_\_\_ home or property?

\_\_\_\_\_ it \_\_\_\_\_ the residential pipe reader \_\_\_\_\_ is \_\_\_\_\_ equipment \_\_\_\_\_?

\_\_\_\_\_ could affect reader pipe \_\_\_\_\_.

\_\_\_\_\_ equipment \_\_\_\_\_ can \_\_\_\_\_ to \_\_\_\_\_ figures \_\_\_\_\_ by \_\_\_\_\_ reader near pipes.  
 I'm wondering \_\_\_\_\_ taken by the pipe \_\_\_\_\_ have been \_\_\_\_\_ by \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ distorted reading on \_\_\_\_\_ pipe \_\_\_\_\_ happens due to equipment \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ faulty \_\_\_\_\_ skewed figures \_\_\_\_\_ attached \_\_\_\_\_ readers?  
 faulty \_\_\_\_\_ property may \_\_\_\_\_ the \_\_\_\_\_ the pipe \_\_\_\_\_ picks \_\_\_\_\_ the readings.  
 \_\_\_\_\_ are \_\_\_\_\_ if a \_\_\_\_\_ pipe \_\_\_\_\_ lead to \_\_\_\_\_ figures.  
 \_\_\_\_\_ is \_\_\_\_\_ to pipes \_\_\_\_\_ a residence that is malfunctioning be cause \_\_\_\_\_ figures \_\_\_\_\_  
 When \_\_\_\_\_ equipment failure lead \_\_\_\_\_ figures \_\_\_\_\_ recorded \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ likely that a \_\_\_\_\_ reader readings \_\_\_\_\_ due to \_\_\_\_\_ failures?  
 \_\_\_\_\_ is \_\_\_\_\_ that a distorted \_\_\_\_\_ the \_\_\_\_\_ pipe \_\_\_\_\_ is \_\_\_\_\_ to equipment \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ that aren't working be \_\_\_\_\_ risk \_\_\_\_\_ distorted figures?  
 \_\_\_\_\_ it possible \_\_\_\_\_ a \_\_\_\_\_ pipe \_\_\_\_\_ will \_\_\_\_\_ the \_\_\_\_\_ appear distorted?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a malfunctioning pipe \_\_\_\_\_ is \_\_\_\_\_ cause the \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ if a faulty \_\_\_\_\_ reader can \_\_\_\_\_ distorted \_\_\_\_\_.  
 \_\_\_\_\_ if the readings \_\_\_\_\_ the pipe reader device \_\_\_\_\_ affected \_\_\_\_\_ problems nearby.  
 faulty equipment \_\_\_\_\_ from \_\_\_\_\_ by \_\_\_\_\_  
 When \_\_\_\_\_ lead to \_\_\_\_\_ being \_\_\_\_\_ by a reader \_\_\_\_\_ building?  
 \_\_\_\_\_ could \_\_\_\_\_ reader be \_\_\_\_\_ to \_\_\_\_\_ pipe that \_\_\_\_\_ figures \_\_\_\_\_ be recorded?  
 What \_\_\_\_\_ misreadings \_\_\_\_\_ attached pipe \_\_\_\_\_ in residential \_\_\_\_\_?  
 I'm wondering \_\_\_\_\_ faulty \_\_\_\_\_ have affected the readings \_\_\_\_\_ pipe \_\_\_\_\_ device.  
 When \_\_\_\_\_ reader \_\_\_\_\_ to \_\_\_\_\_ that aren't working it \_\_\_\_\_ to be \_\_\_\_\_.  
 It is possible a \_\_\_\_\_ cause the figures \_\_\_\_\_.  
 \_\_\_\_\_ possible that \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ could cause the \_\_\_\_\_ be \_\_\_\_\_?  
 Should I be concerned \_\_\_\_\_ causing incorrect figures \_\_\_\_\_ my \_\_\_\_\_ reader \_\_\_\_\_ my \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ be careful if \_\_\_\_\_ device failure causes \_\_\_\_\_ reader outside \_\_\_\_\_ home?  
 When \_\_\_\_\_ reader \_\_\_\_\_ a failing \_\_\_\_\_ cause distorted figures \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ from a \_\_\_\_\_ near \_\_\_\_\_ property could \_\_\_\_\_ malfunctioning equipment.  
 When may \_\_\_\_\_ equipment \_\_\_\_\_ to distorted \_\_\_\_\_ being recorded \_\_\_\_\_ pipes?  
 Is \_\_\_\_\_ the \_\_\_\_\_ near \_\_\_\_\_ residences can fail and cause \_\_\_\_\_ in \_\_\_\_\_ recorded \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ figures due to a \_\_\_\_\_ pipe \_\_\_\_\_?  
 \_\_\_\_\_ could equipment failure \_\_\_\_\_ distorted \_\_\_\_\_ that \_\_\_\_\_ recorded by \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ causing inaccurate \_\_\_\_\_ on that pipe \_\_\_\_\_ device?  
 \_\_\_\_\_ are \_\_\_\_\_ malfunctioning pipe reader can \_\_\_\_\_ to \_\_\_\_\_ figures.  
 Is \_\_\_\_\_ a \_\_\_\_\_ a \_\_\_\_\_ will \_\_\_\_\_ the figures \_\_\_\_\_ appear distorted.  
 Can a \_\_\_\_\_ pipe \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ distorted due \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ distorted \_\_\_\_\_ reader readings \_\_\_\_\_ result \_\_\_\_\_ equipment failure?  
 When \_\_\_\_\_ may \_\_\_\_\_ to distorted \_\_\_\_\_ recorded \_\_\_\_\_ a reader \_\_\_\_\_ building?  
 \_\_\_\_\_ a reader \_\_\_\_\_ or \_\_\_\_\_ can \_\_\_\_\_ distorted figures due to \_\_\_\_\_?  
 Is it \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ and \_\_\_\_\_ errors in the readings?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ can \_\_\_\_\_ for attached pipe readers?  
 \_\_\_\_\_ could a \_\_\_\_\_ be attached to \_\_\_\_\_ cause \_\_\_\_\_ figures?  
 There \_\_\_\_\_ questions if \_\_\_\_\_ pipe \_\_\_\_\_ cause distorted \_\_\_\_\_.  
 When equipment \_\_\_\_\_ might \_\_\_\_\_ to distorted \_\_\_\_\_ that are \_\_\_\_\_ reader near \_\_\_\_\_ property?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ making inaccurate \_\_\_\_\_ on \_\_\_\_\_ pipe-monitoring gizmo?  
 \_\_\_\_\_ possible \_\_\_\_\_ a distorted \_\_\_\_\_ reader readings will happen \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ pipe \_\_\_\_\_ would occur from \_\_\_\_\_ failure?  
 \_\_\_\_\_ near my \_\_\_\_\_ affect \_\_\_\_\_ readings \_\_\_\_\_ by the pipe reader device.  
 Can \_\_\_\_\_ near \_\_\_\_\_ skew \_\_\_\_\_ readings \_\_\_\_\_ reader device picks up?  
 \_\_\_\_\_ reader \_\_\_\_\_ attached to pipes that are \_\_\_\_\_ risk \_\_\_\_\_ having \_\_\_\_\_ distorted?

\_\_\_\_ could \_\_\_\_ be \_\_\_\_ by \_\_\_\_ reader near \_\_\_\_ home \_\_\_\_ of \_\_\_\_ failure?  
 When \_\_\_\_ reader \_\_\_\_ attached \_\_\_\_ a \_\_\_\_ it could be \_\_\_\_ of having figures distorted.  
 \_\_\_\_ if the readings \_\_\_\_ the \_\_\_\_ device \_\_\_\_ been affected by \_\_\_\_ problems \_\_\_\_.  
 Is \_\_\_\_ that a \_\_\_\_ reader \_\_\_\_ would \_\_\_\_ to equipment failure?  
 There \_\_\_\_ a malfunctioning pipe reader \_\_\_\_ to \_\_\_\_ figures.  
 I \_\_\_\_ faulty \_\_\_\_ make figures skewed \_\_\_\_ attached \_\_\_\_ readers.  
 \_\_\_\_ equipment \_\_\_\_ might result in distorted \_\_\_\_ by a reader \_\_\_\_ ?  
 Is \_\_\_\_ possible \_\_\_\_ malfunctioning \_\_\_\_ reader could cause \_\_\_\_ ?  
 \_\_\_\_ broken gear skewed \_\_\_\_ houses?  
 Is \_\_\_\_ possible \_\_\_\_ would \_\_\_\_ because of equipment failure?  
 Is it possible that a \_\_\_\_ pipe \_\_\_\_ the \_\_\_\_ to \_\_\_\_ ?  
 \_\_\_\_ that \_\_\_\_ gear can \_\_\_\_ the readings \_\_\_\_ that \_\_\_\_ thing?  
 \_\_\_\_ could a \_\_\_\_ attached \_\_\_\_ malfunctioning \_\_\_\_ be \_\_\_\_ risk of \_\_\_\_ figures?  
 \_\_\_\_ is \_\_\_\_ that a \_\_\_\_ reading on the residential \_\_\_\_ reader \_\_\_\_ because \_\_\_\_ equipment \_\_\_\_ ?  
 \_\_\_\_ are \_\_\_\_ if \_\_\_\_ malfunctioning pipe reader \_\_\_\_ a \_\_\_\_ figure.  
 \_\_\_\_ gear skew \_\_\_\_ readings by \_\_\_\_ pipe \_\_\_\_ ?  
 \_\_\_\_ a \_\_\_\_ a malfunctioning \_\_\_\_ will cause the figures to \_\_\_\_ .  
 \_\_\_\_ a reader be \_\_\_\_ to a \_\_\_\_ that \_\_\_\_ working, \_\_\_\_ cause distorted \_\_\_\_ be \_\_\_\_ ?  
 \_\_\_\_ are questions about \_\_\_\_ malfunctioning pipe \_\_\_\_ could lead \_\_\_\_ in \_\_\_\_ .  
 When \_\_\_\_ to a \_\_\_\_ pipes \_\_\_\_ could cause distorted \_\_\_\_ be.  
 \_\_\_\_ about \_\_\_\_ malfunctioning \_\_\_\_ reader causes distorted figures.  
 \_\_\_\_ chance faulty \_\_\_\_ will make \_\_\_\_ skewed \_\_\_\_ pipe readers?  
 When could \_\_\_\_ reader be \_\_\_\_ a \_\_\_\_ be a \_\_\_\_ distorted \_\_\_\_ ?  
 \_\_\_\_ is a \_\_\_\_ the figures \_\_\_\_ distorted due \_\_\_\_ pipe reader.  
 \_\_\_\_ I \_\_\_\_ careful if \_\_\_\_ failure \_\_\_\_ wrong figures \_\_\_\_ the pipe reader \_\_\_\_ near my \_\_\_\_ ?  
 \_\_\_\_ it possible \_\_\_\_ pipe reader \_\_\_\_ can \_\_\_\_ figures?  
 Should \_\_\_\_ be \_\_\_\_ if device failure causes \_\_\_\_ figures on \_\_\_\_ located \_\_\_\_ my \_\_\_\_ or \_\_\_\_ ?  
 Is \_\_\_\_ possible \_\_\_\_ distorted \_\_\_\_ reader reading \_\_\_\_ the \_\_\_\_ of equipment \_\_\_\_ ?  
 When equipment \_\_\_\_ to distorted \_\_\_\_ are \_\_\_\_ by \_\_\_\_ reader near \_\_\_\_ at a residence \_\_\_\_ ?  
 Is it \_\_\_\_ that equipment failure \_\_\_\_ distorted \_\_\_\_ pipe \_\_\_\_ ?  
 \_\_\_\_ possible that \_\_\_\_ equipment \_\_\_\_ the residences \_\_\_\_ and \_\_\_\_ errors, in \_\_\_\_ recorded \_\_\_\_ ?  
 Is it possible that \_\_\_\_ equipment \_\_\_\_ the \_\_\_\_ could \_\_\_\_ in the \_\_\_\_ ?  
 There \_\_\_\_ about whether \_\_\_\_ malfunctioning pipe \_\_\_\_ cause a \_\_\_\_ the \_\_\_\_ .  
 \_\_\_\_ it possible \_\_\_\_ a distorted \_\_\_\_ reader \_\_\_\_ is \_\_\_\_ to \_\_\_\_ failure.  
 There \_\_\_\_ a \_\_\_\_ that \_\_\_\_ the reader device \_\_\_\_ pipes could cause distortions \_\_\_\_ information.  
 \_\_\_\_ could skew \_\_\_\_ gathered by the pipe \_\_\_\_  
 \_\_\_\_ it \_\_\_\_ residential pipe reader \_\_\_\_ readings due to equipment \_\_\_\_ ?  
 Affected \_\_\_\_ pipe \_\_\_\_ faulty \_\_\_\_ nearby?  
 \_\_\_\_ figures be distorted \_\_\_\_ to \_\_\_\_ malfunctioning \_\_\_\_ reader?  
 Is \_\_\_\_ that equipment near \_\_\_\_ could fail \_\_\_\_ errors in \_\_\_\_ ?  
 \_\_\_\_ is a chance \_\_\_\_ reader could cause \_\_\_\_ to \_\_\_\_ distorted.  
 \_\_\_\_ collected by the \_\_\_\_ reader device might \_\_\_\_ affected by an equipment \_\_\_\_ .  
 Is \_\_\_\_ that equipment located \_\_\_\_ residences can fail \_\_\_\_ cause \_\_\_\_ readings?  
 \_\_\_\_ possible that the \_\_\_\_ reader reading \_\_\_\_ distorted \_\_\_\_ of \_\_\_\_ close by?  
 \_\_\_\_ are \_\_\_\_ about \_\_\_\_ a malfunctioning pipe \_\_\_\_ could \_\_\_\_ .  
 \_\_\_\_ reader \_\_\_\_ pipe that isn't working could \_\_\_\_ figures \_\_\_\_ be recorded.  
 Is \_\_\_\_ readings on \_\_\_\_ close-by \_\_\_\_ a \_\_\_\_ malfunctioning \_\_\_\_ ?  
 Is \_\_\_\_ a \_\_\_\_ a \_\_\_\_ reader \_\_\_\_ cause \_\_\_\_ figures to appear \_\_\_\_ ?  
 There \_\_\_\_ questions \_\_\_\_ faulty pipe \_\_\_\_ lead \_\_\_\_ distorted figures.  
 \_\_\_\_ figures that are recorded by a reader \_\_\_\_ home \_\_\_\_ failure?

Is there \_\_\_\_ issue with \_\_\_\_ pipe-attached readers close \_\_\_\_?

How \_\_\_\_ for a \_\_\_\_ reader reading to occur \_\_\_\_ to equipment \_\_\_\_?

\_\_\_\_ near my property \_\_\_\_ skew the readings \_\_\_\_ up \_\_\_\_ the \_\_\_\_.

\_\_\_\_ that the pipe \_\_\_\_ will be \_\_\_\_ to equipment failure?

\_\_\_\_ a reader is attached \_\_\_\_ a malfunctioning \_\_\_\_ it \_\_\_\_.

I \_\_\_\_ if the readings \_\_\_\_ pipe reader device might \_\_\_\_ influenced by \_\_\_\_ nearby.

\_\_\_\_ if \_\_\_\_ could make figures skewed \_\_\_\_ readers \_\_\_\_ my house.

\_\_\_\_ a \_\_\_\_ that \_\_\_\_ malfunctioning pipe reader \_\_\_\_ figures appear distorted.

\_\_\_\_ are questions \_\_\_\_ to \_\_\_\_ pipe \_\_\_\_ lead to distortion in \_\_\_\_ figures.

It is possible that \_\_\_\_ malfunctioning pipe \_\_\_\_ will \_\_\_\_ figures \_\_\_\_.

\_\_\_\_ I be \_\_\_\_ careful if \_\_\_\_ device \_\_\_\_ causes incorrect \_\_\_\_ on my \_\_\_\_ house?

\_\_\_\_ reader \_\_\_\_ attached \_\_\_\_ pipes be \_\_\_\_ for distorted figures?

Should \_\_\_\_ careful \_\_\_\_ causes incorrect \_\_\_\_ on the pipe \_\_\_\_ located near \_\_\_\_ home or \_\_\_\_?

\_\_\_\_ questions if a malfunctioning pipe \_\_\_\_ causes \_\_\_\_

\_\_\_\_ are \_\_\_\_ if \_\_\_\_ figures will \_\_\_\_ distorted \_\_\_\_ a \_\_\_\_ reader.

\_\_\_\_ it a good idea \_\_\_\_ be careful \_\_\_\_ the \_\_\_\_ causes \_\_\_\_ on the \_\_\_\_ my \_\_\_\_ or property?

There are \_\_\_\_ a \_\_\_\_ reader affects \_\_\_\_ figures.

\_\_\_\_ wondering \_\_\_\_ the readings collected \_\_\_\_ the \_\_\_\_ reader device might \_\_\_\_ influenced by \_\_\_\_ faulty \_\_\_\_.

Can \_\_\_\_ busted \_\_\_\_ mess \_\_\_\_ the \_\_\_\_ on \_\_\_\_ pipe \_\_\_\_?

\_\_\_\_ faulty gear be \_\_\_\_ skewed figures \_\_\_\_ attached pipe \_\_\_\_?

I'm wondering if the pipe \_\_\_\_ equipment problems near \_\_\_\_ home.

\_\_\_\_ I \_\_\_\_ concerned \_\_\_\_ device \_\_\_\_ causes \_\_\_\_ figures on my \_\_\_\_ located close to \_\_\_\_ property?

Is it possible that the \_\_\_\_ will appear \_\_\_\_ of \_\_\_\_ pipe \_\_\_\_?

\_\_\_\_ equipment affect \_\_\_\_ readings gathered by the \_\_\_\_?

\_\_\_\_ pipe reader cause \_\_\_\_ figures \_\_\_\_ of \_\_\_\_ failure close to \_\_\_\_?

\_\_\_\_ am wondering \_\_\_\_ by \_\_\_\_ pipe reader \_\_\_\_ been affected \_\_\_\_ equipment problems near \_\_\_\_ house.

\_\_\_\_ be careful if \_\_\_\_ device failure \_\_\_\_ pipe reader outside \_\_\_\_ house?

Sometimes equipment \_\_\_\_ can lead to \_\_\_\_ figures \_\_\_\_ a home.

I'm \_\_\_\_ if \_\_\_\_ pipe reader \_\_\_\_ could \_\_\_\_ affected \_\_\_\_ equipment malfunction.

Can busted gear \_\_\_\_ on the \_\_\_\_?

\_\_\_\_ a reader \_\_\_\_ attached to a \_\_\_\_ be \_\_\_\_ for \_\_\_\_?

\_\_\_\_ wondering if the \_\_\_\_ collected \_\_\_\_ pipe \_\_\_\_ may have \_\_\_\_ the \_\_\_\_ malfunction

\_\_\_\_ possible \_\_\_\_ a \_\_\_\_ cause the figures to look distorted?

\_\_\_\_ it \_\_\_\_ that faulty gear \_\_\_\_ skewed figures for \_\_\_\_ my \_\_\_\_?

\_\_\_\_ likely \_\_\_\_ it \_\_\_\_ pipe reader will be distorted due \_\_\_\_?

\_\_\_\_ it probable that a distorted residential \_\_\_\_ reader reading \_\_\_\_?

When might \_\_\_\_ figures be \_\_\_\_ a \_\_\_\_ near pipes \_\_\_\_ equipment \_\_\_\_?

\_\_\_\_ the readings \_\_\_\_ near houses?

There \_\_\_\_ if \_\_\_\_ malfunctioning \_\_\_\_ cause distorted figures.

\_\_\_\_ I be careful if the \_\_\_\_ of the \_\_\_\_ causes \_\_\_\_ on \_\_\_\_ near \_\_\_\_ home?

Readers connected \_\_\_\_ be influenced \_\_\_\_ device malfunction.

\_\_\_\_ failure could \_\_\_\_ distorted \_\_\_\_ being recorded by \_\_\_\_ reader \_\_\_\_ pipes.

\_\_\_\_ machinery \_\_\_\_ impact \_\_\_\_ accuracy of \_\_\_\_ devices \_\_\_\_ pipes

\_\_\_\_ it \_\_\_\_ that \_\_\_\_ pipe read is caused \_\_\_\_ failure?

\_\_\_\_ reader is attached to pipes that \_\_\_\_ cause distorted \_\_\_\_.

\_\_\_\_ questions \_\_\_\_ may be distorted by \_\_\_\_ malfunctioning pipe \_\_\_\_.

There \_\_\_\_ questions \_\_\_\_ whether a \_\_\_\_ would cause \_\_\_\_ figures.

When \_\_\_\_ cause distorted figures to be \_\_\_\_ by a \_\_\_\_ near \_\_\_\_?

\_\_\_\_ my device failure causes incorrect figures on my \_\_\_\_ near \_\_\_\_?

\_\_\_\_ equipment \_\_\_\_ lead \_\_\_\_ figures being \_\_\_\_ by \_\_\_\_ near \_\_\_\_ at a residence.



\_\_\_\_ it \_\_\_\_ that \_\_\_\_ malfunctioning outside \_\_\_\_ house will \_\_\_\_ the \_\_\_\_ appear distorted?  
 \_\_\_\_ it probable that \_\_\_\_ will \_\_\_\_ readings on \_\_\_\_ residential pipe \_\_\_\_ due \_\_\_\_?  
 When \_\_\_\_ lead to distorted figures \_\_\_\_ by a \_\_\_\_ a residence?  
 \_\_\_\_ is a \_\_\_\_ malfunctioning \_\_\_\_ will cause the \_\_\_\_ to \_\_\_\_ distorted.  
 Is \_\_\_\_ a \_\_\_\_ reader \_\_\_\_ to \_\_\_\_ for the \_\_\_\_ to appear distorted?  
 \_\_\_\_ I be \_\_\_\_ fails and \_\_\_\_ incorrect figures on the pipe \_\_\_\_ near \_\_\_\_ home?  
 Is \_\_\_\_ possible \_\_\_\_ pipe \_\_\_\_ reading could occur because \_\_\_\_ failure?  
 \_\_\_\_ failure could cause a distorted \_\_\_\_ reader reading?  
 I'm wondering \_\_\_\_ readings \_\_\_\_ the pipe reader \_\_\_\_ have been \_\_\_\_ equipment.  
 \_\_\_\_ are \_\_\_\_ a malfunctioning \_\_\_\_ reader can affect \_\_\_\_.  
 Can \_\_\_\_ malfunctioning pipe reader \_\_\_\_ figures \_\_\_\_ be distorted \_\_\_\_?  
 Can \_\_\_\_ be \_\_\_\_ if the device failure \_\_\_\_ incorrect \_\_\_\_ near my \_\_\_\_?  
 When can \_\_\_\_ that aren't working be at risk of \_\_\_\_?  
 \_\_\_\_ wondering \_\_\_\_ the pipe reading device's \_\_\_\_ have \_\_\_\_ affected \_\_\_\_ equipment \_\_\_\_.  
 Is it likely \_\_\_\_ pipe reader \_\_\_\_ would \_\_\_\_ result of \_\_\_\_ failure?  
 \_\_\_\_ that inaccurate recordings are caused \_\_\_\_ malfunctioning \_\_\_\_ homes?  
 Should reader \_\_\_\_ markings be \_\_\_\_ faulty \_\_\_\_?  
 I'm \_\_\_\_ if the readings \_\_\_\_ the \_\_\_\_ reader \_\_\_\_ might \_\_\_\_ influenced \_\_\_\_ a faulty equipment \_\_\_\_  
 Sometimes equipment failure \_\_\_\_ distorted figures \_\_\_\_ be \_\_\_\_ by \_\_\_\_ home.  
 \_\_\_\_ that \_\_\_\_ pipe reader reading is caused \_\_\_\_ equipment \_\_\_\_ close by.  
 \_\_\_\_ gear \_\_\_\_ causing inaccurate results \_\_\_\_ that \_\_\_\_ monitoring \_\_\_\_?  
 When a reader \_\_\_\_ attached to \_\_\_\_ that \_\_\_\_ it could \_\_\_\_ having figures \_\_\_\_.  
 Do broken gear skew the readings \_\_\_\_?  
 Is it possible a \_\_\_\_ pipe \_\_\_\_ distorted because the equipment \_\_\_\_ of commission?  
 \_\_\_\_ it \_\_\_\_ malfunctioning pipe \_\_\_\_ the \_\_\_\_ to appear distorted because \_\_\_\_ equipment is \_\_\_\_ of  
 commission?  
 \_\_\_\_ possible \_\_\_\_ gear could \_\_\_\_ skewed \_\_\_\_ for pipe \_\_\_\_ near my \_\_\_\_?  
 Readers \_\_\_\_ to \_\_\_\_ pipeline \_\_\_\_ be \_\_\_\_ device malfunction.  
 \_\_\_\_ if the \_\_\_\_ by the pipe reader device might have \_\_\_\_ by \_\_\_\_.  
 \_\_\_\_ reader is attached to pipes \_\_\_\_ a \_\_\_\_ is malfunctioning \_\_\_\_ distorted \_\_\_\_.  
 \_\_\_\_ likely \_\_\_\_ it that an equipment failure will cause \_\_\_\_ reader?  
 Is it possible \_\_\_\_ faulty devices \_\_\_\_ the \_\_\_\_ might \_\_\_\_ inaccurate \_\_\_\_?  
 I \_\_\_\_ like to \_\_\_\_ device \_\_\_\_ causes \_\_\_\_ on \_\_\_\_ pipe reader \_\_\_\_ near \_\_\_\_ home or \_\_\_\_.  
 \_\_\_\_ if the readings collected \_\_\_\_ the pipe \_\_\_\_ device might have been \_\_\_\_.  
 I'm \_\_\_\_ if the \_\_\_\_ the \_\_\_\_ device \_\_\_\_ influenced \_\_\_\_ faulty equipment near my house.  
 \_\_\_\_ gear \_\_\_\_ causing inaccurate results \_\_\_\_ pipe-monitoring gizmo.  
 \_\_\_\_ it possible \_\_\_\_ faulty pipe \_\_\_\_ cause the \_\_\_\_ to be \_\_\_\_?  
 Should \_\_\_\_ be alert \_\_\_\_ causes \_\_\_\_ figures on my \_\_\_\_ reader near \_\_\_\_ or property?  
 Is \_\_\_\_ possible \_\_\_\_ distorted pipe \_\_\_\_ readings \_\_\_\_ because of equipment \_\_\_\_?  
 \_\_\_\_ if a faulty \_\_\_\_ reader \_\_\_\_ cause \_\_\_\_ figures.  
 \_\_\_\_ are \_\_\_\_ if a \_\_\_\_ cause a distortion.  
 \_\_\_\_ equipment \_\_\_\_ property may \_\_\_\_ data \_\_\_\_ pipe reader device \_\_\_\_ up \_\_\_\_ readings  
 \_\_\_\_ possible \_\_\_\_ the \_\_\_\_ the \_\_\_\_ reader device could be \_\_\_\_ by equipment malfunctioning \_\_\_\_ my \_\_\_\_?  
 \_\_\_\_ a malfunctioning \_\_\_\_ reader \_\_\_\_ to distorted figures.  
 When \_\_\_\_ is \_\_\_\_ that \_\_\_\_ working be at \_\_\_\_ of \_\_\_\_ distorted figures  
 \_\_\_\_ could \_\_\_\_ readings near \_\_\_\_ property  
 \_\_\_\_ could \_\_\_\_ be attached to malfunctioning pipes \_\_\_\_ figures \_\_\_\_ be?  
 faulty \_\_\_\_ near my property may \_\_\_\_ the \_\_\_\_ pipe \_\_\_\_ up.  
 \_\_\_\_ a reader be attached to \_\_\_\_ pipe that \_\_\_\_ working be \_\_\_\_ risk \_\_\_\_ figures \_\_\_\_?  
 I'm wondering if \_\_\_\_ affected the readings \_\_\_\_ reader device.  
 Problems \_\_\_\_ equipment \_\_\_\_ caused by distorted readings \_\_\_\_ a \_\_\_\_ pipe

\_\_\_\_\_ wondering if \_\_\_\_\_ collected by \_\_\_\_\_ device might have \_\_\_\_\_ affected \_\_\_\_\_ problems near my \_\_\_\_\_.  
 When \_\_\_\_\_ distorted figures to be recorded by \_\_\_\_\_ devices \_\_\_\_\_?  
 It \_\_\_\_\_ possible \_\_\_\_\_ cause distorted readings on \_\_\_\_\_ pipe reader.  
 \_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ near \_\_\_\_\_ could fail and cause \_\_\_\_\_ in \_\_\_\_\_?  
 It \_\_\_\_\_ that a malfunctioning pipe \_\_\_\_\_ to appear distorted.  
 \_\_\_\_\_ wondering if the \_\_\_\_\_ collected by \_\_\_\_\_ pipe reader \_\_\_\_\_ affected by \_\_\_\_\_ near \_\_\_\_\_ house.  
 Questions \_\_\_\_\_ if \_\_\_\_\_ malfunctioning pipe reader will \_\_\_\_\_ to \_\_\_\_\_.  
 A \_\_\_\_\_ may lead to \_\_\_\_\_.  
 \_\_\_\_\_ equipment failure lead to distorted \_\_\_\_\_ being \_\_\_\_\_ reader \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ might \_\_\_\_\_ figures \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_ home or building \_\_\_\_\_ of \_\_\_\_\_ failure?  
 \_\_\_\_\_ gear \_\_\_\_\_ readings \_\_\_\_\_ the house?  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ the residences \_\_\_\_\_ fail and cause errors \_\_\_\_\_ recorded \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ collected \_\_\_\_\_ reader device could have been \_\_\_\_\_ by \_\_\_\_\_ issues.  
 Is \_\_\_\_\_ likely that a distorted pipe \_\_\_\_\_ will \_\_\_\_\_ failure?  
 There \_\_\_\_\_ if \_\_\_\_\_ pipe reader \_\_\_\_\_ lead to \_\_\_\_\_ figures  
 \_\_\_\_\_ if \_\_\_\_\_ readings \_\_\_\_\_ by \_\_\_\_\_ pipe reader could have been \_\_\_\_\_ a \_\_\_\_\_ nearby.  
 Is it \_\_\_\_\_ to be \_\_\_\_\_ device failure causes \_\_\_\_\_ on \_\_\_\_\_ pipe reader \_\_\_\_\_ my \_\_\_\_\_?  
 I'm wondering if \_\_\_\_\_ collected by the \_\_\_\_\_ reader device \_\_\_\_\_ have \_\_\_\_\_ affected by \_\_\_\_\_.  
 How \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ on \_\_\_\_\_ pipe \_\_\_\_\_ will be \_\_\_\_\_ due to equipment \_\_\_\_\_?  
 Is \_\_\_\_\_ that \_\_\_\_\_ readings on \_\_\_\_\_ residential pipe reader will occur \_\_\_\_\_?  
 \_\_\_\_\_ wonder if \_\_\_\_\_ readings collected \_\_\_\_\_ reader \_\_\_\_\_ influenced by faulty equipment nearby.  
 Is it \_\_\_\_\_ that \_\_\_\_\_ will \_\_\_\_\_ distorted \_\_\_\_\_ pipe \_\_\_\_\_ is malfunctioning?  
 \_\_\_\_\_ if a pipe reader malfunctioning \_\_\_\_\_ figures.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ device \_\_\_\_\_ around homes \_\_\_\_\_ cause inaccurate recordings?  
 Is it possible that a malfunctioning \_\_\_\_\_?  
 \_\_\_\_\_ near \_\_\_\_\_ record \_\_\_\_\_ figures if equipment fails.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ pipe reader \_\_\_\_\_ occur \_\_\_\_\_ to equipment \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ distorted \_\_\_\_\_ pipe \_\_\_\_\_ reading is \_\_\_\_\_ to equipment failures?  
 When \_\_\_\_\_ reader is attached to \_\_\_\_\_ at \_\_\_\_\_ residence that's \_\_\_\_\_ can \_\_\_\_\_.  
 When \_\_\_\_\_ reader \_\_\_\_\_ attached \_\_\_\_\_ a \_\_\_\_\_ that isn't working be at \_\_\_\_\_ distorted \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ malfunctioning \_\_\_\_\_ reader can \_\_\_\_\_ the \_\_\_\_\_ to be \_\_\_\_\_.  
 \_\_\_\_\_ a problem \_\_\_\_\_ the figures on \_\_\_\_\_ near homes?  
 How \_\_\_\_\_ for a distorted \_\_\_\_\_ on \_\_\_\_\_ residential \_\_\_\_\_ to occur \_\_\_\_\_ to \_\_\_\_\_ failure?  
 \_\_\_\_\_ it possible \_\_\_\_\_ pipe reader \_\_\_\_\_ figures to appear different?  
 When equipment failure may cause \_\_\_\_\_ figures \_\_\_\_\_ recorded \_\_\_\_\_ reader \_\_\_\_\_ near \_\_\_\_\_.  
 When could \_\_\_\_\_ be attached \_\_\_\_\_ a pipes \_\_\_\_\_ isn't working cause \_\_\_\_\_?  
 \_\_\_\_\_ possible that \_\_\_\_\_ make the figures appear distorted?  
 \_\_\_\_\_ questions if \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ will cause \_\_\_\_\_  
 When equipment \_\_\_\_\_ can \_\_\_\_\_ figures to be recorded \_\_\_\_\_ near \_\_\_\_\_?  
 The \_\_\_\_\_ from the pipe \_\_\_\_\_ be skewed by \_\_\_\_\_.  
 \_\_\_\_\_ might equipment failure cause figures \_\_\_\_\_ distorted \_\_\_\_\_ reader \_\_\_\_\_?  
 \_\_\_\_\_ malfunctioning pipe reader \_\_\_\_\_ distortion \_\_\_\_\_ the figures there \_\_\_\_\_.  
 When \_\_\_\_\_ reader be attached \_\_\_\_\_ pipes \_\_\_\_\_ be \_\_\_\_\_ risk of having \_\_\_\_\_?  
 \_\_\_\_\_ am wondering if \_\_\_\_\_ readings collected by \_\_\_\_\_ might have been \_\_\_\_\_ a \_\_\_\_\_ nearby.  
 \_\_\_\_\_ it possible \_\_\_\_\_ the \_\_\_\_\_ will appear \_\_\_\_\_ malfunctioning \_\_\_\_\_ outside my house?  
 \_\_\_\_\_ might a reader \_\_\_\_\_ home or \_\_\_\_\_ record distorted \_\_\_\_\_ equipment \_\_\_\_\_?  
 When might \_\_\_\_\_ cause distorted \_\_\_\_\_ to \_\_\_\_\_ reader \_\_\_\_\_ a home?  
 Does broken gear make \_\_\_\_\_?  
 I'm \_\_\_\_\_ the pipe reader \_\_\_\_\_ have been affected \_\_\_\_\_ equipment malfunction \_\_\_\_\_.  
 \_\_\_\_\_ it possible \_\_\_\_\_ near the residences \_\_\_\_\_ and \_\_\_\_\_ errors \_\_\_\_\_ the recorded \_\_\_\_\_?

The readings from \_\_\_\_ device \_\_\_\_\_ distorted by \_\_\_\_ equipment.  
 \_\_\_\_ the \_\_\_\_ monitor \_\_\_\_\_ affected \_\_\_\_ broken gear?  
 \_\_\_\_ equipment \_\_\_\_\_ cause distorted \_\_\_\_\_ be recorded \_\_\_\_ a reader \_\_\_\_ a home or \_\_\_\_?  
 \_\_\_\_ possible that \_\_\_\_\_ pipe reader readings might \_\_\_\_\_ of equipment \_\_\_\_?  
 Is \_\_\_\_\_ equipment near \_\_\_\_\_ malfunction and cause \_\_\_\_ in \_\_\_\_ readings?  
 Should \_\_\_\_\_ careful \_\_\_\_\_ device failure causes \_\_\_\_\_ figures \_\_\_\_\_ reader located \_\_\_\_ my home or \_\_\_\_?  
 When \_\_\_\_ failure could lead to \_\_\_\_\_ a \_\_\_\_ near pipes?  
 Should \_\_\_\_ be careful \_\_\_\_ the device \_\_\_\_ causes wrong \_\_\_\_ on \_\_\_\_\_ near my \_\_\_\_ or \_\_\_\_?  
 \_\_\_\_\_ that a distorted \_\_\_\_ reader readings would come \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_ if the \_\_\_\_ failure causes the \_\_\_\_ figures \_\_\_\_ be \_\_\_\_ the \_\_\_\_\_ located near \_\_\_\_ home?  
 Is it \_\_\_\_ that equipment \_\_\_\_\_ fail and \_\_\_\_\_ readings?  
 \_\_\_\_\_ possible that a \_\_\_\_ residential \_\_\_\_ reader \_\_\_\_\_ a \_\_\_\_\_ equipment failure close \_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ a \_\_\_\_ pipe reader will \_\_\_\_ to \_\_\_\_ figures.  
 Is it probable that \_\_\_\_\_ would \_\_\_\_\_ reader reading?  
 When could a reader \_\_\_\_ attached to a pipes that \_\_\_\_\_ having \_\_\_\_\_?  
 Should I be \_\_\_\_ if \_\_\_\_\_ fails and \_\_\_\_\_ wrong \_\_\_\_\_ the pipe reader \_\_\_\_ near \_\_\_\_ home \_\_\_\_\_?  
 Is \_\_\_\_\_ that the \_\_\_\_ near \_\_\_\_ residences could fail, and \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ figures \_\_\_\_ recorded if a \_\_\_\_ was attached to \_\_\_\_ malfunctioning \_\_\_\_?  
 Is \_\_\_\_ possible that the \_\_\_\_\_ the \_\_\_\_ can \_\_\_\_\_ cause \_\_\_\_ on \_\_\_\_ readings?  
 \_\_\_\_\_ about whether \_\_\_\_ malfunctioning pipe \_\_\_\_ could cause distortion \_\_\_\_ the \_\_\_\_.  
 Is it \_\_\_\_\_ pipe \_\_\_\_ malfunction \_\_\_\_ cause distorted \_\_\_\_?  
 \_\_\_\_\_ problems with \_\_\_\_ equipment \_\_\_\_ caused \_\_\_\_\_ a close-by pipe?  
 \_\_\_\_\_ reader \_\_\_\_\_ to \_\_\_\_ malfunctioning \_\_\_\_ it \_\_\_\_ cause distorted figures.  
 \_\_\_\_\_ possible that \_\_\_\_ malfunctioning pipe \_\_\_\_ will \_\_\_\_ the \_\_\_\_ to be \_\_\_\_?  
 When \_\_\_\_ reader is attached \_\_\_\_\_ malfunctioning \_\_\_\_\_ for distorted \_\_\_\_\_ be  
 \_\_\_\_\_ if the readings collected \_\_\_\_ the pipe reader \_\_\_\_\_ been affected \_\_\_\_ equipment \_\_\_\_\_ home.  
 \_\_\_\_\_ I be careful \_\_\_\_ the \_\_\_\_ failure \_\_\_\_\_ figure on \_\_\_\_ pipe \_\_\_\_\_ near \_\_\_\_ home or property?  
 \_\_\_\_\_ if the readings \_\_\_\_ by \_\_\_\_ pipe \_\_\_\_\_ were \_\_\_\_ by equipment \_\_\_\_ nearby.  
 \_\_\_\_\_ a reader \_\_\_\_ attached \_\_\_\_\_ are malfunctioning, \_\_\_\_ might \_\_\_\_ distorted figures.  
 \_\_\_\_\_ careful if the failure \_\_\_\_ the device causes \_\_\_\_ figures \_\_\_\_\_ pipe \_\_\_\_\_ near \_\_\_\_ home \_\_\_\_ property?  
 When equipment failure \_\_\_\_\_ distorted \_\_\_\_ to be \_\_\_\_\_ reader \_\_\_\_ the \_\_\_\_.  
 When might equipment failure \_\_\_\_ in distorted \_\_\_\_ that \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ failure \_\_\_\_\_ distorted \_\_\_\_ being recorded \_\_\_\_ a \_\_\_\_ near a property?  
 I am \_\_\_\_ if the \_\_\_\_\_ pipe \_\_\_\_ device \_\_\_\_ have been affected \_\_\_\_ the \_\_\_\_.  
 \_\_\_\_\_ might \_\_\_\_ figures \_\_\_\_ recorded \_\_\_\_ a reader near \_\_\_\_\_ due \_\_\_\_\_ failure?  
 Did broken gear skew \_\_\_\_\_ by the \_\_\_\_\_?  
 When \_\_\_\_\_ can cause \_\_\_\_ figures to \_\_\_\_ recorded by \_\_\_\_\_ attached \_\_\_\_ pipes?  
 When equipment failure \_\_\_\_\_ be \_\_\_\_\_ a reader device \_\_\_\_ to pipes?  
 \_\_\_\_\_ could \_\_\_\_ reader be \_\_\_\_\_ pipes that \_\_\_\_ malfunctioning \_\_\_\_\_ risk \_\_\_\_\_ distorted figures?  
 \_\_\_\_\_ it possible \_\_\_\_ broken \_\_\_\_\_ will cause \_\_\_\_ figures to \_\_\_\_\_?  
 It might be \_\_\_\_ that a malfunctioning \_\_\_\_\_ the \_\_\_\_ to \_\_\_\_.  
 \_\_\_\_\_ the bad gear \_\_\_\_ inaccurate \_\_\_\_\_ pipe-monitoring gadget?  
 Is distorted \_\_\_\_ on a \_\_\_\_\_ cause \_\_\_\_\_ equipment?  
 \_\_\_\_\_ with a \_\_\_\_ reader may lead \_\_\_\_\_.  
 Is it \_\_\_\_\_ failure \_\_\_\_ cause \_\_\_\_ distorted \_\_\_\_ pipe reader \_\_\_\_?  
 \_\_\_\_\_ is a chance \_\_\_\_ malfunctioning pipe \_\_\_\_\_ figures \_\_\_\_ appear distorted.  
 \_\_\_\_\_ wondering if \_\_\_\_ readings collected by \_\_\_\_ pipe \_\_\_\_\_ could have \_\_\_\_\_ issues nearby.  
 Is \_\_\_\_ gear \_\_\_\_ pipe \_\_\_\_ near \_\_\_\_?  
 If \_\_\_\_\_ leads \_\_\_\_ distorted \_\_\_\_ being \_\_\_\_ by a \_\_\_\_\_ pipes, when?  
 \_\_\_\_\_ reader pipe markings \_\_\_\_\_ affected \_\_\_\_\_ gear nearby.

Is it \_\_\_\_\_ that \_\_\_\_\_ distorted pipe reader \_\_\_\_\_ result \_\_\_\_\_ equipment failure?  
 \_\_\_\_\_ equipment \_\_\_\_\_ may lead \_\_\_\_\_ are recorded by a \_\_\_\_\_ a \_\_\_\_\_ or building.  
 \_\_\_\_\_ attached \_\_\_\_\_ a pipe that isn't working \_\_\_\_\_ cause \_\_\_\_\_ figures \_\_\_\_\_ recorded  
 \_\_\_\_\_ a reader is \_\_\_\_\_ pipes \_\_\_\_\_ could be \_\_\_\_\_ risk of producing distorted \_\_\_\_\_.  
 \_\_\_\_\_ pipe-associated reader thingy's \_\_\_\_\_ to be messed \_\_\_\_\_ by \_\_\_\_\_?

Is \_\_\_\_\_ faulty equipment \_\_\_\_\_ my \_\_\_\_\_ the readings \_\_\_\_\_ the pipe reader device?  
 \_\_\_\_\_ a \_\_\_\_\_ gear \_\_\_\_\_ create skewed figures \_\_\_\_\_ attached pipe readers?  
 \_\_\_\_\_ it possible that faulty gear \_\_\_\_\_ skewed \_\_\_\_\_ attached pipe \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ there a problem \_\_\_\_\_ the \_\_\_\_\_ pipe-attached \_\_\_\_\_ close \_\_\_\_\_ homes?

Can \_\_\_\_\_ gear ruin \_\_\_\_\_ reading \_\_\_\_\_ pipe thing by \_\_\_\_\_?  
 \_\_\_\_\_ may \_\_\_\_\_ distorted figures \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ reader near \_\_\_\_\_ home

When \_\_\_\_\_ can \_\_\_\_\_ distorted \_\_\_\_\_ to \_\_\_\_\_ recorded by a reader near \_\_\_\_\_.

Can broken gear \_\_\_\_\_ readings \_\_\_\_\_ that \_\_\_\_\_ thing \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ malfunctioning \_\_\_\_\_ can \_\_\_\_\_ distorted figures?  
 \_\_\_\_\_ reader \_\_\_\_\_ attached \_\_\_\_\_ malfunctioning pipe be to blame \_\_\_\_\_ figures?

A malfunction of the \_\_\_\_\_ figures to \_\_\_\_\_ distorted.  
 \_\_\_\_\_ wondering if \_\_\_\_\_ readings collected \_\_\_\_\_ pipe \_\_\_\_\_ have been affected \_\_\_\_\_ malfunctioning \_\_\_\_\_.

A faulty \_\_\_\_\_ might have \_\_\_\_\_ collected \_\_\_\_\_ pipe reader device.  
 \_\_\_\_\_ might \_\_\_\_\_ figures to \_\_\_\_\_ recorded near pipes by \_\_\_\_\_ reader?

It \_\_\_\_\_ possible that a distorted residential \_\_\_\_\_ is \_\_\_\_\_ failure.

There are questions if \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ distorted.  
 \_\_\_\_\_ there be misreadings \_\_\_\_\_ pipe \_\_\_\_\_ residential areas?

I \_\_\_\_\_ wondering if the \_\_\_\_\_ reader \_\_\_\_\_ might have been affected by the \_\_\_\_\_

If equipment failure \_\_\_\_\_ figures \_\_\_\_\_ recorded \_\_\_\_\_ reader \_\_\_\_\_ a home, \_\_\_\_\_?

Does \_\_\_\_\_ gear \_\_\_\_\_ monitor \_\_\_\_\_?  
 \_\_\_\_\_ I be \_\_\_\_\_ if the \_\_\_\_\_ failure causes \_\_\_\_\_ my \_\_\_\_\_ reader \_\_\_\_\_ house?  
 \_\_\_\_\_ that broken gear can \_\_\_\_\_ readings on that \_\_\_\_\_?

Is there \_\_\_\_\_ malfunctioning pipe \_\_\_\_\_ cause figures to \_\_\_\_\_?  
 \_\_\_\_\_ equipment failure might lead to distorted \_\_\_\_\_ a reader near \_\_\_\_\_.

\_\_\_\_\_ wondering if \_\_\_\_\_ readings \_\_\_\_\_ the \_\_\_\_\_ device were \_\_\_\_\_ by \_\_\_\_\_ faulty equipment \_\_\_\_\_.

Is \_\_\_\_\_ bad gear is causing \_\_\_\_\_ on that \_\_\_\_\_?  
 \_\_\_\_\_ whether a \_\_\_\_\_ pipe reader \_\_\_\_\_ result in distorted figures.

Is \_\_\_\_\_ for \_\_\_\_\_ cause wrong figures on \_\_\_\_\_ located near my \_\_\_\_\_ or property?

When \_\_\_\_\_ failure might cause \_\_\_\_\_ figures that are \_\_\_\_\_ a \_\_\_\_\_ a residence \_\_\_\_\_ property?

When \_\_\_\_\_ lead to distorted figures \_\_\_\_\_ recorded by \_\_\_\_\_ home or property?

Should I be alert \_\_\_\_\_ device \_\_\_\_\_ pipe reader located near my \_\_\_\_\_ property?  
 \_\_\_\_\_ equipment failure \_\_\_\_\_ distorted figures that \_\_\_\_\_ by \_\_\_\_\_ a home or building?  
 \_\_\_\_\_ there \_\_\_\_\_ a distorted reading on \_\_\_\_\_ residential pipe \_\_\_\_\_ to equipment \_\_\_\_\_?

There \_\_\_\_\_ questions \_\_\_\_\_ pipe \_\_\_\_\_ to distortion in the figures  
 \_\_\_\_\_ equipment \_\_\_\_\_ to be skewed \_\_\_\_\_ pipes?

When might equipment \_\_\_\_\_ cause \_\_\_\_\_ recorded by \_\_\_\_\_ reader \_\_\_\_\_ pipes?

An issue \_\_\_\_\_ the reader \_\_\_\_\_ could cause \_\_\_\_\_ in \_\_\_\_\_ reported \_\_\_\_\_.

Is \_\_\_\_\_ that \_\_\_\_\_ distorted pipe reader \_\_\_\_\_ will \_\_\_\_\_ as a result \_\_\_\_\_?

How \_\_\_\_\_ it for \_\_\_\_\_ to cause distorted \_\_\_\_\_ residential pipe \_\_\_\_\_?

\_\_\_\_\_ possible that a malfunctioning \_\_\_\_\_ reader may \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ gear \_\_\_\_\_ skewed figures for attached \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ is \_\_\_\_\_ pipe \_\_\_\_\_ isn't working will distorted \_\_\_\_\_ be \_\_\_\_\_?

Is \_\_\_\_\_ residential pipe reading due \_\_\_\_\_?  
 \_\_\_\_\_ probable that a \_\_\_\_\_ pipe reader readings would occur \_\_\_\_\_?

I'm \_\_\_\_\_ the readings from the pipe \_\_\_\_\_ might \_\_\_\_\_ by a faulty \_\_\_\_\_.

Is \_\_\_\_\_ a chance of \_\_\_\_\_ pipe reader \_\_\_\_\_ failure?  
\_\_\_\_\_ questions \_\_\_\_\_ a malfunctioning pipe \_\_\_\_\_ will cause \_\_\_\_\_ distorted \_\_\_\_\_.  
Is it \_\_\_\_\_ a \_\_\_\_\_ readings would occur due \_\_\_\_\_ equipment \_\_\_\_\_?  
Is it possible \_\_\_\_\_ pipe \_\_\_\_\_ will affect \_\_\_\_\_ appear distorted?  
There \_\_\_\_\_ questions \_\_\_\_\_ effect of a malfunctioning \_\_\_\_\_ figures.  
Equipment failure can \_\_\_\_\_ to be recorded by \_\_\_\_\_.  
I'm wondering if \_\_\_\_\_ readings collected by \_\_\_\_\_ pipe \_\_\_\_\_ affected \_\_\_\_\_ issues \_\_\_\_\_.  
\_\_\_\_\_ to \_\_\_\_\_ pipe that isn't working could be \_\_\_\_\_ risk \_\_\_\_\_ producing \_\_\_\_\_.  
\_\_\_\_\_ screw \_\_\_\_\_ readings on \_\_\_\_\_ thing by the house?  
When an \_\_\_\_\_ might \_\_\_\_\_ distorted figures \_\_\_\_\_ a reader near \_\_\_\_\_?  
When can a \_\_\_\_\_ to pipes that \_\_\_\_\_ be at \_\_\_\_\_ of having \_\_\_\_\_ distorted?  
Should \_\_\_\_\_ be concerned \_\_\_\_\_ failure causes \_\_\_\_\_ figures \_\_\_\_\_ reader at my \_\_\_\_\_ property?  
\_\_\_\_\_ possible that bad \_\_\_\_\_ is causing inaccurate \_\_\_\_\_ pipe-monitoring \_\_\_\_\_.  
\_\_\_\_\_ it possible that a \_\_\_\_\_ occur because \_\_\_\_\_ equipment failure?  
There are \_\_\_\_\_ a \_\_\_\_\_ could cause the \_\_\_\_\_ to be \_\_\_\_\_.  
\_\_\_\_\_ if equipment \_\_\_\_\_ near my \_\_\_\_\_ readings \_\_\_\_\_ by the pipe reader \_\_\_\_\_.  
There are questions whether \_\_\_\_\_ malfunctioning \_\_\_\_\_ distortion.  
When \_\_\_\_\_ being attached to a \_\_\_\_\_ pipe \_\_\_\_\_ distorted figure \_\_\_\_\_ be \_\_\_\_\_?  
Is it \_\_\_\_\_ gear \_\_\_\_\_ making inaccurate \_\_\_\_\_ pipe-monitoring device?  
There are \_\_\_\_\_ about if a malfunctioning \_\_\_\_\_ to \_\_\_\_\_.  
\_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ the residences can \_\_\_\_\_ causing errors \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ questions if \_\_\_\_\_ malfunctioning \_\_\_\_\_ will lead \_\_\_\_\_ distortion \_\_\_\_\_ the figures