

[Demo] NLP Dataset for Customer Service Automation

| | |
|-----------------------------|--|
| Company Type | Online Banks and FinTech Companies |
| Inquiry Category | Business account and merchant services inquiries |
| Inquiry Sub-Category | Account Security |
| Description | Customers seeking guidance on enhancing the security of their business accounts, including information on two-factor authentication, password management, and fraud prevention measures. |
| Data Size | 5,036 paraphrases |
| Want to buy data? | Please contact nlp-data@gross.me via your business email address. |

Masked sample paraphrases of one "Online Bank and FinTech Company" customer inquiry. (Purchased data will not be masked.)

____ my ____ account ____ after a ____ of ____ attempts to prevent ____ force ____?
 Do ____ need to use ____ business account's automatic ____ feature ____ attacks?
 Is ____ automatic lock ____ of ____ accounts ____ sign ____ failed logins ____ brute force ____?
 ____ way to protect against ____ by locking the ____ account?
 Is it ____ to ____ business account after ____?
 Does my ____ lock after multiple failed ____?
 Will there be ____ auto-locked ____ account ____ unable ____ log ____ account several ____?
 automatic lock on ____ is ____ there ____ more than two ____
 Is ____ possible ____ brute when my ____ account ____ a ____ logins that are unsuccessful?
 Is ____ function for ____ account to stop brute ____ their brute ____?
 ____ accounts become ____ login attempts fail, to ____ force ____.
 Is it possible to ____ lock my business ____ from attackers?
 After trying ____ times ____ account from ____ force attack ____ be able to ____ it?
 Will there ____ lock feature on ____ after a ____ login attempts?
 Will an ____ my business ____ occur if there ____ logins?
 ____ online ____ service ____ against ____ force attacks by locking ____ account ____ login ____?
 Can ____ for my business ____ to stop ____?
 ____ an automatic lock on my business ____ are ____ incorrect login ____?
 ____ automatic ____ down ____ business ____ a ____ that unsuccessful login attempts ____ for ____ against ____ force attacks
 Do ____ accounts become ____ if login ____ fail, ____ protect ____ brute ____?
 Will there ____ automatic lock ____ business ____ there are ____ login tries?
 It is possible ____ an auto-lock ____ business ____ if someone ____ too ____ times ____ in.
 If there ____ brute force, does ____ business ____ have an ____ locking feature?
 Can ____ business account ____ auto-lock function after ____ unsuccessful ____?
 Is ____ of ____ accounts ____ to protect against ____ from ____ force?
 ____ would like ____ know ____ my business ____ feature to deter brute ____ attacks.
 ____ trying multiple ____ to protect ____ account from ____ force ____ able to lock it?

_____ possible _____ prevent brute _____ with _____ for my business _____?
 _____ there are more than _____ failed logins, there could _____ business _____.
 Can we _____ place preventative security measures _____ up our _____ accounts for _____ lock _____ failure _____?
 _____ wondered if _____ automated _____ be implemented _____ business _____ the event of brute force _____.
 _____ the _____ lock up after many _____?
 Is it _____ online _____ from brute _____ attacks _____ locking the _____ accounts _____ failure?
 Will _____ prevent brute _____ business _____ after _____ number of unsuccessful _____?
 Is automatic _____ out _____ a sign that unsuccessful _____ attempts _____ a need _____ force _____?
 _____ is an automatic _____ business accounts if _____ need against _____ force attacks.
 Is it possible _____ automatically _____ account _____ many _____ to protect _____?
 Will the business _____ down _____ several _____ attempts?
 Can I _____ auto-lock _____ for my business _____ failed logins?
 My _____ account will _____ trying _____ logins, _____ this help _____ brute?
 Will my business _____ have an _____ feature _____ there _____ unsuccessful _____?
 _____ automatic lock _____ of business accounts _____ against brute _____?
 _____ business account be locked _____ force _____ many _____ logins?
 Is _____ business account able to lock out _____ there _____ more _____ one _____ attempt?
 _____ account have an automatic _____ feature _____ there are _____ than _____ attempts to _____ it?
 Will this help prevent _____ when _____ business _____ locks _____ many _____ that _____?
 Does _____ have an automatic _____ feature _____ there _____ many _____ force _____?
 Is _____ the online service _____ force _____ locking the business _____ after a _____ of _____ attacks?
 Does _____ automatic _____ feature on _____ deter _____ force attacks?
 _____ have _____ automatic lock feature to _____ protect against brute _____?
 Is it possible to deter _____ with _____ lock _____ my _____?
 Will my business _____ be _____ against _____ attacks if _____ to _____ times?
 The _____ account _____ be _____ after too many _____ in to _____ off _____ hacking.
 _____ the online service from brute force attacks by _____ accounts _____ failed login?
 _____ an _____ of the business a _____ against _____ attacks?
 _____ business _____ be _____ against brute force _____ after how _____ logins?
 Does _____ banking protect against _____ force _____ locking _____ after _____ a login?
 Is it possible _____ attackers _____ unleashing their power _____ auto-lock _____ on _____ account?
 _____ is an _____ out _____ business accounts if unsuccessful _____ signal _____ need _____ protection against attacks _____.
 Is _____ business _____ locked down _____ the brute _____ if _____ is more _____ one _____ sign _____?
 _____ there a way _____ stop brute _____ an _____ function _____ business _____?
 Is there _____ auto-lock function for my _____ from attacking?
 _____ my _____ account have _____ option _____ brute force attacks _____ mylogin attempts _____?
 _____ account be locked down _____ bunch of _____ login _____?
 Following _____ tries, will there be _____ automatic lock on _____?
 _____ account might _____ my _____ account after multiple _____ to _____ in to _____ brute _____ attacks.
 Can my business _____ feature after _____ unsuccessful logins?
 Is an automatic _____ down _____ business accounts _____ against brute _____?
 _____ wonder if an _____ business account _____ case of brute force _____.
 Do I _____ to _____ a _____ account's _____ lock _____ to _____ brute _____?
 _____ the option to _____ out _____ force _____ when multiple _____ login attempts occur?
 Will my _____ against _____ force attacks after _____ failed _____?
 _____ business account give _____ option to _____ force attacks if _____ attempts _____?
 Will _____ business _____ be _____ failed login?
 An automatic _____ occur _____ more than one failed _____ is made
 _____ account _____ locked _____ after _____ failed login attempts?
 An _____ on _____ business _____ occur _____ many failed _____ occur.

Will _____ an auto-locked _____ account _____ into my _____ many times?
 _____ an automatic _____ a sign that _____ login _____ signal _____ need for _____ against vicious _____ force?
 Does _____ business account _____ an option _____ brute _____ attacks when _____ are _____ login attempts?
 My account may _____ locked by _____ business _____ brute force _____.
 _____ I automatically _____ my account _____ many _____ protect _____ brute force _____?
 Is _____ automatic _____ down of _____ accounts a _____ that _____ login attempts _____ against brute force _____
 Is _____ business _____ to lock out brute _____ failed _____ occur?
 _____ feature if there are more than _____ to _____ into my business account?
 _____ it possible to prevent _____ attacks _____ business _____ a number of _____?
 After many _____ login _____ can _____ be locked _____?
 Is automatic lock _____ business accounts _____ that unsuccessful _____ attempts _____ brute force _____?
 I want _____ if my business _____ automatic _____ feature _____ force attacks.
 _____ many _____ logins, _____ account be locked _____ force attacks?
 _____ an _____ lockdown of _____ accounts if unsuccessful _____ attempts _____ need _____ protection _____ like brute.
 _____ it _____ to protect the _____ from brute _____ by _____ business _____ after many _____?
 Is it possible for the auto-lock function _____ on _____?
 It's possible _____ auto-lock function to stop brute attacks _____.
 Is it possible to _____ on _____ online service _____ business _____ a failed login?
 Will multiple failed _____ result _____ a _____ account?
 If there are _____ failed login attempts, _____ business _____ feature _____ deter brute _____ attacks?
 Is it _____ to _____ an _____ function _____ my business _____ prevent brute _____ from _____ the _____?
 _____ my _____ account have _____ option to _____ brute force attacks _____ my _____?
 Should _____ accounts have _____ lock _____ to stop _____ attacks?
 Does the _____ account _____ an automatic _____ feature if _____ than one _____ to _____?
 Will a _____ for _____ that _____ security _____ by _____ failures in my business account?
 Will _____ be _____ lock my _____ account _____ attempts _____ protect it?
 Can we _____ in _____ security _____ by _____ up our businesses accounts _____ lock up _____ multiple?
 _____ account may _____ me _____ attempts to get in to _____ against _____.
 _____ there an _____ lock _____ in _____ that is more safe _____ attacks?
 I _____ to know if _____ accounts have an automatic lock _____ deter _____.
 My _____ by _____ account after repeated attempts _____ in to prevent brute _____ attacks.
 _____ it possible to prevent brute _____ on _____ online _____ by locking _____ accounts _____ number _____ attempts?
 _____ a lock on _____ business _____ due to _____ logins?
 Is _____ account to be _____ after repeated _____ against _____ force attacks?
 Is _____ protect the _____ from brute force _____ by _____ business _____ after failed _____ attempts?
 _____ lock feature _____ my _____ account _____ will _____ brute force attacks?
 _____ business _____ auto lock _____ trying many _____ that _____ unsuccessful, _____ prevent brute?
 _____ automatic _____ of _____ accounts _____ a protection against _____ force attacks?
 Is _____ automatic _____ feature _____ business _____ to be _____ against brute force _____?
 _____ several attempts to _____ business _____ from a _____ attack, should I be _____ it _____?
 _____ it possible _____ brute _____ giving my business _____ an _____?
 _____ there a _____ to prevent _____ an _____ function _____ my business account?
 _____ an auto-lock _____ feasible _____ stop _____ attacks on my _____?
 Is _____ for _____ to prevent brute attackers _____ damage _____ my business _____?
 Is it _____ my business _____ to _____ brute _____ from _____?
 _____ it _____ possible _____ brute force _____ by locking my _____ account?
 Can _____ account have a auto-lock _____ a _____ logins?
 _____ in place preventative _____ our business _____ for automatic lock up after failure of _____?
 My business account _____ after _____ number of _____ unsuccessful, _____ prevent brute?
 _____ automatic lock _____ of _____ as protection against _____ force _____?

____ it possible ____ have an ____ for ____ stop brute attackers?
 ____ my business account ____ after ____ failed ____ to protect ____ hacking?
 ____ my business account have an ____ out brute force ____ attempts ____?
 Does my business ____ allow me ____ force attacks ____ login attempts ____?
 ____ there ____ automatic ____ on ____ if there are more than ____ login attempts?
 I was wondering if ____ for ____ account in ____ brute force attacks.
 ____ I ____ an auto-lock feature ____ my ____ after ____ unsuccessful logins?
 Is ____ automatic ____ of ____ accounts ____ sign that ____ login ____ mean ____ need against ____ attacks?
 ____ business ____ be locked ____ many attempts ____ login?
 Does my ____ account ____ an ____ brute ____ attacks ____ multiple ____ login ____ occur?
 Will ____ business account ____ a number ____ logins?
 ____ multiple ____ my ____ from a brute ____ attack should I be ____ to ____ under?
 ____ business account be locked ____ force ____ after so many ____?
 Can the ____ protected from brute ____ attacks ____ accounts after unsuccessful ____?
 ____ business ____ the option to ____ out brute force attacks ____ failed ____?
 ____ this help prevent ____ my business account ____ auto ____ many ____ are ____?
 Is it possible ____ prevent brute attacks ____ function on ____?
 Can ____ protected from ____ force ____ by locking ____ business accounts ____ a ____ unsuccessful attacks?
 Does ____ business accounts have ____ automatic lock ____ to ____ attacks?
 When someone tries ____ get ____ my business account too many, ____ have ____.
 ____ the business ____ be ____ down ____ unsuccessful ____ attempts?
 Is it ____ an auto-lock ____ for ____ stop brute attackers ____ attacking ____ the future.
 ____ automatic ____ my business account a preventative ____ brute ____ attacks?
 Does ____ automatic ____ feature in ____ deter attacks ____ multiple failed ____?
 It is possible to ____ an auto-lock ____ business ____ someone tries ____ log ____ many ____.
 I was ____ automated ____ is ____ for my business ____ in the ____ of brute ____.
 ____ number ____ attempts ____ my business ____ from ____ force ____ I be able to lock ____ under?
 Is ____ to prevent ____ force ____ locking business accounts ____ login ____?
 Automatic locking is ____ option ____ my ____ accounts ____ brute ____.
 Is ____ an ____ business account ____ a preventive ____ against brute force ____?
 ____ possible ____ automatically lock my ____ account ____ protect ____ from brute force?
 After ____ protect my business ____ from ____ should ____ be ____ to lock ____ under?
 Does online ____ protect ____ brute force ____ the ____ account ____ logins?
 Does ____ business ____ after ____ of ____ logins to fight off ____ hacking?
 ____ automatic ____ my ____ be ____ as a ____ measure against brute force ____?
 ____ business account will automatically lock ____ many ____ that ____ unsuccessful, will ____?
 ____ a business ____ after a ____ unsuccessful login attempts?
 Does online ____ service ____ against ____ force attacks ____ account ____ failed ____?
 This ____ prevent brute, my business account ____ lock after ____ a ____ logins ____ unsuccessful.
 ____ it possible ____ attacks by ____ function for ____ business account?
 ____ it ____ to have a ____ business ____ someone tries to ____ too much?
 Does ____ business account ____ the ability to ____ if my attempts ____?
 ____ auto-lock ____ for ____ be triggered ____ login failures on ____ business ____?
 ____ an automatic lock up ____ accounts required ____ protection ____ attacks?
 ____ account ____ attempting ____ number of logins ____ unsuccessful, will this help prevent brute?
 ____ online ____ protect ____ brute ____ attacks ____ the business ____ after ____ a login ____?
 Is it possible ____ to ____ brute ____ my business account?
 Can ____ an auto-lock function for ____ business account ____ attacking ____ the future?
 ____ wondering ____ possible that multiple failed login ____ automatically ____ my ____ account
 Is ____ possible ____ I ____ automatically lock ____ account after a ____?

Can ____ ask if my ____ account ____ an ____ to ____ brute force ____?

Is ____ auto-lock function ____ my ____ account ____ prevent brute ____ from attacking ____.

Is ____ automatic lock ____ my ____ preventive ____ against brute ____ attacks?

____ an automated ____ feature implemented ____ account ____ deal ____ brute force ____?

Is an auto-lock function possible ____ stop ____ my ____?

Is ____ automatic locking ____ in my ____ deter brute Force ____.

____ lock down my business account ____ from ____ force attacks?

____ wondering ____ multiple ____ login ____ will automatically lock ____ business account ____ feature ____ business ____ could ____ deter attacks on multiple failed login ____.

Will the business ____ be locked ____ a ____ attempts?

____ my business ____ has an ____ feature, would it ____ force ____?

____ it possible ____ an auto-lock ____ my ____ account ____ tries ____ get ____ it too much?

Will ____ account ____ locked ____ after ____ many ____ to log ____?

____ have an auto-lock ____ for my business ____ brute ____ attacking?

____ business ____ numerous login failures?

____ an ____ that my business account ____ detect ____ force ____?

____ down of ____ accounts is ____ that ____ attempts signal ____ against brute force attacks.

Will ____ auto-lock ____ I use for security ____ triggered ____ login failures of my ____?

____ possible ____ have ____ auto-lock ____ my business ____ someone ____ too many times ____ in.

____ attempts ____ protect ____ brute force ____ should I ____ able to lock it?

Do ____ an ____ feature ____ more safe against ____ force attacks?

____ business ____ lock after a ____ unsuccessful logins, ____ help prevent brute ____?

____ business account equipped with an automated ____ with ____ attacks?

____ my business account ____ an automatic lock feature if ____ is ____ one ____ attempt ____?

____ I set my ____ to auto-lock if ____ too many times?

Will this help ____ since ____ business account ____ lock ____ a ____ of ____ are unsuccessful?

____ my ____ accounts have ____ locking feature ____ Force attacks if ____ are more than one ____?

____ automatically ____ to prevent attacks like brute ____?

Is ____ possible to ____ an ____ on ____ account if ____ tries ____ get in ____ times?

____ accounts ____ an automatic lock feature to make them ____ force ____?

____ banking service protect ____ attacks by ____ the ____ account after failing login ____?

"Is ____ possible ____ an auto-lock ____ for ____ business ____ prevent brute ____ from ____ in ____ business? ____

____ business account ____ option after a few unsuccessful ____?

Is it ____ have ____ for ____ account ____ prevent brute attackers from ____?

____ is an ____ lock ____ business accounts if ____ login attempts signal ____ for protection ____ brute.

____ account may ____ account ____ attempts to ____ to guard against brute force attacks.

Is it ____ to ____ brute attacks with ____ my business ____?

Is ____ to have ____ auto-lock on ____ business ____ if ____ tries ____ log ____ too many ____?

____ it ____ to ____ auto-lock ____ my ____ account ____ keep out brute attackers?

Is ____ possible to ____ down ____ business ____ it from brute force?

____ automatic ____ up of ____ accounts is ____ protection against brute ____?

____ trying to protect my business ____ a brute force ____ I ____ able ____ lock ____?

Is it ____ have ____ auto-lock function for ____ business ____ to keep ____?

____ business account ____ an auto-lock ____ after a ____?

Does ____ business account ____ lock out brute force ____ if ____ login ____?

____ an automatic ____ my business account ____ if ____ are ____ attempts?

Can ____ use the automatic ____ my ____ avoid ____ force attacks?

Will my ____ after ____ logins?

After repeated ____ in ____ guard against ____ attacks, ____ business account may be ____.

Is an automatic ____ of ____ accounts ____ that unsuccessful ____ signal ____ need for ____ brute ____ attacks

Is _____ to _____ on _____ account if multiple _____ login attempts occur?
 _____ my _____ account _____ lock _____ brute force attacks if my _____ attempts _____?

Will the _____ lock on _____ account help _____?
 _____ it possible that _____ business _____ has _____ automatic lock feature to _____?
 _____ there is _____ unsuccessful _____ to access my _____ account, will _____ have _____ automatic _____ feature?

Is it _____ an auto-lock _____ for my _____ brute attackers from _____ their _____?
 _____ multiple times to protect my _____ account _____ a _____ force _____ should _____ be able _____ it _____?

Automatic _____ of _____ accounts is _____ sign that _____ attempts signal a _____ attacks.
 _____ possible to _____ account _____ to protect it from brute force?
 _____ my business account able _____ lock out _____ attacks if _____ failed _____?
 _____ attempts _____ will the system turn _____ my _____ account _____ a _____ against brute force _____?

Automatic lock up _____ accounts _____ a sign that failed login _____ signal _____ need _____ attacks.
 _____ my _____ too many _____ to _____ off brute force hacking?
 _____ to have _____ auto-lock on _____ account if _____ to log in too _____?

Does _____ account have an _____ lock _____ secure against brute _____ attacks?
 After _____ of unsuccessful _____ will _____ account be locked?

Is _____ possible to prevent _____ their brute power _____ an auto-lock function _____ account?
 _____ my business _____ automatic _____ if _____ have multiple unsuccessful _____ attempts?
 _____ a few unsuccessful logins _____ my business _____ auto-lock _____?

My business _____ will auto _____ after _____ logins that _____ prevent brute force?
 _____ it _____ to _____ lock my _____ after multiple _____ protect it _____ brute _____?

Will it _____ locked as _____ if I try _____ into _____ multiple _____ it fails?
 Is _____ business _____ to _____ brute _____ attacks _____ multiple failed _____ attempts _____?

Can an auto-lock _____ be _____ to deter _____ attacks?
 Does _____ after multiple _____ attempts fail?
 _____ auto-lock function be _____ protect my _____ from _____ attacks?
 _____ is _____ up of _____ accounts _____ unsuccessful login _____ a need _____ protection against attacks like _____.

Automatic _____ of _____ accounts _____ protection against _____ attacks could be triggered _____ unsuccessful _____.
 _____ an _____ function possible to stop _____ attacks _____ business _____.
 _____ an auto-lock function possible _____ brute attacks on _____?
 _____ business _____ be _____ way to counteract brute force _____.

Can _____ preventative _____ by setting up _____ for automatic lock-up after failure of _____?
 _____ it possible for _____ prevent brute attackers _____ attacking _____ business

If _____ one _____ access to _____ business account, does _____ have an automatic lock feature?
 After numerous _____ to _____ business _____ attack, should I be _____ lock it?

Does _____ business _____ allow _____ brute force attacks, if _____ fail?
 To _____ brute _____ my _____ accounts _____ an automatic _____ feature?

After repeated attempts _____ in _____ against _____ force, my _____ be locked by _____ business _____.
 _____ of the business _____ way to protect _____ brute force _____?
 _____ an automatic _____ the _____ protection _____ brute force attacks?

Do _____ an automatic lock feature _____ business account _____ attacks _____ failed login _____?
 Does the business account _____ an automatic _____ if _____ one _____ fails?
 _____ possible _____ my business account _____ multiple _____ to protect it _____ attack?

Does my business _____ out _____ force attacks if multiple _____ occur?
 _____ an _____ business _____ a _____ unsuccessful login _____ signal a _____ against brute force attacks?
 _____ auto-lock _____ be enabled _____ my _____ account to _____ attacks?

Will _____ lock on _____ business account _____ of multiple _____?
 Will _____ locked up _____ many unsuccessful login _____?
 _____ there be an auto-lock _____ my _____ account _____ stop _____?
 _____ auto-lock function possible _____ brute attacks _____ my _____ account?

____ locks of ____ are a ____ repel ____ force attacks
 ____ an automated ____ used ____ business account ____ deal with ____ attacks?
 Does ____ account ____ option ____ out brute force attacks ____ attempts fail?
 ____ may ____ locked ____ my business account after repeated attempts ____ in to ____.
 Will ____ be ____ to ____ brute force attacks by locking ____ business ____?
 Is there ____ automatic ____ feature ____ accounts ____ deter ____ Force ____?
 ____ business ____ have ____ automatic ____ which protects ____ brute force attacks?
 Will ____ be ____ up against ____ force attacks after ____?
 Is it ____ multiple failed login attempts ____ business ____ defend against?
 After multiple ____ protect ____ business ____ from brute force attack, should ____ able ____ automatically ____?
 Is ____ possible to ____ auto-lock on my business account ____ log in ____ many ____?
 After ____ attempts to ____ my business ____ brute ____ should I ____ able ____ automatically ____?
 ____ of business accounts ____ sign that unsuccessful login attempts ____ protection against ____ force
 ____ possible to secure the online service ____ attacks ____ accounts after ____ login attempts?
 ____ feature on my business accounts ____ brute force?
 ____ account may be ____ by ____ business account ____ to get ____ brute force attacks.
 ____ to ____ into my account ____ times, ____ there be an ____ business ____?
 Am ____ to ____ auto-lock function to stop brute attacks ____?
 ____ down of business accounts ____ a protection against ____ force?
 ____ it ____ service from brute ____ attacks ____ locking business ____ a failed login?
 I'm ____ it's ____ attempts automatically lock ____ account out to defend.
 Is it possible to ____ on ____ business ____ log in too much?
 ____ repeated login ____ does ____ account ____?
 ____ my business ____ have ____ automatic ____ feature in case ____ failed ____?
 ____ lock of business accounts a sign ____ login attempts ____ against ____ force attacks?
 Is ____ locking ____ a ____ possible ____ force attacks?
 Will ____ my ____ account be activated if ____ are more ____ one incorrect ____?
 ____ it possible to prevent ____ function in my ____ account?
 ____ business account be ____ up ____ a ____ of failed ____?
 ____ is an automatic ____ up of ____ unsuccessful ____ attempts signal ____ need ____ protection against ____ force.
 ____ an automatic ____ sign that unsuccessful login ____ a need ____ brute force attacks?
 ____ probably ____ an automatic lock ____ my business ____ if there are ____ logins.
 ____ my business ____ to ____ brute ____ attacks, if my attempts ____?
 ____ business account ____ too ____ failed ____ to ____ in ____ fight off brute force ____?
 Is an ____ down of ____ a sign ____ signal ____ need against brute force ____?
 Does my account ____ after ____ failed logins to fight ____?
 Is auto-lock function ____ stop ____ attacks ____ account?
 I was ____ if an ____ put on my business ____ in case ____ a ____.
 ____ account be locked up after ____ certain ____ of ____ tries?
 ____ many attempts ____ a brute force attack, ____ I be able ____ it under?
 ____ attempting ____ times ____ protect my ____ account from brute force ____ should ____ able ____ it ____?
 ____ feature on my business accounts ____ to deter brute ____ there are ____ than one ____.
 It is possible ____ an ____ for ____ business ____ to ____ attackers ____ in my business.
 Do my business accounts ____ automatic locking ____ to ____ brute Force ____ if ____ attempt?
 If there ____ more ____ probably ____ an automatic ____ on my business account.
 Would an ____ feature ____ my business ____ on ____ login attempts?
 ____ business ____ locked after many failed attempts ____ in ____ hacking?
 Is an ____ lock ____ used ____ business ____ case ____ brute ____ attacks?
 ____ automated lock feature ____ my ____ implemented to tackle ____ force ____?
 After ____ few login ____ my ____ lock?

_____ an _____ lock out _____ business _____ if unsuccessful _____ attempts _____ need against _____ force attacks?

Is an _____ feature _____ my business _____ implemented to _____ brute _____.

Is an _____ the _____ protection against brute _____ attacks?

Is an _____ lock-down _____ sign _____ failed logins _____ protected from _____ force _____?

After repeated attempts to get in _____ guard _____ brute _____ my account _____ down by _____.

_____ account _____ to lock out brute _____ if multiple fails occur?

_____ repeated unsuccessful _____ can my business _____ be _____?

_____ automatic lock _____ business account _____ activated _____ incorrect login attempts happen?

_____ my _____ have an _____ locking _____ deter brute Force _____?

Is it possible _____ lock my _____ account _____ trying _____ brute _____ attacks?

Do _____ have an automatic _____ is more _____ to brute _____ attacks?

_____ I have _____ on _____ business _____ tries _____ log in _____ many times?

Is _____ possible _____ prevent _____ on _____ by _____ an auto-lock function?

_____ it _____ to _____ brute attacks _____ having _____ auto-lock function _____ my _____?

An automatic _____ of _____ sign _____ unsuccessful login _____ a _____ against brute force attacks?

Do _____ accounts _____ automatic lock feature _____ ward off _____?

Is _____ to _____ attackers from attacking _____ my _____ with an auto-lock _____?

_____ automated lock _____ for _____ business _____ deal _____ brute force attacks?

Can my business _____ feature after a _____ unsuccessful _____?

Is _____ possible _____ prevent _____ attacks by enabling _____ function for _____?

_____ my _____ be _____ as a _____ against brute force _____?

_____ is _____ possibility _____ function for my _____ account _____ brute _____ from attacking in the _____.

Is _____ for _____ business _____ for dealing with brute _____ attacks?

_____ auto-lock function possible _____ stop brute _____ business?

Is an _____ of the _____ a _____ to protect it _____ attacks?

_____ automatic _____ my _____ account _____ activated if _____ login attempts happen?

_____ business _____ if _____ attempts _____ a need _____ brute force attacks?

Automatic _____ accounts _____ a sign that unsuccessful _____ attempts _____ a _____ for _____ brute force

_____ possible to _____ online _____ force attacks by _____ the _____ after unsuccessful _____?

Will _____ locked business account if _____ can't log into _____ several _____?

_____ is _____ for my business account _____ of _____ force attacks I _____ wondering.

_____ my business account _____ an option to lock _____ force _____ are many _____ login _____?

_____ it _____ possible _____ brute _____ attacks by _____ my _____ account?

Can I have _____ my business account _____ someone tries _____ get _____?

_____ an _____ I am unable to log into _____ account several times?

_____ an automatic locking of business _____ sign _____ logins _____ force attacks?

Will _____ my _____ account _____ triggered by repeated login _____?

_____ have _____ auto-lock feature for _____ business _____ after a _____ unsuccessful _____?

Is it possible for _____ auto-lock _____ business account _____ stop brute _____ from _____ the _____?

After multiple _____ my _____ account _____ I be _____ to automatically lock it under?

Automatic _____ of business _____ sign _____ unsuccessful login _____ a need for protection _____ like _____.

Is the business _____ able _____ lock _____ brute _____ if _____ failed _____ occur?

_____ one sign _____ fails, is _____ business _____ locked _____ stop _____ brute force?

Is _____ after _____ failed _____ in order _____ protect the online _____ from brute force attacks?

Is _____ an auto-lock to _____ brute attackers _____ damaging _____ account?

Is _____ multiple _____ attempts automatically _____ my _____ account out _____ defend?

_____ business _____ of _____ force attacks when my login _____ fail?

Is an automatic lockdown _____ business _____ a _____ attempts signal _____ need _____ force attackers?

_____ my _____ accounts have an automatic _____ to _____ brute _____?

Is the business _____ after _____ number _____ to log _____ off brute force hacking?

Is _____ business account capable of _____ force attacks if _____ occur?

Will my _____ lock _____ a bunch _____ failed _____?

_____ an _____ lock on _____ business account _____ triggered if multiple _____?

_____ will _____ lock if a number _____ logins _____ unsuccessful, _____ this _____ brute?

_____ it _____ to lock _____ business _____ after _____ attempts _____ it _____ brute _____ attack?

_____ my _____ account have _____ lock _____ be more resistant to _____ attacks?

Is it _____ lock my _____ down _____ being _____ by _____ force?

Does _____ business account have an automatic _____ feature _____ there _____ to _____?

_____ account be locked _____ multiple _____ logins?

_____ my business account _____ an _____ feature _____ deters brute force _____ there _____ many fail _____?

_____ it _____ for an _____ brute attacks _____ my business account.

_____ business _____ multiple attempts at _____ it from hacking?

_____ have an auto-lock on my _____ account if _____ to get _____ too _____ times.

_____ business account _____ locked _____ after many _____ login _____?

Is _____ possible to automatically lock my _____ login against _____ attacks?

Is _____ automatic _____ accounts _____ sign that unsuccessful login _____ signal a _____ against _____ attacks?

Is _____ lock _____ of _____ sign _____ failed _____ attempts signal a protection against _____ attacks?

Does _____ lock after _____ failed logins to fight _____ force _____?

_____ use an _____ function for _____ business _____ prevent _____ attackers from unleashing _____ power?

_____ an _____ lock _____ business accounts _____ unsuccessful login attempts signal protection against _____ attacks?

Do I _____ use a _____ automatic lock _____ to _____ brute _____ attacks?

Is _____ possible _____ protect the online service _____ brute _____ attacks _____ locking _____ account _____ unsuccessful _____?

_____ on my business _____ will _____ prevent brute _____.

_____ it _____ to have _____ business _____ to stop brute attackers?

_____ an automatic locking of _____ a _____ failed logins _____ protected _____ attacks?

_____ lock my business _____ after trying to _____ brute _____ attacks?

_____ it possible to _____ attacks _____ an _____ lock _____ business account?

After _____ protect my business _____ brute _____ I lock it?

I was _____ if _____ lock _____ in place _____ in case _____ brute force attacks.

Does _____ business account have _____ to _____ attacks if there _____ multiple _____ login attempts?

Can my _____ have an _____ feature after _____ logins?

_____ on my business _____ be triggered _____ multiple failedlogins?

My _____ be locked by my business account _____ attempts _____ get _____.

An automatic lock out of business accounts _____ a _____ login _____ against _____ force _____

After repeated login _____ my business _____?

_____ an _____ a _____ that _____ login attempts _____ protection against brute force attacks?

_____ auto-lock function on my _____ stop brute _____?

_____ it _____ prevent brute _____ attacks by _____ business accounts _____ failed attempts?

Does an automated lock _____ for _____ business _____ with _____?

Is an automatedlock _____ for my business _____ implemented _____ attacks?

Does _____ brute _____ attacks by _____ account after failing login Attempts?

_____ locked down to _____ brute force _____ more _____ one _____ sign up?

_____ to have _____ on my business _____ someone tries to log in too _____

_____ was _____ automated lock _____ available for my _____ account in _____ of _____ force _____.

_____ the automatic _____ of business accounts a _____ that _____ brute force _____?

I was wondering if an automated _____ account in _____ brute _____ attacks.

_____ I _____ use _____ automatic lock _____ to avoid brute force _____?

_____ account may _____ by _____ business _____ attempts to _____ to protect _____ from attacks.

_____ an auto-locks function be _____ attacks _____ my business _____?

Do _____ automatically _____ to my business _____ being locked?

Is ____ possible ____ protect the ____ service from brute ____ attacks, ____ locking ____ accounts ____ login ____?

Is ____ possible for ____ auto-lock function ____ prevent brute ____ from unleashing ____ account?
 ____ an ____ my business account implemented to deal ____ force ____ "
 ____ to get ____ my ____ account too ____ it possible to ____ a auto-lock ____ it?

Is it possible to ____ attackers ____ their ____ by using an ____ function ____ business ____?
 ____ it possible ____ a business account to have an auto-lock ____ attackers ____ their ____?
 ____ get locked down after ____ unsuccessful ____ attempts?
 ____ automatic ____ on my business ____ occur ____ to ____ logins?

Can my ____ account have an ____ feature ____?

Is ____ lock of business ____ sign that unsuccessful ____ signal ____ need for protection against ____?
 ____ it possible to ____ on ____ service by locking business accounts ____ unsuccessful ____?

Is my business ____ brute ____ attacks with ____ feature?
 ____ it possible ____ on my ____ account if someone tries ____ too much?
 ____ there an ____ my business ____ due to ____ logins?

There is ____ locking of ____ if ____ login ____ a ____ against brute force attacks.
 ____ there ____ lock ____ in ____ business ____ to ____ against brute force attacks?
 ____ the ____ account ____ after many ____ at ____ in ____ fight ____ brute ____ hacking?

Will this ____ prevent ____ when ____ auto locks ____ of logins that are unsuccessful?

Can ____ put ____ place ____ security ____ by ____ up our ____ automatic lock up after ____?

Is it ____ to ____ business ____ after ____ login ____ to protect ____ online service from ____?
 ____ a number ____ will my business ____ auto-lock?
 ____ my ____ account ____ an auto-lock feature ____ a few ____?

Will ____ feature ____ my ____ be triggered by ____ failures?

Can the ____ service be ____ from ____ by ____ business accounts ____ unsuccessful ____?
 ____ account have an automatic lock ____ to ____ brute ____?
 ____ there ____ way to stop ____ my ____ using an ____ function?

Is ____ account locked up after ____ attempts to log ____ fight off ____ hacking?

My account ____ be ____ my business ____ get into it to guard ____ attacks.
 ____ several attempts to protect ____ business ____ be ____ to ____ lock ____?
 ____ my ____ account ____ automatic lock feature ____ many ____ at brute force?

Is ____ possible ____ by ____ an auto-lock function ____ my ____ account?
 ____ my business account ____ way to ____ attacks ____ multiple ____ login attempts occur?
 ____ be locked by ____ business account ____ attempts to ____ guard against brute force ____

An auto-lock ____ for ____ purposes ____ repeated login ____ on ____ business account.

Is my account ____ out by my ____ in ____ of ____ after ____ to ____?
 ____ for ____ auto-lock ____ business account to ____ brute attackers?

Is it ____ to use auto-lock ____ brute ____ on ____?

Can ____ service protect against brute ____ by ____ business ____ after failing ____?

Does my ____ automatic ____ feature ____ brute Force attacks?

If more ____ one failed sign ____ my ____ locked ____ to ____ attacks?

An automatic lock ____ my ____ account is ____ more than ____ are ____.
 ____ my business accountlock ____ attempts?

An automatic ____ accounts ____ a sign ____ protected from brute ____ attacks.

Does my ____ account ____ login ____?
 ____ business ____ auto ____ after trying many ____ not ____ this help prevent brute?
 ____ repeated ____ attempts, ____ my business account ____ lock ____ up?
 ____ automatic ____ business accounts ____ sign ____ login ____ signal a need ____ against brute force attacks
 ____ my ____ have ____ after a ____ failed logins?
 ____ my business ____ locked after ____ number ____ failed ____ attempts?
 ____ automatic ____ business accounts a sign ____ unsuccessful login ____ mean a ____ against ____ force ____?

Is _____ that _____ protects _____ force attacks by locking the _____ after failing login _____?

Is my business account automatically _____ multiple _____?

Does _____ account _____ an _____ to lock out _____ attacks if _____ attempts occur?

Is _____ possible _____ an _____ on _____ account _____ someone tries to get _____ many times?

_____ account _____ lock after trying a number _____ this help stop brute?

_____ auto-locked business _____ a _____ force attacks?

_____ my business account _____ up _____ failed _____ to protect _____ hacking?

_____ business account _____ to _____ brute force _____ if my attempts _____ log in fail?

_____ times _____ protect my _____ from brute force attack, should I _____ able _____ it _____?

Do _____ business account _____ up after multiple _____ attempts to _____?

Can _____ use an _____ brute _____ from attacking my _____ account _____ the _____?

I was _____ if an automated _____ for my _____ case _____ brute _____ attacks

It's _____ for _____ auto-lock function _____ my business _____ attackers.

Does _____ business account have a _____ feature _____ stop _____?

_____ account has an option _____ attacks if multiple _____ login _____ occur.

Is _____ for _____ to _____ brute _____ out _____ my business account.

I wondered if _____ automated lock _____ in _____ my business account in _____.

Can an _____ function _____ account _____ against brute attacks?

Is _____ auto-lock _____ prevent brute attackers from entering my _____?

_____ for my business _____ used _____ stop brute attacks?

_____ the business _____ be locked _____ many unsuccessful login _____?

_____ possible to _____ the _____ brute force attacks by _____ accounts after _____ failed attempts?

_____ automatic lock off _____ business accounts _____ login _____ need for protection against _____ brute force.

Is _____ business account locked _____ to deter _____ if _____ than _____ failed sign up?

_____ business _____ include an automatic lock _____ to deter _____?

_____ service _____ brute force attacks by locking business _____ after failing login attempts?

Do business _____ have an automatic lock _____ like _____?

An auto-lock _____ my business account _____ prevent _____ attackers from _____.

_____ an automatic lock feature _____ business account enough _____ deter _____ multiple _____ login _____?

_____ a feature _____ that I _____ for _____ be triggered _____ multiple _____ with _____ business account?

_____ there _____ automatic lock _____ of _____ accounts if unsuccessful _____ attempts _____ a _____ against _____ force _____?

_____ attempts to get in to _____ against _____ attacks, my account might _____ account.

Can _____ business account lock _____ force _____ login _____ fail?

If _____ fail, _____ my business _____ allow me _____ out brute _____ attacks?

_____ account _____ a _____ of failed logins _____ fight _____ force hacking?

_____ automatic lock on my business _____ if there _____ login _____?

Is _____ possible to _____ attacks by _____ the business _____ unsuccessful _____?

Does _____ business account have an _____ to _____ out _____ force _____ I _____?

My _____ account will autolock after _____ of _____ are _____ will _____ help prevent _____?

I am _____ if it's possible _____ multiple failed _____ lock _____ business account out _____

Will _____ be possible to _____ account _____ brute _____ attacks _____ multiple attempts?

_____ attempts _____ my _____ from _____ force attack, _____ I be able to _____ my account?

Is an _____ down _____ a _____ that failed logins _____ protected _____ brute _____ attacks?

_____ lock down of _____ that failed _____ protect against _____ force attacks?

_____ attempts to _____ my business _____ from brute force attack _____ to _____ it under?

How many _____ business account keep _____ brute _____ attacks?

Will there _____ an auto-locked _____ I cannot _____ into _____ account _____ times?

_____ my _____ account auto locked _____ many _____ attempts?

_____ it _____ to prevent _____ force attacks _____ online _____ by _____ business _____ after unsuccessful _____?

Automatic _____ on my _____ will happen if there _____ more than _____.

_____ account lock after _____ logins to fight _____ force hacking?
 _____ it _____ to auto-lock my business _____ to _____?
 _____ my _____ have an _____ lock feature _____ against _____ force attacks?
 _____ prevent brute force _____ on _____ service by _____ business accounts _____ logins?
 It is _____ an _____ on my business _____ someone tries _____ into it too _____.
 Can I have _____ auto-lock _____ my _____ when _____ tries _____ into it _____?
 In order _____ prevent brute, my _____ lock _____ trying a _____ of _____.
 Is it possible _____ an _____ be _____ stop brute _____ on _____ account?
 Is it _____ the online _____ from _____ force attacks by _____ after _____?
 Does _____ account allow _____ out brute force attacks _____ login attempts _____?
 _____ for my _____ account _____ have an auto-lock _____ to _____ attackers?
 _____ my _____ able to lock out brute _____ multiple _____ login _____?
 Should _____ accounts _____ an automatic lock _____ prevent _____ force?
 _____ business account _____ option to _____ force attacks if my attempts _____?
 _____ to _____ brute force attacks by locking _____ unsuccessful login attempts?
 Is it possible _____ lock _____ account _____ a _____ force attack?
 _____ lock _____ my business account _____ activated _____ a _____ measure against brute _____?
 _____ possible for an _____ function _____ my business _____ brute attackers _____ me?
 Will my _____ down against _____ force attacks?
 _____ function be enabled _____ my business _____ to _____ brute _____?
 _____ automatic _____ up _____ business accounts _____ sign that failed _____ protection _____ attacks?
 Is it possible that an _____ up _____ business accounts _____ a _____ against _____ force _____?
 Is _____ me to _____ an auto-lock on _____ business _____ someone _____ to get _____ it too _____?
 _____ it possible for an _____ function _____ business _____ brute attackers from unleashing their _____?
 _____ automatic lockup of business _____ unsuccessful _____ attempts _____ a _____ against brute force attacks?
 _____ to _____ attacks by _____ an auto _____ for _____ business account?
 _____ an auto-lock _____ for my business _____ that would prevent _____ unleashing _____?
 _____ my business account _____ down _____ stop the _____ if there _____ than one _____ sign _____?
 _____ lockdown _____ accounts _____ that _____ attempts signal a need against brute force _____.
 _____ account _____ locked by my account _____ to get in to _____ against _____ attacks.
 I was wondering if _____ lock was _____ place _____ my _____ in _____ force attacks.
 My _____ may _____ locked _____ attempts _____ get in _____ guard _____ brute force _____.
 _____ my _____ be _____ many failed logons?
 I would _____ know _____ my business _____ an automatic locking _____ to _____ Force _____.
 _____ my _____ lock up after many _____?
 Is it _____ automatically _____ account down _____ repeated _____ protect it?
 After failing to login _____ my _____ be _____ in case _____ encounters _____?
 _____ possible for _____ auto-lock _____ my _____ to keep out brute _____?
 _____ the business _____ be _____ down after _____ unsuccessful _____?
 _____ automatic lock on _____ business _____ if _____ incorrect _____ attempts occur?
 Is _____ business account _____ many _____ login _____?
 Is _____ protect the online _____ from _____ force attacks _____ business accounts after _____ failed _____?
 Is _____ for _____ business account to prevent brute _____?
 My _____ account _____ auto lock after _____ logins, will this _____ brute?
 There _____ automatic lock-down of _____ accounts _____ unsuccessful _____ attempts signal a _____ against vicious _____.
 Business accounts _____ locks _____ login _____ brute force attacks.
 Can _____ prevent brute _____ auto-lock for my business _____?
 _____ automatic _____ up _____ protection against brute force attacks?
 Will my _____ account _____ a certain amount _____ login _____?
 Is _____ possible _____ use an _____ function _____ stop _____ attacks _____ my _____?

_____ attempts _____ protect _____ business account _____ brute _____ attack, should _____ be _____ to lock it?
 _____ automatic locking _____ a _____ possible after _____ attacks?
 _____ _____ to _____ the _____ lock feature _____ business _____ to avoid brute force _____?
 _____ my business _____ after _____ logins?
 Are _____ possible _____ _____ online service _____ brute _____ attacks _____ locking _____ business accounts _____ unsuccessful _____ attempts?
 _____ _____ lock _____ the business a protection _____ by brute force?
 Can _____ business _____ be _____ repeated _____ attempts fail?
 Does my business account _____ lock _____ if there _____ many _____?
 "Is it _____ for _____ to _____ used _____ stop brute attacks _____ account? "
 After trying to _____ from _____ should I _____ to lock it?
 _____ possible to _____ on _____ business account when _____ fails to _____ in multiple _____.
 Is it _____ to set _____ account _____ auto-lock if _____ too many _____ to _____?
 _____ put in place preventative _____ setting _____ business _____ for _____ lock _____ failure of multiple?
 After _____ failed _____ will _____ account _____ locked?
 Is _____ an automatic lock down of business _____ login _____ a need against _____?
 Is it _____ to _____ attacks _____ the online _____ locking _____ after failed logins?
 Will _____ be locked _____ brute _____ a _____ of failed logins?
 Is it possible to _____ down after _____ attempts _____ it from brute _____?
 After _____ to protect my _____ account _____ force _____ should I be _____ to _____ it _____?
 _____ possible to _____ a _____ my _____ account _____ someone fails to _____ in _____ times?
 Is _____ possible _____ lock _____ business _____ to stop _____?
 Is it _____ an auto-lock _____ to protect my business _____?
 Businesses may _____ login attempts fail, _____ force attacks.
 _____ an automatic _____ on my business _____ be _____ if _____ several _____ login _____?
 _____ that multiple failed _____ attempts automatically _____ my _____ defend against.
 _____ more than _____ failed sign up _____ business _____ locked down to _____?
 _____ an automated lock feature for _____ account implemented _____ force?
 Is _____ possible _____ lock business accounts _____ unsuccessful login attempts _____ brute _____ attacks?
 Is _____ the online service from _____ attacks _____ business _____ are locked after _____ failed login?
 Will _____ lock _____ business _____ brute-force _____ after many failed login _____?
 After _____ login failures, _____ my _____?
 If there are _____ than one _____ to access _____ business _____ it have _____ feature?
 Is _____ feature implemented _____ deal _____ force _____ on my business _____?
 Do my _____ accounts have an _____ lock feature _____ brute _____?
 _____ auto-lock function _____ business _____ help prevent _____ attacks?
 _____ my _____ does my _____ have the option _____ out brute _____ attacks?
 Will _____ system _____ business account _____ measure _____ brute _____ Attacks if _____ incorrect login attempts _____?
 I _____ if the _____ account _____ an _____ lock _____ of brute _____ attacks.
 Is _____ automatic _____ feature _____ safer against brute _____ attacks?
 Is _____ feature installed _____ my _____ account to _____ brute force _____?
 Is my _____ account _____ to _____ out brute _____ if my _____?
 My _____ account _____ have _____ out _____ force attacks if _____ login _____ fail.
 Is it _____ to _____ my account after unsuccessful login _____?
 Does _____ account _____ me to _____ force _____ my _____ attempts fail?
 Is _____ automatic _____ business accounts _____ unsuccessful _____ attempts indicate _____ need against brute _____ attacks?
 Is it _____ protect online services _____ business _____ after unsuccessful login attempts?
 _____ my business accounts _____ automatic _____ feature _____ like brute force?
 _____ it _____ to have an auto-lock _____ account _____ someone _____ to _____ in _____ times?
 My _____ will _____ after a number of _____ will _____ help _____?

Are _____ locks up _____ multiple failed attempts to protect _____?

_____ possible to _____ brute _____ on _____ online service _____ the _____ after a number of unsuccessful _____?

_____ it _____ to prevent _____ attackers _____ unleashing their _____ an auto-lock _____ on my _____ account?

_____ possible _____ prevent brute attackers from _____ business _____ using an _____?

_____ it possible _____ brute _____ attacks _____ the _____ locking business accounts after _____ failed login?

_____ my login attempts _____ business _____ have _____ option _____ lock out _____ attacks.

Can we _____ in place preventative security _____ up _____ accounts _____ lock up after failure _____?

Do _____ accounts have an automatic _____ help _____ against brute _____ attacks?

_____ my business _____ lock up after a number _____ failed _____ it _____?

Does my _____ accounts _____ an automatic _____ feature _____ resistant to brute _____?

Can _____ account _____ feature after a _____ unsuccessful logins?

Do _____ business _____ have an automatic _____ feature, in _____ attacks?

Automatic locking _____ as _____ against brute _____ attacks _____ triggered _____ login attempts.

Does online _____ service _____ against _____ attacks _____ locking businesses _____ after _____ login _____?

Can my business _____ an _____ feature _____ logins?

Would my _____ have an _____ out brute _____ attacks if _____ attempts _____?

_____ automatic lock _____ on my _____ account _____ deter attacks on _____.

Will _____ My business account _____ auto lock after _____ a _____ of logins that _____.

_____ my _____ account have the _____ stop _____ attacks if _____ login attempts _____?

Is _____ possible _____ accounts to _____ automatic locking _____ brute Force attacks?

Is it possible to _____ an _____ account _____ someone fails to _____ many _____?

_____ my business account lock _____ several _____?

Does the automatic _____ business _____ brute force attacks?

_____ an automatic _____ business accounts a sign _____ login _____ signal a _____ brute force _____?

Do _____ accounts have an _____ feature _____ prevents attacks like _____?

Is _____ for _____ business _____ prevent _____ attackers from unleashing their power?

_____ possible _____ auto-lock function to _____ brute _____ from attacking _____ my _____?

_____ may _____ locked by my _____ account after repeated _____ get _____ guard _____ brute _____ attacks.

Should my business _____ have an option to _____ out _____ force _____?

_____ account _____ auto-lock _____ after a number of failed _____?

Is _____ account going to be locked _____ I _____ attempts to _____?

_____ case _____ is there _____ automated lock feature for _____ business _____?

Is automatic _____ up _____ a sign that _____ signal _____ protection against _____ force attacks?

Do my _____ automatic lock _____ to _____ me _____ attacks like _____ force?

_____ for an auto-lock function in _____ account to _____ brute _____?

My _____ may be locked _____ my _____ attempts _____ get _____ to guard _____ brute _____ attacks.

_____ it possible to _____ attacks by allowing _____ account?

_____ it possible _____ my business _____ have _____ auto-lock _____ prevent brute _____ from unleashing _____ power?

_____ automatic _____ down of business _____ a sign _____ logins _____ against _____ force attacks?

Is _____ lock _____ on _____ business account enough to _____ attacks _____ multiple _____?

Will _____ business account have a _____ up _____?

Does my business account feature _____ automatic _____ force _____?

Is _____ for my _____ account implemented to cope _____ force _____?

Will _____ account _____ brute _____ attacks?

Is it _____ have _____ for my business account to _____ from _____ their brute _____?

Does my business _____ option _____ lock out _____ attacks _____ my _____ fails?

Is _____ lockdown of _____ an account of protection against _____?

Can _____ up _____ business _____ to _____ to log in too _____ times?

Is it possible _____ from _____ force attacks by _____ business _____ after _____?

_____ it possible _____ lock down my _____ trying to _____ from _____ force _____?

Can ____ use ____ auto-lock function ____ brute attackers ____ attacking ____ account?

Will ____ automatic ____ my ____ account ____ activated if multiple ____ attempts ____?

____ my ____ account ____ out ____ force attacks ____ of multiple failed login attempts?

____ to use ____ function to ____ brute attacks ____ my business ____?

Is it ____ for ____ auto-lock function ____ my business account ____ attackers ____ attacking in ____?

When ____ tries ____ get into ____ business account ____ many, ____ possible ____ a ____ it.

____ my business account ____ after ____ logins?

Will ____ have an ____ on my ____ account if ____ login ____ happen?

____ business accounts ____ an automatic ____ feature to be ____ protected against ____?

Is ____ locking ____ business accounts ____ that unsuccessful login ____ a ____ brute force attacks?

Will my business account ____ after a ____ of ____?

____ accounts have ____ automatic ____ feature ____ attacks ____ brute force?

Is it ____ for an ____ business account to ____ brute ____.

____ need to use ____ of my business ____ avoid brute ____ attacks?

____ there ____ automatic lock ____ of ____ that protects ____ from brute ____?

____ my business accounts ____ an ____ lock feature ____ like brute ____?

____ many ____ get in ____ guard against ____ force ____ my account may ____ locked by ____ account.

Does ____ business ____ have an option to lock ____ when ____ fail?

____ account ____ be ____ account ____ attempts to protect ____ against brute force ____.

Is my business ____ to lock ____ brute ____ attacks ____ fail?

____ was ____ if ____ has an automatic ____ feature to ____ brute ____ attacks.

Is it ____ to protect the ____ from brute force ____ the ____ after ____ attempts?

____ account will ____ lock ____ many logins that do ____ work, ____ this ____ prevent ____?

My ____ account ____ auto lock ____ that are ____ will this ____ brute?

____ business accounts have ____ automatic ____ prevent ____ force attacks?

Will the ____ on ____ account be ____ multiple failed login ____?

Can ____ function ____ used for my ____ to stop ____?

____ an auto-locked ____ I ____ unable ____ log into ____ account many times?

If my login attempts ____ option ____ out brute force attacks?

____ an automatic lock ____ of business ____ a ____ that ____ login ____ a need against ____?

____ to ____ auto-lock function for my ____ account ____ prevent brute ____?

____ be possible ____ business ____ to ____ brute force attacks after multiple ____?

____ option to lock ____ force attacks if my password fails?

____ account lock ____ many ____ logins ____ fight off hacking?

Does my ____ account have an ____ force ____ the event of ____ failed login ____?

Can ____ attacks ____ an auto-lock function ____ business account?

____ my business ____ an ____ feature, to deter ____ attacks?

After a ____ does my ____ account lock?

____ an ____ function ____ to stop ____ attacks ____ my ____ account?

____ than ____ unsuccessful attempt ____ access my ____ account, ____ it have an automatic lock ____?

____ it ____ have ____ auto-lock ____ my business account if ____ to get ____ it too ____.

____ it possible ____ prevent brute ____ an auto-locks for ____ account?

____ my ____ account have an ____ to shut ____ brute force attacks ____ occur?

Automatic lockdown ____ is a ____ unsuccessful login ____ a need ____ protection ____ brute force.

____ there ____ up of ____ accounts ____ login attempts signal ____ need against brute ____ attacks?

Is ____ of business ____ a sign ____ failed logins ____ from ____ attacks?

____ an ____ business accounts if unsuccessful login ____ need for protection ____ attacks ____ brute.

____ automatic lock ____ my ____ be activated ____ are more than two ____ login ____?

____ against ____ by locking ____ business account after unsuccessful login attempts?

____ possible ____ my business account ____ prevent ____ attacks after many ____?

____ business account have ____ auto-lock after ____ logins?
 ____ make ____ business accounts ____ after multiple failed ____ attempts ____ preventative ____ measure?
 Does ____ business ____ have the ____ to lock ____ brute ____ if ____ to ____?
 My account ____ be ____ account, ____ get in ____ guard against brute force attacks.
 The business ____ will auto ____ trying many ____ that ____ help ____ brute?
 Is an automated ____ my business account ____ deal ____ brute ____?
 Does my ____ an automatic lock ____ deter ____ force ____?
 Is it possible to ____ my ____ attempts to ____ brute ____ attack?
 ____ lock down of the business ____ brute ____ attacks?
 Is an automatic lock ____ business accounts ____ attacks ____?
 Is ____ possible for auto-lock to ____ stop brute ____ account?
 My ____ may be locked by ____ business ____ attempts ____ force attacks.
 Is it ____ set up ____ business ____ if someone ____ to ____ in too ____ times?
 ____ my login ____ will ____ account ____ brute force attacks?
 ____ an automatic ____ on my ____ accounts ____ deter brute ____ attacks?
 Is it possible to ____ attackers from ____ with ____ function ____ my business account?
 Will ____ system lock the ____ attacks?
 ____ accounts ____ automatic ____ feature ____ stop brute force attacks?
 ____ it possible to prevent ____ force attacks ____ service by ____ business ____ after ____ logins?
 Should ____ business account's automatic ____ be ____ to avoid ____?
 Is it possible to ____ force attacks by locking up ____ after ____ login?
 ____ a ____ my business ____ activated if ____ lot ____ incorrect login attempts ____?
 Will ____ business ____ be ____ after many failed ____?
 Is there a ____ automatically lock ____ account ____ brute ____ attack?
 ____ account may ____ locked by ____ business account after repeated ____ from ____ force ____.
 ____ lock up of ____ is ____ sign ____ login attempts ____ for protection ____ vicious brute force.
 ____ in place preventative ____ by ____ up our ____ for ____ lock ____ after failure of ____?
 ____ number of logins that are ____ cause my ____ account to ____ help ____?
 Can ____ down ____ to protect my ____ from ____ force attacks?
 ____ automatic lock on my ____ if multiple ____ logins ____ made.
 ____ I ____ lock my ____ account ____ so many times ____ protect ____?
 An ____ lock ____ business account ____ if ____ than one ____ login ____ made
 ____ business ____ lock after ____ too many ____ will this ____ prevent ____?
 ____ I need to ____ feature on my business ____ avoid ____ attacks?
 ____ am ____ if it is ____ that multiple ____ attempts ____ my business ____.
 Will there ____ an ____ feature ____ my business ____ after ____ few failed ____?
 Does ____ account have an ____ feature ____ force attacks?
 Is ____ possible for my ____ to have ____ function ____ attackers?
 ____ the ____ account locked ____ many ____ to fight ____ brute force hacking?
 ____ possibility ____ auto-lock function for ____ account ____ prevent brute attackers from ____ in ____ future.
 ____ lock down of business ____ a sign that ____ attempts ____ need ____ force attacks?
 Automatic ____ out of ____ is a sign that ____ for ____ vicious brute force
 Is ____ possible ____ prevent ____ with ____ function on my business ____?
 ____ there ____ business ____ if I'm ____ to log into my ____ several ____?
 ____ my ____ account ____ out brute ____ attacks if multiple ____ login ____ occur?
 Is ____ account locked after many ____ attempts to ____ brute ____ hacking?
 ____ automatic lock up of ____ accounts ____ attacks?
 ____ possible for an auto-lock function to prevent ____ damaging ____?
 ____ the online ____ from ____ by locking business accounts after ____ number of failed attempts?
 Will ____ automatic ____ feature ____ my ____ account work ____ I have ____ unsuccessful ____?

Is _____ accounts _____ login attempts fail _____ against _____ force _____?
 _____ my _____ locked out _____ business account, in _____ brute force, _____ failing _____ successfully?
 _____ there _____ a lock on _____ business account _____ logins?
 _____ the business account _____ locked _____ after _____ of _____ attempts?
 _____ feature _____ my business accounts to deter brute Force attacks _____ are more _____ attempt?
 _____ will _____ attempting _____ number of _____ that are _____ will _____ prevent brute?
 _____ my business _____ have an option to _____ brute _____ attempts fail?
 _____ business account have an _____ lock _____ that will _____ attacks?
 Does my _____ have _____ automatic _____ to defend against _____ force _____?
 Will _____ be _____ my business account after multiple _____ tries?
 _____ my _____ be _____ down after _____ attempts?
 Is _____ to _____ on my business _____ when someone _____ to get into it _____?
 Is it _____ automatically lock _____ after _____ brute force attack?
 Is _____ automated _____ feature for my business account _____ counter _____?
 If login _____ locks to protect against brute _____?
 Is _____ lock down _____ business _____ a sign _____ unsuccessful _____ a protection against brute _____?
 _____ may be _____ my business account after repeated attempts _____ brute _____.
 Is _____ up after multiple failed _____ keep _____ from hacking?
 _____ the business account _____ automatic _____ feature if _____ than _____ unsuccessful _____ to access it?
 _____ may be _____ business _____ after repeated _____ to gain entry to guard _____.
 _____ possible to _____ the online _____ from brute force _____ by _____ the _____ accounts _____ fail _____ login?
 _____ account _____ an option _____ lock out brute _____ multiple _____ login _____ occur.
 _____ attempts to _____ business _____ from brute force, _____ I be _____ it?
 _____ it possible for _____ auto-lock _____ to deter _____ from _____ business?
 An automatic lock _____ business _____ would be _____ measure against _____.
 Is it _____ to _____ on my _____ account _____ someone fails _____ to _____ in?
 Can _____ automatically _____ my business account _____ it from _____ force attack?
 Is it possible _____ protect _____ service from _____ attacks _____ locking the _____ accounts after _____?
 _____ online _____ service _____ brute force _____ by _____ business account after _____ login _____?
 I _____ wondering _____ business _____ have an automatic locking feature to _____.
 Is _____ to automatically lock my _____ account _____ to login against _____ attacks?
 _____ an _____ lock _____ business account _____ activated following _____ unsuccessful _____ tries?
 Will my _____ many failed tries?
 _____ the _____ feature on _____ deter _____ attacks _____ there are many fail _____?
 Will an auto-lock _____ for security be _____ by _____ my _____?
 I am wondering if _____ can be _____ to _____ on my _____.
 _____ locks, _____ login _____ fail, _____ against brute force attacks?
 Will _____ be _____ if _____ try _____ log _____ my business account too many _____?
 _____ business _____ account lock after _____ failures?
 _____ my _____ be locked up after several _____?
 Does _____ account _____ to lock _____ brute force _____ if _____ failed login attempts _____?
 Is _____ protect the _____ service from _____ force _____ by locking _____ business _____ a failed _____?
 After several _____ protect _____ business account _____ brute force _____ I _____ it _____?
 If there _____ two failed logins _____ lock on _____ business account.
 _____ the _____ lock _____ account deter _____ attacks _____ there are many fail attempts?
 automatic lock on _____ business _____ if _____ two failed _____
 Automatic locking _____ accounts _____ Force attacks if there are _____ than _____
 _____ my _____ be locked _____ brute _____ attacks after _____ failed logins?
 _____ account may be _____ my business account _____ to get in to guard _____ force _____.
 _____ possible to secure the _____ service from _____ force attacks _____ after unsuccessful login _____?

Can we ___ preventative security ___ up our ___ for ___ up ___ failure of multiple?

Is ___ possible ___ service from ___ force attacks ___ down the business accounts ___ a failed ___?

___ possible for my ___ account ___ be ___ after ___ login attempts ___ attacks?

Do ___ attempts result in ___ business ___ stop brute force attacks?

___ several ___ to protect my business ___ a brute ___ can ___ lock ___?

___ to ___ brute ___ with an auto-lock function for ___ account?

Do ___ need an ___ feature ___ business account to ___ force ___?

If an ___ is ___ business account ___ case of brute ___ attacks, I ___.

Can ___ enabled ___ my business ___ to prevent ___?

Will ___ prevent brute ___ account auto ___ after ___ number of ___ logins?

Does ___ service defend against ___ business account after failed ___?

Is ___ able to ___ out ___ force attacks after ___ failed ___?

___ required ___ a business account's ___ lock ___ to avoid brute ___?

___ I waste ___ attempts to ___ in, ___ my business ___ lock?

Can I ___ auto-lock ___ business account ___ stop brute ___?

Is ___ possible ___ protect ___ online service from ___ attacks by ___ business accounts ___ a ___ unsuccessful ___?

An automatic ___ business accounts ___ brute force ___ be ___ by ___ login attempts.

Can ___ against brute ___ after ___ few failed logins?

Will ___ auto-lock feature for security ___ the repeated ___ on ___ account?

Is it ___ to ___ my business ___ after ___ attempts to ___ it ___?

After ___ attempts to ___ my ___ from a brute ___ I lock ___?

Does online ___ protect against ___ force attacks by ___ account ___ failed ___?

Is it possible ___ have ___ auto-lock ___ to ___ brute attackers?

Will ___ protect ___ online ___ from brute ___ by ___ business accounts after ___ failed login?

Is it possible ___ prevent brute ___ setting an ___ account?

My ___ be ___ by my ___ account due ___ attempts ___ guard against brute force attacks.

Will ___ brute when my business ___ after ___ number of unsuccessful ___?

Should my ___ have ___ the event of ___ force attacks?

___ this help ___ when my ___ will ___ lock after trying ___ logins that ___?

Can ___ have ___ function ___ my ___ to prevent ___ attackers from ___ their ___ power?

___ it possible ___ stop ___ force ___ business ___ after a failed ___?

___ I ___ auto-lock function for my ___ to prevent ___ attacking in ___ future?

___ automatic ___ my business account ___ a preventive ___ brute ___ attacks.

As a preventive security measure, can ___ our business ___ they lock ___ sign-in ___?

___ the automatic lock ___ my ___ account be activated ___ a ___ login attempts occur?

Automatic ___ business accounts ___ a protection ___ like brute ___?

___ it possible to ___ force ___ accounts after unsuccessful ___ attempts?

___ business accounts ___ locked ___ login attempts signal a ___ against ___ attacks?

Does ___ against ___ force attacks by locking ___ business ___ after failing ___?

Is it ___ by allowing an auto-lock ___ business account?

After ___ successfully, ___ my account ___ locked out by my business account, ___ case ___?

Will my ___ be ___ a number of ___ attempts?

Do business ___ locks ___ against ___ force?

Will my business ___ locked after ___ failed ___ at ___?

___ to protect the ___ service ___ brute ___ attacks by ___ business ___ few unsuccessful attacks?

Does my business account ___ an option to ___ out ___ multiple failed ___ attempts?

___ lock feature ___ business ___ be activated ___ unsuccessful login tries?

___ it ___ to prevent brute ___ with an ___ account.

___ I use ___ auto-lock ___ for my business ___ to prevent ___?

___ my business account ___ to ___ out ___ force ___ multiple ___ logins ___?

Can _____ account _____ after repeated attempts to log _____?

After _____ to protect _____ from _____ force attack, should _____ be able _____ automatically lock _____?

_____ an auto-lock _____ for _____ business _____ stop _____ attackers _____ in _____ future?

_____ my business account down _____ so many _____ to _____ it?

_____ automated _____ feature implemented for _____ account to _____ brute force _____?

Will _____ business account _____ locked down _____ failed login _____?

_____ my _____ have _____ lock to _____ brute force?

Is _____ possible to lock my business _____ attacks?

If more _____ sign up is _____ business _____ locked _____ force attacks?

Will the auto-lock _____ by _____ login _____ my business account?

_____ account _____ down after _____ attempts _____ get in _____ guard against brute force _____.

Does _____ an _____ feature if _____ is _____ than _____ unsuccessful attempt to _____ into _____ account?

After repeated attempts _____ in _____ against brute force _____ account _____ up _____ my business account.

Is there an _____ lock on _____ business _____ logins _____?

_____ prevent online _____ force attacks by _____ business _____ after _____ login attempts?

_____ multiple _____ can my business _____ be _____ out of _____ force attacks?

_____ my account _____ locked against brute _____ attacks _____ several _____?

Automatic locking _____ business accounts _____ brute _____ triggered by unsuccessful _____ attempts.

_____ be _____ for my _____ account _____ multiple unsuccessful login attempts?

Can _____ account _____ autolock _____ after a _____ failed attempts?

_____ of business accounts _____ to protect _____ brute force attacks?

_____ be locked out against brute _____ after _____ certain number _____ logins.

Is an _____ lock-down _____ business _____ that unsuccessful login _____ indicate _____ need against _____ attacks?

_____ accounts _____ be locks if login _____ to protect _____ brute _____.

If _____ fail _____ log into my _____ times, _____ be locked _____ safeguard?

_____ place preventative _____ measures _____ setting _____ our _____ accounts _____ automatic lock up after _____ of multiple?

Can _____ business _____ automatic locking feature _____ deter _____ Force _____?

_____ failed login _____ result in _____ business _____ being _____ keep _____ brute _____ attacks?

_____ will _____ after _____ a number of _____ this _____ prevent brute?

_____ feature for auto-lock that _____ use _____ security be triggered by _____ account?

Will an automatic _____ account _____ activated if there's _____ of _____ attempts?

_____ I need _____ use _____ automatic lock _____ avoid brute force _____?

My _____ account may _____ an automatic lock _____ deter _____.

I _____ an automated lock _____ my _____ account in case _____ force attacks.

Is there _____ locking _____ my business accounts to _____ brute _____?

_____ lock-up of business accounts if _____ attempts _____ a need for protection _____ brute _____.

_____ a possibility _____ an auto-lock function _____ to _____ brute attacks on _____ account.

_____ like to know if _____ auto-lock _____ can be _____ on my business account.

_____ put in place _____ security _____ our businesses _____ for _____ up after failure of _____?

Is _____ down of _____ business a protection against _____?

_____ I _____ an _____ on my business account to avoid _____?

Does my business _____ ability _____ out brute _____ multiple failed login _____ occur?

There _____ an _____ lock out of business accounts _____ need for _____ against brute _____ attacks.

_____ we put in _____ preventative _____ measures _____ setting up _____ businesses _____ for _____ up _____ of Multiple?

If multiple _____ can _____ account lock out brute _____ attacks?

Is _____ automatic _____ business account required to protect _____ force _____?

Will _____ brute _____ my _____ account will _____ lock after _____ a number of logins _____?

My _____ after _____ a lot _____ that are unsuccessful, will this _____ prevent _____?

Automatic lock down _____ accounts _____ a _____ that unsuccessful _____ signal _____ brute force attacks.

_____ my _____ an accountlock _____ many _____ failures?

Is it possible ____ have ____ auto-lock on ____ someone ____ to ____ into ____ many times?
 ____ to prevent brute ____ by ____ auto lock ____ business account?

Will my ____ lock ____ after a ____ failed ____?
 ____ it possible ____ protect ____ brute ____ attacks by ____ after failed attempts?
 ____ allow me to lock ____ brute ____ attacks if my ____?
 ____ attempts to ____ business account ____ brute force attack ____ I be able ____ up?
 ____ I have an ____ feature ____ business account ____ a ____ unsuccessful ____?
 ____ the auto-lock ____ for ____ account ____ to stop brute ____?

Is ____ possible ____ an auto-lock on ____ business account in case ____ to ____ many?
 Do my business ____ have ____ automatic lock ____ that's ____ force ____?
 Is ____ possible to ____ an auto-lock ____ to ____ on ____ account.
 Business ____ if ____ login attempts ____ a need for protection ____ force attacks.
 Should ____ my business ____ lock ____ to avoid ____ force ____?
 After ____ unsuccessful attempts ____ in, can ____ business ____ automatically ____?
 ____ it possible ____ an ____ business account when someone tries ____ log in ____?
 ____ automatic ____ on ____ be activated ____ many incorrect login attempts ____?
 ____ help prevent brute when ____ locks ____ trying many ____ that are ____.

Do ____ failed login ____ automatically result ____ business ____ locked ____?
 ____ lock on ____ business ____ activated ____ multiple incorrect ____ tries occur?
 ____ my business account have ____ brute ____ if ____ failed login attempts ____?
 Is it ____ to ____ my business ____ trying ____ it from ____ attack?
 Is ____ to prevent ____ attacks using an ____ for my ____?
 Can my ____ have ____ auto-lock ____ will prevent ____ attacks?
 Can we put in place ____ security by setting ____ for ____ up ____ of ____?
 After ____ attempts to protect my business ____ force ____ should I ____ able ____ it ____?
 Will ____ have ____ on their ____ multiple failed logins ____?
 Do ____ have ____ use ____ automatic ____ feature to avoid brute ____?
 ____ someone ____ get into ____ business ____ many, is ____ an auto lock on it?
 Is my business ____ down ____ prevent brute force ____ more ____ one failed sign ____.

After ____ many ____ login attempts, ____ business account be ____?
 Is auto-lock ____ for ____ business account ____ brute ____ unleashing their ____?
 Does online ____ service protect ____ attacks ____ locking business ____ failed ____?
 Is an ____ accounts ____ sign that failed ____ from brute ____ attacks?
 ____ an auto-lock ____ for my ____ account to ____ brute ____?
 Is an automatic ____ feature on ____ to deter attacks ____ failed ____?
 ____ business account have the ____ to ____ out ____ attacks ____ log in?
 ____ an automatic ____ feature ____ business account implemented ____ with ____ attacks?
 Will ____ business ____ autolock against ____ after how ____ logins?
 There is ____ business ____ if unsuccessful login ____ signal a need ____ vicious ____ force.
 ____ be locked up after unsuccessfullogin ____?

Is ____ to ____ the online service from ____ force attacks ____ after a failed ____?
 Will ____ business account ____ locked ____ how many ____ login ____?
 ____ the ____ after many ____ attempts ____ log in to fight ____ force ____.
 ____ log into ____ business account ____ times, will it ____ locked ____ safeguard?
 Will ____ be an auto-locked ____ not able ____ log ____ account many times?
 Is ____ account ____ out brute force ____ multiple failed login ____ happen?
 Will ____ lock ____ on ____ business ____ work ____ unsuccessful login tries?
 Is it possible to ____ auto-lock on my business ____ someone attempts ____ times?
 After ____ attempts ____ account from a brute ____ attack, ____ I ____ it ____?
 Is an automatic lock ____ a ____ brute force ____?

Is _____ brute _____ attacks _____ service by locking _____ accounts after failed logins?

Do _____ have an automatic _____ that _____ brute Force attacks?

Is _____ possible _____ have an auto-lock on _____ if someone _____ into _____ too _____ times?

Can an auto-lock function _____ for _____ business _____ to _____ attackers _____ attacking _____ the _____?

_____ account _____ lock _____ trying many _____ and will _____ prevent brute?

My _____ may _____ locked after multiple attempts _____ to guard _____ brute _____.

_____ business account will _____ lock _____ number of _____ that _____ unsuccessful, will _____ prevent _____?

_____ are _____ than _____ failed logins, _____ likely _____ lock on my business account.

_____ use _____ business account's _____ lock feature _____ avoid brute force _____?

I was wondering if _____ was _____ in place _____ my business account _____ attacks.

Does my _____ have an option to _____ brute _____ multiple _____ happen?

Does _____ account allow _____ to _____ brute force attacks if _____ attempts _____?

Is _____ possible to prevent _____ an _____ my _____ account?

After repeated attempts _____ in to guard _____ attacks, _____ may _____ locked by _____.

After many _____ to protect my business _____ attack, should I be able _____?

Do _____ need _____ use my _____ account's _____ lock _____ avoid brute _____?

It _____ auto-lock _____ in my business account _____ brute attackers _____ in the future.

_____ an _____ function be _____ for my _____ account _____ prevent brute _____?

_____ be _____ automatic _____ my business account _____ I have _____ incorrect _____ attempts?

_____ to prevent brute attacks by allowing an _____ for my _____?

Is it _____ have _____ my business account when someone _____ in _____ much?

Should _____ be _____ down _____ unsuccessful login _____ a _____ against brute force _____?

Does _____ business _____ have _____ automatic lock _____ to _____ force attacks _____ are many _____ attempts?

_____ the _____ turn on my _____ account to stop _____ Attacks if _____ attempts _____?