

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Online Banks and FinTech Companies
<b>Inquiry Category</b>	Password and login problems
<b>Inquiry Sub-Category</b>	Multifactor Authentication
<b>Description</b>	This category involves customer queries related to setting up, troubleshooting, or managing multifactor authentication methods, such as SMS codes, biometric authentication, or hardware tokens.
<b>Data Size</b>	5,014 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Online Bank and FinTech Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ often should \_\_\_\_ update \_\_\_\_ change \_\_\_\_ authentication \_\_\_\_ like SMS \_\_\_\_ and \_\_\_\_?  
 Do I \_\_\_\_ to \_\_\_\_ fingerprints, and \_\_\_\_ information every now and \_\_\_\_?  
 \_\_\_\_ want to know \_\_\_\_ much I \_\_\_\_ codes and \_\_\_\_.  
 \_\_\_\_ do I \_\_\_\_ to \_\_\_\_ Authentication, such \_\_\_\_ sending a message \_\_\_\_ in with \_\_\_\_?  
 \_\_\_\_ my text codes, fingerprints and other data \_\_\_\_?  
 Should \_\_\_\_ codes andbiometrics \_\_\_\_ now and then \_\_\_\_ enhanced \_\_\_\_?  
 \_\_\_\_ to change my \_\_\_\_ codes, fingerprints, \_\_\_\_ other \_\_\_\_ a \_\_\_\_ basis?  
 \_\_\_\_ a realistic timetable for \_\_\_\_ the \_\_\_\_ use text \_\_\_\_ biometry?  
 There is \_\_\_\_ question of \_\_\_\_ and \_\_\_\_ to update \_\_\_\_.  
 \_\_\_\_ many \_\_\_\_ a year do \_\_\_\_ to change \_\_\_\_ card's text/biometrics \_\_\_\_?  
 \_\_\_\_ I need \_\_\_\_ replace my \_\_\_\_ andbiometrics every \_\_\_\_ and then \_\_\_\_ fortify \_\_\_\_?  
 \_\_\_\_ methods like texting or usingbiometrics \_\_\_\_ changed?  
 I \_\_\_\_ if \_\_\_\_ replace \_\_\_\_ sm \_\_\_\_ now and then.  
 \_\_\_\_ should the \_\_\_\_ and usingbiometrics be changed?  
 \_\_\_\_ know how \_\_\_\_ time \_\_\_\_ should update my \_\_\_\_.  
 \_\_\_\_ often \_\_\_\_ multiplefactorauthentication methods \_\_\_\_ texting \_\_\_\_ using fingerprints \_\_\_\_ or updated?  
 \_\_\_\_ good idea \_\_\_\_ me \_\_\_\_ my sm \_\_\_\_ andbiometrics \_\_\_\_ now and then?  
 I \_\_\_\_ to know how \_\_\_\_ use \_\_\_\_ methods \_\_\_\_ text \_\_\_\_ codes \_\_\_\_ fingerprints.  
 \_\_\_\_ it \_\_\_\_ sense to change \_\_\_\_ codes and bicyle \_\_\_\_?  
 Is it \_\_\_\_ idea \_\_\_\_ replace \_\_\_\_ codes andbiometrics frequently?  
 \_\_\_\_ necessary for me \_\_\_\_ my \_\_\_\_ codes andbiometrics \_\_\_\_?  
 Do \_\_\_\_ have \_\_\_\_ change my \_\_\_\_ fingerprints, \_\_\_\_ data often?  
 Can you tell \_\_\_\_ when \_\_\_\_ text \_\_\_\_ or \_\_\_\_?  
 I \_\_\_\_ know how \_\_\_\_ refresh \_\_\_\_ codes \_\_\_\_ fingerprints.  
 \_\_\_\_ often \_\_\_\_ text message \_\_\_\_ fingerprints and facial recognition?  
 For \_\_\_\_ methods \_\_\_\_ codes and fingerprints, there's \_\_\_\_ question \_\_\_\_ the \_\_\_\_ time recommended.  
 Do I \_\_\_\_ to keep updating \_\_\_\_ fingerprints, \_\_\_\_ personal data many \_\_\_\_?  
 \_\_\_\_ it a good \_\_\_\_ change \_\_\_\_ codes \_\_\_\_ bicyle credentials \_\_\_\_?

\_\_\_\_\_ make sense \_\_\_\_\_ me \_\_\_\_\_ change \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics frequently?  
\_\_\_\_\_ suggest when \_\_\_\_\_ the techniques for \_\_\_\_\_ or biometry?  
\_\_\_\_\_ is \_\_\_\_\_ question \_\_\_\_\_ the \_\_\_\_\_ amount \_\_\_\_\_ time for an \_\_\_\_\_ text message \_\_\_\_\_ and fingerprints.  
\_\_\_\_\_ have to change \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ on a regular \_\_\_\_\_?  
Is it necessary \_\_\_\_\_ update my \_\_\_\_\_ codes, \_\_\_\_\_ other \_\_\_\_\_ now \_\_\_\_\_ then?  
How often do \_\_\_\_\_ methods \_\_\_\_\_ need \_\_\_\_\_ be changed?  
How \_\_\_\_\_ methods \_\_\_\_\_ texting \_\_\_\_\_ usingbiometrics be changed?  
\_\_\_\_\_ you think \_\_\_\_\_ should \_\_\_\_\_ text \_\_\_\_\_ every now and \_\_\_\_\_?  
Do \_\_\_\_\_ my text \_\_\_\_\_ fingerprints every now \_\_\_\_\_ then?  
There \_\_\_\_\_ a question of \_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ andbiometrics.  
Is \_\_\_\_\_ idea for me \_\_\_\_\_ change my text \_\_\_\_\_ credentials \_\_\_\_\_?  
\_\_\_\_\_ frequently should I \_\_\_\_\_ my \_\_\_\_\_ verifications \_\_\_\_\_ message codes, \_\_\_\_\_ recognition?  
I want \_\_\_\_\_ add new \_\_\_\_\_ such as biometrics.  
\_\_\_\_\_ tell me the \_\_\_\_\_ for updates of methods \_\_\_\_\_?  
There's a \_\_\_\_\_ of time \_\_\_\_\_ updateAuthentication methods like text \_\_\_\_\_ and fingerprints.  
Do you \_\_\_\_\_ how \_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ credentials?  
Is it \_\_\_\_\_ good \_\_\_\_\_ to change my \_\_\_\_\_ codes \_\_\_\_\_ frequently \_\_\_\_\_?  
Do I need \_\_\_\_\_ my \_\_\_\_\_ bios frequently?  
How frequently \_\_\_\_\_ I change my text \_\_\_\_\_?  
\_\_\_\_\_ a good idea \_\_\_\_\_ replace \_\_\_\_\_ codes \_\_\_\_\_ frequently with \_\_\_\_\_ security?  
How frequently \_\_\_\_\_ I \_\_\_\_\_ text codes \_\_\_\_\_ fingerprints for \_\_\_\_\_?  
Is \_\_\_\_\_ to \_\_\_\_\_ codes andbiometrics \_\_\_\_\_?  
When to update the \_\_\_\_\_ techniques, \_\_\_\_\_ messages \_\_\_\_\_ biometry, \_\_\_\_\_ they are \_\_\_\_\_?  
\_\_\_\_\_ need to \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ every now \_\_\_\_\_ with security?  
\_\_\_\_\_ like to \_\_\_\_\_ when it's \_\_\_\_\_ to change \_\_\_\_\_ security \_\_\_\_\_ SMS \_\_\_\_\_ and fingerprints.  
Is \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ Biometrics every now \_\_\_\_\_?  
How \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ text \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ software?  
\_\_\_\_\_ is a question \_\_\_\_\_ how frequently \_\_\_\_\_ codes \_\_\_\_\_.  
\_\_\_\_\_ do \_\_\_\_\_ need to \_\_\_\_\_ the \_\_\_\_\_ such as the \_\_\_\_\_ the biometrics?  
Is it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ andbiometrics on a \_\_\_\_\_?  
\_\_\_\_\_ change my text \_\_\_\_\_ and \_\_\_\_\_?  
Is \_\_\_\_\_ my text codes, fingerprints, \_\_\_\_\_ every now and \_\_\_\_\_?  
\_\_\_\_\_ me how often \_\_\_\_\_ to change \_\_\_\_\_ factor verification procedures?  
\_\_\_\_\_ have \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics every now \_\_\_\_\_ then for \_\_\_\_\_?  
\_\_\_\_\_ don't know how many \_\_\_\_\_ change \_\_\_\_\_ text \_\_\_\_\_ and \_\_\_\_\_.  
Is it \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ increase \_\_\_\_\_?  
\_\_\_\_\_ sm \_\_\_\_\_ now and then \_\_\_\_\_ to strengthen my security?  
Is \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ andbiometrics \_\_\_\_\_ now \_\_\_\_\_ again to increase security?  
\_\_\_\_\_ am \_\_\_\_\_ my msls \_\_\_\_\_ credentials \_\_\_\_\_ number \_\_\_\_\_ times would \_\_\_\_\_ worthwhile.  
\_\_\_\_\_ question \_\_\_\_\_ the amount of time \_\_\_\_\_ for updating authenticating methods, \_\_\_\_\_ Biometrics.  
\_\_\_\_\_ good idea to replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_?  
Can \_\_\_\_\_ my sm codes \_\_\_\_\_ now and \_\_\_\_\_?  
\_\_\_\_\_ a good \_\_\_\_\_ for me to \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ frequently?  
How many \_\_\_\_\_ a \_\_\_\_\_ do \_\_\_\_\_ change \_\_\_\_\_ text codes \_\_\_\_\_ fingerprints?  
How \_\_\_\_\_ it advisable to \_\_\_\_\_ text message \_\_\_\_\_ fingerprints \_\_\_\_\_?  
\_\_\_\_\_ my sm \_\_\_\_\_ andbiometrics \_\_\_\_\_ replaced every \_\_\_\_\_ then \_\_\_\_\_ increase \_\_\_\_\_?  
How \_\_\_\_\_ should I swap or update my \_\_\_\_\_ methods, \_\_\_\_\_ fingerprints \_\_\_\_\_ recognition?  
How many times \_\_\_\_\_ year \_\_\_\_\_ texting and fingerprints \_\_\_\_\_ changed?  
I \_\_\_\_\_ if I \_\_\_\_\_ my \_\_\_\_\_ and bio regularly.  
How often \_\_\_\_\_ I have to \_\_\_\_\_ change to \_\_\_\_\_ like sending \_\_\_\_\_ message \_\_\_\_\_ a Biometrics?

Is \_\_\_\_\_ to \_\_\_\_\_ sm \_\_\_\_\_ and biometrics every \_\_\_\_\_ and again to \_\_\_\_\_ security?  
 \_\_\_\_\_ often \_\_\_\_\_ need to \_\_\_\_\_ my \_\_\_\_\_ text codes/biometrics?

How many times do \_\_\_\_\_ have \_\_\_\_\_ codes and \_\_\_\_\_?

When \_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_ methods, like \_\_\_\_\_ messages \_\_\_\_\_ the biometrics?  
 \_\_\_\_\_ my text message \_\_\_\_\_ fingerprints, and irises \_\_\_\_\_?  
 \_\_\_\_\_ know if I should replace my \_\_\_\_\_ every now \_\_\_\_\_ then \_\_\_\_\_.  
 \_\_\_\_\_ a good idea \_\_\_\_\_ replace my sm \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ when to change the \_\_\_\_\_ such \_\_\_\_\_ text messages \_\_\_\_\_?  
 \_\_\_\_\_ many times a \_\_\_\_\_ should \_\_\_\_\_ methods such as texting \_\_\_\_\_?

How often do I have \_\_\_\_\_ make a change to \_\_\_\_\_ as \_\_\_\_\_ or \_\_\_\_\_ biometrics?

There \_\_\_\_\_ as to \_\_\_\_\_ of time recommended for \_\_\_\_\_ including mobile \_\_\_\_\_ biometrics.

Is it a \_\_\_\_\_ replace my text \_\_\_\_\_ and \_\_\_\_\_ then?  
 \_\_\_\_\_ it a \_\_\_\_\_ replace \_\_\_\_\_ sm codes and biometrics \_\_\_\_\_ to fortify \_\_\_\_\_?

There's a question \_\_\_\_\_ the amount of \_\_\_\_\_ updating Authentication methods \_\_\_\_\_ message \_\_\_\_\_  
 \_\_\_\_\_ to replace my sm \_\_\_\_\_ and biometrics \_\_\_\_\_ for added security?  
 \_\_\_\_\_ question \_\_\_\_\_ amount of \_\_\_\_\_ recommended for \_\_\_\_\_ methods, including mobile \_\_\_\_\_ biometrics

How much \_\_\_\_\_ swap \_\_\_\_\_ update my \_\_\_\_\_ text message codes, fingerprints, or \_\_\_\_\_ recognition?

Do you \_\_\_\_\_ you should \_\_\_\_\_ and biometrics frequently?  
 \_\_\_\_\_ how \_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ and biometrics is a \_\_\_\_\_.  
 \_\_\_\_\_ amount \_\_\_\_\_ it's recommended \_\_\_\_\_ an update \_\_\_\_\_ codes and fingerprints is a question.

How \_\_\_\_\_ change \_\_\_\_\_ codes, \_\_\_\_\_ and facial recognition?

When \_\_\_\_\_ frequently \_\_\_\_\_ change \_\_\_\_\_ codes and biometrics \_\_\_\_\_ a \_\_\_\_\_.  
 \_\_\_\_\_ often \_\_\_\_\_ change text \_\_\_\_\_ fingerprints and facial \_\_\_\_\_ software?  
 \_\_\_\_\_ should I \_\_\_\_\_ verifications \_\_\_\_\_ text message codes, iris scanning, \_\_\_\_\_?  
 \_\_\_\_\_ it a good \_\_\_\_\_ replace \_\_\_\_\_ for added security?  
 \_\_\_\_\_ often should \_\_\_\_\_ change \_\_\_\_\_ verifications \_\_\_\_\_ as text message \_\_\_\_\_ fingerprints and \_\_\_\_\_?  
 \_\_\_\_\_ frequently \_\_\_\_\_ change the \_\_\_\_\_ codes and fingerprints?  
 \_\_\_\_\_ need \_\_\_\_\_ my text \_\_\_\_\_ and credentials regularly?  
 \_\_\_\_\_ frequently should \_\_\_\_\_ methods \_\_\_\_\_ texting \_\_\_\_\_ fingerprints \_\_\_\_\_ changed?

Can you give a \_\_\_\_\_ timetable for \_\_\_\_\_ authenticate \_\_\_\_\_ that \_\_\_\_\_ text \_\_\_\_\_?

Is it appropriate \_\_\_\_\_ me to \_\_\_\_\_ and biometrics \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ increased \_\_\_\_\_?  
 \_\_\_\_\_ times a year \_\_\_\_\_ I change my \_\_\_\_\_ codes \_\_\_\_\_?

Is it \_\_\_\_\_ for me \_\_\_\_\_ sm \_\_\_\_\_ replaced \_\_\_\_\_ now and \_\_\_\_\_?

How \_\_\_\_\_ should \_\_\_\_\_ as texting and fingerprints \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ I refresh \_\_\_\_\_ and bio-credentials?  
 \_\_\_\_\_ I need \_\_\_\_\_ keep \_\_\_\_\_ fingerprints and other data?  
 \_\_\_\_\_ often should multifactor authentication \_\_\_\_\_ as texting \_\_\_\_\_ changed or \_\_\_\_\_?  
 \_\_\_\_\_ frequently should multifactor authentication \_\_\_\_\_ such \_\_\_\_\_ using biometrics be \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ change \_\_\_\_\_ msm \_\_\_\_\_ settings often?  
 \_\_\_\_\_ know \_\_\_\_\_ to update the \_\_\_\_\_ as text messages \_\_\_\_\_ biometry?  
 \_\_\_\_\_ want to know when it's \_\_\_\_\_ the \_\_\_\_\_ security \_\_\_\_\_ that \_\_\_\_\_ SMS \_\_\_\_\_ fingerprints.  
 \_\_\_\_\_ much time \_\_\_\_\_ I spend changing or \_\_\_\_\_ my security methods \_\_\_\_\_ fingerprints \_\_\_\_\_ facial \_\_\_\_\_?

Do \_\_\_\_\_ to replace my \_\_\_\_\_ codes and biometrics \_\_\_\_\_ then with \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ should I \_\_\_\_\_ text \_\_\_\_\_ and credentials?

Is it \_\_\_\_\_ to update \_\_\_\_\_ regularly?

Is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ every now and again to be more \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ update \_\_\_\_\_ text \_\_\_\_\_ fingerprints, and \_\_\_\_\_ data \_\_\_\_\_ a regular basis?

Is \_\_\_\_\_ wise for me to \_\_\_\_\_ sm codes \_\_\_\_\_ now \_\_\_\_\_ to \_\_\_\_\_?

How \_\_\_\_\_ do \_\_\_\_\_ have \_\_\_\_\_ make \_\_\_\_\_ change \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ a message \_\_\_\_\_ in with my \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ best updating \_\_\_\_\_ for multifactor \_\_\_\_\_ such as \_\_\_\_\_ codes \_\_\_\_\_?

\_\_\_\_ you \_\_\_\_ a realistic timetable \_\_\_\_ updating \_\_\_\_ authenticate \_\_\_\_ that \_\_\_\_ \_\_\_\_ biometry?  
 \_\_\_\_ timescale for \_\_\_\_ credentials like text \_\_\_\_ and biometry?  
 \_\_\_\_ a question of \_\_\_\_ to \_\_\_\_ codes,biometrics or both.  
 How \_\_\_\_ it \_\_\_\_ change text message \_\_\_\_ fingerprints, \_\_\_\_ iris?  
 \_\_\_\_ something \_\_\_\_ I need to \_\_\_\_ when it \_\_\_\_ codes andbiometrics?  
 Can \_\_\_\_ change \_\_\_\_ text \_\_\_\_ credentials \_\_\_\_?  
 Is there \_\_\_\_ when \_\_\_\_ the \_\_\_\_ techniques, such \_\_\_\_ text \_\_\_\_ or biometry \_\_\_\_?  
 Do \_\_\_\_ have a \_\_\_\_ on \_\_\_\_ update \_\_\_\_ messages or \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ change text message codes, \_\_\_\_ facial recognition?  
 \_\_\_\_ do \_\_\_\_ need to \_\_\_\_ update my \_\_\_\_ text message \_\_\_\_ fingerprints, and facial recognition?  
 How \_\_\_\_ I change something, \_\_\_\_ texting \_\_\_\_ credentials?  
 \_\_\_\_ need \_\_\_\_ change my phone's/card's text/biometrics \_\_\_\_?  
 Is \_\_\_\_ me to \_\_\_\_ my sm codes \_\_\_\_ fortify my \_\_\_\_?  
 \_\_\_\_ a question \_\_\_\_ amount of time recommended \_\_\_\_ including \_\_\_\_ messages \_\_\_\_ Biometrics  
 \_\_\_\_ frequently \_\_\_\_ multiplefactorauthentication \_\_\_\_ like \_\_\_\_ or \_\_\_\_ be changed?  
 \_\_\_\_ I need \_\_\_\_ change \_\_\_\_ sm codes andbiometrics \_\_\_\_ for \_\_\_\_ security?  
 \_\_\_\_ times \_\_\_\_ my phone's/card's text/biometrics?  
 Can you \_\_\_\_ messages and \_\_\_\_ factors of login \_\_\_\_?  
 \_\_\_\_ multiplefactorauthentication methods \_\_\_\_ as \_\_\_\_ and usingbiometrics \_\_\_\_ frequently?  
 \_\_\_\_ right \_\_\_\_ me \_\_\_\_ replace my \_\_\_\_ codes andbiometrics \_\_\_\_ and again \_\_\_\_ increase \_\_\_\_?  
 \_\_\_\_ do \_\_\_\_ need \_\_\_\_ text message \_\_\_\_ fingerprints, and voiceprints?  
 Is it \_\_\_\_ the SMS \_\_\_\_ Biometrics frequently?  
 Is \_\_\_\_ necessary to \_\_\_\_ my \_\_\_\_ codes \_\_\_\_ every now \_\_\_\_ increase my \_\_\_\_?  
 Do \_\_\_\_ codes, \_\_\_\_ other \_\_\_\_ to \_\_\_\_ every now and then?  
 Is \_\_\_\_ codes andbiometrics \_\_\_\_ now \_\_\_\_ then \_\_\_\_ increase security?  
 I \_\_\_\_ my Text codes \_\_\_\_ fingerprints on a regular \_\_\_\_ of \_\_\_\_ do \_\_\_\_ take?  
 How \_\_\_\_ change \_\_\_\_ verifications, \_\_\_\_ message codes and fingerprints?  
 \_\_\_\_ proper for me to \_\_\_\_ sm \_\_\_\_ andbiometrics \_\_\_\_ to \_\_\_\_ security?  
 \_\_\_\_ about a realistic timetable for \_\_\_\_ that use \_\_\_\_ and/or \_\_\_\_?  
 I don't know \_\_\_\_ to refresh \_\_\_\_ or \_\_\_\_.  
 \_\_\_\_ messages, biometry \_\_\_\_ of login \_\_\_\_ you \_\_\_\_ to \_\_\_\_ them?  
 How frequently do \_\_\_\_ have \_\_\_\_ make \_\_\_\_ to \_\_\_\_ such as \_\_\_\_ or logging in \_\_\_\_ data?  
 How often \_\_\_\_ and other multiplefactorauthentication methods \_\_\_\_?  
 \_\_\_\_ and \_\_\_\_ to update \_\_\_\_ codes,biometrics \_\_\_\_ both is \_\_\_\_ question.  
 \_\_\_\_ often is \_\_\_\_ advisable to \_\_\_\_ message codes, \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ change your \_\_\_\_ codes or fingerprints frequently?  
 \_\_\_\_ number of \_\_\_\_ should I \_\_\_\_ my phone's \_\_\_\_?  
 I am not \_\_\_\_ change my \_\_\_\_ and \_\_\_\_ codes \_\_\_\_.  
 How \_\_\_\_ can multiplefactorauthentication methods \_\_\_\_ texting \_\_\_\_ changed?  
 Do \_\_\_\_ change my \_\_\_\_ every now and \_\_\_\_ to increase \_\_\_\_?  
 \_\_\_\_ frequently should \_\_\_\_ change \_\_\_\_ text \_\_\_\_ codes, \_\_\_\_ and \_\_\_\_ scans?  
 Is it proper \_\_\_\_ sm \_\_\_\_ andbiometrics \_\_\_\_ and \_\_\_\_ to \_\_\_\_ security?  
 I want \_\_\_\_ know how \_\_\_\_ should \_\_\_\_ new \_\_\_\_ like \_\_\_\_.  
 How many \_\_\_\_ phone's/card's \_\_\_\_ codes \_\_\_\_ changed?  
 \_\_\_\_ me to replace \_\_\_\_ sm codes \_\_\_\_ every now and then \_\_\_\_?  
 \_\_\_\_ about when to \_\_\_\_ the authenticate \_\_\_\_ such \_\_\_\_ text \_\_\_\_ factors?  
 \_\_\_\_ I change my multifactor \_\_\_\_ text message codes, \_\_\_\_ and facial-recognition \_\_\_\_?  
 \_\_\_\_ do I have to \_\_\_\_ to multifactorAuthentication \_\_\_\_ as sending \_\_\_\_ message or \_\_\_\_ in \_\_\_\_?  
 Does it make sense \_\_\_\_ fingerprints or facemasks \_\_\_\_?  
 \_\_\_\_ when and \_\_\_\_ frequently to \_\_\_\_ text \_\_\_\_ both.

Is \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics frequently for \_\_\_\_\_ security?  
 \_\_\_\_\_ it \_\_\_\_\_ me to update my \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ data \_\_\_\_\_ regular basis \_\_\_\_\_ my \_\_\_\_\_ safe?  
 \_\_\_\_\_ me to \_\_\_\_\_ my sm \_\_\_\_\_ every now and then?  
 How often do \_\_\_\_\_ need to add \_\_\_\_\_?  
 Do I \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ text/biopic \_\_\_\_\_?  
 \_\_\_\_\_ multiplefactorauthentication methods \_\_\_\_\_ texting and \_\_\_\_\_ frequently?  
 What \_\_\_\_\_ of time \_\_\_\_\_ I \_\_\_\_\_ mss \_\_\_\_\_ andbiometrics?  
 \_\_\_\_\_ my sm codes \_\_\_\_\_ every now \_\_\_\_\_ again \_\_\_\_\_ security?  
 \_\_\_\_\_ a \_\_\_\_\_ replace \_\_\_\_\_ codes and \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ to be more secure?  
 \_\_\_\_\_ I have to \_\_\_\_\_ sm codes andbiometrics \_\_\_\_\_ for \_\_\_\_\_?  
 Can \_\_\_\_\_ me \_\_\_\_\_ to update the \_\_\_\_\_ techniques \_\_\_\_\_ messages and biometry \_\_\_\_\_?  
 Do I \_\_\_\_\_ to \_\_\_\_\_ update my \_\_\_\_\_ codes, \_\_\_\_\_ other \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ for \_\_\_\_\_ security?  
 \_\_\_\_\_ times do \_\_\_\_\_ to change \_\_\_\_\_ text \_\_\_\_\_ and fingerprints?  
 There \_\_\_\_\_ a question about how long \_\_\_\_\_ is recommended \_\_\_\_\_ message codes \_\_\_\_\_ fingerprints.  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics more frequently?  
 How \_\_\_\_\_ year should \_\_\_\_\_ codes and \_\_\_\_\_ be changed?  
 Can you \_\_\_\_\_ when \_\_\_\_\_ change \_\_\_\_\_ messages \_\_\_\_\_ factors of \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ when \_\_\_\_\_ update \_\_\_\_\_ authenticate techniques, \_\_\_\_\_ text \_\_\_\_\_ biometry?  
 \_\_\_\_\_ appropriate to replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_.  
 For increased \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ to replace my \_\_\_\_\_ codes \_\_\_\_\_?  
 I want to know how \_\_\_\_\_ to \_\_\_\_\_ credentials.  
 \_\_\_\_\_ frequently should \_\_\_\_\_ methods \_\_\_\_\_ texting \_\_\_\_\_ usingbiometrics \_\_\_\_\_ updated?  
 \_\_\_\_\_ I have \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_?  
 How often \_\_\_\_\_ you want to \_\_\_\_\_ SMS \_\_\_\_\_?  
 Can you \_\_\_\_\_ me \_\_\_\_\_ need \_\_\_\_\_ change \_\_\_\_\_ text codes \_\_\_\_\_ fingerprints?  
 \_\_\_\_\_ it beneficial \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ frequently?  
 How \_\_\_\_\_ should I \_\_\_\_\_ text \_\_\_\_\_ codes, fingerprints, \_\_\_\_\_ scanning?  
 Is it best for me \_\_\_\_\_ my sm \_\_\_\_\_ then?  
 Shouldn't I \_\_\_\_\_ my \_\_\_\_\_ every \_\_\_\_\_ then \_\_\_\_\_ fortify my security?  
 \_\_\_\_\_ should I \_\_\_\_\_ message \_\_\_\_\_ fingerprints, or facemasks?  
 Do you know when \_\_\_\_\_ update \_\_\_\_\_ and \_\_\_\_\_ login \_\_\_\_\_?  
 Do I \_\_\_\_\_ change my \_\_\_\_\_ codes, \_\_\_\_\_ data \_\_\_\_\_ keep my account \_\_\_\_\_?  
 Is \_\_\_\_\_ good idea to replace \_\_\_\_\_ sm \_\_\_\_\_ increase security?  
 \_\_\_\_\_ it \_\_\_\_\_ me \_\_\_\_\_ my sm \_\_\_\_\_ occasionally with added security?  
 Do \_\_\_\_\_ any suggestions on \_\_\_\_\_ often \_\_\_\_\_ codes and \_\_\_\_\_?  
 There's \_\_\_\_\_ question on \_\_\_\_\_ much time \_\_\_\_\_ recommended \_\_\_\_\_ updates \_\_\_\_\_ methods \_\_\_\_\_ text \_\_\_\_\_ fingerprints.  
 How frequently should I change my multifactor \_\_\_\_\_ as \_\_\_\_\_ facial-recognition \_\_\_\_\_?  
 There is \_\_\_\_\_ question about the \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ like \_\_\_\_\_ and fingerprints  
 There's \_\_\_\_\_ about how \_\_\_\_\_ recommended \_\_\_\_\_ ofAuthentication \_\_\_\_\_ like text message codes \_\_\_\_\_ fingerprints.  
 When \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ the multiplefactor \_\_\_\_\_ the text \_\_\_\_\_ biometrics?  
 How \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ change \_\_\_\_\_ message codes, \_\_\_\_\_ or \_\_\_\_\_?  
 Do \_\_\_\_\_ need \_\_\_\_\_ updating my \_\_\_\_\_ fingerprints, \_\_\_\_\_ other data on a \_\_\_\_\_?  
 When \_\_\_\_\_ need \_\_\_\_\_ modify the \_\_\_\_\_ methods \_\_\_\_\_ text \_\_\_\_\_ the bios?  
 There's a \_\_\_\_\_ on the amount of time \_\_\_\_\_ methods, \_\_\_\_\_ mobile \_\_\_\_\_ Biometrics  
 \_\_\_\_\_ should I swap \_\_\_\_\_ update \_\_\_\_\_ methods \_\_\_\_\_ as text message \_\_\_\_\_ fingerprints?  
 How \_\_\_\_\_ should I \_\_\_\_\_ my multifactor \_\_\_\_\_ as \_\_\_\_\_ codes \_\_\_\_\_ fingerprints?  
 \_\_\_\_\_ timescale for \_\_\_\_\_ like text messages \_\_\_\_\_ biometry factors?  
 \_\_\_\_\_ text \_\_\_\_\_ is \_\_\_\_\_ question of when \_\_\_\_\_ how frequently.  
 \_\_\_\_\_ it necessary for \_\_\_\_\_ to \_\_\_\_\_ codes, fingerprints, \_\_\_\_\_ other \_\_\_\_\_ on a \_\_\_\_\_?

Is \_\_\_\_\_ a good \_\_\_\_\_ my sm \_\_\_\_\_ and biometrics occasionally to \_\_\_\_\_ ?

\_\_\_\_\_ do \_\_\_\_\_ know the \_\_\_\_\_ updating rate \_\_\_\_\_ security, \_\_\_\_\_ text messaging codes \_\_\_\_\_ ?

Do I \_\_\_\_\_ to keep updating \_\_\_\_\_ ?

\_\_\_\_\_ know the recommended update rates for \_\_\_\_\_ factor security \_\_\_\_\_ biofying.

I \_\_\_\_\_ how much I should add \_\_\_\_\_ like \_\_\_\_\_ codes and \_\_\_\_\_.

\_\_\_\_\_ have to keep \_\_\_\_\_ text \_\_\_\_\_ and other \_\_\_\_\_ information?

How \_\_\_\_\_ times can you \_\_\_\_\_ how to \_\_\_\_\_ multifactor authenticating \_\_\_\_\_ including texting \_\_\_\_\_ ?

\_\_\_\_\_ necessary to \_\_\_\_\_ my \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ for added security?

\_\_\_\_\_ a \_\_\_\_\_ how \_\_\_\_\_ to update text \_\_\_\_\_ or \_\_\_\_\_.

\_\_\_\_\_ increased \_\_\_\_\_ is \_\_\_\_\_ appropriate \_\_\_\_\_ me to replace \_\_\_\_\_ sm codes and biometrics \_\_\_\_\_ ?

\_\_\_\_\_ texting \_\_\_\_\_ using biometrics be \_\_\_\_\_ or updated?

How \_\_\_\_\_ should I change \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ text \_\_\_\_\_ recognition software?

\_\_\_\_\_ is \_\_\_\_\_ question about the \_\_\_\_\_ of \_\_\_\_\_ recommended \_\_\_\_\_ updating \_\_\_\_\_ including \_\_\_\_\_ and \_\_\_\_\_

How \_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ or biometry \_\_\_\_\_ ?

Is it \_\_\_\_\_ for \_\_\_\_\_ change my \_\_\_\_\_ frequently to \_\_\_\_\_ security?

How often \_\_\_\_\_ SMS \_\_\_\_\_ refreshed?

I need to change \_\_\_\_\_ and \_\_\_\_\_ a regular \_\_\_\_\_ I need?

How \_\_\_\_\_ time \_\_\_\_\_ I \_\_\_\_\_ codes and biometric credentials?

How often \_\_\_\_\_ I \_\_\_\_\_ example \_\_\_\_\_ or biometric credentials?

\_\_\_\_\_ it \_\_\_\_\_ to replace \_\_\_\_\_ sm \_\_\_\_\_ and biometrics \_\_\_\_\_ now and \_\_\_\_\_ enhanced \_\_\_\_\_ ?

\_\_\_\_\_ know how frequently I \_\_\_\_\_ refresh text \_\_\_\_\_.

How \_\_\_\_\_ I need to change \_\_\_\_\_ multifactor \_\_\_\_\_ text message codes, \_\_\_\_\_ and \_\_\_\_\_ ?

How frequently do I need \_\_\_\_\_ message \_\_\_\_\_ fingerprints, \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ if I replace my \_\_\_\_\_ frequently?

\_\_\_\_\_ it a good \_\_\_\_\_ replace my \_\_\_\_\_ now and then \_\_\_\_\_ increased \_\_\_\_\_ ?

How many times should \_\_\_\_\_ my \_\_\_\_\_ codes, \_\_\_\_\_ recognition?

Do \_\_\_\_\_ really need \_\_\_\_\_ sm \_\_\_\_\_ and biometrics \_\_\_\_\_ now \_\_\_\_\_ again for increased \_\_\_\_\_ ?

Is \_\_\_\_\_ appropriate for \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ wise to \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ with more security?

\_\_\_\_\_ do \_\_\_\_\_ have \_\_\_\_\_ a change to \_\_\_\_\_ such as \_\_\_\_\_ or logging in with my \_\_\_\_\_ ?

How \_\_\_\_\_ new methods such as \_\_\_\_\_ ?

Is it right \_\_\_\_\_ me \_\_\_\_\_ replace \_\_\_\_\_ codes and biometrics \_\_\_\_\_ now \_\_\_\_\_ with \_\_\_\_\_ ?

\_\_\_\_\_ appropriate for \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ with added security?

\_\_\_\_\_ good for me to replace \_\_\_\_\_ every \_\_\_\_\_ and then?

Is \_\_\_\_\_ appropriate \_\_\_\_\_ replace my \_\_\_\_\_ frequently to \_\_\_\_\_ security?

\_\_\_\_\_ I \_\_\_\_\_ to change \_\_\_\_\_ codes and biometrics every \_\_\_\_\_ then?

Is it necessary \_\_\_\_\_ me \_\_\_\_\_ update my \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ do you want \_\_\_\_\_ change \_\_\_\_\_ codes \_\_\_\_\_ Biometrics?

Do I \_\_\_\_\_ to change \_\_\_\_\_ codes and \_\_\_\_\_ ?

There \_\_\_\_\_ a \_\_\_\_\_ on the \_\_\_\_\_ amount \_\_\_\_\_ time to \_\_\_\_\_ methods \_\_\_\_\_ text message \_\_\_\_\_.

Do \_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ other \_\_\_\_\_ every now and then?

\_\_\_\_\_ have to change my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ codes and biometrics every now \_\_\_\_\_ again necessary?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ my sm codes \_\_\_\_\_ now and then?

Is \_\_\_\_\_ appropriate \_\_\_\_\_ to replace \_\_\_\_\_ sm \_\_\_\_\_ a regular basis?

Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_ occasionally \_\_\_\_\_ my \_\_\_\_\_ ?

Is \_\_\_\_\_ codes and biometrics every now and again with security?

\_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ codes, \_\_\_\_\_ other \_\_\_\_\_ every now and then?

Do \_\_\_\_\_ need to \_\_\_\_\_ my sm \_\_\_\_\_ and biometrics \_\_\_\_\_ then for \_\_\_\_\_ ?

\_\_\_\_\_ often \_\_\_\_\_ I \_\_\_\_\_ multifactor verifications such as text \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ ?

There is \_\_\_\_\_ of when \_\_\_\_\_ frequently to update \_\_\_\_\_.

\_\_\_\_\_ often should \_\_\_\_\_ methods \_\_\_\_\_ and using fingerprints \_\_\_\_\_?

\_\_\_\_\_ sense \_\_\_\_\_ me to replace \_\_\_\_\_ sm codes and biometrics \_\_\_\_\_ now \_\_\_\_\_ strengthen my security?

\_\_\_\_\_ the text message \_\_\_\_\_ fingerprints and facial recognition?

There's a question on \_\_\_\_\_ amount \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ including \_\_\_\_\_ and \_\_\_\_\_.

How often \_\_\_\_\_ change \_\_\_\_\_ codes \_\_\_\_\_?

\_\_\_\_\_ frequently \_\_\_\_\_ multifactor authentication methods \_\_\_\_\_ as \_\_\_\_\_ and \_\_\_\_\_ changed \_\_\_\_\_ the same?

\_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ now \_\_\_\_\_ then appropriate for \_\_\_\_\_ security?

\_\_\_\_\_ question on the \_\_\_\_\_ of \_\_\_\_\_ like \_\_\_\_\_ message codes and fingerprints

\_\_\_\_\_ if I should be \_\_\_\_\_ changing \_\_\_\_\_ codes and \_\_\_\_\_ credentials.

Do I \_\_\_\_\_ to change the text \_\_\_\_\_?

\_\_\_\_\_ many times \_\_\_\_\_ do I have to make \_\_\_\_\_ to multifactor \_\_\_\_\_ as sending a \_\_\_\_\_ logging \_\_\_\_\_ with \_\_\_\_\_

Do I \_\_\_\_\_ change my \_\_\_\_\_ codes \_\_\_\_\_ frequently \_\_\_\_\_ added \_\_\_\_\_?

Do I \_\_\_\_\_ to replace \_\_\_\_\_ sm \_\_\_\_\_ and \_\_\_\_\_ for \_\_\_\_\_ security?

Do you \_\_\_\_\_ a good \_\_\_\_\_ my texting \_\_\_\_\_ and bio \_\_\_\_\_ more \_\_\_\_\_?

I need to \_\_\_\_\_ when \_\_\_\_\_ to change the multifactor security \_\_\_\_\_ codes and \_\_\_\_\_.

\_\_\_\_\_ frequently \_\_\_\_\_ codes and \_\_\_\_\_ is a question.

\_\_\_\_\_ to update \_\_\_\_\_ codes, biometrics or \_\_\_\_\_ is a \_\_\_\_\_.

Do I \_\_\_\_\_ to \_\_\_\_\_ my text \_\_\_\_\_ and \_\_\_\_\_ frequently?

Is it proper for me \_\_\_\_\_ codes \_\_\_\_\_ and then?

Should my msls \_\_\_\_\_ be \_\_\_\_\_ every now \_\_\_\_\_?

How \_\_\_\_\_ times \_\_\_\_\_ multifactor authentication methods such \_\_\_\_\_ and using biometrics \_\_\_\_\_?

\_\_\_\_\_ you suggest \_\_\_\_\_ to \_\_\_\_\_ such as text messages and \_\_\_\_\_?

\_\_\_\_\_ msm codes and biosiguir \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ I should \_\_\_\_\_ my \_\_\_\_\_ codes and \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ it a good \_\_\_\_\_ update \_\_\_\_\_ codes and \_\_\_\_\_?

\_\_\_\_\_ it a \_\_\_\_\_ me to \_\_\_\_\_ text \_\_\_\_\_ fingerprints and other \_\_\_\_\_ a regular \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ my phone's/card's text/biopic \_\_\_\_\_ often?

Do \_\_\_\_\_ to refresh \_\_\_\_\_ as texting \_\_\_\_\_ or biometric credentials?

How \_\_\_\_\_ time should \_\_\_\_\_ swap \_\_\_\_\_ update my security \_\_\_\_\_ message codes, \_\_\_\_\_ recognition?

Is it \_\_\_\_\_ me \_\_\_\_\_ my sm \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ to fortify \_\_\_\_\_ security?

I'd \_\_\_\_\_ know when \_\_\_\_\_ is \_\_\_\_\_ to change the multifactor \_\_\_\_\_ that include \_\_\_\_\_ codes \_\_\_\_\_.

\_\_\_\_\_ question about the \_\_\_\_\_ of \_\_\_\_\_ recommended \_\_\_\_\_ of Authentication \_\_\_\_\_ like \_\_\_\_\_ message codes and fingerprints.

\_\_\_\_\_ often \_\_\_\_\_ it \_\_\_\_\_ sense \_\_\_\_\_ change text \_\_\_\_\_ codes, \_\_\_\_\_ facemasks?

Is \_\_\_\_\_ acceptable for \_\_\_\_\_ to replace my \_\_\_\_\_?

\_\_\_\_\_ often should \_\_\_\_\_ refresh \_\_\_\_\_ as texting \_\_\_\_\_ credentials?

There's \_\_\_\_\_ how \_\_\_\_\_ is recommended for \_\_\_\_\_ update of Authentication methods like text \_\_\_\_\_ and \_\_\_\_\_.

\_\_\_\_\_ often \_\_\_\_\_ you \_\_\_\_\_ text \_\_\_\_\_ and \_\_\_\_\_?

I \_\_\_\_\_ should change my text \_\_\_\_\_ bio \_\_\_\_\_ frequently.

\_\_\_\_\_ should I \_\_\_\_\_ my text \_\_\_\_\_ fingerprints, or \_\_\_\_\_ scanning?

\_\_\_\_\_ want to know if \_\_\_\_\_ a realistic timetable \_\_\_\_\_ updating the \_\_\_\_\_ that \_\_\_\_\_ text \_\_\_\_\_.

How \_\_\_\_\_ should \_\_\_\_\_ like Biometrics \_\_\_\_\_?

\_\_\_\_\_ don't know how \_\_\_\_\_ I \_\_\_\_\_ protection methods, \_\_\_\_\_ as \_\_\_\_\_ messages \_\_\_\_\_ fingerprints.

When do \_\_\_\_\_ need \_\_\_\_\_ modify \_\_\_\_\_ the text \_\_\_\_\_ and the \_\_\_\_\_

How \_\_\_\_\_ should multifactor authentication \_\_\_\_\_ as texting \_\_\_\_\_ change?

Can it \_\_\_\_\_ good idea to \_\_\_\_\_ texting \_\_\_\_\_ bio \_\_\_\_\_ often?

Is \_\_\_\_\_ best for \_\_\_\_\_ to replace my \_\_\_\_\_?

\_\_\_\_\_ I have to \_\_\_\_\_ and biometrics frequently for \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ should \_\_\_\_\_ spend updating \_\_\_\_\_ security \_\_\_\_\_ like text \_\_\_\_\_ and facial \_\_\_\_\_?

How frequently \_\_\_\_\_ to change \_\_\_\_\_ and biometrics?

How often \_\_\_\_\_ change \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ message codes, fingerprints and \_\_\_\_\_?

When it \_\_\_\_\_ and biometrics, is \_\_\_\_\_ something \_\_\_\_\_ need \_\_\_\_\_ do frequently?

How \_\_\_\_\_ I change \_\_\_\_\_ multifactor \_\_\_\_\_ including \_\_\_\_\_ fingerprints, and facial \_\_\_\_\_?

Can you recommend \_\_\_\_\_ timescale for updating \_\_\_\_\_?

\_\_\_\_\_ don't know \_\_\_\_\_ should change my \_\_\_\_\_ codes regularly.

\_\_\_\_\_ often \_\_\_\_\_ codes and credentials \_\_\_\_\_?

\_\_\_\_\_ should I change \_\_\_\_\_ fingerprints or iris?

\_\_\_\_\_ have \_\_\_\_\_ codes and biometrics \_\_\_\_\_ now and then?

How \_\_\_\_\_ should multifactor authentication \_\_\_\_\_ texting \_\_\_\_\_ fingerprints be \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the multifactor methods, such \_\_\_\_\_ the \_\_\_\_\_ messages and \_\_\_\_\_ biometrics?

\_\_\_\_\_ do I \_\_\_\_\_ to \_\_\_\_\_ multifactor \_\_\_\_\_ methods \_\_\_\_\_ and the biometrics?

\_\_\_\_\_ wise to change my texting \_\_\_\_\_ settings \_\_\_\_\_ frequently?

\_\_\_\_\_ you know how \_\_\_\_\_ recommended \_\_\_\_\_ Authentication \_\_\_\_\_ such as \_\_\_\_\_ codes \_\_\_\_\_ fingerprints, it's helpful.

\_\_\_\_\_ times \_\_\_\_\_ i need \_\_\_\_\_ phone's/card's text/biometrics codes?

How \_\_\_\_\_ am I told \_\_\_\_\_ change to \_\_\_\_\_ Authentication, such \_\_\_\_\_ sending \_\_\_\_\_ logging \_\_\_\_\_ a Biometrics?

Is it advisable \_\_\_\_\_ replace \_\_\_\_\_ sm codes \_\_\_\_\_ for \_\_\_\_\_ security?

It's helpful if you \_\_\_\_\_ long it is \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ such \_\_\_\_\_ and fingerprints.

\_\_\_\_\_ frequently \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ message codes, fingerprints, \_\_\_\_\_ iris?

How often should multifactor authentication \_\_\_\_\_ including texting \_\_\_\_\_?

I \_\_\_\_\_ I \_\_\_\_\_ my sm \_\_\_\_\_ and biometrics frequently.

\_\_\_\_\_ I need to change \_\_\_\_\_ phone's/card's text/biometrics?

\_\_\_\_\_ do I need to \_\_\_\_\_ text codes or \_\_\_\_\_?

\_\_\_\_\_ often should I \_\_\_\_\_ verifications, \_\_\_\_\_ message codes, fingerprints \_\_\_\_\_ facial-recognition software?

Should \_\_\_\_\_ methods of security be \_\_\_\_\_ and the like?

Is replacing \_\_\_\_\_ codes \_\_\_\_\_ then necessary \_\_\_\_\_ increase my security?

Is \_\_\_\_\_ ok \_\_\_\_\_ my \_\_\_\_\_ codes and biometrics regularly?

How often \_\_\_\_\_ you want \_\_\_\_\_ message codes and \_\_\_\_\_?

How \_\_\_\_\_ I need \_\_\_\_\_ change \_\_\_\_\_ cards' text/biometrics codes?

Should \_\_\_\_\_ and biometrics \_\_\_\_\_ frequently?

\_\_\_\_\_ frequently should I \_\_\_\_\_ my text \_\_\_\_\_ fingerprints \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ is a \_\_\_\_\_ about \_\_\_\_\_ of time \_\_\_\_\_ authenticating methods, \_\_\_\_\_ messages and Biometrics

\_\_\_\_\_ often do \_\_\_\_\_ have \_\_\_\_\_ a change to \_\_\_\_\_ Authentication \_\_\_\_\_ sending \_\_\_\_\_ message \_\_\_\_\_ in with \_\_\_\_\_?

How \_\_\_\_\_ times a \_\_\_\_\_ should I \_\_\_\_\_ text/biometrics \_\_\_\_\_?

\_\_\_\_\_ it make sense to replace \_\_\_\_\_ sm \_\_\_\_\_ now and \_\_\_\_\_ order \_\_\_\_\_ increase \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ codes and biometrics frequently?

\_\_\_\_\_ can \_\_\_\_\_ change my \_\_\_\_\_ verifications such as \_\_\_\_\_ codes, fingerprints, \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ my \_\_\_\_\_ fingerprints, \_\_\_\_\_ other \_\_\_\_\_ frequently to keep \_\_\_\_\_ safe?

How \_\_\_\_\_ times do I have \_\_\_\_\_ to \_\_\_\_\_ such \_\_\_\_\_ sending \_\_\_\_\_ message or logging in with \_\_\_\_\_?

\_\_\_\_\_ me when \_\_\_\_\_ appropriate \_\_\_\_\_ change the \_\_\_\_\_ that include text \_\_\_\_\_ and fingerprints?

There's a question as \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ authenticating methods, \_\_\_\_\_ mobile \_\_\_\_\_ Biometrics.

Do \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ and biometrics every \_\_\_\_\_ then \_\_\_\_\_ increased security?

How \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ my phone/card's \_\_\_\_\_ codes?

When it comes \_\_\_\_\_ and biometrics, is \_\_\_\_\_ something \_\_\_\_\_ to do \_\_\_\_\_?

\_\_\_\_\_ to update \_\_\_\_\_ both is a question.

\_\_\_\_\_ often \_\_\_\_\_ need to make a \_\_\_\_\_ as \_\_\_\_\_ message or logging in \_\_\_\_\_?

Is it okay \_\_\_\_\_ replace \_\_\_\_\_ sm codes \_\_\_\_\_ occasionally for \_\_\_\_\_?

How much \_\_\_\_\_ spend changing my \_\_\_\_\_ methods \_\_\_\_\_ text \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_?

Shouldn't my sm codes \_\_\_\_\_ be \_\_\_\_\_ now \_\_\_\_\_ then to \_\_\_\_\_?

Do \_\_\_\_\_ my \_\_\_\_\_ text/biometrics frequently?

\_\_\_\_\_ it appropriate for me to replace my \_\_\_\_\_ more \_\_\_\_\_?



\_\_\_\_\_ number \_\_\_\_\_ times \_\_\_\_\_ need to \_\_\_\_\_ phone \_\_\_\_\_ card's text/biometrics codes?

How \_\_\_\_\_ would you like \_\_\_\_\_ change text \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ many \_\_\_\_\_ must I \_\_\_\_\_ my \_\_\_\_\_ text \_\_\_\_\_ fingerprints?

\_\_\_\_\_ amount \_\_\_\_\_ updating authenticating methods, \_\_\_\_\_ mobile messages \_\_\_\_\_ is being questioned.

\_\_\_\_\_ necessary \_\_\_\_\_ replace my sm \_\_\_\_\_ andbiometrics every now \_\_\_\_\_ security?

\_\_\_\_\_ often \_\_\_\_\_ the text \_\_\_\_\_ fingerprints, or facemasks?

\_\_\_\_\_ to change my \_\_\_\_\_ codes, \_\_\_\_\_ and other \_\_\_\_\_ often?

\_\_\_\_\_ often should I \_\_\_\_\_ things, \_\_\_\_\_ texting \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ should multiplefactorauthentication methods \_\_\_\_\_ texting and \_\_\_\_\_ changed?

\_\_\_\_\_ do I have to make \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ sending \_\_\_\_\_ message or \_\_\_\_\_ in \_\_\_\_\_ my \_\_\_\_\_?

I don't know \_\_\_\_\_ should \_\_\_\_\_ or bio frequently.

How \_\_\_\_\_ you \_\_\_\_\_ text \_\_\_\_\_ and fingerprints.

Do I \_\_\_\_\_ my sm \_\_\_\_\_ a bit \_\_\_\_\_?

\_\_\_\_\_ acceptable \_\_\_\_\_ me \_\_\_\_\_ my sm codes andbiometrics every \_\_\_\_\_ and \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ a good idea to replace \_\_\_\_\_ sm \_\_\_\_\_ for enhanced security?

\_\_\_\_\_ often should \_\_\_\_\_ my text \_\_\_\_\_ codes or \_\_\_\_\_?

\_\_\_\_\_ should texting and usingbiometrics \_\_\_\_\_ and \_\_\_\_\_?

I would \_\_\_\_\_ know if I \_\_\_\_\_ bio settings \_\_\_\_\_ a regular basis.

\_\_\_\_\_ if I \_\_\_\_\_ change my \_\_\_\_\_.

\_\_\_\_\_ times \_\_\_\_\_ required to \_\_\_\_\_ phone's/card's text/biometrics codes?

Do \_\_\_\_\_ to update the authenticate \_\_\_\_\_ as text \_\_\_\_\_ biometry?

Do \_\_\_\_\_ how \_\_\_\_\_ my \_\_\_\_\_ and \_\_\_\_\_ messages \_\_\_\_\_ be refreshed?

Can I \_\_\_\_\_ codes and \_\_\_\_\_?

How \_\_\_\_\_ should I \_\_\_\_\_ codes or fingerprints?

Can \_\_\_\_\_ tell \_\_\_\_\_ how \_\_\_\_\_ need to \_\_\_\_\_ my phone's text/biopic \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ text \_\_\_\_\_ and bicycle credentials regularly?

For increased security, should \_\_\_\_\_ replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_?

I \_\_\_\_\_ how \_\_\_\_\_ I should \_\_\_\_\_ my \_\_\_\_\_ methods, such \_\_\_\_\_ messages and fingerprints.

Shouldn't \_\_\_\_\_ sm codes andbiometrics be \_\_\_\_\_ every \_\_\_\_\_ then \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ time \_\_\_\_\_ recommended \_\_\_\_\_ updating \_\_\_\_\_ Methods such \_\_\_\_\_ codes and fingerprints, \_\_\_\_\_ is helpful.

Do multiplefactorauthentication \_\_\_\_\_ such as texting and \_\_\_\_\_ changed \_\_\_\_\_?

It's a \_\_\_\_\_ of how \_\_\_\_\_ text codes \_\_\_\_\_.

Is it \_\_\_\_\_ my sm codes \_\_\_\_\_ frequently \_\_\_\_\_ added \_\_\_\_\_?

Is it \_\_\_\_\_ my \_\_\_\_\_ and then with added security?

How \_\_\_\_\_ do \_\_\_\_\_ want \_\_\_\_\_ change SMS codes \_\_\_\_\_?

How \_\_\_\_\_ do I \_\_\_\_\_ refresh my \_\_\_\_\_ messages \_\_\_\_\_?

\_\_\_\_\_ often do I need to \_\_\_\_\_ methods \_\_\_\_\_ as \_\_\_\_\_ message \_\_\_\_\_?

There's \_\_\_\_\_ the amount of time \_\_\_\_\_ for updates \_\_\_\_\_ methods like \_\_\_\_\_ codes \_\_\_\_\_ fingerprints

How much \_\_\_\_\_ should I \_\_\_\_\_ updating \_\_\_\_\_?

How often \_\_\_\_\_ make \_\_\_\_\_ change, \_\_\_\_\_ as sending \_\_\_\_\_ or logging \_\_\_\_\_ with my Biometrics?

Shouldn't \_\_\_\_\_ my \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ increase \_\_\_\_\_ security?

I \_\_\_\_\_ know how often to add \_\_\_\_\_ such \_\_\_\_\_.

I \_\_\_\_\_ if I \_\_\_\_\_ change my \_\_\_\_\_ bio frequently.

The \_\_\_\_\_ of \_\_\_\_\_ it's \_\_\_\_\_ for \_\_\_\_\_ message \_\_\_\_\_ and fingerprints is a question.

How often I \_\_\_\_\_ add \_\_\_\_\_ text \_\_\_\_\_ codes and fingerprints?

I wonder if changing \_\_\_\_\_ texting \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_ idea.

How often is it \_\_\_\_\_ iris scanning, \_\_\_\_\_ fingerprints?

\_\_\_\_\_ my sm \_\_\_\_\_ now and then to improve \_\_\_\_\_?

\_\_\_\_\_ do I need to \_\_\_\_\_ methods, \_\_\_\_\_ the text \_\_\_\_\_ and \_\_\_\_\_?

How \_\_\_\_ times \_\_\_\_ year \_\_\_\_ texting \_\_\_\_ fingerprints be \_\_\_\_?

\_\_\_\_ it \_\_\_\_ I need \_\_\_\_ it comes to mobile \_\_\_\_ and biometrics?

How frequently do I have to \_\_\_\_ a \_\_\_\_ to \_\_\_\_ sending \_\_\_\_ message or \_\_\_\_ with \_\_\_\_?

\_\_\_\_ replacing \_\_\_\_ every now and then necessary \_\_\_\_ security?

Do you \_\_\_\_ when \_\_\_\_ update the \_\_\_\_ techniques \_\_\_\_ text \_\_\_\_ factors?

Is \_\_\_\_ to \_\_\_\_ text codes and \_\_\_\_ often?

\_\_\_\_ it possible \_\_\_\_ my \_\_\_\_ fingerprints every now and then \_\_\_\_ secure?

\_\_\_\_ time should I \_\_\_\_ or update \_\_\_\_ methods like text message \_\_\_\_?

Do \_\_\_\_ need to \_\_\_\_ my \_\_\_\_ codes, \_\_\_\_ and \_\_\_\_ on \_\_\_\_ regular \_\_\_\_?

\_\_\_\_ a question \_\_\_\_ the \_\_\_\_ for \_\_\_\_ methods \_\_\_\_ text \_\_\_\_ codes and fingerprints.

\_\_\_\_ methods \_\_\_\_ texting \_\_\_\_ should be \_\_\_\_ frequently.

Can \_\_\_\_ replace my \_\_\_\_ codes and biometrics every \_\_\_\_ for \_\_\_\_?

\_\_\_\_ good idea \_\_\_\_ change my text codes and \_\_\_\_?

Is \_\_\_\_ for \_\_\_\_ replace my sm codes \_\_\_\_ and then \_\_\_\_ increase \_\_\_\_?

\_\_\_\_ you know \_\_\_\_ it's recommended to update Authentication \_\_\_\_ text message codes \_\_\_\_ be helpful.

Can \_\_\_\_ to \_\_\_\_ the \_\_\_\_ for text messages \_\_\_\_ biometry?

\_\_\_\_ make \_\_\_\_ for me to replace \_\_\_\_ every now \_\_\_\_ again?

How often \_\_\_\_ you \_\_\_\_ on \_\_\_\_ multifactor \_\_\_\_ methods, including texting \_\_\_\_ and \_\_\_\_?

Do \_\_\_\_ have \_\_\_\_ replace \_\_\_\_ codes and biometrics \_\_\_\_ now \_\_\_\_ for \_\_\_\_ security?

\_\_\_\_ need \_\_\_\_ modify multifactor Authentication \_\_\_\_ text messages and \_\_\_\_ biometrics?

Do \_\_\_\_ have \_\_\_\_ change my \_\_\_\_ credentials often?

\_\_\_\_ it \_\_\_\_ to update SMS \_\_\_\_ regularly?

How many times \_\_\_\_ me \_\_\_\_ change \_\_\_\_ authenticating methods, \_\_\_\_ using texting codes \_\_\_\_?

How often should \_\_\_\_ text \_\_\_\_ and fingerprints \_\_\_\_ my \_\_\_\_?

Can \_\_\_\_ when \_\_\_\_ update \_\_\_\_ messages \_\_\_\_ biometry factors?

\_\_\_\_ good idea \_\_\_\_ me \_\_\_\_ replace my sm \_\_\_\_ and biometrics frequently \_\_\_\_ security?

\_\_\_\_ don't \_\_\_\_ be changing my bio \_\_\_\_ text codes \_\_\_\_.

\_\_\_\_ many \_\_\_\_ do \_\_\_\_ need \_\_\_\_ change my \_\_\_\_ text \_\_\_\_ biometrics \_\_\_\_?

\_\_\_\_ are the number of \_\_\_\_ need \_\_\_\_ my \_\_\_\_ text/biometrics \_\_\_\_?

\_\_\_\_ question about the \_\_\_\_ of time \_\_\_\_ is recommended for \_\_\_\_ methods, \_\_\_\_ messages and \_\_\_\_.

Do you think \_\_\_\_ refresh \_\_\_\_ text \_\_\_\_ and \_\_\_\_ often?

\_\_\_\_ know \_\_\_\_ be appropriate to change \_\_\_\_ multifactor security methods that include \_\_\_\_ codes \_\_\_\_.

\_\_\_\_ I \_\_\_\_ things, like \_\_\_\_ codes and fingerprints?

\_\_\_\_ to update the authenticate \_\_\_\_ including \_\_\_\_ factors?

The amount \_\_\_\_ recommended \_\_\_\_ updating \_\_\_\_ messages and Biometrics, is being \_\_\_\_.

Is it worthwhile \_\_\_\_ replace \_\_\_\_ codes and biometrics \_\_\_\_ and again \_\_\_\_?

Is it wise \_\_\_\_ my \_\_\_\_ codes \_\_\_\_ replaced every \_\_\_\_ and \_\_\_\_?

\_\_\_\_ I change my \_\_\_\_ codes \_\_\_\_?

\_\_\_\_ necessary \_\_\_\_ update my codes \_\_\_\_?

Shouldn't \_\_\_\_ my sm \_\_\_\_ and then \_\_\_\_ improved security?

How \_\_\_\_ the multifactor authentication \_\_\_\_ and using biometrics \_\_\_\_ changed?

\_\_\_\_ many times \_\_\_\_ I change the \_\_\_\_ fingerprints?

Can you tell me when to update \_\_\_\_ they are \_\_\_\_?

\_\_\_\_ many \_\_\_\_ a \_\_\_\_ should multifactor authentication \_\_\_\_ and \_\_\_\_ be changed?

\_\_\_\_ need \_\_\_\_ my text codes and credentials \_\_\_\_?

Should \_\_\_\_ change my \_\_\_\_ codes \_\_\_\_ bio settings \_\_\_\_?

\_\_\_\_ for me to \_\_\_\_ text codes \_\_\_\_ fingerprints \_\_\_\_?

Is \_\_\_\_ okay for me to replace \_\_\_\_ sm codes \_\_\_\_ now \_\_\_\_?

\_\_\_\_ SMS codes \_\_\_\_ is a \_\_\_\_.

How \_\_\_\_ multifactor \_\_\_\_ such as text \_\_\_\_ codes, \_\_\_\_ and facial recognition?

How \_\_\_\_\_ can I \_\_\_\_\_ codes \_\_\_\_\_ fingerprints on my \_\_\_\_\_?

\_\_\_\_\_ to change \_\_\_\_\_ sm codes and biometrics \_\_\_\_\_ now and \_\_\_\_\_?

\_\_\_\_\_ it correct for \_\_\_\_\_ to \_\_\_\_\_ codes and biometrics \_\_\_\_\_?

\_\_\_\_\_ replacing my \_\_\_\_\_ codes \_\_\_\_\_ every now and \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ my \_\_\_\_\_ codes and biometrics on a \_\_\_\_\_ additional security?

Is it necessary \_\_\_\_\_ to update \_\_\_\_\_ SMS \_\_\_\_\_ Biometrics \_\_\_\_\_?

I \_\_\_\_\_ I should \_\_\_\_\_ my \_\_\_\_\_ frequently.

How often \_\_\_\_\_ I update \_\_\_\_\_ credentials?

\_\_\_\_\_ to \_\_\_\_\_ recommended amount \_\_\_\_\_ time for an \_\_\_\_\_ of Authentication methods like \_\_\_\_\_ message codes and \_\_\_\_\_.

The question \_\_\_\_\_ when \_\_\_\_\_ frequently \_\_\_\_\_ text codes, biometrics.

\_\_\_\_\_ you suggest when \_\_\_\_\_ update \_\_\_\_\_ factors of login \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ me \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ and biometrics every \_\_\_\_\_ and \_\_\_\_\_ increase security?

How frequently should \_\_\_\_\_ change \_\_\_\_\_ on my account?

How \_\_\_\_\_ do I \_\_\_\_\_ phone/card's text/biometrics codes?

Does \_\_\_\_\_ make \_\_\_\_\_ for me to replace \_\_\_\_\_ sm \_\_\_\_\_ every \_\_\_\_\_ fortify my \_\_\_\_\_?

\_\_\_\_\_ I need \_\_\_\_\_ my \_\_\_\_\_ codes and biometrics \_\_\_\_\_?

Can \_\_\_\_\_ change \_\_\_\_\_ text codes \_\_\_\_\_?

Is it \_\_\_\_\_ me to replace \_\_\_\_\_ codes \_\_\_\_\_ my security?

Do \_\_\_\_\_ need \_\_\_\_\_ sm \_\_\_\_\_ and biometrics every \_\_\_\_\_ for added Security?

Can \_\_\_\_\_ me when it is appropriate \_\_\_\_\_ change \_\_\_\_\_ methods \_\_\_\_\_ include \_\_\_\_\_ codes and \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ text \_\_\_\_\_ both is a question.

\_\_\_\_\_ want \_\_\_\_\_ how \_\_\_\_\_ should add new methods, such \_\_\_\_\_.

How \_\_\_\_\_ can you advise me \_\_\_\_\_ changing my \_\_\_\_\_ methods, \_\_\_\_\_ fingerprints?

\_\_\_\_\_ a \_\_\_\_\_ do I need \_\_\_\_\_ my \_\_\_\_\_ text codes \_\_\_\_\_ fingerprints?

\_\_\_\_\_ frequently \_\_\_\_\_ I have to \_\_\_\_\_ a change \_\_\_\_\_ as \_\_\_\_\_ message \_\_\_\_\_ logging in with \_\_\_\_\_ Biometrics?

\_\_\_\_\_ I need to \_\_\_\_\_ sm codes \_\_\_\_\_ and \_\_\_\_\_ for \_\_\_\_\_ reasons?

\_\_\_\_\_ know when it's best to \_\_\_\_\_ like text \_\_\_\_\_ and biometry \_\_\_\_\_.

How \_\_\_\_\_ I replace my \_\_\_\_\_ increase security?

\_\_\_\_\_ do I need \_\_\_\_\_ update \_\_\_\_\_ methods such \_\_\_\_\_ the \_\_\_\_\_ and the \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ amount to update \_\_\_\_\_ such as \_\_\_\_\_?

\_\_\_\_\_ like \_\_\_\_\_ know \_\_\_\_\_ I should refresh text codes \_\_\_\_\_.

The \_\_\_\_\_ when and how \_\_\_\_\_ update text \_\_\_\_\_ biometrics.

How \_\_\_\_\_ you able \_\_\_\_\_ tell \_\_\_\_\_ changing my multifactor authenticating methods, including \_\_\_\_\_ codes \_\_\_\_\_?

What number \_\_\_\_\_ times do you advise \_\_\_\_\_ my \_\_\_\_\_ authenticating methods, \_\_\_\_\_ texting \_\_\_\_\_?

Do \_\_\_\_\_ need to \_\_\_\_\_ my sm \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ change \_\_\_\_\_ such as text \_\_\_\_\_ fingerprints and iris scans?

It's \_\_\_\_\_ question \_\_\_\_\_ updating \_\_\_\_\_ often.

How often \_\_\_\_\_ things such as \_\_\_\_\_ codes \_\_\_\_\_?

Is \_\_\_\_\_ proper for \_\_\_\_\_ change my \_\_\_\_\_ codes \_\_\_\_\_ credentials \_\_\_\_\_?

Can \_\_\_\_\_ change \_\_\_\_\_ codes and \_\_\_\_\_ settings \_\_\_\_\_ a \_\_\_\_\_ basis?

\_\_\_\_\_ multifactor authentication \_\_\_\_\_ texting \_\_\_\_\_ using biometrics need to be \_\_\_\_\_?

\_\_\_\_\_ many times a day \_\_\_\_\_ refresh \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ often do \_\_\_\_\_ need to update my \_\_\_\_\_ personal information?

How frequently \_\_\_\_\_ and using biometrics \_\_\_\_\_ or \_\_\_\_\_?

Can you give \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ messages \_\_\_\_\_ biometry \_\_\_\_\_?

There is a question \_\_\_\_\_ of time it \_\_\_\_\_ for updating \_\_\_\_\_ including mobile \_\_\_\_\_.

\_\_\_\_\_ wise \_\_\_\_\_ my sm \_\_\_\_\_ every now \_\_\_\_\_ again with added \_\_\_\_\_?

Can I replace my \_\_\_\_\_ codes \_\_\_\_\_ increased \_\_\_\_\_?

\_\_\_\_\_ need to make changes \_\_\_\_\_ methods like \_\_\_\_\_ text messages \_\_\_\_\_ the biometrics?

\_\_\_\_\_ often should multifactor \_\_\_\_\_ Biometrics, \_\_\_\_\_?

How often do I have \_\_\_\_\_ change \_\_\_\_\_ multifactorAuthentication, \_\_\_\_\_ or \_\_\_\_\_ in with abiometric data?  
 \_\_\_\_\_ amount of time \_\_\_\_\_ for updates \_\_\_\_\_ methods like \_\_\_\_\_ message \_\_\_\_\_ and fingerprints \_\_\_\_\_ a \_\_\_\_\_.

Does it make \_\_\_\_\_ replace my \_\_\_\_\_ every now \_\_\_\_\_ then \_\_\_\_\_ security?  
 \_\_\_\_\_ often \_\_\_\_\_ I \_\_\_\_\_ to make \_\_\_\_\_ change \_\_\_\_\_ Authentication, \_\_\_\_\_ as sending a message \_\_\_\_\_ Biometrics?  
 \_\_\_\_\_ know \_\_\_\_\_ I \_\_\_\_\_ changing \_\_\_\_\_ text codes and bio credentials.

Do smal \_\_\_\_\_ be updated \_\_\_\_\_?

How \_\_\_\_\_ to \_\_\_\_\_ codes or \_\_\_\_\_ is a \_\_\_\_\_.

Is it \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ and then to \_\_\_\_\_ security?  
 \_\_\_\_\_ want \_\_\_\_\_ if I \_\_\_\_\_ text message \_\_\_\_\_ fingerprints frequently.

Do I need \_\_\_\_\_ replace \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ and again \_\_\_\_\_?  
 \_\_\_\_\_ to replace \_\_\_\_\_ codes \_\_\_\_\_ every now \_\_\_\_\_ then for \_\_\_\_\_ security?  
 \_\_\_\_\_ I need \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ and then, \_\_\_\_\_ security?

How \_\_\_\_\_ should \_\_\_\_\_ change my multifactor \_\_\_\_\_ message codes, \_\_\_\_\_ recognition software?  
 \_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ often to add \_\_\_\_\_ methods \_\_\_\_\_ as \_\_\_\_\_ message codes \_\_\_\_\_.

How \_\_\_\_\_ do I \_\_\_\_\_ to \_\_\_\_\_ change to \_\_\_\_\_ like sending \_\_\_\_\_ message or \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ wise to replace my \_\_\_\_\_ andbiometrics every \_\_\_\_\_ and then \_\_\_\_\_ my \_\_\_\_\_?

I don't know \_\_\_\_\_ bio and text codes.

Does it make \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics \_\_\_\_\_?  
 \_\_\_\_\_ many \_\_\_\_\_ need to change my phone's/card's text/biopic \_\_\_\_\_?

Should \_\_\_\_\_ replace my \_\_\_\_\_ and then, \_\_\_\_\_ added security?  
 \_\_\_\_\_ would \_\_\_\_\_ is appropriate \_\_\_\_\_ change multifactor security methods \_\_\_\_\_ include SMS codes \_\_\_\_\_ biometrics.

I want to know \_\_\_\_\_ recommended \_\_\_\_\_ for \_\_\_\_\_ factor \_\_\_\_\_ measures \_\_\_\_\_ and \_\_\_\_\_ settings.

Is it appropriate \_\_\_\_\_ my \_\_\_\_\_ andbiometrics \_\_\_\_\_ and then for increased security?  
 \_\_\_\_\_ need \_\_\_\_\_ it's appropriate \_\_\_\_\_ multifactor \_\_\_\_\_ methods that \_\_\_\_\_ SMS codes and Biometrics.  
 \_\_\_\_\_ a year do \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ to multifactor Authentication \_\_\_\_\_ as \_\_\_\_\_ a \_\_\_\_\_ or logging in with \_\_\_\_\_?

How many \_\_\_\_\_ I change \_\_\_\_\_ codes and fingerprints \_\_\_\_\_?  
 \_\_\_\_\_ wise \_\_\_\_\_ text codes and bicyle credentials \_\_\_\_\_?

How frequently \_\_\_\_\_ update text codes \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ often \_\_\_\_\_ need \_\_\_\_\_ add new methods such as \_\_\_\_\_ and fingerprints.

How \_\_\_\_\_ should multifactor \_\_\_\_\_ such as \_\_\_\_\_?

\_\_\_\_\_ I change my \_\_\_\_\_ verifications, including \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ scans?

How \_\_\_\_\_ I change my \_\_\_\_\_ like \_\_\_\_\_ message \_\_\_\_\_ fingerprints \_\_\_\_\_ facemasks?

Does it \_\_\_\_\_ for me \_\_\_\_\_ replace \_\_\_\_\_ sm codes \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ bolster my \_\_\_\_\_?

Can \_\_\_\_\_ suggest when to update \_\_\_\_\_ techniques \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ now and \_\_\_\_\_ for enhanced \_\_\_\_\_?  
 \_\_\_\_\_ it a \_\_\_\_\_ update \_\_\_\_\_ and Biometrics often?

For added \_\_\_\_\_ is \_\_\_\_\_ for me \_\_\_\_\_ my \_\_\_\_\_ andbiometrics \_\_\_\_\_ now and \_\_\_\_\_?  
 \_\_\_\_\_ whether \_\_\_\_\_ update text \_\_\_\_\_ or both frequently.

Is \_\_\_\_\_ my sm \_\_\_\_\_ andbiometrics every \_\_\_\_\_ and then for \_\_\_\_\_ security?

How \_\_\_\_\_ do \_\_\_\_\_ I change \_\_\_\_\_ methods, including texting \_\_\_\_\_ and fingerprints?  
 \_\_\_\_\_ you suggest a \_\_\_\_\_ for \_\_\_\_\_ certain \_\_\_\_\_ text \_\_\_\_\_ biometry?

Do \_\_\_\_\_ to \_\_\_\_\_ andbiometrics \_\_\_\_\_ and again for increased security?  
 \_\_\_\_\_ frequently should \_\_\_\_\_ my text \_\_\_\_\_ and \_\_\_\_\_ refreshed?  
 \_\_\_\_\_ necessary to \_\_\_\_\_ text codes and fingerprints \_\_\_\_\_?

Do \_\_\_\_\_ to replace \_\_\_\_\_ codes andbiometrics often \_\_\_\_\_?

Can \_\_\_\_\_ rate for MultifactorAuthentication measures \_\_\_\_\_ as \_\_\_\_\_ codes and \_\_\_\_\_?  
 \_\_\_\_\_ often should \_\_\_\_\_ like \_\_\_\_\_ fingerprints be changed \_\_\_\_\_ updated?  
 \_\_\_\_\_ you tell me the \_\_\_\_\_ for updates \_\_\_\_\_ like \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ update \_\_\_\_\_ mss \_\_\_\_\_ frequently.

\_\_\_\_\_ about \_\_\_\_\_ it's appropriate to \_\_\_\_\_ security methods \_\_\_\_\_ include \_\_\_\_\_ codes \_\_\_\_\_ fingerprints.  
 Does \_\_\_\_\_ make sense to \_\_\_\_\_ and \_\_\_\_\_ software frequently?  
 \_\_\_\_\_ suggest \_\_\_\_\_ updating credentials like text messages \_\_\_\_\_ biometry?  
 How frequently \_\_\_\_\_ I refresh \_\_\_\_\_ codes or \_\_\_\_\_?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ change my \_\_\_\_\_ and \_\_\_\_\_ regular basis \_\_\_\_\_ keep my account safe?  
 \_\_\_\_\_ it \_\_\_\_\_ change my text codes \_\_\_\_\_ credentials \_\_\_\_\_ basis?  
 \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ messages or the biometrics?  
 \_\_\_\_\_ should change my \_\_\_\_\_ frequently.  
 \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ settings regularly?  
 \_\_\_\_\_ it appropriate for me to \_\_\_\_\_ sm codes \_\_\_\_\_ every \_\_\_\_\_ then to \_\_\_\_\_?  
 \_\_\_\_\_ it wise \_\_\_\_\_ text codes and biometrics \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ when \_\_\_\_\_ change the multifactor security \_\_\_\_\_ include SMS \_\_\_\_\_ and \_\_\_\_\_?  
 Can \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ my text \_\_\_\_\_ fingerprints \_\_\_\_\_ personal information \_\_\_\_\_?  
 Is it \_\_\_\_\_ me \_\_\_\_\_ replace \_\_\_\_\_ sm codes andbiometrics \_\_\_\_\_ now and \_\_\_\_\_?  
 Is \_\_\_\_\_ sm codes andbiometrics often?  
 \_\_\_\_\_ frequently should \_\_\_\_\_ change \_\_\_\_\_ such as \_\_\_\_\_ message codes \_\_\_\_\_ fingerprints?  
 \_\_\_\_\_ do \_\_\_\_\_ change \_\_\_\_\_ multifactor verifications, such as \_\_\_\_\_ message codes and \_\_\_\_\_?  
 \_\_\_\_\_ times must \_\_\_\_\_ the text \_\_\_\_\_ and fingerprints \_\_\_\_\_ my \_\_\_\_\_?  
 Is \_\_\_\_\_ to replace my sm \_\_\_\_\_ andbiometrics \_\_\_\_\_?  
 Is \_\_\_\_\_ good idea to \_\_\_\_\_ text codes \_\_\_\_\_ settings \_\_\_\_\_?  
 \_\_\_\_\_ it appropriate \_\_\_\_\_ my sm codes andbiometrics \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ security?  
 \_\_\_\_\_ to \_\_\_\_\_ text messages and biometry?  
 What \_\_\_\_\_ think about how \_\_\_\_\_ I should \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ codes \_\_\_\_\_ every now \_\_\_\_\_ then necessary for enhanced \_\_\_\_\_?  
 I would like \_\_\_\_\_ know when \_\_\_\_\_ is appropriate \_\_\_\_\_ change the \_\_\_\_\_ include \_\_\_\_\_ biometrics.  
 How \_\_\_\_\_ do I \_\_\_\_\_ my \_\_\_\_\_ message codes, \_\_\_\_\_ facemasks?  
 The question is \_\_\_\_\_ or \_\_\_\_\_ codes,biometrics or both \_\_\_\_\_.  
 \_\_\_\_\_ number of \_\_\_\_\_ you \_\_\_\_\_ tell \_\_\_\_\_ changing my \_\_\_\_\_ methods, including texting codes \_\_\_\_\_?  
 Should \_\_\_\_\_ replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_ and \_\_\_\_\_ to increase \_\_\_\_\_ security?  
 \_\_\_\_\_ often \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ iris scans, or fingerprints?  
 Is it \_\_\_\_\_ for me \_\_\_\_\_ my sm codes \_\_\_\_\_ increase \_\_\_\_\_?  
 Do \_\_\_\_\_ the \_\_\_\_\_ amount of \_\_\_\_\_ for methods \_\_\_\_\_?  
 \_\_\_\_\_ should multiplefactorauthentication methods \_\_\_\_\_ usingbiometrics be changed.  
 \_\_\_\_\_ frequently should I \_\_\_\_\_ new \_\_\_\_\_ such \_\_\_\_\_?  
 \_\_\_\_\_ many times \_\_\_\_\_ change \_\_\_\_\_ text codes and \_\_\_\_\_ for my \_\_\_\_\_?  
 How \_\_\_\_\_ I have \_\_\_\_\_ make \_\_\_\_\_ such as \_\_\_\_\_ a message or \_\_\_\_\_ with abiometric data?  
 \_\_\_\_\_ it appropriate for me \_\_\_\_\_ replace \_\_\_\_\_ for enhanced security?  
 How \_\_\_\_\_ time \_\_\_\_\_ I \_\_\_\_\_ on \_\_\_\_\_ my mss \_\_\_\_\_?  
 How frequently \_\_\_\_\_ methods \_\_\_\_\_ texting and usingbiometrics \_\_\_\_\_ or \_\_\_\_\_ same?  
 How \_\_\_\_\_ should \_\_\_\_\_ refresh things like texting \_\_\_\_\_?  
 \_\_\_\_\_ don't know if \_\_\_\_\_ appropriate \_\_\_\_\_ to replace my sm \_\_\_\_\_.  
 \_\_\_\_\_ of time it's \_\_\_\_\_ methods like text message \_\_\_\_\_ and fingerprints is \_\_\_\_\_.  
 Is \_\_\_\_\_ for me \_\_\_\_\_ change \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ with \_\_\_\_\_ security?  
 Is \_\_\_\_\_ idea to \_\_\_\_\_ sm codes \_\_\_\_\_ every \_\_\_\_\_ to fortify \_\_\_\_\_ security?  
 How \_\_\_\_\_ you \_\_\_\_\_ should \_\_\_\_\_ codes and credentials?  
 \_\_\_\_\_ a question \_\_\_\_\_ the \_\_\_\_\_ of time \_\_\_\_\_ updating s ms \_\_\_\_\_ biometric \_\_\_\_\_.  
 \_\_\_\_\_ is a \_\_\_\_\_ the recommended \_\_\_\_\_ of \_\_\_\_\_ for updates ofAuthentication \_\_\_\_\_ as text \_\_\_\_\_ codes \_\_\_\_\_.  
 \_\_\_\_\_ replacing \_\_\_\_\_ sm \_\_\_\_\_ regularly necessary?  
 \_\_\_\_\_ tell me \_\_\_\_\_ should \_\_\_\_\_ text codes and \_\_\_\_\_.

\_\_\_\_ you \_\_\_\_ often I should refresh my \_\_\_\_ credentials?  
 \_\_\_\_ it make \_\_\_\_ to \_\_\_\_ sm \_\_\_\_ andbiometrics \_\_\_\_ to \_\_\_\_ security?  
 How \_\_\_\_ have to \_\_\_\_ multifactor \_\_\_\_ such as text message \_\_\_\_ fingerprints?  
 How \_\_\_\_ should multiplefactorauthentication \_\_\_\_ using fingerprints, be \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ when to update text \_\_\_\_ and \_\_\_\_?  
 I don't \_\_\_\_ I \_\_\_\_ to change my \_\_\_\_ and \_\_\_\_ data every \_\_\_\_ and \_\_\_\_.  
 Does it \_\_\_\_ me to replace \_\_\_\_ sm codes \_\_\_\_ increase \_\_\_\_?  
 \_\_\_\_ required \_\_\_\_ update \_\_\_\_ codes, fingerprints, and \_\_\_\_ on \_\_\_\_ regular basis?  
 How \_\_\_\_ I \_\_\_\_ texting codes orbiometric \_\_\_\_?  
 \_\_\_\_ am \_\_\_\_ if changing my msls \_\_\_\_ would be \_\_\_\_.  
 When it comes \_\_\_\_ codes \_\_\_\_ is it something \_\_\_\_ do \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ to replace my \_\_\_\_ andbiometrics \_\_\_\_ now and then \_\_\_\_ my \_\_\_\_?  
 Is it \_\_\_\_ replace my \_\_\_\_ andbiometrics \_\_\_\_ now \_\_\_\_ for improved security?  
 \_\_\_\_ much \_\_\_\_ should I \_\_\_\_ updating my \_\_\_\_ methods \_\_\_\_ message codes, fingerprints, and facial \_\_\_\_?  
 How \_\_\_\_ I change \_\_\_\_ multifactor verifications, \_\_\_\_ text \_\_\_\_ fingerprints \_\_\_\_ facial \_\_\_\_?  
 Does it \_\_\_\_ for \_\_\_\_ to change my \_\_\_\_ bio settings \_\_\_\_?  
 \_\_\_\_ it make \_\_\_\_ for me to \_\_\_\_ my sm codes \_\_\_\_ now \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ often \_\_\_\_ change my multifactor verifications \_\_\_\_ as text \_\_\_\_ codes \_\_\_\_ fingerprints?  
 \_\_\_\_ many \_\_\_\_ must \_\_\_\_ my text \_\_\_\_ and \_\_\_\_ to \_\_\_\_ account?  
 \_\_\_\_ it \_\_\_\_ for me \_\_\_\_ replace my \_\_\_\_ andbiometrics \_\_\_\_ frequently?  
 Can \_\_\_\_ methods, \_\_\_\_ texting and \_\_\_\_ be changed \_\_\_\_?  
 \_\_\_\_ we update the \_\_\_\_ as \_\_\_\_ or biometry factors?  
 \_\_\_\_ it something \_\_\_\_ should \_\_\_\_ when \_\_\_\_ comes to \_\_\_\_ codes \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ should be \_\_\_\_ my text codes \_\_\_\_ bio \_\_\_\_.  
 \_\_\_\_ should multiple factorauthentication \_\_\_\_ like \_\_\_\_ and \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ change \_\_\_\_ msm \_\_\_\_ and \_\_\_\_ settings?  
 \_\_\_\_ is a question \_\_\_\_ the amount \_\_\_\_ time \_\_\_\_ updateAuthentication methods \_\_\_\_ message \_\_\_\_ and fingerprints.  
 Is it correct to replace \_\_\_\_ andbiometrics \_\_\_\_ now \_\_\_\_?  
 Should \_\_\_\_ messages or \_\_\_\_ factors be \_\_\_\_?  
 When \_\_\_\_ I need \_\_\_\_ the multifactor \_\_\_\_ the \_\_\_\_ messages \_\_\_\_ the biometrics?  
 How much \_\_\_\_ change my \_\_\_\_ codes \_\_\_\_ a \_\_\_\_?  
 How often is it advisable \_\_\_\_ my \_\_\_\_ verifications such \_\_\_\_?  
 \_\_\_\_ question \_\_\_\_ the \_\_\_\_ time it is recommended \_\_\_\_ including mobile messages and Biometrics.  
 How \_\_\_\_ I \_\_\_\_ my text \_\_\_\_ and \_\_\_\_?  
 Can \_\_\_\_ change my \_\_\_\_ codes \_\_\_\_ settings \_\_\_\_?  
 \_\_\_\_ times \_\_\_\_ you \_\_\_\_ me \_\_\_\_ changing \_\_\_\_ multifactor methods, including \_\_\_\_ texting codes \_\_\_\_?  
 \_\_\_\_ it right to \_\_\_\_ sm codes andbiometrics \_\_\_\_ again?  
 Do \_\_\_\_ when to \_\_\_\_ authenticate techniques, such as text messages \_\_\_\_?  
 \_\_\_\_ often is \_\_\_\_ advisable \_\_\_\_ change text \_\_\_\_ fingerprints, and \_\_\_\_?  
 \_\_\_\_ know the \_\_\_\_ rate \_\_\_\_ MultifactorAuthentication measures, \_\_\_\_ SMS codes and \_\_\_\_.  
 \_\_\_\_ I replace my \_\_\_\_ andbiometrics \_\_\_\_?  
 Do \_\_\_\_ any suggestions \_\_\_\_ when \_\_\_\_ the \_\_\_\_ as \_\_\_\_ messages or biometry?  
 \_\_\_\_ to \_\_\_\_ my sm codes \_\_\_\_ every now \_\_\_\_ again to fortify \_\_\_\_?  
 I wonder \_\_\_\_ changing \_\_\_\_ text \_\_\_\_ bicycle credentials \_\_\_\_ appropriate.  
 \_\_\_\_ it \_\_\_\_ sense to replace \_\_\_\_ sm codes \_\_\_\_ every now and \_\_\_\_?  
 I'm \_\_\_\_ if \_\_\_\_ be changed \_\_\_\_.  
 It's \_\_\_\_ to \_\_\_\_ long \_\_\_\_ recommended to \_\_\_\_ Methods like \_\_\_\_ message \_\_\_\_ and \_\_\_\_.  
 \_\_\_\_ would like to know \_\_\_\_ text \_\_\_\_ codes \_\_\_\_ fingerprints \_\_\_\_ often.  
 How \_\_\_\_ texting \_\_\_\_ multiplefactorauthentication methods be \_\_\_\_?  
 \_\_\_\_ to update my \_\_\_\_ fingerprints on a \_\_\_\_ basis?

\_\_\_\_ I \_\_\_\_ my text codes, fingerprints, and \_\_\_\_ regularly \_\_\_\_ my account \_\_\_\_?  
 \_\_\_\_ I should replace my sm \_\_\_\_ now and \_\_\_\_ to \_\_\_\_ security.  
 \_\_\_\_ it recommended that \_\_\_\_ replace \_\_\_\_ andbiometrics \_\_\_\_ now and then with \_\_\_\_?  
 The \_\_\_\_ is when \_\_\_\_ how \_\_\_\_ to \_\_\_\_ codes,biometrics.  
 Is it okay \_\_\_\_ me \_\_\_\_ replace \_\_\_\_ sm \_\_\_\_ and then for \_\_\_\_?  
 \_\_\_\_ should I change \_\_\_\_ verifications \_\_\_\_ codes, fingerprints and \_\_\_\_ recognition?  
 \_\_\_\_ recommend when \_\_\_\_ authenticate techniques, \_\_\_\_ as text messages or \_\_\_\_?  
 It \_\_\_\_ question \_\_\_\_ how frequently to \_\_\_\_ codes and \_\_\_\_.  
 Do I need \_\_\_\_ sm \_\_\_\_ andbiometrics on \_\_\_\_ regular \_\_\_\_?  
 How many times \_\_\_\_ year \_\_\_\_ like \_\_\_\_ usingbiometrics \_\_\_\_ changed?  
 \_\_\_\_ often should \_\_\_\_ and other \_\_\_\_ be updated?  
 \_\_\_\_ I \_\_\_\_ to \_\_\_\_ multiplefactor authentication methods, like \_\_\_\_ messages and \_\_\_\_ biometrics?  
 \_\_\_\_ should I change my multifactor verifications \_\_\_\_ text \_\_\_\_ recognition software?  
 \_\_\_\_ replacing \_\_\_\_ sm codes \_\_\_\_ every \_\_\_\_ and then \_\_\_\_?  
 Is there \_\_\_\_ for \_\_\_\_ the \_\_\_\_ techniques \_\_\_\_ text messages and \_\_\_\_?  
 There's a \_\_\_\_ about \_\_\_\_ amount of time \_\_\_\_ methods like \_\_\_\_ codes \_\_\_\_.  
 \_\_\_\_ it make sense \_\_\_\_ to \_\_\_\_ codes andbiometrics \_\_\_\_ now and \_\_\_\_?  
 \_\_\_\_ is \_\_\_\_ on \_\_\_\_ of \_\_\_\_ recommended for updating authenticating methods, \_\_\_\_ mobile messages and \_\_\_\_.  
 How \_\_\_\_ time \_\_\_\_ I spend updating \_\_\_\_ andbiometrics?  
 For \_\_\_\_ should \_\_\_\_ replace my sm \_\_\_\_ every now \_\_\_\_?  
 \_\_\_\_ it a good idea \_\_\_\_ replace \_\_\_\_ sm \_\_\_\_ andbiometrics \_\_\_\_ now \_\_\_\_.  
 How \_\_\_\_ should \_\_\_\_ texting \_\_\_\_ using fingerprints change?  
 \_\_\_\_ like \_\_\_\_ it's appropriate \_\_\_\_ the multifactor security \_\_\_\_ that \_\_\_\_ SMS \_\_\_\_ and fingerprints.  
 I don't know \_\_\_\_ should change \_\_\_\_ codes and \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ my sm \_\_\_\_ andbiometrics every \_\_\_\_ and again \_\_\_\_ enhanced \_\_\_\_?  
 How often \_\_\_\_ change \_\_\_\_ codes, fingerprints and facial \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ my \_\_\_\_ every now and then for more security?  
 \_\_\_\_ it necessary for \_\_\_\_ my sm codes \_\_\_\_?  
 Do I need \_\_\_\_ sm \_\_\_\_ now \_\_\_\_ for better security?  
 \_\_\_\_ the \_\_\_\_ amount of \_\_\_\_ for updating authenticating \_\_\_\_ including mobile messages and \_\_\_\_  
 There is a \_\_\_\_ recommended \_\_\_\_ of \_\_\_\_ for updatingAuthentication methods \_\_\_\_ text message \_\_\_\_.  
 \_\_\_\_ it make \_\_\_\_ for me \_\_\_\_ replace \_\_\_\_ sm codes andbiometrics \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ update my \_\_\_\_ codes, fingerprints, \_\_\_\_ other data on \_\_\_\_?  
 \_\_\_\_ times should \_\_\_\_ my \_\_\_\_ codes and \_\_\_\_ for my \_\_\_\_?  
 How often \_\_\_\_ I \_\_\_\_ verifications \_\_\_\_ as \_\_\_\_ codes and fingerprints?  
 \_\_\_\_ a question \_\_\_\_ amount of \_\_\_\_ it's \_\_\_\_ updating methods, including \_\_\_\_ messages \_\_\_\_ Biometrics.  
 I \_\_\_\_ like \_\_\_\_ know \_\_\_\_ to \_\_\_\_ techniques, such as \_\_\_\_ or biometry.  
 \_\_\_\_ it \_\_\_\_ for me \_\_\_\_ replace \_\_\_\_ codes \_\_\_\_ every now \_\_\_\_ again?  
 What \_\_\_\_ I \_\_\_\_ to refresh \_\_\_\_ credentials \_\_\_\_ often?  
 Is it \_\_\_\_ good \_\_\_\_ to \_\_\_\_ sm \_\_\_\_ every now \_\_\_\_ then \_\_\_\_ added \_\_\_\_?  
 How frequently \_\_\_\_ we change text \_\_\_\_ biometrics?  
 The \_\_\_\_ it's recommended for updates \_\_\_\_ methods \_\_\_\_ and fingerprints has \_\_\_\_ on it.  
 \_\_\_\_ I \_\_\_\_ to replace my \_\_\_\_ codes andbiometrics \_\_\_\_ for \_\_\_\_?  
 The question \_\_\_\_ and \_\_\_\_ to \_\_\_\_ text codes \_\_\_\_.  
 Is it \_\_\_\_ to \_\_\_\_ my \_\_\_\_ codes andbiometrics regularly \_\_\_\_ enhanced \_\_\_\_?  
 \_\_\_\_ right for \_\_\_\_ to change \_\_\_\_ sm \_\_\_\_ and then to fortify my \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ my text codes, fingerprints, \_\_\_\_ information on \_\_\_\_ regular \_\_\_\_?  
 \_\_\_\_ security \_\_\_\_ replace \_\_\_\_ sm codes andbiometrics frequently?  
 It's helpful \_\_\_\_ long \_\_\_\_ to update Authentication \_\_\_\_ such \_\_\_\_ message \_\_\_\_ and fingerprints  
 I \_\_\_\_ to know when \_\_\_\_ is \_\_\_\_ to change the multifactor security \_\_\_\_ messages \_\_\_\_.

\_\_\_\_\_ is the best \_\_\_\_\_ for multifactor \_\_\_\_\_ such as \_\_\_\_\_ messaging \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ to know if \_\_\_\_\_ mobile \_\_\_\_\_ and \_\_\_\_\_ to be \_\_\_\_\_ regularly.  
 \_\_\_\_\_ codes, biometrics or both \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ and how \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ me to \_\_\_\_\_ sm codes and biometrics \_\_\_\_\_?  
 \_\_\_\_\_ times \_\_\_\_\_ multifactor methods, \_\_\_\_\_ Biometrics, be \_\_\_\_\_?  
 \_\_\_\_\_ should I change my multifactor verifications \_\_\_\_\_ text \_\_\_\_\_ codes, \_\_\_\_\_?  
 Do you have a \_\_\_\_\_ authenticate \_\_\_\_\_ as \_\_\_\_\_ messages or biometry?  
 \_\_\_\_\_ frequently should multifactor authentication \_\_\_\_\_ using fingerprints, be \_\_\_\_\_?  
 Should I replace my \_\_\_\_\_ now \_\_\_\_\_ again for \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to change \_\_\_\_\_ codes, fingerprints, and iris \_\_\_\_\_?  
 \_\_\_\_\_ multifactor authentication methods such \_\_\_\_\_ texting \_\_\_\_\_ be \_\_\_\_\_ frequently?  
 Does \_\_\_\_\_ make \_\_\_\_\_ for me to \_\_\_\_\_ my \_\_\_\_\_ frequently to \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ and other multifactor authentication \_\_\_\_\_ be changed?  
 \_\_\_\_\_ suggest \_\_\_\_\_ realistic \_\_\_\_\_ updating \_\_\_\_\_ authenticate techniques that \_\_\_\_\_ text messages \_\_\_\_\_ biometry?  
 When \_\_\_\_\_ I have \_\_\_\_\_ modify \_\_\_\_\_ multifactor methods \_\_\_\_\_ messages and \_\_\_\_\_?  
 Is \_\_\_\_\_ wise to change \_\_\_\_\_ credentials frequently?  
 \_\_\_\_\_ codes and biometrics be \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ to fortify \_\_\_\_\_ security?  
 \_\_\_\_\_ texting and \_\_\_\_\_ be changed or \_\_\_\_\_?  
 How often \_\_\_\_\_ I \_\_\_\_\_ my multifactor \_\_\_\_\_ including \_\_\_\_\_ facial recognition?  
 Does it make \_\_\_\_\_ me to \_\_\_\_\_ my \_\_\_\_\_ and \_\_\_\_\_ frequently?  
 \_\_\_\_\_ have to replace \_\_\_\_\_ sm codes and biometrics every \_\_\_\_\_ and \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ many times \_\_\_\_\_ need to change my phone/card's \_\_\_\_\_ codes \_\_\_\_\_?  
 \_\_\_\_\_ replace my sm codes and biometrics \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ added security?  
 How \_\_\_\_\_ can \_\_\_\_\_ text \_\_\_\_\_ and use \_\_\_\_\_?  
 How \_\_\_\_\_ I \_\_\_\_\_ things, such as \_\_\_\_\_ or biometric \_\_\_\_\_?  
 Do I have \_\_\_\_\_ change \_\_\_\_\_ text codes \_\_\_\_\_ bio \_\_\_\_\_ on \_\_\_\_\_?  
 How \_\_\_\_\_ should \_\_\_\_\_ text \_\_\_\_\_ codes, fingerprints \_\_\_\_\_ recognition software?  
 Should text \_\_\_\_\_ be \_\_\_\_\_ more frequently?  
 Should \_\_\_\_\_ methods such as texting \_\_\_\_\_ changed \_\_\_\_\_?  
 Do \_\_\_\_\_ have \_\_\_\_\_ keep updating \_\_\_\_\_ codes, fingerprints, \_\_\_\_\_ information?  
 \_\_\_\_\_ question \_\_\_\_\_ when \_\_\_\_\_ how \_\_\_\_\_ update \_\_\_\_\_ codes or biometrics.  
 \_\_\_\_\_ should multifactor authentication methods \_\_\_\_\_ and fingerprints \_\_\_\_\_ changed?  
 \_\_\_\_\_ I refresh my \_\_\_\_\_ codes \_\_\_\_\_?  
 \_\_\_\_\_ it appropriate \_\_\_\_\_ me \_\_\_\_\_ replace my codes \_\_\_\_\_ now \_\_\_\_\_?  
 Is \_\_\_\_\_ msls \_\_\_\_\_ credentials often?  
 \_\_\_\_\_ know \_\_\_\_\_ frequently I \_\_\_\_\_ add \_\_\_\_\_ like text \_\_\_\_\_ codes and fingerprints.  
 Can I \_\_\_\_\_ codes \_\_\_\_\_ frequently?  
 Should \_\_\_\_\_ text codes and \_\_\_\_\_ frequently?  
 Does it make \_\_\_\_\_ change my text codes \_\_\_\_\_?  
 \_\_\_\_\_ to modify \_\_\_\_\_ multifactor authentication methods, like the \_\_\_\_\_ and the \_\_\_\_\_?  
 Is it \_\_\_\_\_ good \_\_\_\_\_ new sm codes \_\_\_\_\_ every now and \_\_\_\_\_?  
 \_\_\_\_\_ many times \_\_\_\_\_ do \_\_\_\_\_ to change the text codes \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ change \_\_\_\_\_ codes, \_\_\_\_\_ and other data frequently \_\_\_\_\_ keep \_\_\_\_\_ account \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ change my multifactor \_\_\_\_\_ message codes?  
 \_\_\_\_\_ you \_\_\_\_\_ when to \_\_\_\_\_ the techniques \_\_\_\_\_ texting \_\_\_\_\_ biometry?  
 \_\_\_\_\_ I replace \_\_\_\_\_ sm \_\_\_\_\_ every \_\_\_\_\_ to fortify my security?  
 \_\_\_\_\_ I replace my \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ for \_\_\_\_\_ Security?  
 Do \_\_\_\_\_ know when \_\_\_\_\_ update \_\_\_\_\_ authenticate techniques, \_\_\_\_\_ text \_\_\_\_\_ or \_\_\_\_\_?  
 How often \_\_\_\_\_ I have to change \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ a \_\_\_\_\_ or logging \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ text/biopic codes \_\_\_\_\_?



\_\_\_\_\_ necessary for me \_\_\_\_\_ sm \_\_\_\_\_ every \_\_\_\_\_ and then \_\_\_\_\_ increased security?  
 \_\_\_\_\_ for me \_\_\_\_\_ have my sm \_\_\_\_\_ replaced \_\_\_\_\_ and then?  
 Should \_\_\_\_\_ change \_\_\_\_\_ text message \_\_\_\_\_ or facemasks \_\_\_\_\_?  
 How frequently \_\_\_\_\_ multifactor authentication methods \_\_\_\_\_ and using biometrics \_\_\_\_\_ changed \_\_\_\_\_ same?  
 \_\_\_\_\_ a good idea to \_\_\_\_\_ and biometrics \_\_\_\_\_?  
 Is \_\_\_\_\_ a timescale for \_\_\_\_\_ like \_\_\_\_\_ and biometry?  
 Can you \_\_\_\_\_ when \_\_\_\_\_ text \_\_\_\_\_ and \_\_\_\_\_ be updated?  
 What \_\_\_\_\_ do I have \_\_\_\_\_ change \_\_\_\_\_ phone's/card's \_\_\_\_\_?  
 \_\_\_\_\_ on the amount \_\_\_\_\_ it's \_\_\_\_\_ authenticating \_\_\_\_\_ including mobile messages and Biometrics.  
 Is it \_\_\_\_\_ for \_\_\_\_\_ have new \_\_\_\_\_ every now \_\_\_\_\_ then?  
 \_\_\_\_\_ I \_\_\_\_\_ replace my sm codes and biometrics \_\_\_\_\_ now \_\_\_\_\_ security?  
 Do I need to change \_\_\_\_\_ text \_\_\_\_\_ frequently?  
 How much \_\_\_\_\_ I \_\_\_\_\_ changing \_\_\_\_\_ my security methods like \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ I need to \_\_\_\_\_ frequently, such \_\_\_\_\_ texting codes \_\_\_\_\_?  
 \_\_\_\_\_ many times can \_\_\_\_\_ advise \_\_\_\_\_ on \_\_\_\_\_ my multifactor \_\_\_\_\_ methods, including \_\_\_\_\_ codes and \_\_\_\_\_?  
 \_\_\_\_\_ often can \_\_\_\_\_ me about \_\_\_\_\_ multifactor \_\_\_\_\_ codes and fingerprints?  
 There \_\_\_\_\_ a question \_\_\_\_\_ amount of time \_\_\_\_\_ for updating \_\_\_\_\_ including mobile \_\_\_\_\_.  
 \_\_\_\_\_ much \_\_\_\_\_ should I \_\_\_\_\_ changing my \_\_\_\_\_ methods like \_\_\_\_\_ message \_\_\_\_\_ facial \_\_\_\_\_?  
 How frequently do I need \_\_\_\_\_ text \_\_\_\_\_ fingerprints \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ and biometrics regularly?  
 The amount of time \_\_\_\_\_ is recommended for \_\_\_\_\_ of Authentication \_\_\_\_\_ like \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_.  
 \_\_\_\_\_ many \_\_\_\_\_ I need \_\_\_\_\_ change \_\_\_\_\_ phone's or card's \_\_\_\_\_ biometric \_\_\_\_\_?  
 How frequently should \_\_\_\_\_ my multifactor \_\_\_\_\_ as \_\_\_\_\_ message \_\_\_\_\_ fingerprints?  
 \_\_\_\_\_ I need \_\_\_\_\_ make a change to \_\_\_\_\_ Authentication, \_\_\_\_\_ sending a \_\_\_\_\_ or \_\_\_\_\_ a Biometrics?  
 \_\_\_\_\_ often \_\_\_\_\_ multifactor authentication \_\_\_\_\_ of texting \_\_\_\_\_ be changed?  
 \_\_\_\_\_ me \_\_\_\_\_ replace my \_\_\_\_\_ codes and biometrics regularly?  
 \_\_\_\_\_ want \_\_\_\_\_ frequently I should \_\_\_\_\_ methods such as text message \_\_\_\_\_.  
 \_\_\_\_\_ good idea to \_\_\_\_\_ my sm codes \_\_\_\_\_ every \_\_\_\_\_ to strengthen my \_\_\_\_\_?  
 \_\_\_\_\_ much \_\_\_\_\_ should I \_\_\_\_\_ or update \_\_\_\_\_ methods such as \_\_\_\_\_ codes, \_\_\_\_\_ and facial \_\_\_\_\_?  
 \_\_\_\_\_ often do I \_\_\_\_\_ make a \_\_\_\_\_ to \_\_\_\_\_ such as \_\_\_\_\_ a \_\_\_\_\_ or \_\_\_\_\_ in \_\_\_\_\_ Biometrics?  
 Is \_\_\_\_\_ my \_\_\_\_\_ codes and bios frequently?  
 How frequently do \_\_\_\_\_ want \_\_\_\_\_ codes \_\_\_\_\_ Biometrics?  
 I \_\_\_\_\_ to \_\_\_\_\_ I should \_\_\_\_\_ my sm codes \_\_\_\_\_ and \_\_\_\_\_.  
 How \_\_\_\_\_ have \_\_\_\_\_ change to multifactor \_\_\_\_\_ for example sending a message \_\_\_\_\_ in \_\_\_\_\_ Biometrics?  
 Do \_\_\_\_\_ need \_\_\_\_\_ text codes, \_\_\_\_\_ and \_\_\_\_\_ a \_\_\_\_\_ basis to keep my account \_\_\_\_\_?  
 How \_\_\_\_\_ times \_\_\_\_\_ update my \_\_\_\_\_ codes \_\_\_\_\_ my account?  
 Is replacing \_\_\_\_\_ codes \_\_\_\_\_ every \_\_\_\_\_ again necessary \_\_\_\_\_ my security?  
 \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ codes and fingerprints?  
 \_\_\_\_\_ updates of Authentication methods like \_\_\_\_\_ and \_\_\_\_\_ there is \_\_\_\_\_ question on the \_\_\_\_\_ amount \_\_\_\_\_.  
 When \_\_\_\_\_ frequently \_\_\_\_\_ update \_\_\_\_\_ is a question.  
 \_\_\_\_\_ amount \_\_\_\_\_ it's \_\_\_\_\_ updating methods, \_\_\_\_\_ messages and Biometrics, \_\_\_\_\_ a question.  
 \_\_\_\_\_ is a \_\_\_\_\_ about \_\_\_\_\_ amount \_\_\_\_\_ it \_\_\_\_\_ updates \_\_\_\_\_ methods such as text \_\_\_\_\_ codes \_\_\_\_\_ fingerprints.  
 \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ techniques, such as \_\_\_\_\_ messages or \_\_\_\_\_ so \_\_\_\_\_ are \_\_\_\_\_?  
 How \_\_\_\_\_ is \_\_\_\_\_ message codes, \_\_\_\_\_ and facial-recognition software?  
 How much \_\_\_\_\_ things like \_\_\_\_\_ and biometric credentials?  
 \_\_\_\_\_ it make sense for \_\_\_\_\_ replace \_\_\_\_\_ codes \_\_\_\_\_ bit more \_\_\_\_\_?  
 \_\_\_\_\_ additional security, \_\_\_\_\_ I \_\_\_\_\_ to replace \_\_\_\_\_ and biometrics regularly?  
 \_\_\_\_\_ it \_\_\_\_\_ for me \_\_\_\_\_ replace my sm codes \_\_\_\_\_ and \_\_\_\_\_ for increased \_\_\_\_\_?  
 \_\_\_\_\_ want \_\_\_\_\_ when it \_\_\_\_\_ to change \_\_\_\_\_ that include SMS codes and \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ should I \_\_\_\_\_ my \_\_\_\_\_ or biometric credentials?

Is it wise for \_\_\_\_\_ my \_\_\_\_\_ codes \_\_\_\_\_ and then \_\_\_\_\_ security?

Do \_\_\_\_\_ need \_\_\_\_\_ my text \_\_\_\_\_ other data frequently?

\_\_\_\_\_ it make \_\_\_\_\_ me \_\_\_\_\_ change my sm \_\_\_\_\_ andbiometrics every now \_\_\_\_\_ to fortify \_\_\_\_\_?

Can you \_\_\_\_\_ me \_\_\_\_\_ often \_\_\_\_\_ should \_\_\_\_\_ text \_\_\_\_\_ credentials?

\_\_\_\_\_ it make sense \_\_\_\_\_ to replace \_\_\_\_\_ codes andbiometrics every now \_\_\_\_\_ then \_\_\_\_\_ my \_\_\_\_\_?

Do \_\_\_\_\_ it more frequently \_\_\_\_\_ it comes \_\_\_\_\_ mobile codes \_\_\_\_\_?

Can \_\_\_\_\_ when to update the \_\_\_\_\_ like \_\_\_\_\_ biometry?

How \_\_\_\_\_ and \_\_\_\_\_ multiplefactorauthentication methods be changed?

\_\_\_\_\_ I \_\_\_\_\_ update \_\_\_\_\_ authentication methods, \_\_\_\_\_ text messages \_\_\_\_\_ the biometrics?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ my text \_\_\_\_\_ and \_\_\_\_\_ data \_\_\_\_\_ regular \_\_\_\_\_?

\_\_\_\_\_ often should I change \_\_\_\_\_ codes, fingerprints \_\_\_\_\_?

\_\_\_\_\_ give a \_\_\_\_\_ for the \_\_\_\_\_ text \_\_\_\_\_ biometry factors?

How frequently should \_\_\_\_\_ texting \_\_\_\_\_ usingbiometrics, \_\_\_\_\_ changed?

\_\_\_\_\_ enhanced \_\_\_\_\_ it make \_\_\_\_\_ for \_\_\_\_\_ replace my \_\_\_\_\_ andbiometrics every now and \_\_\_\_\_?

How do \_\_\_\_\_ the \_\_\_\_\_ updating \_\_\_\_\_ multifactor \_\_\_\_\_ such as text \_\_\_\_\_ codes \_\_\_\_\_ biometric \_\_\_\_\_?

\_\_\_\_\_ often should \_\_\_\_\_ methods, \_\_\_\_\_ usingbiometrics, be changed \_\_\_\_\_ kept the \_\_\_\_\_?

Should I replace \_\_\_\_\_ sm \_\_\_\_\_ again for added \_\_\_\_\_?

Is it \_\_\_\_\_ to replace \_\_\_\_\_ often?

Does \_\_\_\_\_ for me \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_ now \_\_\_\_\_ again for added \_\_\_\_\_?

Do I have \_\_\_\_\_ change \_\_\_\_\_ fingerprints, and \_\_\_\_\_ frequently?

How \_\_\_\_\_ should multiplefactorauthentication methods like \_\_\_\_\_ and \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ it make sense for \_\_\_\_\_ to \_\_\_\_\_ my sm \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ improved \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ how \_\_\_\_\_ time is recommended for updates ofAuthentication \_\_\_\_\_ like text \_\_\_\_\_ codes \_\_\_\_\_.

\_\_\_\_\_ amount \_\_\_\_\_ recommended \_\_\_\_\_ updating s ms codes \_\_\_\_\_ is a question.

Can you tell \_\_\_\_\_ update the \_\_\_\_\_ techniques \_\_\_\_\_ messages \_\_\_\_\_ biometry?

How \_\_\_\_\_ a year \_\_\_\_\_ I \_\_\_\_\_ to change my \_\_\_\_\_?

Does it \_\_\_\_\_ for me to \_\_\_\_\_ my \_\_\_\_\_ settings frequently?

\_\_\_\_\_ want to know how often \_\_\_\_\_ such \_\_\_\_\_ Biometrics.

\_\_\_\_\_ a question \_\_\_\_\_ the \_\_\_\_\_ of time to updateAuthentication methods like \_\_\_\_\_ and \_\_\_\_\_

How \_\_\_\_\_ texting, \_\_\_\_\_ and other \_\_\_\_\_ methods \_\_\_\_\_ changed?

\_\_\_\_\_ do \_\_\_\_\_ change text message codes, fingerprints \_\_\_\_\_ facemasks?

How \_\_\_\_\_ should I \_\_\_\_\_ verifications such \_\_\_\_\_ text message \_\_\_\_\_ scanning, and \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ how frequently to \_\_\_\_\_ codes andbiometrics

\_\_\_\_\_ it wise \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_?

Is it \_\_\_\_\_ my text codes, fingerprints, \_\_\_\_\_ information \_\_\_\_\_?

Is it \_\_\_\_\_ have \_\_\_\_\_ do often when it \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ frequently \_\_\_\_\_ like texting and usingbiometrics \_\_\_\_\_ to \_\_\_\_\_ changed?

\_\_\_\_\_ often \_\_\_\_\_ it \_\_\_\_\_ to change my multifactor \_\_\_\_\_ such \_\_\_\_\_ and fingerprints?

Is it possible \_\_\_\_\_ replace \_\_\_\_\_ then to increase security?

\_\_\_\_\_ appropriate to \_\_\_\_\_ my \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ for \_\_\_\_\_ security?

\_\_\_\_\_ do I \_\_\_\_\_ update \_\_\_\_\_ text codes, \_\_\_\_\_ and other \_\_\_\_\_?

Do \_\_\_\_\_ need to replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_ then \_\_\_\_\_ security?

When \_\_\_\_\_ I need to \_\_\_\_\_ like the \_\_\_\_\_ or \_\_\_\_\_ biometrics?

\_\_\_\_\_ often \_\_\_\_\_ multiplefactorauthentication methods, such \_\_\_\_\_ texting \_\_\_\_\_ be changed \_\_\_\_\_?

\_\_\_\_\_ tell me when \_\_\_\_\_ time \_\_\_\_\_ the multifactor security \_\_\_\_\_ SMS codes and \_\_\_\_\_?

There's a \_\_\_\_\_ about the \_\_\_\_\_ of time \_\_\_\_\_ updating \_\_\_\_\_ mobile messages \_\_\_\_\_

\_\_\_\_\_ times should SMS codes \_\_\_\_\_ be \_\_\_\_\_?

How \_\_\_\_\_ is \_\_\_\_\_ recommended \_\_\_\_\_ message codes, fingerprints or \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ update \_\_\_\_\_ messages and biometry?

I \_\_\_\_\_ know when \_\_\_\_\_ is appropriate to \_\_\_\_\_ multifactor security methods \_\_\_\_\_ codes \_\_\_\_\_ fingerprints.

Does \_\_\_\_\_ sense \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics frequently \_\_\_\_\_ additional \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ need to \_\_\_\_\_ verifications \_\_\_\_\_ text message \_\_\_\_\_ fingerprints and iris scans?

\_\_\_\_\_ much \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_ security methods like text \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_ recognition?

Do you \_\_\_\_\_ often \_\_\_\_\_ refresh \_\_\_\_\_ text messages?

\_\_\_\_\_ necessary to replace my sm \_\_\_\_\_ now \_\_\_\_\_ then \_\_\_\_\_ security?

\_\_\_\_\_ like to know \_\_\_\_\_ to change the multifactor \_\_\_\_\_ methods that \_\_\_\_\_ codes \_\_\_\_\_.

\_\_\_\_\_ should I make a change \_\_\_\_\_ multifactor Authentication, \_\_\_\_\_ as \_\_\_\_\_ logging \_\_\_\_\_ with a \_\_\_\_\_?

How \_\_\_\_\_ time \_\_\_\_\_ I refresh \_\_\_\_\_ or \_\_\_\_\_?

I want to \_\_\_\_\_ often \_\_\_\_\_ add new methods \_\_\_\_\_ as text \_\_\_\_\_.

I don't \_\_\_\_\_ if I \_\_\_\_\_ be \_\_\_\_\_ changing \_\_\_\_\_ text messages \_\_\_\_\_.

What \_\_\_\_\_ times should I change \_\_\_\_\_?

I have questions about how often \_\_\_\_\_ text \_\_\_\_\_.

\_\_\_\_\_ make sense for me to \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics periodically \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ codes andbiometrics every now and then to \_\_\_\_\_?

\_\_\_\_\_ for me to replace my \_\_\_\_\_ regularly?

\_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ andbiometrics occasionally?

\_\_\_\_\_ don't \_\_\_\_\_ should \_\_\_\_\_ my text \_\_\_\_\_ and bio \_\_\_\_\_ often.

\_\_\_\_\_ often \_\_\_\_\_ I change \_\_\_\_\_ multifactor verifications \_\_\_\_\_ text message \_\_\_\_\_ iris \_\_\_\_\_?

\_\_\_\_\_ need to change \_\_\_\_\_ phone's/card's text/biometrics \_\_\_\_\_ many \_\_\_\_\_?

I \_\_\_\_\_ if I \_\_\_\_\_ to do \_\_\_\_\_ frequently when it \_\_\_\_\_ codes \_\_\_\_\_.

\_\_\_\_\_ change my msm \_\_\_\_\_ and \_\_\_\_\_ settings \_\_\_\_\_?

\_\_\_\_\_ a question about the \_\_\_\_\_ time \_\_\_\_\_ methods, \_\_\_\_\_ mobile \_\_\_\_\_ and biometrics.

\_\_\_\_\_ when \_\_\_\_\_ update the authenticate techniques, such as text \_\_\_\_\_?

\_\_\_\_\_ many times a day do \_\_\_\_\_ need \_\_\_\_\_ text \_\_\_\_\_ biometric \_\_\_\_\_?

Can I \_\_\_\_\_ my sm \_\_\_\_\_ for increased security?

How \_\_\_\_\_ I change my \_\_\_\_\_ fingerprints \_\_\_\_\_ facemasks?

How frequently does \_\_\_\_\_ make sense \_\_\_\_\_ multifactor \_\_\_\_\_ such \_\_\_\_\_ codes \_\_\_\_\_ fingerprints?

\_\_\_\_\_ don't know if I should change \_\_\_\_\_ a regular \_\_\_\_\_.

\_\_\_\_\_ to update \_\_\_\_\_ authenticate \_\_\_\_\_ such \_\_\_\_\_ or biometry, so \_\_\_\_\_ are current?

How many \_\_\_\_\_ you give \_\_\_\_\_ about \_\_\_\_\_ my multifactor authenticating \_\_\_\_\_ codes \_\_\_\_\_ fingerprints?

How frequently \_\_\_\_\_ I \_\_\_\_\_ multifactor verifications, \_\_\_\_\_ as \_\_\_\_\_ codes, \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ me to \_\_\_\_\_ my sm codes \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ is appropriate to \_\_\_\_\_ multifactor security \_\_\_\_\_ that include \_\_\_\_\_ codes \_\_\_\_\_ Biometrics.

\_\_\_\_\_ of \_\_\_\_\_ you \_\_\_\_\_ advise me about changing \_\_\_\_\_ multifactor authenticating methods, including \_\_\_\_\_?

\_\_\_\_\_ should do \_\_\_\_\_ it \_\_\_\_\_ to mobile codes andbiometrics?

Is \_\_\_\_\_ me \_\_\_\_\_ replace my sm codes \_\_\_\_\_ a \_\_\_\_\_?

Is it \_\_\_\_\_ for me \_\_\_\_\_ replace \_\_\_\_\_ sm codes \_\_\_\_\_ security?

How frequently \_\_\_\_\_ methods \_\_\_\_\_ as texting \_\_\_\_\_ fingerprints \_\_\_\_\_?

Can \_\_\_\_\_ the authenticate techniques, \_\_\_\_\_ messages \_\_\_\_\_ biometry, should be \_\_\_\_\_?

Is it acceptable for \_\_\_\_\_ replace my \_\_\_\_\_?

How \_\_\_\_\_ methods, \_\_\_\_\_ as texting and fingerprints, \_\_\_\_\_?

\_\_\_\_\_ should multifactorauthentication \_\_\_\_\_ such as \_\_\_\_\_ usingbiometrics \_\_\_\_\_ changed.

\_\_\_\_\_ it advisable \_\_\_\_\_ replace my sm codes \_\_\_\_\_ frequently \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ modify multifactorAuthentication methods, \_\_\_\_\_ messages \_\_\_\_\_ the biometrics

Do \_\_\_\_\_ it's \_\_\_\_\_ to \_\_\_\_\_ SMS codes andbiometrics frequently?

How \_\_\_\_\_ should \_\_\_\_\_ text codes and credentials?

How many times \_\_\_\_\_ you \_\_\_\_\_ about \_\_\_\_\_ methods, \_\_\_\_\_ texting codes and \_\_\_\_\_?

How \_\_\_\_\_ change my text message \_\_\_\_\_ fingerprints and \_\_\_\_\_ software?

Can you suggest \_\_\_\_\_ the \_\_\_\_\_ such as \_\_\_\_\_ and \_\_\_\_\_?

Do \_\_\_\_\_ replace my \_\_\_\_\_ codes \_\_\_\_\_ often?

How much \_\_\_\_\_ swap \_\_\_\_\_ security methods \_\_\_\_\_ text \_\_\_\_\_ codes, fingerprints and \_\_\_\_\_?

\_\_\_\_\_ to change my \_\_\_\_\_ codes \_\_\_\_\_ bio \_\_\_\_\_ settings frequently?

\_\_\_\_\_ many \_\_\_\_\_ can you tell me about \_\_\_\_\_ my multifactor \_\_\_\_\_ such \_\_\_\_\_?

How \_\_\_\_\_ I change my account's \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ good timescale \_\_\_\_\_ credentials, like text \_\_\_\_\_ and biometry?

Is it a \_\_\_\_\_ to replace \_\_\_\_\_ sm \_\_\_\_\_ occasionally \_\_\_\_\_ added \_\_\_\_\_?

\_\_\_\_\_ methods such as Biometrics be \_\_\_\_\_?

Does \_\_\_\_\_ make \_\_\_\_\_ to replace \_\_\_\_\_ sm codes \_\_\_\_\_ every \_\_\_\_\_ improved security?

I \_\_\_\_\_ how \_\_\_\_\_ should \_\_\_\_\_ my \_\_\_\_\_ protection methods \_\_\_\_\_ as \_\_\_\_\_ and fingerprints.

Should I change \_\_\_\_\_ and \_\_\_\_\_ often?

\_\_\_\_\_ I update my text \_\_\_\_\_ other \_\_\_\_\_ on \_\_\_\_\_ regular \_\_\_\_\_?

\_\_\_\_\_ to replace my sm codes \_\_\_\_\_ every \_\_\_\_\_ increase security?

\_\_\_\_\_ times a day must \_\_\_\_\_ change my \_\_\_\_\_ fingerprints?

Is \_\_\_\_\_ right \_\_\_\_\_ have my sm codes \_\_\_\_\_ replaced \_\_\_\_\_ again?

\_\_\_\_\_ often \_\_\_\_\_ use of \_\_\_\_\_ usingbiometrics \_\_\_\_\_ changed?

\_\_\_\_\_ proper for \_\_\_\_\_ get \_\_\_\_\_ codes andbiometrics every now \_\_\_\_\_ then?

Shouldn't \_\_\_\_\_ replace my \_\_\_\_\_ andbiometrics \_\_\_\_\_ now \_\_\_\_\_ then?

How \_\_\_\_\_ times \_\_\_\_\_ I update \_\_\_\_\_ and \_\_\_\_\_ for my \_\_\_\_\_?

Is it proper \_\_\_\_\_ sm \_\_\_\_\_ andbiometrics every \_\_\_\_\_ and \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ now \_\_\_\_\_ again with added security?

\_\_\_\_\_ number of \_\_\_\_\_ you advise \_\_\_\_\_ about \_\_\_\_\_ my \_\_\_\_\_ authenticating \_\_\_\_\_ including texting \_\_\_\_\_ and \_\_\_\_\_?

Isreplacing \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ now and then \_\_\_\_\_ security?

\_\_\_\_\_ have a \_\_\_\_\_ update \_\_\_\_\_ messages or biometry factors?

Does it make \_\_\_\_\_ to \_\_\_\_\_ sm codes andbiometrics \_\_\_\_\_ now \_\_\_\_\_ then to \_\_\_\_\_?

Is it a good idea \_\_\_\_\_ sm codes \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ for \_\_\_\_\_?

How \_\_\_\_\_ should multiplefactorauthentication methods \_\_\_\_\_ as \_\_\_\_\_ adjusted?

There \_\_\_\_\_ about the \_\_\_\_\_ time for updates \_\_\_\_\_ like text \_\_\_\_\_ codes and fingerprints.

\_\_\_\_\_ change my verifications such as \_\_\_\_\_ and fingerprints?

Can you tell me when \_\_\_\_\_ the \_\_\_\_\_ as text \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ text codes, fingerprints, and other \_\_\_\_\_ every \_\_\_\_\_ then?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ text messages \_\_\_\_\_ biometry factors?

How frequently \_\_\_\_\_ and \_\_\_\_\_ multiplefactorauthentication methods be \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ idea to \_\_\_\_\_ text codes \_\_\_\_\_ frequently?

Do I \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ codes andbiometrics \_\_\_\_\_ then to strengthen \_\_\_\_\_?

How many \_\_\_\_\_ can \_\_\_\_\_ about changing \_\_\_\_\_ authenticating \_\_\_\_\_ including the \_\_\_\_\_ of \_\_\_\_\_ codes \_\_\_\_\_ fingerprints?

How \_\_\_\_\_ day do you \_\_\_\_\_ text codes and fingerprints?

Is \_\_\_\_\_ good \_\_\_\_\_ to change my \_\_\_\_\_ bio \_\_\_\_\_ frequently?

\_\_\_\_\_ many times must I \_\_\_\_\_ on my account?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ replace my \_\_\_\_\_ codes andbiometrics every now and \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ idea \_\_\_\_\_ replace \_\_\_\_\_ text codes \_\_\_\_\_ fingerprints frequently?

There is \_\_\_\_\_ question about how often \_\_\_\_\_ need to \_\_\_\_\_ fingerprints

Do I have to \_\_\_\_\_ and \_\_\_\_\_ information \_\_\_\_\_ now and then?

Should \_\_\_\_\_ and bio settings \_\_\_\_\_ changed more \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ my texting codes orbiometric \_\_\_\_\_?

It is \_\_\_\_\_ when \_\_\_\_\_ frequently \_\_\_\_\_ change text codes \_\_\_\_\_.

How many \_\_\_\_\_ day should \_\_\_\_\_ change \_\_\_\_\_ phone's/card's \_\_\_\_\_?

Does \_\_\_\_\_ for \_\_\_\_\_ replace my sm codes \_\_\_\_\_ at regular \_\_\_\_\_?

How \_\_\_\_\_ is \_\_\_\_\_ my text \_\_\_\_\_ codes, fingerprints, and \_\_\_\_\_?

How often should \_\_\_\_\_ multifactor verifications \_\_\_\_\_ as \_\_\_\_\_ fingerprints \_\_\_\_\_ iris?

Is \_\_\_\_\_ possible to replace \_\_\_\_\_ text codes \_\_\_\_\_ often \_\_\_\_\_ more secure?

How \_\_\_\_\_ times do \_\_\_\_\_ to \_\_\_\_\_ multifactor methods, \_\_\_\_\_ texting codes \_\_\_\_\_ fingerprints?

How \_\_\_\_\_ should \_\_\_\_\_ text message codes \_\_\_\_\_ fingerprints?

How often \_\_\_\_\_ change \_\_\_\_\_ text \_\_\_\_\_ and \_\_\_\_\_ on my \_\_\_\_\_?

\_\_\_\_\_ often do \_\_\_\_\_ have \_\_\_\_\_ change \_\_\_\_\_ Authentication, for \_\_\_\_\_ sending \_\_\_\_\_ message or logging in \_\_\_\_\_ abiotic \_\_\_\_\_?

Is it appropriate for \_\_\_\_\_ replace my \_\_\_\_\_ and biometrics every \_\_\_\_\_ security?

How \_\_\_\_\_ necessary to \_\_\_\_\_ text \_\_\_\_\_ codes, \_\_\_\_\_ facial-recognition software?

How \_\_\_\_\_ I change my \_\_\_\_\_ such as text \_\_\_\_\_ codes, iris \_\_\_\_\_?

How \_\_\_\_\_ should \_\_\_\_\_ add new methods \_\_\_\_\_ SMS \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ often \_\_\_\_\_ have to make \_\_\_\_\_ to multifactor \_\_\_\_\_ sending a \_\_\_\_\_ or logging \_\_\_\_\_ with \_\_\_\_\_ data?

\_\_\_\_\_ I need to \_\_\_\_\_ to \_\_\_\_\_ newer multifactor \_\_\_\_\_ the text \_\_\_\_\_ and \_\_\_\_\_ biometrics?

What \_\_\_\_\_ of times \_\_\_\_\_ phone's/card's text/biometrics code?

Do I \_\_\_\_\_ to \_\_\_\_\_ sm \_\_\_\_\_ every \_\_\_\_\_ and then?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ every now \_\_\_\_\_ for added security?

Do \_\_\_\_\_ update \_\_\_\_\_ authenticate techniques, like \_\_\_\_\_ messages \_\_\_\_\_ biometry?

\_\_\_\_\_ make sense for me \_\_\_\_\_ my \_\_\_\_\_ now and then with \_\_\_\_\_?

How often \_\_\_\_\_ it \_\_\_\_\_ change text \_\_\_\_\_ fingerprints \_\_\_\_\_ facial-recognition \_\_\_\_\_?

\_\_\_\_\_ like \_\_\_\_\_ know when it's \_\_\_\_\_ to \_\_\_\_\_ security \_\_\_\_\_ that \_\_\_\_\_ SMS \_\_\_\_\_ fingerprints.

\_\_\_\_\_ you \_\_\_\_\_ good idea \_\_\_\_\_ SMS \_\_\_\_\_ and biometrics often?

\_\_\_\_\_ it appropriate for me \_\_\_\_\_ replace \_\_\_\_\_ sm \_\_\_\_\_ every \_\_\_\_\_ and \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ to update my \_\_\_\_\_ codes, \_\_\_\_\_ and other \_\_\_\_\_ on a \_\_\_\_\_ basis \_\_\_\_\_ account safe?

Is it a \_\_\_\_\_ replace my texted codes \_\_\_\_\_ fingerprints \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to replace \_\_\_\_\_ sm codes and biometrics regularly \_\_\_\_\_ increased \_\_\_\_\_?

Is it \_\_\_\_\_ idea \_\_\_\_\_ my \_\_\_\_\_ codes and biometrics every now \_\_\_\_\_ with \_\_\_\_\_?

Do \_\_\_\_\_ I \_\_\_\_\_ my text \_\_\_\_\_ and credentials \_\_\_\_\_?