

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Mobile Network Operators
<b>Inquiry Category</b>	Account setup and activation assistance
<b>Inquiry Sub-Category</b>	SIM card activation
<b>Description</b>	Guiding customers through the steps to activate their SIM card, which may include inserting the SIM card correctly, following activation instructions provided by the operator, and troubleshooting any issues that may arise during the process.
<b>Data Size</b>	9,479 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Mobile Network Operator" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ inserting wrong \_\_\_\_ code \_\_\_\_ block/suspend services \_\_\_\_?

Do you stop services \_\_\_\_ an \_\_\_\_ several \_\_\_\_?

\_\_\_\_ entering \_\_\_\_ incorrect pin \_\_\_\_ or stop \_\_\_\_?

\_\_\_\_ pin \_\_\_\_ lead to a \_\_\_\_ the service.

\_\_\_\_ I enter \_\_\_\_ PIN multiple times \_\_\_\_ will \_\_\_\_ temporarily \_\_\_\_.

\_\_\_\_ you enter an incorrect \_\_\_\_ multiple \_\_\_\_ it \_\_\_\_?

Will installing \_\_\_\_ pin \_\_\_\_ temporary service suspension?

\_\_\_\_ the incorrect \_\_\_\_ phone \_\_\_\_ temporarily?

\_\_\_\_ use the wrong \_\_\_\_ multiple \_\_\_\_ will my services \_\_\_\_?

If I make \_\_\_\_ mistakes \_\_\_\_ my \_\_\_\_ there \_\_\_\_ a temporary \_\_\_\_ provision?

\_\_\_\_ it \_\_\_\_ problem \_\_\_\_ I enter \_\_\_\_ wrong \_\_\_\_ too many times?

\_\_\_\_ wrong pins cause \_\_\_\_?

Is \_\_\_\_ of services for incorrect pin \_\_\_\_.

Will \_\_\_\_ stopped \_\_\_\_ I insert \_\_\_\_ PIN \_\_\_\_ number of times?

Does entering \_\_\_\_ incorrect PIN \_\_\_\_ in \_\_\_\_.

We don't know \_\_\_\_ the \_\_\_\_ a suspension.

Will \_\_\_\_ suspensions due to \_\_\_\_?

\_\_\_\_ suspended \_\_\_\_ I insert \_\_\_\_ wrong PIN many times?

Does the input of \_\_\_\_ incorrect \_\_\_\_ services to \_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ an \_\_\_\_ multiple times and \_\_\_\_ interrupted?

Will \_\_\_\_ when the wrong pin code \_\_\_\_ inserted?

Will the services be temporarily \_\_\_\_ for \_\_\_\_?

\_\_\_\_ a temporary interruption \_\_\_\_ multiple incorrect \_\_\_\_ attempts?

\_\_\_\_ I \_\_\_\_ incorrect PIN \_\_\_\_ once \_\_\_\_ stop my services?

\_\_\_\_ be suspended \_\_\_\_ multiple \_\_\_\_ attempts?

Wrong \_\_\_\_ can \_\_\_\_ service \_\_\_\_.

\_\_\_\_ it possible that \_\_\_\_ mistakes \_\_\_\_?

Is \_\_\_\_ that false entries of \_\_\_\_ codes can \_\_\_\_ to \_\_\_\_?

Does repeated input \_\_\_\_\_ pin \_\_\_\_\_ suspension \_\_\_\_\_ my services.

Is my \_\_\_\_\_ of repeated \_\_\_\_\_ of \_\_\_\_\_ incorrect \_\_\_\_\_?

If \_\_\_\_\_ input \_\_\_\_\_ wrong \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ for a \_\_\_\_\_ time?

Is it \_\_\_\_\_ that \_\_\_\_\_ are stopped \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ a blocked \_\_\_\_\_ suspended \_\_\_\_\_ be \_\_\_\_\_ by repeated \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ many times, \_\_\_\_\_ the \_\_\_\_\_ be halted?

\_\_\_\_\_ of service due \_\_\_\_\_ error in \_\_\_\_\_ placement?

Is it \_\_\_\_\_ that \_\_\_\_\_ temporarily suspend my service?

\_\_\_\_\_ use be reduced \_\_\_\_\_ because of \_\_\_\_\_?

\_\_\_\_\_ suspension \_\_\_\_\_ entering incorrect \_\_\_\_\_ again?

\_\_\_\_\_ can block or \_\_\_\_\_ services

Is it possible that \_\_\_\_\_ wrong PINs \_\_\_\_\_ suspension?

\_\_\_\_\_ entering \_\_\_\_\_ incorrect \_\_\_\_\_ result in a \_\_\_\_\_?

Will installing the \_\_\_\_\_ cause \_\_\_\_\_ suspension of \_\_\_\_\_?

Can a service be \_\_\_\_\_ incorrect \_\_\_\_\_?

\_\_\_\_\_ enter \_\_\_\_\_ wrong \_\_\_\_\_ times, will \_\_\_\_\_ be suspended?

\_\_\_\_\_ chance \_\_\_\_\_ for repeated entry of incorrect \_\_\_\_\_?

\_\_\_\_\_ attempts \_\_\_\_\_ wrong \_\_\_\_\_ code could halt services.

\_\_\_\_\_ too many \_\_\_\_\_ pins suspend my \_\_\_\_\_?

\_\_\_\_\_ I enter \_\_\_\_\_ will \_\_\_\_\_ affect services?

Will there \_\_\_\_\_ a halt in service provision \_\_\_\_\_ PIN?

\_\_\_\_\_ multiple wrong \_\_\_\_\_ services \_\_\_\_\_ stop temporarily?

\_\_\_\_\_ short-term \_\_\_\_\_ on \_\_\_\_\_ due to repeated false \_\_\_\_\_?

\_\_\_\_\_ entering \_\_\_\_\_ incorrect pin code \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ due to incorrect pin \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ stop \_\_\_\_\_ services if I enter an \_\_\_\_\_?

\_\_\_\_\_ a wrong pin \_\_\_\_\_?

\_\_\_\_\_ it possible that entering \_\_\_\_\_ incorrect \_\_\_\_\_ blocks \_\_\_\_\_ services?

\_\_\_\_\_ service block \_\_\_\_\_ by \_\_\_\_\_ an \_\_\_\_\_ PIN \_\_\_\_\_ times?

\_\_\_\_\_ the wrong pin code \_\_\_\_\_ of service?

\_\_\_\_\_ failed \_\_\_\_\_ with the wrong \_\_\_\_\_ stop \_\_\_\_\_ temporarily.

Is \_\_\_\_\_ to enter \_\_\_\_\_ pin and \_\_\_\_\_ functions?

Do \_\_\_\_\_ pins \_\_\_\_\_ a halt \_\_\_\_\_?

Is \_\_\_\_\_ that multiple \_\_\_\_\_ entries \_\_\_\_\_ services?

\_\_\_\_\_ lead \_\_\_\_\_ a service problem if I \_\_\_\_\_ many times?

If I \_\_\_\_\_ PIN \_\_\_\_\_ times, \_\_\_\_\_ services may \_\_\_\_\_ suspended.

Can \_\_\_\_\_ pin \_\_\_\_\_ service \_\_\_\_\_ suspended or blocked?

Does \_\_\_\_\_ pin suspending functions \_\_\_\_\_?

\_\_\_\_\_ have to \_\_\_\_\_ they enter the wrong \_\_\_\_\_ many \_\_\_\_\_?

\_\_\_\_\_ enter \_\_\_\_\_ PIN \_\_\_\_\_ times \_\_\_\_\_ will be temporarily suspended.

\_\_\_\_\_ is a chance \_\_\_\_\_ service \_\_\_\_\_ if \_\_\_\_\_ repeated \_\_\_\_\_ of incorrect \_\_\_\_\_.

Isn't \_\_\_\_\_ pin suspending \_\_\_\_\_?

There \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ multiple incorrect pin \_\_\_\_\_.

The \_\_\_\_\_ service \_\_\_\_\_ is \_\_\_\_\_ because \_\_\_\_\_ wrong PIN.

\_\_\_\_\_ service suspensions result \_\_\_\_\_ incorrect \_\_\_\_\_?

Is it \_\_\_\_\_ to enter \_\_\_\_\_ multiple \_\_\_\_\_ and \_\_\_\_\_ my services?

\_\_\_\_\_ possible that \_\_\_\_\_ pins can \_\_\_\_\_ a service \_\_\_\_\_?

Can repeated \_\_\_\_\_ pin codes \_\_\_\_\_ service \_\_\_\_\_ blocked or \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ be \_\_\_\_\_ or blocked \_\_\_\_\_ of repeated \_\_\_\_\_ codes?

If \_\_\_\_\_ wrong pin \_\_\_\_\_ will it \_\_\_\_\_ my service?

\_\_\_\_\_ service suspension \_\_\_\_\_ be due \_\_\_\_\_ wrong PIN.

\_\_\_\_\_ codes \_\_\_\_\_ cause a service \_\_\_\_\_.

\_\_\_\_\_ attempts with \_\_\_\_\_ pin code may halt \_\_\_\_\_.

\_\_\_\_\_ it restrict services if I enter \_\_\_\_\_?

\_\_\_\_\_ putting \_\_\_\_\_ impedes phone \_\_\_\_\_?

\_\_\_\_\_ pins \_\_\_\_\_ wrong lead \_\_\_\_\_ problem?

What \_\_\_\_\_ if \_\_\_\_\_ services \_\_\_\_\_ I input \_\_\_\_\_ PIN?

A short-term \_\_\_\_\_ services may result \_\_\_\_\_ false \_\_\_\_\_.

\_\_\_\_\_ entering \_\_\_\_\_ wrong pin \_\_\_\_\_ functions?

Will it \_\_\_\_\_ my \_\_\_\_\_ temporarily \_\_\_\_\_ insert the \_\_\_\_\_ multiple \_\_\_\_\_?

\_\_\_\_\_ codes \_\_\_\_\_ a service being blocked or \_\_\_\_\_?

\_\_\_\_\_ a series of \_\_\_\_\_ impede \_\_\_\_\_?

Is my \_\_\_\_\_ of too \_\_\_\_\_ pins?

\_\_\_\_\_ pin temporarily derail functions?

Is \_\_\_\_\_ interruption \_\_\_\_\_ service \_\_\_\_\_ having \_\_\_\_\_ incorrect pin?

\_\_\_\_\_ there be \_\_\_\_\_ temporary service suspension if the \_\_\_\_\_ is \_\_\_\_\_?

Does entering \_\_\_\_\_ wrong \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ you repeat \_\_\_\_\_ of incorrect pins.

\_\_\_\_\_ pin code \_\_\_\_\_ a service suspension?

\_\_\_\_\_ services \_\_\_\_\_ if you enter \_\_\_\_\_ incorrect \_\_\_\_\_ times?

If I \_\_\_\_\_ a \_\_\_\_\_ my \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ stop \_\_\_\_\_ provision?

\_\_\_\_\_ there \_\_\_\_\_ suspension \_\_\_\_\_ I \_\_\_\_\_ the wrong \_\_\_\_\_ code?

Is entering \_\_\_\_\_ services?

\_\_\_\_\_ entries of \_\_\_\_\_ codes result in a restriction \_\_\_\_\_ use?

There \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ suspension \_\_\_\_\_ repetition \_\_\_\_\_ incorrect \_\_\_\_\_.

Is it possible \_\_\_\_\_ services get suspended for \_\_\_\_\_ time \_\_\_\_\_?

will the wrong \_\_\_\_\_ service \_\_\_\_\_?

There may be \_\_\_\_\_ of \_\_\_\_\_ pin attempts.

Is it \_\_\_\_\_ that \_\_\_\_\_ collapses \_\_\_\_\_ I \_\_\_\_\_ the wrong \_\_\_\_\_ too \_\_\_\_\_?

Can \_\_\_\_\_ an incorrect \_\_\_\_\_ block \_\_\_\_\_ temporarily suspend \_\_\_\_\_?

\_\_\_\_\_ entering \_\_\_\_\_ incorrect pin \_\_\_\_\_ to lead \_\_\_\_\_ a service \_\_\_\_\_?

Repeated incorrect pin \_\_\_\_\_ lead \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ that incorrect PINs will \_\_\_\_\_ in \_\_\_\_\_ suspensions.

Does \_\_\_\_\_ short-term \_\_\_\_\_ in \_\_\_\_\_ from repeated \_\_\_\_\_ pins?

\_\_\_\_\_ blocked \_\_\_\_\_ to an \_\_\_\_\_ pin?

\_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ code \_\_\_\_\_ many times, you will \_\_\_\_\_ services?

\_\_\_\_\_ it cause \_\_\_\_\_ if I \_\_\_\_\_ the wrong pin many \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ from \_\_\_\_\_ services \_\_\_\_\_ the wrong pin repeatedly?

\_\_\_\_\_ pin codes can \_\_\_\_\_ or blocked service.

\_\_\_\_\_ be \_\_\_\_\_ temporarily if \_\_\_\_\_ have the \_\_\_\_\_ PIN \_\_\_\_\_ times?

If I \_\_\_\_\_ wrong PIN \_\_\_\_\_ than \_\_\_\_\_ will \_\_\_\_\_ services \_\_\_\_\_ temporarily \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ gets entered too \_\_\_\_\_ times, \_\_\_\_\_ down the \_\_\_\_\_?

\_\_\_\_\_ may be \_\_\_\_\_ short \_\_\_\_\_ suspension for \_\_\_\_\_ wrong \_\_\_\_\_.

\_\_\_\_\_ entering an \_\_\_\_\_ result in \_\_\_\_\_ service interruption?

Will service suspensions \_\_\_\_\_ caused \_\_\_\_\_ multiple \_\_\_\_\_?

\_\_\_\_\_ input of \_\_\_\_\_ cause \_\_\_\_\_ suspension of service?

\_\_\_\_\_ pin \_\_\_\_\_ can cause services \_\_\_\_\_.

Does entering a \_\_\_\_\_ functions?

\_\_\_\_\_ too \_\_\_\_\_ wrong \_\_\_\_\_ will suspend my service?

If \_\_\_\_\_ several times, will \_\_\_\_\_ be halted?

Will \_\_\_\_ service be \_\_\_\_ I \_\_\_\_ PIN many times?  
 \_\_\_\_ services be suspended \_\_\_\_ I \_\_\_\_ wrong \_\_\_\_ more than \_\_\_\_?  
 \_\_\_\_ entering a wrong \_\_\_\_ a temporary service \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ temporary service suspension \_\_\_\_ the wrong \_\_\_\_?  
 If \_\_\_\_ the \_\_\_\_ PIN \_\_\_\_ once \_\_\_\_ be temporarily suspended?  
 Do \_\_\_\_ shut down \_\_\_\_ the \_\_\_\_ gets entered too much?  
 Any \_\_\_\_ service suspension if \_\_\_\_ the wrong \_\_\_\_?  
 \_\_\_\_ entering the \_\_\_\_ the function \_\_\_\_?  
 If \_\_\_\_ enter \_\_\_\_ wrong \_\_\_\_ multiple \_\_\_\_ will services \_\_\_\_?  
 \_\_\_\_ bad \_\_\_\_ cause \_\_\_\_ service \_\_\_\_ be suspended temporarily?  
 \_\_\_\_ possible that \_\_\_\_ will \_\_\_\_ restricted \_\_\_\_ the wrong pin \_\_\_\_ times?  
 \_\_\_\_ I \_\_\_\_ multiple times, will \_\_\_\_ stop \_\_\_\_ using my services?  
 \_\_\_\_ be a \_\_\_\_ because of \_\_\_\_ wrong pin code?  
 \_\_\_\_ pin gets \_\_\_\_ too much, do you \_\_\_\_?  
 \_\_\_\_ you shut \_\_\_\_ pin is entered \_\_\_\_ much?  
 If I \_\_\_\_ times, will the services \_\_\_\_ disrupted?  
 Does \_\_\_\_ of \_\_\_\_ entries affect \_\_\_\_?  
 \_\_\_\_ pin cause \_\_\_\_ to stop short?  
 \_\_\_\_ it \_\_\_\_ services \_\_\_\_ be temporarily suspended \_\_\_\_ enter \_\_\_\_ wrong PIN many \_\_\_\_?  
 Are \_\_\_\_ codes \_\_\_\_ to block \_\_\_\_ suspend \_\_\_\_?  
 \_\_\_\_ temporary service \_\_\_\_ caused \_\_\_\_ the \_\_\_\_ pin code.  
 Is \_\_\_\_ incorrect \_\_\_\_ to cause a \_\_\_\_?  
 Could \_\_\_\_ incorrect \_\_\_\_ code \_\_\_\_ suspend or block \_\_\_\_?  
 Can wrong \_\_\_\_ cause \_\_\_\_?  
 Is \_\_\_\_ possible to \_\_\_\_ or block \_\_\_\_ when \_\_\_\_ incorrect \_\_\_\_?  
 There is a \_\_\_\_ service \_\_\_\_ due \_\_\_\_ of incorrect \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ be \_\_\_\_ temporarily due \_\_\_\_ repeated incorrect pin \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ a \_\_\_\_ the wrong pin code \_\_\_\_ inserted?  
 Will incorrect PINs \_\_\_\_?  
 \_\_\_\_ wrong pin entries \_\_\_\_ services \_\_\_\_?  
 Any \_\_\_\_ that \_\_\_\_ because of the \_\_\_\_ entry \_\_\_\_ incorrect pins?  
 Is \_\_\_\_ possible \_\_\_\_ incorrect \_\_\_\_ and temporarily block \_\_\_\_ stop \_\_\_\_?  
 Is \_\_\_\_ services \_\_\_\_ to \_\_\_\_ due \_\_\_\_ incorrect pin \_\_\_\_?  
 Do multiple \_\_\_\_ pins \_\_\_\_?  
 \_\_\_\_ false entries of \_\_\_\_ codes \_\_\_\_ limitations \_\_\_\_?  
 \_\_\_\_ possible for wrong \_\_\_\_ to a \_\_\_\_ blockage?  
 Can recurring \_\_\_\_ a service \_\_\_\_?  
 \_\_\_\_ entering an wrong \_\_\_\_ result \_\_\_\_ block?  
 I \_\_\_\_ my services will be \_\_\_\_ I enter \_\_\_\_ wrong \_\_\_\_.  
 Will services \_\_\_\_ temporarily suspended \_\_\_\_ code is used \_\_\_\_?  
 In case \_\_\_\_ entering \_\_\_\_ wrong code \_\_\_\_ times, \_\_\_\_ get \_\_\_\_?  
 Can repeated \_\_\_\_ pin codes \_\_\_\_ suspension \_\_\_\_ service?  
 Do you have to \_\_\_\_ services if \_\_\_\_ gets \_\_\_\_?  
 \_\_\_\_ temporarily \_\_\_\_ or \_\_\_\_ services if you enter \_\_\_\_ several times?  
 \_\_\_\_ it \_\_\_\_ that \_\_\_\_ pin \_\_\_\_ entries \_\_\_\_ temporarily stop \_\_\_\_?  
 Do you \_\_\_\_ will be \_\_\_\_ the pin \_\_\_\_ wrong?  
 \_\_\_\_ an incorrect PIN cause my \_\_\_\_ to \_\_\_\_?  
 Will \_\_\_\_ get \_\_\_\_ slap on that \_\_\_\_ freeze \_\_\_\_ services \_\_\_\_ this pin?  
 Is it \_\_\_\_ wrong \_\_\_\_ codes can \_\_\_\_?  
 \_\_\_\_ it restrict services if \_\_\_\_ enter \_\_\_\_ pin \_\_\_\_?

Will putting \_\_\_\_\_ pin \_\_\_\_\_ cause \_\_\_\_\_ suspension of \_\_\_\_\_?

\_\_\_\_\_ entering an \_\_\_\_\_ cause services \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ entering \_\_\_\_\_ PIN \_\_\_\_\_ in a \_\_\_\_\_ block?

\_\_\_\_\_ \_\_\_\_\_ in a temporary \_\_\_\_\_ suspension.

Repeatedly entering \_\_\_\_\_ pin can \_\_\_\_\_.

\_\_\_\_\_ incorrect \_\_\_\_\_ code entries can \_\_\_\_\_ service \_\_\_\_\_ stop.

\_\_\_\_\_ entering \_\_\_\_\_ cause a \_\_\_\_\_ interruption?

Can \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ pin code entries?

Will the wrong \_\_\_\_\_ the \_\_\_\_\_ be temporarily \_\_\_\_\_?

Is temporary \_\_\_\_\_ of the \_\_\_\_\_ PIN?

\_\_\_\_\_ I \_\_\_\_\_ wrong PIN \_\_\_\_\_ times, \_\_\_\_\_ the service \_\_\_\_\_ stopped?

\_\_\_\_\_ entering an incorrect \_\_\_\_\_ can \_\_\_\_\_ temporarily \_\_\_\_\_ or \_\_\_\_\_?

Any chance of service suspension if \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ service suspension \_\_\_\_\_ possible?

If I \_\_\_\_\_ wrong \_\_\_\_\_ many times, will services \_\_\_\_\_?

Does \_\_\_\_\_ pin cause \_\_\_\_\_ to be \_\_\_\_\_?

\_\_\_\_\_ are temporarily suspended due \_\_\_\_\_ incorrect PINs.

Is \_\_\_\_\_ an \_\_\_\_\_ pin a \_\_\_\_\_?

My services can be \_\_\_\_\_ by \_\_\_\_\_ an incorrect \_\_\_\_\_.

\_\_\_\_\_ wrongly \_\_\_\_\_ pin affect phone \_\_\_\_\_?

\_\_\_\_\_ enter the \_\_\_\_\_ multiple \_\_\_\_\_ will \_\_\_\_\_ service be stopped?

Repeated wrong pin codes \_\_\_\_\_ lead \_\_\_\_\_ of service.

If the pin \_\_\_\_\_ entered \_\_\_\_\_ services be shut \_\_\_\_\_?

\_\_\_\_\_ to repeatedly \_\_\_\_\_ incorrect pin \_\_\_\_\_ block or stop services?

\_\_\_\_\_ the incorrect \_\_\_\_\_ code cause \_\_\_\_\_?

\_\_\_\_\_ there be too \_\_\_\_\_ incorrect \_\_\_\_\_ suspending \_\_\_\_\_?

Do multiple \_\_\_\_\_ pin \_\_\_\_\_ prevent \_\_\_\_\_?

Is it possible \_\_\_\_\_ get suspended for a \_\_\_\_\_ PINs?

Multiple wrong \_\_\_\_\_ might stop \_\_\_\_\_ suspend \_\_\_\_\_.

\_\_\_\_\_ wrong pin code \_\_\_\_\_ cause services \_\_\_\_\_ be stopped temporarily.

If \_\_\_\_\_ wrong pin code, \_\_\_\_\_ I \_\_\_\_\_ suspension?

\_\_\_\_\_ to \_\_\_\_\_ an incorrect pin code \_\_\_\_\_ times \_\_\_\_\_ temporarily \_\_\_\_\_ or \_\_\_\_\_ services?

Does \_\_\_\_\_ incorrect PIN lead to a \_\_\_\_\_?

Any \_\_\_\_\_ because \_\_\_\_\_ repeat entry \_\_\_\_\_ incorrect pins?

\_\_\_\_\_ services temporarily \_\_\_\_\_ from \_\_\_\_\_ incorrect \_\_\_\_\_ attempts?

\_\_\_\_\_ halt \_\_\_\_\_ if you enter \_\_\_\_\_ pin \_\_\_\_\_ times?

\_\_\_\_\_ network \_\_\_\_\_ short-termly \_\_\_\_\_ of entering \_\_\_\_\_ code?

\_\_\_\_\_ my \_\_\_\_\_ be limited if I \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ entering \_\_\_\_\_ pin code \_\_\_\_\_ to a \_\_\_\_\_ suspension \_\_\_\_\_ service?

Is service \_\_\_\_\_ by the \_\_\_\_\_ inserted repeatedly?

Is \_\_\_\_\_ possible for wrong \_\_\_\_\_ codes \_\_\_\_\_ services?

\_\_\_\_\_ entering \_\_\_\_\_ pin code causes \_\_\_\_\_ service suspension?

If \_\_\_\_\_ pin \_\_\_\_\_ entered too \_\_\_\_\_ are you \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ down \_\_\_\_\_ service if the pin \_\_\_\_\_ too \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ wrong \_\_\_\_\_ code will cause \_\_\_\_\_ suspension.

\_\_\_\_\_ an incorrect \_\_\_\_\_ service \_\_\_\_\_ be suspended?

Frequent \_\_\_\_\_ of \_\_\_\_\_ codes can lead \_\_\_\_\_ restrictions \_\_\_\_\_ use.

Can \_\_\_\_\_ series \_\_\_\_\_ pins \_\_\_\_\_ functions?

Will the \_\_\_\_\_ be temporarily \_\_\_\_\_ the wrong pin \_\_\_\_\_ times?

\_\_\_\_\_ that \_\_\_\_\_ will lead to service suspensions?

Is a \_\_\_\_\_ service \_\_\_\_\_ possible \_\_\_\_\_ you enter an \_\_\_\_\_ \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ wrong \_\_\_\_\_ code is \_\_\_\_\_ in?

\_\_\_\_\_ can result in \_\_\_\_\_ suspension.

Does \_\_\_\_\_ an incorrect pin \_\_\_\_\_ ?

\_\_\_\_\_ services be \_\_\_\_\_ or \_\_\_\_\_ insert \_\_\_\_\_ wrong PIN too \_\_\_\_\_ times?

Will my \_\_\_\_\_ disrupted if \_\_\_\_\_ enter \_\_\_\_\_ wrong \_\_\_\_\_ more \_\_\_\_\_ ?

\_\_\_\_\_ temporarily if \_\_\_\_\_ an incorrect pin \_\_\_\_\_ times?

Can \_\_\_\_\_ many \_\_\_\_\_ cause \_\_\_\_\_ service to be \_\_\_\_\_ ?

Is \_\_\_\_\_ an incorrect pin \_\_\_\_\_ ?

\_\_\_\_\_ be \_\_\_\_\_ suspension of \_\_\_\_\_ from \_\_\_\_\_ pin attempts?

Does \_\_\_\_\_ pin stop \_\_\_\_\_ function?

\_\_\_\_\_ pin codes \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ temporarily suspended.

\_\_\_\_\_ cause a \_\_\_\_\_ block if \_\_\_\_\_ enter \_\_\_\_\_ pin numerous \_\_\_\_\_ ?

\_\_\_\_\_ entries can temporarily stop \_\_\_\_\_ .

Will \_\_\_\_\_ result \_\_\_\_\_ suspension?

Will my services \_\_\_\_\_ disrupted \_\_\_\_\_ wrong PIN \_\_\_\_\_ times?

Is \_\_\_\_\_ services are \_\_\_\_\_ temporarily by using \_\_\_\_\_ PIN?

Is \_\_\_\_\_ temporary suspension \_\_\_\_\_ incorrect \_\_\_\_\_ ?

\_\_\_\_\_ wrong \_\_\_\_\_ can \_\_\_\_\_ my service.

Does \_\_\_\_\_ input \_\_\_\_\_ incorrect pin \_\_\_\_\_ temporary interruption in \_\_\_\_\_ ?

Is it possible \_\_\_\_\_ if I insert \_\_\_\_\_ PIN many times?

Will wrong \_\_\_\_\_ to \_\_\_\_\_ service \_\_\_\_\_ ?

\_\_\_\_\_ the services be \_\_\_\_\_ incorrect PIN?

Repeated \_\_\_\_\_ can cause \_\_\_\_\_ service.

Do \_\_\_\_\_ wrong pin \_\_\_\_\_ temporarily?

If \_\_\_\_\_ enter \_\_\_\_\_ wrong \_\_\_\_\_ than \_\_\_\_\_ will the services \_\_\_\_\_ temporarily \_\_\_\_\_ ?

Will \_\_\_\_\_ temporary service suspension because of \_\_\_\_\_ being inserted?

\_\_\_\_\_ stopped for a \_\_\_\_\_ enter \_\_\_\_\_ wrong PIN multiple times?

\_\_\_\_\_ interruption a consequence of \_\_\_\_\_ ?

Is \_\_\_\_\_ that \_\_\_\_\_ will \_\_\_\_\_ stopped \_\_\_\_\_ I \_\_\_\_\_ the wrong PIN \_\_\_\_\_ times?

\_\_\_\_\_ the wrong \_\_\_\_\_ service \_\_\_\_\_ be stopped temporarily?

Does \_\_\_\_\_ PIN \_\_\_\_\_ a block?

If \_\_\_\_\_ my \_\_\_\_\_ more than \_\_\_\_\_ you \_\_\_\_\_ shut \_\_\_\_\_ service down?

\_\_\_\_\_ the \_\_\_\_\_ pin affect functions \_\_\_\_\_ ?

\_\_\_\_\_ affect \_\_\_\_\_ services if \_\_\_\_\_ incorrect pin many times?

Repeated \_\_\_\_\_ might \_\_\_\_\_ to a \_\_\_\_\_ halt \_\_\_\_\_ services.

\_\_\_\_\_ repeated \_\_\_\_\_ codes cause a \_\_\_\_\_ suspended?

Do services get \_\_\_\_\_ temporarily \_\_\_\_\_ code many \_\_\_\_\_ ?

\_\_\_\_\_ services be temporarily suspended \_\_\_\_\_ wrong \_\_\_\_\_ code.

Wrong \_\_\_\_\_ may \_\_\_\_\_ service suspension.

Is \_\_\_\_\_ a temporary halt to service provision \_\_\_\_\_ make \_\_\_\_\_ my \_\_\_\_\_ ?

\_\_\_\_\_ because of an \_\_\_\_\_ ?

\_\_\_\_\_ possible that some \_\_\_\_\_ suspended \_\_\_\_\_ because of \_\_\_\_\_ PINs?

Does multiple \_\_\_\_\_ pin \_\_\_\_\_ affect \_\_\_\_\_ way?

If \_\_\_\_\_ repeat entry \_\_\_\_\_ pins, any chance \_\_\_\_\_ ?

Does entering the \_\_\_\_\_ functions \_\_\_\_\_ ?

Wrong PIN might lead \_\_\_\_\_ .

Is it \_\_\_\_\_ wrong \_\_\_\_\_ can \_\_\_\_\_ services.

\_\_\_\_\_ chance of service \_\_\_\_\_ for \_\_\_\_\_ again?

Will \_\_\_\_\_ be \_\_\_\_\_ freeze \_\_\_\_\_ if \_\_\_\_\_ screw this pin \_\_\_\_\_ ?

Does \_\_\_\_\_ the wrong \_\_\_\_\_ block/suspend \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ will be suspended \_\_\_\_\_ short time because \_\_\_\_\_ PINs?

\_\_\_\_\_ wrong pin \_\_\_\_\_ service \_\_\_\_\_?

Does \_\_\_\_\_ an \_\_\_\_\_ pin \_\_\_\_\_ causes \_\_\_\_\_?

There may be \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ tries.

\_\_\_\_\_ entering the wrong code, do \_\_\_\_\_ get \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ pin temporarily \_\_\_\_\_ functions?

Wrong \_\_\_\_\_ result in a \_\_\_\_\_.

Is service \_\_\_\_\_ of wrong \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ an \_\_\_\_\_ PIN \_\_\_\_\_ times, \_\_\_\_\_ my services?

Can I \_\_\_\_\_ many \_\_\_\_\_ pins temporarily \_\_\_\_\_ my \_\_\_\_\_?

Does \_\_\_\_\_ input of an \_\_\_\_\_ a temporary suspension \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ are suspended \_\_\_\_\_ incorrect PINs?

Can \_\_\_\_\_ pins lead to \_\_\_\_\_?

\_\_\_\_\_ the wrong \_\_\_\_\_ suspend the \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ wrong \_\_\_\_\_ will \_\_\_\_\_ my \_\_\_\_\_ to be stopped \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the wrong pin \_\_\_\_\_ will it \_\_\_\_\_ service?

Does \_\_\_\_\_ pin interrupt \_\_\_\_\_?

Wouldn't you \_\_\_\_\_ the temporary \_\_\_\_\_ of \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ pin?

Does \_\_\_\_\_ stop services \_\_\_\_\_ you enter \_\_\_\_\_ incorrect \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ services are \_\_\_\_\_ a short time due \_\_\_\_\_?

\_\_\_\_\_ the wrong pin \_\_\_\_\_ services if \_\_\_\_\_ them \_\_\_\_\_?

\_\_\_\_\_ false pins \_\_\_\_\_ halt \_\_\_\_\_ services?

Can \_\_\_\_\_ pin \_\_\_\_\_ cause services \_\_\_\_\_ suspended \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that the \_\_\_\_\_ suspended due to incorrect \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ pin \_\_\_\_\_ more \_\_\_\_\_ are going to shut my \_\_\_\_\_?

Will my services \_\_\_\_\_ shut down \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ wrong \_\_\_\_\_ cause my service \_\_\_\_\_ stop.

Will my \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ the wrong \_\_\_\_\_?

\_\_\_\_\_ my service \_\_\_\_\_ collapse \_\_\_\_\_ try the wrong PIN \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ enter an incorrect \_\_\_\_\_ and temporarily \_\_\_\_\_ block services?

If \_\_\_\_\_ wrong PIN many times, will \_\_\_\_\_ service \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ entries of pin codes \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_?

Can wrong \_\_\_\_\_ entries \_\_\_\_\_?

\_\_\_\_\_ repeated \_\_\_\_\_ pin \_\_\_\_\_ service to \_\_\_\_\_ temporarily stopped?

Do \_\_\_\_\_ halt \_\_\_\_\_ enter \_\_\_\_\_ incorrect pin?

\_\_\_\_\_ it possible \_\_\_\_\_ code entries to halt \_\_\_\_\_?

Will \_\_\_\_\_ occur \_\_\_\_\_ PINs \_\_\_\_\_ inserted multiple times?

\_\_\_\_\_ slap \_\_\_\_\_ a temporary freeze of services \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_?

There is a possibility \_\_\_\_\_ if you \_\_\_\_\_ incorrect \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ suspend or block \_\_\_\_\_ you \_\_\_\_\_ an incorrect pin \_\_\_\_\_?

Do \_\_\_\_\_ entries of \_\_\_\_\_ cause \_\_\_\_\_ on use?

\_\_\_\_\_ pin code cause \_\_\_\_\_ services?

temporary service \_\_\_\_\_ PIN?

Repeated \_\_\_\_\_ pins \_\_\_\_\_ cause a short-term \_\_\_\_\_.

\_\_\_\_\_ for the wrong PIN.

\_\_\_\_\_ an incorrect pin \_\_\_\_\_?

Will \_\_\_\_\_ slap \_\_\_\_\_ freeze \_\_\_\_\_ services \_\_\_\_\_ I fail to enter \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ pins \_\_\_\_\_ lead to \_\_\_\_\_ service \_\_\_\_\_?

\_\_\_\_\_ a halt \_\_\_\_\_ if there is a \_\_\_\_\_ of \_\_\_\_\_ with my \_\_\_\_\_?

If \_\_\_\_\_ gets entered \_\_\_\_\_ will \_\_\_\_\_ stop services?  
 Is there \_\_\_\_\_ chance \_\_\_\_\_ a temporary \_\_\_\_\_ suspension \_\_\_\_\_ wrong \_\_\_\_\_?  
 \_\_\_\_\_ it possible that wrong \_\_\_\_\_ lead \_\_\_\_\_ service \_\_\_\_\_?  
 \_\_\_\_\_ might be \_\_\_\_\_ temporary \_\_\_\_\_ suspension \_\_\_\_\_ the wrong \_\_\_\_\_.  
 \_\_\_\_\_ failed attempts \_\_\_\_\_ pin code cause services to \_\_\_\_\_?  
 \_\_\_\_\_ screw \_\_\_\_\_ pin code more than \_\_\_\_\_ you \_\_\_\_\_ shut down \_\_\_\_\_?  
 \_\_\_\_\_ entering \_\_\_\_\_ pin \_\_\_\_\_ services \_\_\_\_\_ than once?  
 \_\_\_\_\_ enter the \_\_\_\_\_ times, \_\_\_\_\_ services be stopped?  
 Is \_\_\_\_\_ service interruption caused \_\_\_\_\_ an \_\_\_\_\_ placement?  
 Is \_\_\_\_\_ interruption \_\_\_\_\_ consequence of \_\_\_\_\_?  
 \_\_\_\_\_ suspension be caused \_\_\_\_\_ wrong PINs \_\_\_\_\_ times?  
 \_\_\_\_\_ the \_\_\_\_\_ affected if I \_\_\_\_\_ the wrong \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ wrong \_\_\_\_\_ you shut down services?  
 \_\_\_\_\_ incorrect pin \_\_\_\_\_ a service \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ incorrect pin \_\_\_\_\_ entries to \_\_\_\_\_?  
 Does \_\_\_\_\_ code prompt a \_\_\_\_\_ suspension?  
 Wrong pin \_\_\_\_\_ suspend services.  
 \_\_\_\_\_ service \_\_\_\_\_ stopped temporarily due \_\_\_\_\_ pin codes.  
 \_\_\_\_\_ the \_\_\_\_\_ input of \_\_\_\_\_ pin cause \_\_\_\_\_ temporary \_\_\_\_\_?  
 \_\_\_\_\_ of a temporary \_\_\_\_\_ suspension due \_\_\_\_\_ the \_\_\_\_\_ PIN?  
 \_\_\_\_\_ my services \_\_\_\_\_ because of \_\_\_\_\_ pin \_\_\_\_\_?  
 \_\_\_\_\_ I enter the wrong \_\_\_\_\_ multiple times, \_\_\_\_\_ services \_\_\_\_\_.  
 Will \_\_\_\_\_ code cause a \_\_\_\_\_ service?  
 Is my service just \_\_\_\_\_ if \_\_\_\_\_ have to \_\_\_\_\_ times?  
 Can \_\_\_\_\_ entries \_\_\_\_\_ pin \_\_\_\_\_ result in \_\_\_\_\_ use?  
 \_\_\_\_\_ wrong pin \_\_\_\_\_ service \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ suspension \_\_\_\_\_ a \_\_\_\_\_ of repeated entry \_\_\_\_\_ incorrect \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ services down \_\_\_\_\_ pin is entered \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ blocked from \_\_\_\_\_ pin?  
 \_\_\_\_\_ a \_\_\_\_\_ service \_\_\_\_\_ caused \_\_\_\_\_ repeated wrong pins?  
 \_\_\_\_\_ my services suspended \_\_\_\_\_ enter the \_\_\_\_\_ multiple \_\_\_\_\_?  
 Is it \_\_\_\_\_ wrong pin \_\_\_\_\_ to \_\_\_\_\_?  
 Do frequent \_\_\_\_\_ entries \_\_\_\_\_ pin \_\_\_\_\_ restriction of \_\_\_\_\_?  
 Is \_\_\_\_\_ a result \_\_\_\_\_ pins?  
 \_\_\_\_\_ entries of pin \_\_\_\_\_ lead to restriction \_\_\_\_\_?  
 Do \_\_\_\_\_ failed attempts with \_\_\_\_\_ pin \_\_\_\_\_ services \_\_\_\_\_ stop?  
 \_\_\_\_\_ multiple input \_\_\_\_\_ incorrect \_\_\_\_\_ a temporary \_\_\_\_\_ my services?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ pin \_\_\_\_\_ stop services.  
 Will there \_\_\_\_\_ a \_\_\_\_\_ in service \_\_\_\_\_ mistakes with \_\_\_\_\_ PIN?  
 \_\_\_\_\_ temporary \_\_\_\_\_ suspension is \_\_\_\_\_ because \_\_\_\_\_ the \_\_\_\_\_ PIN.  
 Is \_\_\_\_\_ possible that wrong \_\_\_\_\_ code \_\_\_\_\_ halt \_\_\_\_\_?  
 Will services be suspended \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ than once?  
 \_\_\_\_\_ the pin is entered \_\_\_\_\_ you shut down \_\_\_\_\_?  
 What \_\_\_\_\_ my \_\_\_\_\_ if I \_\_\_\_\_ incorrect \_\_\_\_\_?  
 Will \_\_\_\_\_ service suspension \_\_\_\_\_ the wrong pin code being inserted \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ temporary \_\_\_\_\_ in service provision \_\_\_\_\_ make \_\_\_\_\_ with \_\_\_\_\_?  
 Is there \_\_\_\_\_ because \_\_\_\_\_ pin?  
 Will \_\_\_\_\_ services be \_\_\_\_\_ by \_\_\_\_\_ wrong pin \_\_\_\_\_ times?  
 Can \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ stopped temporarily?  
 Is it possible \_\_\_\_\_ code \_\_\_\_\_ multiple times \_\_\_\_\_ block/suspend \_\_\_\_\_?



\_\_\_\_\_ pin codes \_\_\_\_\_ lead to a \_\_\_\_\_ being \_\_\_\_\_ or \_\_\_\_\_.

\_\_\_\_\_ incorrect pin cause \_\_\_\_\_ stop?

Is a temporary \_\_\_\_\_ my services \_\_\_\_\_ repeated input \_\_\_\_\_ \_\_\_\_\_?

\_\_\_\_\_ wrong \_\_\_\_\_ stop services temporarily?

Any \_\_\_\_\_ suspension \_\_\_\_\_ entering incorrect \_\_\_\_\_?

\_\_\_\_\_ a wrong PIN \_\_\_\_\_ suspension?

Can an \_\_\_\_\_ PIN \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ it possible that \_\_\_\_\_ invalid \_\_\_\_\_?

\_\_\_\_\_ because of wrong PINs?

\_\_\_\_\_ my services \_\_\_\_\_ disrupted if I insert the \_\_\_\_\_ \_\_\_\_\_?

Will an incorrect \_\_\_\_\_ to block access?

\_\_\_\_\_ services be stopped temporarily if I \_\_\_\_\_ wrong \_\_\_\_\_?

\_\_\_\_\_ the wrong pin many times, \_\_\_\_\_ services?

Will the wrong \_\_\_\_\_ result \_\_\_\_\_?

\_\_\_\_\_ be restricted \_\_\_\_\_ I \_\_\_\_\_ the wrong pin \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ get temporarily suspended \_\_\_\_\_ an incorrect \_\_\_\_\_?

Wrong pin \_\_\_\_\_ services.

\_\_\_\_\_ possible to have \_\_\_\_\_ many wrong \_\_\_\_\_ service?

Problems \_\_\_\_\_ can \_\_\_\_\_ a suspension \_\_\_\_\_ blocked service.

\_\_\_\_\_ pins \_\_\_\_\_ lead to a \_\_\_\_\_ problem.

Do \_\_\_\_\_ get stopped \_\_\_\_\_ if \_\_\_\_\_ enter \_\_\_\_\_ a lot?

Wrong \_\_\_\_\_ result \_\_\_\_\_ service \_\_\_\_\_.

\_\_\_\_\_ down services if the \_\_\_\_\_ is \_\_\_\_\_ much?

\_\_\_\_\_ it possible \_\_\_\_\_ my \_\_\_\_\_ be \_\_\_\_\_ I insert \_\_\_\_\_ PIN many times?

Can \_\_\_\_\_ pin \_\_\_\_\_ impact \_\_\_\_\_?

Services may \_\_\_\_\_ halted temporarily \_\_\_\_\_ multiple \_\_\_\_\_ with \_\_\_\_\_ wrong \_\_\_\_\_.

Will \_\_\_\_\_ services be cut off \_\_\_\_\_?

Does the input of an \_\_\_\_\_ services \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ multiple \_\_\_\_\_ attempts \_\_\_\_\_ wrong pin \_\_\_\_\_ cause services to \_\_\_\_\_?

Multiple \_\_\_\_\_ the \_\_\_\_\_ pin code \_\_\_\_\_ services temporarily.

\_\_\_\_\_ entering the \_\_\_\_\_ pin cause \_\_\_\_\_ stop?

Is \_\_\_\_\_ service \_\_\_\_\_ I have \_\_\_\_\_ try \_\_\_\_\_ PIN \_\_\_\_\_ many times?

Will \_\_\_\_\_ service suspensions?

Will there \_\_\_\_\_ a \_\_\_\_\_ provision if \_\_\_\_\_ more than one mistake \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ services will be temporarily \_\_\_\_\_ enter the \_\_\_\_\_ many \_\_\_\_\_.

Repeated \_\_\_\_\_ pin codes \_\_\_\_\_ a service \_\_\_\_\_ suspended.

\_\_\_\_\_ the pin \_\_\_\_\_ entered too often, \_\_\_\_\_ services?

\_\_\_\_\_ it possible for \_\_\_\_\_ pin codes \_\_\_\_\_ services \_\_\_\_\_?

Will \_\_\_\_\_ services \_\_\_\_\_ I enter \_\_\_\_\_ wrong \_\_\_\_\_ over and \_\_\_\_\_?

Does entering \_\_\_\_\_ incorrect \_\_\_\_\_ affect \_\_\_\_\_ temporary \_\_\_\_\_?

\_\_\_\_\_ services \_\_\_\_\_ halted \_\_\_\_\_ temporarily if \_\_\_\_\_ insert \_\_\_\_\_ wrong PIN many \_\_\_\_\_?

Is there a \_\_\_\_\_ of \_\_\_\_\_ to \_\_\_\_\_ incorrect \_\_\_\_\_?

There is \_\_\_\_\_ of \_\_\_\_\_ repeat entry of \_\_\_\_\_ pins.

There is \_\_\_\_\_ chance of \_\_\_\_\_ service \_\_\_\_\_ to Wrong \_\_\_\_\_.

\_\_\_\_\_ wrong \_\_\_\_\_ restrict services if \_\_\_\_\_ enter \_\_\_\_\_ times?

\_\_\_\_\_ there \_\_\_\_\_ temporary restriction \_\_\_\_\_ caused \_\_\_\_\_ false \_\_\_\_\_ of pin \_\_\_\_\_?

\_\_\_\_\_ suspension \_\_\_\_\_ caused by the wrong \_\_\_\_\_ code?

Will putting incorrect pin \_\_\_\_\_?

Can a \_\_\_\_\_ pin \_\_\_\_\_ cause a service \_\_\_\_\_?

If \_\_\_\_\_ the \_\_\_\_\_ PIN \_\_\_\_\_ than once, \_\_\_\_\_ temporarily suspended?

\_\_\_\_\_ an \_\_\_\_\_ pin lead to \_\_\_\_\_ service \_\_\_\_\_?

Can \_\_\_\_\_ codes \_\_\_\_\_ a service \_\_\_\_\_ be blocked \_\_\_\_\_?

Is there \_\_\_\_\_ of \_\_\_\_\_ pin attempts?

There is \_\_\_\_\_ suspension if \_\_\_\_\_ wrong pins \_\_\_\_\_ repeated.

What happens \_\_\_\_\_ my \_\_\_\_\_ are suspended because \_\_\_\_\_ input \_\_\_\_\_?

\_\_\_\_\_ services be stopped if \_\_\_\_\_ enter \_\_\_\_\_ PIN \_\_\_\_\_ times?

\_\_\_\_\_ repeated \_\_\_\_\_ to \_\_\_\_\_ service problem?

Does entering \_\_\_\_\_ lose functions?

Incorrect \_\_\_\_\_ will cause \_\_\_\_\_.

Do \_\_\_\_\_ stop temporarily if \_\_\_\_\_ attempts \_\_\_\_\_ the wrong \_\_\_\_\_?

Will \_\_\_\_\_ services be disrupted \_\_\_\_\_ while due \_\_\_\_\_ pin \_\_\_\_\_?

Will \_\_\_\_\_ be a temporary \_\_\_\_\_ suspension \_\_\_\_\_ the \_\_\_\_\_ code?

\_\_\_\_\_ I enter \_\_\_\_\_ multiple times, \_\_\_\_\_ I \_\_\_\_\_ my services?

Does \_\_\_\_\_ an \_\_\_\_\_ pin \_\_\_\_\_ to be \_\_\_\_\_?

Is \_\_\_\_\_ by an \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ could lead \_\_\_\_\_ being blocked.

\_\_\_\_\_ the number \_\_\_\_\_ pin entries affect the \_\_\_\_\_?

Frequent false \_\_\_\_\_ codes could result \_\_\_\_\_ restriction of \_\_\_\_\_.

\_\_\_\_\_ PIN \_\_\_\_\_ to a temporary service \_\_\_\_\_?

Wrong PIN \_\_\_\_\_ be \_\_\_\_\_ temporary \_\_\_\_\_.

If I input \_\_\_\_\_ pin \_\_\_\_\_ will I face \_\_\_\_\_?

Repeated wrong pins \_\_\_\_\_ service \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ if I \_\_\_\_\_ the wrong \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that wrong \_\_\_\_\_ codes can temporarily \_\_\_\_\_?

Can wrong \_\_\_\_\_ cause \_\_\_\_\_ to be stopped \_\_\_\_\_?

If I don't enter \_\_\_\_\_ be a temporary \_\_\_\_\_ services?

Repeated \_\_\_\_\_ entries \_\_\_\_\_ services \_\_\_\_\_ stop.

A \_\_\_\_\_ service suspension \_\_\_\_\_ caused by \_\_\_\_\_ pin \_\_\_\_\_.

Will \_\_\_\_\_ wrong pin \_\_\_\_\_ cause \_\_\_\_\_?

If \_\_\_\_\_ many \_\_\_\_\_ does it stop services?

Does \_\_\_\_\_ of an \_\_\_\_\_ pin \_\_\_\_\_ temporary \_\_\_\_\_?

\_\_\_\_\_ services should be \_\_\_\_\_ if the \_\_\_\_\_ too much?

\_\_\_\_\_ wrong \_\_\_\_\_ entries \_\_\_\_\_ or preventing \_\_\_\_\_?

\_\_\_\_\_ the wrong pin \_\_\_\_\_ some \_\_\_\_\_?

Do \_\_\_\_\_ entries of pin codes \_\_\_\_\_?

Does multiple \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ chance \_\_\_\_\_ suspension \_\_\_\_\_ entries of \_\_\_\_\_?

Does \_\_\_\_\_ services when \_\_\_\_\_ enter an \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ codes \_\_\_\_\_ to a suspension \_\_\_\_\_ blocked service.

\_\_\_\_\_ by \_\_\_\_\_ error in pin?

\_\_\_\_\_ incorrect \_\_\_\_\_ prevent services from being \_\_\_\_\_?

Will \_\_\_\_\_ occur \_\_\_\_\_ of \_\_\_\_\_ PINs multiple \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ pin \_\_\_\_\_ to stop \_\_\_\_\_ services?

My services can \_\_\_\_\_ temporarily if \_\_\_\_\_ multiple times.

Will \_\_\_\_\_ a temporary \_\_\_\_\_ suspension \_\_\_\_\_ the \_\_\_\_\_ pin code being \_\_\_\_\_?

Can \_\_\_\_\_ input of an \_\_\_\_\_ temporary suspension of \_\_\_\_\_ services?

A \_\_\_\_\_ suspension \_\_\_\_\_ possible \_\_\_\_\_ the wrong PIN.

Will \_\_\_\_\_ restrict \_\_\_\_\_ if I \_\_\_\_\_ wrong pin \_\_\_\_\_?

\_\_\_\_\_ pin code \_\_\_\_\_ in a \_\_\_\_\_ suspension?

Is \_\_\_\_\_ wrong pin \_\_\_\_\_ multiple \_\_\_\_\_ and block services?

\_\_\_\_ the \_\_\_\_ pin \_\_\_\_ temporarily \_\_\_\_ service?  
 Is \_\_\_\_ incorrect pin \_\_\_\_ entries \_\_\_\_ halt \_\_\_\_ services?  
 In \_\_\_\_ of entering \_\_\_\_ services be \_\_\_\_ briefly?  
 \_\_\_\_ I enter \_\_\_\_ will services be affected?  
 Does it \_\_\_\_ temporarily if \_\_\_\_ enter an \_\_\_\_ pin \_\_\_\_?  
 \_\_\_\_ I enter the \_\_\_\_ PIN \_\_\_\_ lot, \_\_\_\_ be \_\_\_\_ suspended?  
 Can a temporary \_\_\_\_ blockage \_\_\_\_ by \_\_\_\_ pins?  
 Do \_\_\_\_ stop temporarily \_\_\_\_ an incorrect pin \_\_\_\_ than \_\_\_\_?  
 Do services get \_\_\_\_ briefly if \_\_\_\_ the \_\_\_\_ code \_\_\_\_?  
 Does \_\_\_\_ a \_\_\_\_ times cause \_\_\_\_ suspension \_\_\_\_ service?  
 Do \_\_\_\_ halt in services?  
 Can wrong \_\_\_\_ service to \_\_\_\_ stopped \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ if I enter the \_\_\_\_ pin \_\_\_\_?  
 Can entry of \_\_\_\_ pin code \_\_\_\_?  
 \_\_\_\_ the wrong PIN, will \_\_\_\_ be temporarily \_\_\_\_?  
 \_\_\_\_ my service going to \_\_\_\_ if \_\_\_\_ have \_\_\_\_ try the \_\_\_\_ PIN \_\_\_\_?  
 Does repeated \_\_\_\_ an \_\_\_\_ services \_\_\_\_ be temporarily disrupted?  
 \_\_\_\_ possible \_\_\_\_ pin \_\_\_\_ to block services?  
 If \_\_\_\_ incorrect \_\_\_\_ several times, does it \_\_\_\_ services \_\_\_\_?  
 Is it \_\_\_\_ services are \_\_\_\_ due to \_\_\_\_ incorrect \_\_\_\_ being \_\_\_\_?  
 Should \_\_\_\_ be shut down if the \_\_\_\_ many \_\_\_\_?  
 Can \_\_\_\_ pin codes lead \_\_\_\_ a \_\_\_\_?  
 Can entering an incorrect \_\_\_\_ a \_\_\_\_ suspension \_\_\_\_ block \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ incorrect pin temporarily \_\_\_\_ services?  
 Do \_\_\_\_ an incorrect \_\_\_\_ will \_\_\_\_ a suspension?  
 Will \_\_\_\_ in \_\_\_\_ make a \_\_\_\_ of mistakes with my PIN.  
 If I \_\_\_\_ the \_\_\_\_ pin \_\_\_\_ cause a service \_\_\_\_?  
 Repetitive wrong pins \_\_\_\_ issue.  
 Does a \_\_\_\_ wrong pin \_\_\_\_ affect \_\_\_\_ temporarily?  
 \_\_\_\_ entered too \_\_\_\_ you have to \_\_\_\_ down services?  
 Does \_\_\_\_ an incorrect pin \_\_\_\_?  
 \_\_\_\_ I enter \_\_\_\_ PIN \_\_\_\_ my services be disrupted?  
 Can \_\_\_\_ pin \_\_\_\_ ruin \_\_\_\_?  
 Does \_\_\_\_ if \_\_\_\_ the wrong PIN so \_\_\_\_ times?  
 Will entering \_\_\_\_ pin temporarily \_\_\_\_ or \_\_\_\_?  
 \_\_\_\_ suspend \_\_\_\_ service because of too many \_\_\_\_?  
 \_\_\_\_ temporary service \_\_\_\_ could \_\_\_\_ for the \_\_\_\_.  
 \_\_\_\_ my \_\_\_\_ be suspended \_\_\_\_ few incorrect pin \_\_\_\_?  
 Services \_\_\_\_ temporarily suspended \_\_\_\_ incorrect pin \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ to repeatedly enter \_\_\_\_ to temporarily \_\_\_\_ services?  
 Is there a \_\_\_\_ for \_\_\_\_ attempts?  
 Will the \_\_\_\_ be \_\_\_\_ suspended \_\_\_\_ of \_\_\_\_ wrong \_\_\_\_ code multiple \_\_\_\_?  
 Do \_\_\_\_ services \_\_\_\_ enter an \_\_\_\_ pin many times?  
 \_\_\_\_ pin entries \_\_\_\_ or suspend \_\_\_\_?  
 Will you slap on that temporary freeze \_\_\_\_ services \_\_\_\_?  
 If \_\_\_\_ enter \_\_\_\_ wrong \_\_\_\_ multiple times, \_\_\_\_ my \_\_\_\_ be \_\_\_\_?  
 Can \_\_\_\_ cause a \_\_\_\_?  
 Does multiple wrong \_\_\_\_ affect \_\_\_\_?  
 \_\_\_\_ collapse \_\_\_\_ I \_\_\_\_ try the wrong PIN too many \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ too many wrong pins \_\_\_\_ service \_\_\_\_ stop?

If \_\_\_\_\_ the \_\_\_\_\_ PIN \_\_\_\_\_ will my \_\_\_\_\_ be suspended?  
 Do \_\_\_\_\_ pin entries stop or \_\_\_\_\_?  
 Can \_\_\_\_\_ cause \_\_\_\_\_ suspension \_\_\_\_\_ blocked service?  
 Do \_\_\_\_\_ cause \_\_\_\_\_ services to \_\_\_\_\_?  
 Does \_\_\_\_\_ temporary suspension \_\_\_\_\_ services occur \_\_\_\_\_ of \_\_\_\_\_ input \_\_\_\_\_ pin?  
 Is entering an \_\_\_\_\_ PIN \_\_\_\_\_ a \_\_\_\_\_ block?  
 Is entering \_\_\_\_\_ incorrect \_\_\_\_\_ enough for \_\_\_\_\_ service \_\_\_\_\_?  
 Will \_\_\_\_\_ affect services \_\_\_\_\_ I \_\_\_\_\_ pin?  
 \_\_\_\_\_ service interruption occur if \_\_\_\_\_ the \_\_\_\_\_ pin many \_\_\_\_\_?  
 Can \_\_\_\_\_ pin codes be \_\_\_\_\_?  
 Does entering \_\_\_\_\_ incorrect \_\_\_\_\_ cause it \_\_\_\_\_?  
 \_\_\_\_\_ pin code can \_\_\_\_\_ a \_\_\_\_\_ suspension.  
 \_\_\_\_\_ my services be halted due \_\_\_\_\_?  
 \_\_\_\_\_ the wrong \_\_\_\_\_ phone \_\_\_\_\_ temporarily?  
 Can \_\_\_\_\_ wrong \_\_\_\_\_ services?  
 \_\_\_\_\_ entering the wrong pin suspend \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ wrong pin suspend \_\_\_\_\_ a time?  
 Is there \_\_\_\_\_ if I enter \_\_\_\_\_ PIN multiple \_\_\_\_\_?  
 Is there \_\_\_\_\_ of \_\_\_\_\_ for multiple \_\_\_\_\_ pins?  
 Is \_\_\_\_\_ caused by \_\_\_\_\_ pin?  
 \_\_\_\_\_ entering an incorrect pin can \_\_\_\_\_.  
 Will the \_\_\_\_\_ pin \_\_\_\_\_ cause a suspension \_\_\_\_\_?  
 Is it possible that \_\_\_\_\_ could be \_\_\_\_\_ due \_\_\_\_\_?  
 \_\_\_\_\_ service \_\_\_\_\_ possible \_\_\_\_\_ of wrong \_\_\_\_\_?  
 There are \_\_\_\_\_ pin \_\_\_\_\_ can \_\_\_\_\_ suspend services.  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ pins \_\_\_\_\_ to a temporary service \_\_\_\_\_?  
 Do you have \_\_\_\_\_ shut \_\_\_\_\_ services \_\_\_\_\_ the \_\_\_\_\_ gets \_\_\_\_\_ times?  
 Will inputting \_\_\_\_\_ phone \_\_\_\_\_ temporarily?  
 Repeatedly \_\_\_\_\_ incorrect pin \_\_\_\_\_ stop services.  
 Is \_\_\_\_\_ an incorrect \_\_\_\_\_ affecting my \_\_\_\_\_?  
 If \_\_\_\_\_ enter \_\_\_\_\_ PIN multiple \_\_\_\_\_ my \_\_\_\_\_ be halted?  
 If \_\_\_\_\_ enter \_\_\_\_\_ wrong pin \_\_\_\_\_ times, \_\_\_\_\_ that cause \_\_\_\_\_?  
 \_\_\_\_\_ the wrong \_\_\_\_\_ a \_\_\_\_\_ block?  
 \_\_\_\_\_ an \_\_\_\_\_ cause \_\_\_\_\_ to be temporarily disabled?  
 In case \_\_\_\_\_ a \_\_\_\_\_ my PIN, will there \_\_\_\_\_ a halt \_\_\_\_\_?  
 Service block/stoppages \_\_\_\_\_ repeated \_\_\_\_\_ entries.  
 \_\_\_\_\_ chance \_\_\_\_\_ service suspension \_\_\_\_\_ the repetition \_\_\_\_\_ incorrect pins.  
 \_\_\_\_\_ service be \_\_\_\_\_ repeated wrong pin codes.  
 Does the wrong \_\_\_\_\_ block/suspend \_\_\_\_\_?  
 Is \_\_\_\_\_ temporary service block \_\_\_\_\_ incorrect \_\_\_\_\_ entering \_\_\_\_\_?  
 \_\_\_\_\_ the service interruption \_\_\_\_\_ an error in \_\_\_\_\_?  
 Does \_\_\_\_\_ pin \_\_\_\_\_ cause services to \_\_\_\_\_?  
 Can wrong \_\_\_\_\_ codes \_\_\_\_\_ a short \_\_\_\_\_?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ entries to \_\_\_\_\_ services?  
 Can \_\_\_\_\_ pins \_\_\_\_\_ a service \_\_\_\_\_?  
 Repeated wrong pin \_\_\_\_\_ a suspension \_\_\_\_\_ blocked \_\_\_\_\_.  
 \_\_\_\_\_ cause \_\_\_\_\_ temporary \_\_\_\_\_ of services \_\_\_\_\_ screw up this \_\_\_\_\_?  
 \_\_\_\_\_ possible to change \_\_\_\_\_ pin or \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ suspend \_\_\_\_\_ services with an \_\_\_\_\_ pin \_\_\_\_\_?  
 \_\_\_\_\_ interruption may be \_\_\_\_\_ by \_\_\_\_\_ error \_\_\_\_\_ pin \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ my services \_\_\_\_\_ be stopped \_\_\_\_\_ if \_\_\_\_\_ insert \_\_\_\_\_ wrong \_\_\_\_\_ many \_\_\_\_\_?

Will the \_\_\_\_\_ suspension result \_\_\_\_\_ being inserted \_\_\_\_\_?

\_\_\_\_\_ wrong \_\_\_\_\_ lead \_\_\_\_\_ service \_\_\_\_\_?

Repeated incorrect pin \_\_\_\_\_ services.

Does \_\_\_\_\_ failed attempts \_\_\_\_\_ wrong pin \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ PINs \_\_\_\_\_ in suspension?

Is \_\_\_\_\_ the wrong \_\_\_\_\_ code \_\_\_\_\_ cause a \_\_\_\_\_ service \_\_\_\_\_?

Is \_\_\_\_\_ temporarily suspended because of \_\_\_\_\_ PINs?

Does an incorrect \_\_\_\_\_ code \_\_\_\_\_ of service?

\_\_\_\_\_ wrong \_\_\_\_\_ codes can \_\_\_\_\_ a service to \_\_\_\_\_.

Will \_\_\_\_\_ slap on \_\_\_\_\_ temporary \_\_\_\_\_ if \_\_\_\_\_ mess \_\_\_\_\_ this pin?

Can entering \_\_\_\_\_ temporarily stop \_\_\_\_\_?

A temporary service suspension \_\_\_\_\_ to \_\_\_\_\_ PIN.

Will my \_\_\_\_\_ disrupted \_\_\_\_\_ stopped \_\_\_\_\_ I insert \_\_\_\_\_ many times?

\_\_\_\_\_ multiple incorrect \_\_\_\_\_ entries \_\_\_\_\_ temporarily?

\_\_\_\_\_ for \_\_\_\_\_ to lead to a \_\_\_\_\_ or blocked service?

\_\_\_\_\_ entering an \_\_\_\_\_ pin code result \_\_\_\_\_ service?

There's a \_\_\_\_\_ you repeat entry of incorrect \_\_\_\_\_.

Can \_\_\_\_\_ block or stop \_\_\_\_\_?

Will \_\_\_\_\_ when the wrong pin code \_\_\_\_\_ put \_\_\_\_\_?

If you \_\_\_\_\_ an incorrect \_\_\_\_\_ code, \_\_\_\_\_ or block \_\_\_\_\_?

If I make \_\_\_\_\_ lot \_\_\_\_\_ mistakes with \_\_\_\_\_ PIN will \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ if I screw up enterin' this pin?

Is entering the \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ in a temporary block \_\_\_\_\_ service?

\_\_\_\_\_ an incorrect pin \_\_\_\_\_ results \_\_\_\_\_ a \_\_\_\_\_ suspension?

Will \_\_\_\_\_ result \_\_\_\_\_ service suspensions?

\_\_\_\_\_ a temporary \_\_\_\_\_ by \_\_\_\_\_ an incorrect PIN multiple \_\_\_\_\_?

Will my \_\_\_\_\_ stopped \_\_\_\_\_ incorrect \_\_\_\_\_ attempts?

\_\_\_\_\_ possible \_\_\_\_\_ services are suspended \_\_\_\_\_ an incorrect PIN?

\_\_\_\_\_ the wrong \_\_\_\_\_ code \_\_\_\_\_ stop \_\_\_\_\_?

Is it possible \_\_\_\_\_ enter an \_\_\_\_\_ my services?

\_\_\_\_\_ there be too \_\_\_\_\_ wrong \_\_\_\_\_ stop \_\_\_\_\_ service?

There \_\_\_\_\_ be pin \_\_\_\_\_ cause \_\_\_\_\_ in \_\_\_\_\_.

Is \_\_\_\_\_ services \_\_\_\_\_ suspended if \_\_\_\_\_ wrong PIN \_\_\_\_\_ times?

\_\_\_\_\_ it cause \_\_\_\_\_ stop temporarily \_\_\_\_\_ enter an incorrect \_\_\_\_\_ several \_\_\_\_\_?

Does \_\_\_\_\_ halt \_\_\_\_\_ you enter an \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ of multiple wrong pin \_\_\_\_\_?

Do false \_\_\_\_\_ result in a \_\_\_\_\_?

Does \_\_\_\_\_ suspend some functions?

Is service interruption caused \_\_\_\_\_ in \_\_\_\_\_?

If \_\_\_\_\_ are \_\_\_\_\_ I input incorrect \_\_\_\_\_ happens?

\_\_\_\_\_ I enter \_\_\_\_\_ PIN \_\_\_\_\_ services be temporarily halted?

If I \_\_\_\_\_ the \_\_\_\_\_ PIN multiple \_\_\_\_\_ my \_\_\_\_\_ suspended?

\_\_\_\_\_ an invalid \_\_\_\_\_ restrict \_\_\_\_\_?

\_\_\_\_\_ service suspensions be \_\_\_\_\_ PINs \_\_\_\_\_ times?

Can \_\_\_\_\_ incorrect pin code \_\_\_\_\_ in a \_\_\_\_\_?

A \_\_\_\_\_ service \_\_\_\_\_ from entering an incorrect \_\_\_\_\_ multiple \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ temporarily because of incorrect PIN?

Will having \_\_\_\_\_ wrong \_\_\_\_\_ temporarily \_\_\_\_\_?

If \_\_\_\_\_ wrong \_\_\_\_\_ multiple \_\_\_\_\_ services might be temporarily \_\_\_\_\_.  
\_\_\_\_\_ pin \_\_\_\_\_ affect service?  
\_\_\_\_\_ my service \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ PIN too much?  
Do you shut \_\_\_\_\_ services \_\_\_\_\_ too much?  
The \_\_\_\_\_ suspension \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ PIN.  
There \_\_\_\_\_ a \_\_\_\_\_ services because \_\_\_\_\_ multiple incorrect pin \_\_\_\_\_.  
Is \_\_\_\_\_ lead to a service problem?  
There will \_\_\_\_\_ service \_\_\_\_\_ if \_\_\_\_\_ wrong \_\_\_\_\_ code is \_\_\_\_\_ multiple \_\_\_\_\_.  
Will \_\_\_\_\_ pin \_\_\_\_\_ affect phone \_\_\_\_\_?  
Does \_\_\_\_\_ wrong pin temporarily \_\_\_\_\_?  
Is \_\_\_\_\_ PIN temporarily \_\_\_\_\_ my \_\_\_\_\_?  
\_\_\_\_\_ an \_\_\_\_\_ interrupt service?  
\_\_\_\_\_ cause a service issue if I \_\_\_\_\_ the \_\_\_\_\_?  
Are services blocked \_\_\_\_\_ an \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ much, will services \_\_\_\_\_ shut down?  
The service \_\_\_\_\_ be \_\_\_\_\_ wrong \_\_\_\_\_.  
\_\_\_\_\_ wrong \_\_\_\_\_ codes \_\_\_\_\_ used to \_\_\_\_\_ stop \_\_\_\_\_?  
\_\_\_\_\_ multiple \_\_\_\_\_ affect services temporarily?  
Is \_\_\_\_\_ suspension \_\_\_\_\_ too many incorrect \_\_\_\_\_ attempts?  
\_\_\_\_\_ pin \_\_\_\_\_ disrupt service?  
Does \_\_\_\_\_ to services \_\_\_\_\_ from repeated false \_\_\_\_\_?  
Will the service \_\_\_\_\_ restricted \_\_\_\_\_ I enter \_\_\_\_\_?  
Wrong pin \_\_\_\_\_ affect \_\_\_\_\_ temporarily.  
Is it possible \_\_\_\_\_ pin entries affect \_\_\_\_\_?  
Is \_\_\_\_\_ possible that \_\_\_\_\_ stop \_\_\_\_\_ services temporarily?  
\_\_\_\_\_ wrong pin \_\_\_\_\_ to a \_\_\_\_\_ stopped?  
\_\_\_\_\_ the \_\_\_\_\_ from incorrect PINs?  
\_\_\_\_\_ it possible to \_\_\_\_\_ incorrect \_\_\_\_\_ and \_\_\_\_\_ stop services?  
What happens if \_\_\_\_\_ are \_\_\_\_\_ I \_\_\_\_\_ PIN?  
\_\_\_\_\_ it possible I will face \_\_\_\_\_ input the \_\_\_\_\_?  
\_\_\_\_\_ there a \_\_\_\_\_ services \_\_\_\_\_ multiple incorrect pin \_\_\_\_\_?  
\_\_\_\_\_ a service \_\_\_\_\_ blocked \_\_\_\_\_ because of repeated \_\_\_\_\_ codes?  
\_\_\_\_\_ chance \_\_\_\_\_ suspension for entering \_\_\_\_\_ pins again.  
\_\_\_\_\_ entering \_\_\_\_\_ incorrect \_\_\_\_\_ cause \_\_\_\_\_ services to \_\_\_\_\_ disabled?  
Is \_\_\_\_\_ to enter an \_\_\_\_\_ several \_\_\_\_\_ temporarily suspend \_\_\_\_\_ block services?  
\_\_\_\_\_ there \_\_\_\_\_ temporary service \_\_\_\_\_ I enter the wrong \_\_\_\_\_ many \_\_\_\_\_?  
Will there \_\_\_\_\_ wrong PINs are put \_\_\_\_\_?  
\_\_\_\_\_ to a halt in \_\_\_\_\_?  
\_\_\_\_\_ it possible \_\_\_\_\_ stopped \_\_\_\_\_ of an incorrect PIN?  
\_\_\_\_\_ services \_\_\_\_\_ the pin \_\_\_\_\_ entered too many \_\_\_\_\_?  
\_\_\_\_\_ entering \_\_\_\_\_ incorrect pin cause \_\_\_\_\_ stop?  
Do \_\_\_\_\_ pins cause a \_\_\_\_\_ services?  
Is there a \_\_\_\_\_ of \_\_\_\_\_ incorrect pin \_\_\_\_\_?  
\_\_\_\_\_ services \_\_\_\_\_ suspended \_\_\_\_\_ the wrong \_\_\_\_\_ many times.  
If I insert \_\_\_\_\_ many times, \_\_\_\_\_ my \_\_\_\_\_ stopped?  
\_\_\_\_\_ temporary service suspension if you enter \_\_\_\_\_ incorrect \_\_\_\_\_ multiple \_\_\_\_\_?  
Can \_\_\_\_\_ pin \_\_\_\_\_ to a \_\_\_\_\_ service?  
Will the \_\_\_\_\_ result from the \_\_\_\_\_ being \_\_\_\_\_ times?  
\_\_\_\_\_ entering \_\_\_\_\_ pin result \_\_\_\_\_ a suspension \_\_\_\_\_ services?  
Does entering \_\_\_\_\_ PIN cause \_\_\_\_\_ temporary \_\_\_\_\_ service?

Any \_\_\_\_ of \_\_\_\_ for \_\_\_\_ of \_\_\_\_ pins?

Repeated \_\_\_\_ pins \_\_\_\_ result \_\_\_\_ short-term halt \_\_\_\_ services.

Does multiple wrong \_\_\_\_?

\_\_\_\_ block or suspend services \_\_\_\_.

Will service \_\_\_\_ PINs?

\_\_\_\_ it possible \_\_\_\_ an \_\_\_\_ use?

Is it possible for too \_\_\_\_ temporarily suspend \_\_\_\_?

Do \_\_\_\_ stop \_\_\_\_ if the \_\_\_\_ is \_\_\_\_ too \_\_\_\_?

Is \_\_\_\_ temporary \_\_\_\_ if you \_\_\_\_ the incorrect \_\_\_\_ multiple \_\_\_\_?

Any \_\_\_\_ suspension \_\_\_\_ entering incorrect \_\_\_\_?

\_\_\_\_ the \_\_\_\_ block my services?

Does \_\_\_\_ pin \_\_\_\_ services?

Does \_\_\_\_ wrong \_\_\_\_ pause functions?

In case of many \_\_\_\_ PIN, \_\_\_\_ there \_\_\_\_ a \_\_\_\_ in \_\_\_\_ provision?

Does entering \_\_\_\_ cause \_\_\_\_ to stop?

\_\_\_\_ interruption a result \_\_\_\_ multiple \_\_\_\_ being \_\_\_\_?

Will there be a \_\_\_\_ of \_\_\_\_ pin code multiple times?

\_\_\_\_ possible for \_\_\_\_ to cause \_\_\_\_ service problem?

\_\_\_\_ my \_\_\_\_ be stopped \_\_\_\_ to \_\_\_\_ attempts.

\_\_\_\_ I have \_\_\_\_ wrong pins \_\_\_\_ my service?

\_\_\_\_ entering an \_\_\_\_ pin \_\_\_\_?

There \_\_\_\_ a \_\_\_\_ of a \_\_\_\_ suspension for \_\_\_\_ PIN.

\_\_\_\_ it \_\_\_\_ a \_\_\_\_ issue if \_\_\_\_ enter the \_\_\_\_ pin many \_\_\_\_?

\_\_\_\_ incorrect pin code often \_\_\_\_ in a \_\_\_\_ of \_\_\_\_?

If \_\_\_\_ up my pin \_\_\_\_ than \_\_\_\_ gonna shut \_\_\_\_ services?

Will I \_\_\_\_ suspended \_\_\_\_ the wrong pin \_\_\_\_ times?

Is entering an \_\_\_\_ PIN \_\_\_\_ a \_\_\_\_ block?

Can \_\_\_\_ to a \_\_\_\_ problem?

Does \_\_\_\_ wrong \_\_\_\_ entries \_\_\_\_ services \_\_\_\_ stopped?

\_\_\_\_ suspended briefly in case \_\_\_\_ entering the \_\_\_\_ many \_\_\_\_?

Can \_\_\_\_ temporarily \_\_\_\_ or suspend \_\_\_\_ you \_\_\_\_ incorrect pin \_\_\_\_?

Are my \_\_\_\_ to collapse \_\_\_\_ I have \_\_\_\_ wrong \_\_\_\_ too many \_\_\_\_?

\_\_\_\_ there a suspension of service for \_\_\_\_?

\_\_\_\_ service interruption \_\_\_\_ to an \_\_\_\_ inserted?

Is \_\_\_\_ possible \_\_\_\_ entries halt services?

\_\_\_\_ false entries of \_\_\_\_ to temporary restriction \_\_\_\_ use.

\_\_\_\_ it possible \_\_\_\_ many \_\_\_\_ to suspend \_\_\_\_ service?

\_\_\_\_ problem \_\_\_\_ be \_\_\_\_ by repeated \_\_\_\_ pins.

Is entering \_\_\_\_ incorrect \_\_\_\_ causing services \_\_\_\_?

\_\_\_\_ my \_\_\_\_ stopped for a \_\_\_\_ of \_\_\_\_ pin attempts?

\_\_\_\_ there a suspension \_\_\_\_ after multiple \_\_\_\_ attempts?

Service \_\_\_\_ caused by an \_\_\_\_.

Is it possible \_\_\_\_ to \_\_\_\_ the pin \_\_\_\_ entered \_\_\_\_ much?

\_\_\_\_ entering \_\_\_\_ incorrect \_\_\_\_ services \_\_\_\_ times?

Will \_\_\_\_ pin suspend \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ services have \_\_\_\_ stopped temporarily \_\_\_\_ of \_\_\_\_?

If \_\_\_\_ after I \_\_\_\_ what will happen?

\_\_\_\_ chance \_\_\_\_ suspension \_\_\_\_ repeated entry \_\_\_\_ wrong pins?

Does \_\_\_\_ pin \_\_\_\_ services?

\_\_\_\_ codes \_\_\_\_ interrupt services.

Does it \_\_\_\_ services \_\_\_\_ if \_\_\_\_ enter \_\_\_\_ many times?

Will it \_\_\_\_ if \_\_\_\_ enter the \_\_\_\_ frequently?

Does \_\_\_\_ code stop services \_\_\_\_?

Is \_\_\_\_ pin \_\_\_\_ down functions?

\_\_\_\_ interruption a \_\_\_\_ of placing \_\_\_\_ incorrect \_\_\_\_?

\_\_\_\_ incorrect \_\_\_\_ entries \_\_\_\_ the services?

Will my \_\_\_\_ be suspended \_\_\_\_?

If I make \_\_\_\_ lot of \_\_\_\_ will there \_\_\_\_ temporary stop in \_\_\_\_?

Does \_\_\_\_ that \_\_\_\_ entries \_\_\_\_ or prevent services?

\_\_\_\_ I enter the wrong PIN \_\_\_\_ my \_\_\_\_ temporarily \_\_\_\_.

Do services stop \_\_\_\_ failed \_\_\_\_ pin code occur?

\_\_\_\_ it possible \_\_\_\_ an \_\_\_\_ causes \_\_\_\_ suspension of my \_\_\_\_?

Is \_\_\_\_ a suspension \_\_\_\_ services \_\_\_\_ pin \_\_\_\_?

Do \_\_\_\_ get \_\_\_\_ temporarily \_\_\_\_ entering \_\_\_\_ wrong \_\_\_\_ many \_\_\_\_?

\_\_\_\_ an incorrect pin \_\_\_\_ result in \_\_\_\_ service?

Will the \_\_\_\_ be \_\_\_\_ because of the \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ the \_\_\_\_ PINs \_\_\_\_ in \_\_\_\_ suspension?

Do services get \_\_\_\_ after \_\_\_\_ code \_\_\_\_ times?

\_\_\_\_ inputting the \_\_\_\_ pin code cause \_\_\_\_ service \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ wrong pins lead \_\_\_\_ a \_\_\_\_?

If I enter \_\_\_\_ wrong \_\_\_\_ cause a service \_\_\_\_?

\_\_\_\_ entering \_\_\_\_ wrong \_\_\_\_ temporarily \_\_\_\_ with \_\_\_\_?

\_\_\_\_ I enter \_\_\_\_ incorrect \_\_\_\_ multiple times \_\_\_\_ my services?

Multiple \_\_\_\_ the \_\_\_\_ code could interrupt services \_\_\_\_.

Does entering \_\_\_\_ pin \_\_\_\_ suspension of service?

Does \_\_\_\_ wrong \_\_\_\_ entries have an \_\_\_\_?

\_\_\_\_ the input of \_\_\_\_ incorrect \_\_\_\_ cause \_\_\_\_ suspension \_\_\_\_ my \_\_\_\_?

Does input \_\_\_\_ an incorrect pin \_\_\_\_ blocked?

Will it \_\_\_\_ my services \_\_\_\_ the \_\_\_\_ PIN \_\_\_\_ times?

\_\_\_\_ entering \_\_\_\_ incorrect pin \_\_\_\_ disrupt \_\_\_\_.

Is there a temporary restriction \_\_\_\_ caused \_\_\_\_ frequent false \_\_\_\_?

\_\_\_\_ temporary service suspension \_\_\_\_ because of the \_\_\_\_.

Can \_\_\_\_ pins lead to \_\_\_\_?

Is service \_\_\_\_ consequence of \_\_\_\_ placing an \_\_\_\_?

Will \_\_\_\_ the wrong \_\_\_\_ to be suspended?

\_\_\_\_ chance of \_\_\_\_ you entry incorrect pins \_\_\_\_?

\_\_\_\_ an incorrect pin code \_\_\_\_ shut \_\_\_\_ services?

Do \_\_\_\_ briefly \_\_\_\_ you \_\_\_\_ incorrect pin \_\_\_\_ times?

\_\_\_\_ a \_\_\_\_ in services come \_\_\_\_ repeated \_\_\_\_ pins?

\_\_\_\_ repeated \_\_\_\_ of an incorrect \_\_\_\_ my \_\_\_\_ to \_\_\_\_?

Can entering an \_\_\_\_ pin \_\_\_\_ services to \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ false \_\_\_\_ codes \_\_\_\_ temporary restriction of use?

\_\_\_\_ repeated \_\_\_\_ pins \_\_\_\_ halt in \_\_\_\_?

\_\_\_\_ you \_\_\_\_ on a temporary \_\_\_\_ of \_\_\_\_ screw \_\_\_\_ pin up?

Do \_\_\_\_ get suspended \_\_\_\_ cases \_\_\_\_ wrong code \_\_\_\_ times?

Can entering \_\_\_\_ incorrect pin \_\_\_\_ block or \_\_\_\_?

Is it possible that the \_\_\_\_ code \_\_\_\_?

\_\_\_\_ entering \_\_\_\_ pin cause functions \_\_\_\_ briefly?

Is \_\_\_\_ just collapsing \_\_\_\_ the wrong \_\_\_\_ too many \_\_\_\_?

\_\_\_\_ pin \_\_\_\_ a suspension of service?



\_\_\_\_ it possible \_\_\_\_ an \_\_\_\_ to result \_\_\_\_ a suspension?  
 \_\_\_\_ a \_\_\_\_ pin \_\_\_\_ services?  
 Will \_\_\_\_ be \_\_\_\_ for \_\_\_\_ PINs \_\_\_\_ times?  
 \_\_\_\_ repeated \_\_\_\_ an \_\_\_\_ result \_\_\_\_ suspension of my services?  
 Can I \_\_\_\_ an incorrect \_\_\_\_ more than \_\_\_\_ services?  
 Is a service block \_\_\_\_ by \_\_\_\_ PIN \_\_\_\_?  
 Did \_\_\_\_ attempts with the \_\_\_\_ code halt \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ code be temporarily \_\_\_\_?  
 Do false \_\_\_\_ cause \_\_\_\_ halt \_\_\_\_?  
 Are services halted \_\_\_\_ multiple \_\_\_\_ attempts with the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ I input the wrong pin \_\_\_\_?  
 \_\_\_\_ services get \_\_\_\_ case \_\_\_\_ entering the \_\_\_\_ code many \_\_\_\_?  
 \_\_\_\_ case of \_\_\_\_ wrong code \_\_\_\_ times, do \_\_\_\_ suspended?  
 \_\_\_\_ entering \_\_\_\_ pin \_\_\_\_ causes a \_\_\_\_ of service?  
 There's a chance \_\_\_\_ service \_\_\_\_ if \_\_\_\_ of \_\_\_\_ pins.  
 \_\_\_\_ Blocks service?  
 \_\_\_\_ I \_\_\_\_ wrong pin code, will \_\_\_\_ suspension?  
 \_\_\_\_ codes block or suspend \_\_\_\_?  
 \_\_\_\_ my \_\_\_\_ disrupted because \_\_\_\_ incorrect \_\_\_\_ tries?  
 Will \_\_\_\_ temporary \_\_\_\_ to \_\_\_\_ provision if I \_\_\_\_ lot of \_\_\_\_ my PIN?  
 If \_\_\_\_ input the \_\_\_\_ pin code, \_\_\_\_ suspension?  
 Will \_\_\_\_ suspensions \_\_\_\_ because \_\_\_\_ PINs?  
 Is service interruption \_\_\_\_ an \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ will \_\_\_\_ suspended from multiple \_\_\_\_ pin \_\_\_\_?  
 Is it possible \_\_\_\_ an \_\_\_\_ and \_\_\_\_ stop services?  
 \_\_\_\_ my \_\_\_\_ be \_\_\_\_ temporarily \_\_\_\_ insert the wrong PIN \_\_\_\_ once?  
 \_\_\_\_ enter an incorrect \_\_\_\_ times, \_\_\_\_ halt services?  
 Can \_\_\_\_ pin \_\_\_\_ block \_\_\_\_?  
 \_\_\_\_ might be a \_\_\_\_ incorrect pin attempts.  
 Can \_\_\_\_ an incorrect pin \_\_\_\_ cause \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ input \_\_\_\_ an \_\_\_\_ pin cause \_\_\_\_ stop services?  
 Will there \_\_\_\_ a \_\_\_\_ service provision if \_\_\_\_ make a \_\_\_\_ of \_\_\_\_?  
 Is \_\_\_\_ wrong \_\_\_\_ can lead to \_\_\_\_ suspended or \_\_\_\_ service?  
 Does \_\_\_\_ result \_\_\_\_ a temporary service block?  
 Would \_\_\_\_ slap on \_\_\_\_ temporary \_\_\_\_ services if \_\_\_\_ up this \_\_\_\_?  
 There \_\_\_\_ be \_\_\_\_ temporary service block \_\_\_\_ enter \_\_\_\_ multiple times.  
 If I enter \_\_\_\_ times, will \_\_\_\_ services be \_\_\_\_?  
 \_\_\_\_ chance of service suspension, \_\_\_\_ repeat \_\_\_\_ of \_\_\_\_?  
 If I make \_\_\_\_ of mistakes \_\_\_\_ will \_\_\_\_ a break \_\_\_\_ service \_\_\_\_?  
 Do repeated \_\_\_\_ an incorrect \_\_\_\_ blocking of \_\_\_\_ services?  
 Does entering an \_\_\_\_ ruin \_\_\_\_?  
 \_\_\_\_ my \_\_\_\_ be \_\_\_\_ temporarily from \_\_\_\_ pin attempts?  
 Is it possible \_\_\_\_ suspension \_\_\_\_ I \_\_\_\_ the \_\_\_\_ code?  
 Is \_\_\_\_ interruption \_\_\_\_ of messing \_\_\_\_ a \_\_\_\_?  
 Service \_\_\_\_ result from \_\_\_\_ being inserted \_\_\_\_ times.  
 Would \_\_\_\_ slap on the \_\_\_\_ services if I \_\_\_\_ up \_\_\_\_?  
 Can \_\_\_\_ to cause my service \_\_\_\_ stop?  
 Will my \_\_\_\_ be disrupted \_\_\_\_ the wrong \_\_\_\_ several \_\_\_\_?  
 \_\_\_\_ wrong pin \_\_\_\_ functions?  
 \_\_\_\_ the wrong \_\_\_\_ service interruption?

Will my \_\_\_\_ be \_\_\_\_\_ temporarily if I \_\_\_\_\_ PIN \_\_\_\_\_ times?  
 \_\_\_\_\_ incorrect pins cause my \_\_\_\_\_ stop?

Is service \_\_\_\_ a \_\_\_\_\_ pin \_\_\_\_\_ multiple times?  
 \_\_\_\_\_ short stop \_\_\_\_\_ result from repeated \_\_\_\_\_ pins?

Is it \_\_\_\_ that \_\_\_\_\_ suspended \_\_\_\_ because \_\_\_\_ a \_\_\_\_ mistake?  
 Does \_\_\_\_ the wrong \_\_\_\_ cause \_\_\_\_\_ functions \_\_\_\_\_ stop \_\_\_\_?

Can a \_\_\_\_ be \_\_\_\_\_ because of \_\_\_\_ pin \_\_\_\_?

Will \_\_\_\_\_ PIN result in \_\_\_\_\_ service block?  
 \_\_\_\_\_ screw up this pin, \_\_\_\_\_ freeze \_\_\_\_\_ services?

Will \_\_\_\_ an \_\_\_\_\_ stop \_\_\_\_?

Is entering \_\_\_\_\_ pin \_\_\_\_ enough \_\_\_\_ lead \_\_\_\_ a temporary \_\_\_\_\_?  
 \_\_\_\_\_ suspensions \_\_\_\_ be caused \_\_\_\_\_ PINs \_\_\_\_\_ times.

Could entering \_\_\_\_\_ pin \_\_\_\_ suspend \_\_\_\_?

Is it \_\_\_\_\_ services can \_\_\_\_ suspended \_\_\_\_\_ short \_\_\_\_\_ to \_\_\_\_\_ PINs?

If I \_\_\_\_ the \_\_\_\_\_ code again, \_\_\_\_\_ suspension?  
 \_\_\_\_\_ be halted \_\_\_\_ because of \_\_\_\_ failed \_\_\_\_ with \_\_\_\_ wrong pin \_\_\_\_\_.

Is \_\_\_\_ possible \_\_\_\_\_ are \_\_\_\_ from the \_\_\_\_ pin?

Can \_\_\_\_ be \_\_\_\_ temporarily because \_\_\_\_ incorrect \_\_\_\_ code \_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ pin codes \_\_\_\_\_ block or suspend \_\_\_\_?

If \_\_\_\_ enter the \_\_\_\_\_ many \_\_\_\_ will \_\_\_\_ cause \_\_\_\_\_ problem?  
 \_\_\_\_\_ the wrong PIN \_\_\_\_\_ will services be temporarily \_\_\_\_?

\_\_\_\_\_ a temporary suspension \_\_\_\_ my services \_\_\_\_ by \_\_\_\_\_ incorrect pin?

Wrong PINs can \_\_\_\_\_.

Will \_\_\_\_\_ a temporary halt to \_\_\_\_\_ make a \_\_\_\_\_ with my PIN?

Can a \_\_\_\_\_ be caused by \_\_\_\_\_ pin \_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ with \_\_\_\_ PIN, will \_\_\_\_ be a \_\_\_\_\_ service provision?

Does \_\_\_\_\_ pin \_\_\_\_\_ to a temporary suspension?

Do \_\_\_\_ get \_\_\_\_ suspended for entering \_\_\_\_\_ many \_\_\_\_?

Repeated \_\_\_\_\_ may \_\_\_\_ services.

Does \_\_\_\_\_ wrong \_\_\_\_\_ take away \_\_\_\_?

Is it \_\_\_\_ that the \_\_\_\_\_ will temporarily \_\_\_\_ the \_\_\_\_?

\_\_\_\_\_ I \_\_\_\_ many mistakes with my PIN, \_\_\_\_ there \_\_\_\_\_ halt \_\_\_\_\_?

Do false pins \_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_ be stopped \_\_\_\_ if \_\_\_\_\_ the \_\_\_\_ PIN many \_\_\_\_?

\_\_\_\_\_ entering a \_\_\_\_ can \_\_\_\_\_ services.  
 \_\_\_\_\_ wrong pin entries \_\_\_\_\_?

There's a \_\_\_\_\_ entry of incorrect pins.  
 \_\_\_\_\_ I enter the wrong \_\_\_\_ will \_\_\_\_\_ a \_\_\_\_\_?

Does \_\_\_\_\_ wrong \_\_\_\_\_ interrupt \_\_\_\_?

\_\_\_\_\_ false \_\_\_\_ cause a \_\_\_\_\_ halt?

Service \_\_\_\_\_ be a \_\_\_\_\_ putting \_\_\_\_\_ incorrect pin.  
 \_\_\_\_\_ multiple failed \_\_\_\_\_ wrong pin code \_\_\_\_ services?  
 \_\_\_\_\_ service \_\_\_\_ is \_\_\_\_\_ of the wrong \_\_\_\_.  
 \_\_\_\_\_ chance \_\_\_\_ service \_\_\_\_ for entry of \_\_\_\_\_ pins \_\_\_\_?  
 \_\_\_\_\_ entry of \_\_\_\_ incorrect \_\_\_\_\_ block or \_\_\_\_ services.

Does my \_\_\_\_\_ collapse if \_\_\_\_ try \_\_\_\_\_ wrong \_\_\_\_\_ times?

Will using \_\_\_\_\_ wrong pin \_\_\_\_\_ a \_\_\_\_\_?

Can \_\_\_\_\_ codes \_\_\_\_ disruptions?

Are my \_\_\_\_ going \_\_\_\_\_ if \_\_\_\_\_ the wrong PIN \_\_\_\_\_ many \_\_\_\_?

Can \_\_\_\_ the \_\_\_\_\_ stop \_\_\_\_ services?

Repeatedly \_\_\_\_\_ code entries \_\_\_\_\_ stop \_\_\_\_\_.

\_\_\_\_\_ wrong pin \_\_\_\_\_ stop \_\_\_\_\_ services?

Will multiple \_\_\_\_\_ pin \_\_\_\_\_ services \_\_\_\_\_?

Is my service \_\_\_\_\_ wrong PIN \_\_\_\_\_ lot?

Can \_\_\_\_\_ code entries cause \_\_\_\_\_ service \_\_\_\_\_?

Can \_\_\_\_\_ pin codes affect \_\_\_\_\_?

Will services \_\_\_\_\_ suspended \_\_\_\_\_ wrong \_\_\_\_\_ code is \_\_\_\_\_ times?

A suspension \_\_\_\_\_ service is \_\_\_\_\_ the wrong \_\_\_\_\_.

\_\_\_\_\_ I enter \_\_\_\_\_ several \_\_\_\_\_ will \_\_\_\_\_ affect services?

\_\_\_\_\_ attempts with the wrong \_\_\_\_\_ halt \_\_\_\_\_ temporarily.

\_\_\_\_\_ incorrect pin keep services \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ services if I enter \_\_\_\_\_ times?

\_\_\_\_\_ I enter the incorrect \_\_\_\_\_ times, \_\_\_\_\_ my services \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ of service \_\_\_\_\_ incorrect pin attempts?

\_\_\_\_\_ an \_\_\_\_\_ pin suspend \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ I will \_\_\_\_\_ if \_\_\_\_\_ input the wrong \_\_\_\_\_ code.

\_\_\_\_\_ a \_\_\_\_\_ service blockade \_\_\_\_\_ I \_\_\_\_\_ wrong \_\_\_\_\_ many times?

\_\_\_\_\_ pins cause a \_\_\_\_\_ issue?

Will \_\_\_\_\_ suspended if \_\_\_\_\_ enter \_\_\_\_\_ PIN multiple \_\_\_\_\_?

Do you \_\_\_\_\_ down services \_\_\_\_\_ the \_\_\_\_\_ too much?

If the \_\_\_\_\_ gets entered \_\_\_\_\_ much, might \_\_\_\_\_?

Do \_\_\_\_\_ stopped when \_\_\_\_\_ the \_\_\_\_\_ many times?

Do \_\_\_\_\_ pins result \_\_\_\_\_ services?

Is \_\_\_\_\_ a temporary suspension of \_\_\_\_\_ many \_\_\_\_\_?

\_\_\_\_\_ suspend my \_\_\_\_\_ due to \_\_\_\_\_ many \_\_\_\_\_ pins?

If \_\_\_\_\_ pin code \_\_\_\_\_ once, you might shut my \_\_\_\_\_.

\_\_\_\_\_ be stopped for some time \_\_\_\_\_ to \_\_\_\_\_ pin \_\_\_\_\_?

Wrong PIN \_\_\_\_\_ to a \_\_\_\_\_.

Does \_\_\_\_\_ an \_\_\_\_\_ PIN \_\_\_\_\_ a \_\_\_\_\_ a service?

\_\_\_\_\_ services halt temporarily if \_\_\_\_\_ enter \_\_\_\_\_ pin \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ PIN \_\_\_\_\_ of times, \_\_\_\_\_ services be suspended?

\_\_\_\_\_ wrong pin \_\_\_\_\_ be put \_\_\_\_\_ to block/suspend \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ the wrong pin \_\_\_\_\_ will \_\_\_\_\_ suspension \_\_\_\_\_ service?

Will it \_\_\_\_\_ service \_\_\_\_\_ if I \_\_\_\_\_ pin multiple \_\_\_\_\_?

\_\_\_\_\_ pin threaten services?

Will \_\_\_\_\_ wrong pin \_\_\_\_\_ cause \_\_\_\_\_ momentary \_\_\_\_\_?

\_\_\_\_\_ the wrong \_\_\_\_\_ cause a \_\_\_\_\_?

If I \_\_\_\_\_ the wrong PIN \_\_\_\_\_ will \_\_\_\_\_ services \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ halted \_\_\_\_\_ I \_\_\_\_\_ the wrong PIN \_\_\_\_\_ times?

\_\_\_\_\_ pin \_\_\_\_\_ services temporarily.

\_\_\_\_\_ service block \_\_\_\_\_ result from entering \_\_\_\_\_ PIN \_\_\_\_\_ once.

Any \_\_\_\_\_ of service \_\_\_\_\_ after a \_\_\_\_\_ entry \_\_\_\_\_?

Is \_\_\_\_\_ collapsing \_\_\_\_\_ I have \_\_\_\_\_ wrong PIN many \_\_\_\_\_?

\_\_\_\_\_ entries of \_\_\_\_\_ codes result in \_\_\_\_\_ on \_\_\_\_\_?

Does \_\_\_\_\_ of an incorrect pin \_\_\_\_\_ a temporary \_\_\_\_\_?

Does \_\_\_\_\_ incorrect \_\_\_\_\_ cause my services to \_\_\_\_\_ stopped?

Is it \_\_\_\_\_ that the wrong \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ you enter \_\_\_\_\_ wrong code many \_\_\_\_\_ suspended briefly?

If you enter \_\_\_\_\_ incorrect \_\_\_\_\_ code, can \_\_\_\_\_ or \_\_\_\_\_?

Is \_\_\_\_\_ possible that an \_\_\_\_\_ or \_\_\_\_\_ of my services?

\_\_\_\_\_ be \_\_\_\_\_ in case of entering the wrong \_\_\_\_\_ ?  
 \_\_\_\_\_ of an \_\_\_\_\_ temporarily block or \_\_\_\_\_ services?  
 Is it \_\_\_\_\_ get suspended due \_\_\_\_\_ incorrect \_\_\_\_\_ ?  
 Can \_\_\_\_\_ an \_\_\_\_\_ pin \_\_\_\_\_ a service \_\_\_\_\_ ?  
 \_\_\_\_\_ my \_\_\_\_\_ temporarily stopped \_\_\_\_\_ incorrect pin attempts?  
 \_\_\_\_\_ enter the \_\_\_\_\_ pin multiple \_\_\_\_\_ will my \_\_\_\_\_ be \_\_\_\_\_ ?  
 \_\_\_\_\_ an \_\_\_\_\_ could block services.  
 \_\_\_\_\_ it \_\_\_\_\_ that services \_\_\_\_\_ temporarily \_\_\_\_\_ a mistake in the \_\_\_\_\_ ?  
 Is it possible \_\_\_\_\_ services \_\_\_\_\_ if you \_\_\_\_\_ wrong code many \_\_\_\_\_ ?  
 Is it possible that \_\_\_\_\_ service blockage?  
 \_\_\_\_\_ entering an \_\_\_\_\_ reason for a suspension?  
 Is my service \_\_\_\_\_ try the \_\_\_\_\_ PIN \_\_\_\_\_ often?  
 \_\_\_\_\_ code \_\_\_\_\_ cause \_\_\_\_\_ to stop?  
 \_\_\_\_\_ failed attempts with \_\_\_\_\_ wrong \_\_\_\_\_ can \_\_\_\_\_ services \_\_\_\_\_ halted temporarily.  
 Is \_\_\_\_\_ possible that \_\_\_\_\_ have \_\_\_\_\_ blocked \_\_\_\_\_ pin?  
 Can \_\_\_\_\_ enter an incorrect \_\_\_\_\_ multiple times and \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ an incorrect \_\_\_\_\_ temporarily block \_\_\_\_\_ stop \_\_\_\_\_ ?  
 Will I \_\_\_\_\_ using services \_\_\_\_\_ I enter the \_\_\_\_\_ times?  
 Will \_\_\_\_\_ the \_\_\_\_\_ pin \_\_\_\_\_ use \_\_\_\_\_ ?  
 Can \_\_\_\_\_ an \_\_\_\_\_ pin \_\_\_\_\_ stop \_\_\_\_\_ .  
 Is \_\_\_\_\_ suspended \_\_\_\_\_ blocked \_\_\_\_\_ to repeated wrong \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ incorrect \_\_\_\_\_ in a temporary service \_\_\_\_\_ ?  
 Is \_\_\_\_\_ that \_\_\_\_\_ an \_\_\_\_\_ pin temporarily block or \_\_\_\_\_ ?  
 Can \_\_\_\_\_ wrong \_\_\_\_\_ a service \_\_\_\_\_ ?  
 \_\_\_\_\_ my \_\_\_\_\_ from time \_\_\_\_\_ due to incorrect \_\_\_\_\_ attempts?  
 Does \_\_\_\_\_ an incorrect pin \_\_\_\_\_ ?  
 Is the \_\_\_\_\_ temporarily suspended \_\_\_\_\_ I enter \_\_\_\_\_ PIN \_\_\_\_\_ ?  
 If I \_\_\_\_\_ too many times, will \_\_\_\_\_ be \_\_\_\_\_ ?  
 If the pin \_\_\_\_\_ wrong too \_\_\_\_\_ going \_\_\_\_\_ shut down \_\_\_\_\_ ?  
 If services enter \_\_\_\_\_ wrong \_\_\_\_\_ many \_\_\_\_\_ they \_\_\_\_\_ ?  
 \_\_\_\_\_ code? \_\_\_\_\_ service?  
 \_\_\_\_\_ the \_\_\_\_\_ of wrong \_\_\_\_\_ code \_\_\_\_\_ ?  
 \_\_\_\_\_ incorrect \_\_\_\_\_ code \_\_\_\_\_ can cause \_\_\_\_\_ .  
 \_\_\_\_\_ temporary service \_\_\_\_\_ be \_\_\_\_\_ entering an \_\_\_\_\_ PIN.  
 \_\_\_\_\_ entering \_\_\_\_\_ incorrect \_\_\_\_\_ code a cause \_\_\_\_\_ suspension?  
 \_\_\_\_\_ a \_\_\_\_\_ of suspension \_\_\_\_\_ the entry \_\_\_\_\_ incorrect pins.  
 \_\_\_\_\_ a suspension of \_\_\_\_\_ repeated input of an \_\_\_\_\_ ?  
 \_\_\_\_\_ the wrong \_\_\_\_\_ what happens to my \_\_\_\_\_ ?  
 \_\_\_\_\_ get suspended when they \_\_\_\_\_ the wrong \_\_\_\_\_ ?  
 \_\_\_\_\_ wrong \_\_\_\_\_ codes can cause \_\_\_\_\_ suspension \_\_\_\_\_ block \_\_\_\_\_ .  
 \_\_\_\_\_ suspension \_\_\_\_\_ possible due to the \_\_\_\_\_ PIN.  
 \_\_\_\_\_ it \_\_\_\_\_ temporarily if you enter \_\_\_\_\_ pin \_\_\_\_\_ times?  
 \_\_\_\_\_ term \_\_\_\_\_ possible because of \_\_\_\_\_ ?  
 \_\_\_\_\_ services be \_\_\_\_\_ if \_\_\_\_\_ enter \_\_\_\_\_ wrong PIN?  
 \_\_\_\_\_ entering \_\_\_\_\_ incorrect PIN \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ block?  
 \_\_\_\_\_ possible \_\_\_\_\_ a \_\_\_\_\_ to services \_\_\_\_\_ to repeated \_\_\_\_\_ pins?  
 \_\_\_\_\_ there be \_\_\_\_\_ suspensions \_\_\_\_\_ wrong PINs \_\_\_\_\_ than once?  
 Multiple failed \_\_\_\_\_ with \_\_\_\_\_ incorrect \_\_\_\_\_ halt services \_\_\_\_\_ .  
 \_\_\_\_\_ services be stopped or \_\_\_\_\_ if \_\_\_\_\_ insert \_\_\_\_\_ PIN many \_\_\_\_\_ ?  
 Is \_\_\_\_\_ for \_\_\_\_\_ pin to temporarily stop \_\_\_\_\_ block services?

Can the service be \_\_\_\_ by \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
\_\_\_\_ chance of \_\_\_\_ \_\_\_\_ the incorrect pins are \_\_\_\_ ?  
Can wrong pin \_\_\_\_ \_\_\_\_ ?  
Will \_\_\_\_ \_\_\_\_ the temporary \_\_\_\_ of \_\_\_\_ \_\_\_\_ screw this pin up?  
Will \_\_\_\_ \_\_\_\_ be \_\_\_\_ if I enter \_\_\_\_ \_\_\_\_ more \_\_\_\_ once?  
Will a \_\_\_\_ \_\_\_\_ service \_\_\_\_ caused \_\_\_\_ \_\_\_\_ wrong pin codes?  
\_\_\_\_ there \_\_\_\_ \_\_\_\_ services for multiple incorrect \_\_\_\_ ?  
Will the \_\_\_\_ \_\_\_\_ I enter \_\_\_\_ \_\_\_\_ pin multiple times?  
Can \_\_\_\_ \_\_\_\_ cause a \_\_\_\_ \_\_\_\_ ?  
\_\_\_\_ \_\_\_\_ a chance wrong pin \_\_\_\_ can block \_\_\_\_ \_\_\_\_ ?  
\_\_\_\_ service interruption caused by \_\_\_\_ \_\_\_\_ ?  
Any \_\_\_\_ of service suspension \_\_\_\_ you \_\_\_\_ \_\_\_\_ of \_\_\_\_ pins?  
\_\_\_\_ I \_\_\_\_ \_\_\_\_ pin code more than \_\_\_\_ you \_\_\_\_ stop \_\_\_\_ services?  
Is it \_\_\_\_ \_\_\_\_ pin \_\_\_\_ will cause a \_\_\_\_ ?  
\_\_\_\_ entering the wrong \_\_\_\_ services \_\_\_\_ ?  
If I enter the wrong PIN \_\_\_\_ \_\_\_\_ services \_\_\_\_ ?  
If I \_\_\_\_ to \_\_\_\_ the wrong PIN \_\_\_\_ \_\_\_\_ happens \_\_\_\_ my \_\_\_\_ ?  
\_\_\_\_ wrong pins \_\_\_\_ services?  
Is it \_\_\_\_ that \_\_\_\_ \_\_\_\_ suspended \_\_\_\_ because of incorrect \_\_\_\_ ?  
\_\_\_\_ wrong \_\_\_\_ codes temporarily \_\_\_\_ ?  
\_\_\_\_ it \_\_\_\_ that \_\_\_\_ \_\_\_\_ code \_\_\_\_ temporarily halt services?  
\_\_\_\_ there \_\_\_\_ chance that incorrect \_\_\_\_ \_\_\_\_ result \_\_\_\_ service \_\_\_\_ ?