

## [Demo] NLP Dataset for Customer Service Automation

|                             |  |
|-----------------------------|--|
| <b>Company Type</b>         | Water and Wastewater Utility Companies   |
| <b>Inquiry Category</b>     | Meter reading and usage questions  |
| <b>Inquiry Sub-Category</b> | Low water usage  |
| <b>Description</b>          | Inquiries concerning unusually low water usage, such as when tenants are away, but the meter seems to indicate regular usage, or if there are inconsistencies in the meter readings. |
| <b>Data Size</b>            | 5,017 paraphrases  |
| <b>Want to buy data?</b>    | Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.   |

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ any known issues \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ despite extremely \_\_\_\_\_ or \_\_\_\_\_ levels?  
 \_\_\_\_\_ it \_\_\_\_\_ when meters \_\_\_\_\_ normal use even though \_\_\_\_\_ have \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ with the meters that show \_\_\_\_\_ despite the \_\_\_\_\_ isn't much left?  
 Is \_\_\_\_\_ any problem \_\_\_\_\_ normal usage even \_\_\_\_\_ low?  
 \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ usage even when theOccupancy level \_\_\_\_\_ low?  
 \_\_\_\_\_ there any \_\_\_\_\_ that show normal \_\_\_\_\_ if there \_\_\_\_\_ not a lot \_\_\_\_\_ demand?  
 I would \_\_\_\_\_ to \_\_\_\_\_ issues have \_\_\_\_\_ with meters \_\_\_\_\_ normal \_\_\_\_\_ even \_\_\_\_\_ is \_\_\_\_\_ or very empty.  
 Do you know \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ meters that \_\_\_\_\_ despite low \_\_\_\_\_ dead \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ meters to \_\_\_\_\_ usage \_\_\_\_\_ levels \_\_\_\_\_ fallen?  
 Do you know if \_\_\_\_\_ with \_\_\_\_\_ normal \_\_\_\_\_ despite the \_\_\_\_\_ or \_\_\_\_\_?  
 What \_\_\_\_\_ been the issues with meters \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ issues \_\_\_\_\_ are reported \_\_\_\_\_ meters that \_\_\_\_\_ normal use \_\_\_\_\_ low \_\_\_\_\_ occupancy levels?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ by \_\_\_\_\_ or \_\_\_\_\_ occupation of the premises?  
 Can \_\_\_\_\_ show \_\_\_\_\_ usage, \_\_\_\_\_ levels are \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ if there \_\_\_\_\_ any issues related \_\_\_\_\_ meters \_\_\_\_\_ show normal \_\_\_\_\_ low or \_\_\_\_\_?  
 \_\_\_\_\_ meters \_\_\_\_\_ even if theOccupancy levels \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ normal \_\_\_\_\_ or deadOccupancy levels?  
 Is there \_\_\_\_\_ issue with \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ readings look unaffected \_\_\_\_\_ of occupied \_\_\_\_\_?  
 Is \_\_\_\_\_ any reason \_\_\_\_\_ regular \_\_\_\_\_ they \_\_\_\_\_ vastly lowered or \_\_\_\_\_ occupied?  
 \_\_\_\_\_ levels are \_\_\_\_\_ meters \_\_\_\_\_ regular \_\_\_\_\_?  
 \_\_\_\_\_ there be regular \_\_\_\_\_ meters \_\_\_\_\_ levels \_\_\_\_\_ reduced?  
 What \_\_\_\_\_ been the \_\_\_\_\_ with \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_ levels?  
 Do you know if \_\_\_\_\_ any issues reported \_\_\_\_\_ meters showing \_\_\_\_\_ use \_\_\_\_\_ Levels?  
 \_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ reported about \_\_\_\_\_ that \_\_\_\_\_ normal \_\_\_\_\_ or deadOccupancy levels?  
 What \_\_\_\_\_ normal use despite lower \_\_\_\_\_ normalOccupancy \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ normal use \_\_\_\_\_ lower than normalOccupancy levels?  
 Do \_\_\_\_\_ know \_\_\_\_\_ problems with meters \_\_\_\_\_ seem \_\_\_\_\_ regular consumption even \_\_\_\_\_ has been \_\_\_\_\_ decrease?

\_\_\_\_ you know if there are \_\_\_\_ issues \_\_\_\_ meters \_\_\_\_ show normal \_\_\_\_ very \_\_\_\_ levels?  
 Is it a \_\_\_\_ when \_\_\_\_ show \_\_\_\_ even \_\_\_\_ have low \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ problem when \_\_\_\_ show \_\_\_\_ even when it's \_\_\_\_ super \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ in \_\_\_\_ if Occupancy levels are reduced?  
 meter glitch showing \_\_\_\_ levels of \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ are \_\_\_\_ issues with \_\_\_\_ meters that show normal use despite \_\_\_\_ levels?  
 Is it \_\_\_\_ meter readings \_\_\_\_ normal \_\_\_\_ significant \_\_\_\_?  
 \_\_\_\_ me if \_\_\_\_ readings on the \_\_\_\_ appear unaffected \_\_\_\_ absence of \_\_\_\_?  
 Do \_\_\_\_ know \_\_\_\_ any issues reported about meters that \_\_\_\_ low \_\_\_\_ absent occupancy levels?  
 Is \_\_\_\_ a \_\_\_\_ the meters indicating \_\_\_\_ use despite \_\_\_\_ extremely \_\_\_\_ or \_\_\_\_?  
 \_\_\_\_ meter \_\_\_\_ normal \_\_\_\_ even if it's zero or super low?  
 Can \_\_\_\_ see regular \_\_\_\_ meters \_\_\_\_ levels \_\_\_\_ reduced?  
 Is \_\_\_\_ that there \_\_\_\_ with \_\_\_\_ meters \_\_\_\_ normal use despite the extremely \_\_\_\_ occupancy \_\_\_\_?  
 Can meters \_\_\_\_ regular usage \_\_\_\_?  
 Do \_\_\_\_ know if there are \_\_\_\_ reported \_\_\_\_ meters \_\_\_\_ normal use despite \_\_\_\_ dead \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ with the meters \_\_\_\_ the \_\_\_\_ low \_\_\_\_ not existent \_\_\_\_ levels?  
 Is it a \_\_\_\_ meters \_\_\_\_ usage even if it's \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ the meters that \_\_\_\_ normal use \_\_\_\_ the \_\_\_\_ not existent \_\_\_\_ levels?  
 \_\_\_\_ have \_\_\_\_ issues \_\_\_\_ indicating normal use despite low Occupancy \_\_\_\_?  
 Will there \_\_\_\_ involving \_\_\_\_ are \_\_\_\_ normal \_\_\_\_ even though Occupancy levels are \_\_\_\_?  
 \_\_\_\_ possible for the \_\_\_\_ to \_\_\_\_ usage after \_\_\_\_ have \_\_\_\_ or not?  
 \_\_\_\_ for meters \_\_\_\_ show regular \_\_\_\_ a decrease \_\_\_\_ Levels?  
 Is it \_\_\_\_ show \_\_\_\_ usage \_\_\_\_ when \_\_\_\_ levels are \_\_\_\_ high?  
 \_\_\_\_ want to \_\_\_\_ if \_\_\_\_ are any \_\_\_\_ issues with \_\_\_\_ indicating normal \_\_\_\_ even \_\_\_\_ there are \_\_\_\_ as \_\_\_\_.  
 Can \_\_\_\_ show \_\_\_\_ usage \_\_\_\_ decrease?  
 Is it \_\_\_\_ for \_\_\_\_ normal usage \_\_\_\_ zero occupancy?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ to show \_\_\_\_ the Occupancy levels \_\_\_\_ dropped?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ regular \_\_\_\_ after Occupancy has dropped?  
 \_\_\_\_ though Occupancy levels \_\_\_\_ regular usage?  
 \_\_\_\_ issues be reported \_\_\_\_ which \_\_\_\_ to \_\_\_\_ use \_\_\_\_ lower than normal Occupancy \_\_\_\_?  
 Is \_\_\_\_ possible for meters to \_\_\_\_ regular \_\_\_\_ have \_\_\_\_?  
 Do \_\_\_\_ if there are any \_\_\_\_ reported \_\_\_\_ low or \_\_\_\_ levels?  
 \_\_\_\_ been the \_\_\_\_ meters showing normal \_\_\_\_ though Occupancy levels are \_\_\_\_?  
 Will there \_\_\_\_ involving meters \_\_\_\_ are supposed \_\_\_\_ lower than \_\_\_\_ levels?  
 \_\_\_\_ know of any \_\_\_\_ with \_\_\_\_ show regular \_\_\_\_ despite the \_\_\_\_ that \_\_\_\_ are not occupied?  
 \_\_\_\_ there \_\_\_\_ problems \_\_\_\_ meters that \_\_\_\_ normal use despite low occupancy levels?  
 Do \_\_\_\_ know \_\_\_\_ there \_\_\_\_ any issues \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ use despite low or \_\_\_\_?  
 Is \_\_\_\_ for meters \_\_\_\_ usage when \_\_\_\_ levels drop?  
 \_\_\_\_ you \_\_\_\_ meters show normal use \_\_\_\_ the \_\_\_\_ or non-existent \_\_\_\_?  
 \_\_\_\_ known \_\_\_\_ with meters \_\_\_\_ reduced Occupancy?  
 What have \_\_\_\_ problems \_\_\_\_ use despite \_\_\_\_ levels?  
 \_\_\_\_ know if \_\_\_\_ are \_\_\_\_ issues with meters \_\_\_\_ show normal \_\_\_\_ their Occupancy \_\_\_\_ is not?  
 Do you know if \_\_\_\_ are \_\_\_\_ normal \_\_\_\_ despite being low \_\_\_\_ absent?  
 \_\_\_\_ possible that meters \_\_\_\_ regular usage even \_\_\_\_ levels \_\_\_\_?  
 \_\_\_\_ the issues with \_\_\_\_ meters indicating normal \_\_\_\_ despite \_\_\_\_ levels?  
 Do \_\_\_\_ if there are \_\_\_\_ to meters \_\_\_\_ use despite the \_\_\_\_?  
 Is there \_\_\_\_ reason for \_\_\_\_ to \_\_\_\_ regular \_\_\_\_ even \_\_\_\_ they \_\_\_\_?  
 \_\_\_\_ reported issues with \_\_\_\_ meters indicating \_\_\_\_ use despite the low \_\_\_\_?  
 Is \_\_\_\_ meters \_\_\_\_ regular usage even when \_\_\_\_ levels \_\_\_\_ high?  
 \_\_\_\_ are problems with meters \_\_\_\_ show \_\_\_\_ use with \_\_\_\_?

\_\_\_\_\_ known meter glitch \_\_\_\_\_ during \_\_\_\_\_ levels?

Is it \_\_\_\_\_ for \_\_\_\_\_ to show \_\_\_\_\_ usage \_\_\_\_\_ or \_\_\_\_\_ no \_\_\_\_\_?

\_\_\_\_\_ usage despite littleOccupancy

\_\_\_\_\_ any problem \_\_\_\_\_ normal usage even when \_\_\_\_\_ low?

\_\_\_\_\_ the \_\_\_\_\_ meters showing normal \_\_\_\_\_ despite lowerOccupancy levels?

\_\_\_\_\_ you \_\_\_\_\_ there are \_\_\_\_\_ reported \_\_\_\_\_ meters that show \_\_\_\_\_ despite low \_\_\_\_\_ ofoccupancy?

Do \_\_\_\_\_ know \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ meters indicating \_\_\_\_\_ the \_\_\_\_\_ that theirOccupancy Levels is?

Do you \_\_\_\_\_ if \_\_\_\_\_ are any \_\_\_\_\_ normal use even when \_\_\_\_\_ very low?

\_\_\_\_\_ regular usage \_\_\_\_\_ in \_\_\_\_\_ duringOccupancy \_\_\_\_\_ are reduced?

\_\_\_\_\_ it \_\_\_\_\_ for meters \_\_\_\_\_ usage \_\_\_\_\_ the Occupancy levels are \_\_\_\_\_?

\_\_\_\_\_ meters show regular \_\_\_\_\_ being notexistent?

\_\_\_\_\_ have been some issues with \_\_\_\_\_ use despite \_\_\_\_\_ normalOccupancy \_\_\_\_\_?

Is \_\_\_\_\_ for meters \_\_\_\_\_ show \_\_\_\_\_ even \_\_\_\_\_ occupancy \_\_\_\_\_ low?

Do you \_\_\_\_\_ metered \_\_\_\_\_ any problems, even though \_\_\_\_\_ has \_\_\_\_\_?

Is \_\_\_\_\_ meter \_\_\_\_\_ unaffected by minimal or \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ there are any \_\_\_\_\_ meters that show \_\_\_\_\_ usage despite low \_\_\_\_\_?

\_\_\_\_\_ there any known \_\_\_\_\_ that \_\_\_\_\_ normal usage even \_\_\_\_\_ are less \_\_\_\_\_?

\_\_\_\_\_ regular usage even \_\_\_\_\_ levels?

I \_\_\_\_\_ to \_\_\_\_\_ have \_\_\_\_\_ any issues \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ even \_\_\_\_\_ they are \_\_\_\_\_ low or \_\_\_\_\_ empty?

Is \_\_\_\_\_ reason for \_\_\_\_\_ to \_\_\_\_\_ consumption, even though \_\_\_\_\_ vastly \_\_\_\_\_?

Is \_\_\_\_\_ normal usage despite super \_\_\_\_\_ zero occupancy?

Is it \_\_\_\_\_ problem \_\_\_\_\_ meters show \_\_\_\_\_ even if \_\_\_\_\_ low?

\_\_\_\_\_ you \_\_\_\_\_ of any problems with the meters \_\_\_\_\_ to show \_\_\_\_\_ even \_\_\_\_\_ decreased?

\_\_\_\_\_ the issues with meters \_\_\_\_\_ normal usage \_\_\_\_\_ lower than \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ problems with the meters that show \_\_\_\_\_ consumption \_\_\_\_\_ that the \_\_\_\_\_ been greatly \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ if there \_\_\_\_\_ any \_\_\_\_\_ meters indicating \_\_\_\_\_ use \_\_\_\_\_ that \_\_\_\_\_ Levels is low?

\_\_\_\_\_ it \_\_\_\_\_ for the \_\_\_\_\_ show regular \_\_\_\_\_ after \_\_\_\_\_ have dropped?

\_\_\_\_\_ regular \_\_\_\_\_ even though \_\_\_\_\_ isn'texistent?

Is it \_\_\_\_\_ to \_\_\_\_\_ regular usage \_\_\_\_\_ levels \_\_\_\_\_ declined \_\_\_\_\_ not \_\_\_\_\_?

\_\_\_\_\_ know if there \_\_\_\_\_ any issues reported \_\_\_\_\_ meters \_\_\_\_\_ theOccupancy Levels?

Do you know if \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ theirOccupancy Levels are not.

Do you \_\_\_\_\_ there \_\_\_\_\_ problems with metered \_\_\_\_\_ the \_\_\_\_\_?

Do you \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ to show regular consumption \_\_\_\_\_ though there's \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ there are any \_\_\_\_\_ regarding meters \_\_\_\_\_ indicate \_\_\_\_\_ use even if it's \_\_\_\_\_?

What have \_\_\_\_\_ issues \_\_\_\_\_ with normal \_\_\_\_\_ lower \_\_\_\_\_ levels?

Do \_\_\_\_\_ know if \_\_\_\_\_ is \_\_\_\_\_ problem with \_\_\_\_\_ meters indicating normal \_\_\_\_\_ despite \_\_\_\_\_ occupancy?

\_\_\_\_\_ you \_\_\_\_\_ if the \_\_\_\_\_ readings \_\_\_\_\_ unaffected by the \_\_\_\_\_ the premises?

\_\_\_\_\_ have been \_\_\_\_\_ issues with \_\_\_\_\_ indicating \_\_\_\_\_ thoughOccupancy levels \_\_\_\_\_ lower?

\_\_\_\_\_ a problem when \_\_\_\_\_ show normal \_\_\_\_\_ even \_\_\_\_\_ there's \_\_\_\_\_?

Is \_\_\_\_\_ the less-than-optimal \_\_\_\_\_ of the property?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ are any issues reported regarding meters that \_\_\_\_\_ use \_\_\_\_\_ though it \_\_\_\_\_?

\_\_\_\_\_ meters show \_\_\_\_\_ even \_\_\_\_\_ levels \_\_\_\_\_ low?

\_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ any issues \_\_\_\_\_ show normal use despite the \_\_\_\_\_ theirOccupancy Levels \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ know \_\_\_\_\_ any \_\_\_\_\_ have \_\_\_\_\_ regarding meters indicating \_\_\_\_\_ even though \_\_\_\_\_ very \_\_\_\_\_ or empty.

Do you \_\_\_\_\_ of any \_\_\_\_\_ to \_\_\_\_\_ regular \_\_\_\_\_ even though they are \_\_\_\_\_ occupied?

\_\_\_\_\_ are any \_\_\_\_\_ with the meters that \_\_\_\_\_ normal \_\_\_\_\_ despite low \_\_\_\_\_ absentoccupancy?

Is it \_\_\_\_\_ there are \_\_\_\_\_ the \_\_\_\_\_ indicating normal \_\_\_\_\_ the \_\_\_\_\_ low or \_\_\_\_\_ levels?

\_\_\_\_\_ shows \_\_\_\_\_ even \_\_\_\_\_ it has a \_\_\_\_\_ or zeroOccupancy, is \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ the less-than \_\_\_\_\_ occupation of the premises?

Is it \_\_\_\_\_ when \_\_\_\_\_ meters show normal usage \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_ you \_\_\_\_ issues with the \_\_\_\_ to display regular \_\_\_\_ despite the \_\_\_\_ that \_\_\_\_ is not full?  
 \_\_\_\_ there any issue \_\_\_\_ meters \_\_\_\_ though there are less \_\_\_\_?  
 \_\_\_\_ meters show regular \_\_\_\_ if Occupancy \_\_\_\_ great?  
 What \_\_\_\_ issues \_\_\_\_ indicating regular use despite \_\_\_\_?  
 \_\_\_\_ there regular \_\_\_\_ meters even \_\_\_\_ levels \_\_\_\_ reduced?  
 \_\_\_\_ know \_\_\_\_ there \_\_\_\_ any issues with meters \_\_\_\_ show \_\_\_\_ use even \_\_\_\_ it's \_\_\_\_?  
 \_\_\_\_ problem when meters show normal \_\_\_\_ if they \_\_\_\_ lowOccupancy?  
 Can \_\_\_\_ tell \_\_\_\_ if the \_\_\_\_ seem \_\_\_\_ the \_\_\_\_ optimal occupation of the \_\_\_\_?  
 Is the meter \_\_\_\_ less-than optimal \_\_\_\_ of \_\_\_\_ premises?  
 Can you \_\_\_\_ whether \_\_\_\_ readings \_\_\_\_ by \_\_\_\_ less-than-optimal occupation?  
 Do \_\_\_\_ know \_\_\_\_ the meters that seem to \_\_\_\_ when \_\_\_\_ room is not full?  
 What have been the issues \_\_\_\_ indicating normal \_\_\_\_ than \_\_\_\_?  
 Do you \_\_\_\_ if there are \_\_\_\_ reported \_\_\_\_ that \_\_\_\_ use \_\_\_\_ low or \_\_\_\_ levels?  
 \_\_\_\_ you know if \_\_\_\_ issues \_\_\_\_ indicating normal \_\_\_\_ lowest or non-existentOccupancy?  
 I would \_\_\_\_ to \_\_\_\_ there \_\_\_\_ been \_\_\_\_ with meters \_\_\_\_ use \_\_\_\_ though there are \_\_\_\_ no occupancy levels.  
 Do \_\_\_\_ know if \_\_\_\_ are any \_\_\_\_ reported \_\_\_\_ meters \_\_\_\_ normal use even \_\_\_\_ they \_\_\_\_?  
 Can meters \_\_\_\_ even whenOccupancy levels \_\_\_\_ high?  
 Is \_\_\_\_ any issues \_\_\_\_ meters \_\_\_\_ it is low?  
 \_\_\_\_ you know if \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ about \_\_\_\_ use even if it \_\_\_\_ very \_\_\_\_?  
 Can \_\_\_\_ usage even \_\_\_\_ reducedOccupancy \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ problems \_\_\_\_ meters that seem to display \_\_\_\_ consumption \_\_\_\_ not \_\_\_\_ fully occupied?  
 \_\_\_\_ there \_\_\_\_ issues \_\_\_\_ regarding meters that show normal \_\_\_\_ even if they \_\_\_\_ low or \_\_\_\_?  
 Has there \_\_\_\_ reports of \_\_\_\_ meters \_\_\_\_ normal \_\_\_\_ extremely low or \_\_\_\_ occupancy \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ meters \_\_\_\_ show regular \_\_\_\_ when theOccupancy levels \_\_\_\_ high?  
 Is \_\_\_\_ with \_\_\_\_ showing normal usage \_\_\_\_ being full?  
 Are \_\_\_\_ able to show regular \_\_\_\_ levels \_\_\_\_?  
 Do you \_\_\_\_ indicate normal \_\_\_\_ despite the \_\_\_\_ is very low?  
 \_\_\_\_ there \_\_\_\_ case \_\_\_\_ the meter readings \_\_\_\_ despite \_\_\_\_ vacant \_\_\_\_?  
 Do you know if \_\_\_\_ are any \_\_\_\_ regarding \_\_\_\_ theirOccupancy Levels?  
 \_\_\_\_ usage after theOccupancy levels \_\_\_\_ dropped?  
 Do you \_\_\_\_ if \_\_\_\_ use despite the extremely \_\_\_\_ or \_\_\_\_ levels?  
 \_\_\_\_ you know \_\_\_\_ issues were reported \_\_\_\_ meters indicating \_\_\_\_ despite the \_\_\_\_ Levels are?  
 \_\_\_\_ it possible \_\_\_\_ show \_\_\_\_ afterOccupancy \_\_\_\_ have gone \_\_\_\_ or not?  
 Is \_\_\_\_ reason for \_\_\_\_ when \_\_\_\_ are vastly lowered or \_\_\_\_ occupied?  
 Do you know \_\_\_\_ there \_\_\_\_ the meters \_\_\_\_ normal use despite \_\_\_\_?  
 \_\_\_\_ am \_\_\_\_ if the \_\_\_\_ unaffected by \_\_\_\_ less-than \_\_\_\_ occupation of the \_\_\_\_.  
 Is \_\_\_\_ meters show \_\_\_\_ usage \_\_\_\_ though \_\_\_\_ is a lowOccupancy?  
 \_\_\_\_ you \_\_\_\_ the \_\_\_\_ that seem to show regular consumption even though they \_\_\_\_?  
 \_\_\_\_ meters indicate \_\_\_\_ use with \_\_\_\_.  
 \_\_\_\_ for meters \_\_\_\_ show regular \_\_\_\_ reducedOccupancy levels?  
 Do \_\_\_\_ know \_\_\_\_ there \_\_\_\_ issues with meters \_\_\_\_ show normal \_\_\_\_ being very \_\_\_\_?  
 What have \_\_\_\_ with \_\_\_\_ usage \_\_\_\_ lower than \_\_\_\_ levels?  
 Do \_\_\_\_ know if there \_\_\_\_ meters \_\_\_\_ show normal use \_\_\_\_ the fact \_\_\_\_ are not?  
 Do you know \_\_\_\_ issues reported regarding \_\_\_\_ that \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ or dead \_\_\_\_?  
 \_\_\_\_ to know if there have \_\_\_\_ issues \_\_\_\_ indicating normal use \_\_\_\_ it \_\_\_\_ low or very \_\_\_\_.  
 Can you \_\_\_\_ meter readings appear unaffected \_\_\_\_ less \_\_\_\_ optimal occupation of \_\_\_\_?  
 Do \_\_\_\_ know \_\_\_\_ there are \_\_\_\_ issues pertaining \_\_\_\_ meters \_\_\_\_ indicate \_\_\_\_ despite \_\_\_\_ or \_\_\_\_ levels?  
 \_\_\_\_ you know if \_\_\_\_ any \_\_\_\_ reported \_\_\_\_ meters \_\_\_\_ say \_\_\_\_ theirOccupancy Levels?  
 I would \_\_\_\_ to know if \_\_\_\_ have \_\_\_\_ meters indicating \_\_\_\_ use \_\_\_\_ very low \_\_\_\_ very empty.  
 Do you \_\_\_\_ of any \_\_\_\_ with \_\_\_\_ meters \_\_\_\_ seem \_\_\_\_ show regular consumption \_\_\_\_?

Do you know \_\_\_\_ there are any issues \_\_\_\_\_ even though \_\_\_\_ are \_\_\_\_ or dead?

I \_\_\_\_ like \_\_\_\_ know if \_\_\_\_\_ been \_\_\_\_\_ with \_\_\_\_\_ use even though it's very \_\_\_\_.

Can \_\_\_\_ be \_\_\_\_ usage \_\_\_\_\_ levels are reduced?

Do \_\_\_\_ know if there \_\_\_\_\_ metered usage \_\_\_\_\_ usage?

\_\_\_\_ you \_\_\_\_\_ issues \_\_\_\_ regarding meters \_\_\_\_ show normal \_\_\_\_ despite very low or \_\_\_\_ levels?

\_\_\_\_\_ glitch showing regular use \_\_\_\_\_?

Can \_\_\_\_\_ usage even if \_\_\_\_\_ aren't exist?

Can meters \_\_\_\_\_ usage even when Occupancy \_\_\_\_\_?

Have any issues been reported \_\_\_\_ meters showing \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_ you tell me if \_\_\_\_\_ readings \_\_\_\_ unaffected by \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ meters \_\_\_\_\_ regular usage even \_\_\_\_\_ no \_\_\_\_ level?

Can the \_\_\_\_\_ regular usage when Occupancy \_\_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ meters to show regular \_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ if \_\_\_\_ are \_\_\_\_\_ reported with \_\_\_\_\_ show normal use \_\_\_\_ low or \_\_\_\_ occupancy levels?

Do you \_\_\_\_ if \_\_\_\_ issues have been reported regarding \_\_\_\_\_ normal \_\_\_\_\_ or \_\_\_\_?

During Occupancy levels \_\_\_\_ very high \_\_\_\_ meters \_\_\_\_\_?

I would like \_\_\_\_\_ been any issues with \_\_\_\_ indicating \_\_\_\_\_ though they are very low \_\_\_\_.

\_\_\_\_ the meter \_\_\_\_ unaffected by \_\_\_\_ minimal \_\_\_\_\_ occupation?

\_\_\_\_ it a problem \_\_\_\_\_ show \_\_\_\_\_ they have \_\_\_\_\_ or zero Occupancy?

Do \_\_\_\_ know if \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ the \_\_\_\_ that indicate \_\_\_\_ use despite very \_\_\_\_\_?

Do \_\_\_\_\_ there are \_\_\_\_ with meters indicating normal \_\_\_\_\_ the \_\_\_\_ that their Occupancy \_\_\_\_ is \_\_\_\_?

Are \_\_\_\_ capable of \_\_\_\_ regular \_\_\_\_\_ though \_\_\_\_\_ are not exist?

What have been \_\_\_\_\_ that \_\_\_\_ normal \_\_\_\_ despite low Occupancy \_\_\_\_?

\_\_\_\_ know \_\_\_\_\_ are any issues reported with meters that show \_\_\_\_ use \_\_\_\_\_ or \_\_\_\_ occupancy \_\_\_\_?

\_\_\_\_\_ meters show \_\_\_\_ usage even \_\_\_\_ they are \_\_\_\_ or empty?

\_\_\_\_ you \_\_\_\_ of \_\_\_\_\_ the \_\_\_\_ that \_\_\_\_ to show regular consumption \_\_\_\_ though the room \_\_\_\_ not \_\_\_\_?

\_\_\_\_ you know \_\_\_\_\_ issues with the \_\_\_\_ that show \_\_\_\_ use despite low \_\_\_\_\_?

\_\_\_\_\_ the problems with \_\_\_\_\_ indicating normal use \_\_\_\_ lower \_\_\_\_\_ levels?

Do you know if there \_\_\_\_\_ reported \_\_\_\_\_ that show \_\_\_\_ use \_\_\_\_\_ levels \_\_\_\_?

Any \_\_\_\_ meter \_\_\_\_ that \_\_\_\_\_ regular \_\_\_\_ during \_\_\_\_ vacancies?

\_\_\_\_ know \_\_\_\_ meters \_\_\_\_ normal use despite \_\_\_\_ fact \_\_\_\_\_ is low?

\_\_\_\_ know if \_\_\_\_ are problems with \_\_\_\_ that \_\_\_\_ normal \_\_\_\_ despite low \_\_\_\_\_?

\_\_\_\_ know \_\_\_\_ there are any \_\_\_\_ with meters indicating normal \_\_\_\_\_ very low \_\_\_\_ occupied?

Do \_\_\_\_ know \_\_\_\_\_ are issues reported regarding \_\_\_\_\_ indicate normal \_\_\_\_ despite \_\_\_\_\_ absent occupancy \_\_\_\_?

\_\_\_\_\_ been issues with the \_\_\_\_ indicating normal \_\_\_\_\_ than normal Occupancy \_\_\_\_?

\_\_\_\_ it possible for \_\_\_\_ to \_\_\_\_\_ after \_\_\_\_ level \_\_\_\_ dropped?

\_\_\_\_ show regular usage \_\_\_\_ if Occupancy \_\_\_\_\_ not very \_\_\_\_?

\_\_\_\_ know \_\_\_\_ there \_\_\_\_ issues reported with meters that \_\_\_\_\_ use despite \_\_\_\_\_ levels?

Do you \_\_\_\_\_ problems \_\_\_\_ the meters that \_\_\_\_ to display \_\_\_\_ consumption \_\_\_\_ the \_\_\_\_ the \_\_\_\_ is not \_\_\_\_?

What are \_\_\_\_ problems \_\_\_\_ meters showing \_\_\_\_ use with \_\_\_\_\_?

Can meters \_\_\_\_\_ usage \_\_\_\_\_ of Occupancy?

Can meters \_\_\_\_\_ levels \_\_\_\_ low?

Do \_\_\_\_ know if there are \_\_\_\_\_ show normal \_\_\_\_\_ their Occupancy Levels?

Have there \_\_\_\_\_ issues \_\_\_\_\_ indicating normal use despite the \_\_\_\_ or \_\_\_\_?

\_\_\_\_\_ show \_\_\_\_\_ even when Occupancy is \_\_\_\_.

Do you know \_\_\_\_ there \_\_\_\_ problems \_\_\_\_ with \_\_\_\_\_ despite \_\_\_\_ or absent occupancy levels?

Will there be \_\_\_\_\_ which are \_\_\_\_\_ indicate normal \_\_\_\_ despite lower than \_\_\_\_\_?

\_\_\_\_\_ where the \_\_\_\_ readings appear unaffected \_\_\_\_ the \_\_\_\_\_ absent occupation \_\_\_\_ the \_\_\_\_?

\_\_\_\_ about \_\_\_\_\_ normal use \_\_\_\_ lower \_\_\_\_ average Occupancy levels?

Can meters show \_\_\_\_\_ even \_\_\_\_ Occupancy \_\_\_\_\_ very \_\_\_\_?

Do \_\_\_\_ know if there \_\_\_\_ any \_\_\_\_ reported \_\_\_\_ meters that \_\_\_\_ normal \_\_\_\_ though \_\_\_\_ or dead?

Is \_\_\_\_ possible \_\_\_\_ meters to \_\_\_\_ usage \_\_\_\_ levels \_\_\_\_ low?

Is it possible \_\_\_\_ even whenOccupancy \_\_\_\_ are not \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ to \_\_\_\_ regular \_\_\_\_ even when \_\_\_\_ are \_\_\_\_ occupied?

Do \_\_\_\_ with \_\_\_\_ showing normal \_\_\_\_ despite the lowest \_\_\_\_ non-existent occupancy?

Can \_\_\_\_ usage \_\_\_\_ is low?

Is \_\_\_\_ possible that \_\_\_\_ show normal \_\_\_\_ despite \_\_\_\_?

Do \_\_\_\_ know if there are any \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ low or absent?

\_\_\_\_ the meter readings \_\_\_\_ a \_\_\_\_ absence of occupied \_\_\_\_?

\_\_\_\_ you know of any \_\_\_\_ with the meters \_\_\_\_ show \_\_\_\_ consumption despite the fact \_\_\_\_ been \_\_\_\_?

\_\_\_\_ you \_\_\_\_ are any \_\_\_\_ reported regarding meters that \_\_\_\_ normal use \_\_\_\_ if \_\_\_\_ is \_\_\_\_ dead?

What have \_\_\_\_ meters indicating \_\_\_\_ despite \_\_\_\_ than averageOccupancy \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ usage when occupancy \_\_\_\_ are reduced?

\_\_\_\_ issues with \_\_\_\_ that show normal use \_\_\_\_ averageOccupancy levels?

Is there a \_\_\_\_ meters show \_\_\_\_ if \_\_\_\_ zero or \_\_\_\_?

Do you know \_\_\_\_ there \_\_\_\_ any \_\_\_\_ reported \_\_\_\_ despite the \_\_\_\_ or non-existentOccupancy?

Will \_\_\_\_ be \_\_\_\_ about \_\_\_\_ supposed to indicate normal \_\_\_\_ despite \_\_\_\_ than \_\_\_\_?

Is \_\_\_\_ for \_\_\_\_ to \_\_\_\_ even whenOccupancy \_\_\_\_ are low?

\_\_\_\_ know if there are \_\_\_\_ issues \_\_\_\_ regarding \_\_\_\_ indicating normal \_\_\_\_ theirOccupancy \_\_\_\_?

What are the \_\_\_\_ problems \_\_\_\_ meters \_\_\_\_ noOccupancy?

I \_\_\_\_ like \_\_\_\_ know if any issues \_\_\_\_ been reported \_\_\_\_ indicating \_\_\_\_ even \_\_\_\_ not occupied.

Can \_\_\_\_ me \_\_\_\_ the meter readings \_\_\_\_ by \_\_\_\_ occupation?

\_\_\_\_ there be issues \_\_\_\_ regarding meters \_\_\_\_ are supposed \_\_\_\_ thoughOccupancy levels \_\_\_\_ lower?

I would \_\_\_\_ to \_\_\_\_ if any \_\_\_\_ have been \_\_\_\_ with meters \_\_\_\_ normalOccupancy levels \_\_\_\_ show normal usage even though \_\_\_\_ zeroOccupancy, is it \_\_\_\_ problem?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ regular use after a drop \_\_\_\_?

I want to \_\_\_\_ issues \_\_\_\_ reported with meters \_\_\_\_ normal \_\_\_\_ even though \_\_\_\_ very low \_\_\_\_.

Is \_\_\_\_ a \_\_\_\_ a meter \_\_\_\_ normal \_\_\_\_ even if \_\_\_\_ a \_\_\_\_?

Can the \_\_\_\_ regular \_\_\_\_ if \_\_\_\_ levels \_\_\_\_ notexistent?

Do \_\_\_\_ know if \_\_\_\_ problems with \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ use \_\_\_\_ Levels?

Is it \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ usage \_\_\_\_ has gone \_\_\_\_?

WhenOccupancy \_\_\_\_ are reduced can \_\_\_\_ meters \_\_\_\_?

\_\_\_\_ meters \_\_\_\_ usage \_\_\_\_ whenOccupancy levels are \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ meters to show \_\_\_\_ even whenOccupancy \_\_\_\_?

What \_\_\_\_ indicating \_\_\_\_ use despite lower than \_\_\_\_ levels?

\_\_\_\_ there \_\_\_\_ problem \_\_\_\_ showing normal use with low \_\_\_\_?

\_\_\_\_ it true that there have been \_\_\_\_ with \_\_\_\_ even \_\_\_\_ it is \_\_\_\_ or \_\_\_\_ good?

Is it \_\_\_\_ meters to \_\_\_\_ regular \_\_\_\_ Occupancy levels \_\_\_\_?

There are \_\_\_\_ indicate normal use \_\_\_\_ or \_\_\_\_?

Is it \_\_\_\_ meters to \_\_\_\_ usage \_\_\_\_ occupancy levels \_\_\_\_?

Do \_\_\_\_ know if \_\_\_\_ issues \_\_\_\_ the meters \_\_\_\_ show \_\_\_\_ the fact \_\_\_\_ they \_\_\_\_ Levels?

Do you know \_\_\_\_ are any \_\_\_\_ with meters \_\_\_\_ despite theirOccupancy \_\_\_\_?

Do you \_\_\_\_ issues reported regarding meters \_\_\_\_ normal \_\_\_\_ theirOccupancy Levels?

\_\_\_\_ know \_\_\_\_ there are any \_\_\_\_ with \_\_\_\_ show normal \_\_\_\_ even though \_\_\_\_ Levels \_\_\_\_ low?

Do \_\_\_\_ know if there \_\_\_\_ with the meters \_\_\_\_ use \_\_\_\_ low or absentoccupancy \_\_\_\_?

Have there been \_\_\_\_ the \_\_\_\_ normal \_\_\_\_ the \_\_\_\_ levels?

Can you \_\_\_\_ me \_\_\_\_ readings seem \_\_\_\_ by \_\_\_\_ of the premises?

\_\_\_\_ know if any \_\_\_\_ have been reported \_\_\_\_ meters indicating \_\_\_\_ use \_\_\_\_ or \_\_\_\_ occupancy?

I would like to know \_\_\_\_ known \_\_\_\_ that \_\_\_\_ despite reduced or non-existent \_\_\_\_ levels.

\_\_\_\_ know if there \_\_\_\_ any \_\_\_\_ regarding meters showing \_\_\_\_ use despite the \_\_\_\_ thatOccupancy \_\_\_\_?

Do \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ regarding meters \_\_\_\_\_ indicate \_\_\_\_\_ use, even if \_\_\_\_\_ low?

What \_\_\_\_\_ been \_\_\_\_\_ with \_\_\_\_\_ meters that show \_\_\_\_\_ use despite \_\_\_\_\_?

I would like \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ known \_\_\_\_\_ with meters \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_ or \_\_\_\_\_.

Is \_\_\_\_\_ a \_\_\_\_\_ if the \_\_\_\_\_ normal usage \_\_\_\_\_ if \_\_\_\_\_ is zero \_\_\_\_\_?

\_\_\_\_\_ meters \_\_\_\_\_ usage if \_\_\_\_\_ levels \_\_\_\_\_?

\_\_\_\_\_ it possible for \_\_\_\_\_ to show regular \_\_\_\_\_ of Occupancy is \_\_\_\_\_?

\_\_\_\_\_ there be issues reported \_\_\_\_\_ lower \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ reported regarding meters indicating \_\_\_\_\_ use \_\_\_\_\_ their Occupancy \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ have there \_\_\_\_\_ issues with \_\_\_\_\_ indicating normal \_\_\_\_\_ low Occupancy \_\_\_\_\_?

Do \_\_\_\_\_ if \_\_\_\_\_ are issues with the \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_ levels?

\_\_\_\_\_ would like \_\_\_\_\_ there are \_\_\_\_\_ with the \_\_\_\_\_ normal use \_\_\_\_\_ low Occupancy levels.

I \_\_\_\_\_ like \_\_\_\_\_ know if \_\_\_\_\_ readings appear \_\_\_\_\_ by \_\_\_\_\_ absent \_\_\_\_\_ premises.

\_\_\_\_\_ are \_\_\_\_\_ with the meters \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ normal Occupancy levels?

\_\_\_\_\_ would like \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ meters indicating normal usage even though \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ about meters \_\_\_\_\_ supposed \_\_\_\_\_ indicate \_\_\_\_\_ than normal Occupancy levels?

\_\_\_\_\_ you know \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ reported regarding \_\_\_\_\_ that \_\_\_\_\_ use despite the \_\_\_\_\_ they have Occupancy \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ any issues \_\_\_\_\_ meters indicating \_\_\_\_\_ despite \_\_\_\_\_ or non-existent Occupancy?

\_\_\_\_\_ known meter \_\_\_\_\_ that shows \_\_\_\_\_ during \_\_\_\_\_ vacancies?

\_\_\_\_\_ if there are any \_\_\_\_\_ reported with meters \_\_\_\_\_ show \_\_\_\_\_ use \_\_\_\_\_?

Is \_\_\_\_\_ issue \_\_\_\_\_ normal \_\_\_\_\_ despite the low or \_\_\_\_\_ levels?

\_\_\_\_\_ have \_\_\_\_\_ issues \_\_\_\_\_ showing normal use \_\_\_\_\_ than normal Occupancy \_\_\_\_\_

I would like \_\_\_\_\_ know \_\_\_\_\_ reported regarding \_\_\_\_\_ indicating \_\_\_\_\_ even though it's very \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ the meters \_\_\_\_\_ normal use despite \_\_\_\_\_ that Occupancy \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ where the \_\_\_\_\_ by minimal or absent occupation of \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ meters show normal \_\_\_\_\_ if \_\_\_\_\_ have \_\_\_\_\_ low Occupancy?

Will there be \_\_\_\_\_ meters \_\_\_\_\_ indicate \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

Is \_\_\_\_\_ possible for meters to \_\_\_\_\_ even after \_\_\_\_\_ levels \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ problems \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ show \_\_\_\_\_ consumption \_\_\_\_\_ a decrease \_\_\_\_\_ the \_\_\_\_\_ of people?

\_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ regarding meters \_\_\_\_\_ indicate \_\_\_\_\_ use despite low \_\_\_\_\_ absent occupancy?

Is \_\_\_\_\_ true that \_\_\_\_\_ have \_\_\_\_\_ indicating \_\_\_\_\_ use even \_\_\_\_\_ is very low or very \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ any problems with \_\_\_\_\_ normal use \_\_\_\_\_ low \_\_\_\_\_ of occupancy?

\_\_\_\_\_ you know \_\_\_\_\_ issues with \_\_\_\_\_ indicating \_\_\_\_\_ use \_\_\_\_\_ low levels of Occupancy?

Do \_\_\_\_\_ know about \_\_\_\_\_ that have been \_\_\_\_\_ use despite low occupancy levels?

\_\_\_\_\_ if there are any issues with the \_\_\_\_\_ normal use \_\_\_\_\_?

Can we \_\_\_\_\_ in meters when Occupancy \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ the meter \_\_\_\_\_ by the \_\_\_\_\_ optimal \_\_\_\_\_?

Will \_\_\_\_\_ if the \_\_\_\_\_ are supposed to \_\_\_\_\_ normal use \_\_\_\_\_ normal Occupancy levels?

Do \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ issues \_\_\_\_\_ that \_\_\_\_\_ normal use even \_\_\_\_\_ the Occupancy Levels \_\_\_\_\_?

Do you \_\_\_\_\_ of \_\_\_\_\_ to show regular consumption despite the \_\_\_\_\_ that it \_\_\_\_\_ been \_\_\_\_\_?

I \_\_\_\_\_ to know if any \_\_\_\_\_ have \_\_\_\_\_ reported with meters \_\_\_\_\_ normal \_\_\_\_\_ there is \_\_\_\_\_ little \_\_\_\_\_.

Do \_\_\_\_\_ there \_\_\_\_\_ problems \_\_\_\_\_ usage despite decreased usage?

Is there \_\_\_\_\_ issue with \_\_\_\_\_ use \_\_\_\_\_ low or \_\_\_\_\_ levels?

Do you know \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ show normal \_\_\_\_\_ despite \_\_\_\_\_ of occupancy?

\_\_\_\_\_ you know if there are issues \_\_\_\_\_ about meters indicating \_\_\_\_\_ despite \_\_\_\_\_?

meters indicating normal \_\_\_\_\_

Can \_\_\_\_\_ show regular usage even \_\_\_\_\_ a \_\_\_\_\_?

I would like to know \_\_\_\_\_ issues have \_\_\_\_\_ showing \_\_\_\_\_ even \_\_\_\_\_ it's \_\_\_\_\_ low.

\_\_\_\_\_ it possible for meters \_\_\_\_\_ display \_\_\_\_\_ even \_\_\_\_\_ they \_\_\_\_\_ not occupied?

\_\_\_\_\_ meters \_\_\_\_\_ usage even \_\_\_\_\_ levels \_\_\_\_\_?

\_\_\_\_\_ have there been issues \_\_\_\_\_ normal use despite lower \_\_\_\_\_?

\_\_\_\_ would \_\_\_\_ there are any \_\_\_\_ issues with meters \_\_\_\_ normal \_\_\_\_ there \_\_\_\_ not as many people.  
 \_\_\_\_ you \_\_\_\_ if metered \_\_\_\_ has any \_\_\_\_ despite the fact that \_\_\_\_ ?  
 Do \_\_\_\_ know \_\_\_\_ any issues reported \_\_\_\_ showing \_\_\_\_ fact that theirOccupancy Levels are not?  
 \_\_\_\_ there \_\_\_\_ problem \_\_\_\_ meters \_\_\_\_ reduced occupancy?  
 \_\_\_\_ have been issues \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ than \_\_\_\_ levels?  
 \_\_\_\_ possible for meters \_\_\_\_ regular \_\_\_\_ Occupancy levels decrease?  
 I \_\_\_\_ to \_\_\_\_ if \_\_\_\_ issues \_\_\_\_ been \_\_\_\_ regarding \_\_\_\_ indicating normal use even \_\_\_\_ very \_\_\_\_ .  
 Do \_\_\_\_ if the \_\_\_\_ readings \_\_\_\_ unaffected by \_\_\_\_ occupation \_\_\_\_ premises?  
 \_\_\_\_ you know \_\_\_\_ there is any issue \_\_\_\_ use despite \_\_\_\_ non-existent occupancy?  
 Is \_\_\_\_ for meters to \_\_\_\_ normal \_\_\_\_ or zeroOccupancy?  
 \_\_\_\_ regular \_\_\_\_ if Occupancy isn'texistent?  
 Do you know if \_\_\_\_ normal \_\_\_\_ the \_\_\_\_ is low?  
 \_\_\_\_ for meters to \_\_\_\_ usage \_\_\_\_ whenOccupancy levels \_\_\_\_ low?  
 \_\_\_\_ for \_\_\_\_ to show usage after a \_\_\_\_ inOccupancy \_\_\_\_ ?  
 Have \_\_\_\_ the \_\_\_\_ indicating \_\_\_\_ use despite the \_\_\_\_ or \_\_\_\_ occupancy levels?  
 \_\_\_\_ know \_\_\_\_ there are \_\_\_\_ with \_\_\_\_ meters indicating \_\_\_\_ use despite the low \_\_\_\_ occupancy \_\_\_\_ ?  
 Do \_\_\_\_ know \_\_\_\_ there \_\_\_\_ any issues \_\_\_\_ normal \_\_\_\_ fact that theirOccupancy Levels is?  
 There \_\_\_\_ known meter \_\_\_\_ that shows \_\_\_\_ during \_\_\_\_ vacancies?  
 Has \_\_\_\_ any reported issues with \_\_\_\_ meters \_\_\_\_ use \_\_\_\_ extremely low \_\_\_\_ notexistent \_\_\_\_ levels?  
 Can meters \_\_\_\_ usage \_\_\_\_ Occupancy levels \_\_\_\_ ?  
 Is \_\_\_\_ problem \_\_\_\_ meters show \_\_\_\_ usage when \_\_\_\_ or super \_\_\_\_ ?  
 \_\_\_\_ see regular \_\_\_\_ meters ifOccupancy levels are \_\_\_\_ ?  
 \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ after Occupancy levels go down?  
 Do you know \_\_\_\_ are any issues reported \_\_\_\_ use \_\_\_\_ theirOccupancy \_\_\_\_ ?  
 What \_\_\_\_ with the \_\_\_\_ indicating normal \_\_\_\_ the lower \_\_\_\_ averageOccupancy levels?  
 \_\_\_\_ you know of \_\_\_\_ meters that show regular consumption \_\_\_\_ are not \_\_\_\_ ?  
 Do \_\_\_\_ know \_\_\_\_ are \_\_\_\_ reported about meters that \_\_\_\_ normal \_\_\_\_ despite very low \_\_\_\_ occupancy \_\_\_\_ ?  
 \_\_\_\_ problems with \_\_\_\_ indicating use despite \_\_\_\_ levels?  
 Is \_\_\_\_ a \_\_\_\_ with meters \_\_\_\_ normal usage \_\_\_\_ though \_\_\_\_ ?  
 \_\_\_\_ to \_\_\_\_ there \_\_\_\_ any \_\_\_\_ with \_\_\_\_ indicating normal usage even though there are \_\_\_\_ many people \_\_\_\_ .  
 Can \_\_\_\_ usage even whenOccupancy isn't \_\_\_\_ ?  
 \_\_\_\_ possible \_\_\_\_ meters to \_\_\_\_ regular \_\_\_\_ if \_\_\_\_ level \_\_\_\_ has dropped?  
 Have \_\_\_\_ been \_\_\_\_ with \_\_\_\_ normal use despite \_\_\_\_ or notexistent levels \_\_\_\_ ?  
 If the meter readings appear \_\_\_\_ of \_\_\_\_ can \_\_\_\_ tell \_\_\_\_ ?  
 Do \_\_\_\_ know if \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ about meters that show normal \_\_\_\_ when \_\_\_\_ ?  
 Do \_\_\_\_ know if \_\_\_\_ are \_\_\_\_ that \_\_\_\_ normal use despite \_\_\_\_ ?  
 Is \_\_\_\_ a problem \_\_\_\_ the \_\_\_\_ normal usage \_\_\_\_ lowOccupancy?  
 I want \_\_\_\_ know if there are \_\_\_\_ issues \_\_\_\_ there are \_\_\_\_ as many people in \_\_\_\_ .  
 What have been \_\_\_\_ with \_\_\_\_ despite lower than \_\_\_\_ ?  
 \_\_\_\_ problem when \_\_\_\_ show normal \_\_\_\_ even if it is \_\_\_\_ super \_\_\_\_ ?  
 Do \_\_\_\_ know of any problems with \_\_\_\_ that \_\_\_\_ to show \_\_\_\_ consumption even though \_\_\_\_ ?  
 Is it \_\_\_\_ to show regular \_\_\_\_ levels \_\_\_\_ not as \_\_\_\_ ?  
 When \_\_\_\_ meters show normal \_\_\_\_ a low \_\_\_\_ is \_\_\_\_ a problem?  
 Can \_\_\_\_ regular usage \_\_\_\_ levels \_\_\_\_ ?  
 \_\_\_\_ issues \_\_\_\_ meters showing normal use \_\_\_\_ the lower \_\_\_\_ normalOccupancy \_\_\_\_ ?  
 Do \_\_\_\_ know if there \_\_\_\_ issues \_\_\_\_ to \_\_\_\_ normal use \_\_\_\_ the \_\_\_\_ or \_\_\_\_ occupancy?  
 Is it a \_\_\_\_ the meters \_\_\_\_ usage \_\_\_\_ have a \_\_\_\_ or \_\_\_\_ ?  
 I would like \_\_\_\_ know if \_\_\_\_ with meters that \_\_\_\_ normal usage \_\_\_\_ or non-existent \_\_\_\_ .  
 Meters can show \_\_\_\_ ifOccupancy levels \_\_\_\_ .  
 \_\_\_\_ possible \_\_\_\_ meters to show regular usage \_\_\_\_ whenOccupancy \_\_\_\_ or \_\_\_\_ ?



\_\_\_\_\_ know \_\_\_\_\_ there are any \_\_\_\_\_ reported \_\_\_\_\_ indicate normal use despite \_\_\_\_\_ or deadOccupancy \_\_\_\_\_  
 \_\_\_\_\_ you \_\_\_\_\_ if there \_\_\_\_\_ issues with the \_\_\_\_\_ that \_\_\_\_\_ despite \_\_\_\_\_?  
 \_\_\_\_\_ that are supposed to \_\_\_\_\_ use despite lower \_\_\_\_\_ normalOccupancy levels?  
 \_\_\_\_\_ you know if \_\_\_\_\_ issues reported \_\_\_\_\_ despite very low or absentoccupancy levels?  
 Do you \_\_\_\_\_ of \_\_\_\_\_ problems \_\_\_\_\_ that seem to \_\_\_\_\_ consumption despite \_\_\_\_\_ that they \_\_\_\_\_ occupied?  
 What have \_\_\_\_\_ with \_\_\_\_\_ indicating \_\_\_\_\_ lower than normalOccupancy \_\_\_\_\_?  
 Do \_\_\_\_\_ there are any issues \_\_\_\_\_ that show \_\_\_\_\_ usage \_\_\_\_\_ levels?  
 Can meters show \_\_\_\_\_ usage \_\_\_\_\_ Occupancy \_\_\_\_\_ not \_\_\_\_\_?  
 Will there be \_\_\_\_\_ about the \_\_\_\_\_ are supposed \_\_\_\_\_ despite lowerOccupancy \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ with meters \_\_\_\_\_ usage even \_\_\_\_\_ super low?  
 Do \_\_\_\_\_ know \_\_\_\_\_ are \_\_\_\_\_ indicating \_\_\_\_\_ the lowest or non-existent occupancy?  
 Is it \_\_\_\_\_ meters show \_\_\_\_\_ usage \_\_\_\_\_ lowOccupancy?  
 Is it possible for \_\_\_\_\_ to show \_\_\_\_\_ levels \_\_\_\_\_?  
 Have there been \_\_\_\_\_ the \_\_\_\_\_ indicating \_\_\_\_\_ very low \_\_\_\_\_ occupancy levels?  
 I \_\_\_\_\_ know \_\_\_\_\_ are \_\_\_\_\_ issues with \_\_\_\_\_ show normal usage even \_\_\_\_\_ is \_\_\_\_\_ or not occupied.  
 \_\_\_\_\_ you know if \_\_\_\_\_ are \_\_\_\_\_ show normal \_\_\_\_\_ despite \_\_\_\_\_ or deadOccupancy \_\_\_\_\_?  
 I \_\_\_\_\_ like \_\_\_\_\_ if \_\_\_\_\_ issues \_\_\_\_\_ reported \_\_\_\_\_ indicating normal use even if it's \_\_\_\_\_ empty.  
 \_\_\_\_\_ issue with \_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_ normal use despite \_\_\_\_\_ than normalOccupancy levels?  
 \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ with \_\_\_\_\_ indicate \_\_\_\_\_ use despite low \_\_\_\_\_ ofoccupancy?  
 Have any issues been reported \_\_\_\_\_ showing \_\_\_\_\_ use \_\_\_\_\_ though \_\_\_\_\_?  
 \_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ reported regarding meters \_\_\_\_\_ despite low or \_\_\_\_\_ rates?  
 Is it a \_\_\_\_\_ meters show normal \_\_\_\_\_ they \_\_\_\_\_ low \_\_\_\_\_?  
 Can the meters show \_\_\_\_\_ whenOccupancy levels \_\_\_\_\_?  
 \_\_\_\_\_ it possible for meters to \_\_\_\_\_ regular \_\_\_\_\_ Occupancy \_\_\_\_\_ dropped?  
 \_\_\_\_\_ show \_\_\_\_\_ afterOccupancy is reduced?  
 Is there any reason \_\_\_\_\_ display regular \_\_\_\_\_ they are vastly \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ to \_\_\_\_\_ usage \_\_\_\_\_ levels \_\_\_\_\_ than ideal?  
 I would \_\_\_\_\_ know if \_\_\_\_\_ have been any \_\_\_\_\_ indicating \_\_\_\_\_ use even \_\_\_\_\_ or not occupied.  
 \_\_\_\_\_ the meter readings \_\_\_\_\_ minimal \_\_\_\_\_ absent occupation \_\_\_\_\_ premises, \_\_\_\_\_ you \_\_\_\_\_ me?  
 \_\_\_\_\_ it a problem \_\_\_\_\_ the meters \_\_\_\_\_ despite being low \_\_\_\_\_?  
 \_\_\_\_\_ still fine, despite \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ any issues \_\_\_\_\_ meters that show \_\_\_\_\_ consumption \_\_\_\_\_ that the \_\_\_\_\_ has been vastly \_\_\_\_\_?  
 \_\_\_\_\_ that show normal \_\_\_\_\_ with \_\_\_\_\_ or noOccupancy.  
 I \_\_\_\_\_ if there \_\_\_\_\_ any \_\_\_\_\_ issues with \_\_\_\_\_ indicating \_\_\_\_\_ usage even if \_\_\_\_\_ not \_\_\_\_\_.  
 Do \_\_\_\_\_ there \_\_\_\_\_ with the meters that show \_\_\_\_\_ despite low or absentoccupancy \_\_\_\_\_?  
 Is \_\_\_\_\_ any meter glitch that \_\_\_\_\_ vacancies?  
 Is it true \_\_\_\_\_ there have been \_\_\_\_\_ use even \_\_\_\_\_ is very \_\_\_\_\_?  
 \_\_\_\_\_ a problem that meters \_\_\_\_\_ if they have \_\_\_\_\_ or zeroOccupancy?  
 Any \_\_\_\_\_ meter \_\_\_\_\_ showing \_\_\_\_\_ high vacancies?  
 Do you \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ normal use \_\_\_\_\_ the fact \_\_\_\_\_ are?  
 \_\_\_\_\_ want to \_\_\_\_\_ if the meter readings \_\_\_\_\_ a minimal \_\_\_\_\_ absent \_\_\_\_\_.  
 I would like \_\_\_\_\_ know if there \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ show \_\_\_\_\_ if \_\_\_\_\_ not full.  
 \_\_\_\_\_ the \_\_\_\_\_ unaffected by \_\_\_\_\_ optimal occupation?  
 Do you \_\_\_\_\_ of \_\_\_\_\_ that have been \_\_\_\_\_ that \_\_\_\_\_ despite very low \_\_\_\_\_ deadOccupancy levels?  
 Do you \_\_\_\_\_ are issues \_\_\_\_\_ the \_\_\_\_\_ show \_\_\_\_\_ use despite the \_\_\_\_\_?  
 Can \_\_\_\_\_ tell me \_\_\_\_\_ readings \_\_\_\_\_ unaffected \_\_\_\_\_ the absence or \_\_\_\_\_ presence \_\_\_\_\_ premises?  
 \_\_\_\_\_ there been reports of the meters showing \_\_\_\_\_ despite \_\_\_\_\_ notexistent \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ meters \_\_\_\_\_ show \_\_\_\_\_ despite lower \_\_\_\_\_ normalOccupancy levels?  
 \_\_\_\_\_ would \_\_\_\_\_ to know if the meter \_\_\_\_\_ by \_\_\_\_\_ occupied premises.  
 \_\_\_\_\_ be issues reported involving meters \_\_\_\_\_ are \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ levels?

Is \_\_\_\_\_ a problem \_\_\_\_\_ meters show \_\_\_\_\_ when \_\_\_\_\_ a low or \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ meters \_\_\_\_\_ regular usage if Occupancy levels \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ is \_\_\_\_\_ with the meters \_\_\_\_\_ normal \_\_\_\_\_ despite the lowest \_\_\_\_\_ non-existent Occupancy?  
 \_\_\_\_\_ know \_\_\_\_\_ reported \_\_\_\_\_ meters that show \_\_\_\_\_ use despite the \_\_\_\_\_ or non-existent Occupancy?  
 \_\_\_\_\_ meters \_\_\_\_\_ regular \_\_\_\_\_ even though Occupancy \_\_\_\_\_ not existent?

Do \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ with \_\_\_\_\_ usage \_\_\_\_\_ the fact \_\_\_\_\_ use has \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ any issues with \_\_\_\_\_ normal \_\_\_\_\_ it's very low?  
 \_\_\_\_\_ you \_\_\_\_\_ are issues reported \_\_\_\_\_ meters \_\_\_\_\_ use despite their Occupancy?

Is \_\_\_\_\_ possible for meters to \_\_\_\_\_ after occupancy \_\_\_\_\_ or no \_\_\_\_\_?  
 What are \_\_\_\_\_ issues \_\_\_\_\_ meters that \_\_\_\_\_ normal \_\_\_\_\_ low Occupancy \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ unaffected by the less-than-optimal \_\_\_\_\_ premises?

Can \_\_\_\_\_ show \_\_\_\_\_ usage even \_\_\_\_\_ is \_\_\_\_\_ Occupancy?  
 \_\_\_\_\_ it \_\_\_\_\_ if \_\_\_\_\_ show normal usage even if \_\_\_\_\_ low Occupancy?  
 \_\_\_\_\_ the meters \_\_\_\_\_ usage \_\_\_\_\_ when Occupancy levels \_\_\_\_\_ reduced?  
 \_\_\_\_\_ showing normal use despite \_\_\_\_\_?

Is \_\_\_\_\_ possible for \_\_\_\_\_ to show \_\_\_\_\_ when Occupancy Levels \_\_\_\_\_?  
 \_\_\_\_\_ know if \_\_\_\_\_ are any \_\_\_\_\_ regarding \_\_\_\_\_ normal use despite \_\_\_\_\_ low?  
 \_\_\_\_\_ you \_\_\_\_\_ issues reported about meters \_\_\_\_\_ show normal \_\_\_\_\_ despite \_\_\_\_\_ levels?  
 \_\_\_\_\_ you know \_\_\_\_\_ there \_\_\_\_\_ issues reported regarding \_\_\_\_\_ indicate \_\_\_\_\_ despite \_\_\_\_\_ low?  
 \_\_\_\_\_ there any \_\_\_\_\_ that show \_\_\_\_\_ usage despite \_\_\_\_\_ zero Occupancy?  
 \_\_\_\_\_ know \_\_\_\_\_ any \_\_\_\_\_ with meters \_\_\_\_\_ to \_\_\_\_\_ consumption despite \_\_\_\_\_ being occupied?  
 \_\_\_\_\_ you \_\_\_\_\_ are \_\_\_\_\_ issues reported about meters that \_\_\_\_\_ normal use \_\_\_\_\_ low or \_\_\_\_\_?

Is there \_\_\_\_\_ to display \_\_\_\_\_ consumption even though \_\_\_\_\_ down?  
 \_\_\_\_\_ you tell \_\_\_\_\_ if the \_\_\_\_\_ readings are unaffected by \_\_\_\_\_ occupied \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ normal use despite low occupancy?

Do \_\_\_\_\_ unaffected by the \_\_\_\_\_ occupation of the \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ are any issues with \_\_\_\_\_ despite \_\_\_\_\_?

Can \_\_\_\_\_ show \_\_\_\_\_ usage \_\_\_\_\_ reduced \_\_\_\_\_?

Is \_\_\_\_\_ a problem when \_\_\_\_\_ show \_\_\_\_\_ even if \_\_\_\_\_ have \_\_\_\_\_?  
 \_\_\_\_\_ want to know if \_\_\_\_\_ issues \_\_\_\_\_ meters indicating \_\_\_\_\_ even \_\_\_\_\_ is not much demand.

Meters \_\_\_\_\_ use during \_\_\_\_\_?

I would like \_\_\_\_\_ any \_\_\_\_\_ been \_\_\_\_\_ meters indicating \_\_\_\_\_ use \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ or no demand.

Do you \_\_\_\_\_ metered use \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ has \_\_\_\_\_?  
 \_\_\_\_\_ for faulty meters \_\_\_\_\_ regular use \_\_\_\_\_ vacancies?

Is it \_\_\_\_\_ for meters \_\_\_\_\_ show \_\_\_\_\_ after \_\_\_\_\_ fall?  
 \_\_\_\_\_ are \_\_\_\_\_ known issues with \_\_\_\_\_ indicating \_\_\_\_\_ usage even \_\_\_\_\_ are not \_\_\_\_\_ many people in it.  
 \_\_\_\_\_ you know \_\_\_\_\_ any \_\_\_\_\_ that seem to show \_\_\_\_\_ consumption \_\_\_\_\_ fully occupied?

The \_\_\_\_\_ normal \_\_\_\_\_ low \_\_\_\_\_ no Occupancy.

Can meters show \_\_\_\_\_ usage even \_\_\_\_\_ Occupancy \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ are reported regarding meters indicating normal \_\_\_\_\_ that their Occupancy \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ lower than normal Occupancy levels?  
 \_\_\_\_\_ involving the meters \_\_\_\_\_ are \_\_\_\_\_ to indicate \_\_\_\_\_ use despite lower \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

Do you know \_\_\_\_\_ issues reported regarding \_\_\_\_\_ meters that indicate \_\_\_\_\_ low or \_\_\_\_\_?  
 \_\_\_\_\_ know of \_\_\_\_\_ problems \_\_\_\_\_ the \_\_\_\_\_ show regular \_\_\_\_\_ despite the fact that \_\_\_\_\_ room \_\_\_\_\_ been reduced?

Do you \_\_\_\_\_ if \_\_\_\_\_ issues reported \_\_\_\_\_ meters indicating \_\_\_\_\_ use despite \_\_\_\_\_ that \_\_\_\_\_ are not.

Does the meter readings \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ premises?

Can \_\_\_\_\_ be regular \_\_\_\_\_ meters \_\_\_\_\_ if Occupancy \_\_\_\_\_ reduced?

Do you \_\_\_\_\_ any issues with the meters that \_\_\_\_\_ consumption despite \_\_\_\_\_ the \_\_\_\_\_ has \_\_\_\_\_?

What \_\_\_\_\_ been \_\_\_\_\_ with \_\_\_\_\_ have indicated \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

I \_\_\_\_\_ like \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ normal usage despite reduced \_\_\_\_\_ non-existent Occupancy levels.

Do \_\_\_\_ know if there \_\_\_\_ any \_\_\_\_ with the \_\_\_\_ normal \_\_\_\_ low levels \_\_\_\_?  
 \_\_\_\_ regular usage despite the Occupancy \_\_\_\_ being existent?

Do you \_\_\_\_ there \_\_\_\_ meters \_\_\_\_ indicate \_\_\_\_ use despite low occupancy \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ meters \_\_\_\_ usage even if \_\_\_\_ is zero \_\_\_\_ very low?

Is \_\_\_\_ when \_\_\_\_ show \_\_\_\_ usage with \_\_\_\_ or zero Occupancy?  
 \_\_\_\_ you \_\_\_\_ are any \_\_\_\_ with \_\_\_\_ showing normal \_\_\_\_ despite the \_\_\_\_ that their Occupancy \_\_\_\_ not?  
 \_\_\_\_ it possible \_\_\_\_ meters indicate \_\_\_\_ use \_\_\_\_ low \_\_\_\_ not existent Occupancy levels?  
 \_\_\_\_ any reported issues \_\_\_\_ the \_\_\_\_ indicating \_\_\_\_ use \_\_\_\_ the extremely \_\_\_\_ not existent Occupancy \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ if \_\_\_\_ are \_\_\_\_ reported regarding \_\_\_\_ that indicate \_\_\_\_ even though \_\_\_\_ is \_\_\_\_ low \_\_\_\_ dead?  
 \_\_\_\_ to know \_\_\_\_ issues have been reported with \_\_\_\_ normal \_\_\_\_ even if it's very \_\_\_\_ occupied.

Do you \_\_\_\_ there \_\_\_\_ problems with metered usage, despite \_\_\_\_ decreased?

Do \_\_\_\_ are any issues reported \_\_\_\_ meters \_\_\_\_ normal usage despite low \_\_\_\_ levels?

Can meters \_\_\_\_ regular usage \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ there been any \_\_\_\_ with \_\_\_\_ meters \_\_\_\_ normal \_\_\_\_ the low \_\_\_\_ levels?

Is \_\_\_\_ for \_\_\_\_ regular \_\_\_\_ after occupancy \_\_\_\_ have dropped \_\_\_\_ not?  
 \_\_\_\_ meter readings \_\_\_\_ the less-than-optimal occupied \_\_\_\_?

What \_\_\_\_ issues \_\_\_\_ that show \_\_\_\_ lower than normal Occupancy levels?

Do \_\_\_\_ know \_\_\_\_ there \_\_\_\_ any issues reported about meters that \_\_\_\_ normal \_\_\_\_ low \_\_\_\_.  
 \_\_\_\_ been \_\_\_\_ issues \_\_\_\_ meters indicating normal \_\_\_\_ despite lower \_\_\_\_ levels?

Do \_\_\_\_ know \_\_\_\_ any \_\_\_\_ about meters indicating normal use despite \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ normal \_\_\_\_ even if it is zero or extremely \_\_\_\_?

Is it \_\_\_\_ regular \_\_\_\_ when Occupancy levels decline?

Is \_\_\_\_ possible \_\_\_\_ show regular usage even \_\_\_\_ levels \_\_\_\_?

Is there any \_\_\_\_ with meters showing \_\_\_\_ or \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ meters to \_\_\_\_ after \_\_\_\_ Occupancy level has dropped?  
 \_\_\_\_ there be \_\_\_\_ involving \_\_\_\_ supposed \_\_\_\_ indicate normal \_\_\_\_ despite \_\_\_\_ than normal Occupancy \_\_\_\_?  
 \_\_\_\_ know if \_\_\_\_ any \_\_\_\_ regarding \_\_\_\_ indicating normal use despite the \_\_\_\_ that their Occupancy \_\_\_\_?

Will \_\_\_\_ issues \_\_\_\_ meters which show normal \_\_\_\_ normal Occupancy levels?  
 \_\_\_\_ know if there are issues \_\_\_\_ that show \_\_\_\_ despite \_\_\_\_ lowest \_\_\_\_ non-existent occupancy?  
 \_\_\_\_ know if there are any \_\_\_\_ that show normal \_\_\_\_ despite low \_\_\_\_ of occupancy?  
 \_\_\_\_ been any \_\_\_\_ issues with \_\_\_\_ meters \_\_\_\_ normal \_\_\_\_ the low or \_\_\_\_?  
 \_\_\_\_ are any \_\_\_\_ issues with meters showing normal use \_\_\_\_ the lowest \_\_\_\_?

Is it \_\_\_\_ that \_\_\_\_ issues \_\_\_\_ indicating \_\_\_\_ use \_\_\_\_ low or not existent Occupancy levels?  
 \_\_\_\_ there \_\_\_\_ issues involving \_\_\_\_ supposed to \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ levels?  
 \_\_\_\_ you \_\_\_\_ if there are any problems with \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ or non-existent \_\_\_\_?  
 \_\_\_\_ were \_\_\_\_ meters indicating normal use despite \_\_\_\_ normal Occupancy \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ if there \_\_\_\_ any issues \_\_\_\_ regarding meters \_\_\_\_ even \_\_\_\_ they \_\_\_\_ low or dead?  
 \_\_\_\_ it a \_\_\_\_ when \_\_\_\_ meters \_\_\_\_ normal \_\_\_\_ low or zero Occupancy?

Can \_\_\_\_ usage, even \_\_\_\_ levels \_\_\_\_?

Do \_\_\_\_ issues \_\_\_\_ meters showing normal use despite the lowest \_\_\_\_ occupancy?

Do you \_\_\_\_ of any \_\_\_\_ with the \_\_\_\_ that seem \_\_\_\_ consumption \_\_\_\_ when \_\_\_\_ full?  
 \_\_\_\_ been reports that the meters \_\_\_\_ use \_\_\_\_ the \_\_\_\_ low or \_\_\_\_  
 \_\_\_\_ any issues \_\_\_\_ with \_\_\_\_ showing normal use despite \_\_\_\_ being very?  
 \_\_\_\_ there \_\_\_\_ with \_\_\_\_ show normal usage \_\_\_\_ there are \_\_\_\_ as many people \_\_\_\_ the house?  
 \_\_\_\_ been any reports of \_\_\_\_ indicating \_\_\_\_ the \_\_\_\_ low or \_\_\_\_ levels?  
 \_\_\_\_ problem with \_\_\_\_ indicating normal use despite \_\_\_\_ or \_\_\_\_ levels of Occupancy?

Do \_\_\_\_ there are problems \_\_\_\_ meters \_\_\_\_ indicate normal \_\_\_\_ despite \_\_\_\_ Levels?

Have \_\_\_\_ reported \_\_\_\_ showing \_\_\_\_ use \_\_\_\_ though there is \_\_\_\_ lot of activity?

Can \_\_\_\_ show \_\_\_\_ usage \_\_\_\_ levels aren't \_\_\_\_?

Is it possible for \_\_\_\_ show \_\_\_\_ when Occupancy levels \_\_\_\_?

Is it \_\_\_\_\_ meters show normal \_\_\_\_\_ even \_\_\_\_\_ it's \_\_\_\_\_?

\_\_\_\_\_ know if there are \_\_\_\_\_ problems with meters that \_\_\_\_\_ the \_\_\_\_\_ non-existent occupancy?

\_\_\_\_\_ you know if \_\_\_\_\_ meters that show \_\_\_\_\_ despite \_\_\_\_\_ levels?

\_\_\_\_\_ there a case \_\_\_\_\_ the meter \_\_\_\_\_ being vacant?

\_\_\_\_\_ there be \_\_\_\_\_ reported relating to \_\_\_\_\_ show \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ normalOccupancy \_\_\_\_\_?

What \_\_\_\_\_ meters \_\_\_\_\_ indicate \_\_\_\_\_ use despite lower \_\_\_\_\_ averageOccupancy levels?

\_\_\_\_\_ true that \_\_\_\_\_ show normal use \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_ levels?

\_\_\_\_\_ a problem with \_\_\_\_\_ normal usage \_\_\_\_\_ they are low \_\_\_\_\_?

What have been \_\_\_\_\_ with \_\_\_\_\_ showing \_\_\_\_\_ despite \_\_\_\_\_?

Will there be \_\_\_\_\_ reported \_\_\_\_\_ supposed \_\_\_\_\_ show \_\_\_\_\_ despite lower than \_\_\_\_\_ levels?

\_\_\_\_\_ would \_\_\_\_\_ know if any issues \_\_\_\_\_ been reported with \_\_\_\_\_ normal \_\_\_\_\_ if \_\_\_\_\_ low.

\_\_\_\_\_ would like to know if \_\_\_\_\_ issues have been \_\_\_\_\_ regarding \_\_\_\_\_ indicating \_\_\_\_\_ use \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_.

Is it \_\_\_\_\_ regular usage even \_\_\_\_\_ Occupancy levels are \_\_\_\_\_?

\_\_\_\_\_ a problem \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ despite lowOccupancy?

\_\_\_\_\_ show regular \_\_\_\_\_ even ifOccupancy levels \_\_\_\_\_?

\_\_\_\_\_ issues with meters \_\_\_\_\_ despite lower \_\_\_\_\_ averageOccupancy levels?

\_\_\_\_\_ possible for meters to \_\_\_\_\_ ifOccupancy levels \_\_\_\_\_?

Do \_\_\_\_\_ indicate \_\_\_\_\_ use despite the lowest or \_\_\_\_\_?

\_\_\_\_\_ there are \_\_\_\_\_ issues with \_\_\_\_\_ use despite the fact thatOccupancy \_\_\_\_\_ are low?

Do \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ indicate \_\_\_\_\_ there are very low or dead occupancy \_\_\_\_\_?

Is \_\_\_\_\_ any reported \_\_\_\_\_ with \_\_\_\_\_ normal use despite \_\_\_\_\_ low \_\_\_\_\_ levels?

Is \_\_\_\_\_ that there have \_\_\_\_\_ with meters indicating normal use even \_\_\_\_\_ it's \_\_\_\_\_ very \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ have been \_\_\_\_\_ with meters indicating \_\_\_\_\_ use even \_\_\_\_\_ very low \_\_\_\_\_.

Is it possible \_\_\_\_\_ meters \_\_\_\_\_ show \_\_\_\_\_ when theOccupancy \_\_\_\_\_ high?

Is \_\_\_\_\_ with the meters \_\_\_\_\_ normal \_\_\_\_\_ lowOccupancy levels?

Do \_\_\_\_\_ problems with the meters that \_\_\_\_\_ to show \_\_\_\_\_ consumption \_\_\_\_\_ though \_\_\_\_\_ been \_\_\_\_\_ decreased?

\_\_\_\_\_ meters \_\_\_\_\_ regular usage even \_\_\_\_\_ levels \_\_\_\_\_?

Are regular usage \_\_\_\_\_ meters \_\_\_\_\_ whenOccupancy levels \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ about the \_\_\_\_\_ indicate normal use \_\_\_\_\_ normalOccupancy levels?

\_\_\_\_\_ thoughOccupancy \_\_\_\_\_ meters show regular usage.

\_\_\_\_\_ you \_\_\_\_\_ if there \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ normal use \_\_\_\_\_ if it's low \_\_\_\_\_ dead?

What have been \_\_\_\_\_ with \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ normalOccupancy \_\_\_\_\_?

Do you \_\_\_\_\_ issues with metered usage, despite \_\_\_\_\_ usage?

Can \_\_\_\_\_ usage even when \_\_\_\_\_ levels \_\_\_\_\_ notexistent?

\_\_\_\_\_ meters show \_\_\_\_\_ whenOccupancy \_\_\_\_\_ down?

meters \_\_\_\_\_ normal usage \_\_\_\_\_ zeroOccupancy

\_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ reported \_\_\_\_\_ meters that \_\_\_\_\_ normal use despite low or \_\_\_\_\_ occupancy levels?

\_\_\_\_\_ there \_\_\_\_\_ with \_\_\_\_\_ showing \_\_\_\_\_ usage \_\_\_\_\_ though it's low?

Do you know \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ meters \_\_\_\_\_ despite lowoccupancy \_\_\_\_\_.

Can \_\_\_\_\_ show \_\_\_\_\_ whenOccupancy levels are \_\_\_\_\_.

I would \_\_\_\_\_ know \_\_\_\_\_ any \_\_\_\_\_ with meters showing normal \_\_\_\_\_ even \_\_\_\_\_ it's \_\_\_\_\_ low.

Do \_\_\_\_\_ know \_\_\_\_\_ there are any \_\_\_\_\_ reported regarding \_\_\_\_\_ indicate \_\_\_\_\_ are low or \_\_\_\_\_ occupancy \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ regular \_\_\_\_\_ afterOccupancy \_\_\_\_\_ dropped or not changed?

Is it \_\_\_\_\_ meters to \_\_\_\_\_ even \_\_\_\_\_ levels are \_\_\_\_\_ high?

Will there \_\_\_\_\_ meters \_\_\_\_\_ supposed to indicate normal \_\_\_\_\_ even thoughOccupancy levels \_\_\_\_\_?

Do \_\_\_\_\_ there are any \_\_\_\_\_ reported about \_\_\_\_\_ indicating \_\_\_\_\_ despite the lowest or \_\_\_\_\_?

Has there \_\_\_\_\_ reported issue with \_\_\_\_\_ indicating normal use \_\_\_\_\_ extremely \_\_\_\_\_ notexistent \_\_\_\_\_ levels?

Do you \_\_\_\_\_ there \_\_\_\_\_ any issues reported \_\_\_\_\_ meters that show \_\_\_\_\_ lowOccupancy levels?

\_\_\_\_\_ there \_\_\_\_\_ issues with the \_\_\_\_\_ which are supposed \_\_\_\_\_ indicate \_\_\_\_\_ use \_\_\_\_\_ the \_\_\_\_\_ levels?

\_\_\_\_\_ indicating \_\_\_\_\_ use \_\_\_\_\_ lower than averageOccupancy levels?

\_\_\_\_\_ there \_\_\_\_\_ known issues with \_\_\_\_\_ normal usage even \_\_\_\_\_ it's \_\_\_\_\_ or \_\_\_\_\_ occupied?  
 Do \_\_\_\_\_ know of \_\_\_\_\_ problems \_\_\_\_\_ meters that \_\_\_\_\_ to \_\_\_\_\_ consumption \_\_\_\_\_ though there's not \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ any issues \_\_\_\_\_ the meters that \_\_\_\_\_ though the room has been reduced?  
 \_\_\_\_\_ the problem \_\_\_\_\_ meters indicating normal use \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ meters indicating \_\_\_\_\_ use despite the fact that \_\_\_\_\_?  
 \_\_\_\_\_ there a problem with \_\_\_\_\_ indicating normal \_\_\_\_\_ less people?  
 Do you know \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ that \_\_\_\_\_ despite the lowest or \_\_\_\_\_ occupancy?  
 Will there be issues \_\_\_\_\_ regarding meters that are \_\_\_\_\_ normalOccupancy levels?  
 Can \_\_\_\_\_ tell \_\_\_\_\_ meter readings appear \_\_\_\_\_ the \_\_\_\_\_ optimal occupation?  
 Can \_\_\_\_\_ regular usage \_\_\_\_\_ whenOccupancy \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ seen \_\_\_\_\_ indicating normal \_\_\_\_\_ despite lowOccupancy \_\_\_\_\_?  
 \_\_\_\_\_ like to \_\_\_\_\_ if there have \_\_\_\_\_ any issues with meters \_\_\_\_\_ use \_\_\_\_\_ though \_\_\_\_\_ very \_\_\_\_\_.  
 \_\_\_\_\_ there be issues \_\_\_\_\_ indicate normal use despite \_\_\_\_\_?  
 Will there \_\_\_\_\_ involving meters which \_\_\_\_\_ indicate normal \_\_\_\_\_ than normalOccupancy levels?  
 \_\_\_\_\_ know \_\_\_\_\_ any \_\_\_\_\_ reported regarding meters indicating \_\_\_\_\_ use despite \_\_\_\_\_ that \_\_\_\_\_ is?  
 Is \_\_\_\_\_ usage despite being little occupied?  
 \_\_\_\_\_ possible for \_\_\_\_\_ to show regular \_\_\_\_\_ whenOccupancy levels \_\_\_\_\_?  
 Is \_\_\_\_\_ possible for \_\_\_\_\_ regular usage \_\_\_\_\_ is notexistent?  
 Is there any known \_\_\_\_\_ indicating \_\_\_\_\_ though \_\_\_\_\_ are less \_\_\_\_\_?  
 Is there any \_\_\_\_\_ meters \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ regarding \_\_\_\_\_ which are supposed to \_\_\_\_\_ use despite lower \_\_\_\_\_?  
 Will there \_\_\_\_\_ issues \_\_\_\_\_ which are supposed \_\_\_\_\_ normal use \_\_\_\_\_ averageOccupancy levels?  
 I'm \_\_\_\_\_ if \_\_\_\_\_ meter readings \_\_\_\_\_ minimal or absent \_\_\_\_\_ premises.  
 \_\_\_\_\_ issues reported \_\_\_\_\_ that \_\_\_\_\_ despite lower than normalOccupancy levels?  
 What \_\_\_\_\_ with meters \_\_\_\_\_ indicated normal use \_\_\_\_\_ normalOccupancy levels?  
 I would like \_\_\_\_\_ know if \_\_\_\_\_ with \_\_\_\_\_ use even though it's very \_\_\_\_\_.  
 Can \_\_\_\_\_ meters \_\_\_\_\_ regular \_\_\_\_\_ levels \_\_\_\_\_ reduced?  
 \_\_\_\_\_ any \_\_\_\_\_ meters showing normal usage despite \_\_\_\_\_?  
 What have been the issues \_\_\_\_\_ meters suggesting \_\_\_\_\_ levels?  
 Do you know \_\_\_\_\_ there \_\_\_\_\_ reported about meters \_\_\_\_\_ normal use \_\_\_\_\_ though it's \_\_\_\_\_ or \_\_\_\_\_?  
 Is \_\_\_\_\_ meters to \_\_\_\_\_ regular \_\_\_\_\_ levels decline?  
 \_\_\_\_\_ there a known \_\_\_\_\_ glitch showing \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ any issues \_\_\_\_\_ meters that \_\_\_\_\_ normal \_\_\_\_\_ even \_\_\_\_\_ they \_\_\_\_\_ low \_\_\_\_\_ dead?  
 Do \_\_\_\_\_ if there \_\_\_\_\_ issues with \_\_\_\_\_ normal \_\_\_\_\_ despite the fact \_\_\_\_\_ theirOccupancy \_\_\_\_\_ are?  
 \_\_\_\_\_ meter \_\_\_\_\_ that displays \_\_\_\_\_ use \_\_\_\_\_ extreme vacancies?  
 Will \_\_\_\_\_ be issues relating \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ indicate normal \_\_\_\_\_ despite lower than \_\_\_\_\_?  
 \_\_\_\_\_ possible for meters to show \_\_\_\_\_ though theOccupancy levels \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ regular \_\_\_\_\_ has fallen?  
 \_\_\_\_\_ readings appear unaffected by \_\_\_\_\_ less-than-optimal occupation \_\_\_\_\_ the premises, can \_\_\_\_\_?  
 \_\_\_\_\_ it true that \_\_\_\_\_ indicating normal use even though they are \_\_\_\_\_?  
 Is it \_\_\_\_\_ meters to \_\_\_\_\_ usage when \_\_\_\_\_ notexistent?  
 \_\_\_\_\_ it \_\_\_\_\_ problem \_\_\_\_\_ show \_\_\_\_\_ usage \_\_\_\_\_ if they have a \_\_\_\_\_?  
 Is \_\_\_\_\_ that there have been issues \_\_\_\_\_ even \_\_\_\_\_ they \_\_\_\_\_ not occupied?  
 \_\_\_\_\_ you know of \_\_\_\_\_ problems \_\_\_\_\_ regular \_\_\_\_\_ despite the \_\_\_\_\_ that they are not occupied?  
 Have there \_\_\_\_\_ reported issues \_\_\_\_\_ indicating normal use \_\_\_\_\_ or \_\_\_\_\_ levels?  
 Do \_\_\_\_\_ any problems with meters that seem to \_\_\_\_\_ that the room \_\_\_\_\_ been greatly \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ problems with \_\_\_\_\_ showing \_\_\_\_\_ use \_\_\_\_\_ lowOccupancy \_\_\_\_\_?  
 If \_\_\_\_\_ meter \_\_\_\_\_ or absent occupation \_\_\_\_\_ the \_\_\_\_\_ can you \_\_\_\_\_ me?  
 Why \_\_\_\_\_ shown normal use \_\_\_\_\_?  
 Is it \_\_\_\_\_ to show regular usage \_\_\_\_\_ levels have \_\_\_\_\_?

\_\_\_\_\_ meter readings \_\_\_\_\_ the less than optimal \_\_\_\_\_ of the \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ with \_\_\_\_\_ showing \_\_\_\_\_ usage despite low \_\_\_\_\_?

Do \_\_\_\_\_ know if there \_\_\_\_\_ with the meters that \_\_\_\_\_ the lowest \_\_\_\_\_ non-existent occupancy?  
\_\_\_\_\_ have been \_\_\_\_\_ challenges with \_\_\_\_\_ indicating \_\_\_\_\_ despite lower than \_\_\_\_\_?

Can \_\_\_\_\_ regular usage \_\_\_\_\_ levels \_\_\_\_\_ down?

Do you know \_\_\_\_\_ there are \_\_\_\_\_ with the meters \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_ lowest \_\_\_\_\_?

What have \_\_\_\_\_ the issues \_\_\_\_\_ indicating normal use \_\_\_\_\_ than normal Occupancy \_\_\_\_\_?

Is it possible for \_\_\_\_\_ regular usage \_\_\_\_\_ the \_\_\_\_\_ occupancy \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ relating \_\_\_\_\_ which show normal use \_\_\_\_\_ lower \_\_\_\_\_ levels?

\_\_\_\_\_ know \_\_\_\_\_ are any known issues \_\_\_\_\_ meters indicating normal usage, \_\_\_\_\_ if \_\_\_\_\_ not \_\_\_\_\_.

\_\_\_\_\_ you know if the meter \_\_\_\_\_ unaffected \_\_\_\_\_ the \_\_\_\_\_ than optimal \_\_\_\_\_?

Meters can \_\_\_\_\_ aren't very high

Is \_\_\_\_\_ meter readings \_\_\_\_\_ the \_\_\_\_\_ occupations \_\_\_\_\_ premises?

\_\_\_\_\_ it \_\_\_\_\_ for meters to \_\_\_\_\_ regular \_\_\_\_\_ after \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ possible for meters \_\_\_\_\_ regular \_\_\_\_\_ after \_\_\_\_\_ have gone down \_\_\_\_\_ not?

\_\_\_\_\_ been the issues with \_\_\_\_\_ use \_\_\_\_\_ low levels \_\_\_\_\_?

Is it a \_\_\_\_\_ when meters show \_\_\_\_\_ usage \_\_\_\_\_ or \_\_\_\_\_?

Have \_\_\_\_\_ reported issues \_\_\_\_\_ the meters that \_\_\_\_\_ use despite \_\_\_\_\_ extremely \_\_\_\_\_ or \_\_\_\_\_ levels?

Is it \_\_\_\_\_ for meters \_\_\_\_\_ during Occupancy \_\_\_\_\_ are reduced?

Is \_\_\_\_\_ meters \_\_\_\_\_ normal usage despite low \_\_\_\_\_?

Is \_\_\_\_\_ meters show normal \_\_\_\_\_ despite \_\_\_\_\_ low \_\_\_\_\_ zero Occupancy?

\_\_\_\_\_ possible for \_\_\_\_\_ show \_\_\_\_\_ usage \_\_\_\_\_ occupancy levels fall?

Have there been any reported \_\_\_\_\_ with \_\_\_\_\_ indicating \_\_\_\_\_ use despite \_\_\_\_\_ or not existent \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ the issues \_\_\_\_\_ meters indicating normal \_\_\_\_\_ than \_\_\_\_\_ Levels?

\_\_\_\_\_ the meters show regular \_\_\_\_\_ are reduced?

\_\_\_\_\_ any \_\_\_\_\_ of \_\_\_\_\_ meters showing normal \_\_\_\_\_ despite the extremely low \_\_\_\_\_?

Will \_\_\_\_\_ usage \_\_\_\_\_ if Occupancy \_\_\_\_\_ are reduced?

\_\_\_\_\_ you know \_\_\_\_\_ problems with the \_\_\_\_\_ show regular consumption even though there \_\_\_\_\_?

Is \_\_\_\_\_ possible for \_\_\_\_\_ show regular \_\_\_\_\_ the occupancy \_\_\_\_\_?

What \_\_\_\_\_ been the issues \_\_\_\_\_ meters \_\_\_\_\_ low Occupancy levels?

\_\_\_\_\_ that the \_\_\_\_\_ show \_\_\_\_\_ the extremely low or not existent Occupancy \_\_\_\_\_?

\_\_\_\_\_ have been reports \_\_\_\_\_ the meters showing \_\_\_\_\_ use \_\_\_\_\_ or not existent Occupancy \_\_\_\_\_

\_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ with the \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_ of Occupancy?

\_\_\_\_\_ levels are \_\_\_\_\_ the \_\_\_\_\_ regular usage?

Is there \_\_\_\_\_ meters showing \_\_\_\_\_ even \_\_\_\_\_ it's low?

\_\_\_\_\_ meters show \_\_\_\_\_ usage \_\_\_\_\_ levels \_\_\_\_\_ being existent?

\_\_\_\_\_ you know if \_\_\_\_\_ are any issues reported \_\_\_\_\_ use \_\_\_\_\_ very low?

Is \_\_\_\_\_ possible for meters \_\_\_\_\_ regular \_\_\_\_\_ Occupancy levels \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ supposed to \_\_\_\_\_ normal \_\_\_\_\_ despite lower than \_\_\_\_\_ levels?

\_\_\_\_\_ you know if there are issues \_\_\_\_\_ meters indicating normal \_\_\_\_\_ despite \_\_\_\_\_?

What \_\_\_\_\_ been \_\_\_\_\_ meters that show \_\_\_\_\_ lower than \_\_\_\_\_ levels?

\_\_\_\_\_ the meters \_\_\_\_\_ to show normal use despite lower than normal Occupancy \_\_\_\_\_?

\_\_\_\_\_ would like \_\_\_\_\_ know if \_\_\_\_\_ issues have been reported \_\_\_\_\_ use \_\_\_\_\_ it is \_\_\_\_\_ or \_\_\_\_\_ empty.

What \_\_\_\_\_ with meters \_\_\_\_\_ use despite lower Occupancy \_\_\_\_\_?

Do \_\_\_\_\_ any problems with \_\_\_\_\_ normal use despite the lowest \_\_\_\_\_ non-existent \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ issues \_\_\_\_\_ that \_\_\_\_\_ normal usage \_\_\_\_\_ reduced or \_\_\_\_\_?

Even \_\_\_\_\_ use \_\_\_\_\_ do \_\_\_\_\_ know if \_\_\_\_\_ usage \_\_\_\_\_ problems?

\_\_\_\_\_ possible for \_\_\_\_\_ to \_\_\_\_\_ regular usage after Occupancy \_\_\_\_\_?

Have there been reports of the \_\_\_\_\_ the \_\_\_\_\_ or not existent \_\_\_\_\_?

\_\_\_\_\_ meters \_\_\_\_\_ regular usage \_\_\_\_\_ decline?

Any \_\_\_\_\_ regular use during vacancies?

Is \_\_\_\_\_ problem \_\_\_\_\_ normal usage even when it's \_\_\_\_\_?

Can \_\_\_\_\_ show regular usage \_\_\_\_\_ levels \_\_\_\_\_ very \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ if any issues have \_\_\_\_\_ involving \_\_\_\_\_ indicating \_\_\_\_\_ use even if \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ meters \_\_\_\_\_ display regular consumption \_\_\_\_\_ they \_\_\_\_\_ lowered or not occupied?

\_\_\_\_\_ you know if \_\_\_\_\_ any \_\_\_\_\_ with meters that indicate \_\_\_\_\_ use despite \_\_\_\_\_ Levels \_\_\_\_\_?

Do you know if \_\_\_\_\_ are any \_\_\_\_\_ meters showing normal \_\_\_\_\_ fact \_\_\_\_\_ Levels is \_\_\_\_\_?

Do \_\_\_\_\_ are any \_\_\_\_\_ the meters \_\_\_\_\_ normal use despite low occupancy?

\_\_\_\_\_ know if \_\_\_\_\_ any issues reported \_\_\_\_\_ that show normal use \_\_\_\_\_?

Do \_\_\_\_\_ there \_\_\_\_\_ issues reported \_\_\_\_\_ meters showing \_\_\_\_\_ despite the lowest \_\_\_\_\_ non-existent occupancy?

\_\_\_\_\_ you know \_\_\_\_\_ are any \_\_\_\_\_ reported \_\_\_\_\_ indicating \_\_\_\_\_ the fact that \_\_\_\_\_ Levels are not?

\_\_\_\_\_ have been the issues \_\_\_\_\_ the \_\_\_\_\_ indicating normal \_\_\_\_\_ than \_\_\_\_\_?

Do you know \_\_\_\_\_ there are \_\_\_\_\_ with \_\_\_\_\_ the \_\_\_\_\_ that occupancy levels is low?

\_\_\_\_\_ problem with meters \_\_\_\_\_ normal usage \_\_\_\_\_ low \_\_\_\_\_?

Any \_\_\_\_\_ meter \_\_\_\_\_ showing \_\_\_\_\_ use \_\_\_\_\_ periods of \_\_\_\_\_?

Meters \_\_\_\_\_ still \_\_\_\_\_ even with \_\_\_\_\_?

Do you know if \_\_\_\_\_ is \_\_\_\_\_ problem \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ use \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ that \_\_\_\_\_ normal use \_\_\_\_\_ their occupancy \_\_\_\_\_ are not?

\_\_\_\_\_ it \_\_\_\_\_ problem \_\_\_\_\_ show \_\_\_\_\_ even if their occupancy \_\_\_\_\_ low?

\_\_\_\_\_ know if \_\_\_\_\_ meters showing normal \_\_\_\_\_ the fact that their occupancy levels is?

\_\_\_\_\_ what \_\_\_\_\_ have been reported \_\_\_\_\_ meters indicating normal \_\_\_\_\_ lowest \_\_\_\_\_ non-existent occupancy?

Can you tell me if \_\_\_\_\_ readings \_\_\_\_\_ unaffected \_\_\_\_\_ of \_\_\_\_\_?

I would like \_\_\_\_\_ know \_\_\_\_\_ have \_\_\_\_\_ issues \_\_\_\_\_ use \_\_\_\_\_ though it's very low or \_\_\_\_\_ empty.

If \_\_\_\_\_ meter readings appear \_\_\_\_\_ by \_\_\_\_\_ minimal \_\_\_\_\_ absence \_\_\_\_\_ occupied \_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_?

\_\_\_\_\_ know if there are any \_\_\_\_\_ meters \_\_\_\_\_ normal use \_\_\_\_\_ or \_\_\_\_\_ levels?

\_\_\_\_\_ you know if \_\_\_\_\_ are any \_\_\_\_\_ meters indicating \_\_\_\_\_ despite the \_\_\_\_\_ their occupancy levels is \_\_\_\_\_?

\_\_\_\_\_ extreme vacancies, \_\_\_\_\_ meter \_\_\_\_\_ displaying regular \_\_\_\_\_?

Do you \_\_\_\_\_ there \_\_\_\_\_ with \_\_\_\_\_ metered \_\_\_\_\_ despite \_\_\_\_\_ fact that \_\_\_\_\_ has decreased?

Is \_\_\_\_\_ unaffected by \_\_\_\_\_ or \_\_\_\_\_ occupied premises?

What \_\_\_\_\_ the causes \_\_\_\_\_ meters indicating normal \_\_\_\_\_ lower \_\_\_\_\_?

What \_\_\_\_\_ been issues with \_\_\_\_\_ use \_\_\_\_\_ lower \_\_\_\_\_ levels?

Do \_\_\_\_\_ are any \_\_\_\_\_ with \_\_\_\_\_ that show normal \_\_\_\_\_ despite the lowest or non-existent \_\_\_\_\_?

Do you \_\_\_\_\_ are \_\_\_\_\_ reported regarding \_\_\_\_\_ normal use \_\_\_\_\_ the lowest \_\_\_\_\_ non-existent occupancy?

Do \_\_\_\_\_ if \_\_\_\_\_ are any \_\_\_\_\_ usage, despite the \_\_\_\_\_ usage?

Do you \_\_\_\_\_ if there \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ normal \_\_\_\_\_ despite the \_\_\_\_\_ or \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ problems \_\_\_\_\_ that seem to display \_\_\_\_\_ consumption \_\_\_\_\_ fact \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_ full?

\_\_\_\_\_ to display regular consumption even if they are \_\_\_\_\_ not occupied?

\_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ there are any known \_\_\_\_\_ indicating \_\_\_\_\_ though it's been reduced or \_\_\_\_\_.

\_\_\_\_\_ normal usage \_\_\_\_\_ though they \_\_\_\_\_ a low or \_\_\_\_\_ is that \_\_\_\_\_?

Do \_\_\_\_\_ know of \_\_\_\_\_ that seem to show regular \_\_\_\_\_ despite \_\_\_\_\_ fact \_\_\_\_\_ room has \_\_\_\_\_?

\_\_\_\_\_ metered usage \_\_\_\_\_ any problems, despite \_\_\_\_\_ that use has \_\_\_\_\_?

Can \_\_\_\_\_ tell me \_\_\_\_\_ the \_\_\_\_\_ seem \_\_\_\_\_ less-than-optimal occupation?

\_\_\_\_\_ has happened \_\_\_\_\_ meters indicating \_\_\_\_\_ despite \_\_\_\_\_ than \_\_\_\_\_ levels?

\_\_\_\_\_ normal use despite \_\_\_\_\_ lower than normal occupancy \_\_\_\_\_.

Has \_\_\_\_\_ been \_\_\_\_\_ with the \_\_\_\_\_ despite the low or \_\_\_\_\_ levels?

\_\_\_\_\_ known meter glitches \_\_\_\_\_ show \_\_\_\_\_ in \_\_\_\_\_ vacancies?

\_\_\_\_\_ any issue with \_\_\_\_\_ indicating normal use \_\_\_\_\_ extremely low \_\_\_\_\_ non-existent occupancy \_\_\_\_\_?

I would like to know \_\_\_\_\_ have \_\_\_\_\_ use even though it \_\_\_\_\_ very low.

\_\_\_\_\_ have been issues \_\_\_\_\_ meters indicating \_\_\_\_\_ use \_\_\_\_\_ lower?

What have been issues with \_\_\_\_\_ normal \_\_\_\_\_ levels?

\_\_\_\_\_ have been \_\_\_\_\_ with \_\_\_\_\_ normal use despite \_\_\_\_\_ levels?

Can meters show regular \_\_\_\_\_?

\_\_\_\_\_ it a \_\_\_\_\_ when meters \_\_\_\_\_ even if it \_\_\_\_\_ low \_\_\_\_\_ zeroOccupancy?

Do you know if \_\_\_\_\_ indicating normal use \_\_\_\_\_ Levels?

Is it \_\_\_\_\_ are \_\_\_\_\_ meters indicating normal use \_\_\_\_\_ the \_\_\_\_\_ or notexistentOccupancy \_\_\_\_\_?

Do \_\_\_\_\_ if \_\_\_\_\_ are issues \_\_\_\_\_ the \_\_\_\_\_ normal use \_\_\_\_\_ the \_\_\_\_\_ low \_\_\_\_\_ notexistentOccupancy levels?

There \_\_\_\_\_ been reports of the \_\_\_\_\_ normal \_\_\_\_\_ very \_\_\_\_\_ or \_\_\_\_\_ levels

\_\_\_\_\_ the issues with \_\_\_\_\_ that \_\_\_\_\_ despite lowOccupancy levels?

What \_\_\_\_\_ been the \_\_\_\_\_ with \_\_\_\_\_ indicating \_\_\_\_\_ use despite \_\_\_\_\_ averageOccupancy \_\_\_\_\_?

I would \_\_\_\_\_ to \_\_\_\_\_ there \_\_\_\_\_ any issues \_\_\_\_\_ indicating normal \_\_\_\_\_ even \_\_\_\_\_ there \_\_\_\_\_ very low \_\_\_\_\_ vacancies.

Do \_\_\_\_\_ if there are any issues \_\_\_\_\_ use \_\_\_\_\_ the lowest or \_\_\_\_\_

I \_\_\_\_\_ to know \_\_\_\_\_ meter \_\_\_\_\_ unaffected \_\_\_\_\_ the less-than-optimal \_\_\_\_\_ of the \_\_\_\_\_.

\_\_\_\_\_ meters show \_\_\_\_\_ reducedOccupancy levels?

\_\_\_\_\_ it \_\_\_\_\_ for meters \_\_\_\_\_ show \_\_\_\_\_ usage even \_\_\_\_\_ are reduced?

\_\_\_\_\_ meters show \_\_\_\_\_ though \_\_\_\_\_ levels aren't \_\_\_\_\_?

Do you \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ reported regarding \_\_\_\_\_ use despite a \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ a problem \_\_\_\_\_ a \_\_\_\_\_ shows normal usage \_\_\_\_\_ if \_\_\_\_\_ zero \_\_\_\_\_ low?

Is \_\_\_\_\_ a \_\_\_\_\_ show \_\_\_\_\_ usage, even if \_\_\_\_\_ low?

\_\_\_\_\_ it \_\_\_\_\_ to show \_\_\_\_\_ usage despite \_\_\_\_\_ or zero occupancy?

Is it \_\_\_\_\_ when \_\_\_\_\_ meters show \_\_\_\_\_ though \_\_\_\_\_ low?

Do \_\_\_\_\_ know if \_\_\_\_\_ are any \_\_\_\_\_ meters \_\_\_\_\_ despite the lowest or \_\_\_\_\_ occupancy?

\_\_\_\_\_ to know \_\_\_\_\_ there have been any \_\_\_\_\_ meters \_\_\_\_\_ normal use even though \_\_\_\_\_ extremely \_\_\_\_\_ or not \_\_\_\_\_.

\_\_\_\_\_ have been \_\_\_\_\_ meters \_\_\_\_\_ show use despite lowOccupancy \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ there are \_\_\_\_\_ meters indicating \_\_\_\_\_ use \_\_\_\_\_ the fact that theirOccupancy Levels \_\_\_\_\_ low?

\_\_\_\_\_ meters \_\_\_\_\_ with lessOccupancy?

\_\_\_\_\_ know if there \_\_\_\_\_ any \_\_\_\_\_ relating \_\_\_\_\_ meters indicating \_\_\_\_\_ use despite \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ meters indicating \_\_\_\_\_ use despite the low or \_\_\_\_\_ occupancy levels?

Is it \_\_\_\_\_ meters \_\_\_\_\_ show \_\_\_\_\_ usage \_\_\_\_\_ levels have \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ regarding \_\_\_\_\_ showing normal \_\_\_\_\_ even though \_\_\_\_\_ Levels is \_\_\_\_\_?

Do \_\_\_\_\_ if there are any \_\_\_\_\_ with \_\_\_\_\_ use despite \_\_\_\_\_ or deadOccupancy levels?

I \_\_\_\_\_ to \_\_\_\_\_ any issues \_\_\_\_\_ reported with \_\_\_\_\_ indicating normal use even \_\_\_\_\_ there \_\_\_\_\_ very \_\_\_\_\_

Do you \_\_\_\_\_ if \_\_\_\_\_ any issues \_\_\_\_\_ meters \_\_\_\_\_ use despite \_\_\_\_\_ or absentoccupancy \_\_\_\_\_?

I \_\_\_\_\_ like \_\_\_\_\_ if any issues have \_\_\_\_\_ reported involving meters \_\_\_\_\_ even \_\_\_\_\_ not a \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ there a \_\_\_\_\_ of \_\_\_\_\_ use with \_\_\_\_\_ no occupancy?

Will \_\_\_\_\_ usage \_\_\_\_\_ are reduced?

\_\_\_\_\_ if \_\_\_\_\_ are any \_\_\_\_\_ that have been reported regarding \_\_\_\_\_ indicate normal use despite \_\_\_\_\_?

Is it possible \_\_\_\_\_ to \_\_\_\_\_ usage even \_\_\_\_\_ is low?

\_\_\_\_\_ it true that \_\_\_\_\_ issues \_\_\_\_\_ normal use \_\_\_\_\_ though \_\_\_\_\_ are very low \_\_\_\_\_ non-existentOccupancy levels?

\_\_\_\_\_ want \_\_\_\_\_ if \_\_\_\_\_ issues with meters that show normal usage even if \_\_\_\_\_ is \_\_\_\_\_ lot \_\_\_\_\_.

Have there \_\_\_\_\_ reports \_\_\_\_\_ use despite the extremely low \_\_\_\_\_ notexistent \_\_\_\_\_?

\_\_\_\_\_ has \_\_\_\_\_ meters indicating normal use \_\_\_\_\_ than normalOccupancy \_\_\_\_\_?

Do \_\_\_\_\_ there are \_\_\_\_\_ reported regarding the meters that show \_\_\_\_\_ use \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ are still \_\_\_\_\_ though \_\_\_\_\_ lessOccupancy?

Can \_\_\_\_\_ me \_\_\_\_\_ meter readings are \_\_\_\_\_ the \_\_\_\_\_ ideal occupation?

Can \_\_\_\_\_ show \_\_\_\_\_ even \_\_\_\_\_ notexistent?

Is \_\_\_\_\_ any \_\_\_\_\_ where \_\_\_\_\_ readings \_\_\_\_\_ unaffected \_\_\_\_\_ or absent \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ there been \_\_\_\_\_ the meters \_\_\_\_\_ normal \_\_\_\_\_ the \_\_\_\_\_ low or \_\_\_\_\_ occupancy levels?

Do you \_\_\_\_\_ are any issues \_\_\_\_\_ meters \_\_\_\_\_ show normal use \_\_\_\_\_ dead occupancy?

I want \_\_\_\_\_ know \_\_\_\_\_ are any \_\_\_\_\_ normal usage \_\_\_\_\_ though \_\_\_\_\_ reduced or not occupied.



Do \_\_\_\_ know if \_\_\_\_ any \_\_\_\_ with \_\_\_\_ that \_\_\_\_ use despite \_\_\_\_ fact \_\_\_\_ theirOccupancy Levels is \_\_\_\_?  
\_\_\_\_ usage \_\_\_\_ thoughOccupancy levels aren't very high?

What are the issues \_\_\_\_ use \_\_\_\_ lower \_\_\_\_ averageOccupancy \_\_\_\_?  
\_\_\_\_ be issues \_\_\_\_ which \_\_\_\_ supposed \_\_\_\_ indicate normal use despite \_\_\_\_ thannormalOccupancy \_\_\_\_?  
\_\_\_\_ you know if \_\_\_\_ are \_\_\_\_ reported \_\_\_\_ the meters that \_\_\_\_ use despite \_\_\_\_ levels?  
meters indicating \_\_\_\_ lower \_\_\_\_ levels

What have been \_\_\_\_ issues \_\_\_\_ meters \_\_\_\_ despite lowOccupancy \_\_\_\_?  
\_\_\_\_ there been any reports \_\_\_\_ the meters indicating \_\_\_\_ low \_\_\_\_ notexistentOccupancy \_\_\_\_?  
Any issues with \_\_\_\_ showing normal usage \_\_\_\_?

\_\_\_\_ it \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ usage when \_\_\_\_ levels \_\_\_\_ dropped?

Can \_\_\_\_ regular use even if Occupancy \_\_\_\_?

\_\_\_\_ regular usage \_\_\_\_ though Occupancy is \_\_\_\_?

Can \_\_\_\_ regular \_\_\_\_ whenOccupancy levels \_\_\_\_ low?

What have been \_\_\_\_ meters indicating \_\_\_\_ lowerOccupancy \_\_\_\_?

\_\_\_\_ know if there are \_\_\_\_ issues \_\_\_\_ show normal use despite \_\_\_\_ or nooccupancy \_\_\_\_?

\_\_\_\_ there \_\_\_\_ issues \_\_\_\_ show \_\_\_\_ use despite lower \_\_\_\_ normalOccupancy levels?

\_\_\_\_ problem with \_\_\_\_ normal \_\_\_\_ though it's low or zero?

\_\_\_\_ know if there are any \_\_\_\_ reported \_\_\_\_ meters that \_\_\_\_ normal use despite \_\_\_\_ fact \_\_\_\_?

Will there \_\_\_\_ with \_\_\_\_ show \_\_\_\_ use despite lower \_\_\_\_ normalOccupancy levels?

Will there \_\_\_\_ reported involving \_\_\_\_ which \_\_\_\_ supposed \_\_\_\_ use despite lower than \_\_\_\_?

Will \_\_\_\_ when meters \_\_\_\_ normal use \_\_\_\_ than normalOccupancy levels?

Is \_\_\_\_ meters \_\_\_\_ show regular usage \_\_\_\_ theOccupancy \_\_\_\_ are \_\_\_\_ very high?

Do \_\_\_\_ know \_\_\_\_ are any issues with meters showing normal \_\_\_\_ the \_\_\_\_?

\_\_\_\_ know \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ are \_\_\_\_ meters \_\_\_\_ indicate normal use \_\_\_\_ very low or \_\_\_\_ levels?

\_\_\_\_ it \_\_\_\_ problem \_\_\_\_ normal \_\_\_\_ even though there's \_\_\_\_ lowOccupancy?

Is \_\_\_\_ that shows regular \_\_\_\_ during vacancies?

Do you \_\_\_\_ if \_\_\_\_ is \_\_\_\_ meters \_\_\_\_ show \_\_\_\_ use despite the lowest \_\_\_\_?

\_\_\_\_ it possible that there are issues \_\_\_\_ meters indicating normal use \_\_\_\_ empty?

Is it \_\_\_\_ problem \_\_\_\_ meters \_\_\_\_ though they have \_\_\_\_ noOccupancy?

\_\_\_\_ know \_\_\_\_ reported about meters indicating normal use \_\_\_\_ theirOccupancy?

Was the meter readings \_\_\_\_ the premises?

Do \_\_\_\_ know if \_\_\_\_ any \_\_\_\_ despite a \_\_\_\_ use?

Do you \_\_\_\_ there are \_\_\_\_ reported \_\_\_\_ indicating \_\_\_\_ use \_\_\_\_ theirOccupancy Levels?

\_\_\_\_ we see regular \_\_\_\_ the \_\_\_\_ during reducedOccupancy \_\_\_\_?

\_\_\_\_ meters show regular \_\_\_\_ levels \_\_\_\_?

\_\_\_\_ there a known \_\_\_\_ use during \_\_\_\_ vacancies?

\_\_\_\_ to show \_\_\_\_ usage on \_\_\_\_ afterOccupancy levels \_\_\_\_ dropped?

Is it \_\_\_\_ show \_\_\_\_ usage even \_\_\_\_ there's a low \_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ whenOccupancy \_\_\_\_ are reduced or notexistent?

\_\_\_\_ you \_\_\_\_ if there are \_\_\_\_ issues \_\_\_\_ meters that \_\_\_\_ normal use when there \_\_\_\_ levels?

Do you know \_\_\_\_ there \_\_\_\_ issues reported regarding \_\_\_\_ lowest or non-existentOccupancy level?

\_\_\_\_ you \_\_\_\_ of \_\_\_\_ problems with meters that \_\_\_\_ to \_\_\_\_ consumption despite \_\_\_\_ that they are \_\_\_\_?

\_\_\_\_ extreme \_\_\_\_ any \_\_\_\_ glitches displaying \_\_\_\_?

\_\_\_\_ it a problem \_\_\_\_ show normal \_\_\_\_ even \_\_\_\_ have \_\_\_\_ lowOccupancy?

Do \_\_\_\_ know if there \_\_\_\_ any issues with meters \_\_\_\_ normal \_\_\_\_ even if \_\_\_\_?

\_\_\_\_ you \_\_\_\_ are issues \_\_\_\_ meters that \_\_\_\_ normal \_\_\_\_ despite lowoccupancy \_\_\_\_?

Is \_\_\_\_ problem with the meters \_\_\_\_ even though \_\_\_\_?

Is it possible \_\_\_\_ to \_\_\_\_ even thoughOccupancy levels \_\_\_\_?

\_\_\_\_ have \_\_\_\_ the issues with \_\_\_\_ showing \_\_\_\_ despite the \_\_\_\_?

Do you know \_\_\_\_ any problems \_\_\_\_ the \_\_\_\_ regular consumption despite the \_\_\_\_ the room \_\_\_\_ occupied?

\_\_\_\_\_ show regular usage even when Occupancy \_\_\_\_\_ are not great?

\_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ to \_\_\_\_\_ indicating normal use \_\_\_\_\_ non-existent Occupancy?

\_\_\_\_\_ you know \_\_\_\_\_ issues \_\_\_\_\_ that show regular \_\_\_\_\_ despite \_\_\_\_\_ fact that \_\_\_\_\_ room is \_\_\_\_\_ full?

\_\_\_\_\_ know if \_\_\_\_\_ any \_\_\_\_\_ reported \_\_\_\_\_ the \_\_\_\_\_ that show \_\_\_\_\_ despite low or dead Occupancy \_\_\_\_\_?

I \_\_\_\_\_ like \_\_\_\_\_ know \_\_\_\_\_ there have \_\_\_\_\_ issues with meters indicating \_\_\_\_\_ even \_\_\_\_\_ there \_\_\_\_\_ very \_\_\_\_\_ empty \_\_\_\_\_.

Do you know if \_\_\_\_\_ related \_\_\_\_\_ meters \_\_\_\_\_ show \_\_\_\_\_ despite \_\_\_\_\_ levels of occupancy?

\_\_\_\_\_ you know if \_\_\_\_\_ normal use despite \_\_\_\_\_ not existent Occupancy levels?

I \_\_\_\_\_ like to know \_\_\_\_\_ any known \_\_\_\_\_ indicate \_\_\_\_\_ usage even when there \_\_\_\_\_ not much \_\_\_\_\_.

\_\_\_\_\_ you know \_\_\_\_\_ any \_\_\_\_\_ meters \_\_\_\_\_ normal use \_\_\_\_\_ though their Occupancy Levels are \_\_\_\_\_?

\_\_\_\_\_ have been problems with \_\_\_\_\_ indicating \_\_\_\_\_ use \_\_\_\_\_ than \_\_\_\_\_

\_\_\_\_\_ has happened \_\_\_\_\_ indicating \_\_\_\_\_ use despite \_\_\_\_\_ levels?

Do you know of \_\_\_\_\_ problems \_\_\_\_\_ that \_\_\_\_\_ consumption despite the fact \_\_\_\_\_ room \_\_\_\_\_?

\_\_\_\_\_ meters \_\_\_\_\_ regular \_\_\_\_\_ even though Occupancy levels \_\_\_\_\_?

\_\_\_\_\_ issue with \_\_\_\_\_ indicating normal usage even though \_\_\_\_\_?

Is it a \_\_\_\_\_ when the \_\_\_\_\_ normal \_\_\_\_\_ if \_\_\_\_\_ or \_\_\_\_\_ low?

\_\_\_\_\_ you know \_\_\_\_\_ are issues reported about \_\_\_\_\_ normal use \_\_\_\_\_ low or \_\_\_\_\_?

Do you know \_\_\_\_\_ are \_\_\_\_\_ reported regarding \_\_\_\_\_ that indicate \_\_\_\_\_ despite \_\_\_\_\_ low occupancy \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ meters to show \_\_\_\_\_ after Occupancy levels \_\_\_\_\_?

\_\_\_\_\_ possible for meters \_\_\_\_\_ show \_\_\_\_\_ after \_\_\_\_\_ level of Occupancy \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ to know \_\_\_\_\_ issues \_\_\_\_\_ been \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ even \_\_\_\_\_ are very \_\_\_\_\_ or no occupancy levels.

Is it \_\_\_\_\_ problem \_\_\_\_\_ the \_\_\_\_\_ show normal \_\_\_\_\_ they have \_\_\_\_\_?

Do you know of \_\_\_\_\_ with \_\_\_\_\_ meters that seem to \_\_\_\_\_ regular \_\_\_\_\_ there \_\_\_\_\_?

Has there \_\_\_\_\_ reports \_\_\_\_\_ indicating \_\_\_\_\_ use despite the \_\_\_\_\_ low \_\_\_\_\_ not existent \_\_\_\_\_?

Do \_\_\_\_\_ there \_\_\_\_\_ any issues \_\_\_\_\_ with meters \_\_\_\_\_ use \_\_\_\_\_ the lowest \_\_\_\_\_ non-existent Occupancy?

\_\_\_\_\_ have \_\_\_\_\_ with meters \_\_\_\_\_ regular use despite \_\_\_\_\_ than average Occupancy \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ meter glitch showing \_\_\_\_\_ in \_\_\_\_\_ vacancies?

What have \_\_\_\_\_ with \_\_\_\_\_ indicate \_\_\_\_\_ use \_\_\_\_\_ lower Occupancy levels?

\_\_\_\_\_ there a problem with the meters \_\_\_\_\_ use \_\_\_\_\_ low \_\_\_\_\_?

What have been \_\_\_\_\_ issues \_\_\_\_\_ meters showing \_\_\_\_\_ low Occupancy \_\_\_\_\_?

Can you \_\_\_\_\_ the meter \_\_\_\_\_ by \_\_\_\_\_ absent \_\_\_\_\_ of the premises?

Do you know if there are \_\_\_\_\_ reported \_\_\_\_\_ use despite \_\_\_\_\_?

\_\_\_\_\_ meters show \_\_\_\_\_ usage \_\_\_\_\_ decreased?

Is it \_\_\_\_\_ for \_\_\_\_\_ to show \_\_\_\_\_ levels drop?

Will \_\_\_\_\_ be issues reported \_\_\_\_\_ which \_\_\_\_\_ to indicate normal \_\_\_\_\_ less \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

\_\_\_\_\_ it possible for \_\_\_\_\_ to \_\_\_\_\_ regular usage \_\_\_\_\_?

Can meters \_\_\_\_\_ regular \_\_\_\_\_ levels are \_\_\_\_\_.

Do \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ reported regarding meters that show \_\_\_\_\_ despite \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ a problem that \_\_\_\_\_ meters \_\_\_\_\_ usage even if it \_\_\_\_\_ zero \_\_\_\_\_?

Is \_\_\_\_\_ when meters \_\_\_\_\_ normal usage even though \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ there been \_\_\_\_\_ meters indicating normal use \_\_\_\_\_ the extremely \_\_\_\_\_ not existent Occupancy \_\_\_\_\_?

\_\_\_\_\_ the meter readings \_\_\_\_\_ or \_\_\_\_\_?

What have been \_\_\_\_\_ issues \_\_\_\_\_ that \_\_\_\_\_ low Occupancy levels?

\_\_\_\_\_ you know \_\_\_\_\_ the meters indicating normal use despite the lowest \_\_\_\_\_ non-existent \_\_\_\_\_?

\_\_\_\_\_ show \_\_\_\_\_ usage even \_\_\_\_\_ they have a low Occupancy?

\_\_\_\_\_ you know \_\_\_\_\_ are \_\_\_\_\_ problems \_\_\_\_\_ meters showing \_\_\_\_\_ despite their Occupancy \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ use despite \_\_\_\_\_ low or not existent occupancy levels?

\_\_\_\_\_ it possible for \_\_\_\_\_ meters \_\_\_\_\_ regular usage after \_\_\_\_\_ dropped?

\_\_\_\_\_ if there are any \_\_\_\_\_ with the \_\_\_\_\_ show \_\_\_\_\_ use \_\_\_\_\_ lowest \_\_\_\_\_ non-existent occupancy?

I would \_\_\_\_\_ know if \_\_\_\_\_ issues have \_\_\_\_\_ reported with \_\_\_\_\_ use even \_\_\_\_\_ there \_\_\_\_\_ not \_\_\_\_\_ of \_\_\_\_\_.

Will \_\_\_\_\_ regarding \_\_\_\_\_ which \_\_\_\_\_ supposed \_\_\_\_\_ indicate normal \_\_\_\_\_ lowerOccupancy levels?  
 \_\_\_\_\_ the \_\_\_\_\_ even whenOccupancy levels are reduced?  
 \_\_\_\_\_ regular usage \_\_\_\_\_ seen \_\_\_\_\_ meters \_\_\_\_\_ whenOccupancy levels \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ issues involving \_\_\_\_\_ that \_\_\_\_\_ normal use \_\_\_\_\_ lower than \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ the \_\_\_\_\_ meters showing use \_\_\_\_\_ levels?  
 Will there be issues \_\_\_\_\_ to \_\_\_\_\_ meters \_\_\_\_\_ to indicate \_\_\_\_\_ use despite lower \_\_\_\_\_?  
 \_\_\_\_\_ would like \_\_\_\_\_ know if \_\_\_\_\_ have been \_\_\_\_\_ with meters indicating \_\_\_\_\_ though \_\_\_\_\_ very low \_\_\_\_\_ occupied levels.  
 \_\_\_\_\_ regular usage \_\_\_\_\_ onceOccupancy levels are \_\_\_\_\_?  
 Is \_\_\_\_\_ true \_\_\_\_\_ been \_\_\_\_\_ with meters \_\_\_\_\_ even \_\_\_\_\_ it's very low or very \_\_\_\_\_?  
 Do you \_\_\_\_\_ of any \_\_\_\_\_ with the \_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_ regular \_\_\_\_\_ no room?  
 Is it \_\_\_\_\_ for meters to show \_\_\_\_\_ even \_\_\_\_\_ theOccupancy \_\_\_\_\_?  
 Is \_\_\_\_\_ reported issues \_\_\_\_\_ the meters \_\_\_\_\_ use despite \_\_\_\_\_ notexistent levels?  
 Do you \_\_\_\_\_ if the \_\_\_\_\_ readings \_\_\_\_\_ unaffected \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_?  
 Is \_\_\_\_\_ that the \_\_\_\_\_ readings seem normal despite \_\_\_\_\_?  
 Do you know \_\_\_\_\_ there \_\_\_\_\_ any issues \_\_\_\_\_ meters \_\_\_\_\_ normal \_\_\_\_\_ or deadOccupancy levels?  
 Even \_\_\_\_\_ levels are \_\_\_\_\_ can meters show \_\_\_\_\_?  
 Can \_\_\_\_\_ ifOccupancy levels \_\_\_\_\_ low?  
 Can meters \_\_\_\_\_ usage \_\_\_\_\_ aren'texistent?  
 Is it \_\_\_\_\_ meters show normal usage \_\_\_\_\_ zero or \_\_\_\_\_ low?  
 Will there \_\_\_\_\_ with \_\_\_\_\_ are \_\_\_\_\_ to indicate normal \_\_\_\_\_ lowerOccupancy levels?  
 \_\_\_\_\_ meters \_\_\_\_\_ usage \_\_\_\_\_ levels \_\_\_\_\_ low?  
 \_\_\_\_\_ have been the \_\_\_\_\_ meters \_\_\_\_\_ indicated normal \_\_\_\_\_ despite \_\_\_\_\_ levels?  
 \_\_\_\_\_ there any \_\_\_\_\_ with the \_\_\_\_\_ indicating \_\_\_\_\_ low or notexistentOccupancy \_\_\_\_\_?  
 Is it \_\_\_\_\_ regular \_\_\_\_\_ after \_\_\_\_\_ drop in Occupancy Levels?  
 Is it \_\_\_\_\_ when \_\_\_\_\_ meters show \_\_\_\_\_ even \_\_\_\_\_ zero or low?  
 Can \_\_\_\_\_ regular usage, \_\_\_\_\_ whenOccupancy \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ have been \_\_\_\_\_ the \_\_\_\_\_ despite the low \_\_\_\_\_ notexistentOccupancy levels.  
 Can \_\_\_\_\_ regular usage \_\_\_\_\_ whenOccupancy rates \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ any \_\_\_\_\_ regarding meters \_\_\_\_\_ show normal use \_\_\_\_\_ low \_\_\_\_\_ absentoccupancy?  
 What \_\_\_\_\_ issues with \_\_\_\_\_ showing normal \_\_\_\_\_ despite \_\_\_\_\_ levels?  
 Is it possible \_\_\_\_\_ meters to show \_\_\_\_\_ occupancy \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ issues \_\_\_\_\_ about \_\_\_\_\_ that \_\_\_\_\_ normal use despite \_\_\_\_\_?  
 I would \_\_\_\_\_ to \_\_\_\_\_ if any issues have \_\_\_\_\_ reported \_\_\_\_\_ normal \_\_\_\_\_ even if there \_\_\_\_\_ a \_\_\_\_\_.  
 \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ any issues \_\_\_\_\_ regarding \_\_\_\_\_ that show normal \_\_\_\_\_ even \_\_\_\_\_ it's \_\_\_\_\_?  
 \_\_\_\_\_ extreme \_\_\_\_\_ meters \_\_\_\_\_ regular use?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ show \_\_\_\_\_ usage when theOccupancy levels \_\_\_\_\_?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ normal usage even \_\_\_\_\_ they \_\_\_\_\_?  
 I would \_\_\_\_\_ know \_\_\_\_\_ any issues \_\_\_\_\_ been reported with \_\_\_\_\_ indicating normal \_\_\_\_\_ when there \_\_\_\_\_ not \_\_\_\_\_.  
 Is \_\_\_\_\_ instances where \_\_\_\_\_ meter readings \_\_\_\_\_ unaffected by minimal \_\_\_\_\_ premises?  
 \_\_\_\_\_ want to \_\_\_\_\_ if \_\_\_\_\_ are any \_\_\_\_\_ meters \_\_\_\_\_ normal usage even though it's \_\_\_\_\_.  
 Do \_\_\_\_\_ there \_\_\_\_\_ issues with \_\_\_\_\_ meters \_\_\_\_\_ normal use despite \_\_\_\_\_ or notexistent \_\_\_\_\_ levels?  
 Will \_\_\_\_\_ issues \_\_\_\_\_ involving meters which are \_\_\_\_\_ normal \_\_\_\_\_ lower \_\_\_\_\_ normalOccupancy levels.  
 Is it a \_\_\_\_\_ normal usage even when there \_\_\_\_\_?  
 \_\_\_\_\_ you know if there are \_\_\_\_\_ the meters \_\_\_\_\_ normal \_\_\_\_\_ despite \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ meters \_\_\_\_\_ are \_\_\_\_\_ to indicate normal \_\_\_\_\_ despite lower \_\_\_\_\_ normalOccupancy \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ any issues have \_\_\_\_\_ reported regarding meters indicating \_\_\_\_\_ use even \_\_\_\_\_ it is \_\_\_\_\_.  
 Will there \_\_\_\_\_ with the \_\_\_\_\_ indicate normal use \_\_\_\_\_ levels?  
 If the meter \_\_\_\_\_ unaffected by minimal \_\_\_\_\_ occupation, \_\_\_\_\_ you tell \_\_\_\_\_?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ to \_\_\_\_\_ regular \_\_\_\_\_ levels \_\_\_\_\_ plummeted?

Do \_\_\_\_ know if there are issues \_\_\_\_ regarding \_\_\_\_ that \_\_\_\_ normal \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

Is it \_\_\_\_ problem when the \_\_\_\_ normal usage even \_\_\_\_ is \_\_\_\_ ?

\_\_\_\_ you know \_\_\_\_ any \_\_\_\_ the \_\_\_\_ seem to display regular consumption despite \_\_\_\_ \_\_\_\_ ?

Is \_\_\_\_ a \_\_\_\_ when \_\_\_\_ meter \_\_\_\_ normal \_\_\_\_ even if \_\_\_\_ or \_\_\_\_ low?

Is it a problem when \_\_\_\_ it's zeroOccupancy?

Can meters \_\_\_\_ regular usage \_\_\_\_ though \_\_\_\_ levels \_\_\_\_ ?

\_\_\_\_ there \_\_\_\_ known \_\_\_\_ showing \_\_\_\_ even though there are less \_\_\_\_ ?

Do \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ meters that indicate normal use \_\_\_\_ or \_\_\_\_ occupancy levels?

\_\_\_\_ there be issues relating \_\_\_\_ which are \_\_\_\_ use despite lowerOccupancy \_\_\_\_ ?

Is it a problem \_\_\_\_ usage, even \_\_\_\_ they have \_\_\_\_ ?

Can \_\_\_\_ show \_\_\_\_ even duringOccupancy \_\_\_\_ decreased?

\_\_\_\_ if there \_\_\_\_ issues that are reported \_\_\_\_ that indicate normal \_\_\_\_ lowoccupancy levels?

\_\_\_\_ like \_\_\_\_ know if any \_\_\_\_ been reported with \_\_\_\_ use even \_\_\_\_ there are \_\_\_\_ in it.

Is it \_\_\_\_ meters show \_\_\_\_ levels are notexistent?

What have \_\_\_\_ the issues with \_\_\_\_ normal \_\_\_\_ levels?

Is \_\_\_\_ problem with meters \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ ?

\_\_\_\_ you know \_\_\_\_ are \_\_\_\_ issues \_\_\_\_ show normal use despite theirOccupancy \_\_\_\_ ?

\_\_\_\_ be \_\_\_\_ are supposed \_\_\_\_ normal use despite lower than normalOccupancy \_\_\_\_ ?

\_\_\_\_ possible \_\_\_\_ meters to \_\_\_\_ regular \_\_\_\_ even \_\_\_\_ Occupancy levels \_\_\_\_ high?

Do you know \_\_\_\_ there \_\_\_\_ any issues \_\_\_\_ meters that show \_\_\_\_ use \_\_\_\_ or \_\_\_\_ ?

WhenOccupancy levels \_\_\_\_ can \_\_\_\_ show regular \_\_\_\_ ?

\_\_\_\_ you \_\_\_\_ there \_\_\_\_ any \_\_\_\_ about meters that show \_\_\_\_ use even \_\_\_\_ it's \_\_\_\_ ?

\_\_\_\_ it possible that \_\_\_\_ show \_\_\_\_ even \_\_\_\_ levels \_\_\_\_ notexistent?

Can meters show \_\_\_\_ no \_\_\_\_ are reduced?

\_\_\_\_ you \_\_\_\_ the meters that \_\_\_\_ normal use despite theirOccupancy Levels?

\_\_\_\_ possible that \_\_\_\_ readings appear unaffected \_\_\_\_ minimal \_\_\_\_ occupation \_\_\_\_ premises?

Is \_\_\_\_ a reason for \_\_\_\_ to display regular \_\_\_\_ they \_\_\_\_ or \_\_\_\_ occupied?

\_\_\_\_ that \_\_\_\_ regular use during extreme \_\_\_\_ ?

Will \_\_\_\_ be issues \_\_\_\_ are supposed to indicate \_\_\_\_ use despite \_\_\_\_ usualOccupancy \_\_\_\_ ?

Is it \_\_\_\_ problem if meters \_\_\_\_ normal \_\_\_\_ low?

Do you \_\_\_\_ if there \_\_\_\_ reported regarding \_\_\_\_ normal \_\_\_\_ despite \_\_\_\_ fact \_\_\_\_ Levels are \_\_\_\_ ?

Is \_\_\_\_ for meters \_\_\_\_ regular usage \_\_\_\_ levels are \_\_\_\_ ?

Do you \_\_\_\_ there \_\_\_\_ issues with \_\_\_\_ indicating \_\_\_\_ use despite \_\_\_\_ or \_\_\_\_ utilization?

Will there be \_\_\_\_ are \_\_\_\_ to \_\_\_\_ normal use \_\_\_\_ than normalOccupancy \_\_\_\_ ?

Do you \_\_\_\_ there are \_\_\_\_ meters \_\_\_\_ normal \_\_\_\_ despite not being occupied?

Even \_\_\_\_ Occupancy \_\_\_\_ notexistent, can meters \_\_\_\_ usage.

\_\_\_\_ it possible \_\_\_\_ there are issues \_\_\_\_ the \_\_\_\_ normal \_\_\_\_ despite the \_\_\_\_ or notexistentOccupancy \_\_\_\_ ?

Can meters show \_\_\_\_ even \_\_\_\_ ?

Is \_\_\_\_ possible for \_\_\_\_ show regular \_\_\_\_ theOccupancy level \_\_\_\_ not \_\_\_\_ ?

\_\_\_\_ been \_\_\_\_ meters indicate normal use \_\_\_\_ low or notexistentOccupancy levels

Is it a problem \_\_\_\_ show \_\_\_\_ even \_\_\_\_ a low or \_\_\_\_ ?

Have \_\_\_\_ issues with \_\_\_\_ indicating normal use \_\_\_\_ the \_\_\_\_ ?

There \_\_\_\_ normal use with low \_\_\_\_ noOccupancy

Is \_\_\_\_ readings unaffected \_\_\_\_ less \_\_\_\_ of the premises?

\_\_\_\_ you \_\_\_\_ are issues \_\_\_\_ the \_\_\_\_ normal use \_\_\_\_ the very \_\_\_\_ or \_\_\_\_ occupancy levels?

I \_\_\_\_ like to \_\_\_\_ if there \_\_\_\_ any known \_\_\_\_ indicating normal \_\_\_\_ there's \_\_\_\_ much activity.

Is \_\_\_\_ for meters to show \_\_\_\_ are not \_\_\_\_ ?

\_\_\_\_ know about any \_\_\_\_ meters \_\_\_\_ use despite \_\_\_\_ or non-existentOccupancy?

\_\_\_\_ when meters show \_\_\_\_ usage \_\_\_\_ though \_\_\_\_ a lowOccupancy?

\_\_\_\_ it true that \_\_\_\_ meter readings \_\_\_\_ unaffected by minimal or \_\_\_\_ ?

\_\_\_\_\_ you know \_\_\_\_\_ metered \_\_\_\_\_ has problems, \_\_\_\_\_ that use has \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ issues \_\_\_\_\_ seem to \_\_\_\_\_ regular consumption despite \_\_\_\_\_ the room has \_\_\_\_\_ reduced?

\_\_\_\_\_ you know if there \_\_\_\_\_ any \_\_\_\_\_ normal use \_\_\_\_\_ though their Occupancy Levels \_\_\_\_\_ not?

Is it \_\_\_\_\_ that \_\_\_\_\_ meters are showing \_\_\_\_\_ the extremely \_\_\_\_\_ levels?

Is \_\_\_\_\_ known issues with \_\_\_\_\_ that \_\_\_\_\_ normal usage even \_\_\_\_\_ there are \_\_\_\_\_ many \_\_\_\_\_?

What have been \_\_\_\_\_ meters indicating \_\_\_\_\_ use \_\_\_\_\_ normal Occupancy levels?

Have \_\_\_\_\_ been \_\_\_\_\_ showing \_\_\_\_\_ use despite the \_\_\_\_\_ levels?

\_\_\_\_\_ have been \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ use despite \_\_\_\_\_ levels?

Can \_\_\_\_\_ meters \_\_\_\_\_ typical \_\_\_\_\_ if \_\_\_\_\_ occupied?

Do you \_\_\_\_\_ any issues \_\_\_\_\_ about \_\_\_\_\_ meters \_\_\_\_\_ normal use despite \_\_\_\_\_ lowest \_\_\_\_\_ non-existent \_\_\_\_\_?

\_\_\_\_\_ are any known \_\_\_\_\_ display regular use \_\_\_\_\_ extreme \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ issues with meters that show \_\_\_\_\_ even \_\_\_\_\_ been \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ the \_\_\_\_\_ regular consumption, even though \_\_\_\_\_ are vastly down?

Can \_\_\_\_\_ tell me if the \_\_\_\_\_ less than \_\_\_\_\_ occupation of the \_\_\_\_\_?

Will there \_\_\_\_\_ issues \_\_\_\_\_ meters \_\_\_\_\_ are supposed \_\_\_\_\_ indicate normal use \_\_\_\_\_ levels?

\_\_\_\_\_ been \_\_\_\_\_ with meters with \_\_\_\_\_ use despite \_\_\_\_\_?

\_\_\_\_\_ true that \_\_\_\_\_ have \_\_\_\_\_ with \_\_\_\_\_ indicating \_\_\_\_\_ use even \_\_\_\_\_ there are extremely low \_\_\_\_\_ levels?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ any issues reported regarding meters \_\_\_\_\_ show normal \_\_\_\_\_ low \_\_\_\_\_ absent occupancy \_\_\_\_\_.

\_\_\_\_\_ have \_\_\_\_\_ the \_\_\_\_\_ with \_\_\_\_\_ meters \_\_\_\_\_ despite low Occupancy levels?

\_\_\_\_\_ know if there \_\_\_\_\_ issues reported \_\_\_\_\_ that \_\_\_\_\_ normal use despite \_\_\_\_\_ dead Occupancy levels?

Will \_\_\_\_\_ be issues \_\_\_\_\_ meters that \_\_\_\_\_ to indicate \_\_\_\_\_ use despite \_\_\_\_\_ normal Occupancy \_\_\_\_\_?

Is it possible that there \_\_\_\_\_ issues \_\_\_\_\_ normal \_\_\_\_\_ there \_\_\_\_\_ not a \_\_\_\_\_ of activity?

\_\_\_\_\_ there any problem with \_\_\_\_\_ normal usage \_\_\_\_\_ it's \_\_\_\_\_?

Can \_\_\_\_\_ tell me \_\_\_\_\_ the meter \_\_\_\_\_ unaffected \_\_\_\_\_ than \_\_\_\_\_ occupation \_\_\_\_\_ the premises?

Do \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ issues reported \_\_\_\_\_ meters that \_\_\_\_\_ normal \_\_\_\_\_ levels.