

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Natural Gas Companies
<b>Inquiry Category</b>	Scheduling maintenance appointments
<b>Inquiry Sub-Category</b>	Urgent/emergency maintenance requests
<b>Description</b>	Customers contact the company to schedule immediate maintenance appointments for urgent issues, such as gas leaks or faulty equipment, that require immediate attention.
<b>Data Size</b>	7,112 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Natural Gas Company" customer inquiry. (Purchased data will not be masked.)**

Can I \_\_\_\_ priority \_\_\_\_ for a potential \_\_\_\_ monoxide \_\_\_\_ \_\_\_\_ gas-connected \_\_\_\_?  
 \_\_\_\_ \_\_\_\_ to prioritize \_\_\_\_ based on \_\_\_\_ risk \_\_\_\_ \_\_\_\_ in my connected appliances?  
 \_\_\_\_ \_\_\_\_ my gas stuff?  
 \_\_\_\_ \_\_\_\_ possible \_\_\_\_ me \_\_\_\_ preferential \_\_\_\_ regarding \_\_\_\_ imminent deadly situation of carbon \_\_\_\_ and \_\_\_\_  
 of \_\_\_\_ gas-connected apparatuses?  
 \_\_\_\_ it possible to \_\_\_\_ arrangements to prioritize a \_\_\_\_ CO emergency \_\_\_\_ \_\_\_\_ connected \_\_\_\_ equipment \_\_\_\_  
 scheduled \_\_\_\_?  
 If \_\_\_\_ is \_\_\_\_ catastrophic \_\_\_\_ involving \_\_\_\_ monoxide and my \_\_\_\_ \_\_\_\_ a prioritized servicing?  
 \_\_\_\_ gas-related appliances \_\_\_\_ a CO emergency?  
 \_\_\_\_ is an \_\_\_\_ regarding carbon \_\_\_\_ \_\_\_\_ devices, will \_\_\_\_ grant \_\_\_\_ priority scheduling?  
 Can \_\_\_\_ request preferential \_\_\_\_ I \_\_\_\_ carbon monoxide \_\_\_\_?  
 \_\_\_\_ I have \_\_\_\_ suspected carbon \_\_\_\_ my gas equipment, \_\_\_\_ first?  
 \_\_\_\_ a priority \_\_\_\_ in \_\_\_\_ hazardous \_\_\_\_ monoxide and gas related \_\_\_\_?  
 Should I \_\_\_\_ in dealing with \_\_\_\_ monoxide \_\_\_\_?  
 \_\_\_\_ get priority time slots if there \_\_\_\_ a danger \_\_\_\_ \_\_\_\_ connected machinery?  
 \_\_\_\_ an \_\_\_\_ carbon \_\_\_\_ and my \_\_\_\_ connected devices, will you give \_\_\_\_ scheduling?  
 If \_\_\_\_ equipment \_\_\_\_ levels of \_\_\_\_ monoxide, would I \_\_\_\_ scheduling?  
 \_\_\_\_ appointments be \_\_\_\_ when there's \_\_\_\_ risk \_\_\_\_ elevated \_\_\_\_ levels \_\_\_\_ my \_\_\_\_?  
 \_\_\_\_ an imminent hazard \_\_\_\_ to \_\_\_\_ levels of carbon \_\_\_\_ my \_\_\_\_ gas-linked equipment \_\_\_\_ receive \_\_\_\_  
 scheduling?  
 Can \_\_\_\_ tell \_\_\_\_ to prioritize my \_\_\_\_ there is \_\_\_\_ carbon monoxide \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ given to possible \_\_\_\_ emergencies with \_\_\_\_?  
 If there is \_\_\_\_ monoxide \_\_\_\_ my \_\_\_\_ will \_\_\_\_ me priority scheduling?  
 \_\_\_\_ I \_\_\_\_ rushed \_\_\_\_ for \_\_\_\_ gas \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ priority \_\_\_\_ for a \_\_\_\_ my gas appliances?  
 Is there a \_\_\_\_ of \_\_\_\_ due to \_\_\_\_ Monoxide?  
 \_\_\_\_ for \_\_\_\_ of potentially hazardous carbon monoxide and gas?  
 Is it \_\_\_\_ priority treatment for a \_\_\_\_ monoxide \_\_\_\_ with \_\_\_\_?  
 Is it \_\_\_\_ for me \_\_\_\_ request \_\_\_\_ emergency \_\_\_\_ gas appliances?  
 \_\_\_\_ priority arrangements for carbon \_\_\_\_ connected \_\_\_\_ equipment?

Can you \_\_\_\_\_ appliances will be \_\_\_\_\_ event of a carbon monoxide \_\_\_\_\_?  
 \_\_\_\_\_ possible to prioritize \_\_\_\_\_ potential CO emergency \_\_\_\_\_ the function \_\_\_\_\_ connected \_\_\_\_\_ during \_\_\_\_\_ maintenance?

When \_\_\_\_\_ comes to \_\_\_\_\_ poisonous emission \_\_\_\_\_ caused \_\_\_\_\_ my \_\_\_\_\_ appliances, \_\_\_\_\_ I be \_\_\_\_\_?  
 \_\_\_\_\_ there is \_\_\_\_\_ carbon monoxide \_\_\_\_\_ can \_\_\_\_\_ my gas \_\_\_\_\_?  
 \_\_\_\_\_ there's \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ gas- \_\_\_\_\_ devices, will \_\_\_\_\_ grant priority scheduling?  
 \_\_\_\_\_ have potential carbon \_\_\_\_\_ can I get \_\_\_\_\_?  
 \_\_\_\_\_ case of carbon monoxide alarm, \_\_\_\_\_ I \_\_\_\_\_?

Is it \_\_\_\_\_ a potential \_\_\_\_\_ monoxide emergency \_\_\_\_\_ gas-connected \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ I have a \_\_\_\_\_ gas-related CO emergency?

Is it \_\_\_\_\_ to request expedited scheduling when \_\_\_\_\_ leaking \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ schedule for carbon crisis \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ have priority scheduling in case of a \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for me to \_\_\_\_\_ a rushed \_\_\_\_\_ for \_\_\_\_\_ emergency?

If there is an \_\_\_\_\_ danger \_\_\_\_\_ high \_\_\_\_\_ monoxide \_\_\_\_\_ my \_\_\_\_\_ would \_\_\_\_\_ preferential scheduling?  
 \_\_\_\_\_ my gas \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ CO emergency?  
 \_\_\_\_\_ imminent danger due \_\_\_\_\_ high levels \_\_\_\_\_ monoxide from \_\_\_\_\_ would I receive preferential \_\_\_\_\_?  
 \_\_\_\_\_ there is a risk of \_\_\_\_\_ CO levels \_\_\_\_\_ my gas \_\_\_\_\_ at \_\_\_\_\_ appointments \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ scheduling in case \_\_\_\_\_ a CO emergency?

Is \_\_\_\_\_ scheduling a possibility \_\_\_\_\_ gas emergency?

Is \_\_\_\_\_ priority \_\_\_\_\_ scheduling \_\_\_\_\_ situations \_\_\_\_\_ monoxide \_\_\_\_\_ gas appliances?  
 \_\_\_\_\_ appliances \_\_\_\_\_ in the event of a \_\_\_\_\_ emergency?

Should I request preferential \_\_\_\_\_ of \_\_\_\_\_ alarm?

If there is \_\_\_\_\_ levels of carbon \_\_\_\_\_ would \_\_\_\_\_ preferential scheduling?

Is \_\_\_\_\_ possible \_\_\_\_\_ prioritize my gas \_\_\_\_\_ in \_\_\_\_\_ a \_\_\_\_\_ emergency?

Can \_\_\_\_\_ scheduling be \_\_\_\_\_ event \_\_\_\_\_ CO emergency?

When linked fuel-fed \_\_\_\_\_ a probable carbon \_\_\_\_\_ I \_\_\_\_\_ for an \_\_\_\_\_?  
 \_\_\_\_\_ want to \_\_\_\_\_ prioritize \_\_\_\_\_ gas \_\_\_\_\_ in case of a \_\_\_\_\_ monoxide \_\_\_\_\_.

I'd like \_\_\_\_\_ priority \_\_\_\_\_ an \_\_\_\_\_ my gas appliances.  
 \_\_\_\_\_ request \_\_\_\_\_ for carbon monoxide and connected natural-gas equipment?

Will my priority \_\_\_\_\_ carbon \_\_\_\_\_ appliances?  
 \_\_\_\_\_ have \_\_\_\_\_ ability to arrange \_\_\_\_\_ in the \_\_\_\_\_ monoxide \_\_\_\_\_ gas appliances?

If there is \_\_\_\_\_ carbon monoxide \_\_\_\_\_ my gas \_\_\_\_\_ I \_\_\_\_\_ given \_\_\_\_\_ others?  
 \_\_\_\_\_ would like \_\_\_\_\_ request priority \_\_\_\_\_ for \_\_\_\_\_ emergencies.

If \_\_\_\_\_ an emergency with \_\_\_\_\_ monoxide \_\_\_\_\_ my \_\_\_\_\_ devices, \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_?

Is \_\_\_\_\_ permissible \_\_\_\_\_ request \_\_\_\_\_ for \_\_\_\_\_ monoxide and connected natural-gas \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ give \_\_\_\_\_ to \_\_\_\_\_ monoxide problems \_\_\_\_\_ my place.

Will \_\_\_\_\_ given to potential CO \_\_\_\_\_ gas-linked gadgets?

If \_\_\_\_\_ a catastrophic \_\_\_\_\_ involving \_\_\_\_\_ and \_\_\_\_\_ can you arrange \_\_\_\_\_?

Can \_\_\_\_\_ first in \_\_\_\_\_ there is \_\_\_\_\_ monoxide emergency?

If there \_\_\_\_\_ with \_\_\_\_\_ can I have priority scheduling?

Is \_\_\_\_\_ I \_\_\_\_\_ scheduling \_\_\_\_\_ a carbon monoxide gas \_\_\_\_\_?  
 \_\_\_\_\_ I get \_\_\_\_\_ carbon monoxide crisis because \_\_\_\_\_ my \_\_\_\_\_ appliances?  
 \_\_\_\_\_ any \_\_\_\_\_ you \_\_\_\_\_ my gas-dang \_\_\_\_\_ if \_\_\_\_\_ fumes come in?

Do \_\_\_\_\_ devices \_\_\_\_\_ priority \_\_\_\_\_ for carbon \_\_\_\_\_ issues?  
 \_\_\_\_\_ be given in \_\_\_\_\_ case of \_\_\_\_\_ my gas appliances?

Is it \_\_\_\_\_ to prioritize scheduling \_\_\_\_\_ to protect \_\_\_\_\_ levels?  
 \_\_\_\_\_ priority service \_\_\_\_\_ result of carbon monoxide?

Will there \_\_\_\_\_ attention \_\_\_\_\_ to \_\_\_\_\_ CO \_\_\_\_\_ my gas-linked \_\_\_\_\_?  
 \_\_\_\_\_ like to \_\_\_\_\_ if \_\_\_\_\_ arrangements \_\_\_\_\_ carbon monoxide \_\_\_\_\_ connected natural-gas equipment.  
 \_\_\_\_\_ there's a \_\_\_\_\_ can my \_\_\_\_\_ have priority?

Is it \_\_\_\_\_ in case \_\_\_\_\_ carbon monoxide alarm?

\_\_\_\_\_ there \_\_\_\_\_ chance \_\_\_\_\_ treatment for \_\_\_\_\_ carbon \_\_\_\_\_ issue \_\_\_\_\_ connected gas devices?

\_\_\_\_\_ help \_\_\_\_\_ carbon monoxide in my \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ CO levels from my connected \_\_\_\_\_ possible to prioritize \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me prioritize my appliances \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ carbon \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ prioritized \_\_\_\_\_ is \_\_\_\_\_ catastrophe \_\_\_\_\_ my gas appliances?

Is \_\_\_\_\_ booking for \_\_\_\_\_ carbon monoxide emergency?

\_\_\_\_\_ there is \_\_\_\_\_ poisonous \_\_\_\_\_ caused \_\_\_\_\_ appliances, \_\_\_\_\_ I be prioritised?

\_\_\_\_\_ chance \_\_\_\_\_ I can get priority service \_\_\_\_\_ I \_\_\_\_\_ monoxide?

\_\_\_\_\_ there is an \_\_\_\_\_ with \_\_\_\_\_ connected devices, will you \_\_\_\_\_ priority scheduling?

Is it \_\_\_\_\_ get priority treatment \_\_\_\_\_ my connected \_\_\_\_\_ devices.

\_\_\_\_\_ possible to request priority arrangements \_\_\_\_\_ carbon \_\_\_\_\_ natural-gas \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ rushed \_\_\_\_\_ for \_\_\_\_\_ appliances?

\_\_\_\_\_ case of a CO \_\_\_\_\_ my \_\_\_\_\_ appliances \_\_\_\_\_?

\_\_\_\_\_ I get \_\_\_\_\_ time slots \_\_\_\_\_ there \_\_\_\_\_ a chance \_\_\_\_\_ carbon \_\_\_\_\_ my machinery?

\_\_\_\_\_ for me \_\_\_\_\_ scheduling regarding an imminent \_\_\_\_\_ monoxide and the \_\_\_\_\_ of my gas-connected apparatuses?

\_\_\_\_\_ get \_\_\_\_\_ fast service \_\_\_\_\_ gas appliance emergency?

Can \_\_\_\_\_ my \_\_\_\_\_ monoxide \_\_\_\_\_ my appliances?

\_\_\_\_\_ need \_\_\_\_\_ help with \_\_\_\_\_ stuff.

\_\_\_\_\_ it \_\_\_\_\_ to arrange \_\_\_\_\_ servicing for \_\_\_\_\_ monoxide \_\_\_\_\_ appliances?

In the \_\_\_\_\_ carbon monoxide alarm, \_\_\_\_\_ I \_\_\_\_\_ preferential \_\_\_\_\_?

There \_\_\_\_\_ be \_\_\_\_\_ attention given to \_\_\_\_\_ gas-linked gadgets.

Need \_\_\_\_\_ fast schedule \_\_\_\_\_ emergency \_\_\_\_\_ appliances?

Is \_\_\_\_\_ scheduling \_\_\_\_\_ CO \_\_\_\_\_ from my fuel burning \_\_\_\_\_ appears likely?

If there is \_\_\_\_\_ with \_\_\_\_\_ monoxide and \_\_\_\_\_ connected devices, \_\_\_\_\_ I \_\_\_\_\_?

\_\_\_\_\_ to addressing any \_\_\_\_\_ emission \_\_\_\_\_ by \_\_\_\_\_ gas \_\_\_\_\_ could \_\_\_\_\_ given the highest priority?

Is \_\_\_\_\_ possible to \_\_\_\_\_ early for \_\_\_\_\_ carbon \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ scheduling \_\_\_\_\_ CO \_\_\_\_\_ from my gadgets is likely?

Is \_\_\_\_\_ a chance \_\_\_\_\_ can \_\_\_\_\_ priority service \_\_\_\_\_ monoxide?

I would like \_\_\_\_\_ priority \_\_\_\_\_ due to a \_\_\_\_\_.

I want \_\_\_\_\_ know if \_\_\_\_\_ priority \_\_\_\_\_ for \_\_\_\_\_ emergency with my \_\_\_\_\_.

\_\_\_\_\_ attention be \_\_\_\_\_ to potential \_\_\_\_\_ with \_\_\_\_\_ gadgets?

\_\_\_\_\_ it possible \_\_\_\_\_ to be \_\_\_\_\_ in case \_\_\_\_\_ carbon \_\_\_\_\_ danger?

Is it \_\_\_\_\_ to get preferred \_\_\_\_\_ involving carbon \_\_\_\_\_ appliances?

Immediate attention \_\_\_\_\_ potential \_\_\_\_\_ problems \_\_\_\_\_ my \_\_\_\_\_

\_\_\_\_\_ a \_\_\_\_\_ can give my appliances \_\_\_\_\_ if CO fumes \_\_\_\_\_?

Should I \_\_\_\_\_ if \_\_\_\_\_ have \_\_\_\_\_ carbon \_\_\_\_\_ emergency?

\_\_\_\_\_ there \_\_\_\_\_ to potential CO emergencies with my \_\_\_\_\_?

Is it possible \_\_\_\_\_ the \_\_\_\_\_ gas \_\_\_\_\_ my house \_\_\_\_\_ with carbon \_\_\_\_\_?

\_\_\_\_\_ there is a \_\_\_\_\_ situation involving \_\_\_\_\_ and my \_\_\_\_\_ are \_\_\_\_\_ able \_\_\_\_\_ arrange \_\_\_\_\_ servicing?

If \_\_\_\_\_ fumes are \_\_\_\_\_ can you \_\_\_\_\_ gas-dang \_\_\_\_\_ priority?

Is \_\_\_\_\_ possible \_\_\_\_\_ case of a gas \_\_\_\_\_?

Can you make sure \_\_\_\_\_ prioritized so \_\_\_\_\_ about elevated CO levels at \_\_\_\_\_?

Would \_\_\_\_\_ to \_\_\_\_\_ priority \_\_\_\_\_ for a \_\_\_\_\_ monoxide issue with \_\_\_\_\_ devices?

In case \_\_\_\_\_ carbon \_\_\_\_\_ can I \_\_\_\_\_ scheduling?

Can arrangements be made to \_\_\_\_\_ a \_\_\_\_\_ CO \_\_\_\_\_?

Would it \_\_\_\_\_ me to \_\_\_\_\_ scheduling \_\_\_\_\_ an imminent deadly situation regarding \_\_\_\_\_ utilization \_\_\_\_\_ gas-connected apparatuses?

\_\_\_\_\_ it \_\_\_\_\_ request expedited \_\_\_\_\_ CO leakage from \_\_\_\_\_ fuel-burning \_\_\_\_\_ looks likely?

If \_\_\_\_\_ imminent \_\_\_\_\_ to \_\_\_\_\_ levels \_\_\_\_\_ carbon \_\_\_\_\_ my \_\_\_\_\_ equipment, would I \_\_\_\_\_ given preferential

scheduling

\_\_\_\_\_ get priority \_\_\_\_\_ there \_\_\_\_\_ a danger of carbon monoxide leak from \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ monoxide leaking, can \_\_\_\_\_ top-priority \_\_\_\_\_ slots?

I am wondering if \_\_\_\_\_ can \_\_\_\_\_ priority \_\_\_\_\_ have \_\_\_\_\_.

I \_\_\_\_\_ be \_\_\_\_\_ precedence \_\_\_\_\_ if \_\_\_\_\_ is a suspected carbon \_\_\_\_\_ with \_\_\_\_\_ gas equipment.

Is it possible \_\_\_\_\_ request preferential \_\_\_\_\_ devices \_\_\_\_\_ a carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ gas appliance carbon monoxide \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ gas-related appliances \_\_\_\_\_ priority if there is \_\_\_\_\_?

Can you \_\_\_\_\_ my gas appliances will be \_\_\_\_\_ carbon \_\_\_\_\_?

\_\_\_\_\_ CO \_\_\_\_\_ come in my \_\_\_\_\_ you give \_\_\_\_\_ appliances \_\_\_\_\_?

Requests for preferential handling \_\_\_\_\_ the danger \_\_\_\_\_ carbon \_\_\_\_\_.

If \_\_\_\_\_ danger \_\_\_\_\_ to \_\_\_\_\_ of carbon \_\_\_\_\_ my equipment, would I \_\_\_\_\_ preferential scheduling?

\_\_\_\_\_ possible to \_\_\_\_\_ expedited \_\_\_\_\_ when CO leak from my \_\_\_\_\_ likely?

Is it possible \_\_\_\_\_ be given priority \_\_\_\_\_ poisonous \_\_\_\_\_ scenario \_\_\_\_\_ gas appliances?

\_\_\_\_\_ possible \_\_\_\_\_ request expedited scheduling when \_\_\_\_\_ leak \_\_\_\_\_?

Is there a \_\_\_\_\_ in scheduling \_\_\_\_\_ is \_\_\_\_\_ carbon \_\_\_\_\_ my \_\_\_\_\_ equipment?

\_\_\_\_\_ scheduling for a potential carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way to have \_\_\_\_\_ scheduling in \_\_\_\_\_ of \_\_\_\_\_?

Should \_\_\_\_\_ have \_\_\_\_\_ in \_\_\_\_\_ event \_\_\_\_\_ a \_\_\_\_\_ monoxide \_\_\_\_\_ involving connected \_\_\_\_\_?

\_\_\_\_\_ priority \_\_\_\_\_ dealing with a carbon monoxide \_\_\_\_\_?

If there \_\_\_\_\_ a potential CO emergency with \_\_\_\_\_ can \_\_\_\_\_ priority \_\_\_\_\_?

\_\_\_\_\_ is an imminent \_\_\_\_\_ to high levels \_\_\_\_\_ monoxide \_\_\_\_\_ equipment, \_\_\_\_\_ receive preferential scheduling?

\_\_\_\_\_ possible to \_\_\_\_\_ expedited scheduling \_\_\_\_\_ scenarios \_\_\_\_\_ CO \_\_\_\_\_ from \_\_\_\_\_ connected \_\_\_\_\_ gadgets \_\_\_\_\_ likely?

Is it \_\_\_\_\_ plans to \_\_\_\_\_ potential CO \_\_\_\_\_ threatening my \_\_\_\_\_ gas-powered \_\_\_\_\_?

May I request \_\_\_\_\_ carbon \_\_\_\_\_?

Do I \_\_\_\_\_ be prioritized \_\_\_\_\_ carbon \_\_\_\_\_ with my \_\_\_\_\_ appliances?

\_\_\_\_\_ possible \_\_\_\_\_ I \_\_\_\_\_ get priority service due to \_\_\_\_\_?

If \_\_\_\_\_ is \_\_\_\_\_ carbon \_\_\_\_\_ and my gas- connected \_\_\_\_\_ you allow \_\_\_\_\_ scheduling?

Is \_\_\_\_\_ possible \_\_\_\_\_ preferential \_\_\_\_\_ an \_\_\_\_\_ deadly \_\_\_\_\_ involving carbon monoxide and the \_\_\_\_\_ of my \_\_\_\_\_ apparatuses?

\_\_\_\_\_ CO \_\_\_\_\_ chance \_\_\_\_\_ can give my \_\_\_\_\_ appliances priority?

Can I schedule \_\_\_\_\_ carbon \_\_\_\_\_ gas appliances?

Is there \_\_\_\_\_ preference for \_\_\_\_\_ in \_\_\_\_\_ appliance emergencies?

Due to \_\_\_\_\_ high \_\_\_\_\_ from my \_\_\_\_\_ appliances Is it \_\_\_\_\_ scheduling?

\_\_\_\_\_ make sure appointments \_\_\_\_\_ prioritized \_\_\_\_\_ there's \_\_\_\_\_ risk \_\_\_\_\_ CO \_\_\_\_\_ at \_\_\_\_\_ home?

\_\_\_\_\_ desire to prioritize \_\_\_\_\_ gas-mishap situation?

\_\_\_\_\_ be \_\_\_\_\_ in line if \_\_\_\_\_ is \_\_\_\_\_ carbon \_\_\_\_\_ hazard?

\_\_\_\_\_ slots if there is \_\_\_\_\_ danger of carbon \_\_\_\_\_ leaking?

Is it \_\_\_\_\_ to request \_\_\_\_\_ scheduling \_\_\_\_\_ the carbon \_\_\_\_\_?

\_\_\_\_\_ I need \_\_\_\_\_ arrangements \_\_\_\_\_ monoxide and my \_\_\_\_\_ natural-gas \_\_\_\_\_?

\_\_\_\_\_ to potential \_\_\_\_\_ monoxide \_\_\_\_\_ at \_\_\_\_\_ place

\_\_\_\_\_ house \_\_\_\_\_ with \_\_\_\_\_ monoxide, can \_\_\_\_\_ the \_\_\_\_\_ for gas emergencies?

\_\_\_\_\_ use \_\_\_\_\_ scheduling for \_\_\_\_\_ monoxide \_\_\_\_\_ my appliances?

\_\_\_\_\_ gas appliances \_\_\_\_\_ if there \_\_\_\_\_ a \_\_\_\_\_ emergency?

\_\_\_\_\_ be prioritized for \_\_\_\_\_ emergency caused \_\_\_\_\_ monoxide?

\_\_\_\_\_ I get \_\_\_\_\_ scheduling if there's \_\_\_\_\_ hazard due \_\_\_\_\_ high \_\_\_\_\_ of \_\_\_\_\_ my equipment?

When \_\_\_\_\_ to addressing any \_\_\_\_\_ scenario \_\_\_\_\_ appliances, could I \_\_\_\_\_ given priority?

I \_\_\_\_\_ if I \_\_\_\_\_ get priority service \_\_\_\_\_ carbon monoxide.

\_\_\_\_\_ my house \_\_\_\_\_ monoxide, \_\_\_\_\_ I jump the \_\_\_\_\_ gas \_\_\_\_\_?

Can \_\_\_\_\_ get \_\_\_\_\_ a \_\_\_\_\_ Monoxide issue with \_\_\_\_\_ connected \_\_\_\_\_ devices?

If CO \_\_\_\_ get in \_\_\_\_ way \_\_\_\_ appliances, can you \_\_\_\_ ?  
 \_\_\_\_ - \_\_\_\_ in my \_\_\_\_ stuff?  
 \_\_\_\_ is \_\_\_\_ imminent danger due to high \_\_\_\_ of carbon monoxide \_\_\_\_ my \_\_\_\_ scheduling?  
 I \_\_\_\_ assistance with \_\_\_\_ monoxide \_\_\_\_ gas stuff.  
 \_\_\_\_ handling due \_\_\_\_ danger of \_\_\_\_ carbon \_\_\_\_ leak  
 \_\_\_\_ there \_\_\_\_ suspected carbon \_\_\_\_ with my gas \_\_\_\_ I \_\_\_\_ precedence \_\_\_\_ scheduling?  
 Can \_\_\_\_ priority time \_\_\_\_ there is a \_\_\_\_ of carbon \_\_\_\_ among \_\_\_\_ ?  
 \_\_\_\_ possible \_\_\_\_ arrange prioritized \_\_\_\_ if \_\_\_\_ tragedy involving carbon \_\_\_\_ and my gas \_\_\_\_ ?  
 Is \_\_\_\_ any \_\_\_\_ CO emergencies with gas-linked \_\_\_\_ ?  
 \_\_\_\_ preferential \_\_\_\_ available \_\_\_\_ is an \_\_\_\_ hazard \_\_\_\_ to high \_\_\_\_ monoxide from \_\_\_\_ current gas-linked equipment?  
 Is \_\_\_\_ a \_\_\_\_ for \_\_\_\_ appliances \_\_\_\_ there \_\_\_\_ CO crisis?  
 \_\_\_\_ possible to treat \_\_\_\_ carbon monoxide \_\_\_\_ gas devices?  
 Is it possible to make arrangements to \_\_\_\_ my \_\_\_\_ during \_\_\_\_ ?  
 \_\_\_\_ I \_\_\_\_ the right \_\_\_\_ preferential scheduling \_\_\_\_ event of \_\_\_\_ carbon \_\_\_\_ alarm?  
 Is it \_\_\_\_ a catastrophic situation involving carbon monoxide?  
 \_\_\_\_ it possible \_\_\_\_ assign priority to \_\_\_\_ gas- connected appliances \_\_\_\_ the \_\_\_\_ a \_\_\_\_ ?  
 \_\_\_\_ it possible \_\_\_\_ get \_\_\_\_ for emergencies involving \_\_\_\_ and \_\_\_\_ ?  
 Is preferential scheduling possible \_\_\_\_ there's \_\_\_\_ imminent \_\_\_\_ high levels \_\_\_\_ monoxide from my \_\_\_\_ ?  
 \_\_\_\_ can get \_\_\_\_ service \_\_\_\_ of carbon monoxide.  
 Will there \_\_\_\_ special attention \_\_\_\_ CO \_\_\_\_ with \_\_\_\_ gadgets?  
 Is it \_\_\_\_ to have \_\_\_\_ scheduling \_\_\_\_ of \_\_\_\_ potential \_\_\_\_ with \_\_\_\_ devices?  
 \_\_\_\_ gas-linked \_\_\_\_ be \_\_\_\_ attention if there \_\_\_\_ CO emergency?  
 \_\_\_\_ you \_\_\_\_ I \_\_\_\_ a carbon monoxide emergency?  
 Can I be \_\_\_\_ in line \_\_\_\_ there is \_\_\_\_ carbon \_\_\_\_ gas \_\_\_\_ ?  
 If there \_\_\_\_ a danger of \_\_\_\_ leaking from my \_\_\_\_ can \_\_\_\_ get \_\_\_\_ slots?  
 \_\_\_\_ it \_\_\_\_ that \_\_\_\_ for urgent schedules during \_\_\_\_ carbon \_\_\_\_ linked fuel-fed units?  
 Is \_\_\_\_ treat \_\_\_\_ potential carbon monoxide \_\_\_\_ with \_\_\_\_ gas devices \_\_\_\_ ?  
 If \_\_\_\_ emergency involving \_\_\_\_ and \_\_\_\_ gas-connected devices, will you \_\_\_\_ scheduling?  
 \_\_\_\_ possible to \_\_\_\_ servicing \_\_\_\_ there is \_\_\_\_ catastrophe \_\_\_\_ monoxide and \_\_\_\_ gas appliances?  
 Would \_\_\_\_ be \_\_\_\_ for \_\_\_\_ to be \_\_\_\_ scheduling \_\_\_\_ carbon monoxide \_\_\_\_ the utilization of \_\_\_\_ ?  
 \_\_\_\_ gadgets receive special attention when \_\_\_\_ is \_\_\_\_ emergency?  
 \_\_\_\_ case of \_\_\_\_ my gas-related appliances \_\_\_\_ priority?  
 I'd \_\_\_\_ know \_\_\_\_ can give \_\_\_\_ gas \_\_\_\_ priority \_\_\_\_ CO \_\_\_\_ are present.  
 Would \_\_\_\_ receive \_\_\_\_ there is an imminent hazard due \_\_\_\_ levels of \_\_\_\_ from \_\_\_\_ current \_\_\_\_ ?  
 Is \_\_\_\_ to addressing poisonous \_\_\_\_ by my gas appliances?  
 \_\_\_\_ possible \_\_\_\_ I get \_\_\_\_ for scheduling \_\_\_\_ case \_\_\_\_ monoxide?  
 \_\_\_\_ possible \_\_\_\_ to be given \_\_\_\_ for carbon \_\_\_\_ and \_\_\_\_ usage?  
 Is \_\_\_\_ to request \_\_\_\_ scheduling \_\_\_\_ CO \_\_\_\_ my gadgets looks \_\_\_\_ ?  
 Would I be able \_\_\_\_ for a \_\_\_\_ ?  
 Can I \_\_\_\_ priority time \_\_\_\_ if \_\_\_\_ connected gas-powered machinery \_\_\_\_ risk \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ for carbon monoxide \_\_\_\_ my connected natural \_\_\_\_ ?  
 If there is \_\_\_\_ carbon \_\_\_\_ could \_\_\_\_ get \_\_\_\_ for \_\_\_\_ ?  
 \_\_\_\_ to \_\_\_\_ you \_\_\_\_ give \_\_\_\_ priority if CO fumes show up?  
 Can \_\_\_\_ request \_\_\_\_ for \_\_\_\_ carbon \_\_\_\_ emergency?  
 \_\_\_\_ my house \_\_\_\_ monoxide, will I \_\_\_\_ able \_\_\_\_ jump \_\_\_\_ for \_\_\_\_ emergencies?  
 \_\_\_\_ for urgent schedules if there \_\_\_\_ a \_\_\_\_ monoxide \_\_\_\_ linked \_\_\_\_ units?  
 I would \_\_\_\_ to \_\_\_\_ scheduling for \_\_\_\_ related \_\_\_\_ my gas \_\_\_\_ .  
 I'm wondering if \_\_\_\_ my \_\_\_\_ if CO \_\_\_\_ in.  
 \_\_\_\_ need help with carbon monoxide \_\_\_\_ .  
 \_\_\_\_ priority \_\_\_\_ my gas appliances in case of a \_\_\_\_ emergency?

\_\_\_\_\_ it possible \_\_\_\_\_ to be given \_\_\_\_\_ scheduling regarding carbon \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ gas- \_\_\_\_\_?

\_\_\_\_\_ there is an \_\_\_\_\_ regarding \_\_\_\_\_ or my \_\_\_\_\_ connected devices, will \_\_\_\_\_ scheduling?

\_\_\_\_\_ tell me \_\_\_\_\_ gas \_\_\_\_\_ should \_\_\_\_\_ in \_\_\_\_\_ of a carbon monoxide emergency?

Can \_\_\_\_\_ prioritized for a \_\_\_\_\_ with \_\_\_\_\_ appliances?

I \_\_\_\_\_ if I will \_\_\_\_\_ given priority \_\_\_\_\_ addressing the poisonous \_\_\_\_\_ scenario \_\_\_\_\_ by \_\_\_\_\_ gas \_\_\_\_\_.

If there is \_\_\_\_\_ carbon monoxide \_\_\_\_\_ with \_\_\_\_\_ gas \_\_\_\_\_ can \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ priority arrangements \_\_\_\_\_ threats \_\_\_\_\_ to \_\_\_\_\_ and connected \_\_\_\_\_ equipment?

\_\_\_\_\_ there is a risk \_\_\_\_\_ carbon monoxide \_\_\_\_\_ connected gas-powered machinery, \_\_\_\_\_ priority time \_\_\_\_\_?

Can \_\_\_\_\_ carbon monoxide emergencies?

\_\_\_\_\_ possible \_\_\_\_\_ have priority \_\_\_\_\_ a carbon \_\_\_\_\_ issue with \_\_\_\_\_ connected gas \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ preferential scheduling \_\_\_\_\_ a \_\_\_\_\_ monoxide alarm \_\_\_\_\_ my home?

\_\_\_\_\_ be \_\_\_\_\_ for me to receive \_\_\_\_\_ an \_\_\_\_\_ deadly \_\_\_\_\_ involving carbon \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ connected apparatuses?

If \_\_\_\_\_ an imminent \_\_\_\_\_ due to high levels \_\_\_\_\_ my \_\_\_\_\_ equipment, \_\_\_\_\_ I \_\_\_\_\_ given \_\_\_\_\_ scheduling?

\_\_\_\_\_ I be \_\_\_\_\_ schedule for \_\_\_\_\_ CO crisis?

Will \_\_\_\_\_ priority for \_\_\_\_\_ the case \_\_\_\_\_ monoxide and \_\_\_\_\_ appliances?

\_\_\_\_\_ you offer \_\_\_\_\_ schedule for CO \_\_\_\_\_ appliances?

\_\_\_\_\_ there's a \_\_\_\_\_ involving \_\_\_\_\_ monoxide and \_\_\_\_\_ can you \_\_\_\_\_ a prioritized \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a catastrophic \_\_\_\_\_ involving \_\_\_\_\_ my gas \_\_\_\_\_ can \_\_\_\_\_ prioritized servicing?

\_\_\_\_\_ a preference \_\_\_\_\_ gas appliance \_\_\_\_\_ monoxide emergencies?

\_\_\_\_\_ it \_\_\_\_\_ to be prioritized for \_\_\_\_\_ with \_\_\_\_\_ gas appliances?

Can \_\_\_\_\_ priority \_\_\_\_\_ there is \_\_\_\_\_ danger of \_\_\_\_\_ monoxide poisoning?

Would it be \_\_\_\_\_ for \_\_\_\_\_ given \_\_\_\_\_ scheduling \_\_\_\_\_ and gas use?

If there \_\_\_\_\_ a danger of \_\_\_\_\_ leaking \_\_\_\_\_ my \_\_\_\_\_ gas-powered machinery, \_\_\_\_\_ I \_\_\_\_\_ time \_\_\_\_\_?

\_\_\_\_\_ don't know \_\_\_\_\_ you \_\_\_\_\_ give \_\_\_\_\_ gas-dang \_\_\_\_\_ priority if \_\_\_\_\_ in.

\_\_\_\_\_ priority \_\_\_\_\_ a carbon monoxide emergency with my \_\_\_\_\_?

Will there \_\_\_\_\_ given \_\_\_\_\_ with my gas-linked gadgets?

Can you \_\_\_\_\_ carbon \_\_\_\_\_ in my \_\_\_\_\_?

I \_\_\_\_\_ urgent attention \_\_\_\_\_ Monoxide \_\_\_\_\_ at my \_\_\_\_\_.

\_\_\_\_\_ gas \_\_\_\_\_ cause \_\_\_\_\_ emission scenario, \_\_\_\_\_ be given priority?

\_\_\_\_\_ it \_\_\_\_\_ I \_\_\_\_\_ get priority \_\_\_\_\_ due \_\_\_\_\_ carbon monoxide?

In \_\_\_\_\_ carbon \_\_\_\_\_ emergency, \_\_\_\_\_ you \_\_\_\_\_ priority \_\_\_\_\_ my gas-connected appliances?

arrangements can be \_\_\_\_\_ prioritize a \_\_\_\_\_ the function \_\_\_\_\_ gas-powered equipment during scheduled \_\_\_\_\_

\_\_\_\_\_ I \_\_\_\_\_ attention \_\_\_\_\_ my connected \_\_\_\_\_ if \_\_\_\_\_ a potential carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ priority if I \_\_\_\_\_ a \_\_\_\_\_ monoxide emergency?

\_\_\_\_\_ my house \_\_\_\_\_ up with carbon \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ my gas appliances \_\_\_\_\_ be \_\_\_\_\_ in the event \_\_\_\_\_ a carbon \_\_\_\_\_ emergency?

Help - \_\_\_\_\_ my \_\_\_\_\_ equipment?

\_\_\_\_\_ I \_\_\_\_\_ scheduled for \_\_\_\_\_ monoxide gas emergency \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ priority \_\_\_\_\_ with my gas devices?

Can I get priority \_\_\_\_\_ the \_\_\_\_\_ emergency?

\_\_\_\_\_ there \_\_\_\_\_ imminent \_\_\_\_\_ due to \_\_\_\_\_ levels of \_\_\_\_\_ monoxide from my gas equipment, \_\_\_\_\_ receive \_\_\_\_\_?

\_\_\_\_\_ there is \_\_\_\_\_ monoxide emergency involving connected \_\_\_\_\_ it \_\_\_\_\_ for me to have \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ get a first preference booking \_\_\_\_\_ I \_\_\_\_\_?

\_\_\_\_\_ use \_\_\_\_\_ gas appliance-related carbon monoxide \_\_\_\_\_ for \_\_\_\_\_?

When \_\_\_\_\_ my \_\_\_\_\_ burning gadgets \_\_\_\_\_ I request expedited scheduling?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ emergencies with my gas-linked gadgets?

If there \_\_\_\_\_ an \_\_\_\_\_ regarding carbon \_\_\_\_\_ and my gas connected \_\_\_\_\_ will \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ get a \_\_\_\_\_ for \_\_\_\_\_ and carbon monoxide?

Can \_\_\_\_\_ sure appointments \_\_\_\_\_ there \_\_\_\_\_ a risk of \_\_\_\_\_ levels in my \_\_\_\_\_?

\_\_\_\_\_ for me to request \_\_\_\_\_ a \_\_\_\_\_ monoxide alarm?

Is there a priority \_\_\_\_\_ hazardous \_\_\_\_\_ carbon monoxide \_\_\_\_\_?

I was wondering if \_\_\_\_\_ priority \_\_\_\_\_ due to \_\_\_\_\_.

Is there \_\_\_\_\_ scheduling in \_\_\_\_\_ case \_\_\_\_\_ and \_\_\_\_\_ related appliances.

When \_\_\_\_\_ leakage \_\_\_\_\_ my \_\_\_\_\_ fuel-burning \_\_\_\_\_ seems \_\_\_\_\_ can I \_\_\_\_\_ expedited \_\_\_\_\_?

Can you tell \_\_\_\_\_ if \_\_\_\_\_ gas \_\_\_\_\_ appliances should \_\_\_\_\_ prioritized \_\_\_\_\_ of \_\_\_\_\_ carbon \_\_\_\_\_ emergency?

\_\_\_\_\_ it \_\_\_\_\_ to dealing \_\_\_\_\_ poisonous \_\_\_\_\_ scenarios caused by my gas \_\_\_\_\_ could \_\_\_\_\_ first \_\_\_\_\_?

\_\_\_\_\_ you give \_\_\_\_\_ for the CO \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ possibility that I could receive \_\_\_\_\_ to \_\_\_\_\_ potential \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ for me to \_\_\_\_\_ priority \_\_\_\_\_ to \_\_\_\_\_ monoxide?

In case of \_\_\_\_\_ CO \_\_\_\_\_ my \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ case \_\_\_\_\_ danger \_\_\_\_\_ connected \_\_\_\_\_ could there be \_\_\_\_\_ urgent scheduling?

\_\_\_\_\_ possible CO crisis \_\_\_\_\_ appliances?

\_\_\_\_\_ obtain priority time \_\_\_\_\_ if there \_\_\_\_\_ a danger \_\_\_\_\_ carbon \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ for \_\_\_\_\_ gas appliances' emergency?

\_\_\_\_\_ request \_\_\_\_\_ scheduling in cases of carbon \_\_\_\_\_?

Is \_\_\_\_\_ possible for me \_\_\_\_\_ request \_\_\_\_\_ for \_\_\_\_\_ connected \_\_\_\_\_ equipment?

Should \_\_\_\_\_ be allowed \_\_\_\_\_ my \_\_\_\_\_ monoxide \_\_\_\_\_?

I don't \_\_\_\_\_ I \_\_\_\_\_ have \_\_\_\_\_ for scheduling \_\_\_\_\_ situations of \_\_\_\_\_ hazardous \_\_\_\_\_.

\_\_\_\_\_ help with \_\_\_\_\_ in \_\_\_\_\_ stuff.

Can \_\_\_\_\_ get priority \_\_\_\_\_ slots if there \_\_\_\_\_ carbon \_\_\_\_\_ from my \_\_\_\_\_?

Is \_\_\_\_\_ to get \_\_\_\_\_ treatment \_\_\_\_\_ potential carbon \_\_\_\_\_ my connected gas \_\_\_\_\_.

\_\_\_\_\_ qualify for \_\_\_\_\_ urgent schedule if there \_\_\_\_\_ a \_\_\_\_\_ carbon \_\_\_\_\_ involving linked \_\_\_\_\_?

\_\_\_\_\_ monoxide \_\_\_\_\_ my gas appliances \_\_\_\_\_ involved, \_\_\_\_\_ priority servicing?

Should I \_\_\_\_\_ scheduling \_\_\_\_\_ of high CO \_\_\_\_\_?

\_\_\_\_\_ preferential scheduling \_\_\_\_\_ if \_\_\_\_\_ have a carbon \_\_\_\_\_?

When CO \_\_\_\_\_ from \_\_\_\_\_ gadgets appears likely can I \_\_\_\_\_?

Is it possible \_\_\_\_\_ be \_\_\_\_\_ priority scheduling \_\_\_\_\_ to \_\_\_\_\_ emergency?

\_\_\_\_\_ for scheduling \_\_\_\_\_ situations of carbon \_\_\_\_\_ and gas related \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ get \_\_\_\_\_ booking \_\_\_\_\_ a carbon monoxide emergency \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to poisonous emission scenario \_\_\_\_\_ could I \_\_\_\_\_ given priority?

Is \_\_\_\_\_ possible for \_\_\_\_\_ have preference in \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ carbon \_\_\_\_\_ my house?

\_\_\_\_\_ it \_\_\_\_\_ request expedited \_\_\_\_\_ leakage from \_\_\_\_\_ fuel burning gadgets \_\_\_\_\_ likely?

During \_\_\_\_\_ event \_\_\_\_\_ carbon monoxide emergency involving fuel-reliant \_\_\_\_\_ be possible for \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ schedule for the possibility \_\_\_\_\_ a \_\_\_\_\_ crisis \_\_\_\_\_ appliances?

Can I get top \_\_\_\_\_ time \_\_\_\_\_ there \_\_\_\_\_ risk of \_\_\_\_\_?

Is \_\_\_\_\_ have preferred scheduling \_\_\_\_\_ and my gas \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to get \_\_\_\_\_ a \_\_\_\_\_ monoxide crisis involving \_\_\_\_\_ connected \_\_\_\_\_ appliances?

Would it be \_\_\_\_\_ to get \_\_\_\_\_ scheduling \_\_\_\_\_ gas appliances?

\_\_\_\_\_ it possible for \_\_\_\_\_ for a carbon monoxide \_\_\_\_\_ my \_\_\_\_\_ appliances?

\_\_\_\_\_ risk \_\_\_\_\_ monoxide leak, I requested preferential handling.

\_\_\_\_\_ it possible \_\_\_\_\_ to \_\_\_\_\_ my gas appliances in case \_\_\_\_\_ monoxide \_\_\_\_\_?

Can \_\_\_\_\_ for any \_\_\_\_\_ related \_\_\_\_\_ carbon \_\_\_\_\_ and my connected \_\_\_\_\_ equipment?

Should I be \_\_\_\_\_ scheduling for \_\_\_\_\_ carbon \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ help with carbon \_\_\_\_\_ in \_\_\_\_\_ stuff.

I \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ for a \_\_\_\_\_ crisis with my appliances.

\_\_\_\_\_ it possible to schedule \_\_\_\_\_ emergency \_\_\_\_\_ my gas \_\_\_\_\_?

Is my \_\_\_\_\_ equipment my priority \_\_\_\_\_ a carbon \_\_\_\_\_?

Can I \_\_\_\_\_ times if \_\_\_\_\_ of carbon monoxide \_\_\_\_\_ from \_\_\_\_\_ machinery?

\_\_\_\_\_ be \_\_\_\_\_ prioritize a \_\_\_\_\_ CO \_\_\_\_\_ threatening my \_\_\_\_\_ gas-powered equipment \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ would like to \_\_\_\_\_ allowed \_\_\_\_\_ in \_\_\_\_\_ appliance emergencies for \_\_\_\_\_ .  
 \_\_\_\_\_ me a prioritized \_\_\_\_\_ of my \_\_\_\_\_ connected appliances \_\_\_\_\_ event \_\_\_\_\_ a carbon monoxide \_\_\_\_\_?  
 Can you give \_\_\_\_\_ CO \_\_\_\_\_ come \_\_\_\_\_?  
 Is \_\_\_\_\_ of priority treatment \_\_\_\_\_ potential \_\_\_\_\_ monoxide \_\_\_\_\_ with \_\_\_\_\_ gas devices?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ should \_\_\_\_\_ first \_\_\_\_\_ there \_\_\_\_\_ carbon monoxide \_\_\_\_\_ my \_\_\_\_\_?  
 urgent \_\_\_\_\_ on \_\_\_\_\_ CO \_\_\_\_\_?  
 Please help \_\_\_\_\_ monoxide \_\_\_\_\_ gas \_\_\_\_\_?  
 Is it possible to \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_?  
 I \_\_\_\_\_ know \_\_\_\_\_ could get \_\_\_\_\_ service due to \_\_\_\_\_ .  
 \_\_\_\_\_ possible that \_\_\_\_\_ could \_\_\_\_\_ due to \_\_\_\_\_ carbon monoxide?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ carbon \_\_\_\_\_ and my gas appliances?  
 When there's \_\_\_\_\_ of elevated CO levels \_\_\_\_\_ gas \_\_\_\_\_ at \_\_\_\_\_ can you \_\_\_\_\_ appointments \_\_\_\_\_?  
 In \_\_\_\_\_ event \_\_\_\_\_ a \_\_\_\_\_ monoxide \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ appliances?  
 Is it possible to get \_\_\_\_\_ monoxide \_\_\_\_\_ I \_\_\_\_\_ gas \_\_\_\_\_?  
 \_\_\_\_\_ to know if I \_\_\_\_\_ get \_\_\_\_\_ service \_\_\_\_\_ to \_\_\_\_\_ monoxide.  
 \_\_\_\_\_ possible \_\_\_\_\_ me to \_\_\_\_\_ of a carbon monoxide emergency \_\_\_\_\_ fuel dependent objects?  
 \_\_\_\_\_ a possibility of \_\_\_\_\_ causing priority \_\_\_\_\_?  
 Should carbon \_\_\_\_\_ issues from \_\_\_\_\_ equipment \_\_\_\_\_ more quickly?  
 \_\_\_\_\_ addressing \_\_\_\_\_ emission scenarios caused \_\_\_\_\_ my \_\_\_\_\_ could I \_\_\_\_\_ the priority?  
 During a probable carbon \_\_\_\_\_ involving \_\_\_\_\_ units, \_\_\_\_\_ qualify for \_\_\_\_\_ schedules?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ monoxide emergencies \_\_\_\_\_ appliance \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ regarding carbon \_\_\_\_\_ and my \_\_\_\_\_ devices, will I \_\_\_\_\_ priority \_\_\_\_\_?  
 \_\_\_\_\_ there is \_\_\_\_\_ carbon monoxide and \_\_\_\_\_ appliances, \_\_\_\_\_ arrange a \_\_\_\_\_ service?  
 \_\_\_\_\_ there is \_\_\_\_\_ gas equipment, can I be first in line for \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ chance that \_\_\_\_\_ gas \_\_\_\_\_ will be priority \_\_\_\_\_ in?  
 \_\_\_\_\_ is \_\_\_\_\_ carbon monoxide \_\_\_\_\_ my gas \_\_\_\_\_ devices, will \_\_\_\_\_ give \_\_\_\_\_ priority scheduling?  
 Immediate help \_\_\_\_\_ monoxide \_\_\_\_\_ gas \_\_\_\_\_ .  
 Is it \_\_\_\_\_ to request preferential \_\_\_\_\_ in \_\_\_\_\_ carbon Monoxide \_\_\_\_\_?  
 \_\_\_\_\_ CO \_\_\_\_\_ are a \_\_\_\_\_ give \_\_\_\_\_ gas-dang appliances priority?  
 Due to \_\_\_\_\_ danger of a carbon \_\_\_\_\_ wanted \_\_\_\_\_ .  
 Do \_\_\_\_\_ right to preference \_\_\_\_\_ gas \_\_\_\_\_ carbon monoxide emergencies \_\_\_\_\_ ?  
 Is \_\_\_\_\_ possible to have \_\_\_\_\_ for a carbon \_\_\_\_\_ with \_\_\_\_\_ connected \_\_\_\_\_?  
 Do I \_\_\_\_\_ for urgent \_\_\_\_\_ a \_\_\_\_\_ hazard involving linked \_\_\_\_\_ units?  
 \_\_\_\_\_ scheduled first \_\_\_\_\_ is a \_\_\_\_\_ monoxide hazard?  
 \_\_\_\_\_ would like to request \_\_\_\_\_ for \_\_\_\_\_ monoxide and my \_\_\_\_\_ .  
 \_\_\_\_\_ get preferential \_\_\_\_\_ imminent hazard due to \_\_\_\_\_ levels of \_\_\_\_\_ in my equipment?  
 Is it \_\_\_\_\_ to request \_\_\_\_\_ scheduling \_\_\_\_\_ CO \_\_\_\_\_ fuel-burning gadgets \_\_\_\_\_?  
 \_\_\_\_\_ a preference \_\_\_\_\_ scheduling \_\_\_\_\_ case \_\_\_\_\_ in my appliances?  
 \_\_\_\_\_ there's a \_\_\_\_\_ of \_\_\_\_\_ CO \_\_\_\_\_ from my gas gadgets \_\_\_\_\_ can \_\_\_\_\_ appointments \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ fatal situation \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ you arrange prioritized servicing?  
 Is it \_\_\_\_\_ request \_\_\_\_\_ if \_\_\_\_\_ fuel-burning gadgets appear \_\_\_\_\_ leaking \_\_\_\_\_?  
 \_\_\_\_\_ request expedited \_\_\_\_\_ when my connected \_\_\_\_\_ to be \_\_\_\_\_ CO?  
 If \_\_\_\_\_ is an emergency \_\_\_\_\_ carbon \_\_\_\_\_ will \_\_\_\_\_ priority \_\_\_\_\_?  
 \_\_\_\_\_ comes to dealing with \_\_\_\_\_ caused by \_\_\_\_\_ gas appliances, could \_\_\_\_\_ priority?  
 Is \_\_\_\_\_ to have priority \_\_\_\_\_ for carbon \_\_\_\_\_ issues with \_\_\_\_\_?  
 \_\_\_\_\_ request priority \_\_\_\_\_ threats \_\_\_\_\_ carbon \_\_\_\_\_ my connected natural-gas equipment?  
 \_\_\_\_\_ receive priority scheduling \_\_\_\_\_ carbon Monoxide \_\_\_\_\_ emergency?  
 In case \_\_\_\_\_ carbon monoxide alarm, \_\_\_\_\_ a \_\_\_\_\_ scheduling?  
 \_\_\_\_\_ catastrophic \_\_\_\_\_ and my \_\_\_\_\_ appliances you can arrange prioritized servicing.



\_\_\_\_ to potential \_\_\_\_ I get priority \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ emergency \_\_\_\_ carbon monoxide or \_\_\_\_ will you give \_\_\_\_ scheduling?  
 Can \_\_\_\_ a gas related CO emergency?  
 \_\_\_\_ possible \_\_\_\_ schedule in case \_\_\_\_ danger from \_\_\_\_ devices?  
 \_\_\_\_ I get priority \_\_\_\_ I \_\_\_\_ a \_\_\_\_ monoxide \_\_\_\_ ?  
 \_\_\_\_ possible \_\_\_\_ expedited scheduling when \_\_\_\_ leakage from \_\_\_\_ fuel \_\_\_\_ gadgets seems \_\_\_\_ ?  
 \_\_\_\_ have \_\_\_\_ for scheduling when \_\_\_\_ a risk of \_\_\_\_ and \_\_\_\_ ?  
 I am in need \_\_\_\_ help \_\_\_\_ carbon \_\_\_\_ in \_\_\_\_ .  
 Can \_\_\_\_ time \_\_\_\_ if \_\_\_\_ is a \_\_\_\_ of carbon \_\_\_\_ from \_\_\_\_ connected gas-powered machines?  
 If there's an emergency \_\_\_\_ my \_\_\_\_ will you \_\_\_\_ me \_\_\_\_ ?  
 \_\_\_\_ it possible \_\_\_\_ request \_\_\_\_ when there is \_\_\_\_ of CO \_\_\_\_ gadgets?  
 \_\_\_\_ in need \_\_\_\_ help \_\_\_\_ carbon \_\_\_\_ my gas \_\_\_\_ .  
 Is there precedence in \_\_\_\_ there \_\_\_\_ a \_\_\_\_ of \_\_\_\_ monoxide \_\_\_\_ ?  
 \_\_\_\_ of danger \_\_\_\_ gas connected devices  
 \_\_\_\_ there \_\_\_\_ attention given \_\_\_\_ emergencies with my \_\_\_\_ gadgets?  
 \_\_\_\_ is \_\_\_\_ carbon monoxide hazard \_\_\_\_ my \_\_\_\_ equipment, can \_\_\_\_ better schedule?  
 Is it possible \_\_\_\_ to \_\_\_\_ expedited \_\_\_\_ CO leaking \_\_\_\_ connected \_\_\_\_ gadgets \_\_\_\_ likely?  
 \_\_\_\_ I get \_\_\_\_ time slots \_\_\_\_ there is \_\_\_\_ danger \_\_\_\_ carbon monoxide \_\_\_\_ powered machinery?  
 If there \_\_\_\_ involving carbon monoxide and my \_\_\_\_ appliances, can \_\_\_\_ ?  
 Can I get \_\_\_\_ there \_\_\_\_ a danger \_\_\_\_ carbon monoxide \_\_\_\_ from \_\_\_\_ ?  
 Is there a \_\_\_\_ the \_\_\_\_ of \_\_\_\_ carbon \_\_\_\_ threat \_\_\_\_ gas appliances?  
 \_\_\_\_ is \_\_\_\_ monoxide and my gas-connected devices, will \_\_\_\_ grant \_\_\_\_ scheduling?  
 \_\_\_\_ there's \_\_\_\_ regarding carbon \_\_\_\_ and \_\_\_\_ gas connected devices \_\_\_\_ you \_\_\_\_ priority \_\_\_\_ ?  
 \_\_\_\_ gas appliances have \_\_\_\_ there \_\_\_\_ a \_\_\_\_ emergency?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ scheduling if \_\_\_\_ have \_\_\_\_ monoxide alarm?  
 Do you \_\_\_\_ fast \_\_\_\_ gas \_\_\_\_ emergency?  
 \_\_\_\_ bother me, \_\_\_\_ you give my \_\_\_\_ priority?  
 Do I \_\_\_\_ during a \_\_\_\_ monoxide hazard \_\_\_\_ linked fuel-fed \_\_\_\_ ?  
 \_\_\_\_ would like to \_\_\_\_ arrangements \_\_\_\_ to \_\_\_\_ monoxide \_\_\_\_ natural gas.  
 \_\_\_\_ there a chance you'll \_\_\_\_ my \_\_\_\_ if \_\_\_\_ come up?  
 \_\_\_\_ I \_\_\_\_ preferential \_\_\_\_ in a carbon \_\_\_\_ alarm \_\_\_\_ ?  
 If \_\_\_\_ a \_\_\_\_ carbon \_\_\_\_ with my \_\_\_\_ I be first in \_\_\_\_ ?  
 \_\_\_\_ I request \_\_\_\_ for the \_\_\_\_ alarm?  
 If \_\_\_\_ a suspicion \_\_\_\_ carbon \_\_\_\_ with \_\_\_\_ gas equipment, \_\_\_\_ I \_\_\_\_ precedence \_\_\_\_ ?  
 If \_\_\_\_ was \_\_\_\_ due \_\_\_\_ high \_\_\_\_ monoxide in my \_\_\_\_ would I get \_\_\_\_ scheduling?  
 If \_\_\_\_ fumes cause \_\_\_\_ gas appliances \_\_\_\_ be priority, \_\_\_\_ you \_\_\_\_ ?  
 \_\_\_\_ a \_\_\_\_ to get \_\_\_\_ scheduling for emergencies \_\_\_\_ carbon \_\_\_\_ gas \_\_\_\_ ?  
 If there \_\_\_\_ situation involving \_\_\_\_ monoxide \_\_\_\_ my \_\_\_\_ appliances, \_\_\_\_ prioritized servicing?  
 \_\_\_\_ it \_\_\_\_ me \_\_\_\_ request preferential scheduling in the event \_\_\_\_ ?  
 Is \_\_\_\_ to schedule \_\_\_\_ for my appliances' \_\_\_\_ ?  
 Can I get \_\_\_\_ need \_\_\_\_ deal with \_\_\_\_ monoxide \_\_\_\_ ?  
 \_\_\_\_ wondering \_\_\_\_ I \_\_\_\_ get priority booking \_\_\_\_ an \_\_\_\_ gas appliances.  
 Is \_\_\_\_ possible \_\_\_\_ to be \_\_\_\_ of carbon monoxide poisoning?  
 \_\_\_\_ my gas \_\_\_\_ priority in \_\_\_\_ event \_\_\_\_ emergency?  
 \_\_\_\_ wondering \_\_\_\_ can give my \_\_\_\_ appliances \_\_\_\_ fumes show up.  
 \_\_\_\_ gas \_\_\_\_ the \_\_\_\_ a carbon monoxide emergency?  
 Can I \_\_\_\_ priority time \_\_\_\_ there is a risk \_\_\_\_ leaking \_\_\_\_ ?  
 If \_\_\_\_ carbon \_\_\_\_ hazard with my \_\_\_\_ can I be \_\_\_\_ over \_\_\_\_ ?  
 \_\_\_\_ an imminent hazard \_\_\_\_ to \_\_\_\_ carbon monoxide \_\_\_\_ current \_\_\_\_ equipment, \_\_\_\_ I receive preferential scheduling?  
 If \_\_\_\_ is an \_\_\_\_ about \_\_\_\_ monoxide \_\_\_\_ my gas-connected \_\_\_\_ will \_\_\_\_ scheduling?

\_\_\_\_\_ priority for \_\_\_\_\_ emergencies with my gas \_\_\_\_\_?

\_\_\_\_\_ is an impending danger \_\_\_\_\_ carbon monoxide \_\_\_\_\_ from my \_\_\_\_\_ gas-powered \_\_\_\_\_ can I \_\_\_\_\_?

Is it \_\_\_\_\_ I will get preference for \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ schedule for a \_\_\_\_\_ crisis with my \_\_\_\_\_?

If carbon \_\_\_\_\_ and \_\_\_\_\_ gas appliances are \_\_\_\_\_ can \_\_\_\_\_ arrange \_\_\_\_\_?

\_\_\_\_\_ like \_\_\_\_\_ be given \_\_\_\_\_ scheduling \_\_\_\_\_ a carbon \_\_\_\_\_ emergency.

If there \_\_\_\_\_ an \_\_\_\_\_ carbon monoxide and my gas- \_\_\_\_\_ will \_\_\_\_\_ me priority \_\_\_\_\_?

\_\_\_\_\_ my current \_\_\_\_\_ equipment has \_\_\_\_\_ of \_\_\_\_\_ would I \_\_\_\_\_ preferential \_\_\_\_\_?

Is it possible \_\_\_\_\_ request expedited scheduling \_\_\_\_\_ burning gadgets \_\_\_\_\_?

Can \_\_\_\_\_ get priority \_\_\_\_\_ I \_\_\_\_\_ Monoxide?

\_\_\_\_\_ it possible that I should \_\_\_\_\_ monoxide and connected \_\_\_\_\_?

\_\_\_\_\_ get \_\_\_\_\_ to carbon monoxide?

Should \_\_\_\_\_ be first in line \_\_\_\_\_ emission scenario \_\_\_\_\_ by \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ monoxide in my \_\_\_\_\_ stuff.

\_\_\_\_\_ priority \_\_\_\_\_ granted \_\_\_\_\_ is \_\_\_\_\_ emergency \_\_\_\_\_ carbon monoxide \_\_\_\_\_ connected devices?

Can I \_\_\_\_\_ considered first for \_\_\_\_\_?

\_\_\_\_\_ it possible for me to get \_\_\_\_\_ scheduling \_\_\_\_\_ carbon monoxide \_\_\_\_\_ apparatuses?

Is \_\_\_\_\_ okay \_\_\_\_\_ me \_\_\_\_\_ preference \_\_\_\_\_ emergencies \_\_\_\_\_ gas appliance \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ are prioritized \_\_\_\_\_ there's \_\_\_\_\_ risk \_\_\_\_\_ CO levels at \_\_\_\_\_?

Is it possible to \_\_\_\_\_ appointments \_\_\_\_\_ prioritized when \_\_\_\_\_ elevated CO \_\_\_\_\_ in \_\_\_\_\_ home?

\_\_\_\_\_ there \_\_\_\_\_ with \_\_\_\_\_ monoxide and \_\_\_\_\_ gas-connected devices, will you \_\_\_\_\_ priority \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ a carbon \_\_\_\_\_ issue with \_\_\_\_\_ connected gas devices, \_\_\_\_\_ I \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ for priority \_\_\_\_\_ for \_\_\_\_\_ monoxide and \_\_\_\_\_ connected \_\_\_\_\_ equipment?

Can \_\_\_\_\_ get immediate attention \_\_\_\_\_ monoxide crisis \_\_\_\_\_ connected \_\_\_\_\_ appliances?

\_\_\_\_\_ there a way to \_\_\_\_\_ gas emergencies?

\_\_\_\_\_ priority \_\_\_\_\_ scheduling in \_\_\_\_\_ carbon monoxide and \_\_\_\_\_ appliances?

\_\_\_\_\_ priority service in case \_\_\_\_\_ carbon \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ booking for \_\_\_\_\_ gas \_\_\_\_\_ emergency?

I \_\_\_\_\_ to \_\_\_\_\_ scheduling for \_\_\_\_\_ carbon monoxide \_\_\_\_\_.

Can priority scheduling \_\_\_\_\_ given in case \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ arrange \_\_\_\_\_ servicing if \_\_\_\_\_ a \_\_\_\_\_ situation involving carbon monoxide \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way for \_\_\_\_\_ a \_\_\_\_\_ CO leak?

\_\_\_\_\_ would \_\_\_\_\_ to request \_\_\_\_\_ for an \_\_\_\_\_ involving \_\_\_\_\_ appliances.

Would \_\_\_\_\_ me to \_\_\_\_\_ given preferential scheduling \_\_\_\_\_ there is \_\_\_\_\_ deadly situation \_\_\_\_\_ monoxide and the \_\_\_\_\_ my gas \_\_\_\_\_

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to be given \_\_\_\_\_ scheduling \_\_\_\_\_ carbon monoxide \_\_\_\_\_ the use of \_\_\_\_\_?

Would I \_\_\_\_\_ preferential scheduling if there is \_\_\_\_\_ imminent \_\_\_\_\_ to high \_\_\_\_\_ of \_\_\_\_\_ monoxide \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that I will be \_\_\_\_\_ priority \_\_\_\_\_ poisonous emission \_\_\_\_\_ caused by \_\_\_\_\_?

Should \_\_\_\_\_ be \_\_\_\_\_ scheduling for \_\_\_\_\_ involving carbon \_\_\_\_\_ gas appliances?

\_\_\_\_\_ to \_\_\_\_\_ priority treatment for \_\_\_\_\_ monoxide issues \_\_\_\_\_ gas devices?

I don't know \_\_\_\_\_ I will have priority for \_\_\_\_\_ gas \_\_\_\_\_.

If I have \_\_\_\_\_ levels of \_\_\_\_\_ I \_\_\_\_\_ given preferential scheduling?

\_\_\_\_\_ if you \_\_\_\_\_ give \_\_\_\_\_ appliances priority \_\_\_\_\_ fumes come up.

Can \_\_\_\_\_ request \_\_\_\_\_ scheduling for \_\_\_\_\_ alarm?

\_\_\_\_\_ it \_\_\_\_\_ to prioritize \_\_\_\_\_ in case of \_\_\_\_\_ monoxide \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ to my connected gas \_\_\_\_\_?

Can arrangements \_\_\_\_\_ made \_\_\_\_\_ threatening the function \_\_\_\_\_ my gas powered \_\_\_\_\_?

Can \_\_\_\_\_ for \_\_\_\_\_ connected gas appliances if \_\_\_\_\_ is a carbon \_\_\_\_\_?

I'd \_\_\_\_\_ know if you could \_\_\_\_\_ gas \_\_\_\_\_ CO fumes \_\_\_\_\_ in.

In the \_\_\_\_\_ a \_\_\_\_\_ monoxide threat, \_\_\_\_\_ I \_\_\_\_\_ preference \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ me \_\_\_\_\_ get \_\_\_\_\_ a potential gas-related CO \_\_\_\_\_?

Is it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ first \_\_\_\_ line \_\_\_\_ is \_\_\_\_ monoxide emergency?

Due \_\_\_\_ carbon \_\_\_\_ I \_\_\_\_ service?

\_\_\_\_ it \_\_\_\_ for you \_\_\_\_ prioritize my gas- connected appliances \_\_\_\_ a \_\_\_\_?

\_\_\_\_ have \_\_\_\_ scheduling in \_\_\_\_ a CO \_\_\_\_ with \_\_\_\_ gas-connected devices?

If \_\_\_\_ is \_\_\_\_ imminent hazard due \_\_\_\_ of \_\_\_\_ monoxide from \_\_\_\_ gas linked equipment, would \_\_\_\_ receive \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ use \_\_\_\_ gas \_\_\_\_ carbon monoxide emergencies \_\_\_\_ scheduling \_\_\_\_?

Can \_\_\_\_ be done in \_\_\_\_ a CO \_\_\_\_?

If there \_\_\_\_ catastrophic \_\_\_\_ with \_\_\_\_ monoxide \_\_\_\_ can \_\_\_\_ arrange prioritized servicing?

\_\_\_\_ priority \_\_\_\_ any threats \_\_\_\_ to carbon monoxide \_\_\_\_ gas?

Can \_\_\_\_ to prioritize a potential CO emergency \_\_\_\_ function of \_\_\_\_ connected gas- \_\_\_\_ during \_\_\_\_?

\_\_\_\_ case of a \_\_\_\_ emergency, \_\_\_\_ give \_\_\_\_ for my gas connected \_\_\_\_?

Will \_\_\_\_ given \_\_\_\_ potential CO emergencies \_\_\_\_ given to my \_\_\_\_?

\_\_\_\_ a way \_\_\_\_ prioritize \_\_\_\_ potential CO \_\_\_\_ gas-powered equipment \_\_\_\_ scheduled maintenance?

I want \_\_\_\_ know if I \_\_\_\_ service if there \_\_\_\_.

Is \_\_\_\_ okay \_\_\_\_ request priority \_\_\_\_ carbon monoxide and \_\_\_\_ equipment?

If I \_\_\_\_ a \_\_\_\_ monoxide \_\_\_\_ I get \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ emergency with my gas \_\_\_\_ monoxide \_\_\_\_?

\_\_\_\_ I get priority for scheduling in \_\_\_\_ gas?

Is \_\_\_\_ prioritize a potential \_\_\_\_ emergency threatening the \_\_\_\_ equipment during \_\_\_\_ maintenance?

Is \_\_\_\_ to request \_\_\_\_ scheduling when \_\_\_\_ appear likely to \_\_\_\_ CO?

If there \_\_\_\_ carbon monoxide hazard with my \_\_\_\_ can \_\_\_\_ first \_\_\_\_ scheduling?

\_\_\_\_ there any special \_\_\_\_ to \_\_\_\_ with my gas-linked \_\_\_\_?

Is \_\_\_\_ possible to \_\_\_\_ priority booking for \_\_\_\_?

\_\_\_\_ with carbon monoxide \_\_\_\_ gas \_\_\_\_?

Do I get preferential \_\_\_\_ imminent hazard \_\_\_\_ to \_\_\_\_ of carbon \_\_\_\_ in \_\_\_\_ equipment?

\_\_\_\_ there \_\_\_\_ special attention \_\_\_\_ potential \_\_\_\_ emergencies with \_\_\_\_?

Due to \_\_\_\_ potential for \_\_\_\_ levels \_\_\_\_ appliances, is \_\_\_\_ possible to \_\_\_\_?

Do \_\_\_\_ offer a \_\_\_\_ schedule \_\_\_\_ CO crisis \_\_\_\_ my \_\_\_\_?

Can my \_\_\_\_ appliances \_\_\_\_ in case of \_\_\_\_?

Will any \_\_\_\_ attention \_\_\_\_ paid \_\_\_\_ potential \_\_\_\_ with \_\_\_\_ gadgets?

\_\_\_\_ there's \_\_\_\_ emergency regarding \_\_\_\_ monoxide \_\_\_\_ connected devices will \_\_\_\_ priority scheduling?

Is \_\_\_\_ possible \_\_\_\_ expedited \_\_\_\_ when \_\_\_\_ burning \_\_\_\_ appear to be \_\_\_\_ CO?

Do my \_\_\_\_ have \_\_\_\_ in case of \_\_\_\_?

\_\_\_\_ scheduling if there \_\_\_\_ monoxide alarm in my house?

Can I \_\_\_\_ threats \_\_\_\_ carbon \_\_\_\_ or my connected natural-gas \_\_\_\_?

\_\_\_\_ there \_\_\_\_ priority schedule for possible \_\_\_\_ with \_\_\_\_?

\_\_\_\_ my gas appliances \_\_\_\_ carbon monoxide \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ me \_\_\_\_ get \_\_\_\_ regarding an imminent deadly \_\_\_\_ carbon \_\_\_\_ the utilization of my \_\_\_\_ connected apparatuses

Is \_\_\_\_ that \_\_\_\_ priority over \_\_\_\_ poisonous \_\_\_\_ caused \_\_\_\_ my gas appliances?

\_\_\_\_ if I have high levels of \_\_\_\_ from my \_\_\_\_?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ my gas appliance carbon monoxide \_\_\_\_?

\_\_\_\_ possible to \_\_\_\_ when CO \_\_\_\_ from \_\_\_\_ fuel-burning \_\_\_\_ appears likely?

\_\_\_\_ I get \_\_\_\_ slots \_\_\_\_ an imminent danger \_\_\_\_ carbon monoxide \_\_\_\_ from my \_\_\_\_ machinery?

Is \_\_\_\_ chance you will \_\_\_\_ my \_\_\_\_ priority if CO \_\_\_\_?

\_\_\_\_ be \_\_\_\_ if there is a suspected carbon \_\_\_\_?

\_\_\_\_ for a \_\_\_\_ appliance emergency?

\_\_\_\_ possible to \_\_\_\_ for my gas \_\_\_\_ carbon monoxide \_\_\_\_?

\_\_\_\_ CO leak from my \_\_\_\_ fuel-burning \_\_\_\_ likely, \_\_\_\_ I \_\_\_\_ expedited \_\_\_\_?

\_\_\_\_ my \_\_\_\_ appliances get priority if \_\_\_\_ emergency?

I \_\_\_\_ if \_\_\_\_ can get rushed \_\_\_\_ for \_\_\_\_\_.  
 \_\_\_\_ would \_\_\_\_ know if you \_\_\_\_ my gas \_\_\_\_ priority \_\_\_\_ CO \_\_\_\_ come \_\_\_\_.  
 Is \_\_\_\_ possible \_\_\_\_ get \_\_\_\_ for carbon \_\_\_\_ gas devices?  
 \_\_\_\_ skip \_\_\_\_ during an \_\_\_\_ emergency?  
 \_\_\_\_ it possible \_\_\_\_ request \_\_\_\_ if \_\_\_\_ leaking \_\_\_\_ my \_\_\_\_ burning gadgets appears \_\_\_\_?  
 \_\_\_\_ preference \_\_\_\_ my carbon monoxide emergencies \_\_\_\_ purposes?  
 \_\_\_\_ arrangements be \_\_\_\_ to prioritize a potential \_\_\_\_ emergency \_\_\_\_ equipment \_\_\_\_ maintenance?  
 \_\_\_\_ - carbon \_\_\_\_ my \_\_\_\_ things?  
 Do \_\_\_\_ have \_\_\_\_ for carbon \_\_\_\_ my appliances?  
 Help \_\_\_\_ monoxide \_\_\_\_ my gas \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ could \_\_\_\_ due to \_\_\_\_ CO emergency?  
 Can I have \_\_\_\_ in \_\_\_\_ of a \_\_\_\_ monoxide emergency \_\_\_\_ connected \_\_\_\_?  
 \_\_\_\_ accommodations be \_\_\_\_ for excessive carbon \_\_\_\_ output \_\_\_\_ furnishings?  
 If carbon monoxide is going \_\_\_\_ from \_\_\_\_ connected gas-powered machinery, \_\_\_\_ time \_\_\_\_?  
 Is \_\_\_\_ have priority scheduling \_\_\_\_ a \_\_\_\_ my gas appliances?  
 Is \_\_\_\_ to \_\_\_\_ the line \_\_\_\_ emergencies \_\_\_\_ my house \_\_\_\_ monoxide?  
 Do \_\_\_\_ get \_\_\_\_ if \_\_\_\_ an \_\_\_\_ due to high \_\_\_\_ of carbon \_\_\_\_?  
 \_\_\_\_ you make \_\_\_\_ that \_\_\_\_ prioritized \_\_\_\_ of \_\_\_\_ CO levels at home?  
 \_\_\_\_ to prioritize my gas-mishap \_\_\_\_  
 \_\_\_\_ there \_\_\_\_ attention \_\_\_\_ CO emergencies with gas-linked \_\_\_\_?  
 \_\_\_\_ my \_\_\_\_ high levels of carbon monoxide, \_\_\_\_ I be \_\_\_\_ preferential \_\_\_\_?  
 Is \_\_\_\_ possible to request \_\_\_\_ when \_\_\_\_ connected \_\_\_\_ appears likely?  
 \_\_\_\_ it possible to \_\_\_\_ preferential \_\_\_\_ in the \_\_\_\_ of \_\_\_\_ carbon \_\_\_\_?  
 Is it \_\_\_\_ to have a \_\_\_\_ treatment \_\_\_\_ monoxide issue \_\_\_\_ my \_\_\_\_ devices?  
 \_\_\_\_ if I \_\_\_\_ be first \_\_\_\_ to \_\_\_\_ poisonous emission \_\_\_\_ caused by \_\_\_\_ gas appliances?  
 \_\_\_\_ high \_\_\_\_ of \_\_\_\_ in my equipment, would I \_\_\_\_ preferential \_\_\_\_?  
 \_\_\_\_ of \_\_\_\_ carbon monoxide emergency, \_\_\_\_ you \_\_\_\_ me \_\_\_\_ priority for \_\_\_\_ gas \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ if there is a \_\_\_\_ monoxide hazard?  
 Do \_\_\_\_ think \_\_\_\_ request \_\_\_\_ scheduling \_\_\_\_ carbon \_\_\_\_ emergencies?  
 \_\_\_\_ a fast \_\_\_\_ for \_\_\_\_ CO \_\_\_\_?  
 \_\_\_\_ bother me, \_\_\_\_ you \_\_\_\_ my appliances priority?  
 \_\_\_\_ you provide \_\_\_\_ schedule for the \_\_\_\_ CO crisis \_\_\_\_?  
 During \_\_\_\_ probable \_\_\_\_ monoxide \_\_\_\_ involving \_\_\_\_ units \_\_\_\_ I eligible \_\_\_\_ schedules?  
 If I \_\_\_\_ carbon monoxide \_\_\_\_ my gas \_\_\_\_ can \_\_\_\_ get a \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ emission \_\_\_\_ caused \_\_\_\_ gas \_\_\_\_ I be first in line?  
 Is \_\_\_\_ possible for me to get \_\_\_\_ scheduling \_\_\_\_ monoxide \_\_\_\_?  
 If there is a \_\_\_\_ carbon monoxide \_\_\_\_ from \_\_\_\_ gas-powered \_\_\_\_ I get \_\_\_\_ time \_\_\_\_?  
 Is it possible \_\_\_\_ preferred \_\_\_\_ monoxide and gas appliances?  
 \_\_\_\_ it be \_\_\_\_ me to be \_\_\_\_ in \_\_\_\_ a \_\_\_\_ monoxide emergency?  
 I \_\_\_\_ wondering \_\_\_\_ I \_\_\_\_ service \_\_\_\_ I had \_\_\_\_ monoxide.  
 \_\_\_\_ I get \_\_\_\_ for \_\_\_\_ gas appliance?  
 \_\_\_\_ priority schedule for \_\_\_\_ possible CO crisis with my \_\_\_\_?  
 \_\_\_\_ it possible for \_\_\_\_ to \_\_\_\_ rushed \_\_\_\_ gas appliance?  
 Should \_\_\_\_ gas appliances be \_\_\_\_ line in case \_\_\_\_?  
 \_\_\_\_ of \_\_\_\_ CO emergency, can my \_\_\_\_ appliances \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ for \_\_\_\_ with my connected gas devices?  
 \_\_\_\_ me if my gas appliances \_\_\_\_ be \_\_\_\_ in the \_\_\_\_ an \_\_\_\_?  
 Is \_\_\_\_ schedule for possible \_\_\_\_ crisis \_\_\_\_ appliances \_\_\_\_?  
 Do you \_\_\_\_ priority \_\_\_\_ for a possible \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ get \_\_\_\_ time slots \_\_\_\_ there is a risk of \_\_\_\_?

\_\_\_\_ need to know if \_\_\_\_ give my \_\_\_\_ appliances \_\_\_\_ if CO \_\_\_\_\_.  
 \_\_\_\_ there is \_\_\_\_ danger \_\_\_\_ carbon \_\_\_\_ can I get top priority \_\_\_\_?  
 \_\_\_\_ CO leak from \_\_\_\_ gadgets \_\_\_\_ likely can \_\_\_\_ expedited \_\_\_\_?  
 Is \_\_\_\_ a way to get priority service \_\_\_\_\_?  
 Can \_\_\_\_ priority booking if there \_\_\_\_ gas \_\_\_\_ CO \_\_\_\_?  
 \_\_\_\_ the risk \_\_\_\_ a carbon \_\_\_\_ I asked \_\_\_\_ handling.  
 If there is \_\_\_\_ situation \_\_\_\_ monoxide and \_\_\_\_ you arrange priority \_\_\_\_?  
 Is it \_\_\_\_ to \_\_\_\_ prioritized servicing \_\_\_\_ case \_\_\_\_ and my \_\_\_\_ appliances?  
 \_\_\_\_ there is an \_\_\_\_ monoxide and gas \_\_\_\_ will \_\_\_\_ get priority \_\_\_\_?  
 Is it possible \_\_\_\_ for gas emergencies \_\_\_\_ my \_\_\_\_ monoxide?  
 \_\_\_\_ to \_\_\_\_ for gas emergencies if I \_\_\_\_ carbon monoxide?  
 Can \_\_\_\_ gas-related appliances \_\_\_\_ if \_\_\_\_ is \_\_\_\_ emergency?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ preferential \_\_\_\_ carbon monoxide \_\_\_\_ gas usage?  
 \_\_\_\_ possible for me \_\_\_\_ request \_\_\_\_ scheduling \_\_\_\_ leaking \_\_\_\_ fuel \_\_\_\_ gadgets seems likely?  
 I \_\_\_\_ if \_\_\_\_ could \_\_\_\_ given priority \_\_\_\_ due to \_\_\_\_ CO \_\_\_\_?  
 \_\_\_\_ given \_\_\_\_ for a carbon \_\_\_\_ gas emergency?  
 Is \_\_\_\_ a \_\_\_\_ for scheduling in potentially \_\_\_\_ carbon monoxide \_\_\_\_ my \_\_\_\_?  
 \_\_\_\_ scheduling \_\_\_\_ carbon monoxide emergencies?  
 Would \_\_\_\_ get preferential scheduling \_\_\_\_ was \_\_\_\_ imminent \_\_\_\_ to high \_\_\_\_ carbon monoxide \_\_\_\_ equipment?  
 \_\_\_\_ special attention \_\_\_\_ CO \_\_\_\_ with my \_\_\_\_ gadgets?  
 Can I \_\_\_\_ for my \_\_\_\_ gas \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ for \_\_\_\_ in situations \_\_\_\_ carbon monoxide and my \_\_\_\_ appliances?  
 \_\_\_\_ there's \_\_\_\_ related to \_\_\_\_ and my gas \_\_\_\_ will \_\_\_\_ me priority scheduling?  
 Should I \_\_\_\_ scheduling if my \_\_\_\_ equipment \_\_\_\_ high \_\_\_\_ monoxide?  
 Is \_\_\_\_ to prioritize my gas-connected \_\_\_\_ of a carbon \_\_\_\_\_.  
 Is it \_\_\_\_ to \_\_\_\_ my \_\_\_\_ appliances \_\_\_\_ there \_\_\_\_ a \_\_\_\_ monoxide \_\_\_\_?  
 \_\_\_\_ qualify for \_\_\_\_ schedules \_\_\_\_ there is a \_\_\_\_ linked fuel-fed units?  
 \_\_\_\_ there \_\_\_\_ scheduling in \_\_\_\_ hazardous carbon monoxide and \_\_\_\_ related \_\_\_\_?  
 Can I \_\_\_\_ my \_\_\_\_ emergency \_\_\_\_ my \_\_\_\_ appliances?  
 Is it \_\_\_\_ have preference \_\_\_\_ my gas \_\_\_\_ emergencies?  
 If there is \_\_\_\_ catastrophic situation involving \_\_\_\_ you arrange priority \_\_\_\_?  
 Can \_\_\_\_ my \_\_\_\_ priority if \_\_\_\_ fumes \_\_\_\_ in?  
 If \_\_\_\_ involving \_\_\_\_ and my gas appliances, can you \_\_\_\_ priority \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ would \_\_\_\_ scheduling in \_\_\_\_ of carbon monoxide?  
 Would I be \_\_\_\_ preferential \_\_\_\_ current equipment has \_\_\_\_ levels \_\_\_\_?  
 \_\_\_\_ my \_\_\_\_ priority \_\_\_\_ case of \_\_\_\_ CO emergency?  
 Is there any priority \_\_\_\_ of \_\_\_\_ monoxide \_\_\_\_ appliances?  
 \_\_\_\_ there \_\_\_\_ for \_\_\_\_ arrangements for carbon monoxide \_\_\_\_ connected \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ schedule a CO emergency \_\_\_\_ quickly?  
 Can \_\_\_\_ get fast service \_\_\_\_\_?  
 If there's a \_\_\_\_ monoxide and \_\_\_\_ gas \_\_\_\_ you arrange \_\_\_\_ servicing?  
 Would it be possible \_\_\_\_ to receive \_\_\_\_ scheduling \_\_\_\_ an imminent \_\_\_\_ involving \_\_\_\_ monoxide and \_\_\_\_\_?  
 \_\_\_\_ know if \_\_\_\_ given priority \_\_\_\_ it \_\_\_\_ poisonous \_\_\_\_ scenarios caused by \_\_\_\_ gas appliances.  
 \_\_\_\_ be \_\_\_\_ me to get preferential scheduling when \_\_\_\_ to \_\_\_\_ monoxide and the utilization \_\_\_\_\_ apparatuses?  
 \_\_\_\_ get priority times if \_\_\_\_ danger of carbon \_\_\_\_ connected machinery?  
 Do I \_\_\_\_ scheduling \_\_\_\_ with my appliances?  
 I \_\_\_\_ will have priority \_\_\_\_ scheduling in situations of carbon monoxide \_\_\_\_ gas \_\_\_\_\_.  
 \_\_\_\_ for priority \_\_\_\_ for a carbon \_\_\_\_ emergency?  
 Can arrangements \_\_\_\_ made \_\_\_\_ prioritize a \_\_\_\_ CO \_\_\_\_ threatening the \_\_\_\_ my connected \_\_\_\_ powered \_\_\_\_\_

maintenance?

Is it possible to \_\_\_\_\_ carbon monoxide issue \_\_\_\_\_ my connected \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ scheduling for \_\_\_\_\_ carbon \_\_\_\_\_ gas emergency?

\_\_\_\_\_ possible \_\_\_\_\_ ask for \_\_\_\_\_ scheduling in case \_\_\_\_\_ a \_\_\_\_\_ monoxide \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ scheduling \_\_\_\_\_ monoxide \_\_\_\_\_ with my \_\_\_\_\_ appliances?

Do \_\_\_\_\_ offer priority \_\_\_\_\_ for the \_\_\_\_\_ with \_\_\_\_\_?

Is priority \_\_\_\_\_ to \_\_\_\_\_ potential \_\_\_\_\_ emergency?

\_\_\_\_\_ the attention be \_\_\_\_\_ to potential CO \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ quick \_\_\_\_\_ emergency \_\_\_\_\_ gas appliances?

Can \_\_\_\_\_ prioritized due to \_\_\_\_\_?

I \_\_\_\_\_ wondering \_\_\_\_\_ get \_\_\_\_\_ booking \_\_\_\_\_ an emergency \_\_\_\_\_ my gas \_\_\_\_\_.

\_\_\_\_\_ priority \_\_\_\_\_ scheduling in the case \_\_\_\_\_ carbon \_\_\_\_\_ and gas \_\_\_\_\_?

Is \_\_\_\_\_ a priority \_\_\_\_\_ scheduling \_\_\_\_\_ case of \_\_\_\_\_ gas appliances?

Can you make \_\_\_\_\_ prioritized \_\_\_\_\_ there is a \_\_\_\_\_ elevated \_\_\_\_\_ levels in \_\_\_\_\_?

Do you think \_\_\_\_\_ to have \_\_\_\_\_ in the \_\_\_\_\_ a CO \_\_\_\_\_?

\_\_\_\_\_ if you \_\_\_\_\_ my gas appliances priority if \_\_\_\_\_ in.

Are you \_\_\_\_\_ for a \_\_\_\_\_ emergency with \_\_\_\_\_ appliances?

\_\_\_\_\_ possible \_\_\_\_\_ receive \_\_\_\_\_ scheduling \_\_\_\_\_ carbon monoxide \_\_\_\_\_ utilization of my gas connected apparatuses?

\_\_\_\_\_ it \_\_\_\_\_ I \_\_\_\_\_ priority service due \_\_\_\_\_ carbon monoxide?

Can \_\_\_\_\_ be first in \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ carbon monoxide \_\_\_\_\_ equipment?

If \_\_\_\_\_ of carbon monoxide \_\_\_\_\_ among \_\_\_\_\_ gas-powered \_\_\_\_\_ can I get top priority \_\_\_\_\_?

Can you make \_\_\_\_\_ are \_\_\_\_\_ there's \_\_\_\_\_ possibility \_\_\_\_\_ CO levels at \_\_\_\_\_?

Is it possible \_\_\_\_\_ carbon monoxide \_\_\_\_\_ for scheduling \_\_\_\_\_?

Can I \_\_\_\_\_ in line \_\_\_\_\_ an \_\_\_\_\_ due to \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ priority servicing \_\_\_\_\_ monoxide \_\_\_\_\_ my \_\_\_\_\_ involved?

\_\_\_\_\_ case of \_\_\_\_\_ emergency, can my gas \_\_\_\_\_ have \_\_\_\_\_?

There \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ treatment \_\_\_\_\_ carbon monoxide issue \_\_\_\_\_ gas devices.

\_\_\_\_\_ would like \_\_\_\_\_ with carbon \_\_\_\_\_ my \_\_\_\_\_ stuff.

\_\_\_\_\_ there is \_\_\_\_\_ gas-related CO emergency, \_\_\_\_\_ priority \_\_\_\_\_?

I \_\_\_\_\_ if \_\_\_\_\_ will get \_\_\_\_\_ scheduling \_\_\_\_\_ case of carbon \_\_\_\_\_.

\_\_\_\_\_ for \_\_\_\_\_ to request \_\_\_\_\_ scheduling when my \_\_\_\_\_ gadgets appear \_\_\_\_\_ leaking \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ to be \_\_\_\_\_ in line when \_\_\_\_\_ emission scenarios caused by my \_\_\_\_\_ appliances?

Is it \_\_\_\_\_ to \_\_\_\_\_ given preferential scheduling regarding \_\_\_\_\_ deadly \_\_\_\_\_ related \_\_\_\_\_ carbon \_\_\_\_\_ the utilization \_\_\_\_\_ my gas- \_\_\_\_\_

\_\_\_\_\_ be made to \_\_\_\_\_ CO emergency threatening \_\_\_\_\_ my connected gas powered \_\_\_\_\_ maintenance?

If \_\_\_\_\_ a \_\_\_\_\_ carbon monoxide gas \_\_\_\_\_ may \_\_\_\_\_ priority \_\_\_\_\_?

Would I \_\_\_\_\_ there \_\_\_\_\_ imminent \_\_\_\_\_ due to \_\_\_\_\_ levels \_\_\_\_\_ carbon monoxide?

\_\_\_\_\_ it possible to \_\_\_\_\_ treatment \_\_\_\_\_ a potential carbon \_\_\_\_\_ my connected \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ possible \_\_\_\_\_ me to \_\_\_\_\_ given \_\_\_\_\_ scheduling for an \_\_\_\_\_ carbon monoxide and the \_\_\_\_\_ my \_\_\_\_\_ connected \_\_\_\_\_

\_\_\_\_\_ it be possible \_\_\_\_\_ receive \_\_\_\_\_ scheduling about \_\_\_\_\_ deadly \_\_\_\_\_ related to carbon monoxide \_\_\_\_\_ utilization of \_\_\_\_\_ gas- \_\_\_\_\_

Is \_\_\_\_\_ possible to request \_\_\_\_\_ scheduling \_\_\_\_\_ leakage \_\_\_\_\_ my \_\_\_\_\_ fuel-burning gadgets \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to make \_\_\_\_\_ to prioritize a potential \_\_\_\_\_ my connected \_\_\_\_\_ during maintenance?

Is there a \_\_\_\_\_ will \_\_\_\_\_ my gas-dang \_\_\_\_\_ if \_\_\_\_\_ up?

If \_\_\_\_\_ imminent hazard \_\_\_\_\_ to high \_\_\_\_\_ of \_\_\_\_\_ monoxide \_\_\_\_\_ my \_\_\_\_\_ equipment, will I \_\_\_\_\_ preferential \_\_\_\_\_?

Would it \_\_\_\_\_ possible for \_\_\_\_\_ line if there was \_\_\_\_\_ monoxide \_\_\_\_\_?

Can you \_\_\_\_\_ appointments \_\_\_\_\_ prioritized \_\_\_\_\_ a \_\_\_\_\_ of elevated CO \_\_\_\_\_ home?

Is it possible to \_\_\_\_\_ attention \_\_\_\_\_ appliances?

Can \_\_\_\_\_ given priority in \_\_\_\_\_ have a \_\_\_\_\_ hazard with \_\_\_\_\_ equipment?

\_\_\_\_\_ make sense to \_\_\_\_\_ treatment for a \_\_\_\_\_ carbon monoxide \_\_\_\_\_ with \_\_\_\_\_ gas \_\_\_\_\_?

I \_\_\_\_\_ line \_\_\_\_\_ an \_\_\_\_\_ with my gas appliances?

\_\_\_\_\_ arrangements be made to \_\_\_\_\_ potential CO \_\_\_\_\_ my connected \_\_\_\_\_ equipment \_\_\_\_\_ scheduled maintenance?

Will \_\_\_\_\_ be \_\_\_\_\_ any CO emergencies with my \_\_\_\_\_?

\_\_\_\_\_ have priority scheduling \_\_\_\_\_ there \_\_\_\_\_ potential CO emergency with my \_\_\_\_\_?

Is it \_\_\_\_\_ to request \_\_\_\_\_ CO \_\_\_\_\_ from \_\_\_\_\_ burning \_\_\_\_\_ is likely?

\_\_\_\_\_ possible that I \_\_\_\_\_ get priority \_\_\_\_\_ to \_\_\_\_\_ monoxide?

Can I get \_\_\_\_\_ time slots if there is \_\_\_\_\_ danger \_\_\_\_\_ from my \_\_\_\_\_?

Is it possible that \_\_\_\_\_ could \_\_\_\_\_ the \_\_\_\_\_ of carbon \_\_\_\_\_ danger?

\_\_\_\_\_ there is a danger \_\_\_\_\_ carbon monoxide \_\_\_\_\_ connected \_\_\_\_\_ can I get \_\_\_\_\_ time \_\_\_\_\_?

In \_\_\_\_\_ carbon \_\_\_\_\_ alarm \_\_\_\_\_ my gas-connected \_\_\_\_\_ may \_\_\_\_\_ request \_\_\_\_\_ scheduling?

If \_\_\_\_\_ suspected carbon monoxide \_\_\_\_\_ with \_\_\_\_\_ gas \_\_\_\_\_ there be \_\_\_\_\_ in scheduling?

If \_\_\_\_\_ an \_\_\_\_\_ regarding carbon \_\_\_\_\_ my \_\_\_\_\_ will \_\_\_\_\_ be given \_\_\_\_\_ scheduling?

\_\_\_\_\_ request preferential scheduling if \_\_\_\_\_ a carbon \_\_\_\_\_ home?

\_\_\_\_\_ you give \_\_\_\_\_ over CO \_\_\_\_\_ if I \_\_\_\_\_ appliances?

\_\_\_\_\_ it \_\_\_\_\_ you \_\_\_\_\_ gas connected appliances in the event \_\_\_\_\_ carbon monoxide \_\_\_\_\_?

When CO leaking from \_\_\_\_\_ gadgets is \_\_\_\_\_ I \_\_\_\_\_ expedited \_\_\_\_\_?

Is it possible \_\_\_\_\_ given \_\_\_\_\_ to address \_\_\_\_\_ poisonous emission \_\_\_\_\_ caused \_\_\_\_\_ my \_\_\_\_\_ appliances?

\_\_\_\_\_ it \_\_\_\_\_ possible for me \_\_\_\_\_ scheduling \_\_\_\_\_ imminent deadly situation involving \_\_\_\_\_ utilization of my gas- \_\_\_\_\_ apparatuses?

\_\_\_\_\_ prioritize \_\_\_\_\_ gas-mishap situation?

\_\_\_\_\_ need some help \_\_\_\_\_ monoxide \_\_\_\_\_ gas stuff.

Can I \_\_\_\_\_ is a \_\_\_\_\_ carbon monoxide leaking from my connected \_\_\_\_\_ machinery?

If there is \_\_\_\_\_ involving carbon monoxide \_\_\_\_\_ my \_\_\_\_\_ can \_\_\_\_\_ prioritized \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a suspicion of elevated \_\_\_\_\_ levels from \_\_\_\_\_ gas \_\_\_\_\_ at \_\_\_\_\_ appointments \_\_\_\_\_ prioritized?

\_\_\_\_\_ is \_\_\_\_\_ impending \_\_\_\_\_ carbon \_\_\_\_\_ leaking \_\_\_\_\_ connected machinery, can I get priority \_\_\_\_\_ slots?

\_\_\_\_\_ carbon monoxide hazard involves \_\_\_\_\_ do \_\_\_\_\_ qualify for \_\_\_\_\_ schedule?

\_\_\_\_\_ about \_\_\_\_\_ important priority req?

Is it possible to get \_\_\_\_\_ emergency \_\_\_\_\_ gas \_\_\_\_\_?

If \_\_\_\_\_ is \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ gas-connected devices, will \_\_\_\_\_ priority scheduling?

I \_\_\_\_\_ like \_\_\_\_\_ if \_\_\_\_\_ could give \_\_\_\_\_ appliances priority \_\_\_\_\_ fumes \_\_\_\_\_ up?

If \_\_\_\_\_ an \_\_\_\_\_ regarding carbon \_\_\_\_\_ devices, will I \_\_\_\_\_ priority \_\_\_\_\_?

\_\_\_\_\_ accommodations \_\_\_\_\_ be \_\_\_\_\_ possibility for excessive carbon \_\_\_\_\_ output \_\_\_\_\_ furnishings?

Do \_\_\_\_\_ have \_\_\_\_\_ a carbon monoxide \_\_\_\_\_ my appliances?

\_\_\_\_\_ it \_\_\_\_\_ scenario caused by my gas \_\_\_\_\_ could I get \_\_\_\_\_ priority?

\_\_\_\_\_ I request priority arrangements for any threats \_\_\_\_\_ monoxide \_\_\_\_\_ natural-gas \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ given preferential \_\_\_\_\_ an \_\_\_\_\_ deadly situation relating to \_\_\_\_\_ and the \_\_\_\_\_ my gas- \_\_\_\_\_

\_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ gas \_\_\_\_\_ have \_\_\_\_\_ if there \_\_\_\_\_ a CO \_\_\_\_\_.

\_\_\_\_\_ to get top-priority time \_\_\_\_\_ is a \_\_\_\_\_ of carbon monoxide poisoning?

I need \_\_\_\_\_ I \_\_\_\_\_ have priority \_\_\_\_\_ a carbon \_\_\_\_\_ emergency.

If there is \_\_\_\_\_ because of \_\_\_\_\_ of \_\_\_\_\_ equipment, would \_\_\_\_\_ get preferential scheduling?

\_\_\_\_\_ there's \_\_\_\_\_ catastrophe involving \_\_\_\_\_ and \_\_\_\_\_ gas \_\_\_\_\_ you \_\_\_\_\_ a prioritized servicing?

Is \_\_\_\_\_ to request \_\_\_\_\_ leaks from connected \_\_\_\_\_ gadgets?

In \_\_\_\_\_ event of \_\_\_\_\_ monoxide threat \_\_\_\_\_ gas appliances, \_\_\_\_\_ I \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ I get preferential \_\_\_\_\_ if \_\_\_\_\_ is an \_\_\_\_\_ hazard \_\_\_\_\_ of carbon \_\_\_\_\_?

\_\_\_\_\_ that I \_\_\_\_\_ preference \_\_\_\_\_ appliance carbon \_\_\_\_\_ for scheduling purposes?

\_\_\_\_\_ preference for scheduling \_\_\_\_\_ is a threat of \_\_\_\_\_ with \_\_\_\_\_ appliances?

Would \_\_\_\_\_ receive preferential \_\_\_\_\_ is an imminent hazard due \_\_\_\_\_ high levels \_\_\_\_\_ carbon \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ treatment for \_\_\_\_\_ my \_\_\_\_\_ devices?

\_\_\_\_\_ help \_\_\_\_\_ carbon monoxide in \_\_\_\_\_.

I \_\_\_\_\_ like \_\_\_\_\_ if you \_\_\_\_\_ my \_\_\_\_\_ priority if \_\_\_\_\_ fumes \_\_\_\_\_ a problem.



If there's \_\_\_\_\_ regarding \_\_\_\_\_ connected devices, will \_\_\_\_\_ get priority scheduling?  
 \_\_\_\_\_ I'll \_\_\_\_\_ priority for scheduling in situations \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ appliances.  
 \_\_\_\_\_ it \_\_\_\_\_ me to \_\_\_\_\_ first \_\_\_\_\_ line \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ carbon monoxide emergency?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ gas emergencies when \_\_\_\_\_ is \_\_\_\_\_ with \_\_\_\_\_?  
 \_\_\_\_\_ to know \_\_\_\_\_ I \_\_\_\_\_ priority \_\_\_\_\_ for a \_\_\_\_\_ monoxide emergency.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ get \_\_\_\_\_ scheduling in case \_\_\_\_\_?  
 \_\_\_\_\_ tell me if my \_\_\_\_\_ appliances \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ of a carbon \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ scheduled \_\_\_\_\_ carbon \_\_\_\_\_ gas emergency?  
 I would like to know \_\_\_\_\_ give \_\_\_\_\_ appliances \_\_\_\_\_ if \_\_\_\_\_ fumes \_\_\_\_\_?  
 \_\_\_\_\_ schedule \_\_\_\_\_ carbon monoxide emergency with \_\_\_\_\_ appliances?  
 \_\_\_\_\_ I request \_\_\_\_\_ for any threats related \_\_\_\_\_?  
 \_\_\_\_\_ case \_\_\_\_\_ monoxide emergency \_\_\_\_\_ you tell me how to \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ in \_\_\_\_\_ gas emergencies?  
 \_\_\_\_\_ me to \_\_\_\_\_ priority scheduling if there \_\_\_\_\_ a CO \_\_\_\_\_?  
 \_\_\_\_\_ given \_\_\_\_\_ in \_\_\_\_\_ any \_\_\_\_\_ emission scenario \_\_\_\_\_ by my gas \_\_\_\_\_?  
 Should I \_\_\_\_\_ preferential \_\_\_\_\_ case of carbon \_\_\_\_\_ related to \_\_\_\_\_?  
 I \_\_\_\_\_ like priority scheduling \_\_\_\_\_ emergency \_\_\_\_\_ my \_\_\_\_\_.  
 When it \_\_\_\_\_ dealing \_\_\_\_\_ emission scenarios \_\_\_\_\_ by \_\_\_\_\_ appliances, \_\_\_\_\_ given priority?  
 Would \_\_\_\_\_ for \_\_\_\_\_ preferential \_\_\_\_\_ regarding an imminent \_\_\_\_\_ situation \_\_\_\_\_ monoxide and the \_\_\_\_\_ of  
 my \_\_\_\_\_ apparatuses?  
 If there is an \_\_\_\_\_ high levels of carbon monoxide \_\_\_\_\_ would I \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ given preferential scheduling regarding an \_\_\_\_\_ situation \_\_\_\_\_ to carbon \_\_\_\_\_ and the \_\_\_\_\_ of  
 \_\_\_\_\_ gas-connected  
 \_\_\_\_\_ addressing poisonous emission \_\_\_\_\_ caused \_\_\_\_\_ gas \_\_\_\_\_ could \_\_\_\_\_ be \_\_\_\_\_ priority?  
 Can I \_\_\_\_\_ arrangements for \_\_\_\_\_ to carbon \_\_\_\_\_ and \_\_\_\_\_ natural-gas \_\_\_\_\_?  
 \_\_\_\_\_ immediate attention \_\_\_\_\_ a carbon monoxide \_\_\_\_\_ connected gas appliances?  
 If there \_\_\_\_\_ a \_\_\_\_\_ monoxide \_\_\_\_\_ with my gas \_\_\_\_\_ get \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ would like \_\_\_\_\_ if I \_\_\_\_\_ for urgent schedules \_\_\_\_\_ monoxide hazard involving \_\_\_\_\_ fuel-fed \_\_\_\_\_.  
 When it \_\_\_\_\_ to addressing \_\_\_\_\_ emission scenarios caused \_\_\_\_\_ my \_\_\_\_\_ be given \_\_\_\_\_ first \_\_\_\_\_?  
 I would \_\_\_\_\_ know if I \_\_\_\_\_ be \_\_\_\_\_ priority when addressing \_\_\_\_\_ caused \_\_\_\_\_ gas appliances.  
 Is it possible \_\_\_\_\_ a potential \_\_\_\_\_ emergency threatening the \_\_\_\_\_ of \_\_\_\_\_ connected gas-powered \_\_\_\_\_?  
 If there \_\_\_\_\_ emergency \_\_\_\_\_ monoxide \_\_\_\_\_ my \_\_\_\_\_ devices \_\_\_\_\_ you grant \_\_\_\_\_ scheduling?  
 \_\_\_\_\_ be \_\_\_\_\_ attention \_\_\_\_\_ CO emergencies with \_\_\_\_\_ gas-linked \_\_\_\_\_?  
 \_\_\_\_\_ I be first \_\_\_\_\_ line \_\_\_\_\_ have a carbon \_\_\_\_\_?  
 \_\_\_\_\_ there's a risk \_\_\_\_\_ CO \_\_\_\_\_ from \_\_\_\_\_ gas \_\_\_\_\_ home, \_\_\_\_\_ prioritize appointments?  
 \_\_\_\_\_ I \_\_\_\_\_ service \_\_\_\_\_ carbon monoxide \_\_\_\_\_ present?  
 Is \_\_\_\_\_ priority in the \_\_\_\_\_ a CO \_\_\_\_\_?  
 Would \_\_\_\_\_ possible for \_\_\_\_\_ to be given \_\_\_\_\_ scheduling \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ apparatuses?  
 Can you help \_\_\_\_\_ the \_\_\_\_\_ monoxide in \_\_\_\_\_?  
 Is it possible that I \_\_\_\_\_ appliances?  
 \_\_\_\_\_ is \_\_\_\_\_ catastrophic situation \_\_\_\_\_ carbon monoxide and \_\_\_\_\_ appliances, can \_\_\_\_\_ prioritized \_\_\_\_\_?  
 \_\_\_\_\_ I request preferential scheduling for \_\_\_\_\_ monoxide alarm related \_\_\_\_\_?  
 Can \_\_\_\_\_ get priority \_\_\_\_\_ issue with connected gas \_\_\_\_\_?  
 If \_\_\_\_\_ fill with carbon \_\_\_\_\_ I jump the \_\_\_\_\_ for \_\_\_\_\_ emergencies?  
 \_\_\_\_\_ I ask for \_\_\_\_\_ event \_\_\_\_\_ a carbon monoxide \_\_\_\_\_?  
 Immediate scheduling in case \_\_\_\_\_ connected \_\_\_\_\_?  
 \_\_\_\_\_ early scheduling \_\_\_\_\_ used \_\_\_\_\_ appliances' carbon monoxide \_\_\_\_\_?  
 \_\_\_\_\_ a suspected \_\_\_\_\_ hazard with my gas \_\_\_\_\_ I \_\_\_\_\_ precedence?  
 Should \_\_\_\_\_ request priority arrangements for \_\_\_\_\_ related \_\_\_\_\_ and \_\_\_\_\_ connected \_\_\_\_\_?  
 I would \_\_\_\_\_ if \_\_\_\_\_ would be given \_\_\_\_\_ addressing any \_\_\_\_\_ emission \_\_\_\_\_ by my \_\_\_\_\_ appliances.  
 I would like to know \_\_\_\_\_ I \_\_\_\_\_ be given priority in \_\_\_\_\_ emission \_\_\_\_\_ gas \_\_\_\_\_.

\_\_\_\_ event \_\_\_\_ probable \_\_\_\_ monoxide emergency, \_\_\_\_ it be \_\_\_\_ for me to \_\_\_\_ dibs?  
 \_\_\_\_ is a tragedy \_\_\_\_ monoxide and my \_\_\_\_ appliances, \_\_\_\_ you \_\_\_\_ priority \_\_\_\_?  
 \_\_\_\_ there a priority \_\_\_\_ in \_\_\_\_ hazardous \_\_\_\_ and my gas-related \_\_\_\_?  
 \_\_\_\_ of \_\_\_\_ CO \_\_\_\_ from my \_\_\_\_ gadgets \_\_\_\_ home can you ensure appointments \_\_\_\_ prioritized?  
 If CO \_\_\_\_ the \_\_\_\_ of \_\_\_\_ appliances, \_\_\_\_ you give me \_\_\_\_?  
 Is there \_\_\_\_ priority \_\_\_\_ in situations of potentially \_\_\_\_ monoxide and \_\_\_\_ \_\_\_\_\_.  
 \_\_\_\_ you \_\_\_\_ a \_\_\_\_ for \_\_\_\_ CO crisis \_\_\_\_ my appliances?  
 \_\_\_\_ possible \_\_\_\_ get priority booking \_\_\_\_ a potentially \_\_\_\_ emergency?  
 \_\_\_\_ there a way to \_\_\_\_ a potential \_\_\_\_ threatening \_\_\_\_ of \_\_\_\_ connected \_\_\_\_?  
 Can I get top \_\_\_\_ if there \_\_\_\_ danger of \_\_\_\_ monoxide \_\_\_\_?  
 \_\_\_\_ hazard \_\_\_\_ my gas \_\_\_\_ can I be scheduled first?  
 Can I \_\_\_\_ booking \_\_\_\_ a \_\_\_\_ CO emergency?  
 \_\_\_\_ case \_\_\_\_ danger from my \_\_\_\_ any chance of an \_\_\_\_?  
 \_\_\_\_ I request preferential \_\_\_\_ for carbon \_\_\_\_ to my \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ have \_\_\_\_ my carbon monoxide \_\_\_\_ for scheduling?  
 \_\_\_\_ arrangements \_\_\_\_ to prioritize a potential \_\_\_\_ the function of my \_\_\_\_ gas \_\_\_\_?  
 If \_\_\_\_ suspected carbon \_\_\_\_ hazard with my \_\_\_\_ I take \_\_\_\_ others?  
 If there is \_\_\_\_ carbon monoxide \_\_\_\_ my \_\_\_\_ devices, \_\_\_\_ priority scheduling?  
 Is it \_\_\_\_ me to \_\_\_\_ monoxide \_\_\_\_ over gas \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ get \_\_\_\_ urgent schedule \_\_\_\_ monoxide hazard \_\_\_\_ linked fuel-fed units?  
 \_\_\_\_ is \_\_\_\_ carbon monoxide leaking \_\_\_\_ my connected gas-powered \_\_\_\_ I get \_\_\_\_ time slots?  
 If \_\_\_\_ an emergency \_\_\_\_ carbon \_\_\_\_ or my \_\_\_\_ will \_\_\_\_ grant \_\_\_\_ priority \_\_\_\_?  
 It is possible \_\_\_\_ get preferred scheduling \_\_\_\_ involving \_\_\_\_ monoxide \_\_\_\_\_.  
 Help \_\_\_\_ carbon monoxide in \_\_\_\_?  
 \_\_\_\_ is an \_\_\_\_ with \_\_\_\_ and my \_\_\_\_ devices, will \_\_\_\_ priority scheduling?  
 Can \_\_\_\_ priority \_\_\_\_ for \_\_\_\_ monoxide \_\_\_\_ with \_\_\_\_ appliances?  
 \_\_\_\_ was wondering if \_\_\_\_ get \_\_\_\_ in case \_\_\_\_ carbon monoxide.  
 If \_\_\_\_ is \_\_\_\_ monoxide \_\_\_\_ connected devices, will you allow me \_\_\_\_ scheduling?  
 If there is \_\_\_\_ emergency regarding \_\_\_\_ monoxide \_\_\_\_ devices \_\_\_\_ you \_\_\_\_ me \_\_\_\_ scheduling?  
 I \_\_\_\_ with carbon \_\_\_\_ in \_\_\_\_ stuff.  
 Is \_\_\_\_ preference \_\_\_\_ appliance related carbon monoxide emergencies \_\_\_\_ scheduling \_\_\_\_?  
 Can \_\_\_\_ preference \_\_\_\_ appliance-related \_\_\_\_ monoxide emergencies for \_\_\_\_?  
 \_\_\_\_ it possible to \_\_\_\_ a top \_\_\_\_ time \_\_\_\_ if \_\_\_\_ is \_\_\_\_ monoxide leaking?  
 If \_\_\_\_ is a \_\_\_\_ hazard \_\_\_\_ equipment, can I be \_\_\_\_ precedence \_\_\_\_ scheduling?  
 \_\_\_\_ it possible \_\_\_\_ scheduling \_\_\_\_ CO leaking from my gadgets seems \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ an emergency regarding carbon monoxide \_\_\_\_ devices will you \_\_\_\_ scheduling for \_\_\_\_?  
 Should my gas \_\_\_\_ be \_\_\_\_ in \_\_\_\_ carbon monoxide \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ for me \_\_\_\_ request priority \_\_\_\_ carbon monoxide \_\_\_\_ my \_\_\_\_?  
 \_\_\_\_ it possible to \_\_\_\_ gas-linked \_\_\_\_ in \_\_\_\_ of \_\_\_\_ carbon monoxide \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ to \_\_\_\_ a potential CO emergency \_\_\_\_ function \_\_\_\_ connected \_\_\_\_ equipment during scheduled maintenance  
 If \_\_\_\_ a suspected carbon \_\_\_\_ my gas \_\_\_\_ be scheduled first?  
 In \_\_\_\_ of a carbon \_\_\_\_ alarm, \_\_\_\_ request \_\_\_\_?  
 Can \_\_\_\_ appliances \_\_\_\_ case of a CO \_\_\_\_?  
 \_\_\_\_ possible to have priority \_\_\_\_ for \_\_\_\_ monoxide \_\_\_\_ with \_\_\_\_ connected \_\_\_\_ devices.  
 \_\_\_\_ wish \_\_\_\_ preferential \_\_\_\_ in \_\_\_\_ event of \_\_\_\_ carbon monoxide alarm?  
 \_\_\_\_ gas-related \_\_\_\_ priority \_\_\_\_ case \_\_\_\_ a CO emergency?  
 Can there be a \_\_\_\_ handle the \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ of quick scheduling \_\_\_\_ at home?  
 \_\_\_\_ there is \_\_\_\_ CO emergency, can \_\_\_\_ prioritized?  
 \_\_\_\_ case of a carbon \_\_\_\_ emergency \_\_\_\_ my gas appliances?

Is \_\_\_\_\_ that I \_\_\_\_\_ get preference for \_\_\_\_\_ in case \_\_\_\_\_?

Can you \_\_\_\_\_ if my \_\_\_\_\_ need to be \_\_\_\_\_ a carbon \_\_\_\_\_?

\_\_\_\_\_ there is \_\_\_\_\_ and \_\_\_\_\_ gas appliances can you arrange prioritized \_\_\_\_\_?

Is \_\_\_\_\_ priority treatment for a \_\_\_\_\_ carbon monoxide \_\_\_\_\_ connected gas \_\_\_\_\_?

Is it \_\_\_\_\_ priority scheduling \_\_\_\_\_ carbon monoxide gas \_\_\_\_\_?

Will \_\_\_\_\_ ask \_\_\_\_\_ for \_\_\_\_\_ monoxide and \_\_\_\_\_ connected natural-gas \_\_\_\_\_?

Should I be \_\_\_\_\_ to \_\_\_\_\_ with a carbon \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ if I \_\_\_\_\_ get \_\_\_\_\_ booking for a \_\_\_\_\_.

\_\_\_\_\_ is an emergency regarding \_\_\_\_\_ gas- \_\_\_\_\_ devices, \_\_\_\_\_ grant priority scheduling?

\_\_\_\_\_ it possible \_\_\_\_\_ get \_\_\_\_\_ slots \_\_\_\_\_ there is danger of \_\_\_\_\_ monoxide \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ get rushed \_\_\_\_\_ for my \_\_\_\_\_ appliance?

\_\_\_\_\_ need assistance with carbon monoxide in \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ get \_\_\_\_\_ scheduling \_\_\_\_\_ emergencies \_\_\_\_\_ gas and \_\_\_\_\_?

If \_\_\_\_\_ is an \_\_\_\_\_ with \_\_\_\_\_ and \_\_\_\_\_ gas \_\_\_\_\_ will \_\_\_\_\_ grant \_\_\_\_\_ scheduling?

Can \_\_\_\_\_ top priority \_\_\_\_\_ there is \_\_\_\_\_ imminent danger of \_\_\_\_\_ monoxide \_\_\_\_\_?

Is \_\_\_\_\_ possible that I \_\_\_\_\_ get an \_\_\_\_\_ monoxide hazard \_\_\_\_\_ linked \_\_\_\_\_ units?

Is \_\_\_\_\_ to arrange \_\_\_\_\_ servicing \_\_\_\_\_ of \_\_\_\_\_ monoxide and gas \_\_\_\_\_?

\_\_\_\_\_ get a \_\_\_\_\_ if there \_\_\_\_\_ danger of \_\_\_\_\_ monoxide leaking?

Is it \_\_\_\_\_ to \_\_\_\_\_ expedited scheduling during \_\_\_\_\_ when \_\_\_\_\_ leaking \_\_\_\_\_ likely?

\_\_\_\_\_ be allowed to \_\_\_\_\_ my \_\_\_\_\_ carbon monoxide \_\_\_\_\_?

If \_\_\_\_\_ emission \_\_\_\_\_ by \_\_\_\_\_ appliances, could I \_\_\_\_\_ first in line?

I'd like \_\_\_\_\_ I \_\_\_\_\_ have \_\_\_\_\_ scheduling for a carbon \_\_\_\_\_.

\_\_\_\_\_ me how \_\_\_\_\_ prioritize my gas appliances \_\_\_\_\_ case \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ treat the carbon \_\_\_\_\_ my connected gas \_\_\_\_\_ first?

If \_\_\_\_\_ poisonous emission scenario caused \_\_\_\_\_ my \_\_\_\_\_ appliances, \_\_\_\_\_ I \_\_\_\_\_ the one \_\_\_\_\_ get \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ know \_\_\_\_\_ I \_\_\_\_\_ given priority \_\_\_\_\_ it comes to \_\_\_\_\_ any \_\_\_\_\_ emission scenario \_\_\_\_\_ gas appliances.

I would \_\_\_\_\_ know if \_\_\_\_\_ will \_\_\_\_\_ priority \_\_\_\_\_ it \_\_\_\_\_ addressing poisonous emission scenarios \_\_\_\_\_ my gas \_\_\_\_\_.

\_\_\_\_\_ I \_\_\_\_\_ get priority \_\_\_\_\_ of carbon monoxide?

Is \_\_\_\_\_ a \_\_\_\_\_ that I \_\_\_\_\_ receive priority \_\_\_\_\_ to \_\_\_\_\_ CO \_\_\_\_\_?

Can I be first \_\_\_\_\_ line \_\_\_\_\_ carbon monoxide \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ know if I will \_\_\_\_\_ scheduling \_\_\_\_\_ of carbon monoxide \_\_\_\_\_ appliances.

Would I \_\_\_\_\_ preferential \_\_\_\_\_ an \_\_\_\_\_ due to high levels \_\_\_\_\_ monoxide from \_\_\_\_\_ equipment?

\_\_\_\_\_ there is a \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ gas appliances, \_\_\_\_\_ you \_\_\_\_\_ prioritized \_\_\_\_\_

\_\_\_\_\_ catastrophic situation involving \_\_\_\_\_ and my gas appliances, \_\_\_\_\_ you \_\_\_\_\_ prioritized \_\_\_\_\_?

\_\_\_\_\_ wondering if I \_\_\_\_\_ get \_\_\_\_\_ I have carbon \_\_\_\_\_.

\_\_\_\_\_ help with carbon \_\_\_\_\_ gas stuff

\_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ appliances \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ of an emergency?

\_\_\_\_\_ have priority \_\_\_\_\_ a CO \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ have \_\_\_\_\_ scheduling for \_\_\_\_\_ with \_\_\_\_\_ gas?

Is it \_\_\_\_\_ preference gas \_\_\_\_\_ carbon \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ my gas appliances' \_\_\_\_\_ emergency \_\_\_\_\_?

Is it possible \_\_\_\_\_ priority arrangements \_\_\_\_\_ monoxide \_\_\_\_\_ connected \_\_\_\_\_ equipment \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ get \_\_\_\_\_ scheduling for emergencies related \_\_\_\_\_ monoxide \_\_\_\_\_ appliances?

\_\_\_\_\_ get \_\_\_\_\_ way of my \_\_\_\_\_ appliances, \_\_\_\_\_ you give \_\_\_\_\_ priority?

\_\_\_\_\_ would \_\_\_\_\_ know \_\_\_\_\_ you \_\_\_\_\_ give my \_\_\_\_\_ if CO fumes occur.

Is it \_\_\_\_\_ to be \_\_\_\_\_ monoxide \_\_\_\_\_ my appliances?

Do you have \_\_\_\_\_ ability \_\_\_\_\_ arrange \_\_\_\_\_ carbon monoxide \_\_\_\_\_ appliances?

\_\_\_\_\_ to be allowed preference \_\_\_\_\_ my \_\_\_\_\_ appliance-related \_\_\_\_\_ emergencies.

\_\_\_\_\_ give \_\_\_\_\_ gas-dang \_\_\_\_\_ if \_\_\_\_\_ fumes show up?

\_\_\_\_\_ to prioritize my appliances in case \_\_\_\_\_ carbon monoxide \_\_\_\_\_?

Is \_\_\_\_\_ gas appliance-related \_\_\_\_\_ emergencies for scheduling purposes?

Do I qualify \_\_\_\_\_ urgent schedules during \_\_\_\_\_ involving linked \_\_\_\_\_ units?

Is \_\_\_\_\_ me to \_\_\_\_\_ because of carbon Monoxide?

Can \_\_\_\_\_ be \_\_\_\_\_ priority scheduling \_\_\_\_\_ carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ schedule in \_\_\_\_\_ from my \_\_\_\_\_ and CO?

\_\_\_\_\_ for carbon monoxide and my connected natural-gas \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ emergency can \_\_\_\_\_ gas related \_\_\_\_\_ have priority?

Can \_\_\_\_\_ tell \_\_\_\_\_ my gas- connected \_\_\_\_\_ priority \_\_\_\_\_ the event of \_\_\_\_\_ monoxide emergency?

\_\_\_\_\_ to \_\_\_\_\_ risk \_\_\_\_\_ high CO levels from \_\_\_\_\_ connected appliances, is \_\_\_\_\_?

Is \_\_\_\_\_ priority \_\_\_\_\_ carbon monoxide issue with \_\_\_\_\_ gas devices?

\_\_\_\_\_ CO \_\_\_\_\_ be possible to prioritize \_\_\_\_\_ appointments?

\_\_\_\_\_ I \_\_\_\_\_ priority \_\_\_\_\_ carbon monoxide emergency?

If there \_\_\_\_\_ carbon monoxide and my \_\_\_\_\_ appliances, \_\_\_\_\_ you \_\_\_\_\_ servicing?

\_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ in potentially hazardous \_\_\_\_\_ and \_\_\_\_\_ appliances?

Is \_\_\_\_\_ priority scheduling \_\_\_\_\_ carbon monoxide \_\_\_\_\_ with \_\_\_\_\_ gas appliances.

Will \_\_\_\_\_ be special attention \_\_\_\_\_ potential \_\_\_\_\_ emergencies \_\_\_\_\_ gadgets?

\_\_\_\_\_ possible to arrange \_\_\_\_\_ and \_\_\_\_\_ monoxide appliances go down?

Is it \_\_\_\_\_ to have \_\_\_\_\_ carbon \_\_\_\_\_ emergencies \_\_\_\_\_ gas connected \_\_\_\_\_?

Can \_\_\_\_\_ request \_\_\_\_\_ for \_\_\_\_\_ monoxide and \_\_\_\_\_ natural-gas \_\_\_\_\_?

\_\_\_\_\_ preferential handling \_\_\_\_\_ to the danger \_\_\_\_\_ carbon monoxide \_\_\_\_\_.

\_\_\_\_\_ prioritize gas connected appliances \_\_\_\_\_ case \_\_\_\_\_ carbon monoxide emergency?

If there \_\_\_\_\_ emergency \_\_\_\_\_ to carbon \_\_\_\_\_ gas- \_\_\_\_\_ devices, will \_\_\_\_\_ priority scheduling?

Should I \_\_\_\_\_ priority service if \_\_\_\_\_?

Would \_\_\_\_\_ be \_\_\_\_\_ for carbon monoxide and \_\_\_\_\_ utilization of my \_\_\_\_\_ connected apparatuses?

\_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ to give \_\_\_\_\_ gas appliances priority \_\_\_\_\_ come \_\_\_\_\_?

\_\_\_\_\_ help with \_\_\_\_\_ in gas \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to have priority treatment \_\_\_\_\_ any carbon monoxide \_\_\_\_\_ devices?

Is there a \_\_\_\_\_ potential hazardous carbon monoxide \_\_\_\_\_ appliances?

I want \_\_\_\_\_ if \_\_\_\_\_ gas \_\_\_\_\_ have \_\_\_\_\_ in \_\_\_\_\_ emergency.

I'm \_\_\_\_\_ if I \_\_\_\_\_ get priority \_\_\_\_\_ with my \_\_\_\_\_ appliances.

\_\_\_\_\_ be prioritized \_\_\_\_\_ emergency due \_\_\_\_\_ carbon monoxide?

Would it \_\_\_\_\_ for me to \_\_\_\_\_ regarding an \_\_\_\_\_ deadly situation involving carbon \_\_\_\_\_ and \_\_\_\_\_ connected apparatuses?

\_\_\_\_\_ I \_\_\_\_\_ scheduling if \_\_\_\_\_ an \_\_\_\_\_ hazard due \_\_\_\_\_ high levels of carbon monoxide \_\_\_\_\_ equipment?

arrangements \_\_\_\_\_ prioritize a potential \_\_\_\_\_ emergency threatening \_\_\_\_\_ connected gas-powered \_\_\_\_\_ during \_\_\_\_\_

Should \_\_\_\_\_ request priority for \_\_\_\_\_ carbon \_\_\_\_\_ and \_\_\_\_\_ natural-gas equipment?

\_\_\_\_\_ possible \_\_\_\_\_ to receive \_\_\_\_\_ scheduling regarding \_\_\_\_\_ deadly situation \_\_\_\_\_ monoxide and \_\_\_\_\_ of my \_\_\_\_\_ connected apparatuses?

\_\_\_\_\_ it possible to \_\_\_\_\_ slots if \_\_\_\_\_ is a \_\_\_\_\_ carbon \_\_\_\_\_ leaking?

Is there a \_\_\_\_\_ scheduling \_\_\_\_\_ situations of \_\_\_\_\_ monoxide \_\_\_\_\_?

\_\_\_\_\_ get preferential \_\_\_\_\_ if there \_\_\_\_\_ an \_\_\_\_\_ hazard \_\_\_\_\_ to high \_\_\_\_\_ monoxide?

If \_\_\_\_\_ is \_\_\_\_\_ emergency concerning \_\_\_\_\_ and my gas \_\_\_\_\_ will you \_\_\_\_\_ scheduling?

Can \_\_\_\_\_ me \_\_\_\_\_ gas- \_\_\_\_\_ appliances should be \_\_\_\_\_ in the event of a \_\_\_\_\_?

Can you tell \_\_\_\_\_ need \_\_\_\_\_ be prioritized in \_\_\_\_\_ a carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ - carbon monoxide \_\_\_\_\_?

\_\_\_\_\_ don't know \_\_\_\_\_ my gas \_\_\_\_\_ priority if \_\_\_\_\_ fumes show \_\_\_\_\_.

\_\_\_\_\_ is a danger \_\_\_\_\_ carbon monoxide leaking from my machinery, can \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ hazardous carbon \_\_\_\_\_ and my gas \_\_\_\_\_ appliances, will \_\_\_\_\_ scheduling?

Can you make \_\_\_\_\_ when \_\_\_\_\_ is a \_\_\_\_\_ of \_\_\_\_\_ my gas \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ priority \_\_\_\_\_ connected appliances in case \_\_\_\_\_ carbon \_\_\_\_\_ emergency?

\_\_\_\_\_ a chance \_\_\_\_\_ will \_\_\_\_\_ priority service \_\_\_\_\_ to carbon \_\_\_\_\_.  
 \_\_\_\_\_ to get \_\_\_\_\_ for scheduling in case \_\_\_\_\_ in my gas \_\_\_\_\_?  
 Is \_\_\_\_\_ that I \_\_\_\_\_ gas \_\_\_\_\_ carbon \_\_\_\_\_ emergencies for \_\_\_\_\_ purposes?  
 \_\_\_\_\_ it permissible \_\_\_\_\_ me \_\_\_\_\_ prefer my gas appliance-related \_\_\_\_\_?  
 Can \_\_\_\_\_ gas-related \_\_\_\_\_ priority in \_\_\_\_\_ event \_\_\_\_\_ a CO \_\_\_\_\_?  
 Is it possible to \_\_\_\_\_ expedited scheduling \_\_\_\_\_ when \_\_\_\_\_ leaking \_\_\_\_\_ connected \_\_\_\_\_ is \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ have priority scheduling \_\_\_\_\_ with my \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ monoxide alarm, may \_\_\_\_\_ a preferential scheduling?  
 Should my \_\_\_\_\_ connected appliances be \_\_\_\_\_ event of \_\_\_\_\_ emergency?  
 \_\_\_\_\_ emergency can my gas-related appliances have priority?  
 \_\_\_\_\_ for preferential scheduling in \_\_\_\_\_ of carbon \_\_\_\_\_?  
 Would it be \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ preferential scheduling \_\_\_\_\_ imminent deadly \_\_\_\_\_ related \_\_\_\_\_ the utilization  
 \_\_\_\_\_ gas- connected \_\_\_\_\_  
 Can \_\_\_\_\_ get \_\_\_\_\_ time slots \_\_\_\_\_ there \_\_\_\_\_ danger of carbon \_\_\_\_\_?  
 Is preferential \_\_\_\_\_ if there is an imminent \_\_\_\_\_ of carbon \_\_\_\_\_ my equipment?  
 \_\_\_\_\_ imminent hazard due \_\_\_\_\_ high \_\_\_\_\_ of carbon monoxide, \_\_\_\_\_ I \_\_\_\_\_ preferential \_\_\_\_\_?  
 In the \_\_\_\_\_ carbon monoxide alarm, \_\_\_\_\_ preferential scheduling.  
 Can I \_\_\_\_\_ priority time slots \_\_\_\_\_ a \_\_\_\_\_ monoxide leaking from \_\_\_\_\_ machinery?  
 \_\_\_\_\_ priority scheduling \_\_\_\_\_ there's an \_\_\_\_\_ about \_\_\_\_\_ and \_\_\_\_\_ connected devices?  
 Can \_\_\_\_\_ me \_\_\_\_\_ prioritized \_\_\_\_\_ of my \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_ monoxide emergency?  
 If there is an \_\_\_\_\_ monoxide \_\_\_\_\_ will \_\_\_\_\_ give me \_\_\_\_\_ scheduling?  
 \_\_\_\_\_ I be \_\_\_\_\_ in line when \_\_\_\_\_ a carbon \_\_\_\_\_?  
 Is there a \_\_\_\_\_ priority scheduling due to \_\_\_\_\_ emergency?  
 Is \_\_\_\_\_ to make \_\_\_\_\_ a potential CO emergency \_\_\_\_\_ of my \_\_\_\_\_?  
 \_\_\_\_\_ want to \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ schedule for possible CO crisis \_\_\_\_\_.  
 \_\_\_\_\_ request priority for threats \_\_\_\_\_ carbon monoxide \_\_\_\_\_ natural-gas \_\_\_\_\_?  
 Is there \_\_\_\_\_ my \_\_\_\_\_ appliances \_\_\_\_\_ if CO fumes \_\_\_\_\_ present?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ precedence \_\_\_\_\_ event of a \_\_\_\_\_ monoxide emergency \_\_\_\_\_ connected fuel-reliant \_\_\_\_\_?  
 \_\_\_\_\_ a risk \_\_\_\_\_ elevated CO \_\_\_\_\_ from my gas \_\_\_\_\_ home \_\_\_\_\_ appointments prioritized?  
 Is it possible \_\_\_\_\_ request priority \_\_\_\_\_ for \_\_\_\_\_ connected natural \_\_\_\_\_?  
 \_\_\_\_\_ I get special attention \_\_\_\_\_ CO emergencies \_\_\_\_\_ gas-linked \_\_\_\_\_?  
 I wonder \_\_\_\_\_ I \_\_\_\_\_ priority \_\_\_\_\_ because of a \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ an emergency about carbon monoxide \_\_\_\_\_ connected \_\_\_\_\_ will \_\_\_\_\_ scheduling?  
 If \_\_\_\_\_ is a suspected \_\_\_\_\_ monoxide \_\_\_\_\_ gas \_\_\_\_\_ I \_\_\_\_\_ in first?  
 \_\_\_\_\_ possible \_\_\_\_\_ could get \_\_\_\_\_ preference for \_\_\_\_\_ in case \_\_\_\_\_ monoxide?  
 Is my \_\_\_\_\_ if there \_\_\_\_\_ CO emergency?  
 Can \_\_\_\_\_ if my gas-connected \_\_\_\_\_ will \_\_\_\_\_ priority \_\_\_\_\_ a \_\_\_\_\_ emergency?  
 \_\_\_\_\_ to have \_\_\_\_\_ scheduling \_\_\_\_\_ is a potential CO emergency \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ if I have a \_\_\_\_\_ emergency?