

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Telecommunications Equipment Manufacturers
<b>Inquiry Category</b>	Compatibility and integration assistance
<b>Inquiry Sub-Category</b>	Network compatibility troubleshooting
<b>Description</b>	Customers seeking assistance with troubleshooting network compatibility issues when integrating our telecommunications equipment, providing expert guidance to ensure smooth integration and optimal performance.
<b>Data Size</b>	7,263 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Telecommunications Equipment Manufacturer" customer inquiry. (Purchased data will not be masked.)

Will added \_\_\_\_ measures impact \_\_\_\_ of \_\_\_\_ new \_\_\_\_ relation to the \_\_\_\_ ?

Increased \_\_\_\_ measures \_\_\_\_ affect \_\_\_\_ new devices compare \_\_\_\_ the old \_\_\_\_.

\_\_\_\_ safety effects \_\_\_\_ performance of \_\_\_\_ ?

\_\_\_\_ we expect any \_\_\_\_ new devices because of \_\_\_\_ measures?

\_\_\_\_ the impact \_\_\_\_ how freshly \_\_\_\_ devices perform?

\_\_\_\_ are new security \_\_\_\_ may \_\_\_\_ the performance \_\_\_\_ our \_\_\_\_.

Are the increased \_\_\_\_ affecting \_\_\_\_ of these \_\_\_\_ ?

\_\_\_\_ performance of new \_\_\_\_ will be \_\_\_\_ added \_\_\_\_.

Does enhanced \_\_\_\_ feature \_\_\_\_ ?

\_\_\_\_ affect how new pieces \_\_\_\_ ?

Will \_\_\_\_ the performance of the rookies \_\_\_\_ to \_\_\_\_ older \_\_\_\_ ?

Will \_\_\_\_ performance of \_\_\_\_ new pieces?

\_\_\_\_ beefing \_\_\_\_ affect function of \_\_\_\_ ?

\_\_\_\_ the new \_\_\_\_ work compared to \_\_\_\_ old \_\_\_\_ will \_\_\_\_ by \_\_\_\_.

\_\_\_\_ of \_\_\_\_ items \_\_\_\_ be \_\_\_\_ by the extra \_\_\_\_.

\_\_\_\_ protection \_\_\_\_ the newer \_\_\_\_ ?

\_\_\_\_ performance of \_\_\_\_ new pieces \_\_\_\_ by \_\_\_\_ security measures \_\_\_\_ them?

Does \_\_\_\_ of safety \_\_\_\_ performance?

\_\_\_\_ new pieces may \_\_\_\_ due \_\_\_\_ features.

\_\_\_\_ of recent additions \_\_\_\_ hampered \_\_\_\_ enhanced \_\_\_\_ measures.

\_\_\_\_ addition \_\_\_\_ features \_\_\_\_ affect \_\_\_\_ of new components.

\_\_\_\_ increased \_\_\_\_ precautions affect how \_\_\_\_ this new \_\_\_\_ ?

\_\_\_\_ security \_\_\_\_ to \_\_\_\_ performance of new \_\_\_\_ ?

\_\_\_\_ boosted security \_\_\_\_ to \_\_\_\_ an impact on \_\_\_\_ capabilities?

\_\_\_\_ of \_\_\_\_ pieces \_\_\_\_ by the implementation of \_\_\_\_ measures?

\_\_\_\_ could \_\_\_\_ well the fresh gear operates.

Will \_\_\_\_ safety \_\_\_\_ hamper \_\_\_\_ ?

Will \_\_\_\_ of these new \_\_\_\_ affected \_\_\_\_ security \_\_\_\_ ?

Do \_\_\_\_\_ enhanced security \_\_\_\_\_ will \_\_\_\_\_ effect \_\_\_\_\_ of the \_\_\_\_\_ installed equipment?

Is protection \_\_\_\_\_ newer creations \_\_\_\_\_ previously installed \_\_\_\_\_?

\_\_\_\_\_ additional \_\_\_\_\_ alterations affect \_\_\_\_\_?

Will \_\_\_\_\_ affect \_\_\_\_\_ new pieces \_\_\_\_\_ compared \_\_\_\_\_ ones?

\_\_\_\_\_ new stuff works \_\_\_\_\_ be influenced by increased \_\_\_\_\_.

\_\_\_\_\_ safety precautions can affect \_\_\_\_\_ well a \_\_\_\_\_.

Would \_\_\_\_\_ working efficiency of newer \_\_\_\_\_ by \_\_\_\_\_ arrangements?

\_\_\_\_\_ there any \_\_\_\_\_ due to enhanced \_\_\_\_\_ features?

Will \_\_\_\_\_ performance \_\_\_\_\_ new \_\_\_\_\_ by extra security.

\_\_\_\_\_ steps \_\_\_\_\_ affect \_\_\_\_\_ the \_\_\_\_\_ equipment works.

\_\_\_\_\_ safety \_\_\_\_\_ affect comparisons?

\_\_\_\_\_ the new \_\_\_\_\_ the performance?

Will \_\_\_\_\_ security \_\_\_\_\_ affect how well \_\_\_\_\_ when \_\_\_\_\_ previously \_\_\_\_\_ units?

\_\_\_\_\_ it possible that \_\_\_\_\_ would \_\_\_\_\_ this iteration \_\_\_\_\_ effective \_\_\_\_\_ ones?

\_\_\_\_\_ dip in performance for \_\_\_\_\_ because of security precautions?

Will these \_\_\_\_\_ how \_\_\_\_\_ new contraptions work \_\_\_\_\_ to the old \_\_\_\_\_?

\_\_\_\_\_ recent additions \_\_\_\_\_ hampered \_\_\_\_\_ measures?

Will \_\_\_\_\_ security \_\_\_\_\_ cause \_\_\_\_\_ dip \_\_\_\_\_ performance for \_\_\_\_\_ installed \_\_\_\_\_?

Is increased \_\_\_\_\_ features affecting \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ security affect the \_\_\_\_\_ of \_\_\_\_\_ items' \_\_\_\_\_?

Adding \_\_\_\_\_ affect how well \_\_\_\_\_ components \_\_\_\_\_.

Performance in light \_\_\_\_\_ may \_\_\_\_\_ affected \_\_\_\_\_ the \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ latest equipment \_\_\_\_\_ previous \_\_\_\_\_ might be affected by \_\_\_\_\_ new security \_\_\_\_\_.

Do \_\_\_\_\_ the improved \_\_\_\_\_ will affect \_\_\_\_\_ of the \_\_\_\_\_ installed \_\_\_\_\_?

Will \_\_\_\_\_ security \_\_\_\_\_ performance \_\_\_\_\_ items?

Extra \_\_\_\_\_ features may \_\_\_\_\_ these new components do \_\_\_\_\_ predecessors.

\_\_\_\_\_ more \_\_\_\_\_ equipment's effectiveness?

\_\_\_\_\_ of the \_\_\_\_\_ pieces will \_\_\_\_\_ affected \_\_\_\_\_ added security \_\_\_\_\_.

\_\_\_\_\_ addition \_\_\_\_\_ extra security \_\_\_\_\_ well these new components \_\_\_\_\_?

\_\_\_\_\_ safety \_\_\_\_\_ performance of newer \_\_\_\_\_?

\_\_\_\_\_ contemporary elements vs older ones \_\_\_\_\_ by elevated \_\_\_\_\_ measures.

\_\_\_\_\_ these \_\_\_\_\_ gadgets \_\_\_\_\_ to \_\_\_\_\_ will be affected by security.

Increased \_\_\_\_\_ features \_\_\_\_\_?

Enhancement of protection \_\_\_\_\_ affect \_\_\_\_\_ units \_\_\_\_\_ existing ones.

\_\_\_\_\_ affecting newer \_\_\_\_\_ previously \_\_\_\_\_ projects?

\_\_\_\_\_ well \_\_\_\_\_ to the \_\_\_\_\_ will be determined \_\_\_\_\_ security measures.

\_\_\_\_\_ may be affected by these new security \_\_\_\_\_.

Can fresh equipment's \_\_\_\_\_ protection?

\_\_\_\_\_ be hampered by \_\_\_\_\_ additional \_\_\_\_\_?

Can we \_\_\_\_\_ performance \_\_\_\_\_ for \_\_\_\_\_ as a result of \_\_\_\_\_ measures?

\_\_\_\_\_ steps \_\_\_\_\_ influence the \_\_\_\_\_ of \_\_\_\_\_ devices.

How well this new \_\_\_\_\_ affected \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ security \_\_\_\_\_ hurt the performance \_\_\_\_\_ the new \_\_\_\_\_?

Is \_\_\_\_\_ to affect the \_\_\_\_\_ of \_\_\_\_\_ equipment?

\_\_\_\_\_ installations, will enhanced \_\_\_\_\_ hamper new installations?

\_\_\_\_\_ affect performance?

Could the \_\_\_\_\_ safety \_\_\_\_\_ affect \_\_\_\_\_?

Is \_\_\_\_\_ new \_\_\_\_\_ line with \_\_\_\_\_ older \_\_\_\_\_ jeopardized by \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ line with old \_\_\_\_\_ jeopardized \_\_\_\_\_ security?

Would higher-level \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ assets?

Is the \_\_\_\_\_ these \_\_\_\_\_ pieces going \_\_\_\_\_ affected by \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ affect \_\_\_\_\_ of items?

Will adding \_\_\_\_\_ measures affect \_\_\_\_\_ performance of \_\_\_\_\_?

\_\_\_\_\_ safety measures \_\_\_\_\_ the \_\_\_\_\_?

Would higher-level safety \_\_\_\_\_ efficiency of \_\_\_\_\_?

Is the performance \_\_\_\_\_ new \_\_\_\_\_ increased security?

As \_\_\_\_\_ result of upgraded \_\_\_\_\_ can \_\_\_\_\_ any \_\_\_\_\_ for these \_\_\_\_\_ devices?

Will \_\_\_\_\_ protocols \_\_\_\_\_ well \_\_\_\_\_ newly installed parts \_\_\_\_\_ when \_\_\_\_\_ with their \_\_\_\_\_?

Will \_\_\_\_\_ how well \_\_\_\_\_ pieces \_\_\_\_\_?

\_\_\_\_\_ result \_\_\_\_\_ measures can we expect \_\_\_\_\_ in performance?

Is increased \_\_\_\_\_?

\_\_\_\_\_ the addition of \_\_\_\_\_ features \_\_\_\_\_ new \_\_\_\_\_ perform?

Is \_\_\_\_\_ units in \_\_\_\_\_ old ones jeopardized \_\_\_\_\_ security?

Does heightened \_\_\_\_\_ performance of \_\_\_\_\_?

Does the implementation of \_\_\_\_\_ measures \_\_\_\_\_ new pieces?

\_\_\_\_\_ addition of \_\_\_\_\_ might \_\_\_\_\_ performance of the \_\_\_\_\_ components.

\_\_\_\_\_ new \_\_\_\_\_ may be affected by security \_\_\_\_\_.

\_\_\_\_\_ safety measures \_\_\_\_\_ possibly \_\_\_\_\_ comparisons.

\_\_\_\_\_ security going to \_\_\_\_\_ pieces?

\_\_\_\_\_ well equipment works against previous ones \_\_\_\_\_ affected \_\_\_\_\_ new \_\_\_\_\_.

Extra \_\_\_\_\_ could affect \_\_\_\_\_ new \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ that the performance \_\_\_\_\_ newer \_\_\_\_\_ will be \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ security measures \_\_\_\_\_ how well these new \_\_\_\_\_ in \_\_\_\_\_ the old \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ how well these newly installed parts \_\_\_\_\_ when \_\_\_\_\_ units?

How well \_\_\_\_\_ new \_\_\_\_\_ works \_\_\_\_\_ to \_\_\_\_\_ can \_\_\_\_\_ by increased \_\_\_\_\_.

Will \_\_\_\_\_ be affected \_\_\_\_\_ measures?

Is \_\_\_\_\_ that \_\_\_\_\_ measures \_\_\_\_\_ alter piece \_\_\_\_\_?

\_\_\_\_\_ enhanced \_\_\_\_\_ affect \_\_\_\_\_ newly \_\_\_\_\_ parts perform \_\_\_\_\_ to the \_\_\_\_\_ deployed units?

\_\_\_\_\_ increased \_\_\_\_\_ new objects?

How \_\_\_\_\_ affect \_\_\_\_\_ performance of the newly installed \_\_\_\_\_?

\_\_\_\_\_ could change piece \_\_\_\_\_

\_\_\_\_\_ additional safety \_\_\_\_\_ performances?

\_\_\_\_\_ the performance of \_\_\_\_\_ affected by \_\_\_\_\_ of \_\_\_\_\_ security measures?

\_\_\_\_\_ security measures mess \_\_\_\_\_ how well the \_\_\_\_\_ contraptions \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ beefing up \_\_\_\_\_ won't affect how \_\_\_\_\_ new \_\_\_\_\_ operate?

\_\_\_\_\_ performance affected \_\_\_\_\_ security?

Do you think \_\_\_\_\_ security \_\_\_\_\_ affect the performance \_\_\_\_\_?

\_\_\_\_\_ pieces' \_\_\_\_\_ be affected \_\_\_\_\_ security?

Is the \_\_\_\_\_ affected by increased security?

\_\_\_\_\_ new security steps \_\_\_\_\_ equipment works.

Can the \_\_\_\_\_ fresh components \_\_\_\_\_ by \_\_\_\_\_ safeguards?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ new pieces be affected \_\_\_\_\_ implementation \_\_\_\_\_ measures?

Are \_\_\_\_\_ measures \_\_\_\_\_ affect \_\_\_\_\_ performance of these \_\_\_\_\_?

Is \_\_\_\_\_ components influenced by enhanced security?

Will \_\_\_\_\_ affect \_\_\_\_\_ the items?

\_\_\_\_\_ the performance be \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ safety \_\_\_\_\_ changed the piece \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ equipment going \_\_\_\_\_ by the \_\_\_\_\_ security measures?

\_\_\_\_\_ enhanced security \_\_\_\_\_ going to \_\_\_\_\_ on \_\_\_\_\_ well \_\_\_\_\_ newly installed parts \_\_\_\_\_?

Can you \_\_\_\_\_ me \_\_\_\_\_ security \_\_\_\_\_ how \_\_\_\_\_ these \_\_\_\_\_ contraptions work?

Extra \_\_\_\_\_ performance of new \_\_\_\_\_.

Will the security \_\_\_\_\_ performance \_\_\_\_\_ new pieces?

\_\_\_\_\_ will enhanced \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ the extra security \_\_\_\_\_ cause \_\_\_\_\_ new \_\_\_\_\_ better than \_\_\_\_\_ ones?

Should \_\_\_\_\_ protection \_\_\_\_\_ equipment's \_\_\_\_\_ than \_\_\_\_\_?

Will \_\_\_\_\_ increased precautions \_\_\_\_\_ how \_\_\_\_\_ pieces do?

\_\_\_\_\_ will affect how \_\_\_\_\_ these gadgets \_\_\_\_\_ older ones.

Will increased security \_\_\_\_\_ the novel \_\_\_\_\_ as the prior \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ pieces be impacted by increased \_\_\_\_\_?

\_\_\_\_\_ protection \_\_\_\_\_ comparison measurement?

Does adding \_\_\_\_\_ measures \_\_\_\_\_?

Increased security \_\_\_\_\_ affect these \_\_\_\_\_ capabilities as \_\_\_\_\_ previous \_\_\_\_\_.

Might higher-level \_\_\_\_\_ affect \_\_\_\_\_ efficiency \_\_\_\_\_ assets?

\_\_\_\_\_ of \_\_\_\_\_ will \_\_\_\_\_ affected by the extra \_\_\_\_\_ changes.

How well \_\_\_\_\_ equipment \_\_\_\_\_ against \_\_\_\_\_ be \_\_\_\_\_ by the \_\_\_\_\_ steps.

\_\_\_\_\_ this \_\_\_\_\_ gear operates \_\_\_\_\_ our \_\_\_\_\_ could \_\_\_\_\_ by additional safety measures.

\_\_\_\_\_ affect the performance?

Is \_\_\_\_\_ possible that \_\_\_\_\_ safeguards would \_\_\_\_\_ batches \_\_\_\_\_ to \_\_\_\_\_ batches?

\_\_\_\_\_ enhanced \_\_\_\_\_ protocols have \_\_\_\_\_ effect \_\_\_\_\_ how \_\_\_\_\_ these \_\_\_\_\_ perform?

\_\_\_\_\_ affect \_\_\_\_\_ of new objects?

Will \_\_\_\_\_ security protocols have \_\_\_\_\_ effect on how well \_\_\_\_\_ parts perform \_\_\_\_\_?

\_\_\_\_\_ efficiency of newer \_\_\_\_\_ by \_\_\_\_\_ safety arrangements?

Will the \_\_\_\_\_ of new \_\_\_\_\_ be \_\_\_\_\_ security?

Will \_\_\_\_\_ affect \_\_\_\_\_ of equipment \_\_\_\_\_ new?

The \_\_\_\_\_ pieces might \_\_\_\_\_ affected by the implementation \_\_\_\_\_ security \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ additions will \_\_\_\_\_ the performance \_\_\_\_\_ work?

\_\_\_\_\_ well the \_\_\_\_\_ devices compare \_\_\_\_\_ ones \_\_\_\_\_ be affected \_\_\_\_\_ extra \_\_\_\_\_ measures.

New security \_\_\_\_\_ how equipment \_\_\_\_\_.

Is it \_\_\_\_\_ safeguards \_\_\_\_\_ have \_\_\_\_\_ effect on \_\_\_\_\_ efficacy \_\_\_\_\_ compared to the past?

\_\_\_\_\_ there be a change \_\_\_\_\_ these \_\_\_\_\_ devices as \_\_\_\_\_ result \_\_\_\_\_ upgraded \_\_\_\_\_?

\_\_\_\_\_ performance of these \_\_\_\_\_ affected by increased \_\_\_\_\_?

Do \_\_\_\_\_ security measures \_\_\_\_\_ affect the performance \_\_\_\_\_ installed \_\_\_\_\_?

Will \_\_\_\_\_ precautions \_\_\_\_\_ the way \_\_\_\_\_?

\_\_\_\_\_ affect how \_\_\_\_\_ new contraptions work \_\_\_\_\_ comparison to \_\_\_\_\_ old one?

\_\_\_\_\_ it possible that \_\_\_\_\_ measures \_\_\_\_\_ piece \_\_\_\_\_?

\_\_\_\_\_ improved \_\_\_\_\_ affect the performance \_\_\_\_\_ recent \_\_\_\_\_?

Is \_\_\_\_\_ any effect \_\_\_\_\_ performance \_\_\_\_\_ features?

\_\_\_\_\_ previous \_\_\_\_\_ would heightened \_\_\_\_\_ performance?

\_\_\_\_\_ enhanced security \_\_\_\_\_ new \_\_\_\_\_?

The safety \_\_\_\_\_ could affect \_\_\_\_\_.

\_\_\_\_\_ affecting the performance \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ these \_\_\_\_\_ contraptions \_\_\_\_\_ in comparison to the old \_\_\_\_\_ will \_\_\_\_\_ by these extra \_\_\_\_\_.

Can \_\_\_\_\_ affect \_\_\_\_\_ performance \_\_\_\_\_ new stuff?

Will \_\_\_\_\_ performance of \_\_\_\_\_?

\_\_\_\_\_ safety measures \_\_\_\_\_ comparisons?

Will the \_\_\_\_\_ new gear be affected by \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that security alterations will \_\_\_\_\_ pieces \_\_\_\_\_?

As compared to \_\_\_\_\_ devices having \_\_\_\_\_ taken \_\_\_\_\_ account, \_\_\_\_\_ possible that \_\_\_\_\_ this \_\_\_\_\_ efficacy?

\_\_\_\_\_ efficiency of \_\_\_\_\_ components affected \_\_\_\_\_ enhanced security?

\_\_\_\_\_ on recent \_\_\_\_\_ can \_\_\_\_\_ affected \_\_\_\_\_ safety measures.

\_\_\_\_\_ the \_\_\_\_\_ these new devices change as a \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ affect performance of new \_\_\_\_\_?

The \_\_\_\_\_ affected by \_\_\_\_\_ safety measures.

Will \_\_\_\_\_ effect how well \_\_\_\_\_?

Is it possible \_\_\_\_\_ measures \_\_\_\_\_ piece comparisons?

\_\_\_\_\_ recently-installed components \_\_\_\_\_ be influenced by enhanced \_\_\_\_\_.

\_\_\_\_\_ of safety \_\_\_\_\_ comparisons?

The \_\_\_\_\_ security features may affect \_\_\_\_\_ well \_\_\_\_\_.

Enhanced \_\_\_\_\_ will \_\_\_\_\_ new pieces \_\_\_\_\_ than \_\_\_\_\_.

Will enhanced security protocols \_\_\_\_\_ how \_\_\_\_\_ the \_\_\_\_\_ when \_\_\_\_\_ with \_\_\_\_\_ deployed \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ security \_\_\_\_\_ make the \_\_\_\_\_ contraptions work better \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ enhanced \_\_\_\_\_ protocols \_\_\_\_\_ how well \_\_\_\_\_ newly \_\_\_\_\_ do when \_\_\_\_\_ to \_\_\_\_\_ deployed units?

Does \_\_\_\_\_ protection \_\_\_\_\_ newer \_\_\_\_\_ the \_\_\_\_\_ way as previously \_\_\_\_\_?

\_\_\_\_\_ improvements \_\_\_\_\_ the \_\_\_\_\_ of newer \_\_\_\_\_?

\_\_\_\_\_ the performance \_\_\_\_\_ the latest \_\_\_\_\_ influenced \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_\_ security impede \_\_\_\_\_ function of \_\_\_\_\_ successors?

Will \_\_\_\_\_ the newly installed equipment \_\_\_\_\_ affected by \_\_\_\_\_?

The efficiency \_\_\_\_\_ these \_\_\_\_\_ affected \_\_\_\_\_ enhanced security.

Does beefing up security interfere \_\_\_\_\_ these \_\_\_\_\_?

Extra \_\_\_\_\_ affect the performance \_\_\_\_\_ these \_\_\_\_\_ components.

\_\_\_\_\_ it \_\_\_\_\_ this \_\_\_\_\_ efficacy would be \_\_\_\_\_ by \_\_\_\_\_ safeguards compared to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ items to \_\_\_\_\_ affected by security \_\_\_\_\_?

\_\_\_\_\_ protection \_\_\_\_\_ newer \_\_\_\_\_ compared to previously \_\_\_\_\_ ones?

\_\_\_\_\_ the \_\_\_\_\_ security features affect how well \_\_\_\_\_ new \_\_\_\_\_?

Performance \_\_\_\_\_ might be \_\_\_\_\_ by enhanced \_\_\_\_\_ measures.

The \_\_\_\_\_ can be \_\_\_\_\_ to their predecessors if additional security \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ measures \_\_\_\_\_ up \_\_\_\_\_ these new contraptions \_\_\_\_\_?

Extra \_\_\_\_\_ will \_\_\_\_\_ well \_\_\_\_\_ devices compare.

Can \_\_\_\_\_ a difference in \_\_\_\_\_ of \_\_\_\_\_ work?

\_\_\_\_\_ well \_\_\_\_\_ perform compared to their predecessors \_\_\_\_\_ affected \_\_\_\_\_ the \_\_\_\_\_ security \_\_\_\_\_.

Increased safety \_\_\_\_\_ alter \_\_\_\_\_

Adding extra \_\_\_\_\_ might \_\_\_\_\_ well these \_\_\_\_\_ perform.

\_\_\_\_\_ security features affect \_\_\_\_\_ performance \_\_\_\_\_ these new components?

\_\_\_\_\_ increased \_\_\_\_\_ going \_\_\_\_\_ performance?

Will \_\_\_\_\_ performance \_\_\_\_\_ newer work be hampered \_\_\_\_\_?

Is \_\_\_\_\_ of new \_\_\_\_\_ affected by \_\_\_\_\_ security?

Will the \_\_\_\_\_ mess \_\_\_\_\_ how well these new \_\_\_\_\_ to the \_\_\_\_\_?

Will \_\_\_\_\_ security \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ additional security \_\_\_\_\_ the new \_\_\_\_\_?

Is \_\_\_\_\_ higher-level \_\_\_\_\_ arrangements would affect \_\_\_\_\_ working \_\_\_\_\_ newer assets?

\_\_\_\_\_ with \_\_\_\_\_ will \_\_\_\_\_ security protocols affect \_\_\_\_\_ the newly installed \_\_\_\_\_ perform?

\_\_\_\_\_ it \_\_\_\_\_ that the \_\_\_\_\_ would \_\_\_\_\_ adversely affected \_\_\_\_\_ the increasing safeguards?

Will the additional precautions \_\_\_\_\_ pieces \_\_\_\_\_?

Enhanced \_\_\_\_\_ may \_\_\_\_\_ pieces \_\_\_\_\_ older installations.

\_\_\_\_\_ possible that \_\_\_\_\_ safeguards \_\_\_\_\_ this \_\_\_\_\_ as compared to \_\_\_\_\_ batches?

Is \_\_\_\_\_ precautions \_\_\_\_\_ well this new \_\_\_\_\_ works?

\_\_\_\_\_ it possible that additional \_\_\_\_\_ measures \_\_\_\_\_ affect \_\_\_\_\_ gear operates?

\_\_\_\_\_ in light \_\_\_\_\_ installations may be affected \_\_\_\_\_ added \_\_\_\_\_.

Can \_\_\_\_\_ efficiency of these \_\_\_\_\_ installed \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ up \_\_\_\_\_ affect how well \_\_\_\_\_ operate?

Adding security \_\_\_\_\_ may affect how well \_\_\_\_\_ their \_\_\_\_\_.

\_\_\_\_\_ fresh \_\_\_\_\_ effectiveness hindered \_\_\_\_\_ more \_\_\_\_\_?

How well \_\_\_\_\_ equipment works against \_\_\_\_\_ ones \_\_\_\_\_ depend \_\_\_\_\_ steps.

How \_\_\_\_\_ these new \_\_\_\_\_ compare to the \_\_\_\_\_ be \_\_\_\_\_ measures.

The \_\_\_\_\_ security \_\_\_\_\_ might affect how \_\_\_\_\_ new \_\_\_\_\_ do.

\_\_\_\_\_ further \_\_\_\_\_ alterations affect \_\_\_\_\_?

\_\_\_\_\_ be performance impacts from \_\_\_\_\_?

\_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ fresh equipment?

Extra \_\_\_\_\_ features \_\_\_\_\_ affect \_\_\_\_\_ well new components \_\_\_\_\_ predecessors.

\_\_\_\_\_ higher security \_\_\_\_\_ the \_\_\_\_\_ pieces \_\_\_\_\_ to the old \_\_\_\_\_?

\_\_\_\_\_ the performance of \_\_\_\_\_ pieces be \_\_\_\_\_ by the \_\_\_\_\_?

\_\_\_\_\_ beefing up security \_\_\_\_\_ affect how \_\_\_\_\_ pieces \_\_\_\_\_?

\_\_\_\_\_ of extra security features affect \_\_\_\_\_ these \_\_\_\_\_ perform?

Do \_\_\_\_\_ steps \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ devices?

How well these \_\_\_\_\_ gadgets function \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ by the \_\_\_\_\_.

\_\_\_\_\_ better \_\_\_\_\_ affect performance?

\_\_\_\_\_ we expect any changes \_\_\_\_\_ for the \_\_\_\_\_ a \_\_\_\_\_ of upgraded \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ additions' capabilities more than \_\_\_\_\_ ones.

Will \_\_\_\_\_ performance be \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ security going \_\_\_\_\_ the \_\_\_\_\_ equipment?

Is it \_\_\_\_\_ the \_\_\_\_\_ measures could \_\_\_\_\_ piece \_\_\_\_\_?

Is working \_\_\_\_\_ newer assets \_\_\_\_\_ safety arrangements?

Could safety measures \_\_\_\_\_ gear operates?

Is \_\_\_\_\_ that \_\_\_\_\_ safeguards would hamper \_\_\_\_\_ of \_\_\_\_\_ iteration as \_\_\_\_\_ ones?

Increased \_\_\_\_\_ can \_\_\_\_\_ how well this new stuff \_\_\_\_\_.

Will \_\_\_\_\_ security \_\_\_\_\_ the new pieces \_\_\_\_\_ compared to the \_\_\_\_\_?

Is \_\_\_\_\_ security \_\_\_\_\_ of new \_\_\_\_\_?

\_\_\_\_\_ with previously deployed \_\_\_\_\_ enhanced security \_\_\_\_\_ have any \_\_\_\_\_?

Increased safeguards \_\_\_\_\_ affect \_\_\_\_\_ efficiency.

\_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ new equipment?

\_\_\_\_\_ beefing up \_\_\_\_\_ affect the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ security measures affect how \_\_\_\_\_ new \_\_\_\_\_ work \_\_\_\_\_ to \_\_\_\_\_ old ones?

\_\_\_\_\_ performance be \_\_\_\_\_ by the \_\_\_\_\_?

Extra security will \_\_\_\_\_ how \_\_\_\_\_ new devices \_\_\_\_\_ the \_\_\_\_\_.

Is \_\_\_\_\_ chance \_\_\_\_\_ changes for the \_\_\_\_\_ devices \_\_\_\_\_ security measures?

Are you sure \_\_\_\_\_ beefing \_\_\_\_\_ won't affect \_\_\_\_\_ well \_\_\_\_\_ work?

Will heightened-security affect \_\_\_\_\_ successors?

Will enhanced \_\_\_\_\_ protocols \_\_\_\_\_ parts do when compared \_\_\_\_\_ previously \_\_\_\_\_ units?

\_\_\_\_\_ possible \_\_\_\_\_ safeguards \_\_\_\_\_ this batches efficacy \_\_\_\_\_ to past \_\_\_\_\_ having \_\_\_\_\_ taken into account.

\_\_\_\_\_ that \_\_\_\_\_ would affect \_\_\_\_\_ batches effectiveness \_\_\_\_\_ to previous batches?

The \_\_\_\_\_ the new \_\_\_\_\_ will \_\_\_\_\_ affected \_\_\_\_\_ the implementation of \_\_\_\_\_.

\_\_\_\_\_ possible that increased safeguards \_\_\_\_\_ hamper \_\_\_\_\_ of \_\_\_\_\_ iteration \_\_\_\_\_ compared \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ beefing up \_\_\_\_\_ impact \_\_\_\_\_ of these \_\_\_\_\_ units?

Is a \_\_\_\_\_ performance for \_\_\_\_\_ recently \_\_\_\_\_ because \_\_\_\_\_ security precautions?

\_\_\_\_\_ the \_\_\_\_\_ contraptions \_\_\_\_\_ well as the \_\_\_\_\_ ones because of \_\_\_\_\_?

Is it \_\_\_\_\_ alterations \_\_\_\_\_ how newly-added \_\_\_\_\_ perform?

Will \_\_\_\_\_ function \_\_\_\_\_ installed items' \_\_\_\_\_ be hampered \_\_\_\_\_?

Will \_\_\_\_\_ of \_\_\_\_\_ new equipment \_\_\_\_\_ affected \_\_\_\_\_ the extra \_\_\_\_\_?

When contrasted with previously deployed \_\_\_\_\_ will \_\_\_\_\_ protocols \_\_\_\_\_ how \_\_\_\_\_ perform?

Can we \_\_\_\_\_ decline in performance \_\_\_\_\_ the \_\_\_\_\_ increased security precautions?

\_\_\_\_\_ new gear be affected by \_\_\_\_\_ changes?  
 \_\_\_\_\_ safety steps affect \_\_\_\_\_ performance \_\_\_\_\_ devices?  
 Increased \_\_\_\_\_ may affect \_\_\_\_\_ components  
 Increased security \_\_\_\_\_ these \_\_\_\_\_ much as \_\_\_\_\_ prior ones.  
 \_\_\_\_\_ additional security \_\_\_\_\_ to \_\_\_\_\_ performance \_\_\_\_\_ new items?  
 \_\_\_\_\_ the performance of new \_\_\_\_\_ old \_\_\_\_\_ affected \_\_\_\_\_?  
 \_\_\_\_\_ pieces may \_\_\_\_\_ differently \_\_\_\_\_ to increased \_\_\_\_\_.  
 The effectiveness of \_\_\_\_\_ elements \_\_\_\_\_ ones could be \_\_\_\_\_ elevated \_\_\_\_\_.  
 \_\_\_\_\_ safety measures that \_\_\_\_\_ piece comparisons.  
 \_\_\_\_\_ be hampered by more protection \_\_\_\_\_ installations?  
 Could \_\_\_\_\_ interventions \_\_\_\_\_ performance?  
 Increased \_\_\_\_\_ how \_\_\_\_\_ new stuff works.  
 Will enhanced security \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that safety added \_\_\_\_\_ will \_\_\_\_\_ performance?  
 \_\_\_\_\_ it possible that increased \_\_\_\_\_ would affect \_\_\_\_\_ as \_\_\_\_\_ to the \_\_\_\_\_?  
 \_\_\_\_\_ well \_\_\_\_\_ new contraptions \_\_\_\_\_ the older \_\_\_\_\_ will be \_\_\_\_\_ by the \_\_\_\_\_ security \_\_\_\_\_.  
 Will \_\_\_\_\_ make fresh \_\_\_\_\_ less effective than \_\_\_\_\_?  
 \_\_\_\_\_ the addition \_\_\_\_\_ security features changing \_\_\_\_\_ new \_\_\_\_\_ perform?  
 \_\_\_\_\_ the safety measures \_\_\_\_\_ piece \_\_\_\_\_?  
 Will enhanced security protocols \_\_\_\_\_ newly installed parts when \_\_\_\_\_ the previously \_\_\_\_\_?  
 \_\_\_\_\_ security \_\_\_\_\_ the performance of the \_\_\_\_\_ pieces?  
 \_\_\_\_\_ the \_\_\_\_\_ extra \_\_\_\_\_ affect \_\_\_\_\_ of these new components?  
 \_\_\_\_\_ changes affect the \_\_\_\_\_ perform?  
 \_\_\_\_\_ result of \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ in performance for \_\_\_\_\_ new devices?  
 \_\_\_\_\_ security \_\_\_\_\_ well new \_\_\_\_\_ compared to the old ones?  
 More protection \_\_\_\_\_ fresh \_\_\_\_\_ less \_\_\_\_\_ than \_\_\_\_\_.  
 \_\_\_\_\_ enhanced \_\_\_\_\_ measures affect \_\_\_\_\_?  
 Is \_\_\_\_\_ possible that \_\_\_\_\_ measures \_\_\_\_\_ performance \_\_\_\_\_ additions?  
 \_\_\_\_\_ security affect \_\_\_\_\_?  
 \_\_\_\_\_ new pieces \_\_\_\_\_ differently because \_\_\_\_\_ the \_\_\_\_\_ features?  
 \_\_\_\_\_ impact from \_\_\_\_\_ safeguards?  
 I \_\_\_\_\_ protection \_\_\_\_\_ fresh equipment's effectiveness.  
 \_\_\_\_\_ any \_\_\_\_\_ in performance \_\_\_\_\_ the new devices because \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ higher-level safety \_\_\_\_\_ to affect the working \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ this fresh \_\_\_\_\_ operates \_\_\_\_\_ be affected \_\_\_\_\_ additional \_\_\_\_\_ measures.  
 \_\_\_\_\_ new \_\_\_\_\_ be affected by additional security.  
 Should security \_\_\_\_\_ how \_\_\_\_\_ pieces \_\_\_\_\_?  
 \_\_\_\_\_ installments, \_\_\_\_\_ heightened protection affect \_\_\_\_\_?  
 \_\_\_\_\_ steps \_\_\_\_\_ how the \_\_\_\_\_ works \_\_\_\_\_ previous ones?  
 Will \_\_\_\_\_ security \_\_\_\_\_ components?  
 \_\_\_\_\_ new pieces \_\_\_\_\_ because of \_\_\_\_\_ features?  
 Do \_\_\_\_\_ think \_\_\_\_\_ the enhanced \_\_\_\_\_ the performance of the \_\_\_\_\_?  
 \_\_\_\_\_ beefing up \_\_\_\_\_ functions of new \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ affect how well \_\_\_\_\_ perform?  
 Is \_\_\_\_\_ addition \_\_\_\_\_ security \_\_\_\_\_ to affect the performance \_\_\_\_\_ new \_\_\_\_\_?  
 The \_\_\_\_\_ could \_\_\_\_\_ be affected by \_\_\_\_\_ safety \_\_\_\_\_.  
 \_\_\_\_\_ protection \_\_\_\_\_ effectiveness of \_\_\_\_\_ equipment?  
 \_\_\_\_\_ increased security \_\_\_\_\_ installed items' successors?  
 \_\_\_\_\_ well the new \_\_\_\_\_ work \_\_\_\_\_ the \_\_\_\_\_ ones will \_\_\_\_\_ messed up \_\_\_\_\_ extra security \_\_\_\_\_.  
 I \_\_\_\_\_ if \_\_\_\_\_ security enhancements impact how \_\_\_\_\_ perform.

The performance \_\_\_\_\_ work may \_\_\_\_\_ added safety.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ safety measures \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ increasing \_\_\_\_\_ would hamper \_\_\_\_\_ efficacy \_\_\_\_\_ compared to previous \_\_\_\_\_?  
 Should \_\_\_\_\_ protection \_\_\_\_\_ fresh equipment less \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ changes \_\_\_\_\_ the new objects?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ efficacy would \_\_\_\_\_ by \_\_\_\_\_ safeguards compared \_\_\_\_\_ batches?  
 Performance \_\_\_\_\_ old \_\_\_\_\_ be \_\_\_\_\_ by increased security.  
 \_\_\_\_\_ these extra \_\_\_\_\_ affect how \_\_\_\_\_ work compared to the \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ features affect \_\_\_\_\_ well these \_\_\_\_\_ perform?  
 \_\_\_\_\_ the \_\_\_\_\_ methods ruin \_\_\_\_\_ performance \_\_\_\_\_ rookies compared \_\_\_\_\_ older ones?  
 Performance \_\_\_\_\_ be affected \_\_\_\_\_ safety measures \_\_\_\_\_.  
 Increased \_\_\_\_\_ might influence the \_\_\_\_\_ devices.  
 \_\_\_\_\_ extra security \_\_\_\_\_ ruin how \_\_\_\_\_ these new contraptions \_\_\_\_\_ the \_\_\_\_\_ ones?  
 \_\_\_\_\_ the efficiency \_\_\_\_\_ these \_\_\_\_\_ components been impacted \_\_\_\_\_?  
 \_\_\_\_\_ alterations could \_\_\_\_\_ how \_\_\_\_\_ do.  
 Will increased security \_\_\_\_\_ function \_\_\_\_\_ successors?  
 Does \_\_\_\_\_ protection affect \_\_\_\_\_?  
 \_\_\_\_\_ pieces might perform differently due \_\_\_\_\_ security \_\_\_\_\_.  
 \_\_\_\_\_ safeguards affecting the efficiency \_\_\_\_\_ fresh components?  
 \_\_\_\_\_ going to affect the \_\_\_\_\_ of \_\_\_\_\_?  
 With \_\_\_\_\_ security precautions, can we \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ items?  
 \_\_\_\_\_ the \_\_\_\_\_ affected by \_\_\_\_\_ features?  
 \_\_\_\_\_ security features \_\_\_\_\_ perform differently.  
 Could \_\_\_\_\_ affect newly-added \_\_\_\_\_?  
 \_\_\_\_\_ safety measures \_\_\_\_\_ to \_\_\_\_\_ piece \_\_\_\_\_?  
 Is \_\_\_\_\_ that this \_\_\_\_\_ efficacy \_\_\_\_\_ hampered by \_\_\_\_\_ safeguards compared \_\_\_\_\_ past?  
 Will \_\_\_\_\_ performance be affected \_\_\_\_\_ extra \_\_\_\_\_?  
 Will enhanced \_\_\_\_\_ protocols \_\_\_\_\_ how well \_\_\_\_\_ installed parts \_\_\_\_\_ when \_\_\_\_\_ ones?  
 \_\_\_\_\_ new \_\_\_\_\_ effectiveness \_\_\_\_\_ hampered by more protection \_\_\_\_\_?  
 \_\_\_\_\_ security might affect \_\_\_\_\_ of \_\_\_\_\_.  
 How \_\_\_\_\_ gear operates alongside \_\_\_\_\_ current \_\_\_\_\_ may be \_\_\_\_\_ safety measures.  
 Is it possible \_\_\_\_\_ performance?  
 \_\_\_\_\_ on \_\_\_\_\_ additions \_\_\_\_\_ be \_\_\_\_\_ enhanced safety measures  
 Is \_\_\_\_\_ that this batches efficacy \_\_\_\_\_ be hampered \_\_\_\_\_ safeguards \_\_\_\_\_ to \_\_\_\_\_ past \_\_\_\_\_?  
 Can \_\_\_\_\_ any performance \_\_\_\_\_ for \_\_\_\_\_ devices as a \_\_\_\_\_ upgraded \_\_\_\_\_ measures?  
 Does \_\_\_\_\_ protection that's \_\_\_\_\_ creations?  
 I \_\_\_\_\_ protection \_\_\_\_\_ affect performance?  
 Increased safety precautions \_\_\_\_\_ how \_\_\_\_\_ new stuff \_\_\_\_\_.  
 Will \_\_\_\_\_ be \_\_\_\_\_ the safety \_\_\_\_\_?  
 How newly-added pieces perform \_\_\_\_\_ affected \_\_\_\_\_ advanced \_\_\_\_\_.  
 \_\_\_\_\_ enhanced security \_\_\_\_\_ performance?  
 I wonder \_\_\_\_\_ safety measures would affect \_\_\_\_\_ well \_\_\_\_\_?  
 Is it possible that additional \_\_\_\_\_ measures might \_\_\_\_\_ fresh \_\_\_\_\_?  
 \_\_\_\_\_ compared \_\_\_\_\_ previously deployed units, will \_\_\_\_\_ any \_\_\_\_\_ on how well the \_\_\_\_\_ parts \_\_\_\_\_?  
 Will \_\_\_\_\_ security affect \_\_\_\_\_ performance \_\_\_\_\_ items?  
 \_\_\_\_\_ the \_\_\_\_\_ pieces \_\_\_\_\_ as \_\_\_\_\_ as the old ones \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ these pieces \_\_\_\_\_ affected by the \_\_\_\_\_ measures \_\_\_\_\_?  
 \_\_\_\_\_ operational efficiency of \_\_\_\_\_ new units \_\_\_\_\_ existing ones?  
 \_\_\_\_\_ safety measures \_\_\_\_\_ this fresh gear operates.  
 Can \_\_\_\_\_ impede the function \_\_\_\_\_ installed \_\_\_\_\_?



\_\_\_\_ it possible that the efficacy of \_\_\_\_ would \_\_\_\_ safeguards \_\_\_\_ to \_\_\_\_ ones?  
 Do \_\_\_\_ think \_\_\_\_ performance \_\_\_\_ will be affected by \_\_\_\_ security?  
 \_\_\_\_ any changes \_\_\_\_ the \_\_\_\_ of these \_\_\_\_ due to \_\_\_\_ security \_\_\_\_?  
 \_\_\_\_ performance affected by \_\_\_\_ measures \_\_\_\_?  
 Can \_\_\_\_ any \_\_\_\_ in performance \_\_\_\_ the \_\_\_\_ devices due to \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ items \_\_\_\_ by security?  
 \_\_\_\_ protection \_\_\_\_ affect performance?  
 How well \_\_\_\_ gadgets \_\_\_\_ ones will \_\_\_\_ affected by \_\_\_\_ up security.  
 Is the enhanced \_\_\_\_ features \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ of \_\_\_\_ dip \_\_\_\_ for the \_\_\_\_ installed \_\_\_\_ because of \_\_\_\_ precautions?  
 \_\_\_\_ well this \_\_\_\_ stuff works will \_\_\_\_ affected \_\_\_\_ safety \_\_\_\_.  
 Is it possible that \_\_\_\_ security \_\_\_\_ freshly installed \_\_\_\_?  
 Extra \_\_\_\_ affect how well these \_\_\_\_ compare \_\_\_\_ ones.  
 \_\_\_\_ security measures affect \_\_\_\_ the new \_\_\_\_ compared to the \_\_\_\_ ones?  
 Does \_\_\_\_ affect \_\_\_\_ these fresh units?  
 Is the performance \_\_\_\_ by \_\_\_\_ on \_\_\_\_ additions?  
 \_\_\_\_ increased \_\_\_\_ make a \_\_\_\_ in how well \_\_\_\_ stuff \_\_\_\_?  
 Is \_\_\_\_ in \_\_\_\_ for the recently \_\_\_\_ security precautions?  
 How well \_\_\_\_ stuff \_\_\_\_ compared to \_\_\_\_ by increased safety \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ increased safeguards would hamper \_\_\_\_ of this iteration \_\_\_\_ compared to \_\_\_\_?  
 \_\_\_\_ previous \_\_\_\_ could heightened \_\_\_\_ interfere \_\_\_\_?  
 \_\_\_\_ the efficiency of \_\_\_\_ recently installed components \_\_\_\_?  
 How well the \_\_\_\_ equipment \_\_\_\_ against old ones \_\_\_\_ new security \_\_\_\_.  
 The \_\_\_\_ may affect how \_\_\_\_ new components \_\_\_\_.  
 Is \_\_\_\_ going \_\_\_\_ have \_\_\_\_ influence on \_\_\_\_ novel additions' \_\_\_\_?  
 Will these \_\_\_\_ be affected \_\_\_\_ additional \_\_\_\_?  
 Can the performance \_\_\_\_ work be \_\_\_\_ by \_\_\_\_?  
 \_\_\_\_ beefing up the security \_\_\_\_ to affect \_\_\_\_ new \_\_\_\_?  
 \_\_\_\_ affect \_\_\_\_ well the equipment \_\_\_\_ against previous ones?  
 Is it \_\_\_\_ more \_\_\_\_ affect \_\_\_\_ equipment's effectiveness?  
 \_\_\_\_ compared to \_\_\_\_ taken \_\_\_\_ account, is \_\_\_\_ possible that \_\_\_\_ safeguards will hamper this \_\_\_\_?  
 Is security measures \_\_\_\_ to \_\_\_\_ performance of \_\_\_\_?  
 Extra \_\_\_\_ may \_\_\_\_ how freshly \_\_\_\_ do.  
 Will enhanced \_\_\_\_ protocols \_\_\_\_ the \_\_\_\_ parts \_\_\_\_ compared to previously \_\_\_\_ units?  
 \_\_\_\_ security enhancements \_\_\_\_ new \_\_\_\_ perform?  
 Increased \_\_\_\_ piece comparisons.  
 \_\_\_\_ enhanced security protocols \_\_\_\_ how well \_\_\_\_ installed \_\_\_\_ when \_\_\_\_ to \_\_\_\_ predecessors?  
 \_\_\_\_ it possible that the \_\_\_\_ hamper \_\_\_\_ batches \_\_\_\_ as compared \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ the performance \_\_\_\_ pieces affected \_\_\_\_ advanced \_\_\_\_ alterations?  
 \_\_\_\_ compared to \_\_\_\_ having been \_\_\_\_ account, is \_\_\_\_ that \_\_\_\_ would affect this \_\_\_\_ effectiveness?  
 Can the \_\_\_\_ of \_\_\_\_ security \_\_\_\_ of these \_\_\_\_ items?  
 Do \_\_\_\_ hinder \_\_\_\_ equipment's \_\_\_\_?  
 \_\_\_\_ think \_\_\_\_ measures will \_\_\_\_ an impact \_\_\_\_ the \_\_\_\_ the newly installed equipment?  
 \_\_\_\_ security affect \_\_\_\_?  
 \_\_\_\_ the new security \_\_\_\_ going to \_\_\_\_ well \_\_\_\_?  
 Are \_\_\_\_ that \_\_\_\_ security will not affect how well \_\_\_\_?  
 More \_\_\_\_ might \_\_\_\_ fresh \_\_\_\_ effective than before \_\_\_\_.  
 \_\_\_\_ expect the \_\_\_\_ the new devices to \_\_\_\_ as a \_\_\_\_ measures?  
 \_\_\_\_ it \_\_\_\_ increasing safeguards \_\_\_\_ this \_\_\_\_ as \_\_\_\_ to previous ones?  
 Can \_\_\_\_ implementation of \_\_\_\_ measure affect \_\_\_\_ of these \_\_\_\_?

Will \_\_\_\_\_ security protocols have an \_\_\_\_\_ parts perform?  
\_\_\_\_\_ precautions could \_\_\_\_\_ how \_\_\_\_\_ new stuff \_\_\_\_\_.  
\_\_\_\_\_ safeguards make \_\_\_\_\_ to already \_\_\_\_\_ devices?  
As a result \_\_\_\_\_ measures, can we \_\_\_\_\_ performance?  
Can \_\_\_\_\_ use \_\_\_\_\_ measures affect the performance of \_\_\_\_\_?  
Is advanced \_\_\_\_\_ alterations \_\_\_\_\_ perform?  
\_\_\_\_\_ any affect \_\_\_\_\_ performance due \_\_\_\_\_ enhanced \_\_\_\_\_ features?  
Will new \_\_\_\_\_ affect \_\_\_\_\_?  
Will \_\_\_\_\_ performance \_\_\_\_\_ by security \_\_\_\_\_?  
\_\_\_\_\_ you believe \_\_\_\_\_ measures \_\_\_\_\_ affect the \_\_\_\_\_ the new equipment?  
\_\_\_\_\_ it \_\_\_\_\_ that enhanced \_\_\_\_\_ will \_\_\_\_\_ on recent additions?  
\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ by the security measures?  
\_\_\_\_\_ a dip in \_\_\_\_\_ because of enhanced \_\_\_\_\_?  
\_\_\_\_\_ performance of new \_\_\_\_\_ extra \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ enhanced security measures will \_\_\_\_\_ the performance \_\_\_\_\_?  
\_\_\_\_\_ efficiency of newer \_\_\_\_\_ could \_\_\_\_\_ affected \_\_\_\_\_ higher \_\_\_\_\_ safety \_\_\_\_\_.  
\_\_\_\_\_ affecting newer \_\_\_\_\_ similar to \_\_\_\_\_ installed \_\_\_\_\_?  
Will the \_\_\_\_\_ be affected by \_\_\_\_\_ procedures?  
Does \_\_\_\_\_ security affect the functions \_\_\_\_\_ units \_\_\_\_\_ with older \_\_\_\_\_?  
\_\_\_\_\_ security features might \_\_\_\_\_ new pieces \_\_\_\_\_.  
\_\_\_\_\_ security \_\_\_\_\_ the \_\_\_\_\_ objects?  
\_\_\_\_\_ the working \_\_\_\_\_ of \_\_\_\_\_ changed \_\_\_\_\_ higher \_\_\_\_\_ arrangements?  
\_\_\_\_\_ security changes \_\_\_\_\_ the \_\_\_\_\_ newly-added \_\_\_\_\_?  
Will \_\_\_\_\_ of new \_\_\_\_\_ be \_\_\_\_\_ security?  
When compared with \_\_\_\_\_ deployed units, \_\_\_\_\_ enhanced \_\_\_\_\_ impact?  
\_\_\_\_\_ think security measures will \_\_\_\_\_ performance \_\_\_\_\_ the newly \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ dip in \_\_\_\_\_ items because \_\_\_\_\_ security precautions?  
Has there \_\_\_\_\_ any \_\_\_\_\_ our older \_\_\_\_\_ and \_\_\_\_\_ ones with \_\_\_\_\_ security \_\_\_\_\_?  
\_\_\_\_\_ compared to \_\_\_\_\_ deployed units, will enhanced security \_\_\_\_\_ how \_\_\_\_\_ these \_\_\_\_\_?  
\_\_\_\_\_ might \_\_\_\_\_ by added safeguards \_\_\_\_\_ set-up devices.  
\_\_\_\_\_ it possible \_\_\_\_\_ heightened \_\_\_\_\_ measures \_\_\_\_\_ piece comparisons?  
\_\_\_\_\_ features \_\_\_\_\_ affect the \_\_\_\_\_ of new \_\_\_\_\_.  
\_\_\_\_\_ increased \_\_\_\_\_ influence these novel \_\_\_\_\_?  
\_\_\_\_\_ of \_\_\_\_\_ successors be disrupted \_\_\_\_\_ increased security?  
\_\_\_\_\_ increased \_\_\_\_\_ slow the function \_\_\_\_\_ installed \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ piece comparisons could \_\_\_\_\_ by \_\_\_\_\_ safety measures?  
New security \_\_\_\_\_ can \_\_\_\_\_ how \_\_\_\_\_ the \_\_\_\_\_ equipment \_\_\_\_\_.  
\_\_\_\_\_ impede \_\_\_\_\_ of the installed items' \_\_\_\_\_?  
Increased \_\_\_\_\_ will affect \_\_\_\_\_ efficiency \_\_\_\_\_ units compared \_\_\_\_\_ existing \_\_\_\_\_.  
I wonder if the new \_\_\_\_\_ due to \_\_\_\_\_.  
\_\_\_\_\_ affected by \_\_\_\_\_ security measures?  
Does \_\_\_\_\_ up security \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_?  
\_\_\_\_\_ new \_\_\_\_\_ affected by \_\_\_\_\_ change?  
\_\_\_\_\_ performance of the newly \_\_\_\_\_ affected \_\_\_\_\_ the enhanced \_\_\_\_\_ measures?  
Will \_\_\_\_\_ security affect these novel \_\_\_\_\_ capabilities \_\_\_\_\_?  
Performance \_\_\_\_\_ new \_\_\_\_\_?  
Would higher \_\_\_\_\_ safety changes \_\_\_\_\_ of newer \_\_\_\_\_?  
Will \_\_\_\_\_ performance \_\_\_\_\_ new equipment?  
Is \_\_\_\_\_ possible that \_\_\_\_\_ fresh equipment's effectiveness?  
\_\_\_\_\_ in security \_\_\_\_\_ pieces.

Increased \_\_\_\_\_ will \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ units \_\_\_\_\_ to \_\_\_\_\_ ones.

Do you \_\_\_\_\_ the \_\_\_\_\_ the new \_\_\_\_\_ will \_\_\_\_\_ security measures?

\_\_\_\_\_ the increased precautions affect \_\_\_\_\_ well \_\_\_\_\_ fresh \_\_\_\_\_?

The performance \_\_\_\_\_ will be affected \_\_\_\_\_ the security \_\_\_\_\_.

Increased security will \_\_\_\_\_ how \_\_\_\_\_ gadgets \_\_\_\_\_ compared \_\_\_\_\_ the older \_\_\_\_\_.

\_\_\_\_\_ effectiveness of contemporary \_\_\_\_\_ versus old \_\_\_\_\_ may \_\_\_\_\_ by elevated \_\_\_\_\_.

Is it possible \_\_\_\_\_ added \_\_\_\_\_ can affect \_\_\_\_\_?

Functioning \_\_\_\_\_ be \_\_\_\_\_ by added \_\_\_\_\_ already set-up \_\_\_\_\_.

Is the performance of \_\_\_\_\_ affected \_\_\_\_\_?

Will \_\_\_\_\_ affect \_\_\_\_\_ of things?

New security steps may \_\_\_\_\_ latest equipment \_\_\_\_\_.

Do \_\_\_\_\_ think the performance of \_\_\_\_\_ installed \_\_\_\_\_ by enhanced \_\_\_\_\_?

Performance \_\_\_\_\_ new gear will \_\_\_\_\_ extra security \_\_\_\_\_.

Is security change \_\_\_\_\_ pieces \_\_\_\_\_?

Will \_\_\_\_\_ new pieces be \_\_\_\_\_ by adding security \_\_\_\_\_?

\_\_\_\_\_ influenced by added safeguards \_\_\_\_\_ to \_\_\_\_\_ up devices?

Does the \_\_\_\_\_ security features \_\_\_\_\_ well \_\_\_\_\_ new \_\_\_\_\_ perform compared \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ security \_\_\_\_\_ going to \_\_\_\_\_ these components perform?

\_\_\_\_\_ changes \_\_\_\_\_ performance for \_\_\_\_\_ new \_\_\_\_\_ a result \_\_\_\_\_ the upgraded security \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ measures could alter \_\_\_\_\_.

\_\_\_\_\_ more protection make fresh \_\_\_\_\_?

\_\_\_\_\_ think enhanced \_\_\_\_\_ measures \_\_\_\_\_ affect performance of \_\_\_\_\_ equipment?

Does the addition \_\_\_\_\_ features affect \_\_\_\_\_ well \_\_\_\_\_ perform?

\_\_\_\_\_ alterations affect the \_\_\_\_\_ pieces?

\_\_\_\_\_ the \_\_\_\_\_ affected by \_\_\_\_\_ precautions?

\_\_\_\_\_ safety \_\_\_\_\_ performance of newer \_\_\_\_\_?

Increased \_\_\_\_\_ be \_\_\_\_\_ alter piece comparisons.

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ safeguards would hamper \_\_\_\_\_ batches effectiveness \_\_\_\_\_ batches?

\_\_\_\_\_ the \_\_\_\_\_ recently installed items be \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ safety \_\_\_\_\_ piece \_\_\_\_\_?

How well \_\_\_\_\_ devices \_\_\_\_\_ old \_\_\_\_\_ be \_\_\_\_\_ extra security measures.

\_\_\_\_\_ would \_\_\_\_\_ measures affect \_\_\_\_\_ effectiveness of these \_\_\_\_\_?

Will \_\_\_\_\_ affect \_\_\_\_\_ performance?

\_\_\_\_\_ performance of \_\_\_\_\_ equipment will \_\_\_\_\_ affected \_\_\_\_\_ added \_\_\_\_\_.

\_\_\_\_\_ in security \_\_\_\_\_ affect \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ of the installed \_\_\_\_\_ affected by the \_\_\_\_\_?

\_\_\_\_\_ fresh \_\_\_\_\_ effectiveness compared to \_\_\_\_\_ installations?

\_\_\_\_\_ performance \_\_\_\_\_ new \_\_\_\_\_ affected by \_\_\_\_\_ implementation \_\_\_\_\_ security measures.

\_\_\_\_\_ extra \_\_\_\_\_ affect the performance \_\_\_\_\_ new \_\_\_\_\_?

How well \_\_\_\_\_ to the \_\_\_\_\_ ones \_\_\_\_\_ be dependent \_\_\_\_\_ security \_\_\_\_\_.

\_\_\_\_\_ new units \_\_\_\_\_ to existing \_\_\_\_\_?

\_\_\_\_\_ these new \_\_\_\_\_ in \_\_\_\_\_ the \_\_\_\_\_ ones will be \_\_\_\_\_ up by these \_\_\_\_\_ measures.

Will boosted security affect \_\_\_\_\_ novel \_\_\_\_\_ capabilities \_\_\_\_\_ much \_\_\_\_\_?

\_\_\_\_\_ improved \_\_\_\_\_ newer \_\_\_\_\_ similar to previously \_\_\_\_\_ projects?

New versus \_\_\_\_\_ be affected \_\_\_\_\_ security.

\_\_\_\_\_ performance \_\_\_\_\_ work affected \_\_\_\_\_ safety improvements?

Is enhanced \_\_\_\_\_ to affect \_\_\_\_\_ efficiency \_\_\_\_\_ these \_\_\_\_\_ components?

\_\_\_\_\_ contrasted with \_\_\_\_\_ units, \_\_\_\_\_ enhanced security \_\_\_\_\_ have \_\_\_\_\_ on how well newly \_\_\_\_\_ perform?

Will the \_\_\_\_\_ of \_\_\_\_\_ adversely \_\_\_\_\_ by increased security?

How \_\_\_\_\_ gear \_\_\_\_\_ with our current setup might \_\_\_\_\_ affected \_\_\_\_\_ additional \_\_\_\_\_.

Will enhanced \_\_\_\_\_ features \_\_\_\_\_?

Will \_\_\_\_\_ of new \_\_\_\_\_ by \_\_\_\_\_ security?

\_\_\_\_\_ the \_\_\_\_\_ measures that \_\_\_\_\_ been added \_\_\_\_\_ the performance \_\_\_\_\_ new \_\_\_\_\_?

Is the performance \_\_\_\_\_ newly \_\_\_\_\_ affected \_\_\_\_\_ alterations?

Will the \_\_\_\_\_ extra precautions?

Will the \_\_\_\_\_ changes affect \_\_\_\_\_ run?

Does improved \_\_\_\_\_ affect newer \_\_\_\_\_ previously installed \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of these \_\_\_\_\_ change as a result of upgraded \_\_\_\_\_ measures.

\_\_\_\_\_ safety \_\_\_\_\_ can affect \_\_\_\_\_ results of \_\_\_\_\_ stuff.

Will \_\_\_\_\_ performance of the \_\_\_\_\_ by \_\_\_\_\_ security?

\_\_\_\_\_ added security \_\_\_\_\_ going \_\_\_\_\_ affect \_\_\_\_\_ the new pieces?

Adding additional safety measures \_\_\_\_\_ affect \_\_\_\_\_ well \_\_\_\_\_.

Will \_\_\_\_\_ of the \_\_\_\_\_ be affected \_\_\_\_\_ security?

\_\_\_\_\_ better \_\_\_\_\_ affect newer \_\_\_\_\_ that \_\_\_\_\_ similar to previously \_\_\_\_\_?

Does extra \_\_\_\_\_ affect \_\_\_\_\_?

Will enhanced security protocols \_\_\_\_\_ effect \_\_\_\_\_ how well newly \_\_\_\_\_ parts \_\_\_\_\_ compared \_\_\_\_\_ deployed \_\_\_\_\_?

Is it \_\_\_\_\_ that security enhancements \_\_\_\_\_ how freshly \_\_\_\_\_?

\_\_\_\_\_ increased precautions \_\_\_\_\_ performance?

\_\_\_\_\_ we \_\_\_\_\_ a change \_\_\_\_\_ performance for the new \_\_\_\_\_ as \_\_\_\_\_ upgraded \_\_\_\_\_ measures?

Can recent \_\_\_\_\_ hampered \_\_\_\_\_ measures?

\_\_\_\_\_ security features \_\_\_\_\_ an \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ security steps \_\_\_\_\_ well the equipment \_\_\_\_\_ previous ones?

Is \_\_\_\_\_ performance \_\_\_\_\_ enhanced security \_\_\_\_\_?

Might recent \_\_\_\_\_ functions \_\_\_\_\_ security?

\_\_\_\_\_ in \_\_\_\_\_ affect new \_\_\_\_\_ differently than older \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ the efficacy \_\_\_\_\_ would be hampered \_\_\_\_\_ increased \_\_\_\_\_ compared \_\_\_\_\_ past devices?

\_\_\_\_\_ protection can \_\_\_\_\_ effectiveness.

\_\_\_\_\_ the \_\_\_\_\_ precautions affect \_\_\_\_\_ items perform?

Would \_\_\_\_\_ of \_\_\_\_\_ assets be \_\_\_\_\_ safety arrangements?

Will enhanced security \_\_\_\_\_ affect \_\_\_\_\_ well \_\_\_\_\_ newly \_\_\_\_\_ perform \_\_\_\_\_ compared \_\_\_\_\_ deployed units?

Does improved protection affect newer \_\_\_\_\_?

\_\_\_\_\_ security changes affect \_\_\_\_\_?

\_\_\_\_\_ affect \_\_\_\_\_ equipment's effectiveness.

Is \_\_\_\_\_ affected by \_\_\_\_\_ security \_\_\_\_\_?

Security \_\_\_\_\_ the \_\_\_\_\_ newly-added pieces.

\_\_\_\_\_ possible \_\_\_\_\_ safety measures could affect \_\_\_\_\_ fresh gear \_\_\_\_\_?

\_\_\_\_\_ performance \_\_\_\_\_ new pieces be \_\_\_\_\_ by the added \_\_\_\_\_?

Will more \_\_\_\_\_ how well \_\_\_\_\_ new \_\_\_\_\_?

Increased \_\_\_\_\_ might change the performance \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ affect new pieces \_\_\_\_\_ older installations.

\_\_\_\_\_ you think enhanced \_\_\_\_\_ will have an effect \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ increased security \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ items' \_\_\_\_\_?

\_\_\_\_\_ enhanced safeguards \_\_\_\_\_?

Will security \_\_\_\_\_ affect the \_\_\_\_\_ the \_\_\_\_\_ compared \_\_\_\_\_ previously \_\_\_\_\_ ones?

\_\_\_\_\_ pieces perform differently \_\_\_\_\_ of \_\_\_\_\_ security features?

\_\_\_\_\_ of new \_\_\_\_\_ pieces will be affected \_\_\_\_\_ increased \_\_\_\_\_.

Will security \_\_\_\_\_ performances \_\_\_\_\_?

Is the \_\_\_\_\_ of \_\_\_\_\_ installations influenced \_\_\_\_\_ security?

\_\_\_\_\_ think \_\_\_\_\_ of \_\_\_\_\_ installed equipment \_\_\_\_\_ by the enhanced security measures?

\_\_\_\_\_ of fresh equipment \_\_\_\_\_ affected by \_\_\_\_\_ protection.

\_\_\_\_\_ new equipment be \_\_\_\_\_ by extra security?

What \_\_\_\_\_ have on performance?

How \_\_\_\_\_ new components \_\_\_\_\_ compared to their \_\_\_\_\_ may \_\_\_\_\_ by \_\_\_\_\_ addition of \_\_\_\_\_.

Do you \_\_\_\_\_ security will \_\_\_\_\_ performance of \_\_\_\_\_ new equipment?

\_\_\_\_\_ higher-level safety arrangements \_\_\_\_\_ working efficiency \_\_\_\_\_?

Can added safety \_\_\_\_\_ work?

Will \_\_\_\_\_ of the \_\_\_\_\_ pieces \_\_\_\_\_ by \_\_\_\_\_ extra security \_\_\_\_\_?

Considering \_\_\_\_\_ installments, \_\_\_\_\_ protection affect \_\_\_\_\_.

Can \_\_\_\_\_ recent installed items \_\_\_\_\_ performance because of \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_\_ extra \_\_\_\_\_ may \_\_\_\_\_ how well \_\_\_\_\_ new \_\_\_\_\_ perform.

Will an \_\_\_\_\_ performance of new equipment?

\_\_\_\_\_ affect newer creations \_\_\_\_\_ to \_\_\_\_\_ projects?

How \_\_\_\_\_ added pieces perform could be \_\_\_\_\_.

How \_\_\_\_\_ this fresh \_\_\_\_\_ alongside our \_\_\_\_\_ could be \_\_\_\_\_ by \_\_\_\_\_ measures.

How well these new \_\_\_\_\_ work \_\_\_\_\_ to \_\_\_\_\_ affected \_\_\_\_\_ security.

\_\_\_\_\_ it possible \_\_\_\_\_ safety \_\_\_\_\_ change \_\_\_\_\_ piece comparisons?

The new \_\_\_\_\_ might \_\_\_\_\_ the equipment works.

Does added \_\_\_\_\_ newer work?

\_\_\_\_\_ increased security \_\_\_\_\_?

\_\_\_\_\_ will protecting \_\_\_\_\_ units affect \_\_\_\_\_ efficiency \_\_\_\_\_ the existing \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ batches efficacy would \_\_\_\_\_ safeguards as \_\_\_\_\_ to \_\_\_\_\_ having \_\_\_\_\_ taken into account?

Increased security features \_\_\_\_\_ differently?

Will \_\_\_\_\_ in precautions \_\_\_\_\_ well \_\_\_\_\_ pieces \_\_\_\_\_?

How \_\_\_\_\_ against \_\_\_\_\_ ones \_\_\_\_\_ be impacted by these \_\_\_\_\_ security steps.

\_\_\_\_\_ it possible that \_\_\_\_\_ affect \_\_\_\_\_?

Adding security features \_\_\_\_\_ affect \_\_\_\_\_ new \_\_\_\_\_ compared to \_\_\_\_\_.

The \_\_\_\_\_ assets might \_\_\_\_\_ affected by higher level \_\_\_\_\_.

Can add \_\_\_\_\_ affect \_\_\_\_\_ work?

\_\_\_\_\_ possible \_\_\_\_\_ increased \_\_\_\_\_ would \_\_\_\_\_ effectiveness \_\_\_\_\_ iteration as compared to the \_\_\_\_\_?

Will \_\_\_\_\_ of \_\_\_\_\_ items' successors \_\_\_\_\_ hampered \_\_\_\_\_ the increased \_\_\_\_\_?

Can increased safety \_\_\_\_\_ difference in \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ protection \_\_\_\_\_ performance, considering \_\_\_\_\_ installments.

Increased security interventions \_\_\_\_\_

Will \_\_\_\_\_ new \_\_\_\_\_ work as \_\_\_\_\_ as \_\_\_\_\_ due to the \_\_\_\_\_ measures?

\_\_\_\_\_ performance considering previous installments.

Can there \_\_\_\_\_ a dip in performance \_\_\_\_\_ recently \_\_\_\_\_ because \_\_\_\_\_?

Can the \_\_\_\_\_ safety affect \_\_\_\_\_ performance \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ the performance \_\_\_\_\_ new \_\_\_\_\_.

\_\_\_\_\_ security \_\_\_\_\_ how well \_\_\_\_\_ new \_\_\_\_\_ when compared to the older \_\_\_\_\_?

Do you \_\_\_\_\_ security \_\_\_\_\_ affect \_\_\_\_\_ performance \_\_\_\_\_ installed equipment?

Performance \_\_\_\_\_ be hampered by enhanced \_\_\_\_\_ on \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ new pieces \_\_\_\_\_ to their \_\_\_\_\_ the \_\_\_\_\_ of security measures?

Is \_\_\_\_\_ possible \_\_\_\_\_ would affect \_\_\_\_\_ efficacy as \_\_\_\_\_ to \_\_\_\_\_ devices?

\_\_\_\_\_ security affect the \_\_\_\_\_ successors.

\_\_\_\_\_ the \_\_\_\_\_ going \_\_\_\_\_ affect how well \_\_\_\_\_ new components do?

\_\_\_\_\_ security \_\_\_\_\_ of new items.

These \_\_\_\_\_ security measures \_\_\_\_\_ how well \_\_\_\_\_ contraptions \_\_\_\_\_.

Will \_\_\_\_\_ affect \_\_\_\_\_ well the newly installed parts perform \_\_\_\_\_ previously \_\_\_\_\_ units?

Extra \_\_\_\_\_ measures \_\_\_\_\_ well this fresh \_\_\_\_\_ operates.

The addition of additional \_\_\_\_\_ features \_\_\_\_\_ how \_\_\_\_\_ perform.

\_\_\_\_ performance of these \_\_\_\_ pieces \_\_\_\_ influenced by \_\_\_\_ implementation \_\_\_\_ measures?  
 \_\_\_\_ will affect the efficiency \_\_\_\_ these new \_\_\_\_ their \_\_\_\_.  
 Adding \_\_\_\_ could \_\_\_\_ how well \_\_\_\_ new \_\_\_\_ perform.  
 \_\_\_\_ the addition of \_\_\_\_ features \_\_\_\_ to \_\_\_\_ how \_\_\_\_ new \_\_\_\_ do?  
 \_\_\_\_ security \_\_\_\_ affect \_\_\_\_ of the \_\_\_\_ pieces compared \_\_\_\_ predecessors?  
 \_\_\_\_ security \_\_\_\_ these novel additions \_\_\_\_ than the \_\_\_\_ did?  
 Is the \_\_\_\_ efficiency of \_\_\_\_ assets \_\_\_\_ the \_\_\_\_?  
 Does the addition of \_\_\_\_ affect \_\_\_\_ components \_\_\_\_?  
 \_\_\_\_ well the \_\_\_\_ function compared \_\_\_\_ older ones \_\_\_\_ be \_\_\_\_ the security.  
 Would higher-level safety arrangements \_\_\_\_ working \_\_\_\_ of \_\_\_\_?  
 Higher \_\_\_\_ safety \_\_\_\_ might affect \_\_\_\_ efficiency \_\_\_\_ assets.  
 Will these extra security \_\_\_\_ affect \_\_\_\_ these \_\_\_\_?  
 \_\_\_\_ the new pieces perform differently \_\_\_\_ increased security \_\_\_\_?  
 \_\_\_\_ improved \_\_\_\_ newer creations similar \_\_\_\_ projects?  
 Is \_\_\_\_ performance due to \_\_\_\_ security?  
 Will increased \_\_\_\_ affect \_\_\_\_?  
 \_\_\_\_ the function of \_\_\_\_ items' successors affected \_\_\_\_?  
 \_\_\_\_ beefing up \_\_\_\_ the \_\_\_\_ of fresh units in \_\_\_\_ models?  
 \_\_\_\_ increased \_\_\_\_ affect the performance \_\_\_\_?  
 The new pieces \_\_\_\_ of \_\_\_\_ features.  
 \_\_\_\_ the \_\_\_\_ mess up the \_\_\_\_ of these rookies \_\_\_\_ to \_\_\_\_ ones?  
 \_\_\_\_ more \_\_\_\_ to affect the \_\_\_\_ of \_\_\_\_ equipment?  
 \_\_\_\_ think that \_\_\_\_ measures \_\_\_\_ the \_\_\_\_ of new equipment?  
 \_\_\_\_ of newer \_\_\_\_ be altered \_\_\_\_ higher-level safety arrangements.  
 Might \_\_\_\_ addition \_\_\_\_ security \_\_\_\_ how well \_\_\_\_ new components \_\_\_\_?  
 Is it \_\_\_\_ safety steps affect \_\_\_\_ newer devices?  
 Will the newer security \_\_\_\_ the \_\_\_\_ performance \_\_\_\_ to the \_\_\_\_ ones?  
 Can \_\_\_\_ performance \_\_\_\_ additions \_\_\_\_ affected by extra \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ security \_\_\_\_ how well \_\_\_\_ new components work?  
 Is \_\_\_\_ in line \_\_\_\_ older models \_\_\_\_ by \_\_\_\_ security?  
 How will \_\_\_\_ measures \_\_\_\_ performance of \_\_\_\_ pieces?  
 Is extra security \_\_\_\_ performance \_\_\_\_ new gear?  
 \_\_\_\_ level safety arrangements \_\_\_\_ affect \_\_\_\_ newer assets.  
 \_\_\_\_ of \_\_\_\_ features \_\_\_\_ how well these new components \_\_\_\_?  
 Increased \_\_\_\_ can \_\_\_\_ well \_\_\_\_ new stuff works  
 \_\_\_\_ new \_\_\_\_ changed by security alterations.  
 Do you think \_\_\_\_ performance \_\_\_\_ equipment \_\_\_\_ be \_\_\_\_ enhanced security \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ additional safety measures \_\_\_\_ affect how well \_\_\_\_ gear \_\_\_\_?  
 Will \_\_\_\_ increased precautions \_\_\_\_ how well \_\_\_\_?  
 \_\_\_\_ safety arrangements going \_\_\_\_ affect \_\_\_\_?  
 Do you think improved security \_\_\_\_ of the \_\_\_\_ installed \_\_\_\_?  
 Extra security \_\_\_\_ affect how \_\_\_\_ the new \_\_\_\_ old \_\_\_\_.  
 \_\_\_\_ performance of new \_\_\_\_ extra security changes?  
 \_\_\_\_ safety arrangements going \_\_\_\_ efficiency of newer \_\_\_\_?  
 \_\_\_\_ security \_\_\_\_ affect \_\_\_\_?  
 \_\_\_\_ the performance \_\_\_\_ harmed by added \_\_\_\_?  
 \_\_\_\_ performance of \_\_\_\_ pieces \_\_\_\_ affected \_\_\_\_ the \_\_\_\_ measures?  
 Is beefing up \_\_\_\_ the \_\_\_\_ of \_\_\_\_ units?  
 \_\_\_\_ it \_\_\_\_ that increased safeguards \_\_\_\_ hamper \_\_\_\_ effectiveness \_\_\_\_ this \_\_\_\_?  
 Is \_\_\_\_ increasing safeguards \_\_\_\_ this batches' efficacy as \_\_\_\_ the past \_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ affect new \_\_\_\_\_?

Will \_\_\_\_\_ increased precautions \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ affect \_\_\_\_\_ of new \_\_\_\_\_?

Can you \_\_\_\_\_ up \_\_\_\_\_ will \_\_\_\_\_ how well \_\_\_\_\_ contraptions operate?

I \_\_\_\_\_ to know \_\_\_\_\_ enhanced \_\_\_\_\_ features \_\_\_\_\_ performance.

\_\_\_\_\_ safeguards would \_\_\_\_\_ iteration less effective \_\_\_\_\_ compared to the past?

\_\_\_\_\_ the performance \_\_\_\_\_ the new \_\_\_\_\_ by the \_\_\_\_\_ of \_\_\_\_\_ security?

Is safety \_\_\_\_\_ newer \_\_\_\_\_ affecting \_\_\_\_\_?

\_\_\_\_\_ increased \_\_\_\_\_ affect these \_\_\_\_\_ additions \_\_\_\_\_ the prior ones \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ be \_\_\_\_\_ by safety steps.

\_\_\_\_\_ better \_\_\_\_\_ the performance of \_\_\_\_\_?

Is an \_\_\_\_\_ performance?

Is increased \_\_\_\_\_ this stuff works?

Will improvements \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ precautions may affect \_\_\_\_\_ well the \_\_\_\_\_ stuff \_\_\_\_\_.

\_\_\_\_\_ it possible that \_\_\_\_\_ hamper \_\_\_\_\_ batches' efficacy as compared to \_\_\_\_\_ having \_\_\_\_\_ taken \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of newer \_\_\_\_\_ by \_\_\_\_\_ safety?

Will \_\_\_\_\_ safety measures \_\_\_\_\_ the performance?

Is \_\_\_\_\_ than the \_\_\_\_\_ ones because of \_\_\_\_\_ extra \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ have an effect on how \_\_\_\_\_ the \_\_\_\_\_ parts \_\_\_\_\_?

\_\_\_\_\_ new equipment might \_\_\_\_\_ affected by \_\_\_\_\_ security.

\_\_\_\_\_ increased \_\_\_\_\_ affect how \_\_\_\_\_ the new \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ these \_\_\_\_\_ additions' capabilities more than \_\_\_\_\_ ones.

Do \_\_\_\_\_ reckon enhanced security measures \_\_\_\_\_ the \_\_\_\_\_ equipment?

\_\_\_\_\_ compared \_\_\_\_\_ deployed units, \_\_\_\_\_ enhanced security \_\_\_\_\_ have any impact on \_\_\_\_\_ well the \_\_\_\_\_?

\_\_\_\_\_ well \_\_\_\_\_ equipment \_\_\_\_\_ against \_\_\_\_\_ equipment can be \_\_\_\_\_ the new \_\_\_\_\_ steps.

\_\_\_\_\_ be \_\_\_\_\_ for these new devices as \_\_\_\_\_ result \_\_\_\_\_ upgraded security \_\_\_\_\_?

Will \_\_\_\_\_ on \_\_\_\_\_ items?

Is \_\_\_\_\_ that enhanced security measures \_\_\_\_\_ performance of \_\_\_\_\_ equipment?

\_\_\_\_\_ be any \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ new devices due \_\_\_\_\_ upgraded \_\_\_\_\_ measures?

\_\_\_\_\_ increased safety \_\_\_\_\_ this new stuff works?

\_\_\_\_\_ it possible \_\_\_\_\_ additional \_\_\_\_\_ measures could affect how \_\_\_\_\_ gear \_\_\_\_\_?

\_\_\_\_\_ compared with \_\_\_\_\_ will enhanced security \_\_\_\_\_ affect how \_\_\_\_\_ the \_\_\_\_\_ installed \_\_\_\_\_?

The performance of new \_\_\_\_\_ will \_\_\_\_\_ affected \_\_\_\_\_.

\_\_\_\_\_ on \_\_\_\_\_ additions might \_\_\_\_\_ hampered by \_\_\_\_\_ measures.

Will \_\_\_\_\_ new \_\_\_\_\_ affect \_\_\_\_\_ overall \_\_\_\_\_ these \_\_\_\_\_ compared \_\_\_\_\_ older ones?

Should \_\_\_\_\_ equipment's \_\_\_\_\_ be affected by \_\_\_\_\_ than \_\_\_\_\_?

Will the performance of \_\_\_\_\_ parts be \_\_\_\_\_ security protocols?

\_\_\_\_\_ adding safety \_\_\_\_\_ to affect \_\_\_\_\_?

\_\_\_\_\_ change performance in \_\_\_\_\_ previous installations?

\_\_\_\_\_ beefing \_\_\_\_\_ hurt \_\_\_\_\_ function \_\_\_\_\_ these units \_\_\_\_\_ are fresh?

\_\_\_\_\_ security enhancements \_\_\_\_\_ affect \_\_\_\_\_ freshly installed \_\_\_\_\_.

\_\_\_\_\_ the new contraptions work will be \_\_\_\_\_ measures.

Does \_\_\_\_\_ newer creations?

\_\_\_\_\_ safety arrangements would affect the efficiency \_\_\_\_\_ assets?

\_\_\_\_\_ these new \_\_\_\_\_ will \_\_\_\_\_ will be \_\_\_\_\_ by the \_\_\_\_\_ security \_\_\_\_\_.

\_\_\_\_\_ performance \_\_\_\_\_ security features?

\_\_\_\_\_ additional \_\_\_\_\_ measures \_\_\_\_\_ performance of \_\_\_\_\_ new pieces compared \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ well this \_\_\_\_\_ gear operates \_\_\_\_\_ our current \_\_\_\_\_ adversely affected \_\_\_\_\_ additional \_\_\_\_\_.

Adding \_\_\_\_\_ could affect how \_\_\_\_\_ this \_\_\_\_\_ gear \_\_\_\_\_.

When \_\_\_\_\_ previously deployed \_\_\_\_\_ security protocols affect how \_\_\_\_\_ these \_\_\_\_\_ perform?  
\_\_\_\_\_ operational \_\_\_\_\_ of the new units compared \_\_\_\_\_ the \_\_\_\_\_ ones.  
\_\_\_\_\_ addition \_\_\_\_\_ additional \_\_\_\_\_ features affecting \_\_\_\_\_ well these components \_\_\_\_\_?  
Is \_\_\_\_\_ performance \_\_\_\_\_ new pieces different \_\_\_\_\_ of \_\_\_\_\_?  
Is it \_\_\_\_\_ that increased safety \_\_\_\_\_ well \_\_\_\_\_ stuff \_\_\_\_\_?  
\_\_\_\_\_ improved \_\_\_\_\_ performance?  
\_\_\_\_\_ extra security measures ruin \_\_\_\_\_ these \_\_\_\_\_ compared to the old \_\_\_\_\_?  
More protection \_\_\_\_\_ make fresh equipment less \_\_\_\_\_.  
Is \_\_\_\_\_ enhanced security \_\_\_\_\_?  
Will more \_\_\_\_\_ equipment's \_\_\_\_\_ to prior installations?  
\_\_\_\_\_ this fresh gear operates \_\_\_\_\_ current setup could \_\_\_\_\_ by \_\_\_\_\_ safety \_\_\_\_\_.  
\_\_\_\_\_ safety measures \_\_\_\_\_ performance?  
\_\_\_\_\_ arrangements affect the \_\_\_\_\_ of newer \_\_\_\_\_?  
Will \_\_\_\_\_ methods hurt \_\_\_\_\_ of \_\_\_\_\_ compared to older ones?  
\_\_\_\_\_ measures \_\_\_\_\_ the \_\_\_\_\_ of new \_\_\_\_\_?  
Will \_\_\_\_\_ these new \_\_\_\_\_ change as a \_\_\_\_\_ the \_\_\_\_\_ security \_\_\_\_\_?  
\_\_\_\_\_ affect \_\_\_\_\_ of new pieces?  
Does beefing \_\_\_\_\_ security \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ fresh \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ pieces \_\_\_\_\_ to their predecessors \_\_\_\_\_ of additional security measures?  
\_\_\_\_\_ added security \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ new pieces?  
\_\_\_\_\_ precautions can \_\_\_\_\_ how \_\_\_\_\_ the \_\_\_\_\_ stuff works.  
Does the \_\_\_\_\_ how \_\_\_\_\_ this new stuff \_\_\_\_\_?  
Will enhanced security \_\_\_\_\_ any affect \_\_\_\_\_ the \_\_\_\_\_ installed parts \_\_\_\_\_?  
Increased \_\_\_\_\_ precautions will affect \_\_\_\_\_ new \_\_\_\_\_ works.  
\_\_\_\_\_ security \_\_\_\_\_ affect \_\_\_\_\_ these \_\_\_\_\_ work in comparison to \_\_\_\_\_ old ones.  
Is \_\_\_\_\_ going \_\_\_\_\_ affect the \_\_\_\_\_ new things?  
Is \_\_\_\_\_ that \_\_\_\_\_ steps influence \_\_\_\_\_ for newer \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ measures can alter piece \_\_\_\_\_?  
\_\_\_\_\_ function \_\_\_\_\_ items' successors be \_\_\_\_\_ by the increased \_\_\_\_\_?  
Is \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_ security measures \_\_\_\_\_ to them?  
\_\_\_\_\_ will affect the operational efficiency \_\_\_\_\_ new \_\_\_\_\_ to \_\_\_\_\_ ones.  
\_\_\_\_\_ performance of \_\_\_\_\_ items be affected \_\_\_\_\_ security?  
\_\_\_\_\_ security \_\_\_\_\_ cause these \_\_\_\_\_ pieces \_\_\_\_\_ do differently.  
Is increased safety \_\_\_\_\_ to \_\_\_\_\_ well \_\_\_\_\_ new stuff \_\_\_\_\_?  
\_\_\_\_\_ safety measures \_\_\_\_\_ the \_\_\_\_\_ comparisons?  
\_\_\_\_\_ enhanced security \_\_\_\_\_ pieces?  
\_\_\_\_\_ higher \_\_\_\_\_ steps \_\_\_\_\_ newer \_\_\_\_\_?  
\_\_\_\_\_ could heightened protection \_\_\_\_\_ performance?  
Is it \_\_\_\_\_ safety \_\_\_\_\_ affect recent \_\_\_\_\_?  
\_\_\_\_\_ security \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ recently installed components?  
The performance of new installations might \_\_\_\_\_.  
\_\_\_\_\_ security steps \_\_\_\_\_ equipment works?  
\_\_\_\_\_ beefing up \_\_\_\_\_ compromising \_\_\_\_\_ of these fresh \_\_\_\_\_?  
How would \_\_\_\_\_ affect \_\_\_\_\_ assets?  
Will the performance of \_\_\_\_\_ be affected \_\_\_\_\_?  
\_\_\_\_\_ extra security measures \_\_\_\_\_ well the new \_\_\_\_\_ in comparison \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ improvements \_\_\_\_\_ the new pieces \_\_\_\_\_ the old stuff?  
How newly-added pieces perform \_\_\_\_\_ affected \_\_\_\_\_.  
\_\_\_\_\_ it \_\_\_\_\_ that security may affect \_\_\_\_\_ of the \_\_\_\_\_?  
\_\_\_\_\_ security \_\_\_\_\_ pieces work differently?



Is \_\_\_\_ performance \_\_\_\_ affected by \_\_\_\_ alterations?  
 \_\_\_\_ safety precautions \_\_\_\_ influence \_\_\_\_ the new \_\_\_\_ works.

Is the \_\_\_\_ more security \_\_\_\_ going \_\_\_\_ these \_\_\_\_ components perform?

Can \_\_\_\_ performance of \_\_\_\_ new pieces be compared \_\_\_\_ their \_\_\_\_ implementation \_\_\_\_ security \_\_\_\_?

Might \_\_\_\_ be \_\_\_\_ by \_\_\_\_?

\_\_\_\_ pieces \_\_\_\_ could \_\_\_\_ affected by \_\_\_\_ advanced security \_\_\_\_.

Is the performance of the \_\_\_\_ affected \_\_\_\_ the \_\_\_\_?

Will \_\_\_\_ the function of \_\_\_\_ items' \_\_\_\_?

If \_\_\_\_ is \_\_\_\_ could it \_\_\_\_?

Is \_\_\_\_ dip in \_\_\_\_ the recently \_\_\_\_ because of \_\_\_\_ security \_\_\_\_?

Is it \_\_\_\_ security \_\_\_\_ affect \_\_\_\_?

\_\_\_\_ heightened \_\_\_\_ the comparison?

\_\_\_\_ the performance of \_\_\_\_ be affected by \_\_\_\_ measures?

Can the \_\_\_\_ of newer \_\_\_\_?

How \_\_\_\_ these \_\_\_\_ components perform \_\_\_\_ by the \_\_\_\_ of security \_\_\_\_.

\_\_\_\_ possible \_\_\_\_ security measures \_\_\_\_ the performance \_\_\_\_ the new equipment?

\_\_\_\_ new \_\_\_\_ than \_\_\_\_ ones due to increased security?

\_\_\_\_ will performance \_\_\_\_ affected \_\_\_\_ extra \_\_\_\_?

\_\_\_\_ safety \_\_\_\_ affect \_\_\_\_ efficiency \_\_\_\_ newer assets?

Are the efficiency \_\_\_\_ components affected \_\_\_\_?

Is it \_\_\_\_ that \_\_\_\_ would \_\_\_\_ the effectiveness \_\_\_\_ iteration \_\_\_\_ compared \_\_\_\_ previous ones?

Is \_\_\_\_ possible \_\_\_\_ affect \_\_\_\_ pieces?

Enhanced safety \_\_\_\_ affect \_\_\_\_.

\_\_\_\_ precautions \_\_\_\_ affect how \_\_\_\_ these fresh \_\_\_\_?

Will new \_\_\_\_ performance?

\_\_\_\_ it possible \_\_\_\_ increasing safeguards \_\_\_\_ this batches' \_\_\_\_ the past?

Will \_\_\_\_ be \_\_\_\_ to \_\_\_\_ performance \_\_\_\_ devices because \_\_\_\_ upgraded security measures?

\_\_\_\_ security \_\_\_\_ to \_\_\_\_ performances of \_\_\_\_ items?

Do \_\_\_\_ arrangements affect the \_\_\_\_ newer assets?

The new security steps \_\_\_\_ how \_\_\_\_ equipment \_\_\_\_.

Is the \_\_\_\_ security \_\_\_\_ going \_\_\_\_ affect how well \_\_\_\_ perform?

Increased security \_\_\_\_ of \_\_\_\_ new pieces.

\_\_\_\_ extra \_\_\_\_ measures affect \_\_\_\_ these \_\_\_\_ work \_\_\_\_ comparison to the older \_\_\_\_?

Is \_\_\_\_ a chance of \_\_\_\_ changes \_\_\_\_ devices because of \_\_\_\_?

\_\_\_\_ believe \_\_\_\_ increased security \_\_\_\_ affect the \_\_\_\_ of the \_\_\_\_?

Is it \_\_\_\_ that \_\_\_\_ security enhancements impact \_\_\_\_ perform?

\_\_\_\_ gadgets \_\_\_\_ compared to \_\_\_\_ will be affected \_\_\_\_ beefed up security.

Can increased \_\_\_\_ how well the new \_\_\_\_?

\_\_\_\_ safety measures could \_\_\_\_.

When compared \_\_\_\_ will \_\_\_\_ security \_\_\_\_ have any effect?

How well \_\_\_\_ to \_\_\_\_ old ones will \_\_\_\_ affected by \_\_\_\_ extra security \_\_\_\_.

\_\_\_\_ the new contraptions \_\_\_\_ to the \_\_\_\_ ones \_\_\_\_ of the \_\_\_\_ security \_\_\_\_?

\_\_\_\_ performance of the new \_\_\_\_ by \_\_\_\_ new security \_\_\_\_?

\_\_\_\_ the performance \_\_\_\_ new \_\_\_\_ affected \_\_\_\_ extra security?

\_\_\_\_ well \_\_\_\_ new \_\_\_\_ to the old \_\_\_\_ be \_\_\_\_ by \_\_\_\_ extra \_\_\_\_ measures.

Does adding \_\_\_\_ affect \_\_\_\_ when \_\_\_\_?

\_\_\_\_ the addition of \_\_\_\_ features going \_\_\_\_ how well \_\_\_\_ perform?

How well the \_\_\_\_ gadgets work \_\_\_\_ older \_\_\_\_ affected \_\_\_\_ security.

Features \_\_\_\_ be influenced \_\_\_\_ compared \_\_\_\_ already set-up \_\_\_\_.

\_\_\_\_ the new \_\_\_\_ performance \_\_\_\_ extra security?

Is \_\_\_\_\_ new \_\_\_\_\_ equipment's performance?

In light of \_\_\_\_\_ installations \_\_\_\_\_ affect performance?

\_\_\_\_\_ enhanced \_\_\_\_\_ protocols \_\_\_\_\_ how \_\_\_\_\_ parts perform \_\_\_\_\_ compared with previously \_\_\_\_\_ parts?

\_\_\_\_\_ newer \_\_\_\_\_ to previously installed projects?

How would \_\_\_\_\_ of \_\_\_\_\_ by extra precautions?

\_\_\_\_\_ it \_\_\_\_\_ safeguards would hamper this batches effectiveness as \_\_\_\_\_ having been \_\_\_\_\_ account?

\_\_\_\_\_ security improvements \_\_\_\_\_ how \_\_\_\_\_ new pieces \_\_\_\_\_?

Does beefing \_\_\_\_\_ of these \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ additional security measures \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ be affected by \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ increasing safeguards \_\_\_\_\_ affect \_\_\_\_\_ batches efficacy as \_\_\_\_\_ the \_\_\_\_\_?

Will \_\_\_\_\_ the function of installed \_\_\_\_\_?

\_\_\_\_\_ added security \_\_\_\_\_ going to \_\_\_\_\_ new pieces?

Is \_\_\_\_\_ performance of these \_\_\_\_\_ by \_\_\_\_\_ of \_\_\_\_\_ security?

Can \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ security measures?

\_\_\_\_\_ this fresh gear operates alongside \_\_\_\_\_ current \_\_\_\_\_ be affected by \_\_\_\_\_.

\_\_\_\_\_ additional security \_\_\_\_\_ function of \_\_\_\_\_ objects?

Will \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ well the \_\_\_\_\_ devices \_\_\_\_\_ to the older \_\_\_\_\_ will \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ the new \_\_\_\_\_ perform \_\_\_\_\_ due \_\_\_\_\_ security \_\_\_\_\_?

Can \_\_\_\_\_ steps \_\_\_\_\_ well new equipment works?

\_\_\_\_\_ increasing security affect the \_\_\_\_\_?

Is it possible \_\_\_\_\_ safety \_\_\_\_\_ performance \_\_\_\_\_ newer work?

Do \_\_\_\_\_ perform \_\_\_\_\_ to security \_\_\_\_\_?

\_\_\_\_\_ the performance of \_\_\_\_\_ installations \_\_\_\_\_ by \_\_\_\_\_?

Will \_\_\_\_\_ pieces \_\_\_\_\_ affected by \_\_\_\_\_ measures?

\_\_\_\_\_ affect \_\_\_\_\_ well \_\_\_\_\_ installed parts \_\_\_\_\_ in comparison to previously \_\_\_\_\_ units?

\_\_\_\_\_ the addition of extra \_\_\_\_\_ affecting \_\_\_\_\_ the \_\_\_\_\_ components \_\_\_\_\_?

\_\_\_\_\_ performance of the new \_\_\_\_\_ affected \_\_\_\_\_?

Is it possible \_\_\_\_\_ measures \_\_\_\_\_ comparisons?

\_\_\_\_\_ security \_\_\_\_\_ performance of pieces?

Is extra \_\_\_\_\_?

\_\_\_\_\_ affect how \_\_\_\_\_ these newly installed parts perform \_\_\_\_\_ to \_\_\_\_\_ units?

\_\_\_\_\_ fresh equipment's effectiveness.

Is there an effect \_\_\_\_\_ caused \_\_\_\_\_ features?

Is the efficiency \_\_\_\_\_ assets \_\_\_\_\_ by higher \_\_\_\_\_?

\_\_\_\_\_ the performance \_\_\_\_\_ the \_\_\_\_\_ items be \_\_\_\_\_ by \_\_\_\_\_?

Can the performance of \_\_\_\_\_ new \_\_\_\_\_ be \_\_\_\_\_ their \_\_\_\_\_ with \_\_\_\_\_ use \_\_\_\_\_ measures?

\_\_\_\_\_ enhanced \_\_\_\_\_ protocols affect \_\_\_\_\_ well \_\_\_\_\_ new \_\_\_\_\_ perform \_\_\_\_\_ to \_\_\_\_\_ old ones?

\_\_\_\_\_ new objects when compared?

\_\_\_\_\_ additional \_\_\_\_\_ compromise new \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ newly added safety \_\_\_\_\_?

\_\_\_\_\_ new contraptions \_\_\_\_\_ in \_\_\_\_\_ to the older ones \_\_\_\_\_ affected by \_\_\_\_\_ extra \_\_\_\_\_ measures.

\_\_\_\_\_ of \_\_\_\_\_ in comparison to \_\_\_\_\_ predecessors \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ implementation of \_\_\_\_\_ security measures.

Is it \_\_\_\_\_ the \_\_\_\_\_ installed items will \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_?

Is there a \_\_\_\_\_ impact \_\_\_\_\_?

Do \_\_\_\_\_ believe \_\_\_\_\_ security \_\_\_\_\_ affect \_\_\_\_\_ performance \_\_\_\_\_ new equipment?

Is higher-level \_\_\_\_\_ arrangements going \_\_\_\_\_ of \_\_\_\_\_ assets?

\_\_\_\_\_ the performance \_\_\_\_\_ the new \_\_\_\_\_ their predecessors \_\_\_\_\_ the implementation \_\_\_\_\_ security \_\_\_\_\_?

When compared, \_\_\_\_\_ compromise new \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ gear \_\_\_\_\_ by the extra \_\_\_\_\_?  
 \_\_\_\_\_ protocols impact \_\_\_\_\_ the newly installed \_\_\_\_\_ perform?  
 \_\_\_\_\_ up \_\_\_\_\_ the functions of the units that \_\_\_\_\_?  
 Is enhanced \_\_\_\_\_ impacting \_\_\_\_\_?  
 \_\_\_\_\_ precautions will affect how \_\_\_\_\_ new \_\_\_\_\_?  
 Does security change \_\_\_\_\_ objects \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ items' successors \_\_\_\_\_ hindered by \_\_\_\_\_ security?  
 Will \_\_\_\_\_ measures affect \_\_\_\_\_ well \_\_\_\_\_ contraptions work \_\_\_\_\_ to the \_\_\_\_\_ ones?  
 Is \_\_\_\_\_ to \_\_\_\_\_ pieces perform?  
 Higher safety \_\_\_\_\_ devices.  
 Will \_\_\_\_\_ of \_\_\_\_\_ be \_\_\_\_\_ by higher security?  
 Does improved protection \_\_\_\_\_ creations \_\_\_\_\_ a \_\_\_\_\_?  
 Does the addition \_\_\_\_\_ security \_\_\_\_\_ the performance \_\_\_\_\_?  
 Do you think \_\_\_\_\_ security \_\_\_\_\_ have \_\_\_\_\_ on \_\_\_\_\_ performance \_\_\_\_\_ the \_\_\_\_\_ equipment?  
 Features \_\_\_\_\_ safeguards \_\_\_\_\_ to already set-up devices.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ safety \_\_\_\_\_ affect \_\_\_\_\_?  
 \_\_\_\_\_ think enhanced security \_\_\_\_\_ would \_\_\_\_\_ the \_\_\_\_\_ the equipment?  
 \_\_\_\_\_ it possible that extra \_\_\_\_\_ affect \_\_\_\_\_ freshly \_\_\_\_\_ devices \_\_\_\_\_?  
 The working \_\_\_\_\_ of \_\_\_\_\_ might \_\_\_\_\_ by higher-level \_\_\_\_\_ arrangements.  
 \_\_\_\_\_ enhanced security protocols \_\_\_\_\_ well installed \_\_\_\_\_ perform when \_\_\_\_\_ previously \_\_\_\_\_?  
 Do \_\_\_\_\_ think \_\_\_\_\_ security measures will have \_\_\_\_\_ the new equipment?  
 \_\_\_\_\_ of new \_\_\_\_\_ be compared to their \_\_\_\_\_ with the implementation \_\_\_\_\_?  
 \_\_\_\_\_ protection might affect \_\_\_\_\_ equipment.  
 \_\_\_\_\_ security \_\_\_\_\_ affect \_\_\_\_\_ new objects?  
 \_\_\_\_\_ beefing up \_\_\_\_\_ new units in \_\_\_\_\_ older ones?  
 \_\_\_\_\_ installed devices perform will be \_\_\_\_\_ extra \_\_\_\_\_.  
 \_\_\_\_\_ performance of newer devices been \_\_\_\_\_ heightened \_\_\_\_\_?  
 \_\_\_\_\_ think the \_\_\_\_\_ of the newly \_\_\_\_\_ be affected by the \_\_\_\_\_?  
 How \_\_\_\_\_ perform \_\_\_\_\_ be affected by \_\_\_\_\_.  
 \_\_\_\_\_ affect \_\_\_\_\_ well installed parts perform \_\_\_\_\_ compared \_\_\_\_\_ deployed units?  
 \_\_\_\_\_ wonder \_\_\_\_\_ heightened safety \_\_\_\_\_ alter piece \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ security measures \_\_\_\_\_ their \_\_\_\_\_?  
 Can increased \_\_\_\_\_ precautions \_\_\_\_\_ how \_\_\_\_\_ works?  
 \_\_\_\_\_ heightened safety \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_ devices?  
 \_\_\_\_\_ safety \_\_\_\_\_ the piece \_\_\_\_\_?  
 Does \_\_\_\_\_ alter the \_\_\_\_\_ objects when compared?  
 Is there \_\_\_\_\_ effect \_\_\_\_\_ performance \_\_\_\_\_ the security \_\_\_\_\_?  
 Will \_\_\_\_\_ affect how \_\_\_\_\_ the \_\_\_\_\_ parts perform when \_\_\_\_\_ to \_\_\_\_\_ ones?  
 \_\_\_\_\_ works against previous ones \_\_\_\_\_ be \_\_\_\_\_ these \_\_\_\_\_ security steps.  
 \_\_\_\_\_ enhanced security \_\_\_\_\_ of newly installed parts?  
 Is the security \_\_\_\_\_ well the new \_\_\_\_\_?  
 How \_\_\_\_\_ to \_\_\_\_\_ predecessors will be affected by security \_\_\_\_\_.  
 \_\_\_\_\_ security \_\_\_\_\_ affect \_\_\_\_\_ well these \_\_\_\_\_ installed \_\_\_\_\_ perform?  
 \_\_\_\_\_ added \_\_\_\_\_ an effect \_\_\_\_\_ performance?  
 \_\_\_\_\_ there \_\_\_\_\_ in performance due \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ these \_\_\_\_\_ installations will be compared to their \_\_\_\_\_ will \_\_\_\_\_ by \_\_\_\_\_ security \_\_\_\_\_.  
 Increased \_\_\_\_\_ could \_\_\_\_\_ novel additions' capabilities \_\_\_\_\_ as the \_\_\_\_\_ ones \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ recently installed \_\_\_\_\_ to be affected \_\_\_\_\_ security precautions?  
 Performance \_\_\_\_\_ of prior \_\_\_\_\_ be \_\_\_\_\_ added safety measures.  
 \_\_\_\_\_ it \_\_\_\_\_ increasing safeguards \_\_\_\_\_ an effect \_\_\_\_\_ this \_\_\_\_\_ compared to the past?

Will \_\_\_\_ new safety \_\_\_\_ \_\_\_\_ ?

Is extra security \_\_\_\_ \_\_\_\_ the performance \_\_\_\_ ?

\_\_\_\_ think \_\_\_\_ security will impact \_\_\_\_ performance \_\_\_\_ the \_\_\_\_?

\_\_\_\_ \_\_\_\_ increased \_\_\_\_ could affect performance?

Is \_\_\_\_ possible that \_\_\_\_ added to \_\_\_\_ \_\_\_\_ affect \_\_\_\_ performance?

\_\_\_\_ boosted security going to \_\_\_\_ these novel \_\_\_\_ \_\_\_\_ ?

Extra security features could \_\_\_\_ well \_\_\_\_ perform \_\_\_\_ \_\_\_\_ their predecessors.

\_\_\_\_ safety measures may impair \_\_\_\_ well \_\_\_\_ operates.

\_\_\_\_ higher security \_\_\_\_ the \_\_\_\_ of the \_\_\_\_ items' \_\_\_\_?

\_\_\_\_ think that \_\_\_\_ measures will affect \_\_\_\_ \_\_\_\_ the equipment?

Could security \_\_\_\_ \_\_\_\_ pieces \_\_\_\_?

How efficient the \_\_\_\_ will be compared to \_\_\_\_ deployed \_\_\_\_ \_\_\_\_ affected \_\_\_\_ \_\_\_\_ security measures.

\_\_\_\_ extra \_\_\_\_ going to affect how \_\_\_\_ these \_\_\_\_ perform?

\_\_\_\_ affect how \_\_\_\_ new pieces perform?

\_\_\_\_ effectiveness \_\_\_\_ equipment affected by more \_\_\_\_?

\_\_\_\_ increased \_\_\_\_ measures will \_\_\_\_ the \_\_\_\_ of the new equipment?

\_\_\_\_ addition \_\_\_\_ security features \_\_\_\_ affect \_\_\_\_ well \_\_\_\_ new \_\_\_\_ perform.

Is \_\_\_\_ possible \_\_\_\_ increasing safeguards \_\_\_\_ hurt \_\_\_\_ efficacy \_\_\_\_ compared \_\_\_\_ previous \_\_\_\_?

\_\_\_\_ of security \_\_\_\_ affect how \_\_\_\_ the new \_\_\_\_ perform?

Do \_\_\_\_ \_\_\_\_ affect newer \_\_\_\_?

Performance \_\_\_\_ \_\_\_\_ may be negatively affected \_\_\_\_ \_\_\_\_ safety \_\_\_\_.

Increased security \_\_\_\_ affect these \_\_\_\_ capabilities \_\_\_\_ \_\_\_\_ prior ones.

Is \_\_\_\_ possible \_\_\_\_ security alterations could \_\_\_\_ \_\_\_\_ perform?

Does \_\_\_\_ protection affect \_\_\_\_ \_\_\_\_ have already \_\_\_\_ installed?

\_\_\_\_ it \_\_\_\_ that increasing \_\_\_\_ \_\_\_\_ the \_\_\_\_ this \_\_\_\_ as compared \_\_\_\_ previous ones?

Is it possible \_\_\_\_ extra safety \_\_\_\_ \_\_\_\_ how \_\_\_\_ \_\_\_\_ gear operates?

Are the new security \_\_\_\_ \_\_\_\_ the \_\_\_\_ equipment?

\_\_\_\_ \_\_\_\_ the performance of new \_\_\_\_?

\_\_\_\_ of security \_\_\_\_ new pieces \_\_\_\_ to older \_\_\_\_.

How efficient \_\_\_\_ installations will be \_\_\_\_ to \_\_\_\_ \_\_\_\_ be \_\_\_\_ by the security measures.

\_\_\_\_ be any changes in \_\_\_\_ the \_\_\_\_ devices \_\_\_\_ of \_\_\_\_ upgraded \_\_\_\_ measures?

The \_\_\_\_ new gear might \_\_\_\_ affected \_\_\_\_ extra \_\_\_\_.

How will \_\_\_\_ performance \_\_\_\_ new \_\_\_\_?

\_\_\_\_ the \_\_\_\_ pieces can \_\_\_\_ to \_\_\_\_ if additional security \_\_\_\_ are implemented.

Does extra \_\_\_\_ \_\_\_\_ how \_\_\_\_ installed \_\_\_\_ do?

\_\_\_\_ new gadgets \_\_\_\_ compared \_\_\_\_ the \_\_\_\_ \_\_\_\_ be affected by security.

\_\_\_\_ the performance of new \_\_\_\_?

\_\_\_\_ it \_\_\_\_ that \_\_\_\_ \_\_\_\_ would hamper this batches effectiveness as compared \_\_\_\_ \_\_\_\_ devices \_\_\_\_ been \_\_\_\_ account?

\_\_\_\_ protection going \_\_\_\_ make \_\_\_\_ equipment less \_\_\_\_?

Can \_\_\_\_ performance of recently \_\_\_\_ items be \_\_\_\_ by \_\_\_\_ \_\_\_\_?

\_\_\_\_ it possible that increasing safeguards would \_\_\_\_ \_\_\_\_ batches \_\_\_\_ as \_\_\_\_ \_\_\_\_ the \_\_\_\_?

How well \_\_\_\_ works can \_\_\_\_ impacted \_\_\_\_ safety precautions.

Adding \_\_\_\_ features may \_\_\_\_ how \_\_\_\_ the \_\_\_\_ perform \_\_\_\_ to their \_\_\_\_.

\_\_\_\_ increased \_\_\_\_ how \_\_\_\_ these \_\_\_\_ do?

\_\_\_\_ we \_\_\_\_ of the recently installed \_\_\_\_ to \_\_\_\_ affected \_\_\_\_ the \_\_\_\_ precautions?

How \_\_\_\_ the \_\_\_\_ works against the previous \_\_\_\_ \_\_\_\_ affected by \_\_\_\_ \_\_\_\_ steps.

Can \_\_\_\_ measures \_\_\_\_ in \_\_\_\_ affect the \_\_\_\_ new pieces?

Will the \_\_\_\_ \_\_\_\_ the performance?

\_\_\_\_ security measures \_\_\_\_ impact \_\_\_\_ of the \_\_\_\_ installed \_\_\_\_.

How will \_\_\_\_ performance \_\_\_\_ recent additions \_\_\_\_ \_\_\_\_ precautions?

Does improvement \_\_\_\_\_ newer \_\_\_\_\_?

\_\_\_\_\_ safety \_\_\_\_\_ could \_\_\_\_\_ working efficiency \_\_\_\_\_ assets.

Is \_\_\_\_\_ going to \_\_\_\_\_ items?

\_\_\_\_\_ it possible that security \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ beefing \_\_\_\_\_ security affect the \_\_\_\_\_ of \_\_\_\_\_ units?

\_\_\_\_\_ additional security measures going to affect \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ how well these \_\_\_\_\_ contraptions work?

Can we expect performance \_\_\_\_\_ for \_\_\_\_\_ new devices \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_?

Could \_\_\_\_\_ compared to \_\_\_\_\_ set up gear?

Is \_\_\_\_\_ that \_\_\_\_\_ enhancements may \_\_\_\_\_ installed devices perform?

How well \_\_\_\_\_ gear operates \_\_\_\_\_ our current \_\_\_\_\_ can \_\_\_\_\_ affected by \_\_\_\_\_.

\_\_\_\_\_ enhanced security \_\_\_\_\_ affect \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ safeguards \_\_\_\_\_ this batches efficacy as compared \_\_\_\_\_ past \_\_\_\_\_?

Will \_\_\_\_\_ these \_\_\_\_\_ pieces be impacted \_\_\_\_\_ security measures?

Does \_\_\_\_\_ security affect \_\_\_\_\_ function of \_\_\_\_\_ units in line \_\_\_\_\_?

\_\_\_\_\_ precautions can \_\_\_\_\_ how well \_\_\_\_\_ stuff works.

Will \_\_\_\_\_ function \_\_\_\_\_ items' successors \_\_\_\_\_ affected \_\_\_\_\_ upped-security?

\_\_\_\_\_ security enhancements affected how \_\_\_\_\_ devices \_\_\_\_\_?

Is \_\_\_\_\_ safety going \_\_\_\_\_ newer \_\_\_\_\_?

Increased \_\_\_\_\_ might \_\_\_\_\_ the \_\_\_\_\_ fresh \_\_\_\_\_

Is increased safety \_\_\_\_\_ in how well \_\_\_\_\_?

Is the \_\_\_\_\_ contraptions \_\_\_\_\_ the \_\_\_\_\_ because of \_\_\_\_\_ security measures?