

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Natural Gas Companies
<b>Inquiry Category</b>	Appliance safety checks
<b>Inquiry Sub-Category</b>	Safety Check Results
<b>Description</b>	Customers inquire about the findings of their recent appliance safety checks, seeking information on any issues or recommendations for repairs or replacements.
<b>Data Size</b>	5,065 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Natural Gas Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ the \_\_\_\_ any \_\_\_\_ the findings \_\_\_\_ my appliance's safety inspection?  
I \_\_\_\_ wondering if \_\_\_\_ technician \_\_\_\_ inspecting my appliance.  
Did the inspection \_\_\_\_ lead \_\_\_\_ action being taken \_\_\_\_ make \_\_\_\_ ?  
\_\_\_\_ technician \_\_\_\_ a fix \_\_\_\_ checking my \_\_\_\_ safety?  
\_\_\_\_ the technician suggest \_\_\_\_ to take \_\_\_\_ inspecting \_\_\_\_ ?  
Does \_\_\_\_ findings \_\_\_\_ my \_\_\_\_ inspection lead \_\_\_\_ a technician?  
After \_\_\_\_ my appliance's safety \_\_\_\_ the technician give \_\_\_\_ ?  
The technician \_\_\_\_ recommended \_\_\_\_ according to the \_\_\_\_ safety inspection.  
\_\_\_\_ you \_\_\_\_ the technician \_\_\_\_ recommendations based on \_\_\_\_ safety check?  
\_\_\_\_ the \_\_\_\_ lead to any recommendations \_\_\_\_ the technician \_\_\_\_ appliance's safety?  
\_\_\_\_ the technician \_\_\_\_ afterchecking my \_\_\_\_ ?  
Is there \_\_\_\_ guidelines \_\_\_\_ by \_\_\_\_ technician \_\_\_\_ inspection of \_\_\_\_ ?  
Is \_\_\_\_ that \_\_\_\_ recommended \_\_\_\_ based \_\_\_\_ the findings \_\_\_\_ appliance's safety inspection?  
\_\_\_\_ technician have \_\_\_\_ after \_\_\_\_ appliance?  
Is \_\_\_\_ action \_\_\_\_ were advised \_\_\_\_ examination \_\_\_\_ my appliance?  
I \_\_\_\_ about the recommendations \_\_\_\_ technician gave \_\_\_\_ my \_\_\_\_ .  
Suggestions for taking action \_\_\_\_ of \_\_\_\_ ?  
What actions did \_\_\_\_ after \_\_\_\_ appliance's \_\_\_\_ inspection?  
Any suggestions \_\_\_\_ the \_\_\_\_ about \_\_\_\_ safety \_\_\_\_ ?  
Does \_\_\_\_ appliance's \_\_\_\_ lead to \_\_\_\_ recommendation of \_\_\_\_ technician?  
Did \_\_\_\_ make \_\_\_\_ recommendation \_\_\_\_ on the \_\_\_\_ appliance inspection?  
\_\_\_\_ on the findings \_\_\_\_ safety inspection, \_\_\_\_ technician \_\_\_\_ have made \_\_\_\_ .  
\_\_\_\_ want \_\_\_\_ know if there \_\_\_\_ actions after my \_\_\_\_ check.  
He \_\_\_\_ appliance's safety, did \_\_\_\_ any specific \_\_\_\_ take?  
\_\_\_\_ want \_\_\_\_ know \_\_\_\_ gave any recommendations \_\_\_\_ inspecting the \_\_\_\_ .  
\_\_\_\_ give \_\_\_\_ safety \_\_\_\_ for my appliance?  
\_\_\_\_ was wondering \_\_\_\_ gave any recommendations after inspecting \_\_\_\_ .  
\_\_\_\_ my \_\_\_\_ inspection \_\_\_\_ to \_\_\_\_ being recommended by the technician?  
What did \_\_\_\_ after \_\_\_\_ inspection?

\_\_\_\_\_ may \_\_\_\_\_ suggested fixes after checking \_\_\_\_\_ appliance's \_\_\_\_\_.  
 \_\_\_\_\_ wondered if \_\_\_\_\_ gave me any advice after \_\_\_\_\_.  
 \_\_\_\_\_ the technician \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?  
 Does \_\_\_\_\_ findings \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ action \_\_\_\_\_ taken by the \_\_\_\_\_?  
 \_\_\_\_\_ findings \_\_\_\_\_ my \_\_\_\_\_ inspection \_\_\_\_\_ lead \_\_\_\_\_ a recommendation \_\_\_\_\_ by the \_\_\_\_\_.  
 Do \_\_\_\_\_ of my appliance's inspection \_\_\_\_\_ a recommendation \_\_\_\_\_ by \_\_\_\_\_?  
 It is possible that \_\_\_\_\_ technician recommended \_\_\_\_\_ from \_\_\_\_\_ safety \_\_\_\_\_.  
 \_\_\_\_\_ whether \_\_\_\_\_ gave \_\_\_\_\_ recommendations after inspecting my \_\_\_\_\_.  
 Have \_\_\_\_\_ technician provided any \_\_\_\_\_ inspecting \_\_\_\_\_?  
 \_\_\_\_\_ what did \_\_\_\_\_ technician suggest?  
 \_\_\_\_\_ there \_\_\_\_\_ recommendations \_\_\_\_\_ safety check on my \_\_\_\_\_?  
 After \_\_\_\_\_ appliance's safety, did he give \_\_\_\_\_?  
 \_\_\_\_\_ the findings \_\_\_\_\_ my \_\_\_\_\_ checkup \_\_\_\_\_ to the \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ asked if there were \_\_\_\_\_ following \_\_\_\_\_ safety \_\_\_\_\_ on \_\_\_\_\_.  
 Any \_\_\_\_\_ for my appliance's \_\_\_\_\_ inspection \_\_\_\_\_?  
 After \_\_\_\_\_ appliance's \_\_\_\_\_ any advice \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ wondered if \_\_\_\_\_ any guidelines \_\_\_\_\_ the technician \_\_\_\_\_ inspecting my \_\_\_\_\_.  
 \_\_\_\_\_ looking at the \_\_\_\_\_ suggest any \_\_\_\_\_ to take?  
 After \_\_\_\_\_ appliance, \_\_\_\_\_ technician \_\_\_\_\_ recommendations?  
 \_\_\_\_\_ wonder \_\_\_\_\_ action \_\_\_\_\_ were advised while examining \_\_\_\_\_.  
 Did \_\_\_\_\_ after inspecting \_\_\_\_\_ appliance?  
 Do \_\_\_\_\_ know \_\_\_\_\_ technician advised \_\_\_\_\_ after the safety \_\_\_\_\_ my appliance?  
 \_\_\_\_\_ there \_\_\_\_\_ to recommend after the \_\_\_\_\_ check \_\_\_\_\_?  
 Do \_\_\_\_\_ findings from \_\_\_\_\_ appliance's \_\_\_\_\_ lead to \_\_\_\_\_ from \_\_\_\_\_ technician?  
 Is the \_\_\_\_\_ of \_\_\_\_\_ inspection going to \_\_\_\_\_ by \_\_\_\_\_ technician?  
 \_\_\_\_\_ I get any \_\_\_\_\_ technician after my appliance's \_\_\_\_\_?  
 I am curious \_\_\_\_\_ technician \_\_\_\_\_ advice \_\_\_\_\_ my \_\_\_\_\_ safety.  
 \_\_\_\_\_ findings \_\_\_\_\_ inspection lead to \_\_\_\_\_ recommendation of \_\_\_\_\_ from a technician?  
 \_\_\_\_\_ findings \_\_\_\_\_ appliance's inspection lead to \_\_\_\_\_ action \_\_\_\_\_ the technician?  
 \_\_\_\_\_ the technician \_\_\_\_\_ to do \_\_\_\_\_ inspecting the \_\_\_\_\_?  
 \_\_\_\_\_ of my appliance's inspection \_\_\_\_\_ to a \_\_\_\_\_ from \_\_\_\_\_?  
 The technician \_\_\_\_\_ recommend \_\_\_\_\_ the \_\_\_\_\_ from the \_\_\_\_\_ safety inspection.  
 \_\_\_\_\_ findings of my \_\_\_\_\_ to the recommendation of \_\_\_\_\_ by \_\_\_\_\_.  
 Did \_\_\_\_\_ of \_\_\_\_\_ appliance's \_\_\_\_\_ to a \_\_\_\_\_ by the \_\_\_\_\_?  
 \_\_\_\_\_ the technician's recommendation \_\_\_\_\_ the findings \_\_\_\_\_ appliance \_\_\_\_\_ inspection?  
 What \_\_\_\_\_ the \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?  
 The \_\_\_\_\_ have made \_\_\_\_\_ findings from the \_\_\_\_\_ safety \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ appliance's \_\_\_\_\_ lead to \_\_\_\_\_ recommendation of \_\_\_\_\_ technician?  
 \_\_\_\_\_ any suggestion given \_\_\_\_\_ your \_\_\_\_\_ regarding my \_\_\_\_\_ results?  
 Did \_\_\_\_\_ technician \_\_\_\_\_ suggestions \_\_\_\_\_ my appliances' \_\_\_\_\_ inspection results?  
 \_\_\_\_\_ of \_\_\_\_\_ appliance's inspection lead \_\_\_\_\_ of any action from the \_\_\_\_\_?  
 Did he recommend any \_\_\_\_\_ evaluating \_\_\_\_\_?  
 Did \_\_\_\_\_ technician \_\_\_\_\_ after checking my \_\_\_\_\_?  
 \_\_\_\_\_ asked if there were any recommendations \_\_\_\_\_ my \_\_\_\_\_.  
 Any suggestions for actions \_\_\_\_\_ the \_\_\_\_\_?  
 According \_\_\_\_\_ the \_\_\_\_\_ from the \_\_\_\_\_ safety \_\_\_\_\_ the \_\_\_\_\_ recommended actions.  
 \_\_\_\_\_ findings of my \_\_\_\_\_ inspection \_\_\_\_\_ to any \_\_\_\_\_ being \_\_\_\_\_ technician?  
 The technician \_\_\_\_\_ proposed actions \_\_\_\_\_ the appliance's \_\_\_\_\_.  
 \_\_\_\_\_ of \_\_\_\_\_ lead to any recommended action being \_\_\_\_\_?  
 \_\_\_\_\_ true that \_\_\_\_\_ were advised upon \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ if the \_\_\_\_\_ told me any further \_\_\_\_\_ my \_\_\_\_\_?

I \_\_\_\_\_ wondering \_\_\_\_\_ items \_\_\_\_\_ examining my appliance.

The \_\_\_\_\_ might have made a \_\_\_\_\_ on \_\_\_\_\_ from the \_\_\_\_\_ appliance.

\_\_\_\_\_ give me advice \_\_\_\_\_ of my appliance?

I want to \_\_\_\_\_ technician \_\_\_\_\_ any \_\_\_\_\_ steps based \_\_\_\_\_ the \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ recommended action \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ want to \_\_\_\_\_ if \_\_\_\_\_ technician \_\_\_\_\_ any further \_\_\_\_\_ my appliance's safety \_\_\_\_\_.

Did \_\_\_\_\_ technician suggest any \_\_\_\_\_ after checking \_\_\_\_\_ safety \_\_\_\_\_?

\_\_\_\_\_ suggest fixes after \_\_\_\_\_ out my appliance's \_\_\_\_\_?

Did any \_\_\_\_\_ safety \_\_\_\_\_ on my appliance?

\_\_\_\_\_ technician \_\_\_\_\_ suggested \_\_\_\_\_ action after inspecting my \_\_\_\_\_.

Did \_\_\_\_\_ suggest \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_ safety?

I'm curious about whether \_\_\_\_\_ recommendations after \_\_\_\_\_ my \_\_\_\_\_.

\_\_\_\_\_ technician suggest any fixes after \_\_\_\_\_ the \_\_\_\_\_?

The \_\_\_\_\_ made recommended actions based on the findings \_\_\_\_\_.

What recommendations do \_\_\_\_\_ about \_\_\_\_\_ appliance's safety \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ a recommendation based on \_\_\_\_\_ findings \_\_\_\_\_ safety \_\_\_\_\_ on \_\_\_\_\_ appliance.

Does the \_\_\_\_\_ recommend \_\_\_\_\_ to \_\_\_\_\_ is checked?

The \_\_\_\_\_ might have \_\_\_\_\_ actions after \_\_\_\_\_ appliance's \_\_\_\_\_.

\_\_\_\_\_ the findings \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ a \_\_\_\_\_ from \_\_\_\_\_ technician?

The technician \_\_\_\_\_ at \_\_\_\_\_ appliance's \_\_\_\_\_ did \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ the technician suggest \_\_\_\_\_ my appliance's \_\_\_\_\_?

Following \_\_\_\_\_ what did \_\_\_\_\_ technician suggest?

Does \_\_\_\_\_ findings of \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ the recommendation of \_\_\_\_\_?

\_\_\_\_\_ appliance's \_\_\_\_\_ did he \_\_\_\_\_ any specific \_\_\_\_\_ to take?

Is the \_\_\_\_\_ any recommendations \_\_\_\_\_ appliance?

Has the technician recommended \_\_\_\_\_?

\_\_\_\_\_ of my appliance's \_\_\_\_\_ to the recommendation of anything \_\_\_\_\_?

\_\_\_\_\_ technician's suggestions after \_\_\_\_\_ appliance's safety \_\_\_\_\_?

\_\_\_\_\_ were the \_\_\_\_\_ after inspecting \_\_\_\_\_?

What \_\_\_\_\_ technician make after \_\_\_\_\_ my \_\_\_\_\_?

Does \_\_\_\_\_ technician say what to \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ check \_\_\_\_\_ my appliance?

Does the findings \_\_\_\_\_ appliance's inspection \_\_\_\_\_ anything \_\_\_\_\_ done \_\_\_\_\_ the \_\_\_\_\_?

Do \_\_\_\_\_ from my \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ from the technician?

\_\_\_\_\_ am interested in \_\_\_\_\_ the \_\_\_\_\_ gave \_\_\_\_\_ suggestions after \_\_\_\_\_.

Do you \_\_\_\_\_ action \_\_\_\_\_ were advised upon \_\_\_\_\_ my \_\_\_\_\_?

Did the \_\_\_\_\_ give me any \_\_\_\_\_ safety?

\_\_\_\_\_ am \_\_\_\_\_ the technician's recommendation \_\_\_\_\_ inspecting \_\_\_\_\_ appliance.

After inspecting \_\_\_\_\_ did \_\_\_\_\_ offer any \_\_\_\_\_?

\_\_\_\_\_ any prescribed \_\_\_\_\_ after my \_\_\_\_\_ assessment?

\_\_\_\_\_ the \_\_\_\_\_ suggesting \_\_\_\_\_ after \_\_\_\_\_ my appliance's \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ inspection of \_\_\_\_\_ any steps \_\_\_\_\_ take?

\_\_\_\_\_ if the technician gave \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_.

\_\_\_\_\_ technician inspected \_\_\_\_\_ appliance, \_\_\_\_\_ did he \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ might have recommended \_\_\_\_\_ based on findings \_\_\_\_\_ the safety \_\_\_\_\_.

Have \_\_\_\_\_ provided \_\_\_\_\_ recommendations after \_\_\_\_\_ my appliance?

Any \_\_\_\_\_ from the \_\_\_\_\_ the \_\_\_\_\_ my appliance?

\_\_\_\_\_ may \_\_\_\_\_ made \_\_\_\_\_ recommendation \_\_\_\_\_ findings from \_\_\_\_\_ safety inspection on \_\_\_\_\_ appliance.

\_\_\_\_\_ might \_\_\_\_\_ recommendation based \_\_\_\_\_ from \_\_\_\_\_ safety inspection on the appliance.

\_\_\_\_\_ results of \_\_\_\_\_ inspection \_\_\_\_\_ to a recommendation \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the wake \_\_\_\_\_ my appliances' \_\_\_\_\_ did your \_\_\_\_\_ me \_\_\_\_\_ suggestions?  
 \_\_\_\_\_ if there was \_\_\_\_\_ advice \_\_\_\_\_ technician \_\_\_\_\_ evaluating \_\_\_\_\_ appliance's safety.  
 Did the \_\_\_\_\_ findings lead \_\_\_\_\_ the \_\_\_\_\_ suggesting \_\_\_\_\_ protect \_\_\_\_\_ safety?  
 \_\_\_\_\_ any suggestion \_\_\_\_\_ by \_\_\_\_\_ technician \_\_\_\_\_ my \_\_\_\_\_ safety inspection \_\_\_\_\_?  
 \_\_\_\_\_ was wondering \_\_\_\_\_ technician \_\_\_\_\_ safety recommendations after inspecting my \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ going to \_\_\_\_\_ after inspecting my \_\_\_\_\_?  
 \_\_\_\_\_ the findings of \_\_\_\_\_ appliance's \_\_\_\_\_ to \_\_\_\_\_ recommendation \_\_\_\_\_ any \_\_\_\_\_ from \_\_\_\_\_ technician?  
 After \_\_\_\_\_ my appliance's \_\_\_\_\_ did the \_\_\_\_\_ actions?  
 Any \_\_\_\_\_ the \_\_\_\_\_ my appliance?  
 I'd \_\_\_\_\_ if action items \_\_\_\_\_ advised \_\_\_\_\_ examining \_\_\_\_\_ appliance.  
 \_\_\_\_\_ advice would \_\_\_\_\_ after \_\_\_\_\_ my appliance's safety?  
 I'm curious if \_\_\_\_\_ any suggestions after inspecting \_\_\_\_\_.  
 Is there \_\_\_\_\_ advice \_\_\_\_\_ after evaluating my \_\_\_\_\_?  
 \_\_\_\_\_ recommendations \_\_\_\_\_ appliance's \_\_\_\_\_ inspection findings?  
 \_\_\_\_\_ technician might have made \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ the appliance \_\_\_\_\_.  
 Following the \_\_\_\_\_ inspection, \_\_\_\_\_ actions did the \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ suggest any actions \_\_\_\_\_ my \_\_\_\_\_?  
 Did \_\_\_\_\_ anything to the \_\_\_\_\_ my appliance?  
 Did the \_\_\_\_\_ suggest any fixes \_\_\_\_\_ safety?  
 Did \_\_\_\_\_ actions \_\_\_\_\_ after the \_\_\_\_\_ findings lead \_\_\_\_\_ appliance's safety?  
 \_\_\_\_\_ my \_\_\_\_\_ technician suggest any course of \_\_\_\_\_?  
 \_\_\_\_\_ wondering \_\_\_\_\_ anything after \_\_\_\_\_ my appliance's safety inspection findings.  
 \_\_\_\_\_ the technician give \_\_\_\_\_ safety recommendations \_\_\_\_\_ appliance?  
 \_\_\_\_\_ the \_\_\_\_\_ suggested \_\_\_\_\_ after checking my \_\_\_\_\_ safety?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ inspection \_\_\_\_\_ recommended \_\_\_\_\_ by the technician?  
 \_\_\_\_\_ about actions to take \_\_\_\_\_ the \_\_\_\_\_ appliance?  
 \_\_\_\_\_ the \_\_\_\_\_ appliance's \_\_\_\_\_ lead to the recommendation \_\_\_\_\_ any \_\_\_\_\_ by \_\_\_\_\_ technician?  
 Did the \_\_\_\_\_ me recommendations \_\_\_\_\_ analyzing \_\_\_\_\_ safety \_\_\_\_\_?  
 Do \_\_\_\_\_ of \_\_\_\_\_ lead \_\_\_\_\_ the recommendation \_\_\_\_\_ actions \_\_\_\_\_ the technician?  
 The technician \_\_\_\_\_ my \_\_\_\_\_ give \_\_\_\_\_ guidelines?  
 \_\_\_\_\_ curious \_\_\_\_\_ technician's recommendations \_\_\_\_\_ inspecting my appliance.  
 Do you \_\_\_\_\_ any \_\_\_\_\_ on my appliance?  
 \_\_\_\_\_ from the \_\_\_\_\_ about \_\_\_\_\_ safety \_\_\_\_\_?  
 \_\_\_\_\_ findings of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ to the \_\_\_\_\_ anything?  
 After \_\_\_\_\_ safety inspection results, \_\_\_\_\_ your technician \_\_\_\_\_ any \_\_\_\_\_?  
 Is the \_\_\_\_\_ recommendation \_\_\_\_\_ the \_\_\_\_\_ my appliance's safety \_\_\_\_\_?  
 The technician \_\_\_\_\_ have \_\_\_\_\_ a \_\_\_\_\_ action \_\_\_\_\_ inspecting \_\_\_\_\_ appliance.  
 Does the technician \_\_\_\_\_ after \_\_\_\_\_ appliance's \_\_\_\_\_ findings?  
 \_\_\_\_\_ the technician \_\_\_\_\_ something after looking \_\_\_\_\_ safety?  
 \_\_\_\_\_ inspecting \_\_\_\_\_ appliance \_\_\_\_\_ safety, have \_\_\_\_\_ recommended anything?  
 \_\_\_\_\_ the technician \_\_\_\_\_ advice \_\_\_\_\_ checking \_\_\_\_\_?  
 \_\_\_\_\_ the findings \_\_\_\_\_ inspection \_\_\_\_\_ to any \_\_\_\_\_ being recommended by \_\_\_\_\_?  
 I was \_\_\_\_\_ there were any \_\_\_\_\_ appliance \_\_\_\_\_ check.  
 Should I get any advice \_\_\_\_\_ the \_\_\_\_\_ safety?  
 \_\_\_\_\_ interested \_\_\_\_\_ whether \_\_\_\_\_ gave any recommendations after \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ the findings \_\_\_\_\_ inspection lead \_\_\_\_\_ a technician's \_\_\_\_\_?  
 \_\_\_\_\_ checking my \_\_\_\_\_ for \_\_\_\_\_ should \_\_\_\_\_ suggest \_\_\_\_\_ actions?  
 \_\_\_\_\_ would \_\_\_\_\_ to know \_\_\_\_\_ next \_\_\_\_\_ after \_\_\_\_\_ safety \_\_\_\_\_ my appliance.  
 Do the technician \_\_\_\_\_ for \_\_\_\_\_ inspection?

\_\_\_\_\_ was \_\_\_\_\_ if \_\_\_\_\_ after the \_\_\_\_\_ on my appliance.

Did the technician give \_\_\_\_\_ any recommendations after \_\_\_\_\_ inspection \_\_\_\_\_?

\_\_\_\_\_ my \_\_\_\_\_ inspection lead to a \_\_\_\_\_ recommendation?

\_\_\_\_\_ action after the \_\_\_\_\_ appliance?

advice \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_ safety?

\_\_\_\_\_ if action items \_\_\_\_\_ after I examined \_\_\_\_\_ appliance?

I \_\_\_\_\_ curious \_\_\_\_\_ the technician \_\_\_\_\_ any \_\_\_\_\_ after \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ anything that the technician has \_\_\_\_\_ regarding \_\_\_\_\_ outcomes of my \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of my appliance's inspection \_\_\_\_\_ to \_\_\_\_\_ actions \_\_\_\_\_ the \_\_\_\_\_?

Can the technician \_\_\_\_\_ any \_\_\_\_\_ appliance's safety?

Does \_\_\_\_\_ recommend any specific \_\_\_\_\_ after analyzing \_\_\_\_\_?

After evaluating \_\_\_\_\_ appliance's safety \_\_\_\_\_ the technician \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ a recommendation \_\_\_\_\_ safety inspection \_\_\_\_\_ my appliance.

\_\_\_\_\_ evaluating the \_\_\_\_\_ he \_\_\_\_\_ any \_\_\_\_\_ to take?

Does the \_\_\_\_\_ any further steps \_\_\_\_\_ the appliance's \_\_\_\_\_?

\_\_\_\_\_ technician suggest anything \_\_\_\_\_ after inspecting my \_\_\_\_\_?

\_\_\_\_\_ want to \_\_\_\_\_ me any \_\_\_\_\_ after inspecting my appliance.

Does \_\_\_\_\_ technician \_\_\_\_\_ any actions \_\_\_\_\_ appliance?

\_\_\_\_\_ the findings of \_\_\_\_\_ lead to \_\_\_\_\_ by \_\_\_\_\_ technician?

I \_\_\_\_\_ the technician gave any \_\_\_\_\_ inspecting \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ told me \_\_\_\_\_ steps \_\_\_\_\_ take after \_\_\_\_\_ inspection?

\_\_\_\_\_ technician \_\_\_\_\_ have \_\_\_\_\_ recommendations \_\_\_\_\_ on findings from \_\_\_\_\_ inspection on \_\_\_\_\_.

\_\_\_\_\_ to know if action \_\_\_\_\_ when \_\_\_\_\_ my appliance.

Did the \_\_\_\_\_ recommend actions \_\_\_\_\_?

As \_\_\_\_\_ result of \_\_\_\_\_ safety inspection \_\_\_\_\_ were there \_\_\_\_\_ suggestions \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ technician give any \_\_\_\_\_ after inspecting \_\_\_\_\_?

Will \_\_\_\_\_ any advice \_\_\_\_\_ evaluating \_\_\_\_\_ appliance?

I am curious \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ appliance.

I \_\_\_\_\_ technician \_\_\_\_\_ any recommendations after inspecting \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ recommend anything based \_\_\_\_\_ findings \_\_\_\_\_ the appliance \_\_\_\_\_?

I'm interested \_\_\_\_\_ know \_\_\_\_\_ gave any \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_.

\_\_\_\_\_ he recommend \_\_\_\_\_ measures after evaluating \_\_\_\_\_ safety?

Did the \_\_\_\_\_ recommendation \_\_\_\_\_ on \_\_\_\_\_ safety inspection?

Is \_\_\_\_\_ a \_\_\_\_\_ take after evaluating \_\_\_\_\_ safety?

\_\_\_\_\_ the \_\_\_\_\_ my \_\_\_\_\_ inspection \_\_\_\_\_ to any changes \_\_\_\_\_ made by \_\_\_\_\_?

The technician may have \_\_\_\_\_ the findings \_\_\_\_\_ the \_\_\_\_\_ my appliance.

\_\_\_\_\_ am \_\_\_\_\_ to see whether the \_\_\_\_\_ recommendations \_\_\_\_\_ inspecting \_\_\_\_\_ appliance.

\_\_\_\_\_ my \_\_\_\_\_ have the \_\_\_\_\_ provided any safety \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ inspection \_\_\_\_\_ any recommendations regarding the \_\_\_\_\_ safety?

\_\_\_\_\_ to \_\_\_\_\_ appliances' safety inspection \_\_\_\_\_ did \_\_\_\_\_ give any \_\_\_\_\_?

\_\_\_\_\_ safety inspection of my appliance \_\_\_\_\_ steps \_\_\_\_\_ considered?

\_\_\_\_\_ wondered \_\_\_\_\_ the technician had given me \_\_\_\_\_ my \_\_\_\_\_.

After \_\_\_\_\_ appliance, \_\_\_\_\_ technician \_\_\_\_\_ any recommendations?

Has the technician provided \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_?

The \_\_\_\_\_ might have made recommendations based \_\_\_\_\_ findings \_\_\_\_\_ inspection

\_\_\_\_\_ technician give \_\_\_\_\_ suggestions after \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ after the inspection \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ if the \_\_\_\_\_ gave any \_\_\_\_\_ my appliance's safety.

\_\_\_\_\_ technician \_\_\_\_\_ any advice after evaluating \_\_\_\_\_ appliance's \_\_\_\_\_ inspection \_\_\_\_\_?

\_\_\_\_\_ any advice after \_\_\_\_\_ my appliance?

\_\_\_\_\_ might have \_\_\_\_\_ actions \_\_\_\_\_ on the \_\_\_\_\_ safety \_\_\_\_\_.

I was \_\_\_\_\_ about whether \_\_\_\_\_ gave \_\_\_\_\_ after inspecting \_\_\_\_\_.

What did the \_\_\_\_\_ after \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ am \_\_\_\_\_ know \_\_\_\_\_ technician gave any safety \_\_\_\_\_ inspecting my \_\_\_\_\_.

\_\_\_\_\_ technician \_\_\_\_\_ any \_\_\_\_\_ evaluating my appliance's safety?

\_\_\_\_\_ appliance's \_\_\_\_\_ inspection needs \_\_\_\_\_ recommendations from \_\_\_\_\_?

Do \_\_\_\_\_ my appliance's \_\_\_\_\_ to any \_\_\_\_\_ by \_\_\_\_\_ technician?

Is there \_\_\_\_\_ by \_\_\_\_\_ technician after \_\_\_\_\_ is inspected?

\_\_\_\_\_ the \_\_\_\_\_ make \_\_\_\_\_ recommendations based \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_?

\_\_\_\_\_ advice \_\_\_\_\_ the technician \_\_\_\_\_ after evaluating \_\_\_\_\_ appliance's \_\_\_\_\_?

Do the findings of \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ technician?

\_\_\_\_\_ the \_\_\_\_\_ safety, \_\_\_\_\_ he suggest \_\_\_\_\_ changes?

Do the findings \_\_\_\_\_ appliance's inspection cause \_\_\_\_\_ recommend \_\_\_\_\_?

Do the \_\_\_\_\_ of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ would like \_\_\_\_\_ action \_\_\_\_\_ were \_\_\_\_\_ upon examining my \_\_\_\_\_.

\_\_\_\_\_ the inspection \_\_\_\_\_ do anything about my appliance's \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ recommendations based on \_\_\_\_\_ results \_\_\_\_\_ my \_\_\_\_\_ safety inspection?

Is \_\_\_\_\_ possible \_\_\_\_\_ the findings of my \_\_\_\_\_ lead \_\_\_\_\_ actions \_\_\_\_\_ the technician?

What advice \_\_\_\_\_ technician give \_\_\_\_\_ evaluating \_\_\_\_\_ safety?

Does the findings of \_\_\_\_\_ inspection \_\_\_\_\_ a recommended \_\_\_\_\_ technician?

Is \_\_\_\_\_ possible \_\_\_\_\_ were advised \_\_\_\_\_ examining \_\_\_\_\_ appliance?

\_\_\_\_\_ any \_\_\_\_\_ actions following my \_\_\_\_\_ safety check?

\_\_\_\_\_ curious \_\_\_\_\_ any tips after inspecting my appliance.

\_\_\_\_\_ there \_\_\_\_\_ the technician gave \_\_\_\_\_ my appliance?

I \_\_\_\_\_ guidelines \_\_\_\_\_ by the technician \_\_\_\_\_ he \_\_\_\_\_ my appliance.

I want \_\_\_\_\_ know if \_\_\_\_\_ suggestions after \_\_\_\_\_ inspection \_\_\_\_\_ my \_\_\_\_\_.

Did \_\_\_\_\_ recommend \_\_\_\_\_ to keep my \_\_\_\_\_?

\_\_\_\_\_ recommendations following \_\_\_\_\_ safety \_\_\_\_\_?

Did \_\_\_\_\_ technician \_\_\_\_\_ a \_\_\_\_\_ after inspecting my \_\_\_\_\_?

Does technician \_\_\_\_\_ checking \_\_\_\_\_ appliance?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ technician made \_\_\_\_\_ recommendations on \_\_\_\_\_ safety \_\_\_\_\_ my \_\_\_\_\_?

Suggestions for actions to \_\_\_\_\_ my appliance?

\_\_\_\_\_ there any guidelines \_\_\_\_\_ by the technician \_\_\_\_\_ appliance \_\_\_\_\_?

\_\_\_\_\_ curious if \_\_\_\_\_ technician gave \_\_\_\_\_ advice \_\_\_\_\_ appliance.

I wonder if the \_\_\_\_\_ inspecting my appliance?

I \_\_\_\_\_ if the \_\_\_\_\_ gave recommendations \_\_\_\_\_ inspecting \_\_\_\_\_.

\_\_\_\_\_ technician might have \_\_\_\_\_ actions \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ inspection.

Did \_\_\_\_\_ me \_\_\_\_\_ suggestions on \_\_\_\_\_ of my appliance?

\_\_\_\_\_ was \_\_\_\_\_ if \_\_\_\_\_ were \_\_\_\_\_ recommendations \_\_\_\_\_ the check on \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ inspection \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ from a \_\_\_\_\_?

Did the technician \_\_\_\_\_ any \_\_\_\_\_ appliance's safety?

Did the \_\_\_\_\_ course of \_\_\_\_\_ checking \_\_\_\_\_ appliance?

Does \_\_\_\_\_ recommend any safety \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ findings of my appliance's inspection might lead \_\_\_\_\_ technician.

Do the \_\_\_\_\_ the \_\_\_\_\_ to any \_\_\_\_\_ from the \_\_\_\_\_?

Did \_\_\_\_\_ inspection findings prompt \_\_\_\_\_ make any changes \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ the findings of my \_\_\_\_\_ to any \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ technician may \_\_\_\_\_ recommended actions based on \_\_\_\_\_ from the \_\_\_\_\_.

\_\_\_\_\_ technician \_\_\_\_\_ a \_\_\_\_\_ inspecting my appliance?

\_\_\_\_\_ suggest fixes \_\_\_\_\_ checking my appliance's \_\_\_\_\_.

\_\_\_\_\_ am curious \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ gave \_\_\_\_\_ \_\_\_\_\_ inspecting my appliance's \_\_\_\_\_.

I don't \_\_\_\_\_ if \_\_\_\_\_ technician proposed any \_\_\_\_\_ after \_\_\_\_\_.

\_\_\_\_\_ outcomes of my \_\_\_\_\_ safety inspection be \_\_\_\_\_ by \_\_\_\_\_?

Does \_\_\_\_\_ technician give \_\_\_\_\_ advice \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?

Did \_\_\_\_\_ technician \_\_\_\_\_ recommendations on \_\_\_\_\_ of my \_\_\_\_\_?

Do the \_\_\_\_\_ suggest any \_\_\_\_\_ my appliance?

\_\_\_\_\_ my appliance, but did he \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ recommendations \_\_\_\_\_ after \_\_\_\_\_ my appliance's safety findings?

\_\_\_\_\_ the technician \_\_\_\_\_ on the outcomes \_\_\_\_\_ the \_\_\_\_\_ safety \_\_\_\_\_?

Do \_\_\_\_\_ findings of the \_\_\_\_\_ inspection lead \_\_\_\_\_ a \_\_\_\_\_?

Did the \_\_\_\_\_ recommend \_\_\_\_\_ changes \_\_\_\_\_ safety \_\_\_\_\_ findings?

\_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ technician \_\_\_\_\_ any more steps \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ lead to any \_\_\_\_\_ to \_\_\_\_\_ my appliance's safety?

After examining my appliance's safety, \_\_\_\_\_ propose \_\_\_\_\_?

\_\_\_\_\_ findings \_\_\_\_\_ my appliance's inspection lead \_\_\_\_\_ any \_\_\_\_\_ technician?

\_\_\_\_\_ the \_\_\_\_\_ fixes for my \_\_\_\_\_ checking it?

After inspecting \_\_\_\_\_ did \_\_\_\_\_ technician \_\_\_\_\_ something to \_\_\_\_\_?

The \_\_\_\_\_ have \_\_\_\_\_ recommendation \_\_\_\_\_ findings from \_\_\_\_\_ safety inspection \_\_\_\_\_ my appliance.

The technician \_\_\_\_\_ made a recommendation due to \_\_\_\_\_ findings \_\_\_\_\_.

\_\_\_\_\_ may have recommended \_\_\_\_\_ on the \_\_\_\_\_ inspection \_\_\_\_\_ on my \_\_\_\_\_.

Has \_\_\_\_\_ technician \_\_\_\_\_ me \_\_\_\_\_ outcomes of the appliance \_\_\_\_\_?

I \_\_\_\_\_ wondering \_\_\_\_\_ the \_\_\_\_\_ any recommendations \_\_\_\_\_ my \_\_\_\_\_ safety.

\_\_\_\_\_ appliance's inspection can \_\_\_\_\_ to \_\_\_\_\_ being recommended \_\_\_\_\_ the technician.

\_\_\_\_\_ offered any recommendations \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?

I want to \_\_\_\_\_ technician suggested after \_\_\_\_\_ appliance's \_\_\_\_\_.

Do findings of \_\_\_\_\_ recommendation from a technician?

\_\_\_\_\_ asked \_\_\_\_\_ if he gave any \_\_\_\_\_ inspecting my \_\_\_\_\_.

Did the \_\_\_\_\_ suggest \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ findings \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ regarding my appliance's safety?

Do \_\_\_\_\_ appliance's inspection lead \_\_\_\_\_ action by the \_\_\_\_\_?

\_\_\_\_\_ findings may have led to \_\_\_\_\_ by \_\_\_\_\_ my appliance's \_\_\_\_\_.

\_\_\_\_\_ suggest any fixes \_\_\_\_\_ checking my \_\_\_\_\_?

I \_\_\_\_\_ like to \_\_\_\_\_ advised any further steps after \_\_\_\_\_ appliance's \_\_\_\_\_.

Following my \_\_\_\_\_ safety \_\_\_\_\_ actions \_\_\_\_\_ technician suggest?

Is \_\_\_\_\_ your \_\_\_\_\_ in \_\_\_\_\_ of my appliances' safety \_\_\_\_\_ results?

\_\_\_\_\_ did the \_\_\_\_\_ give after \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ be \_\_\_\_\_ at my \_\_\_\_\_ safety inspection \_\_\_\_\_?

After examining \_\_\_\_\_ appliance's \_\_\_\_\_ the \_\_\_\_\_ propose \_\_\_\_\_?

I \_\_\_\_\_ know \_\_\_\_\_ technician \_\_\_\_\_ me \_\_\_\_\_ recommendations after my appliance's \_\_\_\_\_ findings.

Did the inspection \_\_\_\_\_ to \_\_\_\_\_ actions \_\_\_\_\_ appliance's safety?

\_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ taken during my \_\_\_\_\_ safety \_\_\_\_\_?

The \_\_\_\_\_ a recommendation based on \_\_\_\_\_ findings \_\_\_\_\_ the \_\_\_\_\_ inspection

He \_\_\_\_\_ the \_\_\_\_\_ safety, did \_\_\_\_\_ suggest \_\_\_\_\_?

Did the \_\_\_\_\_ recommendations \_\_\_\_\_ the safety \_\_\_\_\_ appliance?

\_\_\_\_\_ of \_\_\_\_\_ appliance's \_\_\_\_\_ lead to \_\_\_\_\_ action being \_\_\_\_\_ by the technician?

Do \_\_\_\_\_ findings \_\_\_\_\_ my \_\_\_\_\_ to \_\_\_\_\_ action being \_\_\_\_\_ the technician?

After seeing \_\_\_\_\_ appliance's \_\_\_\_\_ inspection, \_\_\_\_\_ any actions.

\_\_\_\_\_ to \_\_\_\_\_ appliances' safety inspection \_\_\_\_\_ give any suggestions?

\_\_\_\_\_ you \_\_\_\_\_ suggestions for \_\_\_\_\_ steps after \_\_\_\_\_ safety inspection of \_\_\_\_\_?

When \_\_\_\_\_ appliances' safety \_\_\_\_\_ did \_\_\_\_\_ technician give \_\_\_\_\_ suggestions?

\_\_\_\_\_ technician \_\_\_\_\_ any recommendations \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?  
 Did \_\_\_\_\_ suggest a \_\_\_\_\_ of action \_\_\_\_\_ my \_\_\_\_\_?  
 The technician inspected my \_\_\_\_\_ for \_\_\_\_\_ but \_\_\_\_\_ he \_\_\_\_\_?  
 I want to \_\_\_\_\_ the technician advised \_\_\_\_\_ after \_\_\_\_\_ safety \_\_\_\_\_.  
 \_\_\_\_\_ there any \_\_\_\_\_ suggested by \_\_\_\_\_ regarding my \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ after inspecting \_\_\_\_\_ appliance?  
 I \_\_\_\_\_ I received any recommendations \_\_\_\_\_ appliance's \_\_\_\_\_ findings.  
 After \_\_\_\_\_ at the \_\_\_\_\_ safety, \_\_\_\_\_ he recommend \_\_\_\_\_?  
 \_\_\_\_\_ the findings of my \_\_\_\_\_ action \_\_\_\_\_ my technician?  
 Does \_\_\_\_\_ after checking my appliance's safety?  
 Did \_\_\_\_\_ findings from \_\_\_\_\_ lead to \_\_\_\_\_ suggestions \_\_\_\_\_ appliance's \_\_\_\_\_?  
 Do \_\_\_\_\_ my appliance's \_\_\_\_\_ result \_\_\_\_\_ a recommendation from \_\_\_\_\_?  
 Did the \_\_\_\_\_ findings \_\_\_\_\_ any \_\_\_\_\_ about \_\_\_\_\_ appliance's \_\_\_\_\_?  
 I \_\_\_\_\_ know \_\_\_\_\_ of my \_\_\_\_\_ inspection lead to \_\_\_\_\_ recommendation \_\_\_\_\_ any \_\_\_\_\_ by \_\_\_\_\_ technician.  
 Did the \_\_\_\_\_ suggest any \_\_\_\_\_ regarding my \_\_\_\_\_ inspection \_\_\_\_\_?  
 Can the \_\_\_\_\_ fixes after \_\_\_\_\_ safety?  
 Any \_\_\_\_\_ my appliance's inspection?  
 It \_\_\_\_\_ possible that the technician recommended \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ inspection.  
 \_\_\_\_\_ if the technician gave \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ findings.  
 Is \_\_\_\_\_ any \_\_\_\_\_ he recommended after \_\_\_\_\_ appliance's \_\_\_\_\_?  
 I wondered if I received \_\_\_\_\_ appliance's safety inspection findings.  
 Is \_\_\_\_\_ measures that \_\_\_\_\_ recommends to \_\_\_\_\_ evaluating \_\_\_\_\_ appliance's safety?  
 \_\_\_\_\_ findings lead \_\_\_\_\_ actions \_\_\_\_\_ the technician for my \_\_\_\_\_?  
 \_\_\_\_\_ the safety \_\_\_\_\_ appliance, any \_\_\_\_\_ steps \_\_\_\_\_ take?  
 I \_\_\_\_\_ advice from the technician \_\_\_\_\_ safety \_\_\_\_\_.  
 \_\_\_\_\_ was the technician's \_\_\_\_\_ inspected your \_\_\_\_\_?  
 I was \_\_\_\_\_ if the \_\_\_\_\_ gave \_\_\_\_\_ any advice after \_\_\_\_\_.  
 \_\_\_\_\_ wondering \_\_\_\_\_ technician gave any advice \_\_\_\_\_ my appliance's \_\_\_\_\_.  
 When my appliance's \_\_\_\_\_ the technician \_\_\_\_\_ fixes?  
 Did the technician \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ safety \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ wondered if \_\_\_\_\_ made any \_\_\_\_\_ after evaluating my \_\_\_\_\_.  
 Did \_\_\_\_\_ any \_\_\_\_\_ after \_\_\_\_\_ safety inspection of my \_\_\_\_\_?  
 \_\_\_\_\_ suggest \_\_\_\_\_ measures to take after evaluating the \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ taken after my \_\_\_\_\_ safety \_\_\_\_\_?  
 Suggestions \_\_\_\_\_ technician about \_\_\_\_\_ inspection?  
 \_\_\_\_\_ findings of \_\_\_\_\_ inspection lead \_\_\_\_\_ recommendation of \_\_\_\_\_ action by a \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ make after \_\_\_\_\_ appliance?  
 What recommendations \_\_\_\_\_ technician make \_\_\_\_\_ my appliance?  
 \_\_\_\_\_ have any \_\_\_\_\_ regarding \_\_\_\_\_ outcomes of \_\_\_\_\_ appliance's \_\_\_\_\_ inspection?  
 \_\_\_\_\_ actions \_\_\_\_\_ inspection \_\_\_\_\_ my appliance?  
 Did the \_\_\_\_\_ findings lead \_\_\_\_\_ any \_\_\_\_\_ by the \_\_\_\_\_ safety?  
 I \_\_\_\_\_ if \_\_\_\_\_ made me \_\_\_\_\_ safety recommendations for \_\_\_\_\_.  
 As a \_\_\_\_\_ of my \_\_\_\_\_ results, \_\_\_\_\_ your \_\_\_\_\_ any suggestions?  
 I don't know \_\_\_\_\_ technician suggested any \_\_\_\_\_ after \_\_\_\_\_.  
 \_\_\_\_\_ any recommendation \_\_\_\_\_ the technician after inspecting \_\_\_\_\_?  
 After \_\_\_\_\_ appliance's \_\_\_\_\_ the technician propose \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ recommendations based on the findings from the \_\_\_\_\_.  
 \_\_\_\_\_ technician might \_\_\_\_\_ some \_\_\_\_\_ checking my \_\_\_\_\_ for \_\_\_\_\_.  
 In light of my appliances' \_\_\_\_\_ any suggestions \_\_\_\_\_ technician?  
 I wondered if \_\_\_\_\_ suggested \_\_\_\_\_ inspecting \_\_\_\_\_ appliance.



After \_\_\_\_\_ appliance, \_\_\_\_\_ provided any recommendations?

He \_\_\_\_\_ appliance's safety, but did \_\_\_\_\_ suggest \_\_\_\_\_ to \_\_\_\_\_?

Is there \_\_\_\_\_ given \_\_\_\_\_ your technician \_\_\_\_\_ of \_\_\_\_\_ safety inspection results?

\_\_\_\_\_ technician \_\_\_\_\_ anything \_\_\_\_\_ my \_\_\_\_\_ safety inspection findings?

\_\_\_\_\_ the \_\_\_\_\_ recommend \_\_\_\_\_ after inspecting \_\_\_\_\_?

Did \_\_\_\_\_ give me any suggestions \_\_\_\_\_ of my \_\_\_\_\_?

After \_\_\_\_\_ appliance's \_\_\_\_\_ did \_\_\_\_\_ any changes?

\_\_\_\_\_ the \_\_\_\_\_ further \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ safety \_\_\_\_\_ can you tell me?

\_\_\_\_\_ advice \_\_\_\_\_ the technician give \_\_\_\_\_ the \_\_\_\_\_ inspection?

After checking \_\_\_\_\_ did \_\_\_\_\_ technician suggest \_\_\_\_\_?

Do \_\_\_\_\_ my appliance's \_\_\_\_\_ recommendations from a technician?

\_\_\_\_\_ evaluating my \_\_\_\_\_ inspection findings, did the \_\_\_\_\_ make \_\_\_\_\_?

I am wondering \_\_\_\_\_ the technician \_\_\_\_\_ any \_\_\_\_\_ inspecting \_\_\_\_\_.

\_\_\_\_\_ recommendation regarding the safety check \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ safety check on my \_\_\_\_\_ there any \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ any safety \_\_\_\_\_ after \_\_\_\_\_ my appliance?

What suggestions \_\_\_\_\_ by the \_\_\_\_\_ your appliance?

Did the \_\_\_\_\_ give me any \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ results made me wonder if \_\_\_\_\_ technician \_\_\_\_\_ suggestions.

\_\_\_\_\_ technician suggested any \_\_\_\_\_ my appliance?

\_\_\_\_\_ wondered \_\_\_\_\_ technician \_\_\_\_\_ me \_\_\_\_\_ recommendations after inspecting my \_\_\_\_\_.

I \_\_\_\_\_ if \_\_\_\_\_ made any recommendations \_\_\_\_\_ inspecting \_\_\_\_\_ appliance's \_\_\_\_\_.

Did \_\_\_\_\_ technician \_\_\_\_\_ action after inspecting \_\_\_\_\_?

\_\_\_\_\_ advice \_\_\_\_\_ technician give for \_\_\_\_\_ appliance \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ the technician suggested \_\_\_\_\_ after \_\_\_\_\_ appliance.

Are \_\_\_\_\_ my \_\_\_\_\_ to the \_\_\_\_\_ of actions \_\_\_\_\_ the technician?

Do the \_\_\_\_\_ my \_\_\_\_\_ inspection lead \_\_\_\_\_ a \_\_\_\_\_?

Was the \_\_\_\_\_ action after \_\_\_\_\_?

I am \_\_\_\_\_ as \_\_\_\_\_ the technician \_\_\_\_\_ recommendations after \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ any recommendations for my appliance's \_\_\_\_\_?

What \_\_\_\_\_ the technician \_\_\_\_\_ my appliance's safety \_\_\_\_\_?

Does the \_\_\_\_\_ of my appliance's inspection \_\_\_\_\_ anything \_\_\_\_\_ the \_\_\_\_\_?

Did \_\_\_\_\_ any recommendations from \_\_\_\_\_ technician \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ findings?

\_\_\_\_\_ the technician \_\_\_\_\_ to do after inspecting \_\_\_\_\_?

\_\_\_\_\_ technician might have \_\_\_\_\_ actions \_\_\_\_\_ on \_\_\_\_\_ from \_\_\_\_\_ safety \_\_\_\_\_.

Did the findings \_\_\_\_\_ my \_\_\_\_\_ inspection \_\_\_\_\_ recommendation \_\_\_\_\_ actions \_\_\_\_\_ technician?

Would \_\_\_\_\_ technician \_\_\_\_\_ my appliance?

\_\_\_\_\_ technician \_\_\_\_\_ have used \_\_\_\_\_ findings from \_\_\_\_\_ safety \_\_\_\_\_ a recommendation.

\_\_\_\_\_ from my appliance's inspection \_\_\_\_\_ to \_\_\_\_\_ recommendation \_\_\_\_\_ actions \_\_\_\_\_ the \_\_\_\_\_?

Any \_\_\_\_\_ technician about \_\_\_\_\_ appliance's \_\_\_\_\_?

\_\_\_\_\_ technician \_\_\_\_\_ any \_\_\_\_\_ after inspecting \_\_\_\_\_ appliance?

\_\_\_\_\_ technician may have made \_\_\_\_\_ recommendation based \_\_\_\_\_ the \_\_\_\_\_ inspection.

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ the technician making \_\_\_\_\_?

What \_\_\_\_\_ technician \_\_\_\_\_ my appliance for safety?

According to \_\_\_\_\_ from the safety \_\_\_\_\_ my \_\_\_\_\_ the \_\_\_\_\_ may have \_\_\_\_\_.

When \_\_\_\_\_ appliance's safety, \_\_\_\_\_ you have any \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ recommended \_\_\_\_\_ after \_\_\_\_\_ appliance's \_\_\_\_\_ check?

\_\_\_\_\_ the findings of my \_\_\_\_\_ inspection \_\_\_\_\_ any action \_\_\_\_\_ technician?

I want \_\_\_\_\_ if the technician \_\_\_\_\_ inspecting my \_\_\_\_\_.

\_\_\_\_\_ would \_\_\_\_\_ know if action \_\_\_\_\_ advised when \_\_\_\_\_ examined \_\_\_\_\_ appliance.

Did \_\_\_\_\_ technician give me \_\_\_\_\_ feedback \_\_\_\_\_ appliance's \_\_\_\_\_ findings?  
 \_\_\_\_\_ is possible \_\_\_\_\_ technician recommended actions based \_\_\_\_\_ of the appliance's \_\_\_\_\_ .  
 I am interested \_\_\_\_\_ if the \_\_\_\_\_ any \_\_\_\_\_ after inspecting \_\_\_\_\_ .  
 \_\_\_\_\_ the findings \_\_\_\_\_ appliance's \_\_\_\_\_ to the recommendation \_\_\_\_\_ any \_\_\_\_\_ from the \_\_\_\_\_ ?  
 After \_\_\_\_\_ safety \_\_\_\_\_ any \_\_\_\_\_ action?  
 Did \_\_\_\_\_ anything after \_\_\_\_\_ appliance.  
 Is \_\_\_\_\_ technician's recommendation based \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ after the \_\_\_\_\_ check on \_\_\_\_\_ appliance?  
 Did the \_\_\_\_\_ suggest \_\_\_\_\_ after \_\_\_\_\_ at \_\_\_\_\_ appliance's \_\_\_\_\_ ?  
 Suggestions for \_\_\_\_\_ after \_\_\_\_\_ inspection of \_\_\_\_\_ ?  
 \_\_\_\_\_ the findings \_\_\_\_\_ lead to a recommendation from \_\_\_\_\_ .  
 \_\_\_\_\_ any recommended \_\_\_\_\_ after the appliance's \_\_\_\_\_ ?  
 \_\_\_\_\_ might \_\_\_\_\_ made a \_\_\_\_\_ based \_\_\_\_\_ findings from the appliance's \_\_\_\_\_ .  
 Did the \_\_\_\_\_ give \_\_\_\_\_ recommendations \_\_\_\_\_ my \_\_\_\_\_ inspection findings?  
 The technician \_\_\_\_\_ my \_\_\_\_\_ me any recommendations?  
 \_\_\_\_\_ give me \_\_\_\_\_ for \_\_\_\_\_ appliance inspection?  
 \_\_\_\_\_ was \_\_\_\_\_ gave me any recommendations after inspecting \_\_\_\_\_ .  
 What \_\_\_\_\_ did \_\_\_\_\_ technician give \_\_\_\_\_ inspecting \_\_\_\_\_ ?  
 \_\_\_\_\_ if \_\_\_\_\_ any recommendations after inspecting \_\_\_\_\_ appliance's safety.  
 Do the findings of \_\_\_\_\_ inspection \_\_\_\_\_ to any \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ would like to \_\_\_\_\_ the technician \_\_\_\_\_ any further \_\_\_\_\_ appliance's \_\_\_\_\_ check.  
 I \_\_\_\_\_ know \_\_\_\_\_ technician gave \_\_\_\_\_ after \_\_\_\_\_ my appliance.  
 \_\_\_\_\_ your \_\_\_\_\_ give any \_\_\_\_\_ after \_\_\_\_\_ inspection results \_\_\_\_\_ appliances?  
 \_\_\_\_\_ findings \_\_\_\_\_ appliance's \_\_\_\_\_ to a \_\_\_\_\_ from a technician?  
 \_\_\_\_\_ the technician \_\_\_\_\_ any \_\_\_\_\_ appliance's safety inspection findings?  
 \_\_\_\_\_ there \_\_\_\_\_ recommended \_\_\_\_\_ following \_\_\_\_\_ device's safety \_\_\_\_\_ ?  
 Did \_\_\_\_\_ technician \_\_\_\_\_ recommendations \_\_\_\_\_ my appliance's \_\_\_\_\_ ?  
 Is \_\_\_\_\_ technician giving \_\_\_\_\_ after \_\_\_\_\_ ?  
 The \_\_\_\_\_ may \_\_\_\_\_ a recommendation \_\_\_\_\_ the findings from \_\_\_\_\_ appliance's \_\_\_\_\_ .  
 Do \_\_\_\_\_ findings \_\_\_\_\_ inspection lead to any action \_\_\_\_\_ technician?  
 \_\_\_\_\_ am \_\_\_\_\_ if the \_\_\_\_\_ suggestions after inspecting \_\_\_\_\_ .  
 \_\_\_\_\_ following \_\_\_\_\_ appliance's safety \_\_\_\_\_ ?  
 \_\_\_\_\_ the technician \_\_\_\_\_ any recommendations \_\_\_\_\_ safety \_\_\_\_\_ appliance?  
 Do the \_\_\_\_\_ inspection lead to recommendations \_\_\_\_\_ technician?  
 Did \_\_\_\_\_ findings of the \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ technician \_\_\_\_\_ appliance's safety?  
 \_\_\_\_\_ do \_\_\_\_\_ know if the \_\_\_\_\_ gave \_\_\_\_\_ any \_\_\_\_\_ inspecting my \_\_\_\_\_ .  
 Did \_\_\_\_\_ technician suggest \_\_\_\_\_ action \_\_\_\_\_ he \_\_\_\_\_ my \_\_\_\_\_ ?  
 \_\_\_\_\_ the findings \_\_\_\_\_ inspection lead to \_\_\_\_\_ recommendation \_\_\_\_\_ action \_\_\_\_\_ my \_\_\_\_\_ ?  
 The \_\_\_\_\_ on the \_\_\_\_\_ from the appliance's safety \_\_\_\_\_ .  
 \_\_\_\_\_ technician \_\_\_\_\_ the appliance's safety inspection?  
 Did the \_\_\_\_\_ any actions \_\_\_\_\_ on \_\_\_\_\_ appliance's safety inspection?  
 Following \_\_\_\_\_ on my appliance were there \_\_\_\_\_ ?  
 I wondered if the technician \_\_\_\_\_ fixes \_\_\_\_\_ my \_\_\_\_\_ .  
 Did \_\_\_\_\_ technician \_\_\_\_\_ any actions \_\_\_\_\_ appliance?  
 Does the technician \_\_\_\_\_ you \_\_\_\_\_ they check the \_\_\_\_\_ ?  
 \_\_\_\_\_ evaluating the \_\_\_\_\_ of the \_\_\_\_\_ did he recommend \_\_\_\_\_ ?  
 \_\_\_\_\_ the technician \_\_\_\_\_ what \_\_\_\_\_ do after \_\_\_\_\_ of \_\_\_\_\_ appliance?  
 Was \_\_\_\_\_ technician able \_\_\_\_\_ suggest \_\_\_\_\_ course \_\_\_\_\_ after inspecting \_\_\_\_\_ ?  
 After \_\_\_\_\_ appliance's \_\_\_\_\_ inspection findings, \_\_\_\_\_ technician recommended \_\_\_\_\_ .  
 \_\_\_\_\_ do the technician suggest \_\_\_\_\_ safety inspection?

\_\_\_\_ you \_\_\_\_ anything after the \_\_\_\_ on my \_\_\_\_?  
 \_\_\_\_ safety inspection \_\_\_\_ my \_\_\_\_ next steps been suggested?  
 The technician might \_\_\_\_ based on the findings \_\_\_\_ appliance's \_\_\_\_.  
 Should \_\_\_\_ actions after checking \_\_\_\_ appliance \_\_\_\_ safety?  
 \_\_\_\_ if \_\_\_\_ were provided \_\_\_\_ the technician \_\_\_\_ the appliance inspection.  
 Does the technician \_\_\_\_ fixes \_\_\_\_ my \_\_\_\_?  
 The technician might \_\_\_\_ a \_\_\_\_ the findings \_\_\_\_ the \_\_\_\_ on \_\_\_\_ appliance.  
 It's \_\_\_\_ the \_\_\_\_ actions based \_\_\_\_ from the appliance \_\_\_\_ inspection.  
 The \_\_\_\_ might \_\_\_\_ regarding \_\_\_\_ appliance's safety if \_\_\_\_ findings lead \_\_\_\_.  
 \_\_\_\_ findings \_\_\_\_ safety inspection might prompt the \_\_\_\_ actions.  
 Suggestions \_\_\_\_ to do \_\_\_\_ safety check?  
 \_\_\_\_ what \_\_\_\_ do after the inspection \_\_\_\_ appliance?  
 Did \_\_\_\_ safety fixes after checking \_\_\_\_?  
 In \_\_\_\_ of \_\_\_\_ safety \_\_\_\_ results, \_\_\_\_ your technician \_\_\_\_ you \_\_\_\_ suggestions?  
 Does \_\_\_\_ recommend \_\_\_\_ particular measures to \_\_\_\_ evaluating \_\_\_\_ appliance's \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ inspection \_\_\_\_ to the \_\_\_\_ of \_\_\_\_ actions from the technician?  
 Technician \_\_\_\_ what to do \_\_\_\_ appliance?  
 \_\_\_\_ to know \_\_\_\_ gave \_\_\_\_ recommendations after inspecting my \_\_\_\_.  
 \_\_\_\_ the technician \_\_\_\_ what \_\_\_\_ after checking the \_\_\_\_?  
 The technician may have \_\_\_\_ after \_\_\_\_.  
 \_\_\_\_ the findings of my \_\_\_\_ inspection lead \_\_\_\_?  
 Do \_\_\_\_ my appliance's inspection lead \_\_\_\_ by the \_\_\_\_?  
 \_\_\_\_ you tell me \_\_\_\_ action items were \_\_\_\_ appliance?  
 I \_\_\_\_ to \_\_\_\_ the technician \_\_\_\_ any \_\_\_\_ after inspecting \_\_\_\_.  
 Did \_\_\_\_ get \_\_\_\_ after \_\_\_\_ safety inspection?  
 I want \_\_\_\_ if the \_\_\_\_ of my \_\_\_\_ inspection \_\_\_\_ to \_\_\_\_ any \_\_\_\_ the technician.  
 \_\_\_\_ there any guidelines \_\_\_\_ technician after \_\_\_\_ my \_\_\_\_?  
 Did the technician \_\_\_\_ any recommendations \_\_\_\_ examined \_\_\_\_ safety \_\_\_\_ findings?  
 \_\_\_\_ changes \_\_\_\_ inspecting my appliance?  
 Did the \_\_\_\_ advise \_\_\_\_ the outcome \_\_\_\_ my \_\_\_\_ safety \_\_\_\_?  
 \_\_\_\_ is possible \_\_\_\_ technician recommended actions based \_\_\_\_ from \_\_\_\_ safety \_\_\_\_ on my \_\_\_\_.  
 \_\_\_\_ are \_\_\_\_ recommended actions \_\_\_\_ safety check?  
 \_\_\_\_ suggest \_\_\_\_ after checking \_\_\_\_ appliance's safety?  
 \_\_\_\_ the results of \_\_\_\_ inspection lead to \_\_\_\_ appliance's \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ me \_\_\_\_ the action items were \_\_\_\_ inspected \_\_\_\_ appliance?  
 \_\_\_\_ findings of the \_\_\_\_ to action by the \_\_\_\_ safety?  
 \_\_\_\_ the \_\_\_\_ any fixes after \_\_\_\_ my appliance?  
 Did the technician \_\_\_\_ about the \_\_\_\_ appliance?  
 I \_\_\_\_ to \_\_\_\_ if anything was \_\_\_\_ my \_\_\_\_ safety \_\_\_\_.  
 \_\_\_\_ my \_\_\_\_ safety inspection, \_\_\_\_ recommend any actions?  
 Do \_\_\_\_ of my appliance's \_\_\_\_ the technician?  
 \_\_\_\_ findings of \_\_\_\_ appliance's \_\_\_\_ lead \_\_\_\_ the \_\_\_\_ from the \_\_\_\_?  
 \_\_\_\_ the findings \_\_\_\_ to any recommendations about \_\_\_\_ safety \_\_\_\_ appliance?  
 Did the technician \_\_\_\_ any recommendations \_\_\_\_ looked at \_\_\_\_ findings?  
 \_\_\_\_ the \_\_\_\_ from the \_\_\_\_ inspection, the \_\_\_\_ might \_\_\_\_ actions.  
 My appliances' safety \_\_\_\_ made me \_\_\_\_ if there \_\_\_\_ by your \_\_\_\_.  
 I \_\_\_\_ technician \_\_\_\_ actions after inspecting my appliance's \_\_\_\_.  
 \_\_\_\_ regarding actions to \_\_\_\_ the inspection \_\_\_\_ my \_\_\_\_?  
 \_\_\_\_ appliance's safety \_\_\_\_ any \_\_\_\_ actions?  
 \_\_\_\_ wondering if the \_\_\_\_ advice after inspecting \_\_\_\_ appliance.

\_\_\_\_\_ was \_\_\_\_\_ the \_\_\_\_\_ gave advice \_\_\_\_\_ checking \_\_\_\_\_ appliance.  
 Do \_\_\_\_\_ of my \_\_\_\_\_ lead to \_\_\_\_\_ recommendation \_\_\_\_\_ by \_\_\_\_\_ technician?  
 \_\_\_\_\_ advice \_\_\_\_\_ to \_\_\_\_\_ after checking an appliance?  
 Do \_\_\_\_\_ results \_\_\_\_\_ my appliance's \_\_\_\_\_ to the \_\_\_\_\_ of any \_\_\_\_\_ technician?  
 \_\_\_\_\_ given by the technician \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?  
 The \_\_\_\_\_ have \_\_\_\_\_ action \_\_\_\_\_ the findings \_\_\_\_\_ appliance safety inspection.  
 Has \_\_\_\_\_ technician made \_\_\_\_\_ after inspecting \_\_\_\_\_?  
 Can \_\_\_\_\_ the action items \_\_\_\_\_ advised when examining \_\_\_\_\_?  
 I \_\_\_\_\_ to know if \_\_\_\_\_ gave \_\_\_\_\_ after inspecting \_\_\_\_\_ appliance's \_\_\_\_\_.  
 \_\_\_\_\_ need to \_\_\_\_\_ if the technician \_\_\_\_\_ me \_\_\_\_\_ further steps \_\_\_\_\_ check.  
 \_\_\_\_\_ am \_\_\_\_\_ if \_\_\_\_\_ technician gave recommendations \_\_\_\_\_ inspecting my \_\_\_\_\_.  
 \_\_\_\_\_ technician may \_\_\_\_\_ recommended \_\_\_\_\_ based on \_\_\_\_\_ the \_\_\_\_\_ inspection of \_\_\_\_\_.  
 \_\_\_\_\_ am curious \_\_\_\_\_ whether the technician gave any \_\_\_\_\_ my \_\_\_\_\_.  
 The \_\_\_\_\_ might have recommended \_\_\_\_\_ after \_\_\_\_\_ appliance \_\_\_\_\_.  
 Did \_\_\_\_\_ technician give \_\_\_\_\_ any \_\_\_\_\_ safety of my \_\_\_\_\_?  
 \_\_\_\_\_ anyone have \_\_\_\_\_ following the safety \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ findings of \_\_\_\_\_ lead \_\_\_\_\_ the recommendation of \_\_\_\_\_ taken \_\_\_\_\_ the technician?  
 Will the technician \_\_\_\_\_ any actions \_\_\_\_\_ appliance's \_\_\_\_\_?  
 Did \_\_\_\_\_ suggest \_\_\_\_\_ after checking \_\_\_\_\_ appliance's \_\_\_\_\_?  
 Did the technician suggest \_\_\_\_\_ appliance's \_\_\_\_\_ after the inspection findings?  
 \_\_\_\_\_ recommend any specific measures after \_\_\_\_\_ safety?  
 After \_\_\_\_\_ safety, did he recommend \_\_\_\_\_?  
 \_\_\_\_\_ technician suggest \_\_\_\_\_ after \_\_\_\_\_ appliance's safety?  
 \_\_\_\_\_ the \_\_\_\_\_ inspection results, did your technician \_\_\_\_\_ me any \_\_\_\_\_?  
 After the \_\_\_\_\_ safety \_\_\_\_\_ the \_\_\_\_\_ suggest?  
 Any \_\_\_\_\_ actions after \_\_\_\_\_ check?  
 I am \_\_\_\_\_ any recommendation after inspecting \_\_\_\_\_ appliance.  
 \_\_\_\_\_ suggest actions \_\_\_\_\_ my appliance's safety \_\_\_\_\_ on \_\_\_\_\_ inspection \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ any \_\_\_\_\_ being recommended \_\_\_\_\_ the technician?  
 The \_\_\_\_\_ could \_\_\_\_\_ made \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ inspection of my appliance.  
 The \_\_\_\_\_ could \_\_\_\_\_ made \_\_\_\_\_ on \_\_\_\_\_ findings of \_\_\_\_\_ appliance safety \_\_\_\_\_.  
 Will \_\_\_\_\_ appliance's \_\_\_\_\_ lead to the \_\_\_\_\_ any actions by \_\_\_\_\_ technician?  
 \_\_\_\_\_ as to \_\_\_\_\_ inspection \_\_\_\_\_ my appliance?  
 I \_\_\_\_\_ to know if \_\_\_\_\_ items \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_.  
 Do the findings of \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ the technician?  
 He \_\_\_\_\_ appliance's safety \_\_\_\_\_ did \_\_\_\_\_ any \_\_\_\_\_ measures?  
 Did \_\_\_\_\_ technician \_\_\_\_\_ any fixes \_\_\_\_\_ my appliance's safety?  
 \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ any \_\_\_\_\_ actions \_\_\_\_\_ be taken?  
 \_\_\_\_\_ want \_\_\_\_\_ if \_\_\_\_\_ action \_\_\_\_\_ were \_\_\_\_\_ examining my appliance.  
 Based \_\_\_\_\_ the findings \_\_\_\_\_ the \_\_\_\_\_ safety inspection the \_\_\_\_\_ actions.  
 Was the \_\_\_\_\_ any action \_\_\_\_\_ inspecting \_\_\_\_\_?  
 I need to \_\_\_\_\_ if \_\_\_\_\_ items were \_\_\_\_\_ examining \_\_\_\_\_.  
 \_\_\_\_\_ the findings from \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ changes to \_\_\_\_\_?  
 \_\_\_\_\_ inspecting \_\_\_\_\_ appliance safely, what \_\_\_\_\_ the \_\_\_\_\_?  
 Do the findings \_\_\_\_\_ lead \_\_\_\_\_ recommended action?  
 \_\_\_\_\_ findings \_\_\_\_\_ the \_\_\_\_\_ lead to the technician's \_\_\_\_\_?  
 \_\_\_\_\_ giving advice after \_\_\_\_\_ checks my \_\_\_\_\_?  
 \_\_\_\_\_ could suggest actions based \_\_\_\_\_ findings \_\_\_\_\_ appliance \_\_\_\_\_ inspection.  
 \_\_\_\_\_ actions \_\_\_\_\_ be taken after \_\_\_\_\_ safety check?  
 \_\_\_\_\_ the \_\_\_\_\_ appliance's inspection lead to the recommendation \_\_\_\_\_ technician?

\_\_\_\_\_ the \_\_\_\_\_ me \_\_\_\_\_ recommendations after \_\_\_\_\_ my appliance?  
 I \_\_\_\_\_ wondering \_\_\_\_\_ there are \_\_\_\_\_ recommendations \_\_\_\_\_ safety check on \_\_\_\_\_.  
 \_\_\_\_\_ evaluating the appliance's \_\_\_\_\_ he \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ any recommendation for my \_\_\_\_\_ safety \_\_\_\_\_?  
 \_\_\_\_\_ you tell me \_\_\_\_\_ recommended any further \_\_\_\_\_ after \_\_\_\_\_ safety \_\_\_\_\_?  
 \_\_\_\_\_ the technician about \_\_\_\_\_ safety \_\_\_\_\_?  
 Does \_\_\_\_\_ of my appliance's \_\_\_\_\_ lead \_\_\_\_\_ actions \_\_\_\_\_ technician?  
 \_\_\_\_\_ give any \_\_\_\_\_ after he inspected my \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ appliance's inspection \_\_\_\_\_ to \_\_\_\_\_ by the technician?  
 \_\_\_\_\_ regarding my \_\_\_\_\_ findings?  
 Do \_\_\_\_\_ findings of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ the \_\_\_\_\_ actions?  
 Did \_\_\_\_\_ give instructions \_\_\_\_\_ inspecting \_\_\_\_\_ appliance's \_\_\_\_\_?  
 \_\_\_\_\_ technician tell you \_\_\_\_\_ do after \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ appliance's safety \_\_\_\_\_?  
 Do the findings \_\_\_\_\_ my \_\_\_\_\_ check lead \_\_\_\_\_ recommendation of \_\_\_\_\_?  
 \_\_\_\_\_ the appliance's \_\_\_\_\_ he \_\_\_\_\_ any specific measures?  
 I \_\_\_\_\_ there were recommendations after \_\_\_\_\_ on \_\_\_\_\_ appliance.  
 After evaluating my appliance's \_\_\_\_\_ inspection \_\_\_\_\_ I \_\_\_\_\_ from the \_\_\_\_\_?  
 Do \_\_\_\_\_ findings of my \_\_\_\_\_ inspection \_\_\_\_\_ to make \_\_\_\_\_?  
 Can you \_\_\_\_\_ any \_\_\_\_\_ items were advised \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ evaluating \_\_\_\_\_ did the technician recommend \_\_\_\_\_ to me?  
 Do \_\_\_\_\_ if the \_\_\_\_\_ advised \_\_\_\_\_ further steps \_\_\_\_\_ on \_\_\_\_\_ check?  
 Have the \_\_\_\_\_ me about the \_\_\_\_\_ my \_\_\_\_\_ inspection?  
 Do \_\_\_\_\_ from the \_\_\_\_\_ inspection lead to the \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ findings of the \_\_\_\_\_ to any action \_\_\_\_\_ regarding my \_\_\_\_\_?  
 Does \_\_\_\_\_ technician \_\_\_\_\_ examining my appliance's safety?  
 \_\_\_\_\_ findings of the inspection \_\_\_\_\_ suggestions \_\_\_\_\_ my \_\_\_\_\_ safety?  
 \_\_\_\_\_ suggestions \_\_\_\_\_ what \_\_\_\_\_ after my appliance's safety \_\_\_\_\_?  
 Did \_\_\_\_\_ give \_\_\_\_\_ recommendations after my \_\_\_\_\_ safety \_\_\_\_\_?  
 \_\_\_\_\_ give me any recommendations \_\_\_\_\_ my \_\_\_\_\_ findings?  
 \_\_\_\_\_ he \_\_\_\_\_ any specific \_\_\_\_\_ take after evaluating \_\_\_\_\_ safety?  
 \_\_\_\_\_ give \_\_\_\_\_ after inspecting my appliance?  
 \_\_\_\_\_ my \_\_\_\_\_ safety check, \_\_\_\_\_ actions?  
 Is \_\_\_\_\_ going to recommend any specific \_\_\_\_\_ to \_\_\_\_\_ evaluating \_\_\_\_\_?  
 After inspecting my \_\_\_\_\_ the technician \_\_\_\_\_ any \_\_\_\_\_?  
 Did the \_\_\_\_\_ suggest \_\_\_\_\_ repairs after \_\_\_\_\_ appliance's \_\_\_\_\_?  
 I wanted to \_\_\_\_\_ technician \_\_\_\_\_ any guidelines \_\_\_\_\_ my \_\_\_\_\_.  
 Does the technician \_\_\_\_\_ what \_\_\_\_\_ do after \_\_\_\_\_ appliance \_\_\_\_\_?  
 Did the technician \_\_\_\_\_ any recommendation \_\_\_\_\_ the \_\_\_\_\_ appliance?  
 The technician may \_\_\_\_\_ made \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ inspection.  
 \_\_\_\_\_ am interested in whether the technician \_\_\_\_\_ advice \_\_\_\_\_.  
 Does the technician \_\_\_\_\_ actions \_\_\_\_\_ my \_\_\_\_\_ safety?  
 Has the \_\_\_\_\_ me \_\_\_\_\_ do after \_\_\_\_\_ appliance?  
 \_\_\_\_\_ I take any recommended \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_?  
 Did there \_\_\_\_\_ the safety \_\_\_\_\_ on my \_\_\_\_\_?  
 Did the technician \_\_\_\_\_ me recommendations \_\_\_\_\_?  
 Is it \_\_\_\_\_ that action \_\_\_\_\_ advised when \_\_\_\_\_?  
 \_\_\_\_\_ findings \_\_\_\_\_ lead to the recommendation of \_\_\_\_\_ from \_\_\_\_\_ technician?  
 Following the \_\_\_\_\_ assessment \_\_\_\_\_ device, \_\_\_\_\_ steps?  
 \_\_\_\_\_ you tell me \_\_\_\_\_ action items \_\_\_\_\_ as \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ wondering \_\_\_\_\_ the \_\_\_\_\_ any recommendations \_\_\_\_\_ evaluating my appliance's \_\_\_\_\_ findings.

Did \_\_\_\_\_ give me \_\_\_\_\_ after inspecting the \_\_\_\_\_?

\_\_\_\_\_ technician \_\_\_\_\_ you what \_\_\_\_\_ do \_\_\_\_\_ the appliance?

\_\_\_\_\_ am wondering \_\_\_\_\_ the technician \_\_\_\_\_ any \_\_\_\_\_ inspecting the \_\_\_\_\_.

Following \_\_\_\_\_ safety \_\_\_\_\_ my appliance, \_\_\_\_\_ steps \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ if the \_\_\_\_\_ actions after inspecting \_\_\_\_\_ appliance.

\_\_\_\_\_ there any \_\_\_\_\_ by \_\_\_\_\_ technician in \_\_\_\_\_ to my appliances' \_\_\_\_\_?

\_\_\_\_\_ my \_\_\_\_\_ did I \_\_\_\_\_ recommendations from the technician?

Did \_\_\_\_\_ technician give me any suggestions \_\_\_\_\_ of \_\_\_\_\_?

I \_\_\_\_\_ know \_\_\_\_\_ there \_\_\_\_\_ safety check on my appliance.

Did \_\_\_\_\_ me \_\_\_\_\_ suggestions regarding the safety \_\_\_\_\_ appliance?

I'm \_\_\_\_\_ if the technician \_\_\_\_\_ any \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_.

Is it \_\_\_\_\_ that \_\_\_\_\_ were advised upon \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ appliance for \_\_\_\_\_ the technician made any \_\_\_\_\_?

Is the \_\_\_\_\_ give \_\_\_\_\_ checking my appliance?

Did the \_\_\_\_\_ suggest \_\_\_\_\_ precautions \_\_\_\_\_?

Did the \_\_\_\_\_ recommendations \_\_\_\_\_ of the appliance inspection?

Did the \_\_\_\_\_ any action \_\_\_\_\_ by \_\_\_\_\_ technician \_\_\_\_\_ my \_\_\_\_\_ safety?

Did \_\_\_\_\_ suggest any \_\_\_\_\_ after checking my \_\_\_\_\_?

Does the findings of \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ recommend any specific \_\_\_\_\_ after \_\_\_\_\_ the \_\_\_\_\_ safety?

\_\_\_\_\_ any safety recommendations \_\_\_\_\_ inspecting my appliance?

After seeing \_\_\_\_\_ safety inspection \_\_\_\_\_ had \_\_\_\_\_ recommend \_\_\_\_\_ actions.

\_\_\_\_\_ me \_\_\_\_\_ recommendations after inspecting my appliance?

I'm \_\_\_\_\_ advised \_\_\_\_\_ steps after the safety \_\_\_\_\_ on \_\_\_\_\_ appliance.

\_\_\_\_\_ wanted to \_\_\_\_\_ any suggestions after inspecting \_\_\_\_\_ appliance.

\_\_\_\_\_ you \_\_\_\_\_ if the \_\_\_\_\_ told me anything \_\_\_\_\_ my \_\_\_\_\_ check?

\_\_\_\_\_ the technician \_\_\_\_\_ about the \_\_\_\_\_ of my \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ action items \_\_\_\_\_ mentioned \_\_\_\_\_ examining \_\_\_\_\_?

\_\_\_\_\_ technician make a \_\_\_\_\_ the findings \_\_\_\_\_ the appliance's safety \_\_\_\_\_?

I \_\_\_\_\_ if \_\_\_\_\_ technician had given \_\_\_\_\_ recommendations \_\_\_\_\_ my appliance.

Advice \_\_\_\_\_ for my \_\_\_\_\_ checkup?

\_\_\_\_\_ suggestions \_\_\_\_\_ appliance's \_\_\_\_\_ inspection from \_\_\_\_\_ technician?

Do the findings \_\_\_\_\_ my \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ if there any recommendations \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ appliance.

\_\_\_\_\_ appliance's \_\_\_\_\_ inspection, \_\_\_\_\_ from the technician?

\_\_\_\_\_ there be \_\_\_\_\_ actions \_\_\_\_\_ the inspection \_\_\_\_\_ my \_\_\_\_\_?

The technician may have recommended action \_\_\_\_\_ the \_\_\_\_\_ from \_\_\_\_\_.

Do \_\_\_\_\_ findings \_\_\_\_\_ my appliance's \_\_\_\_\_ prompt \_\_\_\_\_ by the \_\_\_\_\_?

\_\_\_\_\_ wanted \_\_\_\_\_ if the technician gave \_\_\_\_\_ evaluating \_\_\_\_\_ appliance's safety inspection \_\_\_\_\_.

Did \_\_\_\_\_ findings \_\_\_\_\_ to \_\_\_\_\_ changes to \_\_\_\_\_ appliance's safety?

Do \_\_\_\_\_ suggestions after \_\_\_\_\_ check on my \_\_\_\_\_?

I want to know \_\_\_\_\_ were \_\_\_\_\_ recommendations after the \_\_\_\_\_.

Did \_\_\_\_\_ have \_\_\_\_\_ recommendations for the \_\_\_\_\_ of \_\_\_\_\_?

Did \_\_\_\_\_ suggest any \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_?

Is any action \_\_\_\_\_ by \_\_\_\_\_ after inspecting \_\_\_\_\_?

I wanted to \_\_\_\_\_ technician suggested \_\_\_\_\_ inspecting \_\_\_\_\_ appliance.

Do \_\_\_\_\_ of \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ of action \_\_\_\_\_ the technician?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ appliance's inspection result \_\_\_\_\_ of \_\_\_\_\_ the technician?

I was \_\_\_\_\_ if \_\_\_\_\_ advised \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ safety check.

Does the findings \_\_\_\_\_ appliance's \_\_\_\_\_ the \_\_\_\_\_ recommendation?

Do \_\_\_\_\_ results of my \_\_\_\_\_ lead to \_\_\_\_\_ action \_\_\_\_\_?

\_\_\_\_\_ inspection findings lead \_\_\_\_\_ action by the \_\_\_\_\_ regarding \_\_\_\_\_?

\_\_\_\_\_ appliance's \_\_\_\_\_ did the technician propose \_\_\_\_\_ actions?

Do the \_\_\_\_\_ appliance's \_\_\_\_\_ result in a \_\_\_\_\_?

Is there any \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ appliance?

Do the findings \_\_\_\_\_ the \_\_\_\_\_ any action \_\_\_\_\_ technician?

\_\_\_\_\_ checking my appliance, \_\_\_\_\_ do \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ appliance's inspection lead to \_\_\_\_\_ recommendation \_\_\_\_\_ actions of \_\_\_\_\_?

I \_\_\_\_\_ provided any recommendations after inspecting my \_\_\_\_\_.

\_\_\_\_\_ suggestions \_\_\_\_\_ actions \_\_\_\_\_ the inspection \_\_\_\_\_ the \_\_\_\_\_?

Do \_\_\_\_\_ my \_\_\_\_\_ to \_\_\_\_\_ recommendation of actions by \_\_\_\_\_ technician?

\_\_\_\_\_ give \_\_\_\_\_ recommendations for \_\_\_\_\_ of my appliance?

Technician gives \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ after \_\_\_\_\_ appliance?

\_\_\_\_\_ want to \_\_\_\_\_ if the \_\_\_\_\_ any \_\_\_\_\_ after inspecting \_\_\_\_\_ appliance.

\_\_\_\_\_ if the \_\_\_\_\_ after inspecting my appliance.

I want to \_\_\_\_\_ if \_\_\_\_\_ any \_\_\_\_\_ steps based on \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ anything advised \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_?

\_\_\_\_\_ technician may have \_\_\_\_\_ actions based \_\_\_\_\_ the \_\_\_\_\_ from \_\_\_\_\_ inspection of \_\_\_\_\_.

Will \_\_\_\_\_ advise any \_\_\_\_\_ steps based \_\_\_\_\_ safety check on \_\_\_\_\_?

Do the \_\_\_\_\_ of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ to \_\_\_\_\_ the technicians?

\_\_\_\_\_ the technician given \_\_\_\_\_ advice after \_\_\_\_\_?

After \_\_\_\_\_ my appliance's safety, \_\_\_\_\_ give any \_\_\_\_\_?

\_\_\_\_\_ suggest any \_\_\_\_\_ after checking my \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ about my \_\_\_\_\_ safety \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ on \_\_\_\_\_ of my appliance's safety inspection?

Based on \_\_\_\_\_ findings from \_\_\_\_\_ appliance \_\_\_\_\_ technician \_\_\_\_\_ recommend \_\_\_\_\_.

After \_\_\_\_\_ appliance's \_\_\_\_\_ did \_\_\_\_\_ technician give me \_\_\_\_\_ advice?

\_\_\_\_\_ might \_\_\_\_\_ based \_\_\_\_\_ the \_\_\_\_\_ of the appliance's safety \_\_\_\_\_.

He evaluated \_\_\_\_\_ safety, did he \_\_\_\_\_ measures?

I was \_\_\_\_\_ if the technician \_\_\_\_\_ my \_\_\_\_\_ safety.

Based \_\_\_\_\_ the \_\_\_\_\_ the safety \_\_\_\_\_ on my \_\_\_\_\_ may \_\_\_\_\_ recommended actions.

\_\_\_\_\_ technician give me any guidance \_\_\_\_\_ appliance?

\_\_\_\_\_ the \_\_\_\_\_ any fixes \_\_\_\_\_ he checked the \_\_\_\_\_?

Does the technician \_\_\_\_\_ on the \_\_\_\_\_ of \_\_\_\_\_ inspection?

\_\_\_\_\_ the technician give \_\_\_\_\_ recommendation \_\_\_\_\_ appliance?

Did \_\_\_\_\_ a \_\_\_\_\_ based on \_\_\_\_\_ findings of my \_\_\_\_\_ safety \_\_\_\_\_?

Do \_\_\_\_\_ of my \_\_\_\_\_ lead to \_\_\_\_\_ action being \_\_\_\_\_ by \_\_\_\_\_?

The technician might have \_\_\_\_\_ as a \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ any \_\_\_\_\_ actions to \_\_\_\_\_?

I \_\_\_\_\_ if \_\_\_\_\_ technician proposed any \_\_\_\_\_ after examining \_\_\_\_\_.

Any \_\_\_\_\_ for \_\_\_\_\_ next steps \_\_\_\_\_ the \_\_\_\_\_ inspection \_\_\_\_\_ my \_\_\_\_\_?

Do \_\_\_\_\_ findings \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ being recommended by the \_\_\_\_\_?

\_\_\_\_\_ suggestions \_\_\_\_\_ by the technician \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?

\_\_\_\_\_ findings \_\_\_\_\_ my \_\_\_\_\_ lead \_\_\_\_\_ the \_\_\_\_\_ of actions from the \_\_\_\_\_?

Suggestions from the technician \_\_\_\_\_ safety \_\_\_\_\_ of \_\_\_\_\_?

Did \_\_\_\_\_ any \_\_\_\_\_ after the safety \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ am \_\_\_\_\_ in whether \_\_\_\_\_ technician made \_\_\_\_\_ inspecting my \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ did he \_\_\_\_\_ any changes?

Will \_\_\_\_\_ technician \_\_\_\_\_ me \_\_\_\_\_ my appliance?

Can \_\_\_\_ tell \_\_\_\_ what \_\_\_\_ technician told \_\_\_\_ my \_\_\_\_ check?  
 \_\_\_\_ he suggest \_\_\_\_ specific \_\_\_\_ after \_\_\_\_ appliance's safety?  
 \_\_\_\_ findings \_\_\_\_ my appliance's \_\_\_\_ lead to a \_\_\_\_ ?  
 Do \_\_\_\_ findings \_\_\_\_ inspection \_\_\_\_ any instructions \_\_\_\_ by the technician?  
 Do \_\_\_\_ my appliance's \_\_\_\_ lead \_\_\_\_ recommendation of any \_\_\_\_ from a \_\_\_\_ ?  
 \_\_\_\_ the technician give \_\_\_\_ after \_\_\_\_ my \_\_\_\_ ?  
 Did \_\_\_\_ suggest \_\_\_\_ course of \_\_\_\_ inspecting my \_\_\_\_ ?  
 I wanted to \_\_\_\_ the \_\_\_\_ after inspecting \_\_\_\_ appliance.  
 Does the \_\_\_\_ recommend \_\_\_\_ based \_\_\_\_ findings \_\_\_\_ appliance's \_\_\_\_ inspection?  
 \_\_\_\_ considering \_\_\_\_ appliance's \_\_\_\_ suggest any \_\_\_\_ to take?  
 I \_\_\_\_ the technician \_\_\_\_ recommendations \_\_\_\_ inspecting \_\_\_\_ appliance.  
 \_\_\_\_ suggest \_\_\_\_ actions to be taken \_\_\_\_ appliance's safety?  
 \_\_\_\_ the findings of \_\_\_\_ inspection lead \_\_\_\_ a \_\_\_\_ the \_\_\_\_ ?  
 \_\_\_\_ evaluating \_\_\_\_ appliance's \_\_\_\_ any measures to be taken?  
 I am \_\_\_\_ if \_\_\_\_ gave me any \_\_\_\_ inspecting \_\_\_\_ .  
 After inspecting \_\_\_\_ the technician have \_\_\_\_ ?  
 Did \_\_\_\_ technician suggest any \_\_\_\_ after \_\_\_\_ appliance's \_\_\_\_ ?  
 \_\_\_\_ wanted to know if \_\_\_\_ technician \_\_\_\_ examining \_\_\_\_ appliance.  
 Have \_\_\_\_ advised \_\_\_\_ the outcomes of \_\_\_\_ appliance safety \_\_\_\_ ?  
 \_\_\_\_ findings from my \_\_\_\_ inspection \_\_\_\_ to the recommendation \_\_\_\_ actions from \_\_\_\_ ?  
 \_\_\_\_ technician propose \_\_\_\_ inspecting my \_\_\_\_ ?  
 \_\_\_\_ if the technician suggested a \_\_\_\_ of \_\_\_\_ my \_\_\_\_ .  
 I want \_\_\_\_ if \_\_\_\_ steps based on the safety \_\_\_\_ on my \_\_\_\_ .  
 Does \_\_\_\_ findings of \_\_\_\_ lead to \_\_\_\_ technician's \_\_\_\_ actions?  
 Does the technician give \_\_\_\_ ?  
 Did the \_\_\_\_ fixes after checking \_\_\_\_ appliance \_\_\_\_ ?  
 The technician might \_\_\_\_ prescribed actions \_\_\_\_ on the \_\_\_\_ appliance \_\_\_\_ .  
 After inspecting \_\_\_\_ the \_\_\_\_ action?  
 \_\_\_\_ am \_\_\_\_ if the technician \_\_\_\_ recommendations \_\_\_\_ examining my \_\_\_\_ .  
 Did the \_\_\_\_ advise \_\_\_\_ inspecting \_\_\_\_ ?  
 In light of \_\_\_\_ safety \_\_\_\_ results, what suggestions \_\_\_\_ your \_\_\_\_ ?  
 Did \_\_\_\_ offer \_\_\_\_ guidelines \_\_\_\_ my appliance?  
 Had the \_\_\_\_ suggested \_\_\_\_ action \_\_\_\_ my appliance?  
 \_\_\_\_ the technician \_\_\_\_ after \_\_\_\_ appliance?  
 \_\_\_\_ from \_\_\_\_ technician for \_\_\_\_ appliance \_\_\_\_ ?  
 \_\_\_\_ wonder if there are \_\_\_\_ provided \_\_\_\_ technician after inspecting \_\_\_\_ .  
 \_\_\_\_ was \_\_\_\_ technician provided any \_\_\_\_ after the inspection of \_\_\_\_ .  
 Do \_\_\_\_ fixes after \_\_\_\_ my appliance?  
 Did \_\_\_\_ changes \_\_\_\_ checking my appliance's \_\_\_\_ ?  
 Referring \_\_\_\_ my \_\_\_\_ safety \_\_\_\_ actions?  
 \_\_\_\_ of my \_\_\_\_ inspection \_\_\_\_ lead \_\_\_\_ an \_\_\_\_ recommended by \_\_\_\_ technician.  
 Any suggestions \_\_\_\_ to do \_\_\_\_ the safety \_\_\_\_ my \_\_\_\_ ?  
 He \_\_\_\_ safety \_\_\_\_ did \_\_\_\_ recommend any measures to \_\_\_\_ ?  
 \_\_\_\_ technician give \_\_\_\_ after \_\_\_\_ appliance?  
 \_\_\_\_ the \_\_\_\_ of \_\_\_\_ inspection lead to \_\_\_\_ from \_\_\_\_ technician?  
 Does the \_\_\_\_ of \_\_\_\_ inspection \_\_\_\_ to \_\_\_\_ recommendation from \_\_\_\_ ?  
 \_\_\_\_ inspection findings \_\_\_\_ to \_\_\_\_ recommendations regarding \_\_\_\_ safety?  
 \_\_\_\_ the inspection \_\_\_\_ any action \_\_\_\_ regarding \_\_\_\_ appliance's safety?  
 I \_\_\_\_ recommendations following \_\_\_\_ safety check on \_\_\_\_ appliance.  
 \_\_\_\_ am curious \_\_\_\_ to \_\_\_\_ the technician \_\_\_\_ after inspecting \_\_\_\_ .



Did the technician suggest \_\_\_\_\_ fixes \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ any action \_\_\_\_\_ be taken following my \_\_\_\_\_ check?

According \_\_\_\_\_ the findings \_\_\_\_\_ the \_\_\_\_\_ inspection on \_\_\_\_\_ appliance, \_\_\_\_\_ technician \_\_\_\_\_ recommended \_\_\_\_\_.

I \_\_\_\_\_ any \_\_\_\_\_ were \_\_\_\_\_ after \_\_\_\_\_ my appliance.

I \_\_\_\_\_ know \_\_\_\_\_ anything was \_\_\_\_\_ equipment's \_\_\_\_\_ examination.

Did he \_\_\_\_\_ specific \_\_\_\_\_ analyzing \_\_\_\_\_ appliance's safety?

\_\_\_\_\_ might have \_\_\_\_\_ a recommendation \_\_\_\_\_ on \_\_\_\_\_ from the \_\_\_\_\_ inspection.

I \_\_\_\_\_ to \_\_\_\_\_ if the technician \_\_\_\_\_ any \_\_\_\_\_ based on \_\_\_\_\_ appliance's \_\_\_\_\_.

\_\_\_\_\_ curious \_\_\_\_\_ the technician gave recommendations \_\_\_\_\_ safety.

Did \_\_\_\_\_ to something being \_\_\_\_\_ about my appliance's \_\_\_\_\_?

Did the \_\_\_\_\_ of \_\_\_\_\_ inspection \_\_\_\_\_ the \_\_\_\_\_ a technician?

Suggestions \_\_\_\_\_ actions after \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ know if \_\_\_\_\_ findings \_\_\_\_\_ appliance's \_\_\_\_\_ lead \_\_\_\_\_ the \_\_\_\_\_ of actions \_\_\_\_\_ the technician.

Did \_\_\_\_\_ technician give me \_\_\_\_\_ safety of \_\_\_\_\_ appliance?

Did \_\_\_\_\_ give \_\_\_\_\_ any advice \_\_\_\_\_ of my appliance?

\_\_\_\_\_ safety \_\_\_\_\_ was \_\_\_\_\_ advised?

Is there \_\_\_\_\_ advice \_\_\_\_\_ to \_\_\_\_\_ my appliance \_\_\_\_\_?

\_\_\_\_\_ could have \_\_\_\_\_ a \_\_\_\_\_ based on \_\_\_\_\_ findings \_\_\_\_\_ appliance's \_\_\_\_\_ inspection.

After \_\_\_\_\_ has the \_\_\_\_\_ given me \_\_\_\_\_ recommendations?

\_\_\_\_\_ there any action \_\_\_\_\_ by the \_\_\_\_\_ regarding \_\_\_\_\_ safety \_\_\_\_\_ the \_\_\_\_\_?

Did \_\_\_\_\_ me any suggestions about \_\_\_\_\_ of \_\_\_\_\_ appliance?

The technician \_\_\_\_\_ have \_\_\_\_\_ based \_\_\_\_\_ from \_\_\_\_\_ safety \_\_\_\_\_ on \_\_\_\_\_ appliance.

Following my \_\_\_\_\_ safety \_\_\_\_\_ any \_\_\_\_\_?

Following \_\_\_\_\_ inspection of my \_\_\_\_\_ can there be \_\_\_\_\_?

\_\_\_\_\_ technician give me \_\_\_\_\_ my appliance \_\_\_\_\_?

Can \_\_\_\_\_ suggest any \_\_\_\_\_ after the \_\_\_\_\_ inspection \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ the technician suggest any \_\_\_\_\_ inspecting \_\_\_\_\_?

\_\_\_\_\_ my \_\_\_\_\_ safety have the technician provided \_\_\_\_\_?

Did \_\_\_\_\_ recommend \_\_\_\_\_ checking \_\_\_\_\_ appliance?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ technician recommended any further \_\_\_\_\_ the \_\_\_\_\_ safety \_\_\_\_\_?

I was \_\_\_\_\_ after evaluating my appliance's safety.

\_\_\_\_\_ if \_\_\_\_\_ technician suggested \_\_\_\_\_ inspecting my appliance.

\_\_\_\_\_ know if I \_\_\_\_\_ any \_\_\_\_\_ from \_\_\_\_\_ evaluating my appliance's \_\_\_\_\_ inspection \_\_\_\_\_.

I \_\_\_\_\_ know if the technician advised \_\_\_\_\_ check on my \_\_\_\_\_.

I \_\_\_\_\_ whether \_\_\_\_\_ gave any recommendations \_\_\_\_\_ inspecting my \_\_\_\_\_.

Suggestions \_\_\_\_\_ appliance's \_\_\_\_\_ the technician?

The \_\_\_\_\_ recommendation \_\_\_\_\_ on the findings of the \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ give me \_\_\_\_\_ recommendation \_\_\_\_\_ my appliance's safety \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ after checking \_\_\_\_\_ appliance?

\_\_\_\_\_ findings from my \_\_\_\_\_ lead \_\_\_\_\_ of any \_\_\_\_\_ by the technician?

I \_\_\_\_\_ know if the technician suggested any \_\_\_\_\_ appliance's \_\_\_\_\_.

\_\_\_\_\_ technician \_\_\_\_\_ some \_\_\_\_\_ following the \_\_\_\_\_ safety \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ steps \_\_\_\_\_ the safety inspection \_\_\_\_\_ my appliance?

\_\_\_\_\_ after the appliance \_\_\_\_\_ inspected?

Did the findings \_\_\_\_\_ lead to \_\_\_\_\_ safety of \_\_\_\_\_ appliance?

\_\_\_\_\_ the \_\_\_\_\_ of my appliance's inspection lead to \_\_\_\_\_?

\_\_\_\_\_ technician suggest \_\_\_\_\_ after checking \_\_\_\_\_ appliance \_\_\_\_\_ safety?

\_\_\_\_\_ the \_\_\_\_\_ a recommendation \_\_\_\_\_ safety of my \_\_\_\_\_?

\_\_\_\_\_ findings of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ the recommendation \_\_\_\_\_ technician?

Is the \_\_\_\_\_ going \_\_\_\_\_ to a recommendation from a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ suggest something \_\_\_\_\_ inspecting \_\_\_\_\_ ?  
 Do \_\_\_\_\_ my \_\_\_\_\_ inspection lead \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ the technician?  
 \_\_\_\_\_ want to know \_\_\_\_\_ I received any \_\_\_\_\_ after my \_\_\_\_\_ .  
 Suggestions on what \_\_\_\_\_ regarding \_\_\_\_\_ appliance's \_\_\_\_\_ inspection \_\_\_\_\_ ?  
 Did the \_\_\_\_\_ checking my \_\_\_\_\_ safety?  
 I \_\_\_\_\_ like \_\_\_\_\_ technician gave any \_\_\_\_\_ inspecting my appliance.  
 Do the \_\_\_\_\_ my appliance's inspection lead to \_\_\_\_\_ ?  
 I \_\_\_\_\_ the technician \_\_\_\_\_ after inspecting my \_\_\_\_\_ .  
 \_\_\_\_\_ the findings \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ from the technician?  
 \_\_\_\_\_ don't know \_\_\_\_\_ technician \_\_\_\_\_ recommendations \_\_\_\_\_ inspecting my appliance.  
 Did \_\_\_\_\_ technician \_\_\_\_\_ any \_\_\_\_\_ after checking my \_\_\_\_\_ ?  
 \_\_\_\_\_ wonder if \_\_\_\_\_ technician proposed any \_\_\_\_\_ after looking \_\_\_\_\_ .  
 Did the \_\_\_\_\_ to any actions suggested \_\_\_\_\_ the \_\_\_\_\_ my \_\_\_\_\_ ?  
 \_\_\_\_\_ examining my \_\_\_\_\_ safety, \_\_\_\_\_ technician might have \_\_\_\_\_ .  
 \_\_\_\_\_ from \_\_\_\_\_ regarding \_\_\_\_\_ safety inspection \_\_\_\_\_ my appliance?  
 \_\_\_\_\_ checking \_\_\_\_\_ appliance for safety, \_\_\_\_\_ actions \_\_\_\_\_ recommend?  
 I \_\_\_\_\_ to \_\_\_\_\_ gave any advice \_\_\_\_\_ inspecting my \_\_\_\_\_ .  
 \_\_\_\_\_ findings \_\_\_\_\_ my appliance's inspection lead \_\_\_\_\_ recommended \_\_\_\_\_ by \_\_\_\_\_ technician?  
 Do the findings of \_\_\_\_\_ appliance's \_\_\_\_\_ to \_\_\_\_\_ taken \_\_\_\_\_ technician?  
 \_\_\_\_\_ instructions \_\_\_\_\_ given \_\_\_\_\_ the technician regarding \_\_\_\_\_ outcomes of \_\_\_\_\_ appliance's \_\_\_\_\_ ?  
 Does the \_\_\_\_\_ any \_\_\_\_\_ on the safety \_\_\_\_\_ on \_\_\_\_\_ appliance?  
 \_\_\_\_\_ the findings \_\_\_\_\_ lead \_\_\_\_\_ the recommendation of actions \_\_\_\_\_ technician?  
 \_\_\_\_\_ the \_\_\_\_\_ of my appliance's inspection \_\_\_\_\_ the recommendation of \_\_\_\_\_ technician?  
 \_\_\_\_\_ any \_\_\_\_\_ measures following \_\_\_\_\_ device's \_\_\_\_\_ assessment?  
 Is \_\_\_\_\_ recommendation \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ ?  
 \_\_\_\_\_ the technician \_\_\_\_\_ suggest \_\_\_\_\_ actions \_\_\_\_\_ my appliance?  
 Did the technician \_\_\_\_\_ any \_\_\_\_\_ he inspected \_\_\_\_\_ ?  
 I'm curious \_\_\_\_\_ the technician \_\_\_\_\_ anything \_\_\_\_\_ appliance's \_\_\_\_\_ .  
 \_\_\_\_\_ technician suggest any repairs after \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ proposed action after examining my appliance's \_\_\_\_\_ .  
 \_\_\_\_\_ technician suggest \_\_\_\_\_ he inspected my \_\_\_\_\_ safety?  
 \_\_\_\_\_ inspecting my \_\_\_\_\_ the \_\_\_\_\_ provided \_\_\_\_\_ recommendations?  
 \_\_\_\_\_ technician \_\_\_\_\_ after inspecting the appliance?  
 He evaluated \_\_\_\_\_ appliance's \_\_\_\_\_ but \_\_\_\_\_ recommend any \_\_\_\_\_ ?  
 \_\_\_\_\_ wondering if \_\_\_\_\_ technician \_\_\_\_\_ any recommendations on the \_\_\_\_\_ appliance.  
 \_\_\_\_\_ might have recommendations for \_\_\_\_\_ appliance's \_\_\_\_\_ .  
 \_\_\_\_\_ technician \_\_\_\_\_ for safety, has \_\_\_\_\_ any recommendations?  
 \_\_\_\_\_ you \_\_\_\_\_ if action \_\_\_\_\_ when \_\_\_\_\_ examined my appliance?  
 Does the findings \_\_\_\_\_ appliance's inspection result \_\_\_\_\_ of \_\_\_\_\_ the technician?  
 Does \_\_\_\_\_ give me \_\_\_\_\_ recommendations after \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ ?  
 I \_\_\_\_\_ technician proposed any \_\_\_\_\_ after examining my \_\_\_\_\_ .  
 \_\_\_\_\_ findings of \_\_\_\_\_ inspection \_\_\_\_\_ to \_\_\_\_\_ from the technician?  
 Do \_\_\_\_\_ findings from my appliance's \_\_\_\_\_ lead \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ ?  
 I \_\_\_\_\_ if \_\_\_\_\_ technician \_\_\_\_\_ me \_\_\_\_\_ inspecting my appliance.  
 \_\_\_\_\_ findings \_\_\_\_\_ lead to the recommendation of any \_\_\_\_\_ from the \_\_\_\_\_ ?  
 \_\_\_\_\_ might have made a recommendation based \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ .  
 I \_\_\_\_\_ if the \_\_\_\_\_ suggested \_\_\_\_\_ fixes after \_\_\_\_\_ appliance's \_\_\_\_\_ .  
 \_\_\_\_\_ inspecting my \_\_\_\_\_ safety did \_\_\_\_\_ me any \_\_\_\_\_ ?  
 Did \_\_\_\_\_ any \_\_\_\_\_ after \_\_\_\_\_ appliance's safety inspection findings?  
 \_\_\_\_\_ was wondering if \_\_\_\_\_ technician \_\_\_\_\_ after the \_\_\_\_\_ inspected.

\_\_\_\_\_ did \_\_\_\_\_ technician give me \_\_\_\_\_ inspecting my \_\_\_\_\_?  
 \_\_\_\_\_ appliance's safety, what \_\_\_\_\_ can the technician \_\_\_\_\_?  
 Do the results of my \_\_\_\_\_ lead \_\_\_\_\_ of \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ the technician recommend \_\_\_\_\_ after inspecting \_\_\_\_\_?  
 Did \_\_\_\_\_ technician suggest any \_\_\_\_\_ Checking \_\_\_\_\_ appliance's \_\_\_\_\_?  
 \_\_\_\_\_ appliance's safety inspection \_\_\_\_\_ prompt \_\_\_\_\_ suggestions \_\_\_\_\_ technician?  
 \_\_\_\_\_ assessment of \_\_\_\_\_ device, any \_\_\_\_\_ measures?  
 \_\_\_\_\_ actions did the technician \_\_\_\_\_ appliance?  
 Is there \_\_\_\_\_ guidelines provided by \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ the technician \_\_\_\_\_ course \_\_\_\_\_ inspecting my appliance?  
 \_\_\_\_\_ what to do \_\_\_\_\_ my appliance's \_\_\_\_\_ inspection \_\_\_\_\_?  
 Do the technician \_\_\_\_\_ actions \_\_\_\_\_ my \_\_\_\_\_ safety?  
 \_\_\_\_\_ my \_\_\_\_\_ safety \_\_\_\_\_ the technician propose \_\_\_\_\_ action?  
 I'm \_\_\_\_\_ if the \_\_\_\_\_ recommendations \_\_\_\_\_ inspecting the \_\_\_\_\_.  
 I \_\_\_\_\_ to \_\_\_\_\_ technician gave me \_\_\_\_\_ recommendations \_\_\_\_\_ evaluating \_\_\_\_\_ inspection findings.  
 \_\_\_\_\_ guidelines after the appliance was inspected?  
 After \_\_\_\_\_ my \_\_\_\_\_ report the technician \_\_\_\_\_ any \_\_\_\_\_.  
 \_\_\_\_\_ suggest \_\_\_\_\_ after \_\_\_\_\_ my appliance?  
 \_\_\_\_\_ the \_\_\_\_\_ able \_\_\_\_\_ suggest fixes after \_\_\_\_\_ the \_\_\_\_\_?  
 Has the \_\_\_\_\_ outcome of my \_\_\_\_\_ safety inspection?  
 \_\_\_\_\_ give advice \_\_\_\_\_ to \_\_\_\_\_ after checking an \_\_\_\_\_?  
 I want \_\_\_\_\_ if \_\_\_\_\_ any further steps \_\_\_\_\_ safety check.  
 I \_\_\_\_\_ if \_\_\_\_\_ suggested \_\_\_\_\_ of action \_\_\_\_\_ my appliance.  
 \_\_\_\_\_ know \_\_\_\_\_ technician recommended \_\_\_\_\_ after \_\_\_\_\_ my appliance's \_\_\_\_\_ inspection findings.  
 Did the findings \_\_\_\_\_ appliance's \_\_\_\_\_ recommendation of any actions \_\_\_\_\_ technician?  
 \_\_\_\_\_ wanted to \_\_\_\_\_ anything \_\_\_\_\_ regarding \_\_\_\_\_ equipment's safety examination.  
 Did \_\_\_\_\_ specific precautions after evaluating \_\_\_\_\_ safety?  
 \_\_\_\_\_ you \_\_\_\_\_ if action items were \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ findings of my appliance's \_\_\_\_\_ to a recommendation \_\_\_\_\_ technician?  
 \_\_\_\_\_ considering \_\_\_\_\_ appliance's \_\_\_\_\_ did \_\_\_\_\_ any specific measures?  
 Should the technician \_\_\_\_\_ any \_\_\_\_\_ my \_\_\_\_\_ inspection?  
 I would \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ any recommendations after inspecting \_\_\_\_\_.  
 \_\_\_\_\_ appliance \_\_\_\_\_ inspection might lead to recommended actions \_\_\_\_\_ the \_\_\_\_\_.  
 Did the \_\_\_\_\_ any \_\_\_\_\_ my appliance was \_\_\_\_\_?  
 Did \_\_\_\_\_ technician propose \_\_\_\_\_ looking \_\_\_\_\_ my appliance's \_\_\_\_\_?  
 \_\_\_\_\_ was wondering \_\_\_\_\_ proposed any \_\_\_\_\_ examining my \_\_\_\_\_ safety.  
 Was the \_\_\_\_\_ able to suggest any \_\_\_\_\_ checking \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ an \_\_\_\_\_ inspection?  
 The technician \_\_\_\_\_ have \_\_\_\_\_ findings \_\_\_\_\_ the safety \_\_\_\_\_ of the appliance.  
 \_\_\_\_\_ the findings of \_\_\_\_\_ any suggestions regarding \_\_\_\_\_ appliance's \_\_\_\_\_?  
 \_\_\_\_\_ was wondering if \_\_\_\_\_ made me \_\_\_\_\_ safety of \_\_\_\_\_ appliance.  
 \_\_\_\_\_ technician \_\_\_\_\_ proposed something \_\_\_\_\_ my appliance's safety.  
 \_\_\_\_\_ any advice after \_\_\_\_\_ safety \_\_\_\_\_ on \_\_\_\_\_ appliance?  
 \_\_\_\_\_ wondering if the \_\_\_\_\_ suggested any \_\_\_\_\_ checking \_\_\_\_\_ safety.  
 \_\_\_\_\_ if the technician provided \_\_\_\_\_ safety recommendations after \_\_\_\_\_.  
 I am wondering if \_\_\_\_\_ gave a \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ the finding of \_\_\_\_\_ recommendation of actions by \_\_\_\_\_ technician?  
 I \_\_\_\_\_ if the \_\_\_\_\_ me any recommendations \_\_\_\_\_ inspecting \_\_\_\_\_.  
 \_\_\_\_\_ my \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ recommend?  
 \_\_\_\_\_ the \_\_\_\_\_ my appliance's \_\_\_\_\_ lead \_\_\_\_\_ recommendation of actions?

\_\_\_\_\_ the technician's \_\_\_\_\_ inspecting \_\_\_\_\_ appliance?

I \_\_\_\_\_ technician gave \_\_\_\_\_ recommendations \_\_\_\_\_ my appliance.

Did the \_\_\_\_\_ suggest any \_\_\_\_\_ checked \_\_\_\_\_ appliance's \_\_\_\_\_?

I \_\_\_\_\_ technician \_\_\_\_\_ me any recommendations after inspecting \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ fixes after he checked \_\_\_\_\_?

\_\_\_\_\_ want to \_\_\_\_\_ if the technician \_\_\_\_\_ any advice \_\_\_\_\_.

\_\_\_\_\_ am \_\_\_\_\_ technician made \_\_\_\_\_ after inspecting my appliance.

\_\_\_\_\_ my \_\_\_\_\_ safety, \_\_\_\_\_ might propose actions.

Did \_\_\_\_\_ technician recommend \_\_\_\_\_ actions \_\_\_\_\_ on the findings \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ evaluating \_\_\_\_\_ safety, \_\_\_\_\_ he \_\_\_\_\_ any measures?

Does the technician \_\_\_\_\_ you what to \_\_\_\_\_?

Is the \_\_\_\_\_ going to give \_\_\_\_\_ my \_\_\_\_\_?

When \_\_\_\_\_ appliance's \_\_\_\_\_ he recommend any \_\_\_\_\_ measures?

After \_\_\_\_\_ my \_\_\_\_\_ safety, did \_\_\_\_\_ propose actions?

Did \_\_\_\_\_ suggest any \_\_\_\_\_ looking at my \_\_\_\_\_?

\_\_\_\_\_ the findings \_\_\_\_\_ my appliance's inspection lead \_\_\_\_\_ recommendation \_\_\_\_\_ technician?

\_\_\_\_\_ the \_\_\_\_\_ able to provide \_\_\_\_\_ after inspecting \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ appliance's inspection lead to a \_\_\_\_\_ from the \_\_\_\_\_.

\_\_\_\_\_ may \_\_\_\_\_ recommended actions after \_\_\_\_\_ appliance's \_\_\_\_\_ inspection.

\_\_\_\_\_ suggest fixes after they \_\_\_\_\_ my \_\_\_\_\_?

In \_\_\_\_\_ of my \_\_\_\_\_ safety \_\_\_\_\_ suggestions \_\_\_\_\_ your \_\_\_\_\_ give?

\_\_\_\_\_ my appliances' \_\_\_\_\_ inspection results \_\_\_\_\_ out, \_\_\_\_\_ there any \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ am wondering if the \_\_\_\_\_ advised \_\_\_\_\_ further \_\_\_\_\_ based \_\_\_\_\_ my appliance.

\_\_\_\_\_ the technician advised \_\_\_\_\_ further \_\_\_\_\_ on \_\_\_\_\_ appliance's safety \_\_\_\_\_ can \_\_\_\_\_ tell \_\_\_\_\_?

I'm \_\_\_\_\_ there are any next \_\_\_\_\_ the \_\_\_\_\_ inspection of \_\_\_\_\_.

\_\_\_\_\_ findings \_\_\_\_\_ inspection lead to the recommendation \_\_\_\_\_ something \_\_\_\_\_ a \_\_\_\_\_?

Do \_\_\_\_\_ findings of \_\_\_\_\_ appliance's inspection \_\_\_\_\_ the technician's \_\_\_\_\_?

Do \_\_\_\_\_ findings of \_\_\_\_\_ inspection \_\_\_\_\_ to an \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_ recommended \_\_\_\_\_ further steps \_\_\_\_\_ my appliance's safety \_\_\_\_\_.

\_\_\_\_\_ findings of the \_\_\_\_\_ inspection \_\_\_\_\_ to the \_\_\_\_\_ recommendation \_\_\_\_\_?

\_\_\_\_\_ if the \_\_\_\_\_ anything after \_\_\_\_\_ my appliance.

\_\_\_\_\_ was wondering if the \_\_\_\_\_ recommendations \_\_\_\_\_ of my appliance.

\_\_\_\_\_ my \_\_\_\_\_ safety, did \_\_\_\_\_ technician propose any \_\_\_\_\_?

If \_\_\_\_\_ technician advised \_\_\_\_\_ based on \_\_\_\_\_ check, \_\_\_\_\_ you \_\_\_\_\_ me?

Did \_\_\_\_\_ fixes while \_\_\_\_\_ my appliance's safety?

\_\_\_\_\_ technician may \_\_\_\_\_ actions based on \_\_\_\_\_ appliance safety inspection.

\_\_\_\_\_ you know if any \_\_\_\_\_ were advised \_\_\_\_\_ my \_\_\_\_\_?

Do \_\_\_\_\_ from \_\_\_\_\_ inspection lead to \_\_\_\_\_ recommendation from \_\_\_\_\_?

\_\_\_\_\_ findings may have \_\_\_\_\_ actions \_\_\_\_\_ the technician about \_\_\_\_\_ appliance's \_\_\_\_\_.

\_\_\_\_\_ am \_\_\_\_\_ in \_\_\_\_\_ the technician gave recommendations \_\_\_\_\_ my \_\_\_\_\_.

Based on the \_\_\_\_\_ from \_\_\_\_\_ safety \_\_\_\_\_ the \_\_\_\_\_ might \_\_\_\_\_ actions.

I \_\_\_\_\_ if the technician \_\_\_\_\_ recommendations after \_\_\_\_\_ appliance's \_\_\_\_\_ inspection \_\_\_\_\_.

I \_\_\_\_\_ to know \_\_\_\_\_ the \_\_\_\_\_ recommendations after \_\_\_\_\_ my \_\_\_\_\_.

\_\_\_\_\_ appliance's safety \_\_\_\_\_ any \_\_\_\_\_ actions?

\_\_\_\_\_ it \_\_\_\_\_ technician \_\_\_\_\_ suggested \_\_\_\_\_ checking my appliance's \_\_\_\_\_?

\_\_\_\_\_ inspection \_\_\_\_\_ lead \_\_\_\_\_ suggested by \_\_\_\_\_ technician for \_\_\_\_\_ appliance?

Is there any \_\_\_\_\_ safety \_\_\_\_\_ on \_\_\_\_\_ appliance?

\_\_\_\_\_ inspecting my \_\_\_\_\_ has \_\_\_\_\_ any suggestions?

\_\_\_\_\_ the \_\_\_\_\_ able \_\_\_\_\_ give \_\_\_\_\_ recommendations on \_\_\_\_\_ safety of my \_\_\_\_\_?

\_\_\_\_\_ wanted \_\_\_\_\_ know \_\_\_\_\_ the technician suggested a \_\_\_\_\_ after inspecting \_\_\_\_\_.

\_\_\_\_\_ asked if anything \_\_\_\_\_ about my \_\_\_\_\_ safety \_\_\_\_\_.

After \_\_\_\_\_ did the technician give \_\_\_\_\_ any \_\_\_\_\_?

Did \_\_\_\_\_ technician \_\_\_\_\_ fixes \_\_\_\_\_ they \_\_\_\_\_ appliance's safety?

I was \_\_\_\_\_ technician gave me \_\_\_\_\_ after inspecting \_\_\_\_\_.

\_\_\_\_\_ technician suggest \_\_\_\_\_ when \_\_\_\_\_ checked my appliance's \_\_\_\_\_?

I \_\_\_\_\_ if the \_\_\_\_\_ any recommendations after inspecting \_\_\_\_\_.

\_\_\_\_\_ want \_\_\_\_\_ what steps to \_\_\_\_\_ after my \_\_\_\_\_.

\_\_\_\_\_ have any recommendations after \_\_\_\_\_ on my \_\_\_\_\_?

\_\_\_\_\_ the safety inspection \_\_\_\_\_ appliance, \_\_\_\_\_ next steps \_\_\_\_\_?

What did \_\_\_\_\_ after \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ examining the appliance's \_\_\_\_\_ did he \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ after \_\_\_\_\_ has \_\_\_\_\_ inspected?

Is \_\_\_\_\_ my appliance's inspection \_\_\_\_\_ to the \_\_\_\_\_ of any actions \_\_\_\_\_?

\_\_\_\_\_ curious to \_\_\_\_\_ the technician \_\_\_\_\_ advice after \_\_\_\_\_ my appliance.

Did \_\_\_\_\_ technician \_\_\_\_\_ anything after \_\_\_\_\_ safety?

The safety \_\_\_\_\_ my \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ suggest any specific measures \_\_\_\_\_ assessing \_\_\_\_\_ appliance's safety?

\_\_\_\_\_ technician \_\_\_\_\_ after inspecting my \_\_\_\_\_?

The \_\_\_\_\_ or \_\_\_\_\_ have given \_\_\_\_\_ recommendations after \_\_\_\_\_ my \_\_\_\_\_.

\_\_\_\_\_ tell me if \_\_\_\_\_ action \_\_\_\_\_ when examining \_\_\_\_\_ appliance?

\_\_\_\_\_ technician \_\_\_\_\_ any actions \_\_\_\_\_ at my appliance's \_\_\_\_\_?