

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Security and Alarm Companies
<b>Inquiry Category</b>	Extending or adjusting alarm system coverage
<b>Inquiry Sub-Category</b>	Expanding alarm system to outbuildings
<b>Description</b>	Customers with outbuildings, such as sheds or garages, may inquire about expanding their alarm system coverage to protect these additional structures, inquiring about additional equipment and installation requirements.
<b>Data Size</b>	5,013 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Security and Alarm Company" customer inquiry. (Purchased data will not be masked.)**

Will installing \_\_\_\_ detectors \_\_\_\_ each \_\_\_\_ structure be sufficient \_\_\_\_ part of \_\_\_\_ \_\_\_\_ ?

Is it \_\_\_\_ that \_\_\_\_ units inside \_\_\_\_ would \_\_\_\_ the security \_\_\_\_ ?

Will each structure have \_\_\_\_ detectors \_\_\_\_ for \_\_\_\_ extended coverage \_\_\_\_ ?

Is it \_\_\_\_ for \_\_\_\_ to have motion sensors \_\_\_\_ part \_\_\_\_ ?

Will it \_\_\_\_ possible \_\_\_\_ our \_\_\_\_ due to \_\_\_\_ motion \_\_\_\_ units being inside \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ enough to \_\_\_\_ motion \_\_\_\_ each structure?

Is \_\_\_\_ structure enough \_\_\_\_ extend coverage?

\_\_\_\_ of motion \_\_\_\_ extend coverage?

Will it be possible \_\_\_\_ our \_\_\_\_ to \_\_\_\_ extended by the \_\_\_\_ in \_\_\_\_ of the \_\_\_\_ ?

\_\_\_\_ have enough motion \_\_\_\_ for longer \_\_\_\_ ?

\_\_\_\_ the \_\_\_\_ of \_\_\_\_ be \_\_\_\_ within the larger coverage \_\_\_\_ ?

Will \_\_\_\_ individual \_\_\_\_ have \_\_\_\_ motion \_\_\_\_ to be \_\_\_\_ for extended coverage \_\_\_\_ ?

\_\_\_\_ individual buildings be \_\_\_\_ with \_\_\_\_ detectors \_\_\_\_ contribute \_\_\_\_ insurance \_\_\_\_ ?

\_\_\_\_ in each structure extend \_\_\_\_ security?

Will the \_\_\_\_ fulfill broader \_\_\_\_ ?

\_\_\_\_ in \_\_\_\_ structure extend the coverage?

\_\_\_\_ individual structure's \_\_\_\_ sensors sufficient \_\_\_\_ ?

In \_\_\_\_ extended plan, \_\_\_\_ motion \_\_\_\_ suffice?

Is motion detectors \_\_\_\_ every unit \_\_\_\_ extended \_\_\_\_ ?

Is \_\_\_\_ units \_\_\_\_ every structure \_\_\_\_ to extend \_\_\_\_ ?

\_\_\_\_ individual \_\_\_\_ be equipped with motion \_\_\_\_ that will \_\_\_\_ ?

Within broader plans, \_\_\_\_ building \_\_\_\_ detectors be \_\_\_\_ ?

Will \_\_\_\_ putting \_\_\_\_ detectors in each \_\_\_\_ ?

Are motion \_\_\_\_ for extended \_\_\_\_ ?

Will \_\_\_\_ security be extended \_\_\_\_ the \_\_\_\_ of movement \_\_\_\_ structure?

\_\_\_\_ individually \_\_\_\_ sensors enough for \_\_\_\_ ?

Will it \_\_\_\_ possible \_\_\_\_ our security \_\_\_\_ extended due \_\_\_\_ movement \_\_\_\_ units \_\_\_\_ all of \_\_\_\_ ?

Will motion detectors \_\_\_\_ each \_\_\_\_ ?

Will it be \_\_\_\_\_ security \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ motion \_\_\_\_\_ every structure?

\_\_\_\_\_ installing \_\_\_\_\_ detectors \_\_\_\_\_ in \_\_\_\_\_ coverage plan?

Can it \_\_\_\_\_ enough for each \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ detection units be \_\_\_\_\_ extend \_\_\_\_\_ coverage?

\_\_\_\_\_ sensors give \_\_\_\_\_ enough coverage?

Does \_\_\_\_\_ detector in \_\_\_\_\_ unit \_\_\_\_\_ for \_\_\_\_\_ cover \_\_\_\_\_?

\_\_\_\_\_ installing \_\_\_\_\_ detectors enough \_\_\_\_\_ a \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ motion detectors \_\_\_\_\_ an extended coverage plan?

\_\_\_\_\_ motion sensors be included \_\_\_\_\_ structure \_\_\_\_\_?

\_\_\_\_\_ individual buildings \_\_\_\_\_ detectors that will \_\_\_\_\_ improved insurance \_\_\_\_\_?

Will installing \_\_\_\_\_ detectors \_\_\_\_\_ structures \_\_\_\_\_ for \_\_\_\_\_ coverage?

Does motion \_\_\_\_\_ provide \_\_\_\_\_ coverage?

\_\_\_\_\_ it \_\_\_\_\_ possible to extend \_\_\_\_\_ due \_\_\_\_\_ motion \_\_\_\_\_ in every \_\_\_\_\_?

Will \_\_\_\_\_ motion detectors \_\_\_\_\_ be adequate for \_\_\_\_\_ coverage \_\_\_\_\_ will there not be \_\_\_\_\_?

Will there be \_\_\_\_\_ motion \_\_\_\_\_ cover \_\_\_\_\_ extended coverage \_\_\_\_\_?

\_\_\_\_\_ motion detection \_\_\_\_\_ in \_\_\_\_\_ enough to extend \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ individually to \_\_\_\_\_ extended protection plans?

\_\_\_\_\_ individual \_\_\_\_\_ motion sensors capable \_\_\_\_\_ coverage needs?

Will \_\_\_\_\_ structure \_\_\_\_\_ enough motion \_\_\_\_\_ an area?

\_\_\_\_\_ the \_\_\_\_\_ of every structure \_\_\_\_\_ by having \_\_\_\_\_ detection \_\_\_\_\_?

Will \_\_\_\_\_ detection units \_\_\_\_\_ in every \_\_\_\_\_ make \_\_\_\_\_ our security \_\_\_\_\_?

Are \_\_\_\_\_ sensors per unit \_\_\_\_\_ coverage?

Can the \_\_\_\_\_ detection \_\_\_\_\_ every \_\_\_\_\_ security coverage?

Will the coverage be \_\_\_\_\_ motion detectors \_\_\_\_\_ structure?

\_\_\_\_\_ each \_\_\_\_\_ detectors to help with extended \_\_\_\_\_ plans?

\_\_\_\_\_ every individual \_\_\_\_\_ have \_\_\_\_\_ in extended coverage \_\_\_\_\_?

Is motion \_\_\_\_\_ enough to improve \_\_\_\_\_ coverage?

\_\_\_\_\_ comprehensive \_\_\_\_\_ with the installation of \_\_\_\_\_ in each \_\_\_\_\_?

\_\_\_\_\_ units \_\_\_\_\_ in \_\_\_\_\_ structure \_\_\_\_\_ for our \_\_\_\_\_ to extend?

\_\_\_\_\_ installation of \_\_\_\_\_ in every building \_\_\_\_\_?

Is \_\_\_\_\_ detectors \_\_\_\_\_ effective for long \_\_\_\_\_ plans?

\_\_\_\_\_ have \_\_\_\_\_ motion detector to cover \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ detectors adequately enhancing our \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ installation in the protection plans?

\_\_\_\_\_ individual structure motion \_\_\_\_\_ in \_\_\_\_\_ plan \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ of the motion \_\_\_\_\_ units \_\_\_\_\_ every \_\_\_\_\_?

Will the \_\_\_\_\_ of \_\_\_\_\_ detectors in \_\_\_\_\_ structure \_\_\_\_\_?

\_\_\_\_\_ enough \_\_\_\_\_ each structure to have \_\_\_\_\_ motion \_\_\_\_\_?

\_\_\_\_\_ structure have \_\_\_\_\_ motion detectors \_\_\_\_\_ for extended coverage?

Will \_\_\_\_\_ be enough to \_\_\_\_\_ installed \_\_\_\_\_ structures?

\_\_\_\_\_ our security \_\_\_\_\_ extended \_\_\_\_\_ movement detection \_\_\_\_\_ inside \_\_\_\_\_ structure?

Will \_\_\_\_\_ structure have enough motion detectors to be \_\_\_\_\_?

Will each structure have \_\_\_\_\_ to \_\_\_\_\_ coverage?

Are motion detection \_\_\_\_\_ inside every \_\_\_\_\_ enough to \_\_\_\_\_?

\_\_\_\_\_ detectors adequate for \_\_\_\_\_ coverage \_\_\_\_\_ all the \_\_\_\_\_?

Can \_\_\_\_\_ extended \_\_\_\_\_ the existence \_\_\_\_\_ movement \_\_\_\_\_ in each structure?

Is \_\_\_\_\_ in extended \_\_\_\_\_ plans?

Can motion \_\_\_\_\_ be found in \_\_\_\_\_ coverage?

Does \_\_\_\_\_ installation of \_\_\_\_\_ motion detector \_\_\_\_\_ adequate \_\_\_\_\_?

\_\_\_\_\_ in-building motion \_\_\_\_\_ for \_\_\_\_\_ coverage?

Will each \_\_\_\_\_ motion detectors \_\_\_\_\_ coverage?

\_\_\_\_\_ each structure \_\_\_\_\_ enough motion detectors \_\_\_\_\_ an \_\_\_\_\_ area?

\_\_\_\_\_ individual buildings be \_\_\_\_\_ that \_\_\_\_\_ to enhanced insurance coverage?

Is \_\_\_\_\_ detectors in all units capable \_\_\_\_\_?

Will each structure \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ extended coverage \_\_\_\_\_?

Will motion \_\_\_\_\_ be enough \_\_\_\_\_ as part of \_\_\_\_\_?

Will \_\_\_\_\_ be enough to \_\_\_\_\_ detectors \_\_\_\_\_ building?

\_\_\_\_\_ motion \_\_\_\_\_ units allow us to \_\_\_\_\_ into \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ sensors provide enough \_\_\_\_\_?

\_\_\_\_\_ enough motion detectors to meet \_\_\_\_\_ coverage \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ enough to \_\_\_\_\_ separate motion \_\_\_\_\_ an \_\_\_\_\_ security plan?

As \_\_\_\_\_ part \_\_\_\_\_ will individual structure motion detection \_\_\_\_\_?

\_\_\_\_\_ movement \_\_\_\_\_ sufficient to \_\_\_\_\_ all \_\_\_\_\_ the \_\_\_\_\_ with \_\_\_\_\_ for \_\_\_\_\_ coverage?

\_\_\_\_\_ be possible to extend \_\_\_\_\_ due to \_\_\_\_\_ presence \_\_\_\_\_ movement detection \_\_\_\_\_ structures?

\_\_\_\_\_ it be possible \_\_\_\_\_ our security to be \_\_\_\_\_ due \_\_\_\_\_ being inside \_\_\_\_\_?

Will \_\_\_\_\_ individual structure have \_\_\_\_\_ detectors \_\_\_\_\_ extended \_\_\_\_\_ plans?

Is it \_\_\_\_\_ security \_\_\_\_\_ due to motion detection units \_\_\_\_\_ every \_\_\_\_\_?

Can \_\_\_\_\_ be extended due \_\_\_\_\_ detection units in \_\_\_\_\_.

\_\_\_\_\_ enough motion detectors \_\_\_\_\_ to cover extended coverage \_\_\_\_\_?

\_\_\_\_\_ structure's motion \_\_\_\_\_ extended protection?

\_\_\_\_\_ enough for \_\_\_\_\_ plans in the building?

\_\_\_\_\_ motion \_\_\_\_\_ be \_\_\_\_\_ to extend \_\_\_\_\_?

Will each structure have \_\_\_\_\_ detectors to \_\_\_\_\_ for extended \_\_\_\_\_ will \_\_\_\_\_?

Is each building's \_\_\_\_\_ installation adequate \_\_\_\_\_?

\_\_\_\_\_ per-building motion \_\_\_\_\_ sufficient \_\_\_\_\_ broader \_\_\_\_\_?

Will there \_\_\_\_\_ enough \_\_\_\_\_ every \_\_\_\_\_ the \_\_\_\_\_ coverage plans?

\_\_\_\_\_ we \_\_\_\_\_ our security \_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_ inside \_\_\_\_\_ structure?

Is it \_\_\_\_\_ motion detection \_\_\_\_\_ inside \_\_\_\_\_ structure could \_\_\_\_\_?

\_\_\_\_\_ detection units \_\_\_\_\_ structure \_\_\_\_\_ to extend security?

Is the installation of \_\_\_\_\_ each \_\_\_\_\_ enough?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ our security \_\_\_\_\_ to \_\_\_\_\_ units being inside the \_\_\_\_\_?

\_\_\_\_\_ detection \_\_\_\_\_ in every structure \_\_\_\_\_ of \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ every building enhance \_\_\_\_\_ extended \_\_\_\_\_?

Are individual structure's \_\_\_\_\_ coverage?

Will \_\_\_\_\_ be \_\_\_\_\_ motion detectors in \_\_\_\_\_ coverage or \_\_\_\_\_?

Can \_\_\_\_\_ motion \_\_\_\_\_ extend coverage?

There \_\_\_\_\_ movement detection units \_\_\_\_\_ each \_\_\_\_\_ it be \_\_\_\_\_ our \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ have enough motion detectors \_\_\_\_\_ extended coverage plans.

Will it \_\_\_\_\_ to have \_\_\_\_\_ detectors \_\_\_\_\_ structure?

Is it possible \_\_\_\_\_ units \_\_\_\_\_ would extend security \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ installing motion \_\_\_\_\_ as sufficient security within individual \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ units inside every \_\_\_\_\_ possible to \_\_\_\_\_?

\_\_\_\_\_ motion detectors work \_\_\_\_\_ cover \_\_\_\_\_?

Is motion sensors \_\_\_\_\_?

\_\_\_\_\_ sensors help to extend \_\_\_\_\_?

There \_\_\_\_\_ for \_\_\_\_\_ movement \_\_\_\_\_ enough to cover \_\_\_\_\_ of the building?

Does motion \_\_\_\_\_ adequate extended \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ enough to support \_\_\_\_\_ coverage?

Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ detector?

Will it \_\_\_\_\_ for \_\_\_\_\_ structure \_\_\_\_\_ install \_\_\_\_\_ detectors?

Is \_\_\_\_ sensor per \_\_\_\_ satisfactory for \_\_\_\_ coverage?

Will \_\_\_\_ motion \_\_\_\_ each \_\_\_\_ structure \_\_\_\_ sufficient?

Will each \_\_\_\_ have \_\_\_\_ needs of extended coverage?

Will \_\_\_\_ plans include \_\_\_\_ of motion detectors in \_\_\_\_?

\_\_\_\_ it be possible \_\_\_\_ the security \_\_\_\_ be extended \_\_\_\_ to \_\_\_\_ units \_\_\_\_ every \_\_\_\_?

\_\_\_\_ with the installation of \_\_\_\_ detectors in \_\_\_\_ structure?

Will each structure \_\_\_\_ detectors in \_\_\_\_ coverage \_\_\_\_?

\_\_\_\_ sensors give adequate protection \_\_\_\_?

\_\_\_\_ each structure \_\_\_\_ motion detectors to be \_\_\_\_ coverage, \_\_\_\_ will there \_\_\_\_?

\_\_\_\_ there be \_\_\_\_ each structure \_\_\_\_ fulfill extended \_\_\_\_ plans?

\_\_\_\_ installation of \_\_\_\_ in each building \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ extend \_\_\_\_ security \_\_\_\_ to \_\_\_\_ detection units located \_\_\_\_ every \_\_\_\_?

\_\_\_\_ be \_\_\_\_ to be \_\_\_\_ due \_\_\_\_ movement detection units in each \_\_\_\_?

\_\_\_\_ each \_\_\_\_ enough motion detectors \_\_\_\_ in \_\_\_\_ plans?

\_\_\_\_ individual structure have \_\_\_\_ motion \_\_\_\_ for an extended coverage \_\_\_\_?

\_\_\_\_ enough \_\_\_\_ motion detectors to \_\_\_\_ installed \_\_\_\_ the individual \_\_\_\_?

\_\_\_\_ it possible for our \_\_\_\_ to \_\_\_\_ because \_\_\_\_ motion detection \_\_\_\_ structure?

Will the \_\_\_\_ structures \_\_\_\_ enough \_\_\_\_ detectors for \_\_\_\_?

Will \_\_\_\_ be possible \_\_\_\_ security to \_\_\_\_ extended \_\_\_\_ to \_\_\_\_ detection \_\_\_\_ every \_\_\_\_?

\_\_\_\_ motion \_\_\_\_ good for extra \_\_\_\_?

Will \_\_\_\_ structure \_\_\_\_ installed in an \_\_\_\_ coverage plan?

\_\_\_\_ enough motion \_\_\_\_ in \_\_\_\_ the needs of extended coverage plans?

\_\_\_\_ it \_\_\_\_ each \_\_\_\_ to install \_\_\_\_ detectors?

\_\_\_\_ be \_\_\_\_ security to extend because \_\_\_\_ detection \_\_\_\_ inside each structure?

\_\_\_\_ coverage plans, \_\_\_\_ installing \_\_\_\_ detectors suffice?

\_\_\_\_ for extended coverage plans?

Will each \_\_\_\_ motion \_\_\_\_ to be \_\_\_\_ coverage plans.

Will each structure have \_\_\_\_ to give \_\_\_\_?

Can security \_\_\_\_ into \_\_\_\_ having motion \_\_\_\_ units?

Can \_\_\_\_ adequate for extended coverage \_\_\_\_ building?

Is \_\_\_\_ extend \_\_\_\_ by \_\_\_\_ motion sensors?

Will \_\_\_\_ sensors \_\_\_\_ enough to \_\_\_\_?

Are \_\_\_\_ for extended cover \_\_\_\_?

\_\_\_\_ motion detection units \_\_\_\_ possible \_\_\_\_ our security \_\_\_\_ every \_\_\_\_?

Is individual structure's \_\_\_\_ enough to \_\_\_\_ coverage \_\_\_\_?

Will \_\_\_\_ detection \_\_\_\_ in \_\_\_\_ to extend security?

\_\_\_\_ it \_\_\_\_ possible \_\_\_\_ security to \_\_\_\_ by the \_\_\_\_ movement \_\_\_\_ units inside \_\_\_\_ structure?

\_\_\_\_ it \_\_\_\_ possible to \_\_\_\_ security due \_\_\_\_ the \_\_\_\_ of \_\_\_\_ detection \_\_\_\_ inside \_\_\_\_ structure?

\_\_\_\_ having motion detection units \_\_\_\_ structure \_\_\_\_ coverage?

Is motion sensors \_\_\_\_ in \_\_\_\_ enough \_\_\_\_ coverage?

\_\_\_\_ it \_\_\_\_ possible to \_\_\_\_ security \_\_\_\_ motion \_\_\_\_ units being located \_\_\_\_ every \_\_\_\_?

Is motion \_\_\_\_ unit satisfactory \_\_\_\_ security \_\_\_\_?

\_\_\_\_ the \_\_\_\_ detector \_\_\_\_ building give enough coverage?

Is \_\_\_\_ sensor technology \_\_\_\_ enough for insurance \_\_\_\_?

\_\_\_\_ each \_\_\_\_ have enough motion \_\_\_\_ for \_\_\_\_ extended \_\_\_\_?

\_\_\_\_ motion detectors be \_\_\_\_ extended \_\_\_\_ plans \_\_\_\_ building?

Will each \_\_\_\_ have \_\_\_\_ motion \_\_\_\_ allow \_\_\_\_ coverage plans?

\_\_\_\_ detectors be \_\_\_\_ cover plans?

\_\_\_\_ sensors adequate for coverage?

Will motion detectors \_\_\_\_ enough \_\_\_\_ in \_\_\_\_ structure?

\_\_\_\_\_ detector installation guarantee \_\_\_\_\_ coverage?  
 \_\_\_\_\_ for individual installing \_\_\_\_\_ provide ample protection plans?  
 \_\_\_\_\_ having \_\_\_\_\_ inside every structure be enough \_\_\_\_\_ improve \_\_\_\_\_?  
 Can \_\_\_\_\_ motion detectors \_\_\_\_\_ protection?  
 Will \_\_\_\_\_ security to \_\_\_\_\_ due \_\_\_\_\_ detection units \_\_\_\_\_ each structure?  
 Is there enough coverage with \_\_\_\_\_ installation \_\_\_\_\_ detectors \_\_\_\_\_?  
 Will it \_\_\_\_\_ enough \_\_\_\_\_ install \_\_\_\_\_ detectors \_\_\_\_\_ structure?  
 \_\_\_\_\_ every structure \_\_\_\_\_ motion detectors \_\_\_\_\_ be sufficient \_\_\_\_\_ extended \_\_\_\_\_?  
 \_\_\_\_\_ extended \_\_\_\_\_ plans, would installing separate \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ structure have \_\_\_\_\_ motion detectors to \_\_\_\_\_ coverage?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ our security \_\_\_\_\_ to the motion \_\_\_\_\_ being in \_\_\_\_\_?  
 Is \_\_\_\_\_ extended \_\_\_\_\_ plans in each building?  
 Will each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ to cover \_\_\_\_\_?  
 \_\_\_\_\_ it be \_\_\_\_\_ extend our \_\_\_\_\_ because of \_\_\_\_\_ detection \_\_\_\_\_ every \_\_\_\_\_?  
 \_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ installed to cover all \_\_\_\_\_ area \_\_\_\_\_ coverage \_\_\_\_\_?  
 \_\_\_\_\_ have enough motion detectors \_\_\_\_\_ for extended coverage plans or \_\_\_\_\_?  
 Can motion \_\_\_\_\_ enough \_\_\_\_\_ coverage?  
 \_\_\_\_\_ the security \_\_\_\_\_ into \_\_\_\_\_ having motion detection \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of motion \_\_\_\_\_ in a building \_\_\_\_\_?  
 Will having \_\_\_\_\_ detection \_\_\_\_\_ in \_\_\_\_\_ structure \_\_\_\_\_ enough \_\_\_\_\_ security?  
 \_\_\_\_\_ movement detectors \_\_\_\_\_ cover \_\_\_\_\_ of the \_\_\_\_\_ with \_\_\_\_\_ for extended \_\_\_\_\_  
 \_\_\_\_\_ detectors \_\_\_\_\_ each unit \_\_\_\_\_ coverage?  
 Is \_\_\_\_\_ inclusion per \_\_\_\_\_ to extend \_\_\_\_\_?  
 Will motion \_\_\_\_\_ units being in \_\_\_\_\_ allow us \_\_\_\_\_?  
 Will each structure have \_\_\_\_\_ detectors \_\_\_\_\_ cover \_\_\_\_\_ the area?  
 Can \_\_\_\_\_ of per-structure \_\_\_\_\_ detectors \_\_\_\_\_?  
 Will the individual \_\_\_\_\_ detectors \_\_\_\_\_ adequate \_\_\_\_\_ extended coverage plan.  
 \_\_\_\_\_ movement \_\_\_\_\_ to \_\_\_\_\_ of the building with \_\_\_\_\_ for extended \_\_\_\_\_?  
 \_\_\_\_\_ structure have enough \_\_\_\_\_ detectors \_\_\_\_\_ cover \_\_\_\_\_ of \_\_\_\_\_ area \_\_\_\_\_ extended \_\_\_\_\_ plans?  
 \_\_\_\_\_ the \_\_\_\_\_ in every unit \_\_\_\_\_ cover plans?  
 \_\_\_\_\_ to every building \_\_\_\_\_ enhance our coverage?  
 Will \_\_\_\_\_ structure \_\_\_\_\_ motion \_\_\_\_\_ for coverage \_\_\_\_\_?  
 Is \_\_\_\_\_ motion sensors \_\_\_\_\_ expand \_\_\_\_\_?  
 \_\_\_\_\_ security be extended \_\_\_\_\_ to \_\_\_\_\_ detection \_\_\_\_\_ each structure?  
 \_\_\_\_\_ it \_\_\_\_\_ install motion sensors \_\_\_\_\_ provide adequate \_\_\_\_\_ protection \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ offered \_\_\_\_\_ individually \_\_\_\_\_ motion \_\_\_\_\_?  
 Will it be \_\_\_\_\_ detectors in \_\_\_\_\_ structure?  
 Is \_\_\_\_\_ added protection?  
 \_\_\_\_\_ comprehensive \_\_\_\_\_ installation of \_\_\_\_\_ motion detectors in each building?  
 Is it possible that \_\_\_\_\_ detection units \_\_\_\_\_ extend \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ for expanded security coverage?  
 Is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ due to \_\_\_\_\_ detection units \_\_\_\_\_ every structure?  
 \_\_\_\_\_ motion detectors alone \_\_\_\_\_ enough \_\_\_\_\_ coverage \_\_\_\_\_ buildings?  
 \_\_\_\_\_ it possible \_\_\_\_\_ motion \_\_\_\_\_ will \_\_\_\_\_ enough \_\_\_\_\_ extend security?  
 \_\_\_\_\_ each structure \_\_\_\_\_ motion detectors to \_\_\_\_\_ coverage?  
 Will \_\_\_\_\_ structure in \_\_\_\_\_ coverage plan have \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ security to \_\_\_\_\_ due to \_\_\_\_\_ every structure?  
 \_\_\_\_\_ detectors in \_\_\_\_\_ building \_\_\_\_\_ adequate \_\_\_\_\_?  
 \_\_\_\_\_ enough motion \_\_\_\_\_ structure to be adequate \_\_\_\_\_ extended \_\_\_\_\_ plans?  
 \_\_\_\_\_ every \_\_\_\_\_ motion detector for extended \_\_\_\_\_?

Will the individual \_\_\_\_\_ have enough motion detectors \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ in every structure extend \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ motion sensors \_\_\_\_\_ structure \_\_\_\_\_ coverage?

Is \_\_\_\_\_ motion detection \_\_\_\_\_ each \_\_\_\_\_ would \_\_\_\_\_ security coverage?

\_\_\_\_\_ motion \_\_\_\_\_ for \_\_\_\_\_ extended \_\_\_\_\_ plan?

Is motion \_\_\_\_\_ units inside each structure \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ motion detector installation \_\_\_\_\_ give adequate \_\_\_\_\_?

Will \_\_\_\_\_ motion detectors in individual \_\_\_\_\_ coverage plans?

\_\_\_\_\_ detectors are enough for \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ separate \_\_\_\_\_ detectors \_\_\_\_\_ be \_\_\_\_\_ for extended \_\_\_\_\_?

Can \_\_\_\_\_ sensor \_\_\_\_\_ to \_\_\_\_\_ coverage?

Is \_\_\_\_\_ sufficient for \_\_\_\_\_ plans in \_\_\_\_\_ building?

Is it \_\_\_\_\_ be installed in \_\_\_\_\_ structure?

\_\_\_\_\_ to be \_\_\_\_\_ due to motion detection in \_\_\_\_\_ structure?

\_\_\_\_\_ each structure suffice?

Can \_\_\_\_\_ motion sensors \_\_\_\_\_ adequate \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ motion \_\_\_\_\_ part \_\_\_\_\_ the extended plan?

Is it possible to \_\_\_\_\_ motion \_\_\_\_\_ ample protection \_\_\_\_\_?

Are \_\_\_\_\_ for the extended \_\_\_\_\_ plans \_\_\_\_\_ building?

\_\_\_\_\_ motion detectors sufficient \_\_\_\_\_ extended coverage \_\_\_\_\_ in \_\_\_\_\_?

Will \_\_\_\_\_ possible \_\_\_\_\_ security \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ detection units inside every \_\_\_\_\_?

Does the \_\_\_\_\_ provide adequate \_\_\_\_\_ in \_\_\_\_\_ building?

\_\_\_\_\_ our security to extend if there \_\_\_\_\_ units \_\_\_\_\_ each structure?

\_\_\_\_\_ motion \_\_\_\_\_ be \_\_\_\_\_ per structure in \_\_\_\_\_ to \_\_\_\_\_?

Can in- building \_\_\_\_\_ detectors \_\_\_\_\_ broader coverage \_\_\_\_\_?

\_\_\_\_\_ be possible to extend \_\_\_\_\_ if we \_\_\_\_\_ motion \_\_\_\_\_ units?

Will \_\_\_\_\_ enough \_\_\_\_\_ in \_\_\_\_\_ coverage plans for each \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ our \_\_\_\_\_ to \_\_\_\_\_ motion detection \_\_\_\_\_ being \_\_\_\_\_ every structure?

Will individual buildings \_\_\_\_\_ motion \_\_\_\_\_ contribute \_\_\_\_\_ enhanced \_\_\_\_\_ coverage?

\_\_\_\_\_ motion \_\_\_\_\_ adequate \_\_\_\_\_ add \_\_\_\_\_ plans?

\_\_\_\_\_ there \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ each \_\_\_\_\_ extended coverage?

\_\_\_\_\_ each structure's \_\_\_\_\_ sufficient \_\_\_\_\_ extended coverage?

\_\_\_\_\_ all individual structures \_\_\_\_\_ enough \_\_\_\_\_ extended coverage \_\_\_\_\_?

Is \_\_\_\_\_ that motion \_\_\_\_\_ structure would extend \_\_\_\_\_ security coverage?

Can \_\_\_\_\_ detectors \_\_\_\_\_ used \_\_\_\_\_ protection?

\_\_\_\_\_ the presence of motion \_\_\_\_\_ in every \_\_\_\_\_ extend \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to install \_\_\_\_\_ individually and \_\_\_\_\_ ample \_\_\_\_\_ plans?

Will \_\_\_\_\_ detectors in \_\_\_\_\_ structure be \_\_\_\_\_ extended \_\_\_\_\_ plan?

Can \_\_\_\_\_ extend \_\_\_\_\_ due to \_\_\_\_\_ detection \_\_\_\_\_ inside \_\_\_\_\_ structure?

Will \_\_\_\_\_ enough \_\_\_\_\_ detectors to be adequate \_\_\_\_\_ plans?

Is \_\_\_\_\_ unit \_\_\_\_\_ security coverage in structures?

Will \_\_\_\_\_ detection units \_\_\_\_\_ structure \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_?

Will individual structure \_\_\_\_\_ meet \_\_\_\_\_ coverage plans?

\_\_\_\_\_ the \_\_\_\_\_ adequately covered by \_\_\_\_\_ with \_\_\_\_\_ for extended \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ motion detectors \_\_\_\_\_ structure for \_\_\_\_\_ adequate extended coverage \_\_\_\_\_?

Is it possible that motion \_\_\_\_\_ inside every \_\_\_\_\_?

Can \_\_\_\_\_ detection \_\_\_\_\_ every \_\_\_\_\_ to extend our security?

\_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ detectors for \_\_\_\_\_ extended coverage plan, \_\_\_\_\_ there \_\_\_\_\_ enough?

Is \_\_\_\_\_ to \_\_\_\_\_ motion sensors \_\_\_\_\_ provide \_\_\_\_\_ of \_\_\_\_\_ protection plans?

\_\_\_\_\_ it \_\_\_\_\_ to get \_\_\_\_\_ detectors on each \_\_\_\_\_?

Will each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ that \_\_\_\_\_ adequate \_\_\_\_\_ or not?

\_\_\_\_\_ individual \_\_\_\_\_ motion \_\_\_\_\_ good enough for \_\_\_\_\_?

Will each \_\_\_\_\_ enough motion detectors to meet \_\_\_\_\_ coverage \_\_\_\_\_.

Is it possible \_\_\_\_\_ individual \_\_\_\_\_ detectors \_\_\_\_\_ contribute to enhanced \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ in each structure \_\_\_\_\_?

Are motion detectors \_\_\_\_\_ for extended \_\_\_\_\_ plans \_\_\_\_\_?

Is \_\_\_\_\_ detectors enough \_\_\_\_\_ building \_\_\_\_\_ extended \_\_\_\_\_?

Is \_\_\_\_\_ detector installation \_\_\_\_\_ structures for extended \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ units be able to \_\_\_\_\_ every \_\_\_\_\_?

\_\_\_\_\_ implementation \_\_\_\_\_ motion detectors can \_\_\_\_\_ broader coverage \_\_\_\_\_

Is \_\_\_\_\_ motion \_\_\_\_\_ for \_\_\_\_\_ protection?

\_\_\_\_\_ be possible for security \_\_\_\_\_ because of movement \_\_\_\_\_ units \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ possible for our \_\_\_\_\_ to \_\_\_\_\_ to the motion \_\_\_\_\_ in every \_\_\_\_\_?

Is \_\_\_\_\_ sensors \_\_\_\_\_ unit \_\_\_\_\_ security in each \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ due to \_\_\_\_\_ presence of movement \_\_\_\_\_ units inside \_\_\_\_\_?

Can our security be extended \_\_\_\_\_ presence \_\_\_\_\_ movement \_\_\_\_\_ inside \_\_\_\_\_?

\_\_\_\_\_ installation enough within \_\_\_\_\_ coverage \_\_\_\_\_?

Will it \_\_\_\_\_ for our security \_\_\_\_\_ due to \_\_\_\_\_ detection \_\_\_\_\_ in every structure?

\_\_\_\_\_ individual \_\_\_\_\_ have \_\_\_\_\_ detectors to \_\_\_\_\_ extended coverage plans?

\_\_\_\_\_ motion sensors sufficient to \_\_\_\_\_?

\_\_\_\_\_ cover \_\_\_\_\_ detectors effective in every unit?

Is motion \_\_\_\_\_ enough \_\_\_\_\_ coverage \_\_\_\_\_?

Will we \_\_\_\_\_ able to \_\_\_\_\_ security \_\_\_\_\_ motion detection units?

Will motion detection \_\_\_\_\_ being inside \_\_\_\_\_ structure make \_\_\_\_\_ our \_\_\_\_\_?

Is separate \_\_\_\_\_ for \_\_\_\_\_ plans?

\_\_\_\_\_ structures have enough motion detectors \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ security be \_\_\_\_\_ due \_\_\_\_\_ the existence of \_\_\_\_\_ detection units \_\_\_\_\_?

Can the security be extended \_\_\_\_\_ to motion \_\_\_\_\_?

Will it be \_\_\_\_\_ for \_\_\_\_\_ extended into every structure with \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ structure \_\_\_\_\_ have \_\_\_\_\_ sensors as \_\_\_\_\_ expansion \_\_\_\_\_?

\_\_\_\_\_ movement detection units \_\_\_\_\_ each \_\_\_\_\_ allow \_\_\_\_\_ our security?

Will extended \_\_\_\_\_ the installation of \_\_\_\_\_ in \_\_\_\_\_ structure?

Is \_\_\_\_\_ to \_\_\_\_\_ install \_\_\_\_\_ sensors \_\_\_\_\_ ample protection plans?

Can we \_\_\_\_\_ security due to \_\_\_\_\_ detection \_\_\_\_\_ inside \_\_\_\_\_?

Is \_\_\_\_\_ motion \_\_\_\_\_ adequate extra \_\_\_\_\_?

\_\_\_\_\_ structure in \_\_\_\_\_ extended coverage plan \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_?

\_\_\_\_\_ each structure have \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ coverage?

Will \_\_\_\_\_ individual \_\_\_\_\_ have enough \_\_\_\_\_ detectors to \_\_\_\_\_?

\_\_\_\_\_ coverage will include installing \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ sensors \_\_\_\_\_ extended protection plans?

Will \_\_\_\_\_ have \_\_\_\_\_ detectors to \_\_\_\_\_ for \_\_\_\_\_ coverage plans?

Is \_\_\_\_\_ possible to \_\_\_\_\_ motion detectors \_\_\_\_\_ enough added \_\_\_\_\_?

Will installation \_\_\_\_\_ motion detectors \_\_\_\_\_ each \_\_\_\_\_?

Will \_\_\_\_\_ have a detector \_\_\_\_\_ extend \_\_\_\_\_?

Will installing motion detectors \_\_\_\_\_ extending coverage?

\_\_\_\_\_ extended cover \_\_\_\_\_ are motion \_\_\_\_\_ every unit \_\_\_\_\_?

Will \_\_\_\_\_ motion detection units inside \_\_\_\_\_ security?

\_\_\_\_\_ the \_\_\_\_\_ detectors in \_\_\_\_\_ structure \_\_\_\_\_ enough \_\_\_\_\_ an extended coverage \_\_\_\_\_?

Will \_\_\_\_\_ structures \_\_\_\_\_ enough \_\_\_\_\_ installed to cover all \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ coverage \_\_\_\_\_?

Is \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ coverage?

Will \_\_\_\_\_ motion detectors to contribute to \_\_\_\_\_ coverage?

Was motion \_\_\_\_\_ unit \_\_\_\_\_ expanded security coverage \_\_\_\_\_ each \_\_\_\_\_?

Will \_\_\_\_\_ enough to install \_\_\_\_\_ detectors \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ plans would installing per-building \_\_\_\_\_ detectors \_\_\_\_\_?

Is it possible \_\_\_\_\_ structure \_\_\_\_\_ part of an extended \_\_\_\_\_ plan?

\_\_\_\_\_ motion \_\_\_\_\_ good \_\_\_\_\_ for \_\_\_\_\_ protection \_\_\_\_\_?

Will \_\_\_\_\_ extend security due to \_\_\_\_\_ of movement detection \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ motion detectors enough \_\_\_\_\_ a coverage \_\_\_\_\_ in \_\_\_\_\_?

Is installing motion \_\_\_\_\_ extended \_\_\_\_\_?

Does each structure \_\_\_\_\_ motion \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ each structure \_\_\_\_\_ be \_\_\_\_\_ under expansive coverage.

Is \_\_\_\_\_ detection \_\_\_\_\_ inside every \_\_\_\_\_ can extend \_\_\_\_\_ security coverage?

\_\_\_\_\_ each \_\_\_\_\_ enough detectors \_\_\_\_\_ extended \_\_\_\_\_?

\_\_\_\_\_ individual structures have \_\_\_\_\_ motion \_\_\_\_\_ meet \_\_\_\_\_ coverage?

Will every \_\_\_\_\_ have enough \_\_\_\_\_ detectors \_\_\_\_\_ cover \_\_\_\_\_ area in \_\_\_\_\_ plans?

Can the installation of \_\_\_\_\_ provide \_\_\_\_\_ plans?

Is it possible to \_\_\_\_\_ motion \_\_\_\_\_ adequate \_\_\_\_\_ plans?

\_\_\_\_\_ individual motion \_\_\_\_\_ part \_\_\_\_\_ the plan?

\_\_\_\_\_ detectors be found \_\_\_\_\_ each \_\_\_\_\_ under \_\_\_\_\_ coverage?

Can the \_\_\_\_\_ detectors \_\_\_\_\_ coverage targets?

Will \_\_\_\_\_ structures have enough motion \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ detectors only enough for \_\_\_\_\_ each building?

Is \_\_\_\_\_ structure's \_\_\_\_\_ longer protection?

\_\_\_\_\_ sensor \_\_\_\_\_ for \_\_\_\_\_ security coverage?

Is \_\_\_\_\_ good \_\_\_\_\_ have each \_\_\_\_\_ motion \_\_\_\_\_ an \_\_\_\_\_ plan?

Will \_\_\_\_\_ enough motion detectors \_\_\_\_\_ extended \_\_\_\_\_ for \_\_\_\_\_ structure?

\_\_\_\_\_ each \_\_\_\_\_ enough motion detectors \_\_\_\_\_ have \_\_\_\_\_ coverage?

\_\_\_\_\_ it \_\_\_\_\_ our security to \_\_\_\_\_ extended due \_\_\_\_\_ detection units \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ units \_\_\_\_\_ inside \_\_\_\_\_ structure to \_\_\_\_\_ security?

Are motion \_\_\_\_\_ enough \_\_\_\_\_?

\_\_\_\_\_ it be possible for \_\_\_\_\_ every structure if \_\_\_\_\_ have motion \_\_\_\_\_?

Is there enough \_\_\_\_\_ individually fitted motion \_\_\_\_\_?

Is the \_\_\_\_\_ detectors \_\_\_\_\_ plans?

\_\_\_\_\_ be \_\_\_\_\_ detectors \_\_\_\_\_ the extended coverage plan \_\_\_\_\_ structure?

\_\_\_\_\_ possible to add \_\_\_\_\_ sensor per \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ adequate for \_\_\_\_\_ coverage in \_\_\_\_\_ building?

\_\_\_\_\_ possible \_\_\_\_\_ detection units within every structure would \_\_\_\_\_?

Will \_\_\_\_\_ structure \_\_\_\_\_ to handle extended coverage \_\_\_\_\_?

Is \_\_\_\_\_ motion detection units \_\_\_\_\_ structure could \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_\_ detectors sufficient for \_\_\_\_\_ coverage \_\_\_\_\_ in \_\_\_\_\_ buildings?

Is \_\_\_\_\_ structure \_\_\_\_\_ adequate \_\_\_\_\_ the extended \_\_\_\_\_?

Can the \_\_\_\_\_ of \_\_\_\_\_ motion \_\_\_\_\_ fulfill broader \_\_\_\_\_?

\_\_\_\_\_ motion detector sufficient \_\_\_\_\_ extended \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ detectors adequate \_\_\_\_\_ extended \_\_\_\_\_ each building?

\_\_\_\_\_ there be \_\_\_\_\_ motion \_\_\_\_\_ each \_\_\_\_\_ to cover \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ it acceptable \_\_\_\_\_ each structure to have \_\_\_\_\_ as \_\_\_\_\_ plan?

\_\_\_\_\_ motion detectors in each structure be \_\_\_\_\_ extended \_\_\_\_\_?

\_\_\_\_\_ to plan expansion, are \_\_\_\_\_ detectors \_\_\_\_\_ each \_\_\_\_\_?

Can \_\_\_\_\_ be extended by \_\_\_\_\_ units \_\_\_\_\_ every \_\_\_\_\_?

\_\_\_\_\_ installing motion \_\_\_\_\_ be sufficient for extended \_\_\_\_\_ plans?



Is \_\_\_\_\_ extend \_\_\_\_\_ into every structure by \_\_\_\_\_ motion \_\_\_\_\_ units?

Are the \_\_\_\_\_ detectors \_\_\_\_\_ extended \_\_\_\_\_ schemes?

Is \_\_\_\_\_ sensors enough \_\_\_\_\_ the coverage \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for our security to be \_\_\_\_\_ of \_\_\_\_\_ units being \_\_\_\_\_ structure?

Will \_\_\_\_\_ be possible to \_\_\_\_\_ security \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ being in \_\_\_\_\_?

\_\_\_\_\_ placing motion \_\_\_\_\_ for coverage?

Will \_\_\_\_\_ be \_\_\_\_\_ to extend \_\_\_\_\_ security into \_\_\_\_\_ having motion \_\_\_\_\_?

\_\_\_\_\_ the installation \_\_\_\_\_ motion \_\_\_\_\_ be enough for \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ installation \_\_\_\_\_ motion \_\_\_\_\_ give extended protection?

\_\_\_\_\_ motion detector \_\_\_\_\_ extended coverage?

Can motion sensors be included \_\_\_\_\_?

\_\_\_\_\_ there be installation \_\_\_\_\_ motion \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ in- building \_\_\_\_\_ detector fulfill broader \_\_\_\_\_ targets?

\_\_\_\_\_ for each structure \_\_\_\_\_ equipped \_\_\_\_\_ motion sensor?

\_\_\_\_\_ have \_\_\_\_\_ motion detectors to \_\_\_\_\_ enough for \_\_\_\_\_ coverage \_\_\_\_\_?

Are \_\_\_\_\_ detection \_\_\_\_\_ inside \_\_\_\_\_ structure \_\_\_\_\_ to \_\_\_\_\_ security?

Can security \_\_\_\_\_ extended \_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_ units inside \_\_\_\_\_?

\_\_\_\_\_ sensor enough to \_\_\_\_\_ extensive coverage?

\_\_\_\_\_ each structure \_\_\_\_\_ enough \_\_\_\_\_ to \_\_\_\_\_ enough coverage?

\_\_\_\_\_ individual structures \_\_\_\_\_ detectors \_\_\_\_\_ sufficient for extended \_\_\_\_\_ plans?

Will \_\_\_\_\_ motion detectors for \_\_\_\_\_ the extended coverage \_\_\_\_\_?

\_\_\_\_\_ structure have enough \_\_\_\_\_ detectors to \_\_\_\_\_ extended \_\_\_\_\_ plans \_\_\_\_\_ more?

\_\_\_\_\_ it \_\_\_\_\_ enough for \_\_\_\_\_ structure \_\_\_\_\_ get \_\_\_\_\_ detectors?

\_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ allow for extended coverage?

Will we be able \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ in every structure?

\_\_\_\_\_ motion \_\_\_\_\_ for \_\_\_\_\_ extended coverage?

\_\_\_\_\_ of movement detection \_\_\_\_\_ inside \_\_\_\_\_ our security to be extended?

Will each \_\_\_\_\_ enough \_\_\_\_\_ detectors in \_\_\_\_\_ plans?

Is there \_\_\_\_\_ motion \_\_\_\_\_ broader plans?

Will \_\_\_\_\_ be possible for \_\_\_\_\_ to extend \_\_\_\_\_ detection \_\_\_\_\_ structure?

\_\_\_\_\_ of motion \_\_\_\_\_ long-term coverage?

\_\_\_\_\_ structure have \_\_\_\_\_ motion \_\_\_\_\_ to meet extended \_\_\_\_\_ plans?

Is motion \_\_\_\_\_ adequate \_\_\_\_\_ plans?

\_\_\_\_\_ the \_\_\_\_\_ structures \_\_\_\_\_ enough motion \_\_\_\_\_ satisfy \_\_\_\_\_ coverage plans \_\_\_\_\_ not?

I want \_\_\_\_\_ know \_\_\_\_\_ motion detectors \_\_\_\_\_ for extended \_\_\_\_\_.

\_\_\_\_\_ our \_\_\_\_\_ due to \_\_\_\_\_ detection units in every \_\_\_\_\_?

\_\_\_\_\_ possible for \_\_\_\_\_ to extend \_\_\_\_\_ motion detection \_\_\_\_\_ are inside \_\_\_\_\_?

Will the \_\_\_\_\_ detectors to be sufficient \_\_\_\_\_ an \_\_\_\_\_ coverage \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ motion detectors to cover \_\_\_\_\_ an extended \_\_\_\_\_ for each structure?

Do motion detectors \_\_\_\_\_ for \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ motion sensors provide enough \_\_\_\_\_?

\_\_\_\_\_ detection will suffice \_\_\_\_\_ part of \_\_\_\_\_ extended \_\_\_\_\_.

Will \_\_\_\_\_ be \_\_\_\_\_ for security \_\_\_\_\_ extend \_\_\_\_\_ motion detection \_\_\_\_\_ in \_\_\_\_\_ structure?

\_\_\_\_\_ the installation \_\_\_\_\_ in \_\_\_\_\_ structures be \_\_\_\_\_ an extended coverage \_\_\_\_\_?

Can the \_\_\_\_\_ building \_\_\_\_\_ detectors fulfill coverage \_\_\_\_\_?

Will \_\_\_\_\_ structures have enough motion detectors \_\_\_\_\_ plans?

So, motion \_\_\_\_\_ are enough \_\_\_\_\_?

Will there \_\_\_\_\_ enough motion \_\_\_\_\_ for each structure \_\_\_\_\_ coverage?

Will extending coverage include \_\_\_\_\_ motion \_\_\_\_\_?

Is \_\_\_\_\_ sensor technology in \_\_\_\_\_ buildings \_\_\_\_\_ insurance \_\_\_\_\_?

Can the \_\_\_\_\_ motion \_\_\_\_\_ broader coverage targets?

\_\_\_\_\_ having motion detection \_\_\_\_\_ structure \_\_\_\_\_ to extend our \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ included \_\_\_\_\_ enough to \_\_\_\_\_ coverage?

\_\_\_\_\_ structure \_\_\_\_\_ enough motion detectors \_\_\_\_\_ coverage plans \_\_\_\_\_ not?

\_\_\_\_\_ it possible for our \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ existence of \_\_\_\_\_ units inside \_\_\_\_\_?

\_\_\_\_\_ security \_\_\_\_\_ due \_\_\_\_\_ the existence of \_\_\_\_\_ units in the \_\_\_\_\_?

\_\_\_\_\_ motion detection units \_\_\_\_\_ structure \_\_\_\_\_ our security?

\_\_\_\_\_ detectors \_\_\_\_\_ for \_\_\_\_\_ coverage \_\_\_\_\_ a building?

Is \_\_\_\_\_ possible to \_\_\_\_\_ security \_\_\_\_\_ to motion detection \_\_\_\_\_ in every \_\_\_\_\_?

\_\_\_\_\_ structure's \_\_\_\_\_ detectors \_\_\_\_\_ adequate for \_\_\_\_\_ coverage plans?

\_\_\_\_\_ extended due to the existence of \_\_\_\_\_ within \_\_\_\_\_ structure?

Will \_\_\_\_\_ detectors be \_\_\_\_\_ structure \_\_\_\_\_ part of extended \_\_\_\_\_?

\_\_\_\_\_ movement \_\_\_\_\_ enough for \_\_\_\_\_ of the \_\_\_\_\_ for \_\_\_\_\_ coverage?

Will \_\_\_\_\_ be \_\_\_\_\_ for our \_\_\_\_\_ extend because of \_\_\_\_\_ detection units \_\_\_\_\_?

\_\_\_\_\_ motion detector \_\_\_\_\_ in \_\_\_\_\_ be \_\_\_\_\_?

Does the \_\_\_\_\_ motion \_\_\_\_\_ each \_\_\_\_\_ adequate coverage?

Will \_\_\_\_\_ extend \_\_\_\_\_ security \_\_\_\_\_ to the placement of motion \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ detection \_\_\_\_\_ structure would extend \_\_\_\_\_ security coverage?

Is \_\_\_\_\_ individual \_\_\_\_\_ motion sensors \_\_\_\_\_ for \_\_\_\_\_?

Is \_\_\_\_\_ individually \_\_\_\_\_ motion sensors \_\_\_\_\_ provide extended \_\_\_\_\_ plans?

Will \_\_\_\_\_ be possible for \_\_\_\_\_ security to \_\_\_\_\_ of the existence \_\_\_\_\_ units inside \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ units in \_\_\_\_\_ structure \_\_\_\_\_ to extend the \_\_\_\_\_?

Does the installation of \_\_\_\_\_ coverage?

\_\_\_\_\_ installation \_\_\_\_\_ motion detector \_\_\_\_\_ each building \_\_\_\_\_ coverage?

Will \_\_\_\_\_ installation of motion detectors \_\_\_\_\_ enough \_\_\_\_\_ coverage plans?

Will extending coverage \_\_\_\_\_ installing motion \_\_\_\_\_ structure?

\_\_\_\_\_ motion sensors \_\_\_\_\_ unit \_\_\_\_\_ the \_\_\_\_\_ coverage in \_\_\_\_\_ structure?

Will \_\_\_\_\_ individual \_\_\_\_\_ enough motion detectors \_\_\_\_\_ to cover \_\_\_\_\_?

\_\_\_\_\_ having \_\_\_\_\_ detection units in \_\_\_\_\_ to \_\_\_\_\_ security?

\_\_\_\_\_ motion \_\_\_\_\_ for the \_\_\_\_\_ in each \_\_\_\_\_?

Will motion \_\_\_\_\_ inside \_\_\_\_\_ structure \_\_\_\_\_ able \_\_\_\_\_ extend security?

Due \_\_\_\_\_ plan \_\_\_\_\_ are motion detectors \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ detection units in \_\_\_\_\_ structure \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ detectors for extended \_\_\_\_\_ plans?

Will each \_\_\_\_\_ have \_\_\_\_\_ detectors to \_\_\_\_\_ coverage?

Can \_\_\_\_\_ motion sensors \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ structure have \_\_\_\_\_ detectors to fit \_\_\_\_\_ plans or not?

Will \_\_\_\_\_ be \_\_\_\_\_ each \_\_\_\_\_ to cover the extended \_\_\_\_\_ plans?

\_\_\_\_\_ motion \_\_\_\_\_ in every unit effective \_\_\_\_\_?

Is motion detectors alone \_\_\_\_\_ for extended \_\_\_\_\_?

\_\_\_\_\_ having \_\_\_\_\_ detection units in \_\_\_\_\_ structure \_\_\_\_\_ security?

Are \_\_\_\_\_ detectors effective \_\_\_\_\_?

\_\_\_\_\_ all of the structures \_\_\_\_\_ motion detectors to \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ it possible to include \_\_\_\_\_ sensors in a \_\_\_\_\_?

Is \_\_\_\_\_ sensors sufficient to \_\_\_\_\_?

Does \_\_\_\_\_ motion \_\_\_\_\_ provide \_\_\_\_\_ protection?

\_\_\_\_\_ the \_\_\_\_\_ extend due to motion \_\_\_\_\_ in every \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ possible for our security \_\_\_\_\_ detection \_\_\_\_\_ inside each structure?

Could installing \_\_\_\_\_ be \_\_\_\_\_?

Individual \_\_\_\_\_ they provide \_\_\_\_\_ extended protection?

\_\_\_\_\_ the individual \_\_\_\_\_ motion sensors \_\_\_\_\_ protection?  
 Will the \_\_\_\_\_ motion detector in each \_\_\_\_\_ enough \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ for security to extend due \_\_\_\_\_ each \_\_\_\_\_?  
 \_\_\_\_\_ motion detection enough for the \_\_\_\_\_?  
 Will each \_\_\_\_\_ enough \_\_\_\_\_ for extended coverage \_\_\_\_\_?  
 Will installing \_\_\_\_\_ detectors \_\_\_\_\_ individual structures be \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ detectors \_\_\_\_\_ every structure?  
 Is motion \_\_\_\_\_ coverage in each building?  
 Is \_\_\_\_\_ detector \_\_\_\_\_ guarantee \_\_\_\_\_ coverage?  
 Will it \_\_\_\_\_ to \_\_\_\_\_ security \_\_\_\_\_ of the movement \_\_\_\_\_ each structure?  
 \_\_\_\_\_ it \_\_\_\_\_ detection units to be \_\_\_\_\_ every \_\_\_\_\_?  
 \_\_\_\_\_ be possible for the \_\_\_\_\_ due \_\_\_\_\_ detection units being \_\_\_\_\_ every \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ motion \_\_\_\_\_ accomplish broader \_\_\_\_\_ targets?  
 Can the \_\_\_\_\_ motion \_\_\_\_\_ extended protection?  
 Will \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ motion detectors \_\_\_\_\_ structure?  
 \_\_\_\_\_ structures \_\_\_\_\_ motion detectors to suffice for extended \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ coverage with motion sensors per \_\_\_\_\_?  
 Are \_\_\_\_\_ sufficient \_\_\_\_\_ coverage?  
 Is \_\_\_\_\_ per structure \_\_\_\_\_ extend \_\_\_\_\_?  
 Is \_\_\_\_\_ enough for \_\_\_\_\_ in \_\_\_\_\_ buildings?  
 Are \_\_\_\_\_ sensors per unit acceptable \_\_\_\_\_?  
 Will it be \_\_\_\_\_ to get \_\_\_\_\_ in \_\_\_\_\_ structures?  
 \_\_\_\_\_ because of motion \_\_\_\_\_ units in \_\_\_\_\_ structure?  
 \_\_\_\_\_ security to be extended by \_\_\_\_\_ existence of movement \_\_\_\_\_ units \_\_\_\_\_ all of \_\_\_\_\_ structures?  
 Will \_\_\_\_\_ motion detectors to provide decent \_\_\_\_\_?  
 Is motion \_\_\_\_\_ for extended \_\_\_\_\_?  
 Can \_\_\_\_\_ detectors be \_\_\_\_\_ extended \_\_\_\_\_?  
 \_\_\_\_\_ having \_\_\_\_\_ units in \_\_\_\_\_ structure enough to \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ installation \_\_\_\_\_ motion \_\_\_\_\_ structures be enough \_\_\_\_\_ extended coverage \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ structure fit \_\_\_\_\_ expansive coverage?  
 \_\_\_\_\_ be \_\_\_\_\_ for coverage in every \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ sufficient to extend \_\_\_\_\_?  
 Will each \_\_\_\_\_ have enough \_\_\_\_\_ give \_\_\_\_\_ adequate \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ inside \_\_\_\_\_ extend our security?  
 Will \_\_\_\_\_ individual \_\_\_\_\_ enough \_\_\_\_\_ for the \_\_\_\_\_ coverage plan?  
 \_\_\_\_\_ installing \_\_\_\_\_ in \_\_\_\_\_ for extended coverage plans?  
 \_\_\_\_\_ structure's motion sensors \_\_\_\_\_ extended \_\_\_\_\_?  
 Is \_\_\_\_\_ detectors \_\_\_\_\_ the coverage plans?  
 Is it \_\_\_\_\_ install motion sensors \_\_\_\_\_ put \_\_\_\_\_ protection \_\_\_\_\_?  
 \_\_\_\_\_ individual \_\_\_\_\_ motion \_\_\_\_\_ enough \_\_\_\_\_ extensive coverage \_\_\_\_\_?  
 Will \_\_\_\_\_ enough \_\_\_\_\_ each individual structure \_\_\_\_\_ have motion \_\_\_\_\_?  
 Will \_\_\_\_\_ individual structure \_\_\_\_\_ motion detectors to \_\_\_\_\_ coverage?  
 \_\_\_\_\_ placing motion Sensors \_\_\_\_\_ to \_\_\_\_\_?  
 Will \_\_\_\_\_ motion \_\_\_\_\_ for \_\_\_\_\_ structure \_\_\_\_\_ be adequate for extended \_\_\_\_\_ plans \_\_\_\_\_?  
 \_\_\_\_\_ structure have enough \_\_\_\_\_ detectors \_\_\_\_\_ coverage plans?  
 \_\_\_\_\_ it \_\_\_\_\_ possible for \_\_\_\_\_ to be extended \_\_\_\_\_ units being \_\_\_\_\_ in every \_\_\_\_\_?  
 Are \_\_\_\_\_ motion detectors \_\_\_\_\_ to \_\_\_\_\_ targets?  
 \_\_\_\_\_ motion \_\_\_\_\_ installations guaranteed \_\_\_\_\_ adequate extended \_\_\_\_\_?  
 Does motion detectors \_\_\_\_\_ extended coverage \_\_\_\_\_ building?  
 Is motion sensors \_\_\_\_\_ coverage \_\_\_\_\_ each structure?

\_\_\_\_\_ structures \_\_\_\_\_ motion \_\_\_\_\_ to cover the extended coverage \_\_\_\_\_?

For \_\_\_\_\_ security \_\_\_\_\_ separate motion \_\_\_\_\_ suffice?

Will \_\_\_\_\_ motion \_\_\_\_\_ inside \_\_\_\_\_ building extend \_\_\_\_\_ coverage?

\_\_\_\_\_ structure motion \_\_\_\_\_ part \_\_\_\_\_ extended plan?

Is individual structure's \_\_\_\_\_ adequate \_\_\_\_\_?

Will \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ coverage?

\_\_\_\_\_ a \_\_\_\_\_ detector installations guarantee adequate extended \_\_\_\_\_?

\_\_\_\_\_ each structure \_\_\_\_\_ enough \_\_\_\_\_ detectors to cover \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ structure be enough \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ motion sensor enough \_\_\_\_\_?

Is \_\_\_\_\_ detectors \_\_\_\_\_ building adequate for extended \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ get \_\_\_\_\_ detectors \_\_\_\_\_ in \_\_\_\_\_ structure?

\_\_\_\_\_ motion detection may be \_\_\_\_\_ for the \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ enough \_\_\_\_\_ to be \_\_\_\_\_ the extended coverage plans?

Are motion detection \_\_\_\_\_ every structure \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

Are \_\_\_\_\_ equipped with \_\_\_\_\_ that \_\_\_\_\_ contribute \_\_\_\_\_ insurance coverage?

Is \_\_\_\_\_ motion detectors enough \_\_\_\_\_ broader coverage \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ extended coverage \_\_\_\_\_ installation of motion \_\_\_\_\_?

\_\_\_\_\_ individual structure's \_\_\_\_\_ enough \_\_\_\_\_ provide \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ for coverage in \_\_\_\_\_?

\_\_\_\_\_ installing per-building \_\_\_\_\_ within broader \_\_\_\_\_ plans?

Will it \_\_\_\_\_ possible to \_\_\_\_\_ due to \_\_\_\_\_ being in \_\_\_\_\_ structure?

\_\_\_\_\_ security \_\_\_\_\_ extended by the \_\_\_\_\_ movement detection \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ detectors \_\_\_\_\_ structure be included \_\_\_\_\_ extending coverage?

\_\_\_\_\_ installing per-building motion \_\_\_\_\_ plans?

\_\_\_\_\_ install \_\_\_\_\_ sensors individually and \_\_\_\_\_ extended protection plans?

\_\_\_\_\_ to \_\_\_\_\_ motion sensors individually \_\_\_\_\_ provide extended \_\_\_\_\_ plans?

\_\_\_\_\_ it \_\_\_\_\_ our security to extend due \_\_\_\_\_ movement detection \_\_\_\_\_?

Will extending \_\_\_\_\_ include \_\_\_\_\_ detection \_\_\_\_\_ structure?

Is \_\_\_\_\_ possible for \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ extended \_\_\_\_\_ plans?

\_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ its \_\_\_\_\_ coverage plans?

\_\_\_\_\_ structure \_\_\_\_\_ enough motion detectors \_\_\_\_\_ extended coverage plans?

Will each structure \_\_\_\_\_ motion \_\_\_\_\_ keep coverage \_\_\_\_\_?

\_\_\_\_\_ being inside \_\_\_\_\_ extend our security coverage?

Will \_\_\_\_\_ motion detectors contribute towards enhanced insurance \_\_\_\_\_?

Is \_\_\_\_\_ possible that individual \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ insurance coverage?

Will the existence \_\_\_\_\_ movement detection units \_\_\_\_\_ allow \_\_\_\_\_ extend?

Will \_\_\_\_\_ be \_\_\_\_\_ detector installed to \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ extended \_\_\_\_\_ plan \_\_\_\_\_ each structure?

\_\_\_\_\_ individual structure's \_\_\_\_\_ for \_\_\_\_\_ coverage?

Is individually installing motion \_\_\_\_\_ plans?

Will \_\_\_\_\_ be \_\_\_\_\_ put motion detectors \_\_\_\_\_ structures?

Does \_\_\_\_\_ enough motion \_\_\_\_\_ in extended \_\_\_\_\_ plans?

\_\_\_\_\_ our security \_\_\_\_\_ due \_\_\_\_\_ existence of \_\_\_\_\_ units inside \_\_\_\_\_ structure?

\_\_\_\_\_ every \_\_\_\_\_ motion \_\_\_\_\_ to cover extended \_\_\_\_\_ plans?

\_\_\_\_\_ individual \_\_\_\_\_ motion detection \_\_\_\_\_ into the \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to install \_\_\_\_\_ individually to provide \_\_\_\_\_ extended \_\_\_\_\_?

Can \_\_\_\_\_ motion \_\_\_\_\_ provide \_\_\_\_\_ protection?

Is \_\_\_\_\_ each structure \_\_\_\_\_ have motion \_\_\_\_\_ expanded plans?

Is \_\_\_\_\_ detector installations \_\_\_\_\_ adequate extended \_\_\_\_\_?

\_\_\_\_\_ units inside \_\_\_\_\_ building enough to \_\_\_\_\_ security?

\_\_\_\_\_ individual \_\_\_\_\_ have enough motion \_\_\_\_\_ for \_\_\_\_\_ coverage?

Does motion detector installation \_\_\_\_\_ each \_\_\_\_\_ adequate \_\_\_\_\_?

Is \_\_\_\_\_ motion sensors \_\_\_\_\_ extend \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ per \_\_\_\_\_ acceptable for \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ use of motion \_\_\_\_\_ in \_\_\_\_\_ buildings \_\_\_\_\_ insurance \_\_\_\_\_?

\_\_\_\_\_ the individual structures have \_\_\_\_\_ motion \_\_\_\_\_ cover \_\_\_\_\_ plans?

\_\_\_\_\_ each \_\_\_\_\_ enough \_\_\_\_\_ detectors to \_\_\_\_\_ needs of extended coverage \_\_\_\_\_ or \_\_\_\_\_?

Will it \_\_\_\_\_ our \_\_\_\_\_ be \_\_\_\_\_ due to movement detection units \_\_\_\_\_?

\_\_\_\_\_ motion detection \_\_\_\_\_ in every structure \_\_\_\_\_ to extend \_\_\_\_\_?

Will it be possible \_\_\_\_\_ our \_\_\_\_\_ motion \_\_\_\_\_ units \_\_\_\_\_ structure?

Is it acceptable for \_\_\_\_\_ structure \_\_\_\_\_ have \_\_\_\_\_ in \_\_\_\_\_?

Is individual \_\_\_\_\_ to fulfill their coverage \_\_\_\_\_?

Is it \_\_\_\_\_ detection \_\_\_\_\_ inside every structure extends \_\_\_\_\_?

\_\_\_\_\_ each \_\_\_\_\_ have enough \_\_\_\_\_ Detectors \_\_\_\_\_ cover \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ each structure \_\_\_\_\_ motion detectors for \_\_\_\_\_ or will there \_\_\_\_\_?

\_\_\_\_\_ structure's \_\_\_\_\_ sensors enough \_\_\_\_\_ large \_\_\_\_\_ needs?

\_\_\_\_\_ it \_\_\_\_\_ to extend our security due \_\_\_\_\_ motion detection \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ implementation of \_\_\_\_\_ detectors fulfill broader \_\_\_\_\_ targets?

Will \_\_\_\_\_ in \_\_\_\_\_ enough for comprehensive \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ install motion sensors individually \_\_\_\_\_ extensive protection \_\_\_\_\_?

Will \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ the coverage going?

Is \_\_\_\_\_ adequate \_\_\_\_\_ coverage in \_\_\_\_\_ buildings?

\_\_\_\_\_ the inclusion of \_\_\_\_\_ Sensors \_\_\_\_\_?

As part \_\_\_\_\_ plans, \_\_\_\_\_ each \_\_\_\_\_ equipped \_\_\_\_\_ sensors?

\_\_\_\_\_ individual \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ be \_\_\_\_\_ for the extended \_\_\_\_\_ plans?

\_\_\_\_\_ it \_\_\_\_\_ to get \_\_\_\_\_ detector \_\_\_\_\_ in each \_\_\_\_\_?

\_\_\_\_\_ the individual structure have enough \_\_\_\_\_ to meet \_\_\_\_\_ plans \_\_\_\_\_?

Does it make sense to \_\_\_\_\_ motion sensors \_\_\_\_\_ of \_\_\_\_\_ plans?

Can \_\_\_\_\_ placement \_\_\_\_\_ extend coverage?

\_\_\_\_\_ enough motion detectors for individual \_\_\_\_\_ to \_\_\_\_\_ extended coverage \_\_\_\_\_?

\_\_\_\_\_ enough \_\_\_\_\_ protection with \_\_\_\_\_ motion sensors?

\_\_\_\_\_ motion sensors per \_\_\_\_\_ be \_\_\_\_\_ expanded security coverage \_\_\_\_\_?

Will \_\_\_\_\_ due to \_\_\_\_\_ detection \_\_\_\_\_ in every structure?

Will every \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ to \_\_\_\_\_ coverage?

Will motion detectors \_\_\_\_\_ each structure \_\_\_\_\_ for \_\_\_\_\_?

Is it possible for \_\_\_\_\_ extend \_\_\_\_\_ structure?

\_\_\_\_\_ motion \_\_\_\_\_ all \_\_\_\_\_ effective \_\_\_\_\_ extended cover?

Will \_\_\_\_\_ possible for our \_\_\_\_\_ to be \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ units?

\_\_\_\_\_ extended due \_\_\_\_\_ presence of movement detection units \_\_\_\_\_ structure?

\_\_\_\_\_ motion \_\_\_\_\_ alone \_\_\_\_\_ enough \_\_\_\_\_ coverage \_\_\_\_\_ each building?

Is \_\_\_\_\_ possible for individually \_\_\_\_\_ sensors to \_\_\_\_\_ protection \_\_\_\_\_?

Is there \_\_\_\_\_ coverage with specific \_\_\_\_\_ installations?

Will \_\_\_\_\_ the individual \_\_\_\_\_ enough \_\_\_\_\_ installed to cover \_\_\_\_\_ plans?

Is motion detectors \_\_\_\_\_ coverage \_\_\_\_\_?

\_\_\_\_\_ for motion detectors \_\_\_\_\_ be installed \_\_\_\_\_ structure?

Is \_\_\_\_\_ for each structure \_\_\_\_\_ have motion \_\_\_\_\_?

Will \_\_\_\_\_ be possible \_\_\_\_\_ be \_\_\_\_\_ each \_\_\_\_\_ by having \_\_\_\_\_ detection units?

\_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ in each structure for \_\_\_\_\_?

Will sensors \_\_\_\_\_ in each \_\_\_\_\_ an \_\_\_\_\_ insurance package?

\_\_\_\_\_ detection \_\_\_\_\_ structure be enough to \_\_\_\_\_ security?

Will security be extended \_\_\_\_ to \_\_\_\_ units being \_\_\_\_?

Can \_\_\_\_ motion \_\_\_\_ meet \_\_\_\_ needs?

\_\_\_\_ motion detectors sufficient \_\_\_\_ the extended \_\_\_\_ plans \_\_\_\_?

\_\_\_\_ motion detector installed \_\_\_\_ extended coverage plans?

\_\_\_\_ each \_\_\_\_ motion \_\_\_\_ an extended coverage plan?

Will each \_\_\_\_ have \_\_\_\_ detectors \_\_\_\_ extend coverage?

Is \_\_\_\_ possible \_\_\_\_ individually \_\_\_\_ motion sensors and \_\_\_\_ extended \_\_\_\_?

\_\_\_\_ it \_\_\_\_ for each structure to have motion \_\_\_\_ an \_\_\_\_?

\_\_\_\_ motion \_\_\_\_ per structure \_\_\_\_ coverage?

Does \_\_\_\_ structure's \_\_\_\_ meet extensive coverage \_\_\_\_?

Will \_\_\_\_ structure \_\_\_\_ detectors to be \_\_\_\_ extended \_\_\_\_ plans.

\_\_\_\_ structure's \_\_\_\_ may \_\_\_\_ able to \_\_\_\_ extensive \_\_\_\_ needs.

Is it \_\_\_\_ each construction \_\_\_\_ a detector to \_\_\_\_?

\_\_\_\_ the \_\_\_\_ of \_\_\_\_ in each structure \_\_\_\_ able \_\_\_\_ extend \_\_\_\_ security?

Will each \_\_\_\_ have \_\_\_\_ motion detectors \_\_\_\_ for \_\_\_\_ coverage?

Will \_\_\_\_ be \_\_\_\_ to \_\_\_\_ motion \_\_\_\_ every structure?

Will individual \_\_\_\_ motion \_\_\_\_ be \_\_\_\_ in \_\_\_\_ plan?

\_\_\_\_ possible \_\_\_\_ security to \_\_\_\_ by the existence of \_\_\_\_ units \_\_\_\_ each structure?

\_\_\_\_ every \_\_\_\_ have \_\_\_\_ detector installed to \_\_\_\_ extended coverage \_\_\_\_?

Is having motion detection units \_\_\_\_ structure \_\_\_\_?

Will installing motion \_\_\_\_ in \_\_\_\_ be enough \_\_\_\_ plan?

\_\_\_\_ every \_\_\_\_ have enough \_\_\_\_ cover the entire \_\_\_\_ an \_\_\_\_ coverage plan?

Is \_\_\_\_ possible \_\_\_\_ security \_\_\_\_ due to \_\_\_\_ detection units \_\_\_\_ structure?

\_\_\_\_ the individual \_\_\_\_ have enough \_\_\_\_ for extended \_\_\_\_ not?

Is it possible \_\_\_\_ motion sensors individually \_\_\_\_ plans?

Is \_\_\_\_ individual \_\_\_\_ with \_\_\_\_ detectors to contribute \_\_\_\_ enhanced \_\_\_\_ coverage?

\_\_\_\_ each \_\_\_\_ enough motion detectors \_\_\_\_ satisfy \_\_\_\_ coverage \_\_\_\_ will there be \_\_\_\_?

Can \_\_\_\_ security be \_\_\_\_ to \_\_\_\_ existence \_\_\_\_ movement detection \_\_\_\_ inside \_\_\_\_?

\_\_\_\_ an \_\_\_\_ security plan, \_\_\_\_ installing separate motion \_\_\_\_?

Is it possible \_\_\_\_ sensors to provide \_\_\_\_ plans?

Can we extend our \_\_\_\_ existence \_\_\_\_ movement \_\_\_\_ in \_\_\_\_ structure?

Is \_\_\_\_ possible to install \_\_\_\_ and \_\_\_\_ protection plans.

Will \_\_\_\_ of motion detector \_\_\_\_ be sufficient \_\_\_\_ extended \_\_\_\_?

Will \_\_\_\_ of motion detectors in \_\_\_\_ sufficient for \_\_\_\_?

\_\_\_\_ detectors \_\_\_\_ install in each individual structure?

\_\_\_\_ motion detection \_\_\_\_ structure \_\_\_\_ our security coverage?

\_\_\_\_ the in-building \_\_\_\_ fulfill broader \_\_\_\_?

Will it \_\_\_\_ for our \_\_\_\_ to \_\_\_\_ motion \_\_\_\_ units \_\_\_\_ located \_\_\_\_ every structure?

\_\_\_\_ enough to expand coverage?

Does it \_\_\_\_ sense \_\_\_\_ each structure to have \_\_\_\_ part \_\_\_\_ plans?

Will the \_\_\_\_ structures \_\_\_\_ cover \_\_\_\_ extended coverage plans?

Is \_\_\_\_ possible to \_\_\_\_ sensors individually and \_\_\_\_ plans' \_\_\_\_?

Is it \_\_\_\_ for \_\_\_\_ security \_\_\_\_ due to \_\_\_\_ movement \_\_\_\_ units inside \_\_\_\_?

Can \_\_\_\_ be \_\_\_\_ due to \_\_\_\_ movement \_\_\_\_ inside the structure?

Motion sensors \_\_\_\_ to extend \_\_\_\_?

\_\_\_\_ providing individual \_\_\_\_ with motion detectors \_\_\_\_ coverage?

Will the individual \_\_\_\_ enough motion \_\_\_\_ cover extended \_\_\_\_?

\_\_\_\_ extending \_\_\_\_ the installation of motion \_\_\_\_ each \_\_\_\_?

\_\_\_\_ individual \_\_\_\_ have enough \_\_\_\_ detectors installed \_\_\_\_ cover extended \_\_\_\_?

Is \_\_\_\_ extend coverage?

\_\_\_\_\_ detectors work \_\_\_\_\_ extended \_\_\_\_\_ plans?

Will \_\_\_\_\_ for our security to \_\_\_\_\_ of motion \_\_\_\_\_ units located in \_\_\_\_\_?

Is \_\_\_\_\_ sensors per unit satisfactory \_\_\_\_\_ expanded \_\_\_\_\_?

Will the extended \_\_\_\_\_ installing motion \_\_\_\_\_ each \_\_\_\_\_?

Is motion \_\_\_\_\_ added \_\_\_\_\_ plans?

\_\_\_\_\_ structure's motion sensors sufficient \_\_\_\_\_ fulfill extensive \_\_\_\_\_?

\_\_\_\_\_ our \_\_\_\_\_ able to \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ detection units in \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ motion sensor meet \_\_\_\_\_?

\_\_\_\_\_ detection \_\_\_\_\_ every structure enough to extend \_\_\_\_\_ security \_\_\_\_\_?

Will the \_\_\_\_\_ have \_\_\_\_\_ to cover extended \_\_\_\_\_ plans?

\_\_\_\_\_ motion detection units \_\_\_\_\_ structure be enough \_\_\_\_\_ increase \_\_\_\_\_?

Is it \_\_\_\_\_ for individually \_\_\_\_\_ sensors to provide \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ install motion sensors that \_\_\_\_\_?

Can \_\_\_\_\_ of motion \_\_\_\_\_ protection?

\_\_\_\_\_ we be able \_\_\_\_\_ security due to \_\_\_\_\_ every structure?

Does \_\_\_\_\_ detectors alone \_\_\_\_\_ extended coverage plan \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of motion \_\_\_\_\_ coverage in each \_\_\_\_\_?

\_\_\_\_\_ individual structures \_\_\_\_\_ enough motion detector for \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ motion detectors in \_\_\_\_\_?

Will \_\_\_\_\_ structure \_\_\_\_\_ motion \_\_\_\_\_ for extended coverage?

Will each \_\_\_\_\_ a detector \_\_\_\_\_ order \_\_\_\_\_ protection?

\_\_\_\_\_ there \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ each \_\_\_\_\_ to support \_\_\_\_\_ coverage plans \_\_\_\_\_?

For \_\_\_\_\_ is \_\_\_\_\_ in every unit effective?

Will \_\_\_\_\_ sensors \_\_\_\_\_ extend \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ the existence of \_\_\_\_\_ units inside \_\_\_\_\_ structures?

Will \_\_\_\_\_ extended due to \_\_\_\_\_ movement detection \_\_\_\_\_ inside each \_\_\_\_\_?

Can \_\_\_\_\_ implementation of \_\_\_\_\_ motion \_\_\_\_\_ fulfill \_\_\_\_\_ targets?

Will it \_\_\_\_\_ sufficient to get motion \_\_\_\_\_?

Will \_\_\_\_\_ be enough \_\_\_\_\_ detectors \_\_\_\_\_ each structure?

\_\_\_\_\_ motion \_\_\_\_\_ structure enough to extend our \_\_\_\_\_?

Is motion sensors \_\_\_\_\_?

Is \_\_\_\_\_ motion \_\_\_\_\_ enough to \_\_\_\_\_ coverage needs.

\_\_\_\_\_ motion detectors alone \_\_\_\_\_ extended coverage \_\_\_\_\_ in \_\_\_\_\_ building?

\_\_\_\_\_ all the \_\_\_\_\_ in \_\_\_\_\_ be \_\_\_\_\_ for extended coverage \_\_\_\_\_?

Is \_\_\_\_\_ sufficient \_\_\_\_\_ extended \_\_\_\_\_?

\_\_\_\_\_ there enough movement detector \_\_\_\_\_ cover \_\_\_\_\_ the \_\_\_\_\_ plans \_\_\_\_\_ extended \_\_\_\_\_?

Will each \_\_\_\_\_ motion detectors \_\_\_\_\_ give \_\_\_\_\_ coverage?

\_\_\_\_\_ buildings have \_\_\_\_\_ detectors that \_\_\_\_\_ help increase \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to individually install \_\_\_\_\_ sensors \_\_\_\_\_ provide \_\_\_\_\_ plans?

\_\_\_\_\_ be \_\_\_\_\_ to place motion sensors \_\_\_\_\_ coverage?

Will \_\_\_\_\_ for our security \_\_\_\_\_ the movement \_\_\_\_\_ are inside each \_\_\_\_\_?

\_\_\_\_\_ the existence \_\_\_\_\_ detection units in \_\_\_\_\_ us to extend \_\_\_\_\_?

Will it be \_\_\_\_\_ to extend \_\_\_\_\_ security \_\_\_\_\_ units in \_\_\_\_\_?

Can our \_\_\_\_\_ be extended \_\_\_\_\_ to motion \_\_\_\_\_ located \_\_\_\_\_ structure?

\_\_\_\_\_ individual \_\_\_\_\_ motion \_\_\_\_\_ in the \_\_\_\_\_ plan?

Will \_\_\_\_\_ for security \_\_\_\_\_ every structure if \_\_\_\_\_ had motion detection \_\_\_\_\_?

\_\_\_\_\_ be possible for \_\_\_\_\_ to be extended \_\_\_\_\_ of movement detection units \_\_\_\_\_ each \_\_\_\_\_?

Is motion detection \_\_\_\_\_ inside \_\_\_\_\_ structure \_\_\_\_\_ extend \_\_\_\_\_ coverage?

Is \_\_\_\_\_ for \_\_\_\_\_ security \_\_\_\_\_ detection units \_\_\_\_\_ inside every structure?

For \_\_\_\_\_ separate \_\_\_\_\_ detectors be enough?

\_\_\_\_\_ motion \_\_\_\_\_ structure suffice?

Should motion \_\_\_\_\_ be \_\_\_\_\_ each structure \_\_\_\_\_ of extended \_\_\_\_\_?

Will each structure have enough \_\_\_\_\_?

\_\_\_\_\_ motion detectors in \_\_\_\_\_ building \_\_\_\_\_?

Can \_\_\_\_\_ detectors be enough for \_\_\_\_\_

Is \_\_\_\_\_ per-\_\_\_\_\_ sufficient \_\_\_\_\_ broader coverage plans?

\_\_\_\_\_ motion \_\_\_\_\_ for the extended \_\_\_\_\_?

Will \_\_\_\_\_ enough \_\_\_\_\_ extended \_\_\_\_\_ plans despite all the installed \_\_\_\_\_ detectors?

\_\_\_\_\_ detectors \_\_\_\_\_ for the \_\_\_\_\_ plans in \_\_\_\_\_ building?

\_\_\_\_\_ enough motion \_\_\_\_\_ be adequate for \_\_\_\_\_ extended coverage plans.

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ provide adequate protection \_\_\_\_\_?

Will each structure have \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ motion detection \_\_\_\_\_ in every structure would \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ the individual structures have \_\_\_\_\_ detectors \_\_\_\_\_ plans or \_\_\_\_\_ be more?

\_\_\_\_\_ it acceptable \_\_\_\_\_ in an expanded \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_?

Will it \_\_\_\_\_ to extend \_\_\_\_\_ security because \_\_\_\_\_ movement \_\_\_\_\_ units \_\_\_\_\_ structure?

Will it be \_\_\_\_\_ motion \_\_\_\_\_ installed \_\_\_\_\_ every \_\_\_\_\_?

Can our security \_\_\_\_\_ to \_\_\_\_\_ of motion \_\_\_\_\_ in \_\_\_\_\_ building?

Is \_\_\_\_\_ of per-building \_\_\_\_\_ broader coverage plans?

Will individual structures have \_\_\_\_\_ motion detectors to \_\_\_\_\_?

\_\_\_\_\_ the security \_\_\_\_\_ due to motion \_\_\_\_\_ in every \_\_\_\_\_?

Will motion detection units \_\_\_\_\_ structure be \_\_\_\_\_ extend \_\_\_\_\_ security?

\_\_\_\_\_ alright to have each \_\_\_\_\_ equipped \_\_\_\_\_ motion \_\_\_\_\_?

\_\_\_\_\_ each building \_\_\_\_\_ motion \_\_\_\_\_ cover extended coverage?

Will each \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ coverage plans, \_\_\_\_\_ there be more?

\_\_\_\_\_ structure \_\_\_\_\_ detectors for \_\_\_\_\_ coverage despite all the \_\_\_\_\_ motion \_\_\_\_\_?

\_\_\_\_\_ structure \_\_\_\_\_ sufficient motion \_\_\_\_\_ in extended \_\_\_\_\_ plans?

\_\_\_\_\_ installation of \_\_\_\_\_ detectors \_\_\_\_\_ as part of \_\_\_\_\_ plans?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ detectors provide adequate protection?

Installation \_\_\_\_\_ detectors in each \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ coverage.

\_\_\_\_\_ be enough motion detectors \_\_\_\_\_ for all of \_\_\_\_\_ structure?

Does \_\_\_\_\_ motion detectors \_\_\_\_\_ coverage \_\_\_\_\_ a building?

\_\_\_\_\_ broader \_\_\_\_\_ would \_\_\_\_\_ building motion detectors be \_\_\_\_\_?

Will \_\_\_\_\_ units in every \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ our security \_\_\_\_\_?

Can motion sensors \_\_\_\_\_ included in \_\_\_\_\_ coverage?

\_\_\_\_\_ broader coverage plans \_\_\_\_\_ installing per-building \_\_\_\_\_ detectors \_\_\_\_\_?

Will each building \_\_\_\_\_ protection?

Will \_\_\_\_\_ structure have enough \_\_\_\_\_ coverage plan?

Will it \_\_\_\_\_ possible \_\_\_\_\_ security to be \_\_\_\_\_ detection \_\_\_\_\_ in \_\_\_\_\_ structure?

\_\_\_\_\_ there \_\_\_\_\_ movement detectors for all \_\_\_\_\_ the \_\_\_\_\_ with plans \_\_\_\_\_?

\_\_\_\_\_ it be enough to install \_\_\_\_\_ detectors \_\_\_\_\_?

Will \_\_\_\_\_ structure \_\_\_\_\_ enough \_\_\_\_\_ to \_\_\_\_\_ of the area \_\_\_\_\_ extended coverage \_\_\_\_\_?

\_\_\_\_\_ the use \_\_\_\_\_ motion detectors \_\_\_\_\_ coverage targets?

Will each \_\_\_\_\_ have \_\_\_\_\_ detectors \_\_\_\_\_ an \_\_\_\_\_ coverage plan?

Will each structure \_\_\_\_\_ cover \_\_\_\_\_ entire area \_\_\_\_\_ the \_\_\_\_\_ coverage plans?

\_\_\_\_\_ possible to extend \_\_\_\_\_ into each structure with \_\_\_\_\_ detection \_\_\_\_\_?

Is it possible for \_\_\_\_\_ installing \_\_\_\_\_ sensors \_\_\_\_\_ give \_\_\_\_\_?

\_\_\_\_\_ motion detectors \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ building?

Will \_\_\_\_\_ be \_\_\_\_\_ detectors in \_\_\_\_\_ structure to \_\_\_\_\_ coverage?

Is \_\_\_\_\_ for \_\_\_\_\_ detectors \_\_\_\_\_ be \_\_\_\_\_ each structure?



\_\_\_\_\_ detectors good enough \_\_\_\_\_ added \_\_\_\_\_ ?  
 \_\_\_\_\_ be possible for \_\_\_\_\_ to extend \_\_\_\_\_ units being inside?  
 Will \_\_\_\_\_ motion \_\_\_\_\_ to extend \_\_\_\_\_ ?  
 Will \_\_\_\_\_ extended \_\_\_\_\_ detectors \_\_\_\_\_ be installed in each structure?  
 Individual structure motion \_\_\_\_\_ sufficient \_\_\_\_\_ extended plan.  
 \_\_\_\_\_ it be \_\_\_\_\_ our \_\_\_\_\_ to extend \_\_\_\_\_ each structure \_\_\_\_\_ have \_\_\_\_\_ detection \_\_\_\_\_ ?  
 Will \_\_\_\_\_ detectors be \_\_\_\_\_ each structure?  
 \_\_\_\_\_ specific \_\_\_\_\_ motion \_\_\_\_\_ guarantee extended coverage?  
 Within larger \_\_\_\_\_ per-building motion \_\_\_\_\_ be \_\_\_\_\_ ?  
 Are \_\_\_\_\_ detectors \_\_\_\_\_ extended coverage \_\_\_\_\_ every \_\_\_\_\_ ?  
 \_\_\_\_\_ detectors enough for broader coverage \_\_\_\_\_ ?  
 Will \_\_\_\_\_ motion detection units \_\_\_\_\_ our security \_\_\_\_\_ ?  
 Can motion sensors \_\_\_\_\_ in the structure \_\_\_\_\_ ?  
 \_\_\_\_\_ structure \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ an extended coverage \_\_\_\_\_ ?  
 \_\_\_\_\_ enough \_\_\_\_\_ detectors to be included in \_\_\_\_\_ plans?  
 \_\_\_\_\_ individual structures have \_\_\_\_\_ motion \_\_\_\_\_ cover \_\_\_\_\_ coverage plans?  
 Will it be \_\_\_\_\_ to \_\_\_\_\_ security to \_\_\_\_\_ by \_\_\_\_\_ units?  
 \_\_\_\_\_ have enough motion \_\_\_\_\_ cover extended coverage?  
 For \_\_\_\_\_ plans are \_\_\_\_\_ effective?  
 \_\_\_\_\_ installation \_\_\_\_\_ motion \_\_\_\_\_ in each \_\_\_\_\_ sufficient?  
 Will each structure \_\_\_\_\_ enough \_\_\_\_\_ all of \_\_\_\_\_ in the \_\_\_\_\_ coverage \_\_\_\_\_ ?  
 Is \_\_\_\_\_ possible to install \_\_\_\_\_ individually \_\_\_\_\_ install \_\_\_\_\_ protection \_\_\_\_\_ ?  
 Will \_\_\_\_\_ structure have \_\_\_\_\_ motion \_\_\_\_\_ plan or not?  
 \_\_\_\_\_ detection \_\_\_\_\_ every structure \_\_\_\_\_ us to \_\_\_\_\_ our security?  
 Can \_\_\_\_\_ extend \_\_\_\_\_ security due \_\_\_\_\_ motion \_\_\_\_\_ units \_\_\_\_\_ each \_\_\_\_\_ ?  
 Can \_\_\_\_\_ motion sensors \_\_\_\_\_ a \_\_\_\_\_ ?  
 \_\_\_\_\_ the installation of \_\_\_\_\_ detectors give \_\_\_\_\_ adequate \_\_\_\_\_ ?  
 \_\_\_\_\_ detectors provide coverage \_\_\_\_\_ each \_\_\_\_\_ ?  
 Can \_\_\_\_\_ enough to get \_\_\_\_\_ detectors in \_\_\_\_\_ ?  
 \_\_\_\_\_ installation of \_\_\_\_\_ every structure be \_\_\_\_\_ for extended \_\_\_\_\_ ?  
 \_\_\_\_\_ larger \_\_\_\_\_ would \_\_\_\_\_ per-building motion detectors be \_\_\_\_\_ ?  
 Will \_\_\_\_\_ individual structures \_\_\_\_\_ detector to \_\_\_\_\_ adequate \_\_\_\_\_ extended \_\_\_\_\_ plans?  
 Will \_\_\_\_\_ addition \_\_\_\_\_ motion \_\_\_\_\_ units \_\_\_\_\_ extend our \_\_\_\_\_ coverage?  
 Can \_\_\_\_\_ installation \_\_\_\_\_ sensors provide adequate \_\_\_\_\_ ?  
 \_\_\_\_\_ it be \_\_\_\_\_ for \_\_\_\_\_ security to \_\_\_\_\_ to motion \_\_\_\_\_ every building?  
 \_\_\_\_\_ sensors enough to meet coverage \_\_\_\_\_  
 Will motion \_\_\_\_\_ structure \_\_\_\_\_ for \_\_\_\_\_ security to extend?  
 \_\_\_\_\_ individual \_\_\_\_\_ detectors to provide enough coverage?  
 \_\_\_\_\_ extended due \_\_\_\_\_ motion detection units in \_\_\_\_\_ ?  
 Will \_\_\_\_\_ enough motion \_\_\_\_\_ installed \_\_\_\_\_ extended coverage plans?  
 \_\_\_\_\_ it \_\_\_\_\_ possible \_\_\_\_\_ security \_\_\_\_\_ be extended by \_\_\_\_\_ existence of \_\_\_\_\_ units inside \_\_\_\_\_ structures?  
 \_\_\_\_\_ it \_\_\_\_\_ individually install \_\_\_\_\_ sensors \_\_\_\_\_ long protection plans?  
 Can \_\_\_\_\_ detector units \_\_\_\_\_ cover plans?  
 Will there \_\_\_\_\_ detectors in \_\_\_\_\_ structure \_\_\_\_\_ be sufficient for \_\_\_\_\_ ?  
 Does the implementation \_\_\_\_\_ in-building \_\_\_\_\_ detectors \_\_\_\_\_ ?  
 \_\_\_\_\_ motion detectors in each individual structure?  
 Are \_\_\_\_\_ sufficient for \_\_\_\_\_ building?  
 Will there \_\_\_\_\_ enough motion detectors for each \_\_\_\_\_ be \_\_\_\_\_ coverage?  
 Will \_\_\_\_\_ be \_\_\_\_\_ security due \_\_\_\_\_ motion \_\_\_\_\_ units being in \_\_\_\_\_ building?  
 \_\_\_\_\_ motion detectors \_\_\_\_\_ broader coverage plans?

\_\_\_\_\_ have enough motion \_\_\_\_\_ to cover \_\_\_\_\_?

Will installing \_\_\_\_\_ each structure \_\_\_\_\_ enough for \_\_\_\_\_ extended \_\_\_\_\_?

Will the \_\_\_\_\_ of motion detectors in each structure \_\_\_\_\_?

\_\_\_\_\_ each structure \_\_\_\_\_ motion \_\_\_\_\_ make \_\_\_\_\_ adequate for \_\_\_\_\_ coverage plans?

\_\_\_\_\_ motion \_\_\_\_\_ installation \_\_\_\_\_ building enough?

Will \_\_\_\_\_ structure \_\_\_\_\_ enough motion \_\_\_\_\_ extended \_\_\_\_\_?

Is motion \_\_\_\_\_ sufficient \_\_\_\_\_ provide extended \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ structure have enough \_\_\_\_\_ detectors installed \_\_\_\_\_ meet \_\_\_\_\_ plans?

\_\_\_\_\_ it possible \_\_\_\_\_ our \_\_\_\_\_ to \_\_\_\_\_ due to \_\_\_\_\_ detection \_\_\_\_\_ located in \_\_\_\_\_ structure?

Will \_\_\_\_\_ structure have enough motion \_\_\_\_\_ plan?

\_\_\_\_\_ security be \_\_\_\_\_ to the presence of \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_?

Is it enough \_\_\_\_\_ motion detector \_\_\_\_\_ plans?

\_\_\_\_\_ it \_\_\_\_\_ to extend \_\_\_\_\_ security \_\_\_\_\_ with motion \_\_\_\_\_ in every \_\_\_\_\_?

\_\_\_\_\_ enough \_\_\_\_\_ detectors to give an adequate \_\_\_\_\_?

\_\_\_\_\_ the individual \_\_\_\_\_ motion \_\_\_\_\_ sufficient \_\_\_\_\_ extensive \_\_\_\_\_?

Will there be \_\_\_\_\_ every \_\_\_\_\_ to \_\_\_\_\_ adequate \_\_\_\_\_ extended \_\_\_\_\_ plans?

Will \_\_\_\_\_ be possible \_\_\_\_\_ our security \_\_\_\_\_ because \_\_\_\_\_ detection units inside each structure?

Is \_\_\_\_\_ to \_\_\_\_\_ detectors installed in each \_\_\_\_\_?

Is \_\_\_\_\_ in every unit \_\_\_\_\_ extended \_\_\_\_\_?

Will every \_\_\_\_\_ have enough motion detectors \_\_\_\_\_ be \_\_\_\_\_ extended \_\_\_\_\_ plans \_\_\_\_\_ there \_\_\_\_\_?

\_\_\_\_\_ motion detectors for \_\_\_\_\_ coverage \_\_\_\_\_ all structures?

\_\_\_\_\_ in \_\_\_\_\_ structure suffice?

\_\_\_\_\_ be \_\_\_\_\_ coverage \_\_\_\_\_ each building?

\_\_\_\_\_ have \_\_\_\_\_ motion detectors for \_\_\_\_\_ coverage plans, or \_\_\_\_\_?

\_\_\_\_\_ possible to install \_\_\_\_\_ sensors \_\_\_\_\_ provide \_\_\_\_\_ extended \_\_\_\_\_ plans?

\_\_\_\_\_ it be possible for our \_\_\_\_\_ to \_\_\_\_\_ to motion \_\_\_\_\_ located \_\_\_\_\_ structure?

\_\_\_\_\_ individual \_\_\_\_\_ equipped \_\_\_\_\_ detectors \_\_\_\_\_ towards enhanced insurance coverage?

Is \_\_\_\_\_ enough for \_\_\_\_\_ protection \_\_\_\_\_?

Will \_\_\_\_\_ suffice as a \_\_\_\_\_ the extended plan?

Can \_\_\_\_\_ structure \_\_\_\_\_ motion detectors to \_\_\_\_\_ coverage?

\_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ separate \_\_\_\_\_ enough for \_\_\_\_\_ needs?

\_\_\_\_\_ installing motion \_\_\_\_\_ protection plans?

Is motion \_\_\_\_\_ adequate for \_\_\_\_\_ in each \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ our security to be \_\_\_\_\_ because \_\_\_\_\_ movement \_\_\_\_\_ inside \_\_\_\_\_ structure?

Will \_\_\_\_\_ detectors installed \_\_\_\_\_ every structure \_\_\_\_\_ extended coverage?

Will \_\_\_\_\_ be \_\_\_\_\_ to extend \_\_\_\_\_ to motion detection units located \_\_\_\_\_?

\_\_\_\_\_ motion detector \_\_\_\_\_ for \_\_\_\_\_ cover \_\_\_\_\_?

Can motion \_\_\_\_\_ be \_\_\_\_\_ building?

\_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ motion detectors \_\_\_\_\_ coverage plans?

Is \_\_\_\_\_ sufficient for extended \_\_\_\_\_ all \_\_\_\_\_ buildings?

Is there \_\_\_\_\_ coverage \_\_\_\_\_ just \_\_\_\_\_ installation \_\_\_\_\_ in each \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ in each structure?

Is extending \_\_\_\_\_ installing motion \_\_\_\_\_ in \_\_\_\_\_ structure?

Is \_\_\_\_\_ structure's motion sensor \_\_\_\_\_ handle \_\_\_\_\_ needs?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to be \_\_\_\_\_ by movement detection units inside \_\_\_\_\_?

Will \_\_\_\_\_ security due \_\_\_\_\_ motion detection units?

Should motion detectors be installed \_\_\_\_\_ extended \_\_\_\_\_?

\_\_\_\_\_ motion detectors installed \_\_\_\_\_ coverage?

\_\_\_\_\_ security be \_\_\_\_\_ to the \_\_\_\_\_ movement detection units \_\_\_\_\_ structure?

\_\_\_\_\_ detectors alone be \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ building?

\_\_\_\_\_ possible motion \_\_\_\_\_ every structure \_\_\_\_\_ extend \_\_\_\_\_ security coverage?  
 \_\_\_\_\_ each structure have \_\_\_\_\_ motion detectors to \_\_\_\_\_ for extended \_\_\_\_\_ will there \_\_\_\_\_?  
 Will every structure have enough \_\_\_\_\_ extended coverage \_\_\_\_\_ installed \_\_\_\_\_ detectors?  
 \_\_\_\_\_ alarms \_\_\_\_\_ each structure \_\_\_\_\_ for \_\_\_\_\_ expanded insurance package?  
 \_\_\_\_\_ each \_\_\_\_\_ have enough motion detectors in \_\_\_\_\_?  
 \_\_\_\_\_ the installation of \_\_\_\_\_ motion detector guarantees \_\_\_\_\_?  
 \_\_\_\_\_ our security \_\_\_\_\_ extended due to \_\_\_\_\_ detection units \_\_\_\_\_ building?  
 \_\_\_\_\_ each structure \_\_\_\_\_ motion detectors \_\_\_\_\_ be adequate for a \_\_\_\_\_?  
 \_\_\_\_\_ it be \_\_\_\_\_ to \_\_\_\_\_ motion detectors \_\_\_\_\_ structure?  
 Will each structure \_\_\_\_\_ sufficient \_\_\_\_\_ extended coverage, or will there \_\_\_\_\_?  
 Will \_\_\_\_\_ security \_\_\_\_\_ able \_\_\_\_\_ due to motion \_\_\_\_\_ in \_\_\_\_\_ structure?  
 Is \_\_\_\_\_ detectors enough \_\_\_\_\_ buildings?  
 \_\_\_\_\_ the \_\_\_\_\_ enough for motion \_\_\_\_\_ each structure?  
 \_\_\_\_\_ each \_\_\_\_\_ have enough motion \_\_\_\_\_ to \_\_\_\_\_ extended coverage?  
 \_\_\_\_\_ the \_\_\_\_\_ enough \_\_\_\_\_ detectors \_\_\_\_\_ to cover the extended \_\_\_\_\_?  
 \_\_\_\_\_ expansive coverage, \_\_\_\_\_ detectors \_\_\_\_\_ would suffice.  
 \_\_\_\_\_ you \_\_\_\_\_ the motion \_\_\_\_\_ are good \_\_\_\_\_ extended \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ help fulfill \_\_\_\_\_ targets?  
 \_\_\_\_\_ motion \_\_\_\_\_ to extend coverage?  
 \_\_\_\_\_ motion \_\_\_\_\_ structure \_\_\_\_\_ under expansive coverage?  
 \_\_\_\_\_ each \_\_\_\_\_ have enough \_\_\_\_\_ detectors in \_\_\_\_\_ plan.  
 \_\_\_\_\_ motion \_\_\_\_\_ enough in \_\_\_\_\_ extended \_\_\_\_\_?  
 Will \_\_\_\_\_ include \_\_\_\_\_ detectors \_\_\_\_\_ structures?  
 \_\_\_\_\_ motion \_\_\_\_\_ sufficient \_\_\_\_\_ long coverage \_\_\_\_\_ each building?  
 \_\_\_\_\_ enough for the individual \_\_\_\_\_ have \_\_\_\_\_ detectors?  
 \_\_\_\_\_ additional \_\_\_\_\_ include installing \_\_\_\_\_ detectors \_\_\_\_\_ each \_\_\_\_\_?  
 Can \_\_\_\_\_ be extended due \_\_\_\_\_ detection \_\_\_\_\_ inside of the structures?  
 Will extending coverage \_\_\_\_\_ each \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ motion \_\_\_\_\_ are effective for \_\_\_\_\_?  
 Will installing \_\_\_\_\_ in \_\_\_\_\_ structure be enough \_\_\_\_\_?  
 Will each \_\_\_\_\_ structure \_\_\_\_\_ detectors \_\_\_\_\_ meet extended \_\_\_\_\_ plans?  
 Is it \_\_\_\_\_ to install \_\_\_\_\_ individually \_\_\_\_\_ enough extended \_\_\_\_\_?  
 \_\_\_\_\_ possible for \_\_\_\_\_ to extend \_\_\_\_\_ to \_\_\_\_\_ units being \_\_\_\_\_ every structure?  
 \_\_\_\_\_ be possible \_\_\_\_\_ security to \_\_\_\_\_ of movement detection units in \_\_\_\_\_?  
 Will \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ structure \_\_\_\_\_ sufficient for \_\_\_\_\_ coverage?  
 Will \_\_\_\_\_ for motion detectors \_\_\_\_\_ structure?  
 Will it be \_\_\_\_\_ to extend \_\_\_\_\_ every structure \_\_\_\_\_ detection units?  
 \_\_\_\_\_ have motion detectors \_\_\_\_\_ structure?  
 \_\_\_\_\_ motion \_\_\_\_\_ units inside every \_\_\_\_\_ enough \_\_\_\_\_ the \_\_\_\_\_ coverage?  
 \_\_\_\_\_ motion \_\_\_\_\_ in each structure for an \_\_\_\_\_ coverage \_\_\_\_\_?  
 Can the installation \_\_\_\_\_ a per-structure \_\_\_\_\_ provide \_\_\_\_\_?  
 \_\_\_\_\_ possible for \_\_\_\_\_ security to \_\_\_\_\_ extended \_\_\_\_\_ motion detection \_\_\_\_\_ structure?  
 Will it be possible to extend \_\_\_\_\_ movement \_\_\_\_\_ units \_\_\_\_\_ structure?  
 Will there be enough motion detectors \_\_\_\_\_ structure \_\_\_\_\_?  
 Are individual \_\_\_\_\_ enough to meet \_\_\_\_\_ needs?  
 \_\_\_\_\_ it be \_\_\_\_\_ for each \_\_\_\_\_ structure to \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ detectors for \_\_\_\_\_ structure \_\_\_\_\_ provide adequate \_\_\_\_\_?  
 Is \_\_\_\_\_ facility's \_\_\_\_\_ detector installation guaranteed \_\_\_\_\_?  
 \_\_\_\_\_ extended security plans, would separate \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ motion sensors \_\_\_\_\_ and have \_\_\_\_\_?

Placing motion sensors \_\_\_\_ be \_\_\_\_ .

Can \_\_\_\_ be placed to \_\_\_\_ ?

Will \_\_\_\_ be possible \_\_\_\_ extend \_\_\_\_ because \_\_\_\_ motion detection \_\_\_\_ every \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ detection \_\_\_\_ within every \_\_\_\_ could extend our security \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ place motion sensors to \_\_\_\_ ?

Are \_\_\_\_ detectors \_\_\_\_ enough?

\_\_\_\_ have enough motion detectors \_\_\_\_ offer extended \_\_\_\_ ?

\_\_\_\_ have \_\_\_\_ motion detectors \_\_\_\_ to cover \_\_\_\_ coverage plans?

Should individual \_\_\_\_ motion \_\_\_\_ needs?

\_\_\_\_ motion detector alone sufficient \_\_\_\_ extended \_\_\_\_ each \_\_\_\_ ?

Is it \_\_\_\_ individually \_\_\_\_ have adequate \_\_\_\_ protection plans?

Will it \_\_\_\_ extend our security \_\_\_\_ structure \_\_\_\_ using motion \_\_\_\_ ?

\_\_\_\_ there \_\_\_\_ motion \_\_\_\_ in every \_\_\_\_ cover \_\_\_\_ coverage plans?

\_\_\_\_ each \_\_\_\_ have \_\_\_\_ detector installed for extended \_\_\_\_ ?

\_\_\_\_ each structure have enough \_\_\_\_ detectors \_\_\_\_ through \_\_\_\_ coverage \_\_\_\_ ?

\_\_\_\_ detectors enough \_\_\_\_ larger plans?

Will extending \_\_\_\_ for \_\_\_\_ installation of \_\_\_\_ detectors \_\_\_\_ structure?

\_\_\_\_ the \_\_\_\_ of \_\_\_\_ in buildings \_\_\_\_ adequate coverage?

Is \_\_\_\_ each individual structure \_\_\_\_ motion detectors \_\_\_\_ ?

\_\_\_\_ enough motion \_\_\_\_ each structure to be \_\_\_\_ for \_\_\_\_ plans?

Will \_\_\_\_ for our \_\_\_\_ to be extended due to \_\_\_\_ being inside \_\_\_\_ ?

Is it possible \_\_\_\_ security to \_\_\_\_ structure \_\_\_\_ motion \_\_\_\_ units?

\_\_\_\_ possible \_\_\_\_ our security to \_\_\_\_ due to \_\_\_\_ units being located in \_\_\_\_ ?

Can \_\_\_\_ extended by \_\_\_\_ existence \_\_\_\_ movement \_\_\_\_ units inside \_\_\_\_ structures?

\_\_\_\_ structure \_\_\_\_ enough \_\_\_\_ detectors installed \_\_\_\_ all of the area?

Will each \_\_\_\_ have \_\_\_\_ to be sufficient for \_\_\_\_ not?

Does the \_\_\_\_ in \_\_\_\_ building \_\_\_\_ adequate coverage?

Will \_\_\_\_ enough motion \_\_\_\_ meet \_\_\_\_ coverage plans?

\_\_\_\_ it possible \_\_\_\_ units inside \_\_\_\_ would extend security?

\_\_\_\_ part \_\_\_\_ extended plan, \_\_\_\_ structure \_\_\_\_ detection suffice?

Is \_\_\_\_ detection units inside \_\_\_\_ would extend \_\_\_\_ security \_\_\_\_ ?

\_\_\_\_ detectors for \_\_\_\_ structure to be \_\_\_\_ extended coverage plans?

Is \_\_\_\_ individually installing motion sensors \_\_\_\_ give \_\_\_\_ plans?

Can motion detectors \_\_\_\_ extended \_\_\_\_ ?

Can \_\_\_\_ use of \_\_\_\_ detectors \_\_\_\_ broader \_\_\_\_ targets?

\_\_\_\_ motion \_\_\_\_ extended cover plans?

\_\_\_\_ individual \_\_\_\_ motion \_\_\_\_ enough \_\_\_\_ protection?

Will it be \_\_\_\_ security to \_\_\_\_ due to \_\_\_\_ presence \_\_\_\_ movement \_\_\_\_ units inside \_\_\_\_ ?

\_\_\_\_ enough \_\_\_\_ extend coverage?

\_\_\_\_ motion \_\_\_\_ in \_\_\_\_ structure \_\_\_\_ under \_\_\_\_ coverage?

\_\_\_\_ structure's \_\_\_\_ sensors meet the \_\_\_\_ coverage \_\_\_\_ ?

Will each structure have \_\_\_\_ motion detectors \_\_\_\_ cover \_\_\_\_ extended \_\_\_\_ ?

\_\_\_\_ coverage include installing \_\_\_\_ in each \_\_\_\_ ?

Will it be \_\_\_\_ to \_\_\_\_ security \_\_\_\_ to \_\_\_\_ detection \_\_\_\_ structure?

Will \_\_\_\_ structure have \_\_\_\_ to \_\_\_\_ adequate \_\_\_\_ or will there be \_\_\_\_ ?

Will it \_\_\_\_ possible to \_\_\_\_ our \_\_\_\_ because \_\_\_\_ units in each \_\_\_\_ ?

\_\_\_\_ detection cover \_\_\_\_ unit well?

\_\_\_\_ possible \_\_\_\_ install motion \_\_\_\_ individually and \_\_\_\_ enough protection \_\_\_\_ ?

Can individual structure \_\_\_\_ detection \_\_\_\_ used in \_\_\_\_ ?

Will \_\_\_\_ structure \_\_\_\_ detectors installed \_\_\_\_ cover extended \_\_\_\_ plans?

\_\_\_\_\_ structure have enough motion \_\_\_\_\_ to \_\_\_\_\_ coverage?  
\_\_\_\_\_ it be \_\_\_\_\_ get \_\_\_\_\_ detectors for every \_\_\_\_\_?  
Will it be \_\_\_\_\_ for our security \_\_\_\_\_ are \_\_\_\_\_ detection units \_\_\_\_\_?  
Is the installation \_\_\_\_\_ enough for an extended \_\_\_\_\_?  
Is \_\_\_\_\_ sufficient to install per-building \_\_\_\_\_ coverage \_\_\_\_\_?  
\_\_\_\_\_ having motion \_\_\_\_\_ units \_\_\_\_\_ every \_\_\_\_\_ enough \_\_\_\_\_ our security?  
\_\_\_\_\_ buildings have motion \_\_\_\_\_ will enhance \_\_\_\_\_ coverage?  
\_\_\_\_\_ motion \_\_\_\_\_ enough to meet extensive \_\_\_\_\_ needs?  
Will \_\_\_\_\_ structure have enough motion detectors \_\_\_\_\_ coverage?  
\_\_\_\_\_ of \_\_\_\_\_ motion \_\_\_\_\_ provide long term protection?  
\_\_\_\_\_ sensor \_\_\_\_\_ to extend coverage?  
Will \_\_\_\_\_ motion detectors installed to cover all \_\_\_\_\_ the area \_\_\_\_\_ an \_\_\_\_\_?  
\_\_\_\_\_ structure \_\_\_\_\_ enough motion \_\_\_\_\_ for an \_\_\_\_\_ plan, or \_\_\_\_\_ there \_\_\_\_\_ more?  
Will \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ detection \_\_\_\_\_ being in every structure?  
\_\_\_\_\_ installing motion detector \_\_\_\_\_ each \_\_\_\_\_ enough for \_\_\_\_\_?  
\_\_\_\_\_ be possible \_\_\_\_\_ security to extend \_\_\_\_\_ detection units in each \_\_\_\_\_?  
Do motion detectors \_\_\_\_\_?  
Will each \_\_\_\_\_ have enough motion \_\_\_\_\_ to \_\_\_\_\_ extended \_\_\_\_\_?  
Will each \_\_\_\_\_ enough motion \_\_\_\_\_ to be \_\_\_\_\_ for \_\_\_\_\_ extended \_\_\_\_\_?  
Is \_\_\_\_\_ for an \_\_\_\_\_ plan \_\_\_\_\_ every building?  
Will \_\_\_\_\_ have \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_ adequate for \_\_\_\_\_ or more?  
Is it possible \_\_\_\_\_ our security \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ movement \_\_\_\_\_ each \_\_\_\_\_?