

[Demo] NLP Dataset for Customer Service Automation

Company Type	Mobile Network Operators
Inquiry Category	SIM card replacement and activation
Inquiry Sub-Category	SIM Card PUK Code
Description	When customers input their SIM card PIN code incorrectly multiple times, the SIM card may get locked and request a PUK (Personal Unblocking Key) code. Operators provide this code to customers to unlock their SIM cards and regain access to their mobile services.
Data Size	5,100 paraphrases
Want to buy data?	Please contact nlp-data@gross.me via your business email address.

Masked sample paraphrases of one "Mobile Network Operator" customer inquiry. (Purchased data will not be masked.)

_____ when _____ invalid PIN _____ leads _____ & requesting P.U.K?

When _____ the _____ PIN, _____ will lead _____ a need _____ P.

_____ if the _____ entry leads to blocking _____ asking for P.U.K.

_____ you enter _____ PIN, _____ will block _____ P.U.K.

If a _____ enters _____ PIN, gets their ass _____ and _____ ?

What should you _____ you enter the _____ lead to blocking and _____ P?

If the wrong PIN _____ asking for P.U.K. _____ needed.

How should you handle _____ P.U.K _____ entering _____ PIN?

_____ invalid _____ leads _____ blocking _____ request _____ what should be done?

Someone _____ need _____ P.U.K. if they _____ a _____ and got _____.

Invalid _____ can be _____ need _____.

_____ locked and _____ P.U.K., what _____ ?

Should you enter _____ wrong PIN, _____ lead _____ and _____ P.

_____ should _____ do if _____ wrong PIN causes _____ device _____ a _____ ?

_____ enter _____ wrong PIN, it will _____ need P.U.

Some _____ should be _____ the _____ PIN entry _____ to blocking _____ P.U.K.

When the _____ PIN _____ messes everything _____ and _____ what do _____ ?

Some steps should be taken if _____ blocking _____ asking _____ P.U.K.

_____ blocking and _____ P.U.K when entering _____ wrong _____.

If _____ enters _____ invalid _____ and gets their _____ needs a _____ happens?

_____ to do if an _____ PIN _____ to _____ requesting _____ ?

_____ I do _____ entry _____ things _____ the P.U.K is requested?

How is _____ entering _____ PIN _____ in _____ and needing _____ ?

Invalid _____ can _____ may need _____.

_____ to _____ Invalid PIN _____ to blocking _____ requests for _____ ?

When entering _____ PIN, what _____ you _____ prevent _____ ?

Invalid _____ locked, _____ P.U.k, _____ ?

_____ person need to _____ they get _____ because they _____ a invalid _____ ?

How _____ to Invalid _____ Entry and _____?

_____ person _____ take _____ if _____ get _____ for _____ a invalid PIN?

When entering _____ wrong _____ it _____ to _____ and _____ P.U.

How should _____ with incorrect _____ causing a _____ requirement _____ P.U.K.

_____ case _____ wrong _____ a device _____ P.U.K _____ should I do?

How _____ I deal with Wrong _____ causing _____ and _____ of _____?

_____ you enter the _____ PIN, _____ and the _____ P will _____.

_____ should _____ if entering _____ PIN _____ and need for _____?

If a _____ enters _____ PIN _____ do they have _____ P.U.K?

_____ should I _____ a _____ lock and requires the P.U.K?

The wrong _____ causing _____ for P.U.K. how to get _____?

If an _____ to a _____ handle a P.U.K block.

When the pin _____ makes things difficult and _____ do?

_____ should I _____ in case _____ wrong PIN _____ a _____ lock _____ P.U.K?

_____ if a person enters a _____ that is _____ blocked.

Do _____ respond _____ Invalid _____ that leads to blocking and _____ for _____?

_____ locked require P.U.k? _____?

If an _____ leads to blocking and _____ steps _____ take.

_____ an invalid _____ to blocking _____ requesting _____ you do?

If you _____ it _____ lead to blocking _____ P.U.

When _____ stupid _____ entry _____ up and _____ a _____ what _____ I _____?

_____ I _____ incorrect PIN causing device lock _____ requirement _____?

_____ be taken if _____ PIN causes a device _____ and _____?

_____ incorrect PIN causing a _____ and requirement _____ how _____ I proceed?

_____ the _____ PIN it could lead _____ blocking _____ the _____ for _____.

_____ know _____ when that stupid PIN entry _____ and wants a _____.

If _____ entry leads _____ blocking and asking for _____ be some _____.

_____ person take _____ they get _____ for _____ invalid PIN?

Steps are needed _____ the _____ leads _____ blocking and _____.

_____ wrong _____ will lead to _____ and a _____ a P

_____ entering the _____ PIN, it _____ lead to blocking _____ P.

_____ person may _____ their _____ and _____ a _____ they enter _____ invalid PIN.

When _____ the _____ lead _____ and the need for _____.

The wrong _____ and need for P.U.K. _____ dodge _____?

If an _____ PIN entry leads _____ request, _____ to handle _____

A person who _____ invalid _____ have their ass blocked _____.

_____ person need _____ take P.U.K if they _____ after _____ an _____?

What _____ do when _____ is blocked by _____ incorrect PIN _____ need _____ P.U.K?

_____ a _____ causes a _____ P.U.K what do I do?

_____ should I _____ wrong _____ causes a device _____ of P.U.K?

What _____ be done _____ wrong PIN causes a _____ requirement _____.

The incorrect _____ need for P.U.K.

What _____ can _____ a wrong PIN _____ a device lock _____ of _____.

_____ an _____ PIN _____ a _____ for P.U.K, _____ on the proper course _____ action.

What should _____ in _____ wrong PIN _____ a device _____ and requirement _____?

How to respond to _____ PIN Entry _____ P.U.K _____.

When _____ it will _____ to _____ and P.U.K.

_____ person _____ ass blocked _____ a _____ if they enter a _____ PIN.

If a person enters _____ wrong _____ needs a P.U.K?

_____ should be _____ if the wrong PIN _____ and requirement of _____.

If an _____ leads _____ blocking and requesting _____ there _____ to _____ taken.

If _____ incorrect PIN causes _____ lock _____ what should I _____?

_____ to _____ Entry leads to _____ and requests _____ P.U.K.

_____ I respond _____ Invalid PIN _____ that _____ blocking and _____ for _____?

Are Invalid PIN _____ to blocking _____ requests _____?

How to deal _____ PIN can _____ to _____.

_____ should be done if _____ leads to _____ request of _____?

In _____ of a wrong _____ device _____ ordering P.U.K what _____ do?

_____ dumbass _____ entry _____ everything to go _____ and _____ P.U.K, _____ I do?

_____ entry screws everything up and wants _____ bloody _____ what can _____?

What should happen if _____ PIN _____ device lock _____?

_____ PIN _____ leading to blocking _____ for _____.

What _____ I do when a _____ PIN _____ of P.U.K?

Ways of dealing _____ invalid _____ request?

When there is an incorrect _____ entry that _____ in _____ request _____ P.U.K, _____ the proper _____.

There _____ steps _____ take _____ an incorrect PIN entry _____ to _____.

When entering _____ blocking and _____ can occur.

What steps _____ when a _____ causes _____ lock and requirement _____ P.U.K?

What _____ when an invalid _____ blocking and request _____ P.U.K?

What if _____ PIN _____ to P.U.K?

_____ to _____ to _____ entry _____ to _____ & requests _____ P.U.K?

_____ the wrong _____ entry leads _____ asking _____ P.U.K., _____ steps ought _____ taken.

_____ when _____ pin entry _____ difficult, and the P.U.K is _____?

When entering _____ you should do _____ and P.U.K.

In _____ wrong PIN causing a _____ lock _____ ordering _____ what _____ should _____

Blocking _____ need _____ is _____ by the _____ PIN.

When entering _____ wrong _____ be aware that it _____ to _____ and _____.

_____ causing a device _____ and _____ P.U.K _____ do I do?

_____ case _____ causing device _____ and _____ of _____ what steps should I _____.

_____ case of _____ PIN _____ device _____ and requirement of _____ what should _____.

What should _____ when entering _____ PIN results _____ blocking _____?

How _____ the wrong PIN _____ blocking _____ need _____ a question.

_____ you do _____ Pin _____ P.U.k?

Some _____ if the wrong _____ entry _____ to _____ for P.U.K.

When _____ PIN, _____ will lead _____ blocking _____ the P.U.

In _____ of wrong _____ causing a device lock _____ what _____ should _____.

When _____ invalid _____ blocking and asking the _____ should _____ do?

_____ you _____ do _____ the _____ PIN is to _____ it and need _____.

How _____ to _____ PIN Entry _____ to _____ Requests _____ P.U.K.

How _____ respond _____ Invalid _____ entry leading _____ for P.U.K?

_____ to respond _____ Invalid _____ Entry _____ to blocking _____ for _____?

_____ entering _____ incorrect _____ it will _____ and P.U.K.

Please _____ on the proper _____ action _____ an incorrect _____ entry causes _____.

_____ wrong PIN _____ and _____ for _____.

_____ a _____ have _____ if they get _____ entering a _____ PIN?

_____ should _____ if _____ wrong _____ leads _____ device lock and _____ of P.U.K?

Do _____ have to _____ P.U.Ks _____ a invalid PIN and _____?

What _____ should _____ if you _____ is block and need _____.

How _____ invalid _____ will _____ to P.U.K request?

What can _____ if a _____ PIN _____ a _____ requirement of _____?

In case _____ wrong PIN _____ lock _____ P.U.k, _____ actions _____ take?

A few steps _____ if _____ wrong _____ leads _____ blocking and _____.

Some _____ taken if _____ wrong _____ leads to blocking _____ asking _____ P.U.K.

If an invalid PIN _____ to _____ what should _____?

When entering _____ PIN, blocking and _____ should _____.

_____ in the case of wrong _____ a _____ lock _____ ordering P.U.k?

How _____ a situation _____ which an incorrect _____ causes _____ device _____ and I _____ a P.U.K?

_____ respond to _____ Entry and P.U.K. requests?

if _____ a _____ PIN and _____ ass _____ and needs _____ P.U.K.

_____ requires P.U.k, _____ now?

_____ wrong PIN, blocking and needing _____ possible.

_____ the wrong PIN, _____ lead to _____ need to P.

Some steps should be _____ if _____ wrong _____ leads to _____ P.U.K.

When a wrong _____ device _____ requirement of _____ I do?

When _____ wrong PIN, _____ will lead to _____ require _____.

_____ PIN causes _____ and necessary _____.

_____ a person _____ invalid _____ gets blocked, do _____ need _____ P.U.K?

_____ locked, require _____ now?

_____ case _____ wrong PIN causing a _____ and requirement _____ what _____ do I _____?

When _____ invalid _____ to _____ requests P.U.K what should _____?

_____ and need for _____ the wrong _____.

_____ should _____ do if _____ wrong _____ causes _____ and P.U.K requirement?

_____ to _____ PIN Entry and _____ requests.

_____ respond to _____ Entry _____ and requests for P.U.K?

_____ take _____ wrong PIN _____ device _____ and requirement of _____.

What should _____ when _____ to blocking and _____ P.U.K?

A person _____ PIN can _____ their _____ blocked and _____ P.U.K.

Invalid PIN _____ leads _____ blocking and _____.

When _____ makes _____ P.U.K is requested, what do I _____?

A wrong _____ and _____ for P.U.K.

_____ Pin Entry _____ to blocking _____ P.U.K.

_____ react _____ Invalid PIN Entry _____ blocking _____ requests _____ P.U.K.

_____ if _____ wrong PIN entry causes _____ asking for _____.

_____ should _____ do _____ invalid _____ that leads to blocking and _____ P.U.K?

_____ to _____ if the _____ a device lock and requirement _____.

_____ you enter the _____ to _____ and needing P.U.K.

Do people have _____ take _____ blocked _____ entering a _____ PIN?

_____ should be done when an _____ to _____ requesting the _____?

_____ to respond to _____ Invalid _____ to blocking _____ requests for _____?

_____ the _____ PIN, _____ will lead _____ and need _____ so what _____ you _____?

_____ to Invalid _____ Entry and _____ Requests?

_____ a invalid _____ leads _____ requesting _____ what should _____ do?

Steps _____ to be _____ if _____ wrong _____ leads to _____ and _____ P.U.K.

_____ is _____ response to _____ require P.U.K?

_____ may lead to _____ requests for P.U.K.

If _____ invalid _____ to a _____ how do _____ a P.U.K _____?

_____ of _____ that could lead _____ P.U.K request?

_____ of _____ with _____ PINs leading _____ P.U.K _____?

What _____ be _____ when an _____ a request _____ P.U.K?

What steps are _____ if _____ a device _____ and _____ P.U.K?

____ if ____ PIN is ____ and ____ ?
 ____ case of ____ causing a device lock and ____ what ____ do?
 ____ an invalid PIN leads ____ P.U.K what ____ be ____ ?
 ____ to ____ enter ____ wrong ____ is blocking and need ____ .
 ____ should ____ if ____ PIN entry ____ to blocking ____ requesting P.U.K.
 ____ the wrong PIN, it ____ cause a ____ for P.
 What happens when ____ a device ____ and requirement ____ ?
 If you enter ____ wrong ____ will ____ blocking ____ need ____ .
 ____ you ____ the ____ you ____ be blocking ____ P.U.K.
 Invalid ____ require ____ ?
 ____ PIN locked, ____ ?
 What should ____ do ____ is a wrong ____ causing a device ____ .
 ____ should ____ steps ____ a wrong ____ leads to ____ and ____ for ____ .
 ____ case of ____ device lock ____ of P.U.K, how should I ____ .
 When an ____ PIN results ____ and requesting ____ should ____ ?
 When ____ invalid ____ blocking and ____ what should be ____
 Invalid ____ to ____ and ____ P.U.K.
 If you enter ____ may cause ____ and need ____ .
 ____ PIN ____ blocking and need ____ P.U.K. how ____ it?
 When entering ____ PIN, it will ____ you ____ be ____ and ____ .
 When ____ wrong ____ lead ____ blocking and ____ need for P.
 ____ enter ____ wrong PIN, ____ will block and ____ .
 What is the response ____ leading to ____ and ____ for ____ ?
 How ____ respond to ____ Pin Entry ____ requests ____ P.U.K?
 When ____ PIN, blocking and ____ P.U.K ____ .
 ____ people have ____ take P.U.K if ____ get ____ enter a ____ ?
 ____ case ____ incorrect ____ device ____ and ____ P.U.K ____ steps ____ I take?
 ____ the wrong PIN ____ to blocking ____ the need for ____ .
 blocking ____ need for P.U.K. ____ wrong ____ .
 How to respond to ____ PIN ____ P.U.K ____ ?
 ____ you ____ wrong ____ will ____ block and need for ____ P.
 ____ PIN ____ can cause blocking ____ need for P.U.K.
 ____ require P. U.k, ____ ?
 ____ can be done ____ an invalid PIN entry leads ____ ?
 A person ____ P.U.K. if ____ enter ____ invalid PIN ____ get ____ blocked.
 When ____ PIN it ____ lead ____ blocking ____ the ____ for P.
 In case of ____ causing ____ device lock and ____ P. U.K ____ ?
 ____ of wrong PIN causing ____ device lock ____ of ____ what steps ____ .
 ____ and needing P.U.K can ____ entering ____ PIN.
 ____ Pin locked require ____ ?
 ____ PIN ____ blocking ____ requesting ____ What should they do?
 If ____ enter ____ will cause ____ and need for ____ P.
 What should I do when ____ PIN is ____ ?
 ____ should I ____ with ____ device lock ____ requirement ____ P.U.K?
 If ____ enter the wrong PIN, ____ will ____ need ____ P.
 ____ pin, ____ P.U.k? ____ ?
 What ____ I ____ when that dumbass ____ messes everything ____ a ____ ?
 ____ things should be ____ the wrong PIN entry ____ to ____ for ____ .
 ____ you enter the wrong ____ it will ____ and ____ .
 The wrong ____ cause blocking and ____ .

Invalid PIN _____ to blocking and _____ P. ____.

_____ to respond to _____ Entry _____ blocking _____ requests for _____?

What should be done if _____ invalid _____ leads _____ for _____?

_____ the wrong _____ it will cause a _____ and _____.

_____ case of wrong PIN _____ and _____ what actions _____ take

A _____ necessary if _____ person enters _____ and _____ blocked.

How _____ handle _____ leads _____ request.

_____ wrong _____ device _____ and requirement _____ how should _____ handle it?

_____ needs P.U.K, what _____?

_____ a wrong PIN _____ a device lock and _____ P.U.K, _____ I _____?

_____ to _____ with invalid PINs _____ P.U.K request?

What _____ they do _____ invalid PIN _____ and request?

What _____ I _____ wrong PIN _____ a device lock _____ of P.U.K?

How can I _____ around the wrong _____ P.U.K.

If _____ person _____ their _____ blocked when _____ a invalid PIN, _____ needs _____?

_____ you _____ the wrong _____ it can cause _____ need _____.

_____ an _____ PIN _____ lead to blocking and _____ be done?

_____ respond _____ PIN Entry _____ requests for P.U.K?

If you enter the _____ lead to _____ and P.U.K, what _____?

What _____ an _____ PIN leads to _____ and requesting _____?

What _____ I _____ the _____ entry _____ it _____ P.U.K is requested?

_____ there a _____ dealing with invalid _____ that _____ to _____?

What is the _____ PIN Entry _____ blocking and requests _____?

When _____ incorrect PIN causes my _____ to be blocked _____ I request _____ should _____?

_____ wrong _____ leads _____ and _____ for P.U.K., steps _____ to be started.

_____ should they _____ there _____ an invalid _____ request for P.U.K?

How should _____ respond _____ a _____ causes a _____ lock _____ P.U.K?

Some steps should _____ if _____ wrong PIN _____ causes _____ asking _____.

_____ P.U.k what now?

_____ actions should be _____ in _____ wrong PIN causing _____ device _____ and _____?

How to _____ to Invalid _____ Entry _____ blocking & requests _____?

_____ an invalid _____ to _____ and _____ P.U.K _____ should _____ do?

How _____ to _____ Entry _____ to blocking and _____ for _____.

How _____ to Invalid _____ and P.U.K. _____?

There _____ be steps _____ the wrong PIN _____ leads to blocking _____.

_____ I _____ P.U.K when my device _____ locked _____ I _____ an incorrect _____?

_____ case _____ a _____ causing a _____ lock _____ ordering P.U.k, what _____ take?

How _____ respond to Invalid PIN _____ to _____ request _____?

If the wrong _____ for P.U.K. there should be some _____.

_____ to _____ and P.U.K if you enter the _____.

steps _____ required if _____ leads to blocking and asking _____.

_____ the wrong _____ will _____ to blocking and the _____ for _____.

How _____ with _____ where an _____ PIN _____ to be blocked and I request _____ P.U.K?

If the phone _____ to an invalid PIN _____ steps _____ take _____ order _____ get _____ P.U.K _____

What _____ do _____ the _____ causes a device _____ I have to _____?

How will _____ PIN Entry and _____ requests?

_____ do _____ do if a _____ causes _____ device _____ requirement of _____?

Invalid PIN _____ need _____ U.K, _____?

blocking _____ needing _____ by entering _____ wrong PIN.

How _____ respond to Invalid _____ Entry _____ to _____ Requests _____?

Should _____ P.U.K if my _____ is locked after _____ entered _____ PIN?
 _____ entering _____ PIN _____ will be blocking _____ P.U.

What _____ do when an invalid _____ leads _____ P.U.K?

How _____ to Invalid _____ Entry and _____ requests?
 _____ the _____ to Invalid _____ need P.U.k?

How _____ with invalid _____ leading to _____?
 _____ be _____ if the PIN _____ leads to _____ asking _____ P.U.K.

_____ the wrong pin entry _____ and _____ P.U.K. steps _____ to _____ taken.

What _____ be done _____ entering _____ wrong _____ blocking and need _____?
 _____ and need _____ P.U.K. _____ caused _____ the wrong _____.

_____ take _____ a wrong PIN _____ a device _____ requirement _____ P.U.K?
 a person gets _____ blocked and _____ if _____ enter _____ PIN

What _____ when _____ PIN _____ up and wants a P.U.K?
 _____ should _____ you _____ the _____ blocking and need P.U.

What _____ should _____ if a device _____ requirement of _____ caused _____ wrong _____?
 _____ and _____ P.U.K. _____ by incorrect PIN

_____ get around the _____ blocking _____ need for P.U.K.
 _____ PIN _____ is leading to _____ requests for _____.

What happens _____ wrong _____ device _____ and requirement of _____?

When the _____ entry _____ wants a _____ what _____ I do?
 _____ wrong PIN entry _____ to blocking _____ asking _____ P.U.K., there _____ be _____.

Responses _____ PIN _____ and _____ requests?

If _____ device lock and _____ of P.U.K, what _____ do?

What should I _____ when wrong PIN causes _____ requirement _____?

It will _____ need _____ you enter the _____ PIN.

When entering the wrong _____ in _____ and _____ P.U.K.
 _____ actions should be _____ if a _____ PIN _____ and requirement _____ P.U.K.

_____ wrong _____ leads _____ blocking _____ asking for P.U.K., _____ steps _____ be taken.

It results in _____ and _____ if _____ the wrong _____.
 _____ PIN locked, needs _____?

_____ enter the wrong _____ the _____ for a P _____ follow.
 _____ PIN will cause _____ and _____.

_____ for P.U.K. are caused _____ the wrong _____
 _____ you enter the _____ PIN, _____ cause blocking _____ P.U.

If an incorrect _____ to _____ for P.U.K. there _____ steps to _____.

How _____ respond if my _____ a _____ lock and _____ P.U.K?

How _____ Invalid PIN Entry _____ P.U.K. _____?

What _____ do if a PIN entry _____ P.U.K?

When _____ wrong PIN, _____ needing P.U.K _____ achieved.

It will lead _____ blocking and _____ if _____ enter _____.

What _____ do when the _____ makes _____ difficult, _____ the _____ requested?

What can _____ when _____ pin entry _____ hard _____ is requested?

If Invalid _____ is _____ and need _____ will _____?

_____ are steps _____ take _____ case of _____ a _____ lock _____ requirement of _____.

_____ incorrect _____ entry leads to _____ and requesting _____ are _____ to _____.

What if _____ locked and _____?
 _____ PIN locked, need P.U.K _____?

_____ be _____ if _____ wrong PIN entry leads to blocking _____.

_____ to be _____ if _____ wrong PIN entry _____ to _____ and _____ for _____.

_____ the wrong PIN, you _____ and P.U.K.

Some _____ should _____ if the wrong _____ leads to _____ asking _____ P.U.K.

_____ a _____ PIN causes a _____ and _____ of _____ steps should I _____?

If _____ person enters _____ and _____ ass blocked, need a _____?

_____ to _____ about _____ PIN causing _____ and _____ for P.U.K.

When _____ PIN entry causes my device to be _____ how _____ I handle _____?

_____ steps _____ taken if _____ PIN _____ leads to _____ and begging.

_____ the _____ PIN, _____ cause blocking _____ for a P

_____ if Invalid PIN _____ locked _____.

_____ there is an _____ lock and requiring P.U.K, _____ should _____?

If you _____ the _____ it _____ lead to blocking _____ for a _____.

_____ person _____ get their ass _____ and _____ a P.U.K if _____ enter _____.

_____ invalid pin _____ leads to a _____ how to _____ block?

_____ you _____ the _____ you to block and need P.U.

_____ pin _____ require _____ what _____?

_____ PIN _____ P.U.K?

What steps _____ be _____ if wrong _____ device lock and _____.

When _____ wrong PIN it _____ lead to blocking _____ need _____.

How _____ and _____ P.U.K. because _____ the wrong PIN?

How to respond to _____ Invalid PIN _____ and _____ P.U.K.

_____ happens _____ an invalid _____ blocks access and _____?

_____ and _____ for P.U.K. _____ be _____ by incorrect _____.

_____ a wrong PIN _____ leads _____ blocking _____ steps need to be _____.

If _____ wrong PIN causes a _____ lock _____ of _____ do?

What _____ Invalid _____ locked _____ need _____ P.U.K arises?

_____ do I respond _____ PIN _____ and P.U.K _____?

What should _____ an invalid _____ to blocking and _____?

_____ PIN that can lead to P.U.K _____?

_____ when Invalid _____ Entry and _____ requests are _____?

When an invalid PIN _____ and _____ P.U.K, _____ to _____?

_____ entering _____ PIN causes _____ and need _____ P.U.K, what should _____?

What do I do _____ makes things _____ P.U.K _____ asked?

_____ are _____ do about _____ Pin locked, require _____?

There _____ be steps if _____ to _____ and requesting P.U.K.

If a person _____ blocked, they need a P.U.K?

In _____ wrong PIN causing device _____ P.U.K, how _____ I _____?

_____ reply _____ Invalid _____ Entry will lead to _____ and requests _____.

What should _____ a _____ causes _____ device lock and _____ P.U.K?

_____ if wrong _____ causes a device lock and requirement _____.

_____ need to be _____ a wrong PIN causes a _____ requirement _____.

In _____ of _____ lock _____ requirement _____ P.U.K what steps _____ I take

What _____ I do _____ there _____ a wrong PIN _____ a _____ and _____?

When _____ invalid PIN _____ blocking and asking, _____ should _____?

_____ be done _____ an _____ causes _____ and requesting P.U.K?

_____ wrong _____ entry leads _____ and _____ for _____ a few steps _____ be _____.

_____ enter _____ blocking and _____ P.U will happen.

_____ wrong PIN it _____ cause _____ and _____ for P.U.K.

_____ steps do I _____ PIN causes a device _____ P.U.K?

If _____ is _____ and _____ P.U.K, what _____ happen?

_____ PIN locked _____ P.U.K _____ what _____?

_____ phone _____ wrong PIN and need PUK?

_____ steps _____ taken _____ wrong PIN _____ leads _____ blocked and asking _____ P.U.K.
 _____ the pin entry _____ P.U.K needs to be requested, what _____ ?
 What can be done when _____ invalid _____ requesting P.U.K?
 _____ to blocking and need P.U _____ incorrect PIN.
 What _____ when an invalid _____ to _____ and _____ P.U.K?
 _____ should I _____ PIN entry _____ everything _____ and _____ a P.U.K?
 How _____ respond to _____ PIN _____ leads to blocking _____ P.U.K?
 When entering the _____ PIN, _____ will _____ and _____.
 _____ to the blocking _____ need for P.U.K.
 What _____ be _____ a PIN _____ invalid _____ request _____ made _____ P.U.K?
 Ways of _____ with invalid _____ that _____ requests?
 When _____ the _____ will lead to blocking _____ the _____.
 _____ PIN _____ need to P.U.K; _____ ?
 _____ PIN is locked _____ P.U.K, _____ what?
 _____ is the response to _____ require _____ ?
 _____ to _____ PIN Entry _____ blocking & requests for P.U.K? _____
 _____ wrong _____ a device lock and _____ of P.U.K, _____ should _____ taken.
 _____ steps _____ PIN causes a device _____ and I need _____ ?
 What _____ should _____ taken _____ of PIN causing _____ lock _____ P.U.K?
 _____ should be done _____ wrong _____ causes _____ lock and requirement _____.
 _____ of _____ causing _____ lock and _____ P.U.k, what _____ should I take?
 When _____ invalid _____ entry _____ requesting _____ what to do?
 _____ PIN _____ and _____ of P.U.K, what should _____ do?
 When _____ the wrong _____ it _____ blocking and _____.
 _____ should _____ do _____ the _____ entry _____ be difficult and _____ P.U.K _____ requested?
 _____ a person _____ blocked and needs _____ P.U.K. if _____ enter a _____.
 _____ it possible _____ fix _____ phone if _____ and need _____ ?
 Invalid _____ Entry _____ and _____ requests.
 What should be done _____ a PIN _____ invalid _____ for _____ ?
 What should _____ do _____ wrong PIN _____ a device _____ of _____.
 When an _____ entry _____ in _____ for _____ please _____ on the _____ course of _____.
 _____ do when _____ is an invalid PIN _____ request _____ P.U.K?
 What do I do _____ the _____ makes _____ difficult _____ the _____ ?
 What _____ I _____ if the _____ a _____ lock and _____ of _____ ?
 _____ to be _____ if _____ incorrect PIN _____ to a _____ for P.U.K.
 _____ invalid _____ entry leads _____ a request,how to _____ P.U.K _____.
 In case of _____ PIN causing a device _____ of _____ respond?
 _____ steps _____ wrong PIN causes device _____ of P.U.K?
 _____ to _____ Invalid _____ Entry _____ blocking of requests _____ P.U.K?
 _____ ass blocked and _____ a P.U.K _____ a invalid PIN.
 How _____ respond _____ Entry leads to _____ and _____ requests?
 _____ actions should _____ the wrong PIN causes _____ device lock _____ order _____ ?
 _____ should you deal _____ for _____ when entering the _____ PIN?
 If someone enters _____ invalid PIN _____ gets their _____ blocked _____ a _____ ?
 In case of the _____ PIN _____ a device _____ and _____ what _____ ?
 Ways of dealing _____ PIN _____ to P.U.K _____ ?
 blocking _____ for P.U.K _____ PIN
 _____ numbskull _____ invalid _____ gets their ass _____ needs a _____ what happens?
 _____ the _____ leads to blocking _____ asking _____ P.U.K. steps _____ be done
 _____ enter the wrong _____ it _____ and the need for _____.

When an ____ PIN ____ the ____ to handle ____ P.U.K block.

When entering ____ pin, ____ lead to ____ and ____ need for ____.

Steps ____ taken ____ incorrect ____ entry leads to ____ and asking ____.

____ case of ____ PIN ____ lock and requirement of ____ should ____ take?

____ need to ____ if ____ get blocked after ____ a invalid ____?

____ that ____ entry messes ____ and wants ____ P.U.K, ____ do I ____?

____ happened when I messed ____ my PIN ____ P.U.K?

Some ____ need ____ be taken if ____ PIN ____ and asking ____ P.U.K.

____ of wrong PIN ____ device ____ P.U.K, how should I proceed?

When entering ____ PIN, it will ____ and the need ____.

When my PIN ____ blocked and ____ P.U.K is ____?

When ____ invalid ____ will ____ to ____ and requesting ____ what ____ do?

If a wrong ____ a ____ lock ____ P.U.k, ____ I do?

____ incorrect ____ and need for ____.

When entering ____ wrong PIN, blocking ____ ensues.

What happens ____ a ____ enters ____ and ____ their ____ blocked ____ a P.U.K?

____ person might get ____ ass ____ and need ____ if ____ a ____ PIN.

Do ____ have ____ they get ____ when entering a invalid ____?

Ways of ____ invalid ____ leads ____ request?

There ____ be steps ____ take ____ PIN entry leads ____ and ____ P.U.K.

____ the ____ PIN entry leads ____ blocking ____ for P.U.K., ____ steps should ____.

____ should be taken ____ wrong PIN causes a ____ and ____ P.U.K?

What ____ when entering ____ results in ____ and P.U.K?

____ can ____ done if ____ causes ____ lock and requirement ____ P.U.K?

____ wrong PIN ____ lead to ____ and require a ____.

____ person ____ if ____ enter a invalid ____ and get their ____ blocked.

How ____ Invalid PIN ____ leading to blocking and ____ P.U.K?

What should I ____ the ____ PIN ____ device ____ requirement ____ P.U.K.

What steps ____ take if ____ incorrect ____ causes a device lock ____?

What ____ Pin locked, ____?

If ____ wrong ____ to ____ asking ____ P.U.K, some steps should be ____.

____ entry ____ things ____ and wants a P.U.K, what ____ do?

What should ____ if a ____ pin causes ____ device ____ of ____.

____ should we ____ to Invalid ____ Entry and ____?

In ____ wrong PIN ____ a device ____ and ordering ____ should I ____

____ case ____ PIN ____ device lock and ____ of P.U.K, what ____ do?

____ PIN ____ linked to blocking and ____ P.U.K.

If my ____ device ____ and requirement ____ P.U.K, what ____ I ____?

If you enter the ____ it will lead ____ blocking and ____.

____ enter the wrong ____ it will ____ in ____ need ____.

If the ____ entry leads ____ and asking for P.U.K., ____ actions ____.

If an invalid ____ to ____ request, ____ how ____ handle a ____?

____ a numbskull enters an invalid ____ and gets ____ what ____?

____ the ____ entry leads to ____ and asking ____ P.U.K, steps ____ be ____

If ____ wrong ____ lock and ____ of P.U.K, ____ steps are ____?

How should ____ a situation where ____ PIN ____ be blocked ____ I need ____ P.U.K?

If ____ wrong ____ it ____ cause ____ and ____ for a P

The wrong PIN will ____ need for ____ you do?

Some ____ can be taken if the ____ and ____ for P.U.K.

____ to comply with Invalid PIN ____?

An Invalid ____ Entry ____ and ____ for P.U.K.

When ____ wrong pin it ____ to ____ and the ____ for ____.

____ wrong ____ blocking and requires ____.

What am ____ when that dumbass PIN entry ____ everything ____ and ____?

Some ____ taken if ____ wrong ____ entry ____ to blocking ____ requesting ____ P.U.K.

The steps ____ be taken ____ entry leads to ____ asking ____ P.U.K.

In ____ of wrong PIN causing ____ lock ____ requirement ____ P.U.K, ____ taken?

What should be ____ when ____ results ____ blocking ____ requesting ____?

____ is ____ and need ____ what then?

____ entering the wrong ____ results ____ and need ____ P.U.K.

What should we ____ PIN ____ P.U.K?

A ____ ass ____ a P.U.K if they enter a invalid ____.

What ____ an invalid PIN causes them to ____ P.U.K?

____ should happen when ____ PIN ____ blocking and ____?

If ____ enter the wrong ____ you ____ blocked ____ P.U.

____ to take if a ____ PIN ____ a device ____ of ____.

When ____ the wrong PIN ____ cause ____ to ____ need ____ P.

Wrong ____ blocking and need for ____ get around ____?

When entering ____ it leads to blocking ____ for ____.

____ entering the wrong PIN, ____ and ____ P.U.K ____.

What ____ be done when an ____ to ____ P.U.K?

____ can have ____ blocked and ____ P.U.K. if they enter ____ PIN.

When entering the ____ it ____ cause ____ for a ____.

____ I ____ blocked ____ I have to use a P.U.K?

____ wrong PIN causing ____ lock ____ requirement of P.U.K ____ should ____ deal with ____?

P.U.K can ____ and needed ____ wrong PIN.

____ be ____ PIN causes a ____ lock and ____ of P.U.K?

____ to fix ____ phone if wrong PIN ____ PUK?

How to respond to ____ PIN ____ leading ____ and ____ for ____?

If ____ enter ____ it will result in blocking ____ for ____.

____ invalid ____ leads to ____ requesting P.U.K ____ should be ____?

How are we to ____ Invalid ____ P.U.K. ____?

blocking ____ can ____ caused by ____ wrong PIN.

____ do ____ Invalid ____ locked, need P.U.K?

When entering the ____ PIN ____ will ____ blocking and ____ you ____?

____ you ____ the ____ it ____ lead ____ blocking ____ the need ____ P.

When pin ____ makes things ____ the P.U.K is ____ do?

What ____ when ____ makes ____ hard ____ the P.U.K is requested?

Should ____ person ____ P.U.K. if ____ a ____ PIN ____ blocked?

____ could ____ taken ____ wrong PIN entry ____ to blocking and ____.

____ steps ____ incorrect ____ leads to blocking and asking ____ P.U.K.

____ do if a ____ device ____ and I order P.U.K.

____ is ____ and ____ P.U.K ____ demanded, what should I ____?

____ and need for P.U.K ____ by ____ wrong PIN.

____ important ____ steps ____ taken if ____ PIN ____ to ____ and asking ____ P.U.K.

How ____ deal ____ incorrect ____ causing device ____ requirement ____ P.U.K.

____ should P.U.K ____ when ____ invalid PIN leads ____ blocking ____?

What should ____ done when an invalid ____ leads ____ blocking ____?

The ____ PIN results ____ blocking ____.

____ wrong PIN, blocking and ____ are consequences.

____ steps should ____ in ____ of wrong ____ device lock ____ requirement ____ P.U.K.
 ____ entering ____ wrong ____ blocking and ____ P.U.K ____ .
 If you enter ____ PIN, ____ and ____ occur.
 ____ respond ____ Invalid ____ Entry leads ____ and ____ for P.U.K.
 ____ a ____ PIN entry ____ to blocking and ____ steps should ____ .
 If ____ enter ____ wrong ____ it ____ lead ____ blocking and need ____ .
 Should ____ take ____ get blocked after ____ a invalid ____ ?
 How can ____ respond to ____ Entry ____ P.U.K ____ ?
 ____ response to ____ Invalid Pin locked ____ P.U.k?
 What would ____ Invalid ____ is locked ____ P.U.K?
 ____ a person enters ____ blocked and needs a P.U.K?
 ____ PIN ____ messes ____ and wants a P.U.K, what ____ to do?
 Invalid ____ need ____ ?
 ____ respond ____ PIN Entry and P.U.K ____ ?
 How ____ to ____ which can ____ to blocking and ____ for ____ ?
 ____ need ____ - what are ____ doing?
 ____ get ____ blocking and need for P.U.K. with ____ wrong ____ ?
 What ____ Pin ____ need P.U.K?
 There ____ the ____ PIN causing ____ and ____ for P.U.K.
 What ____ are taken ____ PIN ____ a device lock and ____ .
 ____ entering ____ wrong ____ it ____ cause blocking and ____ P.
 If an invalid ____ to ____ request, how ____ a P.U.K ____ .
 ____ of wrong ____ causing ____ device ____ requirement ____ P.U.K what would I ____ ?
 ____ causes blocking ____ requires P.U.K.
 ____ if the wrong ____ entry leads ____ and ____ for the ____ .
 ____ Pin locked, ____ What ____ ?
 ____ a lock and requirement ____ P.U.K, what should ____ do?
 steps are ____ the ____ PIN ____ to ____ and asking for ____ .
 ____ Invalid PIN is ____ and need ____ ?
 ____ a ____ get around ____ blocking and ____ for ____ by ____ wrong PIN?
 If ____ enters an invalid ____ and gets blocked ____ what ____ ?
 ____ wrong PIN ____ to blocking ____ asking for ____ some steps ____ be ____ .
 ____ wrong ____ will lead ____ blocking and need ____ .
 ____ locked, need ____ now?
 If you ____ the wrong PIN, ____ lead ____ blocking ____ .
 ____ be taken ____ the ____ PIN entry ____ to blocking and ____ .
 How ____ reply to Invalid PIN Entry can lead ____ .
 Invalid ____ to blocking and ____ for ____ ?
 ____ Pin ____ P.U.k? ____ now?
 ____ actions should I ____ a wrong PIN ____ a ____ requirement ____ P.U.K.
 How ____ Invalid ____ Entry could lead ____ & requests ____ P.U.K.
 When ____ a ____ will cause ____ and P.U.K.
 Blocks and needs ____ the wrong PIN.
 If ____ wrong PIN entry ____ blocking ____ for ____ steps ____ to ____
 What should ____ do when ____ pin entry ____ things ____ and ____ ?
 If you ____ the wrong ____ cause blocking ____ for ____ .
 ____ is ____ if a ____ enters a ____ PIN and ____ .
 The steps ____ taken if ____ entry ____ to blocking and ____ P.U.K.
 Is it possible ____ Invalid ____ Entry with ____ for P.U.K?
 ____ to ____ to InvalidPIN Entry ____ ?

The _____ blocking and needed _____.
 _____ to respond _____ Entry _____ P.U.K. requests?
 _____ should I do when _____ I have to pay _____?
 _____ enter the wrong _____ it _____ cause _____ to _____ and need _____.
 _____ is _____ chance _____ entering the wrong PIN _____ blocking and _____.
 _____ a _____ to take P.U.K. _____ they get blocked after _____?
 Invalid _____ locked, need _____?
 In _____ of _____ a device _____ or ordering P.U.k, _____ should _____?
 What _____ going _____ do when _____ PIN _____ messes _____ up and _____ P.U.K?
 Incorrect PIN causes _____ P.U.K.
 _____ a person enters _____ their _____ blocked _____ needs a P.U.K?
 _____ need _____ P.U.K. is caused _____ the incorrect _____.
 _____ be done _____ an invalid PIN _____ to _____ and _____?
 _____ wrong PIN causes _____ need for _____ get _____ is a question
 _____ enter the _____ PIN, blocking and the _____ will _____.
 _____ a numbskull _____ an _____ PIN and _____ needs _____ P.U.K, what _____?
 Some _____ should be taken if _____ wrong _____ lead _____ blocking _____ P.U.K.
 A question _____ how to _____ Invalid PIN _____ requests.
 _____ an incorrect PIN _____ results in a _____ are steps _____.
 _____ you _____ wrong PIN it _____ to _____ and need _____.
 When _____ invalid PIN entry _____ to _____ requesting _____ we do?
 Should an invalid _____ can _____ get their PUK?
 I have to _____ something _____ that _____ PIN entry screws _____ wants _____.
 When an incorrect PIN entry results _____ request _____ P.U.K, _____ on _____ course of _____.
 _____ a person _____ to _____ are blocked after entering _____ PIN?
 What should _____ when _____ invalid PIN leads _____ blocking _____ P.U.K?
 _____ I _____ the case of _____ device lock and requirement of _____?
 _____ device lock and requirement _____ how should _____ handle it?
 _____ should _____ do if an _____ to request P.U.K?
 What _____ response _____ this Invalid _____ need P.U.k?
 How _____ request _____ my card is blocked _____ incorrect PIN _____?
 _____ should _____ taken if the wrong _____ entry _____ requests for _____.
 It will _____ if you enter the _____ PIN.
 What should they do when _____ to blocking _____ requesting _____?
 _____ the _____ will face blocking _____ the need for P.
 How to respond _____ Invalid PIN _____ and _____ P.U.K.
 When _____ PIN entry _____ everything up _____ P.U.K, what do _____?
 _____ should they _____ when _____ PIN _____ and P.U.K _____?
 How to _____ to _____ PIN Entry _____ blocking requests _____
 How to handle _____ PIN Entry leading _____ and _____?
 _____ will _____ a _____ if _____ enter a invalid PIN _____ get their _____.
 _____ ought _____ be taken if the _____ PIN _____ leads _____ for P.U.K.
 _____ case of _____ PIN causing a _____ ordering P.U.K _____ do?
 When _____ invalid PIN _____ blocking and _____ the _____ happen?
 When _____ the wrong _____ it _____ lead _____ blocking _____ needing _____.
 In _____ of _____ PIN _____ and _____ of P.U.K _____ to take
 _____ invalid PIN _____ blocking _____ requesting, what to _____?
 What _____ I _____ that _____ PIN entry messes _____ and wants _____ bloody _____?
 If you enter _____ will cause _____ blocked and _____ P.U.
 How _____ respond to _____ PIN _____ can lead _____ for P.U.K?

How to _____ PIN _____ leads to _____ P.U.K.

What _____ be taken _____ the _____ causes _____ device lock _____ of P.U.K.

Invalid PIN _____ blocking _____ requests for _____.

_____ to respond _____ Invalid _____ Entry _____ to _____ requests _____ P.U.K.

_____ pin locked require _____?

Entering _____ results _____ blocking and needing _____.

_____ person _____ their _____ blocked and _____ a P.U.K. _____ they _____ a _____ PIN.

If _____ the _____ PIN _____ will _____ blocking and require _____.

What is the way _____ respond _____ P.U.K. requests?

When entering the _____ will cause blocking _____ need for _____ you _____?

Is there a _____ to _____ to Invalid _____ Entry _____?

If a person _____ invalid _____ and _____ will they _____ P.U.Ks?

_____ the wrong _____ blocking and the need for _____ you _____?

How should I _____ causing _____ and requirement of _____.

_____ you enter _____ PIN, _____ and _____ P.U.K ensues.

_____ the wrong PIN, _____ will cause blocking _____ require _____.

What _____ we do if _____ invalid _____ to _____ and _____ P.U.K?

Can you _____ me _____ to _____ P.U.K _____ and needed _____ the wrong _____?

What _____ they _____ when _____ invalid _____ leads to blocking _____?

When entering _____ PIN, you _____ blocking _____ P.U.K.

If _____ a device _____ and _____ of _____ what should _____ done?

Do _____ know _____ to _____ to Invalid _____ Entry _____ to _____ requests for _____?

_____ have _____ take _____ they get blocked _____ they enter _____ PIN?

When that stupid PIN entry messes _____ a _____ do _____ do?

There are _____ that lead _____ blocking _____ requesting _____.

What _____ response after _____ pin locked, _____?

If the _____ causes _____ and _____ of P.U.K, _____ should I _____?

What _____ I take _____ case of _____ PIN _____ a _____ lock _____ P.U.K.

_____ to respond _____ Entry leads _____ blocking and requests _____?

_____ wrong _____ it will lead to blocking _____ the need _____ a _____

How _____ we _____ Entry _____ P.U.K. requests?

What should be done _____ an _____ leads to _____?

In _____ of wrong _____ causing _____ device _____ and _____ of _____ what _____ take _____ is needed if the wrong _____ entry leads _____ and _____.

_____ gets their ass _____ after entering _____ invalid _____ a P.U.K?

In cases _____ wrong PIN _____ device lock _____ of P.U.K, _____ I _____?

There have _____ steps if the _____ leads _____ blocking and _____ P.U.K.

Do people need _____ take P.U.K _____ they _____ a invalid _____?

Do _____ have _____ take P.U.K if _____ blocked _____ entering _____ invalid _____?

_____ entering the wrong _____ can lead _____ blocking and _____ for _____.

If _____ enters _____ invalid _____ and _____ blocked, _____ they take _____?

If a person _____ invalid PIN _____ ass _____ they _____ a P.U.K.

_____ should be _____ when a _____ leads _____ blocking and _____?

When _____ the _____ what should you _____ will _____ blocking and the need for _____.

_____ locked _____ P.U.K, _____ now?

_____ to _____ with _____ PIN _____ P.U.K. request?

_____ be _____ case a wrong _____ a _____ lock _____ requirement of P.U.K.

How _____ respond _____ and P.U.K. _____?

When _____ pin entry _____ things _____ the _____ is _____ should _____ do?

_____ entering _____ wrong _____ it will _____ to block _____ need _____.

_____ a person enters a _____ PIN and _____ blocked _____ needs _____ "

Invalid _____ locked, require _____ what _____ doing _____?

When entering the wrong _____ will _____ blocking and _____ P.

In case _____ PIN causing device _____ and _____ P.U.K, _____ do?

_____ person enters a invalid PIN _____ ass _____ needs _____ P.U.K

If you _____ it will cause _____ and need _____.

_____ is a _____ to handle a _____ block if _____ invalid _____ request.

_____ entering _____ it will _____ to blocking and _____ for _____ P.

_____ a _____ enters a _____ PIN and _____ their ass _____ a _____.

_____ incorrect PIN causing a device lock and requiring P.U.K?

_____ PIN could _____ locked and _____.

When entering _____ it _____ lead _____ blocking _____ P.U.K

_____ should I _____ case of _____ causing a device lock _____ P.U.k?

_____ invalid _____ to blocking and _____ P.U.K, what _____ do?

_____ do something _____ dumbass PIN entry _____ everything _____ and wants a _____.

_____ invalid _____ entry leads _____ how to deal _____ a P.U.K _____?

Steps _____ taken if an _____ leads _____ a _____ for P.U.K.

_____ wrong _____ cause blocking _____ need _____ P.U.K. _____ to _____ it?

How _____ PIN Entries and P.U.K. _____?

_____ entry leads _____ blocking and asking for _____ some _____ should be _____.

What _____ when _____ PIN _____ to _____ & requests _____ P.U.K?

How _____ I deal _____ an incorrect PIN causes my _____ to _____ and _____ need _____ use a _____

If _____ wrong PIN _____ lock _____ P.U.K, what steps should _____ taken?

What should _____ in case _____ the wrong PIN _____ ordering P.U.K?

What should I do _____ incorrect PIN _____ device _____ and _____?

_____ a _____ take _____ they _____ blocked after entering _____ PIN?

When _____ wrong PIN _____ and need for _____ should _____ do?

In the event _____ a _____ PIN causing _____ device _____ of P.U.K _____ I take?

_____ tell _____ how _____ avoid P.U.K _____ when _____ wrong PIN?

_____ be taken _____ PIN causes _____ device _____ and requirement _____ P.U.K?

_____ the _____ PIN entry _____ blocking and asking for _____ be done.

_____ locked _____ what now?

Steps _____ wrong PIN entry _____ blocking and asking for _____.

How _____ we respond _____ PIN _____ that _____ blocking _____ for P.U.K?

When _____ wrong _____ will be blocking and _____.

_____ wrong PIN causes _____ device _____ and _____ of _____ should I _____?

If you _____ wrong _____ it _____ blocking _____ need _____ a P

_____ around _____ needing P.U.K. when _____ the wrong PIN?

_____ a wrong _____ causes a _____ requirement of _____ what _____ should _____ take?

_____ invalid _____ leads _____ blocking and _____ P.U.K, _____ they do?

What _____ I _____ that stupid _____ messes _____ and wants a _____?

How should I _____ with _____ causing _____ requirement _____ P.U.K?

What happens _____ leads to _____ and requests for _____?

_____ I _____ when the pin entry _____ things _____ and _____ needed?

If you _____ it will result _____ blocking _____ P.U.K.

_____ the _____ should avoid it since it _____ lead _____ and P.U.K.

_____ case of _____ causing a _____ lock _____ of _____ how _____ I proceed.

What actions should I take _____ PIN causing _____ and _____ P.U.K?

_____ pin locked, _____?

blocking _____ need for _____ by the _____.

_____ be taken if _____ wrong _____ entry _____ and _____ for P.U.K.

When _____ PIN _____ and _____ P.U.K, _____ do I turn?

_____ PIN _____ leads to blocking and requests _____ P.U.K?

If a person _____ PIN _____ ass blocked and _____ a _____.

_____ should they do when _____ blocked because of _____?

In _____ PIN causing a _____ requirement of P.U.K what _____ to _____

What do _____ do if _____ wrong _____ and P.U.K requirement?

There _____ and need for P.U.K _____ enter _____ wrong _____.

The wrong _____ and _____ P.U.K.

There _____ an _____ PIN entry _____ leads _____ blocking and _____.

The steps should be taken _____ the incorrect PIN _____ for _____.

_____ wrong _____ results _____ and needing _____.

_____ PIN _____ needed _____ what now?

If _____ enter the wrong PIN it _____ and _____ P.U.

_____ would _____ if an incorrect _____ leads to _____ request for _____.

what _____ do when _____ leads to blocking _____ P.U.K?

_____ if the _____ entry leads to blocking _____ for P.U.K.

When an _____ to blocking and request from _____ what _____?

Some _____ are needed if _____ wrong PIN _____ leads _____ for _____.

In case _____ wrong _____ lock _____ requirement _____ P.U.K what _____ I take?

_____ should _____ do _____ a wrong _____ a device lock _____ is _____?

When that dumbass _____ up and _____ P.U.K, what can _____ do?

Steps need to _____ taken _____ the wrong _____ entry _____ to _____ requests _____.

When entering the _____ will _____ and P.U.K

_____ about Invalid PIN _____ to blocking _____ requests _____?

What should I _____ PIN _____ a device lock and _____?

_____ to take _____ wrong _____ device lock and _____ of _____?

Invalid Pin _____ P.U.k? _____?

_____ happens _____ an invalid entry _____ a P.U.K?

_____ the _____ of _____ causing a _____ lock and _____ of _____ steps _____ I take?

_____ the _____ PIN _____ will be blocking and _____ P.U.

The _____ and _____ for P.U.K.

When _____ entry makes _____ difficult and _____ what should _____ do?

_____ do _____ PIN causes a device _____ and I _____ P.U.k?

_____ now, Invalid _____ locked, require _____ what _____?

_____ case _____ wrong _____ and requirement of _____ steps do I follow?

Some _____ should _____ taken if the _____ PIN _____ to blocking _____ P.U.K.

_____ wrong _____ causes blocking _____ the need _____.

What should they _____ when _____ invalid PIN _____ and requests _____?

_____ I _____ my _____ PIN _____ device lock and requires _____?

_____ the _____ entry causes blocking and asking _____ P.U.K., _____ to _____.

Invalid _____ locked, require P.U.K, _____ are _____?

In _____ wrong PIN _____ lock _____ ordering P.U.k, what _____ should _____ take?

When _____ enter the _____ PIN, _____ will _____ blocking and need _____.

_____ I handle _____ situation _____ which _____ PIN _____ my device _____ be _____ and request a _____?

In _____ of wrong PIN _____ requirement of _____ how _____ I proceed?

If the wrong PIN entry leads _____ for _____ be taken.

_____ PIN leads _____ and _____ for P.U.K.

The blocking _____ P.U.K. is _____ by a _____.

_____ I respond _____ wrong _____ device lock _____ requirement of P.U.K?

Some steps should be _____ Pin entry _____ to blocking _____ asking _____.

If _____ wrong _____ asking _____ the steps need to be taken.

_____ an invalid PIN _____ to blocking and request for _____?

What steps do _____ take _____ PIN _____ a _____ lock _____ requires _____?

If _____ needs P.U.K, what?

_____ entering the _____ PIN you _____ blocking _____ need for _____.

How _____ the _____ PIN _____ need for P.U.K.?

_____ needed if _____ entry _____ and asking for P.U.K.

The _____ causes _____ for _____ how to get around it?

_____ PIN _____ leads to _____ request, how to _____ P.U.K block?

_____ should be _____ if _____ wrong PIN entry that _____ to blocking _____.

Invalid PIN _____ to blocking _____ for P.U.K.

_____ should they _____ invalid PIN leads to _____ P.U.K?

_____ the wrong PIN entry leads to _____ asking _____ P.U.K., _____ to _____.

What steps _____ take in _____ causing _____ lock and need _____?

How to _____ Invalid _____ leads _____ blocking P.U.K _____.

Should I handle _____ causing _____ lock _____ requirement of _____?

_____ PIN _____ leads to _____ request, how should _____ P.U.K _____ handled.

_____ is _____ that _____ entry leads to blocking and _____ P.U.K.

_____ incorrect _____ blocking and requesting the _____ there _____ steps to take.

_____ case of wrong _____ device _____ requirement of _____ should I do?

Invalid _____ entries lead _____ and _____.

Some _____ should be taken if the _____ blocking _____ the P.U.K.

_____ the event _____ an invalid PIN attempt leading to phone _____ I take _____ the _____

Invalid Pin _____ need _____?

What _____ you _____ entering the _____ pin causes blocking _____ for _____?

_____ should _____ when _____ PIN is _____ and a _____ is made _____?

_____ steps that _____ if the wrong PIN entry leads _____ asking for P.U.K.

_____ you mean _____ a person enters a _____ PIN _____ gets their _____ needs _____?

_____ entering _____ lead to blocking _____ the necessity for P.

"What _____ Invalid _____ is _____ and _____ "

_____ a _____ PIN entry leads to blocking _____ then _____ need to _____.

_____ is _____ and _____ for P.U.K caused _____ entering the _____.

_____ should they do when _____ that _____ leads to blocking _____ P.U.K?

If _____ enter _____ PIN, you will end _____ blocking _____.

_____ steps should I _____ if a _____ causes _____ device _____ P.U.K _____?

_____ the wrong PIN, it _____ lead _____ and _____ P.U..

_____ stupid PIN _____ up _____ wants _____ P.U.K, what do I do?

_____ respond _____ Invalid PIN Entry leads _____ blocked requests _____.

_____ steps must _____ taken _____ wrong _____ device lock and _____ of P.U.K.

_____ wrong PIN _____ to _____ and _____ for _____ steps _____ be taken

Steps _____ to _____ if a _____ blocking and _____ for P.U.K.

_____ wrong _____ a device lock _____ requirement of _____ deal with it?

_____ person will need a P.U.K. _____ they enter _____ their ass _____.

_____ entering _____ it results _____ blocking _____ needing P.U.K.

_____ entering the wrong _____ it _____ and P.U.K.

_____ steps should _____ taken if a _____ causes a _____ and _____?

_____ steps _____ I _____ PIN causes a _____ lock and _____ of _____?

When _____ the wrong _____ blocking and _____ can _____.

_____ entering _____ wrong PIN, _____ will cause _____ the need _____ a _____

After Invalid _____ P.U.K?

What _____ should _____ take _____ a wrong _____ causes _____ order P.U.k?

If a _____ is _____ after entering a _____ do _____ to _____?

_____ we _____ the _____ PIN causing blocking and need _____?

Invalid _____ leads to _____ for P.U.K.

_____ the _____ leads to blocking and asking _____ there should _____.

_____ an incorrect _____ entry results _____ a _____ for _____ advise us _____ the proper _____ action.

_____ should be done _____ PIN leads _____ and asking _____ P.U.K?

_____ the incorrect _____ it will _____ and the need _____ a _____

what _____ PIN _____ needs P.U.K?

When the pin _____ and _____ is _____ what do I _____?

_____ PIN entry causes everything _____ wrong _____ wants _____ bloody P.U.K, what _____ I _____?

_____ should you do _____ invalid _____ leads to _____ and _____?

How _____ deal with _____ will lead _____ P.U.K _____?

What _____ happen if _____ wrong PIN _____ a _____ requirement _____ P.U.K.

_____ needing P.U.K _____ when entering _____ PIN.

_____ to be _____ the _____ PIN entry _____ and asking for P.U.K.

If _____ PIN _____ leads to _____ and _____ P.U.K. there are _____.

How to respond _____ Invalid PIN _____ leading to _____?

_____ how _____ get PUK?

How _____ a situation _____ which an incorrect PIN causes _____ be blocked and _____ a _____?

In cases _____ wrong PIN _____ device _____ and _____ of _____ what _____ take?

If you _____ the wrong _____ lead _____ and P.U.K.

Some steps should _____ if _____ PIN _____ a blocking _____ asking _____ P.U.K.

_____ invalid _____ entry leads to _____ and requesting _____?

How should _____ respond in _____ of _____ causing _____ and requirement of _____.

Some _____ taken if _____ wrong PIN _____ ends up _____ and asking _____.

_____ wrong PIN _____ lead to _____ and need P.U..

Steps need _____ be _____ the _____ leads _____ blocking _____ asking for P.U.K.

When entering _____ wrong _____ can it cause blocking _____?

_____ entry makes things _____ and _____ to _____ requested, what should I _____?

When an incorrect PIN entry _____ in _____ request _____ please tell _____ of _____.

_____ the _____ may _____ blocking and _____ for P.U.K.

_____ respond _____ PIN Entry leading to _____ requests for _____?

Invalid _____ locked and need _____?

_____ enter _____ it will result in _____ and _____ need for a _____.

_____ of wrong PIN _____ a device lock _____ P.U.K, _____ should _____ it?

What _____ a case _____ wrong _____ causing _____ lock and ordering P.U.K?

What _____ I do _____ P.U.K _____ requested _____ of the _____?

_____ are Invalid PIN _____ leads _____ blocking and _____.

_____ a _____ invalid PIN _____ is _____ do _____ have to take _____?

_____ blocking and need for _____.

_____ pin _____ P.U.k?

When _____ leads _____ and requesting the _____ what _____ be done?

_____ PIN causes blocking _____ for _____.

_____ invalid PIN _____ leads _____ a _____ how should _____ P.U.K block _____?

When entering the _____ P.U.K are _____.

_____ case _____ PIN causing a _____ and _____ of _____ steps _____ I take?

_____ to _____ to Invalid _____ will _____ blocking _____ requests for _____.

_____ entering _____ wrong PIN, _____ it will lead _____ and need _____.

How to _____ block if an invalid _____ entry _____ to _____.

When _____ dumbass _____ entry messes _____ up and _____ what _____ do?

How _____ Invalid PIN Entry and _____ P.U.K. _____?

_____ should _____ if _____ wrong PIN _____ device lock _____ I order _____.

_____ steps if the wrong PIN _____ blocking or _____ P.U.K.

Invalid _____ locked require P.U.k, _____ are _____ going _____?

_____ to _____ to _____ PIN Entry leads _____ and requests _____

blocking _____ P.U.K. _____ caused by _____ wrong PIN.

_____ will _____ to blocking _____ P.U. _____ you enter the _____.

_____ you enter the _____ it _____ and _____ P.U.K.

_____ entering _____ wrong _____ it _____ lead _____ blocking and the _____ P.

_____ should _____ done when _____ PIN is invalid _____ is _____?

_____ locked and need _____ what should happen?

_____ an invalid _____ to blocking and requesting _____ I do?

How _____ respond _____ PIN _____ and _____ requests!

steps should _____ if the wrong _____ entry _____ to _____ asking _____.

_____ you enter _____ wrong _____ blocking and a need for _____ P

_____ the wrong PIN _____ to _____ and _____ for P.U.K. _____ should be _____.

If the _____ entry leads _____ then steps should be taken.

_____ PIN _____ blocking _____ need for P.U.K. _____.

_____ done if _____ invalid _____ access _____ requires a P.U.K?

_____ should be taken if wrong _____ lock and _____ of _____.

Does a _____ have to _____ blocked _____ entering a invalid _____?

When entering _____ wrong PIN _____ will lead _____ P.

What steps should _____ if the device _____ caused _____ an incorrect _____?

How to _____ PIN Entry _____ requests for P.U.K?

_____ people have _____ P.U.Ks if they get _____ and enter _____?

The person _____ a _____ they enter _____ PIN _____ their ass blocked.

_____ an incorrect PIN _____ results _____ request for _____ let _____ the proper _____ of action.

_____ taken if _____ wrong PIN causes a device _____ and _____ of _____?

What will be done _____ PIN _____ device lock _____ of _____.

_____ to respond _____ Entry _____ and requests for P.U.K?

If _____ locked and _____ P.U.K, _____ are the _____?

_____ wrong PIN _____ leads to blocking _____ requesting P.U.K., _____ steps _____.

_____ need to _____ if the wrong PIN _____ leads _____ blocking and _____.

What should _____ do _____ Pin leads _____ requesting P.U.K?

They _____ be done _____ the _____ entry leads _____ blocking and _____ for _____.

_____ wrong PIN it will lead _____ and _____ necessity for _____.

_____ pin entry makes things _____ P.U.K _____ do you do?

In _____ wrong PIN causing device lock and requirement _____ should _____?

_____ causes _____ and need for _____.

_____ Invalid PIN is locked _____ needs _____ do?

_____ is an _____ need P.U.k?

_____ enter the wrong _____ will lead _____ blocking, and need _____.

What _____ the _____ if a wrong PIN _____ a _____ lock and _____?

In _____ of _____ causing a device _____ and ordering P.U.k, _____ take?

When that _____ PIN _____ screws everything up and _____ a _____?

_____ around the _____ need _____ P.U.K. because of the _____ PIN?

_____ happen when an _____ PIN leads _____ blocking _____ requesting _____.

If _____ gets _____ ass _____ when _____ PIN and need a P.U.K?

Ways _____ with invalid _____ to P.U.K _____?

Invalid PIN _____ to _____ and _____ for _____.

_____ enter the wrong _____ to blocking and _____ a P.U.

_____ should they _____ an Invalid _____ blocking and requesting _____?

_____ actions _____ if the _____ causes a device lock and _____ of _____.

_____ an invalid PIN leads _____ blocking and requesting?

Some _____ be _____ if _____ wrong PIN _____ a blocking _____ asking for _____.

What is _____ response _____ Pin locked _____?

When that dumbass _____ messes with _____ a P.U.K, _____ do?

What should I do if _____ PIN causing a _____ lock _____.

_____ results in _____ and requiring _____.

_____ enters _____ PIN and gets _____ blocked and need _____ P.U.K.

How _____ PIN _____ and P.U.K _____?

If a person _____ invalid _____ gets _____ do _____ to take _____?

_____ avoid blocking _____ needing _____ if you enter _____ wrong _____?

_____ steps that must _____ taken if the _____ PIN entry _____ blocking _____ for _____.

If the _____ to blocking _____ asking for P.U.K., steps _____ taken.

Some steps _____ wrong _____ entry _____ to blocking _____ requesting P.U.K.

There is a _____ that _____ wrong PIN _____ and _____ P.U.

What _____ be _____ if _____ PIN _____ to _____ device _____ and requirement _____.

In the _____ of _____ PIN _____ lock and _____ P.U.k, _____ actions should _____ take?

When _____ leads to blocking _____ a P.U.K what _____ be _____?

_____ do _____ theInvalid Pin locked, require _____?

_____ the event of _____ causing device lock _____ requiring _____ what should _____?

_____ entering _____ it can cause _____ need for P.U.K

An _____ PIN can _____ to _____ requesting _____.

_____ blocking and needing _____ entering the _____ PIN?

Some _____ should _____ taken _____ wrong _____ entry leads _____ blocking or _____.

_____ a person enters _____ invalid PIN _____ blocked, _____ P.U.Ks?

Do people _____ to take P.U.Ks if _____ blocked _____ invalid _____?

How to _____ Invalid PIN _____ inquires?

Some steps _____ taken if _____ PIN entry _____ to _____ and _____.

When _____ the _____ PIN _____ to blocking _____ P.U.K.

There _____ to _____ if _____ incorrect PIN _____ to blocking and requesting _____.

_____ PIN _____ and need to _____?

Invalid _____ need _____ U.K?

What _____ be _____ to _____ to Invalid PIN _____ P.U.K. _____?

What _____ do _____ the wrong PIN _____ need for P.U.K?

_____ wrong PIN entry leads _____ blocking and asking for _____ to _____.

_____ you enter _____ will lead _____ and the need for _____.

_____ wrong Pin _____ blocking and _____.

_____ to _____ P.U.K if they get blocked because of _____?

When entering a _____ PIN, blocking and _____.

If you enter the _____ PIN, it _____ need _____.

_____ enter _____ PIN, it _____ lead to _____ and the need _____?

If the wrong PIN _____ to blocking _____ for _____ steps _____ taken.

In case of incorrect _____ device lock _____ requiring _____ I _____?

_____ will _____ blocking and need P.U. if you _____.

_____ do you _____ around blocking _____ with the wrong _____?

What should I _____ PIN _____ messes _____ up _____ wants a _____ P.U.K?

____ PIN locked, now ____ ____ ____ ?

____ should I do ____ ____ ____ ____ causing a ____ lock ____ ordering P.U.K?

____ are ____ ____ be ____ if the ____ PIN entry leads ____ blocking and ____ for ____.

____ ____ to ____ taken if ____ entry leads to ____ and ____ for ____.

Invalid ____ ____ P.U.K, ____ now?

____ PIN ____ and ____ P.U.K?

____ wrong PIN entry ____ lead ____ ____ asking ____ P.U.K.

____ ____ wrong PIN it will lead to ____ and ____ ____ P.

____ ____ the wrong ____ blocking and the need ____ should ____.

____ a person ____ a ____ PIN ____ gets their ____ blocked ____ may ____ P.U.K.

____ need to ____ if ____ wrong ____ entry ____ to blocking and ____ for ____.

____ ____ and the need for a P ____ occur.

When an ____ ____ a blocking ____ requesting ____ should be ____?

____ to get ____ blocking ____ need ____ with the wrong ____?

____ you enter ____ ____ will lead to blocking and the ____ for ____

____ the wrong ____ it ____ lead ____ and ____ for a P.

____ entering the wrong PIN ____ and ____ for ____?

If ____ person ____ after ____ invalid PIN, do they ____ take ____?

____ entered an invalid ____ they ____ banned ____ using it ____ need a ____.

____ someone ____ an ____ PIN ____ gets their ass ____ P.U.K, what ____ happen?

Do people who get ____ after ____ ____ to take ____?

Invalid ____ ____ require ____?