

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	HVAC system maintenance and repair
<b>Inquiry Sub-Category</b>	Heating problems in HVAC system
<b>Description</b>	Customers seek assistance for issues with their HVAC system's heating function, such as inadequate heat production, uneven heating, or a non-functional furnace, which may be attributed to faulty components, ignition problems, or gas supply issues.
<b>Data Size</b>	12,191 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

How soon \_\_\_\_ you send someone out to inspect \_\_\_\_ as \_\_\_\_ seems \_\_\_\_ be \_\_\_\_ heat?  
\_\_\_\_ to \_\_\_\_ inspection on \_\_\_\_ furnace.  
\_\_\_\_ can you examine \_\_\_\_ malfunctioning furnace \_\_\_\_ ?  
Does your \_\_\_\_ faulty furnace which seems unable \_\_\_\_ generate \_\_\_\_ warmth?  
\_\_\_\_ insufficiently \_\_\_\_ available for an \_\_\_\_ visit?  
\_\_\_\_ need \_\_\_\_ do a \_\_\_\_ the furnace.  
Will anyone be \_\_\_\_ evaluate \_\_\_\_ heating \_\_\_\_ to \_\_\_\_ inefficient?  
Do \_\_\_\_ you can send \_\_\_\_ check \_\_\_\_ furnace?  
\_\_\_\_ needs \_\_\_\_ inspect \_\_\_\_ system soon.  
\_\_\_\_ our faulty furnace?  
When can an \_\_\_\_ the heat \_\_\_\_ our \_\_\_\_ ?  
\_\_\_\_ hurry \_\_\_\_ inspect this stupid heating and \_\_\_\_ ?  
\_\_\_\_ long until \_\_\_\_ need \_\_\_\_ skilled in furnaces, \_\_\_\_ due to \_\_\_\_ and \_\_\_\_ ?  
Is \_\_\_\_ to \_\_\_\_ an \_\_\_\_ check our \_\_\_\_ heat source?  
We need \_\_\_\_ not \_\_\_\_ enough heat.  
\_\_\_\_ anyone \_\_\_\_ evaluate my \_\_\_\_ operation quickly?  
\_\_\_\_ we be \_\_\_\_ to \_\_\_\_ the ineffective furnace?  
How soon \_\_\_\_ you \_\_\_\_ someone \_\_\_\_ our furnace?  
\_\_\_\_ your \_\_\_\_ available if we \_\_\_\_ faulty \_\_\_\_ ?  
Is \_\_\_\_ possible \_\_\_\_ conduct \_\_\_\_ prompt \_\_\_\_ ?  
\_\_\_\_ your \_\_\_\_ be \_\_\_\_ out the subpar \_\_\_\_ ?  
\_\_\_\_ need \_\_\_\_ look \_\_\_\_ down heater immediately since \_\_\_\_ seems unable to \_\_\_\_ warm up \_\_\_\_ .  
Can you \_\_\_\_ the \_\_\_\_ when \_\_\_\_ ?  
\_\_\_\_ is not generating \_\_\_\_ and we \_\_\_\_ it \_\_\_\_ .  
\_\_\_\_ can you send \_\_\_\_ for \_\_\_\_ broken \_\_\_\_ ?  
Is \_\_\_\_ to \_\_\_\_ to check \_\_\_\_ heaters pronto?  
It's furnace \_\_\_\_ anxious \_\_\_\_ your \_\_\_\_ .  
Is \_\_\_\_ a \_\_\_\_ to \_\_\_\_ and \_\_\_\_ the low heat \_\_\_\_ the \_\_\_\_ ?

Do you know \_\_\_\_\_ your \_\_\_\_\_ can \_\_\_\_\_ heater?  
 \_\_\_\_\_ you dispatch \_\_\_\_\_ to check \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for a technician \_\_\_\_\_ out our \_\_\_\_\_?  
 When can you \_\_\_\_\_ a look \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ going \_\_\_\_\_ send someone to \_\_\_\_\_ out \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ possible to get \_\_\_\_\_ for \_\_\_\_\_ furnace?  
 \_\_\_\_\_ will \_\_\_\_\_ team be able \_\_\_\_\_ check \_\_\_\_\_ our inadequate \_\_\_\_\_?  
 How \_\_\_\_\_ someone inspect \_\_\_\_\_ furnace \_\_\_\_\_ isn't heating \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ our furnace's heat \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ possible to \_\_\_\_\_ specialist to \_\_\_\_\_ at \_\_\_\_\_ solve \_\_\_\_\_ production \_\_\_\_\_ issues \_\_\_\_\_ this freezing unit?  
 Are you thinking \_\_\_\_\_ sending \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_?  
 We \_\_\_\_\_ out the \_\_\_\_\_ unit.  
 \_\_\_\_\_ soon should someone \_\_\_\_\_ malfunctioning \_\_\_\_\_?  
 Will you \_\_\_\_\_ inspection \_\_\_\_\_ to weak heat \_\_\_\_\_?  
 \_\_\_\_\_ someone \_\_\_\_\_ over to \_\_\_\_\_ out the \_\_\_\_\_ heater?  
 Can an inspector inspect \_\_\_\_\_ faulty furnace \_\_\_\_\_?  
 Our \_\_\_\_\_ malfunctioning \_\_\_\_\_ causing \_\_\_\_\_ heat \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ dispatch an \_\_\_\_\_ to check \_\_\_\_\_ what's wrong \_\_\_\_\_ heater?  
 \_\_\_\_\_ a malfunctioning furnace, can \_\_\_\_\_ send \_\_\_\_\_ check \_\_\_\_\_?  
 We \_\_\_\_\_ conduct a \_\_\_\_\_ inspection of \_\_\_\_\_.  
 Can we \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ furnace \_\_\_\_\_ and it doesn't generate \_\_\_\_\_.  
 \_\_\_\_\_ is malfunctioning, \_\_\_\_\_ you \_\_\_\_\_ out?  
 \_\_\_\_\_ furnace \_\_\_\_\_ not \_\_\_\_\_ and \_\_\_\_\_ generate enough heat.  
 \_\_\_\_\_ be \_\_\_\_\_ quickly evaluate why \_\_\_\_\_ heater appears \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ why \_\_\_\_\_ isn't making enough warmth?  
 \_\_\_\_\_ you be able \_\_\_\_\_ diagnose our heating \_\_\_\_\_ issue?  
 \_\_\_\_\_ it possible \_\_\_\_\_ offer expedited inspection \_\_\_\_\_ issues?  
 \_\_\_\_\_ fast can \_\_\_\_\_ inspect \_\_\_\_\_?  
 Can \_\_\_\_\_ at \_\_\_\_\_ broken down \_\_\_\_\_ immediately \_\_\_\_\_ it seems \_\_\_\_\_ be \_\_\_\_\_ to adequately \_\_\_\_\_ house?  
 \_\_\_\_\_ anyone be \_\_\_\_\_ to quickly \_\_\_\_\_ the \_\_\_\_\_ heater?  
 \_\_\_\_\_ check the furnace asap?  
 \_\_\_\_\_ furnace \_\_\_\_\_ checked by \_\_\_\_\_ inspector?  
 Is \_\_\_\_\_ to \_\_\_\_\_ specialist to look at and \_\_\_\_\_ heat production \_\_\_\_\_ issues \_\_\_\_\_ unit?  
 How \_\_\_\_\_ we have \_\_\_\_\_ inspected?  
 Since the broken \_\_\_\_\_ incapable of adequately \_\_\_\_\_ up \_\_\_\_\_ someone look \_\_\_\_\_?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ will come \_\_\_\_\_ to assess \_\_\_\_\_ Heater?  
 \_\_\_\_\_ broken \_\_\_\_\_ can \_\_\_\_\_ fix it?  
 \_\_\_\_\_ there \_\_\_\_\_ fix our broken \_\_\_\_\_ quickly?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a prompt \_\_\_\_\_ now?  
 \_\_\_\_\_ will \_\_\_\_\_ furnace be inspected \_\_\_\_\_ it \_\_\_\_\_ generating \_\_\_\_\_ heat?  
 Is \_\_\_\_\_ possible for \_\_\_\_\_ to schedule \_\_\_\_\_ inoperative furnace \_\_\_\_\_ notice?  
 \_\_\_\_\_ let us know \_\_\_\_\_ you can send \_\_\_\_\_ our \_\_\_\_\_.  
 How \_\_\_\_\_ someone \_\_\_\_\_ a \_\_\_\_\_ if it's not \_\_\_\_\_ up?  
 \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ heating unit quickly?  
 \_\_\_\_\_ we be \_\_\_\_\_ schedule \_\_\_\_\_ our ineffective furnace?  
 \_\_\_\_\_ possible \_\_\_\_\_ someone \_\_\_\_\_ your team \_\_\_\_\_ inspect our malfunctioning \_\_\_\_\_?  
 Is \_\_\_\_\_ possible for your \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ is it \_\_\_\_\_ to inspect and fix the low \_\_\_\_\_ furnace?  
 \_\_\_\_\_ your \_\_\_\_\_ make \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ out our \_\_\_\_\_ heat source?

\_\_\_\_\_ send a person to \_\_\_\_\_ heater?

When can \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ malfunctioning \_\_\_\_\_?

Has \_\_\_\_\_ malfunctioned \_\_\_\_\_ it affects \_\_\_\_\_?

How \_\_\_\_\_ need \_\_\_\_\_ skilled in \_\_\_\_\_ authorized assistance due \_\_\_\_\_ insufficient warmth?

Can you dispatch \_\_\_\_\_ quickly \_\_\_\_\_ malfunctioning \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ faulty furnace that must \_\_\_\_\_.

\_\_\_\_\_ it possible that \_\_\_\_\_ would \_\_\_\_\_ assess our less \_\_\_\_\_ heater?

Is it possible \_\_\_\_\_ inspector \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ heater?

We \_\_\_\_\_ our furnace isn't generating enough \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ an immediate \_\_\_\_\_ of the inoperative furnace \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to have \_\_\_\_\_ inspect our furnace as it \_\_\_\_\_ malfunctioning \_\_\_\_\_ not \_\_\_\_\_ heat?

\_\_\_\_\_ you be able \_\_\_\_\_ check the \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ able \_\_\_\_\_ an inspector \_\_\_\_\_ why our heater is not producing \_\_\_\_\_?

Can \_\_\_\_\_ inspect \_\_\_\_\_ soon?

How \_\_\_\_\_ it \_\_\_\_\_ to examine \_\_\_\_\_ malfunctioning heater?

\_\_\_\_\_ needs \_\_\_\_\_ our furnace \_\_\_\_\_.

\_\_\_\_\_ inspector \_\_\_\_\_ out our malfunctioning \_\_\_\_\_?

Is it \_\_\_\_\_ inspector to check \_\_\_\_\_ why \_\_\_\_\_ is not \_\_\_\_\_ enough \_\_\_\_\_?

I \_\_\_\_\_ asap if my \_\_\_\_\_ isn't \_\_\_\_\_ right.

When \_\_\_\_\_ we expect a \_\_\_\_\_ come \_\_\_\_\_ at \_\_\_\_\_ fix it?

\_\_\_\_\_ quick inspection of \_\_\_\_\_ furnace that we \_\_\_\_\_.

\_\_\_\_\_ seems to be \_\_\_\_\_ doesn't give enough \_\_\_\_\_.

\_\_\_\_\_ you able \_\_\_\_\_ send someone \_\_\_\_\_ our \_\_\_\_\_ problem?

Does it make \_\_\_\_\_ to \_\_\_\_\_ inspector to \_\_\_\_\_ our \_\_\_\_\_?

How soon \_\_\_\_\_ you send \_\_\_\_\_ check \_\_\_\_\_ furnace?

\_\_\_\_\_ come out \_\_\_\_\_ look at the furnace?

We \_\_\_\_\_ to come \_\_\_\_\_ inspect \_\_\_\_\_.

We \_\_\_\_\_ quickly \_\_\_\_\_ heating unit.

Someone \_\_\_\_\_ come out for \_\_\_\_\_ quickly, we \_\_\_\_\_ having \_\_\_\_\_ our \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ look \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it possible for \_\_\_\_\_ send someone \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ before the inspection \_\_\_\_\_ furnace generate enough \_\_\_\_\_?

\_\_\_\_\_ need to know when \_\_\_\_\_ technician \_\_\_\_\_ visit \_\_\_\_\_ inspect \_\_\_\_\_ furnace.

When \_\_\_\_\_ get \_\_\_\_\_ person to check the \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ check of \_\_\_\_\_ furnace \_\_\_\_\_?

Can someone come out \_\_\_\_\_ quickly when \_\_\_\_\_ with \_\_\_\_\_ furnace?

\_\_\_\_\_ we schedule \_\_\_\_\_ to our \_\_\_\_\_?

\_\_\_\_\_ your technician \_\_\_\_\_ on-site \_\_\_\_\_ inspect the \_\_\_\_\_?

Can we \_\_\_\_\_ a \_\_\_\_\_ at \_\_\_\_\_?

We don't \_\_\_\_\_ in the furnace, \_\_\_\_\_ schedule \_\_\_\_\_ promptly?

When can \_\_\_\_\_ doesn't have enough heat?

\_\_\_\_\_ is malfunctioning \_\_\_\_\_ enough heat.

\_\_\_\_\_ anyone \_\_\_\_\_ to look \_\_\_\_\_ our heating \_\_\_\_\_?

How quickly can you \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ up?

Is it possible \_\_\_\_\_ someone \_\_\_\_\_ your \_\_\_\_\_ our \_\_\_\_\_ quickly because \_\_\_\_\_ insufficient \_\_\_\_\_?

When is it appropriate for \_\_\_\_\_ to \_\_\_\_\_ furnace's \_\_\_\_\_?

Is \_\_\_\_\_ to examine my broken \_\_\_\_\_ heater immediately \_\_\_\_\_ seems \_\_\_\_\_ adequately warming \_\_\_\_\_?

How \_\_\_\_\_ someone \_\_\_\_\_ a furnace that isn't \_\_\_\_\_?

Anyone inspect the \_\_\_\_\_ weird?

Are \_\_\_\_\_ available \_\_\_\_\_ help \_\_\_\_\_ a faulty furnace?

We \_\_\_\_\_ a quick \_\_\_\_\_ the furnace \_\_\_\_\_.

When we \_\_\_\_\_ to inspect and \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ for the poor \_\_\_\_\_?

When \_\_\_\_\_ have an inspector check \_\_\_\_\_ output?

How \_\_\_\_\_ will someone \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ able \_\_\_\_\_ dispatch a \_\_\_\_\_ Our furnace does \_\_\_\_\_ emit \_\_\_\_\_ warmth.

\_\_\_\_\_ don't have \_\_\_\_\_ heat \_\_\_\_\_ our furnace, could you \_\_\_\_\_?

Can \_\_\_\_\_ a \_\_\_\_\_ soon because our \_\_\_\_\_ furnace \_\_\_\_\_ mustard \_\_\_\_\_?

The faulty \_\_\_\_\_ to be \_\_\_\_\_ heat.

\_\_\_\_\_ issues with our furnace, \_\_\_\_\_ out for \_\_\_\_\_ checkup?

\_\_\_\_\_ schedule \_\_\_\_\_ visit to \_\_\_\_\_ the \_\_\_\_\_ furnace?

\_\_\_\_\_ don't \_\_\_\_\_ enough heat in the \_\_\_\_\_ could \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ assessment of malfunctioning \_\_\_\_\_ unit \_\_\_\_\_.

When \_\_\_\_\_ a repair \_\_\_\_\_ come \_\_\_\_\_ check \_\_\_\_\_ furnace?

\_\_\_\_\_ possible to \_\_\_\_\_ repair guy to check \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ the furnace immediately.

Can we \_\_\_\_\_ someone to \_\_\_\_\_ less \_\_\_\_\_ heating system?

\_\_\_\_\_ someone \_\_\_\_\_ look at my \_\_\_\_\_ down \_\_\_\_\_ since \_\_\_\_\_ seems unable to \_\_\_\_\_ the house.

\_\_\_\_\_ possible \_\_\_\_\_ a prompt furnace \_\_\_\_\_?

\_\_\_\_\_ way \_\_\_\_\_ get \_\_\_\_\_ inspector to assess why \_\_\_\_\_ heater is \_\_\_\_\_ warmth?

\_\_\_\_\_ check out \_\_\_\_\_ our furnace?

\_\_\_\_\_ we should expect \_\_\_\_\_ technician to inspect the \_\_\_\_\_ and \_\_\_\_\_?

We have a furnace \_\_\_\_\_.

How \_\_\_\_\_ can your \_\_\_\_\_ heaters?

Is \_\_\_\_\_ an \_\_\_\_\_ examination \_\_\_\_\_ our heater \_\_\_\_\_ one of \_\_\_\_\_ experts?

\_\_\_\_\_ the \_\_\_\_\_ to send an inspector \_\_\_\_\_ look at \_\_\_\_\_ heat \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ professional assess a furnace \_\_\_\_\_ low \_\_\_\_\_?

When can \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ furnace?

Is \_\_\_\_\_ of an early visit and \_\_\_\_\_ the \_\_\_\_\_ heating \_\_\_\_\_?

A \_\_\_\_\_ be assessed immediately.

Someone needs to \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ out our \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ quickly to assess why \_\_\_\_\_ heater is \_\_\_\_\_?

Are \_\_\_\_\_ available \_\_\_\_\_ malfunctioning furnace?

Is it \_\_\_\_\_ an inspector \_\_\_\_\_ check \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ inspected asap.

It isn't \_\_\_\_\_ heat, and we \_\_\_\_\_.

Is it possible to \_\_\_\_\_ a professional \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ check out the \_\_\_\_\_?

Is it \_\_\_\_\_ send \_\_\_\_\_ to check out \_\_\_\_\_ issues within this \_\_\_\_\_?

Is it possible \_\_\_\_\_ dispatch \_\_\_\_\_ assess \_\_\_\_\_?

\_\_\_\_\_ technicians available for \_\_\_\_\_ quick \_\_\_\_\_ the furnace which \_\_\_\_\_ to generate \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ an early \_\_\_\_\_ examination \_\_\_\_\_ our insufficiently \_\_\_\_\_ furnace?

Is it possible to \_\_\_\_\_ furnace \_\_\_\_\_ short \_\_\_\_\_.

Are \_\_\_\_\_ to dispatch \_\_\_\_\_ professional quickly? Our furnace \_\_\_\_\_ enough \_\_\_\_\_ as \_\_\_\_\_.

Can \_\_\_\_\_ look \_\_\_\_\_ broken down \_\_\_\_\_ system immediately since \_\_\_\_\_ to \_\_\_\_\_ the house?

When \_\_\_\_\_ expect \_\_\_\_\_ technician \_\_\_\_\_ and fix the \_\_\_\_\_?

\_\_\_\_\_ send someone \_\_\_\_\_ out \_\_\_\_\_ heater?

Malfunctioning \_\_\_\_\_ to \_\_\_\_\_ inspected.

You \_\_\_\_\_ an \_\_\_\_\_ promptly \_\_\_\_\_ our furnace isn't \_\_\_\_\_ enough \_\_\_\_\_.

\_\_\_\_\_ need for urgent inspection \_\_\_\_\_.  
 \_\_\_\_\_ I send a \_\_\_\_\_ heating \_\_\_\_\_ issue?  
 \_\_\_\_\_ my broken down heater \_\_\_\_\_ since it seems incapable of \_\_\_\_\_ the \_\_\_\_\_.  
 We \_\_\_\_\_ like to \_\_\_\_\_ visit \_\_\_\_\_ our \_\_\_\_\_.  
 When \_\_\_\_\_ an \_\_\_\_\_ to \_\_\_\_\_ the furnace?  
 \_\_\_\_\_ send someone \_\_\_\_\_ out the \_\_\_\_\_?  
 Is prompt \_\_\_\_\_ performance of our furnace?  
 The \_\_\_\_\_ inspection \_\_\_\_\_.  
 \_\_\_\_\_ soon will \_\_\_\_\_ team be \_\_\_\_\_ to \_\_\_\_\_ and diagnose our \_\_\_\_\_?  
 Can you \_\_\_\_\_ it out when \_\_\_\_\_?  
 \_\_\_\_\_ have a \_\_\_\_\_ that \_\_\_\_\_ low heat \_\_\_\_\_.  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ someone \_\_\_\_\_ our problem \_\_\_\_\_?  
 When \_\_\_\_\_ your \_\_\_\_\_ looking \_\_\_\_\_ the \_\_\_\_\_ performing furnaces?  
 Can \_\_\_\_\_ hurry \_\_\_\_\_ and inspect this \_\_\_\_\_ warmth thingy?  
 \_\_\_\_\_ quickly can we \_\_\_\_\_ your \_\_\_\_\_ inspect our \_\_\_\_\_?  
 Is \_\_\_\_\_ possible to dispatch an \_\_\_\_\_ furnace?  
 Can y'all \_\_\_\_\_ pro soon \_\_\_\_\_ our lousy furnace \_\_\_\_\_?  
 \_\_\_\_\_ you hustle it \_\_\_\_\_ and \_\_\_\_\_ pro \_\_\_\_\_ furnace isn't \_\_\_\_\_ anymore.  
 When \_\_\_\_\_ you dispatch \_\_\_\_\_ to look \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ now \_\_\_\_\_ have a prompt \_\_\_\_\_ inspection?  
 Is it possible \_\_\_\_\_ an \_\_\_\_\_ soon to assess \_\_\_\_\_ heat \_\_\_\_\_?  
 \_\_\_\_\_ there a repair \_\_\_\_\_ who \_\_\_\_\_ check \_\_\_\_\_ furnace?  
 How \_\_\_\_\_ until \_\_\_\_\_ get someone skilled in \_\_\_\_\_ and authorized \_\_\_\_\_ functioning?  
 \_\_\_\_\_ you dispatch someone \_\_\_\_\_ assess \_\_\_\_\_ which fails to \_\_\_\_\_?  
 We need it inspected \_\_\_\_\_ isn't generating \_\_\_\_\_.  
 Someone \_\_\_\_\_ to be \_\_\_\_\_ inspect the \_\_\_\_\_.  
 \_\_\_\_\_ dispatch \_\_\_\_\_ to \_\_\_\_\_ our malfunctioning furnace \_\_\_\_\_?  
 Is it \_\_\_\_\_ can \_\_\_\_\_ furnace?  
 \_\_\_\_\_ you arrange for an \_\_\_\_\_ at \_\_\_\_\_ furnace?  
 Can \_\_\_\_\_ a \_\_\_\_\_ our broken \_\_\_\_\_?  
 \_\_\_\_\_ you dispatch \_\_\_\_\_ inspector \_\_\_\_\_ check out why \_\_\_\_\_ heater \_\_\_\_\_ generating \_\_\_\_\_?  
 \_\_\_\_\_ is a urgent \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ heating properly.  
 The furnace \_\_\_\_\_ help, \_\_\_\_\_ can \_\_\_\_\_?  
 Can \_\_\_\_\_ dispatch a pro soon \_\_\_\_\_ lousy \_\_\_\_\_ the mustard \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ out \_\_\_\_\_ with our heater?  
 How soon \_\_\_\_\_ you able \_\_\_\_\_?  
 \_\_\_\_\_ could \_\_\_\_\_ an \_\_\_\_\_ promptly if \_\_\_\_\_ furnace isn't producing \_\_\_\_\_.  
 \_\_\_\_\_ contact you asap because my \_\_\_\_\_ working \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ dispatch \_\_\_\_\_ inspector \_\_\_\_\_ to \_\_\_\_\_ with our heater?  
 \_\_\_\_\_ possible \_\_\_\_\_ someone \_\_\_\_\_ come over \_\_\_\_\_ assess our \_\_\_\_\_ efficient \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ to quickly \_\_\_\_\_ failing \_\_\_\_\_ performance?  
 \_\_\_\_\_ assistance \_\_\_\_\_ for the assessment \_\_\_\_\_ our furnace's \_\_\_\_\_?  
 Our \_\_\_\_\_ is \_\_\_\_\_ low \_\_\_\_\_?  
 Will anyone \_\_\_\_\_ quickly \_\_\_\_\_ why \_\_\_\_\_ boiler \_\_\_\_\_ to \_\_\_\_\_ inefficient?  
 When \_\_\_\_\_ we see a \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_?  
 Are \_\_\_\_\_ to dispatch an inspector for \_\_\_\_\_?  
 It's not \_\_\_\_\_ heat, could \_\_\_\_\_ inspection pronto?  
 How \_\_\_\_\_ can you get someone \_\_\_\_\_ furnace \_\_\_\_\_ heating \_\_\_\_\_?  
 \_\_\_\_\_ at the faulty furnace \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ it up and dispatch \_\_\_\_\_ pro \_\_\_\_\_ our \_\_\_\_\_ is \_\_\_\_\_ the \_\_\_\_\_.

I'm freezin'! How long is \_\_\_\_\_ dispatch one \_\_\_\_\_ people and \_\_\_\_\_?

There is a \_\_\_\_\_ not \_\_\_\_\_ up \_\_\_\_\_.

When \_\_\_\_\_ professional \_\_\_\_\_ assess \_\_\_\_\_ furnace \_\_\_\_\_ to \_\_\_\_\_ output?

Can someone \_\_\_\_\_ to \_\_\_\_\_ to check out our \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ a professional \_\_\_\_\_ that we \_\_\_\_\_ our furnace?

Are \_\_\_\_\_ technicians \_\_\_\_\_ assess \_\_\_\_\_ furnace quickly?

It's \_\_\_\_\_ trouble and \_\_\_\_\_ imminent \_\_\_\_\_?

\_\_\_\_\_ someone inspect \_\_\_\_\_ down \_\_\_\_\_ it seems \_\_\_\_\_ of adequately warming \_\_\_\_\_ the house?

\_\_\_\_\_ you \_\_\_\_\_ guy to check out \_\_\_\_\_ furnace?

\_\_\_\_\_ a faulty \_\_\_\_\_ we \_\_\_\_\_ inspect.

\_\_\_\_\_ repair guy \_\_\_\_\_ the furnace?

When will your team be able \_\_\_\_\_ heating \_\_\_\_\_?

Is it possible someone will \_\_\_\_\_ over \_\_\_\_\_ heater?

\_\_\_\_\_ furnace is malfunctioning \_\_\_\_\_ heat \_\_\_\_\_.

How \_\_\_\_\_ before \_\_\_\_\_ someone skilled \_\_\_\_\_ furnaces \_\_\_\_\_ authorized \_\_\_\_\_ to \_\_\_\_\_ warmth?

\_\_\_\_\_ time \_\_\_\_\_ you be \_\_\_\_\_ furnace for us?

When \_\_\_\_\_ technician \_\_\_\_\_ the \_\_\_\_\_ furnaces?

When \_\_\_\_\_ be sent \_\_\_\_\_ the \_\_\_\_\_?

"Urgent check \_\_\_\_\_"

Is \_\_\_\_\_ to have \_\_\_\_\_ professional \_\_\_\_\_ and fix our \_\_\_\_\_?

\_\_\_\_\_ to get prompt \_\_\_\_\_ assessment \_\_\_\_\_ poor furnace performance?

\_\_\_\_\_ need someone \_\_\_\_\_ check out our \_\_\_\_\_ it \_\_\_\_\_ generating \_\_\_\_\_.

\_\_\_\_\_ from your \_\_\_\_\_ able to \_\_\_\_\_ our \_\_\_\_\_ quickly \_\_\_\_\_ insufficient heating output.

Is \_\_\_\_\_ to send \_\_\_\_\_ to \_\_\_\_\_ furnace?

Are your \_\_\_\_\_ available \_\_\_\_\_ assessment \_\_\_\_\_ the faulty \_\_\_\_\_?

Shouldn't we \_\_\_\_\_ an \_\_\_\_\_ on short notice?

\_\_\_\_\_ can \_\_\_\_\_ professional \_\_\_\_\_ heat furnace?

\_\_\_\_\_ possible \_\_\_\_\_ an inspector \_\_\_\_\_ soon to assess \_\_\_\_\_ malfunctioning \_\_\_\_\_?

Is it possible \_\_\_\_\_ a \_\_\_\_\_ at \_\_\_\_\_ heater \_\_\_\_\_?

\_\_\_\_\_ to assess \_\_\_\_\_ heating \_\_\_\_\_ quickly.

We don't have \_\_\_\_\_ furnace; could \_\_\_\_\_ arrange an \_\_\_\_\_?

When \_\_\_\_\_ to \_\_\_\_\_ technician inspect and fix \_\_\_\_\_ furnace?

\_\_\_\_\_ can you \_\_\_\_\_ the problem \_\_\_\_\_ heater?

\_\_\_\_\_ it \_\_\_\_\_ prompt furnace inspection?

Since the inoperative \_\_\_\_\_ insufficient heating, \_\_\_\_\_ we schedule \_\_\_\_\_?

Can you \_\_\_\_\_ our lousy furnace ain't \_\_\_\_\_ the mustard \_\_\_\_\_?

Wouldn't \_\_\_\_\_ be \_\_\_\_\_ someone came \_\_\_\_\_ to assess \_\_\_\_\_ heater?

\_\_\_\_\_ my broken down heaters \_\_\_\_\_ seems incapable of adequately \_\_\_\_\_ the house as needed?

Do you \_\_\_\_\_ to \_\_\_\_\_ an inspector \_\_\_\_\_ check out \_\_\_\_\_ source?

\_\_\_\_\_ furnace is \_\_\_\_\_ heat and we need it \_\_\_\_\_.

\_\_\_\_\_ can come out \_\_\_\_\_ an inspection as \_\_\_\_\_ with \_\_\_\_\_.

Does \_\_\_\_\_ need \_\_\_\_\_ inspection \_\_\_\_\_?

When \_\_\_\_\_ inspector fix \_\_\_\_\_?

When \_\_\_\_\_ your \_\_\_\_\_ check out \_\_\_\_\_?

\_\_\_\_\_ technicians available for \_\_\_\_\_ prompt \_\_\_\_\_ our \_\_\_\_\_ furnace?

can you check \_\_\_\_\_?

We \_\_\_\_\_ inspect our \_\_\_\_\_ as it \_\_\_\_\_ to be malfunctioning \_\_\_\_\_ producing \_\_\_\_\_.

\_\_\_\_\_ can you \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ as \_\_\_\_\_ seems to be malfunctioning?

Is \_\_\_\_\_ possible for a \_\_\_\_\_ to check \_\_\_\_\_?

\_\_\_\_\_ possible that someone would \_\_\_\_\_ immediately to \_\_\_\_\_ less efficient \_\_\_\_\_?  
 \_\_\_\_\_ your technician \_\_\_\_\_ out the \_\_\_\_\_ furnaces?  
 How quickly \_\_\_\_\_ you \_\_\_\_\_ able \_\_\_\_\_ examine \_\_\_\_\_?  
 \_\_\_\_\_ inspection of the faulty \_\_\_\_\_ what \_\_\_\_\_.  
 \_\_\_\_\_ needs \_\_\_\_\_ a \_\_\_\_\_ furnace.  
 \_\_\_\_\_ someone out \_\_\_\_\_ our furnace?  
 \_\_\_\_\_ for \_\_\_\_\_ urgent examination \_\_\_\_\_ heater by one of you?  
 Is it possible to \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ producing sufficient \_\_\_\_\_?  
 \_\_\_\_\_ will you dispatch \_\_\_\_\_ inspector \_\_\_\_\_?  
 \_\_\_\_\_ to visit and examine \_\_\_\_\_ insufficiently \_\_\_\_\_ furnace \_\_\_\_\_?  
 \_\_\_\_\_ to check \_\_\_\_\_ heating system?  
 \_\_\_\_\_ you \_\_\_\_\_ schedule an inspection promptly, \_\_\_\_\_ enough heat.  
 \_\_\_\_\_ tell me \_\_\_\_\_ my furnace isn't working \_\_\_\_\_?  
 We \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ inspection \_\_\_\_\_ furnace.  
 \_\_\_\_\_ get a \_\_\_\_\_ asap because \_\_\_\_\_ isn't working \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ that a \_\_\_\_\_ furnace \_\_\_\_\_ an \_\_\_\_\_.  
 \_\_\_\_\_ inspect the \_\_\_\_\_ asap?  
 When \_\_\_\_\_ team will \_\_\_\_\_ able \_\_\_\_\_ and check \_\_\_\_\_ system?  
 \_\_\_\_\_ will a technician come \_\_\_\_\_ inspect \_\_\_\_\_ fix \_\_\_\_\_ low \_\_\_\_\_ in \_\_\_\_\_?  
 A \_\_\_\_\_ affects \_\_\_\_\_?  
 Can someone look at \_\_\_\_\_ broken down \_\_\_\_\_ it \_\_\_\_\_ incapable of \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ can \_\_\_\_\_ furnace?  
 \_\_\_\_\_ able \_\_\_\_\_ evaluate why my heaters operation \_\_\_\_\_ hampered and inefficient?  
 Is \_\_\_\_\_ availability \_\_\_\_\_ send \_\_\_\_\_ check out our low-functioning heat \_\_\_\_\_?  
 \_\_\_\_\_ is needed \_\_\_\_\_ heating system.  
 \_\_\_\_\_ know \_\_\_\_\_ you can \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ furnace?  
 \_\_\_\_\_ for \_\_\_\_\_ to inspect our struggling \_\_\_\_\_ unit?  
 Can \_\_\_\_\_ our \_\_\_\_\_ fixed?  
 \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ visit \_\_\_\_\_ an examination of \_\_\_\_\_ furnace?  
 \_\_\_\_\_ can \_\_\_\_\_ send someone \_\_\_\_\_ check \_\_\_\_\_ the furnace?  
 Can you get someone \_\_\_\_\_?  
 \_\_\_\_\_ assessment was \_\_\_\_\_ malfunctioning \_\_\_\_\_ unit.  
 \_\_\_\_\_ we be \_\_\_\_\_ to schedule an \_\_\_\_\_ the \_\_\_\_\_ furnace \_\_\_\_\_ short \_\_\_\_\_?  
 \_\_\_\_\_ dispatch someone to \_\_\_\_\_ look \_\_\_\_\_ malfunctioning furnace?  
 How soon \_\_\_\_\_ someone \_\_\_\_\_ Heaters?  
 \_\_\_\_\_ furnace, can someone come out and \_\_\_\_\_ it?  
 What \_\_\_\_\_ should a \_\_\_\_\_ furnace \_\_\_\_\_?  
 How quickly can you \_\_\_\_\_ wrong \_\_\_\_\_ heater?  
 \_\_\_\_\_ you \_\_\_\_\_ our broken furnace?  
 \_\_\_\_\_ fast could a \_\_\_\_\_ look \_\_\_\_\_ a \_\_\_\_\_?  
 If \_\_\_\_\_ malfunction \_\_\_\_\_ need urgent \_\_\_\_\_?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ to come \_\_\_\_\_ quickly \_\_\_\_\_ assess \_\_\_\_\_ less \_\_\_\_\_?  
 Someone \_\_\_\_\_ help the \_\_\_\_\_ is \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ someone to \_\_\_\_\_ furnace?  
 How \_\_\_\_\_ send \_\_\_\_\_ to \_\_\_\_\_ furnace that \_\_\_\_\_ not adequately heating?  
 \_\_\_\_\_ there a chance \_\_\_\_\_ of \_\_\_\_\_ check out our \_\_\_\_\_ quickly?  
 \_\_\_\_\_ a technician to check out \_\_\_\_\_ heater soon?  
 \_\_\_\_\_ could someone \_\_\_\_\_ failing Heater performance?  
 When \_\_\_\_\_ the \_\_\_\_\_ check out its heat \_\_\_\_\_ abilities?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ dispatch \_\_\_\_\_ to assess \_\_\_\_\_ malfunctioning \_\_\_\_\_?

\_\_\_\_\_ urgent to inspect \_\_\_\_\_ malfunction \_\_\_\_\_ warmth?  
 How quickly can you \_\_\_\_\_ furnace \_\_\_\_\_ not adequately \_\_\_\_\_?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ inspector will come \_\_\_\_\_ look \_\_\_\_\_?  
 \_\_\_\_\_ me \_\_\_\_\_ you'll dispatch \_\_\_\_\_ for the furnace?  
 Due \_\_\_\_\_ production can you \_\_\_\_\_?  
 Was it possible to \_\_\_\_\_ inspection of \_\_\_\_\_ on \_\_\_\_\_.  
 \_\_\_\_\_ technician be checking the furnace's heat \_\_\_\_\_?  
 \_\_\_\_\_ faulty furnace \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ technician \_\_\_\_\_ at the \_\_\_\_\_?  
 \_\_\_\_\_ quickly could \_\_\_\_\_ performance be \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ inspected asap because \_\_\_\_\_ not \_\_\_\_\_ heat.  
 \_\_\_\_\_ possible \_\_\_\_\_ inspector \_\_\_\_\_ come soon to \_\_\_\_\_ the \_\_\_\_\_ heater?  
 \_\_\_\_\_ you be \_\_\_\_\_ examine \_\_\_\_\_ for us soon?  
 \_\_\_\_\_ \_\_\_\_\_ able to diagnose our \_\_\_\_\_ system's \_\_\_\_\_ issues?  
 When can we expect \_\_\_\_\_ fix the \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ able to dispatch someone \_\_\_\_\_ assess \_\_\_\_\_ malfunctioning \_\_\_\_\_?  
 When can \_\_\_\_\_ fix \_\_\_\_\_ stupid furnace \_\_\_\_\_ heat \_\_\_\_\_?  
 \_\_\_\_\_ assessment is required \_\_\_\_\_ heating \_\_\_\_\_  
 Can you \_\_\_\_\_ someone \_\_\_\_\_ furnace \_\_\_\_\_?  
 The \_\_\_\_\_ quickly. \_\_\_\_\_ can someone \_\_\_\_\_ it?  
 It's \_\_\_\_\_ producing \_\_\_\_\_ you schedule an \_\_\_\_\_ away?  
 When can \_\_\_\_\_ have a technician look \_\_\_\_\_ it?  
 Is \_\_\_\_\_ to \_\_\_\_\_ someone \_\_\_\_\_ assess our \_\_\_\_\_ which \_\_\_\_\_ malfunctioning?  
 \_\_\_\_\_ the inoperative \_\_\_\_\_ has insufficient \_\_\_\_\_ could \_\_\_\_\_ an immediate \_\_\_\_\_?  
 When can \_\_\_\_\_ inspected?  
 \_\_\_\_\_ remains: How quickly could \_\_\_\_\_ look at \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ our \_\_\_\_\_ be generating enough heat?  
 \_\_\_\_\_ should \_\_\_\_\_ expect \_\_\_\_\_ technician to \_\_\_\_\_ look at \_\_\_\_\_ furnace?  
 Can \_\_\_\_\_ a \_\_\_\_\_ inspect \_\_\_\_\_ fix the low heat in \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ an \_\_\_\_\_ check the furnace?  
 \_\_\_\_\_ fast can \_\_\_\_\_ take a \_\_\_\_\_ at the \_\_\_\_\_?  
 I \_\_\_\_\_ when you \_\_\_\_\_ someone to check \_\_\_\_\_ furnace.  
 \_\_\_\_\_ soon until \_\_\_\_\_ will \_\_\_\_\_ be generating \_\_\_\_\_ heat?  
 Is it possible \_\_\_\_\_ a \_\_\_\_\_ check \_\_\_\_\_ heating \_\_\_\_\_?  
 When \_\_\_\_\_ your \_\_\_\_\_ be looking at \_\_\_\_\_ production \_\_\_\_\_?  
 Is \_\_\_\_\_ a prompt \_\_\_\_\_ inspection?  
 \_\_\_\_\_ your technicians be available for a \_\_\_\_\_ of \_\_\_\_\_?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ our \_\_\_\_\_ unit soon?  
 \_\_\_\_\_ can \_\_\_\_\_ our furnace?  
 \_\_\_\_\_ can a \_\_\_\_\_ check \_\_\_\_\_ low heat output?  
 \_\_\_\_\_ you \_\_\_\_\_ to check our \_\_\_\_\_ produce enough heat?  
 \_\_\_\_\_ how quickly \_\_\_\_\_ could look at \_\_\_\_\_ heater \_\_\_\_\_.  
 How \_\_\_\_\_ the malfunctioning heater?  
 How \_\_\_\_\_ are \_\_\_\_\_ going \_\_\_\_\_ to check \_\_\_\_\_ our furnace?  
 \_\_\_\_\_ possible for \_\_\_\_\_ technician to look into \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ someone \_\_\_\_\_ a \_\_\_\_\_ inspection if \_\_\_\_\_ adequately heating?  
 Can \_\_\_\_\_ someone \_\_\_\_\_ the \_\_\_\_\_ quickly?  
 \_\_\_\_\_ an inspector \_\_\_\_\_ fix our furnace \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ someone to \_\_\_\_\_ our \_\_\_\_\_ heating?  
 \_\_\_\_\_ a look \_\_\_\_\_ the furnace?



Is there a \_\_\_\_\_ someone \_\_\_\_\_ team \_\_\_\_\_ come \_\_\_\_\_ furnace?  
 \_\_\_\_\_ there a \_\_\_\_\_ that \_\_\_\_\_ from your team \_\_\_\_\_ quickly \_\_\_\_\_ our \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ technician \_\_\_\_\_ look \_\_\_\_\_ the \_\_\_\_\_ unit?  
 \_\_\_\_\_ will \_\_\_\_\_ to check the furnace?  
 Should a malfunctioning \_\_\_\_\_?  
 \_\_\_\_\_ dispatch an \_\_\_\_\_ a furnace?  
 \_\_\_\_\_ you check the \_\_\_\_\_ it's \_\_\_\_\_?  
 \_\_\_\_\_ someone look \_\_\_\_\_ the \_\_\_\_\_ heating unit?  
 \_\_\_\_\_ to check \_\_\_\_\_ the furnace.  
 \_\_\_\_\_ can an \_\_\_\_\_ the \_\_\_\_\_ furnace?  
 How \_\_\_\_\_ you want \_\_\_\_\_ to \_\_\_\_\_ our heaters?  
 It's \_\_\_\_\_ urgent \_\_\_\_\_ furnace.  
 \_\_\_\_\_ you \_\_\_\_\_ send \_\_\_\_\_ to \_\_\_\_\_ out our \_\_\_\_\_ issue?  
 \_\_\_\_\_ our furnace be \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ inspect the heater?  
 Can we get \_\_\_\_\_ of our \_\_\_\_\_ furnace?  
 \_\_\_\_\_ to be a prompt \_\_\_\_\_ of \_\_\_\_\_.  
 Is it \_\_\_\_\_ have a \_\_\_\_\_ furnace \_\_\_\_\_?  
 Can \_\_\_\_\_ quickly to \_\_\_\_\_ out the \_\_\_\_\_ furnace?  
 \_\_\_\_\_ need \_\_\_\_\_ check \_\_\_\_\_ the faulty \_\_\_\_\_.  
 Is it possible \_\_\_\_\_ inspector about our \_\_\_\_\_?  
 Is \_\_\_\_\_ arrange an \_\_\_\_\_ due to \_\_\_\_\_ production?  
 \_\_\_\_\_ soon \_\_\_\_\_ your \_\_\_\_\_ able to \_\_\_\_\_ heating system's issues?  
 \_\_\_\_\_ possible \_\_\_\_\_ inspect the \_\_\_\_\_ on short notice?  
 Is \_\_\_\_\_ my furnace quickly?  
 When \_\_\_\_\_ the \_\_\_\_\_ guy \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ come \_\_\_\_\_ check the \_\_\_\_\_?  
 We need to \_\_\_\_\_ the furnace.  
 How \_\_\_\_\_ will \_\_\_\_\_ check \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ hustle it up and \_\_\_\_\_ pro, because our \_\_\_\_\_ furnace \_\_\_\_\_ cutting \_\_\_\_\_?  
 \_\_\_\_\_ we expect \_\_\_\_\_ technician to \_\_\_\_\_ to \_\_\_\_\_ low heat \_\_\_\_\_ furnace?  
 How quickly can you \_\_\_\_\_ someone to \_\_\_\_\_ heating \_\_\_\_\_?  
 Is it possible to \_\_\_\_\_ an \_\_\_\_\_ our heater isn't \_\_\_\_\_?  
 \_\_\_\_\_ broken down heater seems \_\_\_\_\_ up \_\_\_\_\_ house, \_\_\_\_\_ somebody check it \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ arrange an inspection on \_\_\_\_\_ tight timeline?  
 We're having \_\_\_\_\_ furnace, can \_\_\_\_\_ it?  
 The faulty furnace needs \_\_\_\_\_.  
 Is \_\_\_\_\_ possible that \_\_\_\_\_ come over \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ heater?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ dispatch \_\_\_\_\_ to \_\_\_\_\_ why \_\_\_\_\_ unit is \_\_\_\_\_ producing \_\_\_\_\_ warmth?  
 How \_\_\_\_\_ can \_\_\_\_\_ team \_\_\_\_\_ heaters?  
 \_\_\_\_\_ your \_\_\_\_\_ available for an assessment \_\_\_\_\_ our furnace \_\_\_\_\_?  
 Are you \_\_\_\_\_ of \_\_\_\_\_ check out \_\_\_\_\_ furnace?  
 I \_\_\_\_\_ an \_\_\_\_\_ of the inoperative furnace \_\_\_\_\_ a \_\_\_\_\_ notice.  
 Would \_\_\_\_\_ be \_\_\_\_\_ have \_\_\_\_\_ the heat production \_\_\_\_\_ the freezing unit?  
 \_\_\_\_\_ able \_\_\_\_\_ an inspector for our furnace?  
 \_\_\_\_\_ is \_\_\_\_\_ urgent check \_\_\_\_\_ furnace.  
 I \_\_\_\_\_ know if \_\_\_\_\_ come soon \_\_\_\_\_ the malfunctioning heaters.  
 \_\_\_\_\_ quickly \_\_\_\_\_ check \_\_\_\_\_ heater performance?  
 \_\_\_\_\_ is the repair \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to expect \_\_\_\_\_ technician to fix \_\_\_\_\_ low \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ furnace asap?

\_\_\_\_\_ chance someone from \_\_\_\_\_ could \_\_\_\_\_ out our \_\_\_\_\_ quickly?

Is \_\_\_\_\_ possible \_\_\_\_\_ person for a \_\_\_\_\_ quickly?

It's \_\_\_\_\_ generating \_\_\_\_\_ heat, \_\_\_\_\_ need \_\_\_\_\_ inspected pronto.

We \_\_\_\_\_ furnace inspection.

\_\_\_\_\_ will \_\_\_\_\_ team be able to look \_\_\_\_\_ our \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ someone to inspect the \_\_\_\_\_ furnace?

Since \_\_\_\_\_ seems \_\_\_\_\_ adequately \_\_\_\_\_ the house, can \_\_\_\_\_ it out?

How \_\_\_\_\_ this stupid \_\_\_\_\_ that isn't \_\_\_\_\_ heat?

How \_\_\_\_\_ do we get \_\_\_\_\_ repairman \_\_\_\_\_ work \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ who will inspect our \_\_\_\_\_ ?

When can you fix \_\_\_\_\_ doesn't \_\_\_\_\_ up?

\_\_\_\_\_ chance \_\_\_\_\_ a member of \_\_\_\_\_ team could \_\_\_\_\_ the \_\_\_\_\_ furnace?

Can \_\_\_\_\_ check out \_\_\_\_\_ malfunctioning \_\_\_\_\_ ?

We need \_\_\_\_\_ furnace \_\_\_\_\_ immediately because \_\_\_\_\_ heat.

Is it possible \_\_\_\_\_ someone to \_\_\_\_\_ our \_\_\_\_\_ ?

\_\_\_\_\_ someone look at failing \_\_\_\_\_

How quickly \_\_\_\_\_ failed heater \_\_\_\_\_ ?

\_\_\_\_\_ come \_\_\_\_\_ the furnace?

\_\_\_\_\_ furnace inspection possible \_\_\_\_\_ ?

\_\_\_\_\_ anyone \_\_\_\_\_ able \_\_\_\_\_ quickly \_\_\_\_\_ why \_\_\_\_\_ heating \_\_\_\_\_ is \_\_\_\_\_ and hampered?

When \_\_\_\_\_ your \_\_\_\_\_ furnace?

\_\_\_\_\_ it \_\_\_\_\_ technician to look \_\_\_\_\_ struggling heating \_\_\_\_\_ soon?

\_\_\_\_\_ your technicians \_\_\_\_\_ assess the \_\_\_\_\_ furnace \_\_\_\_\_ seems \_\_\_\_\_ to \_\_\_\_\_ enough \_\_\_\_\_ ?

Are \_\_\_\_\_ available \_\_\_\_\_ assess our furnace, which \_\_\_\_\_ unable \_\_\_\_\_ generate \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ dispatch \_\_\_\_\_ soon to \_\_\_\_\_ malfunctioning furnace?

Is it \_\_\_\_\_ from your \_\_\_\_\_ could \_\_\_\_\_ our \_\_\_\_\_ quickly \_\_\_\_\_ fix \_\_\_\_\_ ?

Can you tell \_\_\_\_\_ isn't working right?

Can \_\_\_\_\_ someone \_\_\_\_\_ check our \_\_\_\_\_ ?

\_\_\_\_\_ expect \_\_\_\_\_ check out the \_\_\_\_\_ quickly?

\_\_\_\_\_ it possible \_\_\_\_\_ an inspector \_\_\_\_\_ the \_\_\_\_\_ ?

Is it \_\_\_\_\_ to get \_\_\_\_\_ inspection \_\_\_\_\_ ?

\_\_\_\_\_ malfunctioning \_\_\_\_\_ that does not produce \_\_\_\_\_ heat.

\_\_\_\_\_ it \_\_\_\_\_ an inspector to \_\_\_\_\_ our \_\_\_\_\_ isn't working?

When will a repair \_\_\_\_\_ come \_\_\_\_\_ out \_\_\_\_\_ ?

\_\_\_\_\_ isn't making enough heat; could \_\_\_\_\_ quickly?

Is \_\_\_\_\_ possible \_\_\_\_\_ prompt \_\_\_\_\_ the \_\_\_\_\_ performance of our furnace.

\_\_\_\_\_ possible \_\_\_\_\_ your team to \_\_\_\_\_ our \_\_\_\_\_ system?

\_\_\_\_\_ be nice \_\_\_\_\_ schedule \_\_\_\_\_ inspection \_\_\_\_\_ inoperative \_\_\_\_\_ on short notice.

\_\_\_\_\_ will your team be \_\_\_\_\_ to \_\_\_\_\_ system's \_\_\_\_\_ issue?

\_\_\_\_\_ able to arrange inspection \_\_\_\_\_ heat production?

urgent \_\_\_\_\_ not \_\_\_\_\_ heat

Is it \_\_\_\_\_ to assess why \_\_\_\_\_ is not working?

Someone \_\_\_\_\_ help \_\_\_\_\_ the \_\_\_\_\_ asap.

\_\_\_\_\_ possible for a technician \_\_\_\_\_ our \_\_\_\_\_ soon?

Since \_\_\_\_\_ broken \_\_\_\_\_ heaters seems \_\_\_\_\_ of adequately warming \_\_\_\_\_ as \_\_\_\_\_ can \_\_\_\_\_ look \_\_\_\_\_ it \_\_\_\_\_ ?

Is it \_\_\_\_\_ arrange inspection on a tight \_\_\_\_\_ production?

Is it possible to check my \_\_\_\_\_ heating \_\_\_\_\_ immediately since \_\_\_\_\_ of \_\_\_\_\_ warming \_\_\_\_\_ ?

Is \_\_\_\_\_ possible \_\_\_\_\_ send someone \_\_\_\_\_ our \_\_\_\_\_ ?

\_\_\_\_\_ anyone be \_\_\_\_\_ why \_\_\_\_\_ heating operation is inefficient?

\_\_\_\_\_ will \_\_\_\_\_ be available to \_\_\_\_\_ malfunctioning furnace?

How \_\_\_\_\_ will someone \_\_\_\_\_ at \_\_\_\_\_

\_\_\_\_\_ assessment \_\_\_\_\_ unit is \_\_\_\_\_

Is it \_\_\_\_\_ that \_\_\_\_\_ come \_\_\_\_\_ to evaluate \_\_\_\_\_ less \_\_\_\_\_ heater?

When \_\_\_\_\_ repair man \_\_\_\_\_ out \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ come over to assess our \_\_\_\_\_ efficient \_\_\_\_\_?

\_\_\_\_\_ you able to get \_\_\_\_\_ fix our \_\_\_\_\_?

Is \_\_\_\_\_ a technician \_\_\_\_\_ check \_\_\_\_\_ our \_\_\_\_\_ heating system?

Are \_\_\_\_\_ to dispatch someone \_\_\_\_\_ out \_\_\_\_\_ malfunctioning \_\_\_\_\_?

Shouldn't \_\_\_\_\_ repair guy \_\_\_\_\_ our \_\_\_\_\_?

Will your \_\_\_\_\_ able to \_\_\_\_\_ a \_\_\_\_\_ at \_\_\_\_\_ system?

\_\_\_\_\_ time frame \_\_\_\_\_ malfunctioning furnace \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ a technician to \_\_\_\_\_ inspection \_\_\_\_\_ our \_\_\_\_\_?

How \_\_\_\_\_ could \_\_\_\_\_ inspect failing \_\_\_\_\_?

Since my \_\_\_\_\_ down heater \_\_\_\_\_ adequately warming \_\_\_\_\_ house \_\_\_\_\_ needed, can \_\_\_\_\_ look at \_\_\_\_\_?

\_\_\_\_\_ don't know if \_\_\_\_\_ will \_\_\_\_\_ quickly to \_\_\_\_\_ our \_\_\_\_\_ efficient \_\_\_\_\_.

\_\_\_\_\_ soon would \_\_\_\_\_ examine \_\_\_\_\_ heater?

\_\_\_\_\_ schedule \_\_\_\_\_ inspection of \_\_\_\_\_ inoperative \_\_\_\_\_ since it \_\_\_\_\_ insufficient heating.

\_\_\_\_\_ furnace needs to \_\_\_\_\_ for \_\_\_\_\_ heat \_\_\_\_\_.

\_\_\_\_\_ furnace we \_\_\_\_\_ malfunctioning.

\_\_\_\_\_ you let \_\_\_\_\_ when someone will \_\_\_\_\_ furnace?

Can someone \_\_\_\_\_ furnace?

Our furnace \_\_\_\_\_ be \_\_\_\_\_ lacking \_\_\_\_\_.

How \_\_\_\_\_ could a \_\_\_\_\_ be \_\_\_\_\_ at?

\_\_\_\_\_ a \_\_\_\_\_ needs help asap.

How quickly \_\_\_\_\_ conduct a furnace \_\_\_\_\_ it's \_\_\_\_\_ up?

Why is it \_\_\_\_\_ to \_\_\_\_\_ one of your people \_\_\_\_\_?

How quickly \_\_\_\_\_ look \_\_\_\_\_ performance?

\_\_\_\_\_ available \_\_\_\_\_ at the \_\_\_\_\_ system?

\_\_\_\_\_ soon \_\_\_\_\_ an inspection \_\_\_\_\_ our \_\_\_\_\_ be \_\_\_\_\_ heat?

\_\_\_\_\_ necessary \_\_\_\_\_ the malfunctioning heating \_\_\_\_\_.

\_\_\_\_\_ need to \_\_\_\_\_ malfunctioning \_\_\_\_\_ unit.

\_\_\_\_\_ needs help \_\_\_\_\_ furnace.

\_\_\_\_\_ your technicians be \_\_\_\_\_ a quick assessment \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ soon \_\_\_\_\_ someone examine the \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ technician \_\_\_\_\_ our heater soon?

\_\_\_\_\_ to check out our \_\_\_\_\_ which \_\_\_\_\_ to be malfunctioning and not \_\_\_\_\_ enough \_\_\_\_\_?

When do \_\_\_\_\_ need \_\_\_\_\_ and fix the \_\_\_\_\_ heat \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ soon will \_\_\_\_\_ inspect \_\_\_\_\_ malfunctioning \_\_\_\_\_?

\_\_\_\_\_ dispatch an inspector \_\_\_\_\_ why our heater is not producing enough \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to send an inspector \_\_\_\_\_ furnace?

When \_\_\_\_\_ professional assess \_\_\_\_\_ due to low \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ heating system soon?

\_\_\_\_\_ have \_\_\_\_\_ heat, \_\_\_\_\_ you \_\_\_\_\_ an inspection quickly?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ someone \_\_\_\_\_ out our \_\_\_\_\_ furnace?

\_\_\_\_\_ can someone \_\_\_\_\_ furnace?

I \_\_\_\_\_ know if I can \_\_\_\_\_ my \_\_\_\_\_ asap.

\_\_\_\_\_ don't \_\_\_\_\_ enough heat in our furnace; \_\_\_\_\_ quickly?

\_\_\_\_\_ there a chance for an \_\_\_\_\_ and \_\_\_\_\_ the insufficiently \_\_\_\_\_?

\_\_\_\_\_ it possible to send \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ someone look \_\_\_\_\_ the malfunctioning \_\_\_\_\_?  
 \_\_\_\_\_ you get someone to come \_\_\_\_\_ furnace \_\_\_\_\_?  
 When \_\_\_\_\_ furnace's inspector \_\_\_\_\_ check \_\_\_\_\_?  
 Is it \_\_\_\_\_ quickly to \_\_\_\_\_ the malfunctioning \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ a \_\_\_\_\_ our heating unit?  
 \_\_\_\_\_ get \_\_\_\_\_ furnace \_\_\_\_\_ asap, it's cold.  
 The \_\_\_\_\_ of \_\_\_\_\_ is \_\_\_\_\_ good and I \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ asap.  
 \_\_\_\_\_ could \_\_\_\_\_ see a \_\_\_\_\_ performance?  
 Can \_\_\_\_\_ to check \_\_\_\_\_ our heating \_\_\_\_\_?  
 Will your technicians \_\_\_\_\_ available \_\_\_\_\_ a \_\_\_\_\_ assessment \_\_\_\_\_ furnace?  
 Can someone \_\_\_\_\_ out \_\_\_\_\_ look \_\_\_\_\_ furnace quickly?  
 \_\_\_\_\_ can we \_\_\_\_\_ check \_\_\_\_\_ furnace?  
 \_\_\_\_\_ furnace and heat output?  
 I \_\_\_\_\_ to know \_\_\_\_\_ why my \_\_\_\_\_.  
 Are \_\_\_\_\_ technicians \_\_\_\_\_ for a \_\_\_\_\_ of our \_\_\_\_\_?  
 \_\_\_\_\_ inspect the \_\_\_\_\_ heater as \_\_\_\_\_ as possible.  
 \_\_\_\_\_ should \_\_\_\_\_ an inspector \_\_\_\_\_ look at the \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ our \_\_\_\_\_?  
 On short notice, \_\_\_\_\_ we \_\_\_\_\_ the inoperative furnace?  
 \_\_\_\_\_ urgent to \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ about fixing this \_\_\_\_\_ furnace \_\_\_\_\_ heat?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ assess \_\_\_\_\_ faulty furnace which seems \_\_\_\_\_ to \_\_\_\_\_ warmth?  
 How \_\_\_\_\_ we \_\_\_\_\_ someone \_\_\_\_\_ is skilled in \_\_\_\_\_ due to improper \_\_\_\_\_?  
 How quickly \_\_\_\_\_ a \_\_\_\_\_ that \_\_\_\_\_ enough heating?  
 Are \_\_\_\_\_ going to \_\_\_\_\_ a \_\_\_\_\_ to check \_\_\_\_\_?  
 Can an \_\_\_\_\_ on \_\_\_\_\_ furnace's \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ inspection: furnace \_\_\_\_\_ warmth?  
 \_\_\_\_\_ you \_\_\_\_\_ furnace, \_\_\_\_\_ does not produce enough heat?  
 Is it possible for us \_\_\_\_\_ furnace \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ inspector \_\_\_\_\_ soon to \_\_\_\_\_ our \_\_\_\_\_?  
 How \_\_\_\_\_ can you send \_\_\_\_\_ a furnace \_\_\_\_\_?  
 Is \_\_\_\_\_ furnace causing \_\_\_\_\_ heat \_\_\_\_\_?  
 We're having issues with our \_\_\_\_\_ it \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ check \_\_\_\_\_ furnace?  
 When can \_\_\_\_\_ professional assess \_\_\_\_\_ furnace that \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ to investigate our low-functioning \_\_\_\_\_ source?  
 Can \_\_\_\_\_ while we're \_\_\_\_\_ issues with the furnace?  
 Can \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ quickly to assess \_\_\_\_\_ our heating is \_\_\_\_\_ working?  
 Can \_\_\_\_\_ send an \_\_\_\_\_ the \_\_\_\_\_ quickly?  
 Can you \_\_\_\_\_ it \_\_\_\_\_ and dispatch \_\_\_\_\_ our lousy \_\_\_\_\_ isn't cutting \_\_\_\_\_?  
 Would \_\_\_\_\_ be possible \_\_\_\_\_ to send \_\_\_\_\_ specialist to \_\_\_\_\_ heat production \_\_\_\_\_ issues \_\_\_\_\_?  
 \_\_\_\_\_ isn't generating enough \_\_\_\_\_ and \_\_\_\_\_ it \_\_\_\_\_ asap.  
 Is \_\_\_\_\_ a \_\_\_\_\_ from your team can \_\_\_\_\_ out \_\_\_\_\_ furnace \_\_\_\_\_?  
 Our furnace \_\_\_\_\_ enough \_\_\_\_\_ soon?  
 \_\_\_\_\_ it \_\_\_\_\_ your \_\_\_\_\_ can \_\_\_\_\_ our heater quickly?  
 I need \_\_\_\_\_ to inspect \_\_\_\_\_ down \_\_\_\_\_ immediately since \_\_\_\_\_ seems \_\_\_\_\_ adequately warming up \_\_\_\_\_ needed.  
 \_\_\_\_\_ have \_\_\_\_\_ that \_\_\_\_\_ to be \_\_\_\_\_.  
 Is \_\_\_\_\_ appropriate \_\_\_\_\_ send an inspector to \_\_\_\_\_ out \_\_\_\_\_ source?  
 \_\_\_\_\_ on a \_\_\_\_\_ schedule because of \_\_\_\_\_ heat \_\_\_\_\_?

\_\_\_\_ I arrange \_\_\_\_ an \_\_\_\_ by one of \_\_\_\_ specialists \_\_\_\_ heaters \_\_\_\_ is \_\_\_\_?  
 Our furnace \_\_\_\_ sufficient \_\_\_\_ so \_\_\_\_ technicians available to \_\_\_\_ it?  
 \_\_\_\_ having issues \_\_\_\_ furnace, can \_\_\_\_ it out?  
 Are you able to dispatch \_\_\_\_ so \_\_\_\_ furnace?  
 \_\_\_\_ weak heat \_\_\_\_ can you \_\_\_\_ inspection?  
 Can \_\_\_\_ for an \_\_\_\_ the \_\_\_\_ is malfunctioning?  
 How \_\_\_\_ can \_\_\_\_ have \_\_\_\_ our furnace, as it \_\_\_\_ to be \_\_\_\_ enough heat?  
 How quickly \_\_\_\_ look \_\_\_\_ failing \_\_\_\_?  
 Are you \_\_\_\_ an inspector to \_\_\_\_ out \_\_\_\_ functioning \_\_\_\_ source?  
 Low \_\_\_\_ necessitates an urgent \_\_\_\_.  
 \_\_\_\_ furnace needs to be checked \_\_\_\_ lack \_\_\_\_.  
 Are \_\_\_\_ going \_\_\_\_ get someone to \_\_\_\_ soon?  
 Poor heating \_\_\_\_ be \_\_\_\_ in \_\_\_\_.  
 \_\_\_\_ is \_\_\_\_ best time to \_\_\_\_ check \_\_\_\_ broken furnace?  
 \_\_\_\_ can \_\_\_\_ fix \_\_\_\_ stupid furnace \_\_\_\_ isn't \_\_\_\_ heat?  
 \_\_\_\_ schedule \_\_\_\_ to repair our \_\_\_\_?  
 \_\_\_\_ look \_\_\_\_ malfunctioning heater soon?  
 Is \_\_\_\_ possible for a technician \_\_\_\_ our \_\_\_\_?  
 Is it \_\_\_\_ assess \_\_\_\_ malfunctioning heater, which \_\_\_\_ less heat than \_\_\_\_?  
 Immediate \_\_\_\_ affects warmth?  
 It \_\_\_\_ be \_\_\_\_ if \_\_\_\_ could \_\_\_\_ of the inoperative \_\_\_\_ immediately.  
 \_\_\_\_ visit \_\_\_\_ the ineffectual furnace?  
 Can you \_\_\_\_ to \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ can your \_\_\_\_ inspect our \_\_\_\_?  
 \_\_\_\_ to examine failing \_\_\_\_ quickly?  
 When can a professional \_\_\_\_?  
 \_\_\_\_ need it \_\_\_\_ as \_\_\_\_ is \_\_\_\_ generating enough \_\_\_\_.  
 Is it possible that \_\_\_\_ will \_\_\_\_ out our \_\_\_\_ heat \_\_\_\_?  
 When do \_\_\_\_ need \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ dispatch \_\_\_\_ inspector \_\_\_\_ the malfunctioning \_\_\_\_?  
 Since \_\_\_\_ broken down \_\_\_\_ seems incapable \_\_\_\_ up the \_\_\_\_ someone look \_\_\_\_ it?  
 \_\_\_\_ it possible for \_\_\_\_ to come over \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ chance that \_\_\_\_ from \_\_\_\_ take \_\_\_\_ quick \_\_\_\_ at our furnace?  
 How \_\_\_\_ furnace be \_\_\_\_?  
 Someone \_\_\_\_ for \_\_\_\_ inspection as \_\_\_\_ with the furnace.  
 \_\_\_\_ is \_\_\_\_ that needs help \_\_\_\_.  
 \_\_\_\_ an \_\_\_\_ look at \_\_\_\_?  
 Is \_\_\_\_ to \_\_\_\_ an inspector to \_\_\_\_ our \_\_\_\_ not working?  
 \_\_\_\_ don't have enough \_\_\_\_ in \_\_\_\_ we need a \_\_\_\_.  
 How \_\_\_\_ is it possible \_\_\_\_ your team \_\_\_\_?  
 \_\_\_\_ someone \_\_\_\_ check our heater?  
 \_\_\_\_ you \_\_\_\_ someone to a \_\_\_\_ inspection?  
 \_\_\_\_ it possible \_\_\_\_ get \_\_\_\_ with \_\_\_\_ poor \_\_\_\_ the furnace?  
 \_\_\_\_ need \_\_\_\_ for an \_\_\_\_ examination \_\_\_\_ because it \_\_\_\_ not performing well.  
 \_\_\_\_ it possible \_\_\_\_ visit \_\_\_\_ insufficiently heating \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ an inspector \_\_\_\_ check out \_\_\_\_ furnace and \_\_\_\_ heat \_\_\_\_?  
 Inspection \_\_\_\_ because \_\_\_\_ heating.  
 Someone might \_\_\_\_ to \_\_\_\_ our \_\_\_\_ heating \_\_\_\_ soon.  
 Can \_\_\_\_ come to inspect \_\_\_\_?  
 Can \_\_\_\_ check \_\_\_\_ furnace \_\_\_\_ its \_\_\_\_ output?

\_\_\_\_\_ assessment of heating \_\_\_\_\_ that \_\_\_\_\_.

\_\_\_\_\_ faulty furnace is \_\_\_\_\_ heat \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ furnace \_\_\_\_\_ isn't \_\_\_\_\_ up \_\_\_\_\_.

Can you dispatch \_\_\_\_\_ furnace?

How \_\_\_\_\_ can you dispatch \_\_\_\_\_ inspect a \_\_\_\_\_ up?

\_\_\_\_\_ it possible \_\_\_\_\_ inspection of the \_\_\_\_\_ on a \_\_\_\_\_ notice?

\_\_\_\_\_ able \_\_\_\_\_ diagnose \_\_\_\_\_ repair our heating system?

When \_\_\_\_\_ a \_\_\_\_\_ check \_\_\_\_\_ needed?

Can you dispatch an \_\_\_\_\_?

Does it \_\_\_\_\_ to \_\_\_\_\_ furnace inspection \_\_\_\_\_?

\_\_\_\_\_ will someone look \_\_\_\_\_ the \_\_\_\_\_?

An inspector \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ faulty \_\_\_\_\_.

Can you \_\_\_\_\_ for \_\_\_\_\_ furnace?

Are you \_\_\_\_\_ to send \_\_\_\_\_ heater?

\_\_\_\_\_ heat \_\_\_\_\_ requires an \_\_\_\_\_ furnace \_\_\_\_\_.

Is \_\_\_\_\_ that someone \_\_\_\_\_ come over \_\_\_\_\_ out our less \_\_\_\_\_?

\_\_\_\_\_ we need \_\_\_\_\_ prompt furnace \_\_\_\_\_?

\_\_\_\_\_ someone come \_\_\_\_\_ an inspection when \_\_\_\_\_ are \_\_\_\_\_ with our \_\_\_\_\_?

\_\_\_\_\_ must have a \_\_\_\_\_ inspection \_\_\_\_\_.

Will \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ urgent examination by \_\_\_\_\_ of your specialists \_\_\_\_\_ the performance \_\_\_\_\_ heater \_\_\_\_\_ good?

\_\_\_\_\_ possible \_\_\_\_\_ someone to \_\_\_\_\_ our heater asap?

\_\_\_\_\_ there \_\_\_\_\_ chance that someone \_\_\_\_\_ your team can \_\_\_\_\_ our \_\_\_\_\_?

Are \_\_\_\_\_ openings for \_\_\_\_\_ visit and examination \_\_\_\_\_ heating \_\_\_\_\_?

Is it \_\_\_\_\_ to get help \_\_\_\_\_ assessment of \_\_\_\_\_ furnace?

\_\_\_\_\_ we have \_\_\_\_\_ repair \_\_\_\_\_ check our \_\_\_\_\_?

Can \_\_\_\_\_ inspector \_\_\_\_\_ soon as possible \_\_\_\_\_ the \_\_\_\_\_ with our \_\_\_\_\_?

Is \_\_\_\_\_ to inspect \_\_\_\_\_ heating \_\_\_\_\_?

When \_\_\_\_\_ expect \_\_\_\_\_ technician \_\_\_\_\_ fix \_\_\_\_\_ furnace?

When will \_\_\_\_\_ technician \_\_\_\_\_ the \_\_\_\_\_ heat production \_\_\_\_\_?

When \_\_\_\_\_ you be \_\_\_\_\_ check out \_\_\_\_\_ performance \_\_\_\_\_ heating \_\_\_\_\_?

Is \_\_\_\_\_ that an \_\_\_\_\_ can \_\_\_\_\_ assess the \_\_\_\_\_ heater.

Is \_\_\_\_\_ possible \_\_\_\_\_ my \_\_\_\_\_ immediately since it seems incapable \_\_\_\_\_ up the house?

Is \_\_\_\_\_ possible \_\_\_\_\_ inspector for the failed \_\_\_\_\_?

\_\_\_\_\_ will you be able to \_\_\_\_\_ diagnose our \_\_\_\_\_?

Will anyone \_\_\_\_\_ able \_\_\_\_\_ evaluate why \_\_\_\_\_ operation \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ inspection?

How \_\_\_\_\_ will \_\_\_\_\_ team \_\_\_\_\_ to diagnose the \_\_\_\_\_ system's \_\_\_\_\_?

Immediate assessment is \_\_\_\_\_ malfunctioning \_\_\_\_\_.

\_\_\_\_\_ trouble, anxious \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ able \_\_\_\_\_ dispatch \_\_\_\_\_ pro soon, because our \_\_\_\_\_ furnace \_\_\_\_\_ anymore?

Is your availability \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ at our \_\_\_\_\_?

Would \_\_\_\_\_ be \_\_\_\_\_ have a \_\_\_\_\_ check \_\_\_\_\_ heat \_\_\_\_\_ deficiency \_\_\_\_\_ within \_\_\_\_\_ freezing unit?

\_\_\_\_\_ need someone to \_\_\_\_\_ to inspect \_\_\_\_\_ furnace \_\_\_\_\_.

When \_\_\_\_\_ fix this stupid \_\_\_\_\_ enough heat?

Someone can come out for \_\_\_\_\_ inspection \_\_\_\_\_ furnace.

Can we \_\_\_\_\_ a visit \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ the malfunctioning \_\_\_\_\_?

\_\_\_\_\_ your availability \_\_\_\_\_ enough to send an \_\_\_\_\_ investigate \_\_\_\_\_?

We \_\_\_\_\_ a malfunctioning furnace, can you \_\_\_\_\_?

How \_\_\_\_\_ send a \_\_\_\_\_ a \_\_\_\_\_ issue?

Someone \_\_\_\_\_ the furnace \_\_\_\_\_.

the furnace \_\_\_\_\_ be \_\_\_\_\_

How \_\_\_\_\_ before \_\_\_\_\_ need \_\_\_\_\_ furnace?

How \_\_\_\_\_ will you look \_\_\_\_\_?

\_\_\_\_\_ furnace needs \_\_\_\_\_ checked?

\_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ in a timely manner?

Is it possible to dispatch an inspector quickly \_\_\_\_\_ out \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ your \_\_\_\_\_ ability to inspect our \_\_\_\_\_ due to \_\_\_\_\_ heating \_\_\_\_\_?

When will \_\_\_\_\_ the furnace?

Are you available \_\_\_\_\_ inspector to look \_\_\_\_\_ our \_\_\_\_\_?

How \_\_\_\_\_ you have someone inspect \_\_\_\_\_ isn't heating \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ send \_\_\_\_\_ our problem heat?

How \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ the furnace?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ look \_\_\_\_\_ heat production \_\_\_\_\_ this freezing unit?

\_\_\_\_\_ your \_\_\_\_\_ quickly \_\_\_\_\_ out \_\_\_\_\_ heater?

How \_\_\_\_\_ team \_\_\_\_\_ our heater?

\_\_\_\_\_ professional \_\_\_\_\_ furnace \_\_\_\_\_ of low heat output?

How \_\_\_\_\_ to \_\_\_\_\_ the malfunctioning heater?

\_\_\_\_\_ it possible that \_\_\_\_\_ your \_\_\_\_\_ could come and look \_\_\_\_\_?

When \_\_\_\_\_ professional \_\_\_\_\_ the furnace \_\_\_\_\_ to \_\_\_\_\_ heat \_\_\_\_\_?

Anyone inspect \_\_\_\_\_ acting weird!

\_\_\_\_\_ can you \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ quickly \_\_\_\_\_ you able to check \_\_\_\_\_?

Is it \_\_\_\_\_ should arrange \_\_\_\_\_ examination \_\_\_\_\_ our \_\_\_\_\_ by your specialists?

Is \_\_\_\_\_ to send out \_\_\_\_\_ professional to \_\_\_\_\_?

An \_\_\_\_\_ to check \_\_\_\_\_ furnace's heat \_\_\_\_\_.

\_\_\_\_\_ an inspector \_\_\_\_\_ heater soon?

Are \_\_\_\_\_ able to schedule \_\_\_\_\_ visit about \_\_\_\_\_?

Is \_\_\_\_\_ to get \_\_\_\_\_ to \_\_\_\_\_ furnace?

Was \_\_\_\_\_ possible to \_\_\_\_\_ an immediate \_\_\_\_\_ of \_\_\_\_\_ inoperative \_\_\_\_\_ notice?

How long \_\_\_\_\_ we get someone skilled \_\_\_\_\_ furnaces, \_\_\_\_\_ due to \_\_\_\_\_?

I \_\_\_\_\_ to look at my broken down \_\_\_\_\_ unit since \_\_\_\_\_ adequately \_\_\_\_\_ up \_\_\_\_\_.

A \_\_\_\_\_ faulty \_\_\_\_\_ is needed.

\_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ a furnace inspection \_\_\_\_\_ low heat \_\_\_\_\_.

\_\_\_\_\_ can an \_\_\_\_\_ take a \_\_\_\_\_ our \_\_\_\_\_?

Is it possible to \_\_\_\_\_ at \_\_\_\_\_ broken \_\_\_\_\_ since \_\_\_\_\_ seems incapable \_\_\_\_\_ warming up \_\_\_\_\_?

\_\_\_\_\_ anyone be \_\_\_\_\_ to \_\_\_\_\_ evaluate \_\_\_\_\_ my heating operation \_\_\_\_\_?

\_\_\_\_\_ furnace \_\_\_\_\_ malfunctioning \_\_\_\_\_ causing \_\_\_\_\_ heat \_\_\_\_\_.

\_\_\_\_\_ have \_\_\_\_\_ and \_\_\_\_\_ an inspector check it?

How \_\_\_\_\_ can you send \_\_\_\_\_ the furnace, \_\_\_\_\_ be malfunctioning?

When \_\_\_\_\_ urgent check \_\_\_\_\_ the \_\_\_\_\_?

Isn't \_\_\_\_\_ heating up \_\_\_\_\_?

\_\_\_\_\_ soon can \_\_\_\_\_ dispatch \_\_\_\_\_ the furnace?

Can someone \_\_\_\_\_ furnace quickly, \_\_\_\_\_ with it?

\_\_\_\_\_ furnace is \_\_\_\_\_ causing \_\_\_\_\_ heat \_\_\_\_\_.

\_\_\_\_\_ quickly can we get your \_\_\_\_\_ our \_\_\_\_\_?

Should \_\_\_\_\_ inspector \_\_\_\_\_ and heat \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ to \_\_\_\_\_ out our furnace?

Is \_\_\_\_\_ possible \_\_\_\_\_ a technician \_\_\_\_\_ check \_\_\_\_\_ heaters in \_\_\_\_\_ future?

Can \_\_\_\_\_ your \_\_\_\_\_ inspect \_\_\_\_\_ furnace \_\_\_\_\_?

\_\_\_\_\_ enough \_\_\_\_\_ our furnace, can you \_\_\_\_\_ an \_\_\_\_\_ pronto?  
 \_\_\_\_\_ faulty \_\_\_\_\_ which seems unable to generate enough warmth?  
 \_\_\_\_\_ furnace \_\_\_\_\_ as \_\_\_\_\_ isn't generating enough heat.  
 We \_\_\_\_\_ a \_\_\_\_\_ furnace which does \_\_\_\_\_ produce \_\_\_\_\_ .  
 Is \_\_\_\_\_ possible \_\_\_\_\_ an \_\_\_\_\_ to \_\_\_\_\_ our malfunctioning \_\_\_\_\_ produces \_\_\_\_\_ heat?  
 \_\_\_\_\_ your \_\_\_\_\_ available \_\_\_\_\_ the furnace which \_\_\_\_\_ unable to \_\_\_\_\_ enough \_\_\_\_\_?  
 \_\_\_\_\_ be able to \_\_\_\_\_ evaluate \_\_\_\_\_ my heating unit \_\_\_\_\_ hampered?  
 \_\_\_\_\_ is \_\_\_\_\_ causing \_\_\_\_\_ heat.  
 Would \_\_\_\_\_ to \_\_\_\_\_ specialist \_\_\_\_\_ investigate \_\_\_\_\_ production deficiency \_\_\_\_\_ in this freezing unit?  
 \_\_\_\_\_ furnace \_\_\_\_\_ malfunctioning and \_\_\_\_\_ adequate \_\_\_\_\_ .  
 Can you inspect \_\_\_\_\_ warmth \_\_\_\_\_?  
 How \_\_\_\_\_ can you inspect \_\_\_\_\_ isn't heating \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ assessment of the \_\_\_\_\_ unit.  
 \_\_\_\_\_ it appropriate for \_\_\_\_\_ to inspect the \_\_\_\_\_ heat?  
 \_\_\_\_\_ arrange inspection on \_\_\_\_\_ schedule because \_\_\_\_\_ heat production?  
 Can someone \_\_\_\_\_ out \_\_\_\_\_ a \_\_\_\_\_ our furnace \_\_\_\_\_?  
 How \_\_\_\_\_ you \_\_\_\_\_ inspection done?  
 \_\_\_\_\_ inspect \_\_\_\_\_ furnace fast.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a technician \_\_\_\_\_ out \_\_\_\_\_ heater?  
 \_\_\_\_\_ to \_\_\_\_\_ furnace because it's not generating \_\_\_\_\_ heat.  
 Is \_\_\_\_\_ for \_\_\_\_\_ to send an \_\_\_\_\_ check \_\_\_\_\_ heat source?  
 \_\_\_\_\_ inspection of \_\_\_\_\_ faulty \_\_\_\_\_ is \_\_\_\_\_ .  
 Can \_\_\_\_\_ a \_\_\_\_\_ to the furnace \_\_\_\_\_ receive \_\_\_\_\_?  
 \_\_\_\_\_ a way \_\_\_\_\_ schedule an \_\_\_\_\_ inspection \_\_\_\_\_ the inoperative \_\_\_\_\_?  
 When will \_\_\_\_\_ team be able to \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for a \_\_\_\_\_ take \_\_\_\_\_ look \_\_\_\_\_ our heater \_\_\_\_\_?  
 How fast \_\_\_\_\_ look \_\_\_\_\_ heater \_\_\_\_\_?  
 It's \_\_\_\_\_ to send \_\_\_\_\_ check \_\_\_\_\_ our broken \_\_\_\_\_ .  
 Can \_\_\_\_\_ arrange \_\_\_\_\_ urgent \_\_\_\_\_ of \_\_\_\_\_ by one \_\_\_\_\_ your specialists?  
 \_\_\_\_\_ urgent \_\_\_\_\_ furnace \_\_\_\_\_ affect warmth?  
 \_\_\_\_\_ have enough heat; could \_\_\_\_\_ schedule \_\_\_\_\_ asap?  
 \_\_\_\_\_ anyone \_\_\_\_\_ able \_\_\_\_\_ quickly evaluate why \_\_\_\_\_ and hampered?  
 How \_\_\_\_\_ able \_\_\_\_\_ at the furnace?  
 Can someone \_\_\_\_\_ a \_\_\_\_\_ at \_\_\_\_\_ furnace \_\_\_\_\_ seems incapable of \_\_\_\_\_ the house?  
 There's an \_\_\_\_\_ for a \_\_\_\_\_ .  
 Can you \_\_\_\_\_ up and \_\_\_\_\_ a pro \_\_\_\_\_ because \_\_\_\_\_ isn't \_\_\_\_\_ anymore?  
 When \_\_\_\_\_ have a \_\_\_\_\_ inspect and fix \_\_\_\_\_ the furnace?  
 \_\_\_\_\_ our \_\_\_\_\_ isn't producing \_\_\_\_\_ heat, it's \_\_\_\_\_ an inspection.  
 Do you have \_\_\_\_\_ availability to \_\_\_\_\_ to look \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ need someone to inspect our \_\_\_\_\_ generating \_\_\_\_\_ .  
 Can \_\_\_\_\_ know when someone will \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ have a \_\_\_\_\_ furnace that causes \_\_\_\_\_?  
 Can the inspector \_\_\_\_\_ at our \_\_\_\_\_?  
 Is \_\_\_\_\_ for you to \_\_\_\_\_ inspector \_\_\_\_\_ check out \_\_\_\_\_ low- functioning \_\_\_\_\_?  
 We need someone \_\_\_\_\_ .  
 Should \_\_\_\_\_ inspected asap?  
 \_\_\_\_\_ to \_\_\_\_\_ our furnace.  
 Can \_\_\_\_\_ our \_\_\_\_\_ soon?  
 Can \_\_\_\_\_ furnace when it \_\_\_\_\_ malfunctioning?  
 Shouldn't we dispatch a \_\_\_\_\_ lousy furnace ain't \_\_\_\_\_ anymore?



We \_\_\_\_ have enough \_\_\_\_ could you \_\_\_\_ an inspection \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ fix this stupid \_\_\_\_ that \_\_\_\_ have \_\_\_\_ heat?  
 \_\_\_\_ it \_\_\_\_ a furnace \_\_\_\_ to low \_\_\_\_ output?  
 When will \_\_\_\_ be able to \_\_\_\_ our \_\_\_\_ system's \_\_\_\_?  
 Is \_\_\_\_ possible to \_\_\_\_ to \_\_\_\_ boiler?  
 How \_\_\_\_ will your team be \_\_\_\_ visit \_\_\_\_ out our \_\_\_\_?  
 \_\_\_\_ can we have \_\_\_\_ the furnace?  
 Is \_\_\_\_ possible to \_\_\_\_ rapid furnace \_\_\_\_ right \_\_\_\_?  
 Is \_\_\_\_ a chance someone \_\_\_\_ your \_\_\_\_ our furnace \_\_\_\_?  
 We need \_\_\_\_ inspection \_\_\_\_ our \_\_\_\_.  
 A prompt \_\_\_\_ faulty \_\_\_\_ required.  
 Is \_\_\_\_ possible \_\_\_\_ an inspector \_\_\_\_ check \_\_\_\_ its heat \_\_\_\_?  
 Are we \_\_\_\_ a \_\_\_\_ inspect \_\_\_\_ heater soon?  
 \_\_\_\_ we \_\_\_\_ to \_\_\_\_ inspect the \_\_\_\_ and fix it?  
 Is it \_\_\_\_ an inspector will be able \_\_\_\_ soon?  
 When \_\_\_\_ a professional \_\_\_\_?  
 \_\_\_\_ possible to have a \_\_\_\_ our heater?  
 Is it possible to \_\_\_\_ to \_\_\_\_ heater \_\_\_\_ producing warmth?  
 \_\_\_\_ will \_\_\_\_ the malfunctioning heater?  
 \_\_\_\_ it \_\_\_\_ inspector \_\_\_\_ come soon to \_\_\_\_ out \_\_\_\_ malfunctioning heaters?  
 Is \_\_\_\_ to \_\_\_\_ inspector \_\_\_\_ investigate why our heater is \_\_\_\_ producing \_\_\_\_?  
 \_\_\_\_ it possible to dispatch an \_\_\_\_ why \_\_\_\_ not \_\_\_\_ enough warmth?  
 Are your technicians \_\_\_\_ of \_\_\_\_ faulty furnace?  
 \_\_\_\_ there \_\_\_\_ visit \_\_\_\_ examination of \_\_\_\_ furnace available?  
 Can \_\_\_\_ dispatch \_\_\_\_ pro \_\_\_\_ since \_\_\_\_ lousy \_\_\_\_ ain't cutting \_\_\_\_?  
 Can \_\_\_\_ assign someone \_\_\_\_ look \_\_\_\_?  
 How \_\_\_\_ the faulty \_\_\_\_ low \_\_\_\_?  
 \_\_\_\_ mess soon, \_\_\_\_ acting weird?  
 Is there \_\_\_\_ someone \_\_\_\_ your team \_\_\_\_ into our furnace \_\_\_\_?  
 Is \_\_\_\_ for you \_\_\_\_ send an inspector \_\_\_\_ low- \_\_\_\_ source?  
 \_\_\_\_ inspect our heating \_\_\_\_.  
 \_\_\_\_ able to \_\_\_\_ someone to \_\_\_\_ heater?  
 Since \_\_\_\_ furnace doesn't have enough \_\_\_\_ could we \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ visit \_\_\_\_ examination of our insufficiently \_\_\_\_ furnace?  
 \_\_\_\_ your \_\_\_\_ available for a \_\_\_\_ broken furnace?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ my broken down heater \_\_\_\_ it \_\_\_\_ of adequately \_\_\_\_ house?  
 Will \_\_\_\_ team be able to \_\_\_\_ system's \_\_\_\_?  
 When \_\_\_\_ we get a \_\_\_\_ person \_\_\_\_ check \_\_\_\_?  
 As \_\_\_\_ furnace \_\_\_\_ be malfunctioning \_\_\_\_ enough heat, \_\_\_\_ someone inspect it?  
 \_\_\_\_ have \_\_\_\_ that \_\_\_\_ to be \_\_\_\_ immediately.  
 \_\_\_\_ assessment \_\_\_\_ is what we need.  
 \_\_\_\_ possible to get an early \_\_\_\_ of our \_\_\_\_?  
 \_\_\_\_ our furnace is causing \_\_\_\_ heat \_\_\_\_.  
 \_\_\_\_ can you \_\_\_\_ a furnace inspection if \_\_\_\_ isn't \_\_\_\_ heating?  
 \_\_\_\_ can \_\_\_\_ due to the low heat output?  
 \_\_\_\_ there \_\_\_\_ available to \_\_\_\_ the poor \_\_\_\_ of \_\_\_\_ furnace?  
 \_\_\_\_ an \_\_\_\_ examine \_\_\_\_ furnace?  
 You \_\_\_\_ need \_\_\_\_ repair \_\_\_\_ to check our \_\_\_\_.  
 \_\_\_\_ you dispatch someone to \_\_\_\_ the furnace \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ have a professional \_\_\_\_ fix the furnace?

Would \_\_\_\_ be \_\_\_\_ send \_\_\_\_ specialist to examine \_\_\_\_ \_\_\_\_ \_\_\_\_ deficiency issues within this \_\_\_\_ unit?  
 \_\_\_\_ it possible we \_\_\_\_ a prompt \_\_\_\_ now?  
 \_\_\_\_ at my \_\_\_\_ down heaters immediately since \_\_\_\_ like it can't \_\_\_\_ house?  
 Can \_\_\_\_ send someone \_\_\_\_ furnace?  
 How \_\_\_\_ will \_\_\_\_ at \_\_\_\_ malfunctioning heating \_\_\_\_?  
 \_\_\_\_ output is \_\_\_\_ by \_\_\_\_ furnace?  
 \_\_\_\_ could \_\_\_\_ a failing heaters performance?  
 \_\_\_\_ soon \_\_\_\_ someone \_\_\_\_ to inspect \_\_\_\_ furnace, since it \_\_\_\_ be malfunctioning?  
 A \_\_\_\_ needs immediate \_\_\_\_.  
 Are you \_\_\_\_ a \_\_\_\_ heating system issue?  
 \_\_\_\_ your \_\_\_\_ able to diagnose \_\_\_\_ heating system?  
 Is \_\_\_\_ possible \_\_\_\_ someone \_\_\_\_ come over quickly to \_\_\_\_ heating?  
 A \_\_\_\_ needs \_\_\_\_ can \_\_\_\_ it?  
 Is it \_\_\_\_ to \_\_\_\_ broken \_\_\_\_ heater immediately \_\_\_\_ it seems incapable \_\_\_\_ adequately \_\_\_\_ house?  
 How soon \_\_\_\_ team be \_\_\_\_ visit \_\_\_\_ our heating \_\_\_\_?  
 When \_\_\_\_ professional \_\_\_\_ furnaces low \_\_\_\_ output?  
 \_\_\_\_ someone \_\_\_\_ out for \_\_\_\_ inspection \_\_\_\_ we are \_\_\_\_ issues \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ it possible to dispatch \_\_\_\_ immediately \_\_\_\_ why \_\_\_\_ heaters \_\_\_\_ not \_\_\_\_ warmth?  
 Is it \_\_\_\_ will come \_\_\_\_ check \_\_\_\_ our \_\_\_\_ heating system?  
 Would it be feasible \_\_\_\_ you to \_\_\_\_ a specialist \_\_\_\_ production \_\_\_\_ issues \_\_\_\_ freezing \_\_\_\_?  
 \_\_\_\_ have \_\_\_\_ in \_\_\_\_ could you schedule an inspection \_\_\_\_ away?  
 How \_\_\_\_ for \_\_\_\_ visit soon?  
 \_\_\_\_ possible for \_\_\_\_ early \_\_\_\_ to check \_\_\_\_ furnace?  
 Are \_\_\_\_ able \_\_\_\_ dispatch an \_\_\_\_ for \_\_\_\_ furnace?  
 Is it possible to \_\_\_\_ to \_\_\_\_ our \_\_\_\_?  
 When \_\_\_\_ the \_\_\_\_ check \_\_\_\_ furnace?  
 \_\_\_\_ able to check our \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ from \_\_\_\_ team would \_\_\_\_ furnace quickly?  
 Have \_\_\_\_ that \_\_\_\_ warmth?  
 \_\_\_\_ is a \_\_\_\_ furnace and \_\_\_\_ inspector \_\_\_\_ it?  
 \_\_\_\_ soon \_\_\_\_ able to inspect \_\_\_\_ broken furnace for \_\_\_\_?  
 When will you \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ someone to check out \_\_\_\_.  
 \_\_\_\_ it possible \_\_\_\_ at my broken down \_\_\_\_ since \_\_\_\_ incapable \_\_\_\_ adequately warming up \_\_\_\_ house?  
 Should \_\_\_\_ send \_\_\_\_ technician for \_\_\_\_ issue?  
 Is \_\_\_\_ to \_\_\_\_ an \_\_\_\_ of the \_\_\_\_ furnace \_\_\_\_ short \_\_\_\_?  
 \_\_\_\_ we dispatch \_\_\_\_ pro \_\_\_\_ our \_\_\_\_ furnace isn't \_\_\_\_ the mustard \_\_\_\_?  
 Can \_\_\_\_ inspector \_\_\_\_ inspect \_\_\_\_ furnace?  
 Is \_\_\_\_ to dispatch an \_\_\_\_ the furnace \_\_\_\_?  
 Someone \_\_\_\_ come \_\_\_\_ as \_\_\_\_ are experiencing issues with \_\_\_\_ furnace.  
 \_\_\_\_ can we \_\_\_\_ technician \_\_\_\_ come \_\_\_\_ check \_\_\_\_ furnace?  
 Since my \_\_\_\_ down heaters \_\_\_\_ incapable of \_\_\_\_ up \_\_\_\_ house \_\_\_\_ can someone \_\_\_\_ immediately?  
 When can \_\_\_\_ fix this stupid \_\_\_\_ doesn't \_\_\_\_?  
 \_\_\_\_ feasible \_\_\_\_ a technician to \_\_\_\_ our heating \_\_\_\_?  
 There is a \_\_\_\_ its \_\_\_\_.  
 Is \_\_\_\_ an opportunity \_\_\_\_ out \_\_\_\_ insufficiently heating \_\_\_\_?  
 Is \_\_\_\_ that \_\_\_\_ will \_\_\_\_ to assess the \_\_\_\_ heaters.  
 How \_\_\_\_ be \_\_\_\_ because it isn't generating \_\_\_\_ heat?  
 Would it \_\_\_\_ to \_\_\_\_ a \_\_\_\_ investigate \_\_\_\_ production deficiency \_\_\_\_ within \_\_\_\_ freezing \_\_\_\_.  
 \_\_\_\_ someone \_\_\_\_ at my broken \_\_\_\_ seems incapable \_\_\_\_ adequately warming \_\_\_\_ the house?

I wonder if an \_\_\_\_\_ will \_\_\_\_\_ our malfunctioning \_\_\_\_\_.  
 When will \_\_\_\_\_ team \_\_\_\_\_ able to \_\_\_\_\_ system?  
 \_\_\_\_\_ soon will \_\_\_\_\_ inspect our furnace, which seems \_\_\_\_\_ malfunctioning and not producing \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ rapid inspection \_\_\_\_\_ the \_\_\_\_\_.  
 Can \_\_\_\_\_ a \_\_\_\_\_ see \_\_\_\_\_ inefficient furnace?  
 \_\_\_\_\_ can \_\_\_\_\_ send someone \_\_\_\_\_ sure \_\_\_\_\_ furnace is \_\_\_\_\_?  
 \_\_\_\_\_ look \_\_\_\_\_ down heating \_\_\_\_\_ since \_\_\_\_\_ incapable of \_\_\_\_\_ warming up the house?  
 We don't have enough \_\_\_\_\_ an inspection \_\_\_\_\_?  
 \_\_\_\_\_ before our inspection \_\_\_\_\_ be generating \_\_\_\_\_ heat?  
 I need someone \_\_\_\_\_ look at \_\_\_\_\_ since it seems incapable \_\_\_\_\_ warming up the \_\_\_\_\_.  
 Are your \_\_\_\_\_ available for a \_\_\_\_\_ assessment \_\_\_\_\_?  
 What \_\_\_\_\_ the most convenient \_\_\_\_\_ to \_\_\_\_\_ check out \_\_\_\_\_?  
 \_\_\_\_\_ expect a technician \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_ heat \_\_\_\_\_ the furnace?  
 Would it \_\_\_\_\_ possible to \_\_\_\_\_ a visit \_\_\_\_\_?  
 It's \_\_\_\_\_ producing \_\_\_\_\_ you schedule an inspection \_\_\_\_\_?  
 What \_\_\_\_\_ does \_\_\_\_\_ furnace need \_\_\_\_\_?  
 When \_\_\_\_\_ professional can \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ heat \_\_\_\_\_?  
 \_\_\_\_\_ we schedule \_\_\_\_\_ about our \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ us \_\_\_\_\_ furnace inspection?  
 Is it \_\_\_\_\_ schedule \_\_\_\_\_ visit regarding \_\_\_\_\_ furnace?  
 When will the \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ seems faulty \_\_\_\_\_ doesn't emit \_\_\_\_\_ warmth.  
 \_\_\_\_\_ there \_\_\_\_\_ can arrange for the unsatisfactory performance of \_\_\_\_\_?  
 Is it \_\_\_\_\_ to get \_\_\_\_\_ assistance \_\_\_\_\_ the \_\_\_\_\_ of our \_\_\_\_\_?  
 Can \_\_\_\_\_ at my broken \_\_\_\_\_ furnace \_\_\_\_\_ it \_\_\_\_\_ incapable \_\_\_\_\_ warming up the house \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ inspection \_\_\_\_\_ a \_\_\_\_\_ deadline due \_\_\_\_\_ weak heat \_\_\_\_\_?  
 \_\_\_\_\_ your technician be \_\_\_\_\_ furnaces when \_\_\_\_\_ deficient \_\_\_\_\_ heat production \_\_\_\_\_?  
 Are you \_\_\_\_\_ a \_\_\_\_\_ to fix the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ dispatch an \_\_\_\_\_ out why our heat \_\_\_\_\_ working?  
 Can \_\_\_\_\_ out when it \_\_\_\_\_ malfunctioning?  
 \_\_\_\_\_ have a faulty furnace and \_\_\_\_\_ have \_\_\_\_\_.  
 \_\_\_\_\_ low heat output, \_\_\_\_\_ is needed.  
 Can you fix \_\_\_\_\_ heat up?  
 Is it possible \_\_\_\_\_ someone to assess \_\_\_\_\_?  
 The \_\_\_\_\_ urgent check.  
 Can your \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ urgent \_\_\_\_\_ furnace, \_\_\_\_\_ enough \_\_\_\_\_.  
 Can you \_\_\_\_\_ someone \_\_\_\_\_ to \_\_\_\_\_ quickly?  
 \_\_\_\_\_ you dispatch someone \_\_\_\_\_ malfunctioning \_\_\_\_\_?  
 \_\_\_\_\_ an urgent examination by one of \_\_\_\_\_ specialists \_\_\_\_\_ of our heater is \_\_\_\_\_?  
 \_\_\_\_\_ an inspector \_\_\_\_\_ into \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ and \_\_\_\_\_ stupid \_\_\_\_\_ and cooling unit?  
 \_\_\_\_\_ it possible \_\_\_\_\_ dispatch someone to \_\_\_\_\_ our \_\_\_\_\_ to produce \_\_\_\_\_?  
 Due \_\_\_\_\_ low heat \_\_\_\_\_ professional should inspect \_\_\_\_\_.  
 Someone needs to \_\_\_\_\_ system \_\_\_\_\_.  
 \_\_\_\_\_ chance for \_\_\_\_\_ to our furnace early?  
 How \_\_\_\_\_ inspect our furnace, \_\_\_\_\_ it \_\_\_\_\_ be \_\_\_\_\_ and not \_\_\_\_\_ enough \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ send \_\_\_\_\_ to \_\_\_\_\_ furnace?  
 \_\_\_\_\_ repair \_\_\_\_\_ come \_\_\_\_\_ our furnace?  
 \_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ to investigate why our \_\_\_\_\_ producing enough \_\_\_\_\_?

A prompt inspection \_\_\_\_\_ furnace \_\_\_\_\_.

\_\_\_\_\_ exist for determining \_\_\_\_\_ performance \_\_\_\_\_ our \_\_\_\_\_ in terms \_\_\_\_\_ warmth?

Does \_\_\_\_\_ team have \_\_\_\_\_ to check \_\_\_\_\_?

Can \_\_\_\_\_ come out \_\_\_\_\_ an inspection \_\_\_\_\_ are experiencing \_\_\_\_\_ with \_\_\_\_\_?

Is there a \_\_\_\_\_ team could inspect the \_\_\_\_\_ quickly?

There is an \_\_\_\_\_ inspection \_\_\_\_\_ low heat \_\_\_\_\_.

Is \_\_\_\_\_ a need \_\_\_\_\_ of our heater?

\_\_\_\_\_ need \_\_\_\_\_ faulty furnace looked \_\_\_\_\_.

\_\_\_\_\_ need \_\_\_\_\_ dispatch an inspector \_\_\_\_\_.

Can \_\_\_\_\_ dispatch \_\_\_\_\_ to assess \_\_\_\_\_?

What's \_\_\_\_\_ to send someone to check \_\_\_\_\_?

How soon \_\_\_\_\_ you \_\_\_\_\_ check the \_\_\_\_\_?

When \_\_\_\_\_ be \_\_\_\_\_ look at \_\_\_\_\_ malfunctioning \_\_\_\_\_ for us?

\_\_\_\_\_ it \_\_\_\_\_ someone \_\_\_\_\_ come over promptly \_\_\_\_\_ check out \_\_\_\_\_ heater?

\_\_\_\_\_ it \_\_\_\_\_ send a specialist \_\_\_\_\_ look \_\_\_\_\_ deficiency issues in \_\_\_\_\_ freezing \_\_\_\_\_?

\_\_\_\_\_ could a person \_\_\_\_\_ at failing \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ schedule \_\_\_\_\_ inspection of the inoperative furnace \_\_\_\_\_?

When will \_\_\_\_\_ at and \_\_\_\_\_ the low \_\_\_\_\_ from the \_\_\_\_\_?

I \_\_\_\_\_ if an \_\_\_\_\_ our \_\_\_\_\_.

\_\_\_\_\_ not \_\_\_\_\_ enough \_\_\_\_\_ need it inspected immediately.

\_\_\_\_\_ inspect our \_\_\_\_\_?

\_\_\_\_\_ get \_\_\_\_\_ to \_\_\_\_\_ the furnace?

The furnace \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ do a quick furnace \_\_\_\_\_?

\_\_\_\_\_ a technician visit \_\_\_\_\_ out \_\_\_\_\_ fix the \_\_\_\_\_ heat \_\_\_\_\_ furnace?

\_\_\_\_\_ soon \_\_\_\_\_ you \_\_\_\_\_ the furnace?

Are your \_\_\_\_\_ available for \_\_\_\_\_ assessment of \_\_\_\_\_ that \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ furnace be fixed \_\_\_\_\_ dropping enough \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ assistance for assessing the \_\_\_\_\_ performance \_\_\_\_\_ furnace?

\_\_\_\_\_ should a check \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ like to arrange for an urgent \_\_\_\_\_ heater \_\_\_\_\_ one \_\_\_\_\_ your \_\_\_\_\_.

How \_\_\_\_\_ will \_\_\_\_\_ for \_\_\_\_\_ us due \_\_\_\_\_ improper functioning and insufficient \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ someone to \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ furnace \_\_\_\_\_ generating enough \_\_\_\_\_ needs \_\_\_\_\_ be inspected \_\_\_\_\_ your \_\_\_\_\_.

When \_\_\_\_\_ the inspector \_\_\_\_\_ our \_\_\_\_\_?

A faulty \_\_\_\_\_ to be \_\_\_\_\_ heat.

We should \_\_\_\_\_ an inspection \_\_\_\_\_ the inoperative \_\_\_\_\_ on \_\_\_\_\_.

I need \_\_\_\_\_ asap if my \_\_\_\_\_ isn't \_\_\_\_\_.

There \_\_\_\_\_ to \_\_\_\_\_ urgent \_\_\_\_\_ of the \_\_\_\_\_.

\_\_\_\_\_ possible to \_\_\_\_\_ prompt \_\_\_\_\_ for \_\_\_\_\_ poor furnace performance?

\_\_\_\_\_ can \_\_\_\_\_ fix the \_\_\_\_\_ heat from the furnace?

\_\_\_\_\_ it \_\_\_\_\_ a technician \_\_\_\_\_ out our \_\_\_\_\_ soon?

Is \_\_\_\_\_ from your team \_\_\_\_\_ look at \_\_\_\_\_ malfunctioning \_\_\_\_\_ quickly?

\_\_\_\_\_ you get an \_\_\_\_\_ our \_\_\_\_\_?

When \_\_\_\_\_ a \_\_\_\_\_ inspect the \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ early \_\_\_\_\_ and examination of the furnace?

Can \_\_\_\_\_ inspector look \_\_\_\_\_ soon?

\_\_\_\_\_ available to \_\_\_\_\_ our heating system \_\_\_\_\_?

\_\_\_\_\_ for a \_\_\_\_\_ assessment on \_\_\_\_\_ faulty furnace?

\_\_\_\_\_ is malfunctioning \_\_\_\_\_ low \_\_\_\_\_ output.

An inspector \_\_\_\_\_ dispatched to \_\_\_\_\_ our heater \_\_\_\_\_ not \_\_\_\_\_ warmth.

\_\_\_\_\_ furnace \_\_\_\_\_ malfunctioning and \_\_\_\_\_ heat \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ soon \_\_\_\_\_ someone \_\_\_\_\_ to inspect our furnace, \_\_\_\_\_ malfunctioning, and not producing enough heat?

We have \_\_\_\_\_ low heat output.

How \_\_\_\_\_ will \_\_\_\_\_ inspect the \_\_\_\_\_?

\_\_\_\_\_ need someone to check my \_\_\_\_\_ enough \_\_\_\_\_.

\_\_\_\_\_ fix the furnace \_\_\_\_\_?

Are you able \_\_\_\_\_ someone \_\_\_\_\_ our \_\_\_\_\_?

Our \_\_\_\_\_ low heat \_\_\_\_\_?

\_\_\_\_\_ we schedule a \_\_\_\_\_ to \_\_\_\_\_ furnace \_\_\_\_\_ receive \_\_\_\_\_?

Is \_\_\_\_\_ possible for an \_\_\_\_\_ assess \_\_\_\_\_ malfunctioning \_\_\_\_\_ produces \_\_\_\_\_ than required?

How quickly can someone \_\_\_\_\_ that \_\_\_\_\_ properly \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ inspector \_\_\_\_\_ the furnace promptly?

There is a \_\_\_\_\_ furnace \_\_\_\_\_ inspected immediately.

\_\_\_\_\_ dispatch someone \_\_\_\_\_ assess the malfunctioning furnace?

\_\_\_\_\_ will \_\_\_\_\_ technician \_\_\_\_\_ out the \_\_\_\_\_?

Can someone check out \_\_\_\_\_ system \_\_\_\_\_ since \_\_\_\_\_ seems \_\_\_\_\_ of adequately warming \_\_\_\_\_ house?

Is \_\_\_\_\_ possible \_\_\_\_\_ from \_\_\_\_\_ team \_\_\_\_\_ look \_\_\_\_\_ our \_\_\_\_\_ quickly?

\_\_\_\_\_ before someone \_\_\_\_\_ the malfunctioning \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ team check our \_\_\_\_\_?

\_\_\_\_\_ send \_\_\_\_\_ out our heating?

\_\_\_\_\_ quickly \_\_\_\_\_ your \_\_\_\_\_ to inspect our \_\_\_\_\_?