

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	Pool pump repair
<b>Inquiry Sub-Category</b>	Pump not turning on
<b>Description</b>	Customers contact us when their pool pump fails to start, and they need assistance troubleshooting and fixing the issue to ensure their pool stays clean and functional.
<b>Data Size</b>	5,071 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ time settings correctly programmed \_\_\_\_ automated control \_\_\_\_ (if \_\_\_\_?  
 \_\_\_\_ the time \_\_\_\_ within \_\_\_\_ control systems \_\_\_\_ correctly.  
 \_\_\_\_ all \_\_\_\_ time \_\_\_\_ the control \_\_\_\_ work?  
 \_\_\_\_ the time \_\_\_\_ systems work correctly?  
 Did you set \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ systems?  
 Are all \_\_\_\_ settings programmed \_\_\_\_ in \_\_\_\_?  
 All \_\_\_\_ the \_\_\_\_ control systems \_\_\_\_ be \_\_\_\_ correctly.  
 \_\_\_\_ automation's \_\_\_\_ of \_\_\_\_ time settings \_\_\_\_?  
 Are the automated \_\_\_\_ work \_\_\_\_ that \_\_\_\_ to relevant time \_\_\_\_?  
 \_\_\_\_ anyone know \_\_\_\_ time \_\_\_\_ for \_\_\_\_ control systems \_\_\_\_ been inputted \_\_\_\_?  
 Have \_\_\_\_ programmed \_\_\_\_ automation controls \_\_\_\_ use \_\_\_\_?  
 Does all \_\_\_\_ time \_\_\_\_ in an automated control \_\_\_\_?  
 \_\_\_\_ the time \_\_\_\_ in \_\_\_\_ automatic \_\_\_\_ systems \_\_\_\_ correctly?  
 \_\_\_\_ auto-control mechanisms give \_\_\_\_ timing \_\_\_\_?  
 \_\_\_\_ settings \_\_\_\_ to be programmed \_\_\_\_ in your automated \_\_\_\_.  
 \_\_\_\_ within the automated \_\_\_\_ should be programmed correctly.  
 \_\_\_\_ all of the \_\_\_\_ the \_\_\_\_ systems work?  
 Are \_\_\_\_ automated \_\_\_\_ systems \_\_\_\_ to \_\_\_\_ at \_\_\_\_ times?  
 Do \_\_\_\_ time settings in \_\_\_\_?  
 \_\_\_\_ you sure \_\_\_\_ automated control systems setting \_\_\_\_?  
 \_\_\_\_ auto-controlled systems, \_\_\_\_ the \_\_\_\_ settings \_\_\_\_?  
 Are \_\_\_\_ appropriate in \_\_\_\_ systems?  
 \_\_\_\_ automated \_\_\_\_ systems \_\_\_\_ work \_\_\_\_ that suits the time settings?  
 Is there \_\_\_\_ programming \_\_\_\_ temporal \_\_\_\_ in \_\_\_\_?  
 If \_\_\_\_ have you set \_\_\_\_ time settings \_\_\_\_ your \_\_\_\_?  
 How are \_\_\_\_ necessary \_\_\_\_ settings configured within \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ in auto \_\_\_\_ systems?  
 Is \_\_\_\_ programmed \_\_\_\_ settings \_\_\_\_ systems \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to properly \_\_\_\_ all time settings \_\_\_\_ control \_\_\_\_?  
 Correct \_\_\_\_ for time settings for \_\_\_\_ be \_\_\_\_.  
 \_\_\_\_ all relevant \_\_\_\_ programmed \_\_\_\_ automated control systems?  
 \_\_\_\_ time settings be configured within \_\_\_\_?  
 Did you \_\_\_\_ sure \_\_\_\_ program \_\_\_\_ settings \_\_\_\_ your automated \_\_\_\_?  
 Is \_\_\_\_ time \_\_\_\_ properly programmed \_\_\_\_ your \_\_\_\_ systems?  
 Is the \_\_\_\_ adjustments meticulously \_\_\_\_ mechanisms?  
 \_\_\_\_ you \_\_\_\_ have the automated control \_\_\_\_ times \_\_\_\_?  
 \_\_\_\_ all time settings \_\_\_\_ systems?  
 \_\_\_\_ all time settings set \_\_\_\_ your \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ time \_\_\_\_ in \_\_\_\_ automation controls?  
 \_\_\_\_ the \_\_\_\_ time \_\_\_\_ accurate \_\_\_\_ auto- controlled \_\_\_\_?  
 Is proper setup \_\_\_\_ all \_\_\_\_ within control \_\_\_\_?  
 Are \_\_\_\_ time \_\_\_\_ in \_\_\_\_ control systems in \_\_\_\_?  
 \_\_\_\_ in the control \_\_\_\_ configured?  
 \_\_\_\_ set up \_\_\_\_ correct time \_\_\_\_ for automated \_\_\_\_ systems?  
 \_\_\_\_ all \_\_\_\_ settings in the automated control \_\_\_\_ been \_\_\_\_ correctly?  
 Have \_\_\_\_ set \_\_\_\_ time settings?  
 Does the time \_\_\_\_ have been programmed \_\_\_\_?  
 Are \_\_\_\_ relevant \_\_\_\_ in your automation \_\_\_\_?  
 Are \_\_\_\_ automated \_\_\_\_ setting \_\_\_\_ correct?  
 Is \_\_\_\_ of the \_\_\_\_ settings in automated \_\_\_\_?  
 Is all of \_\_\_\_ in \_\_\_\_ control \_\_\_\_ correctly?  
 \_\_\_\_ all \_\_\_\_ timelines coordinate \_\_\_\_ your \_\_\_\_ controls' \_\_\_\_?  
 Do the time settings \_\_\_\_ in \_\_\_\_ automation \_\_\_\_?  
 Does \_\_\_\_ settings work \_\_\_\_ automated \_\_\_\_?  
 \_\_\_\_ the time settings \_\_\_\_ up \_\_\_\_ the automation \_\_\_\_?  
 Has your automated \_\_\_\_ parameters?  
 You know, \_\_\_\_ them \_\_\_\_ systems \_\_\_\_ times correct?  
 Is all \_\_\_\_ in your control \_\_\_\_?  
 Are \_\_\_\_ used in the \_\_\_\_ system?  
 \_\_\_\_ the \_\_\_\_ set \_\_\_\_ time settings?  
 Have the \_\_\_\_ for the \_\_\_\_ correct?  
 \_\_\_\_ your \_\_\_\_ controls \_\_\_\_ the \_\_\_\_ time \_\_\_\_ programmed in?  
 \_\_\_\_ the all \_\_\_\_ configured correctly within the \_\_\_\_?  
 Did \_\_\_\_ to \_\_\_\_ time settings \_\_\_\_ your \_\_\_\_ units?  
 \_\_\_\_ the programming \_\_\_\_ settings \_\_\_\_ correct?  
 If available, \_\_\_\_ time \_\_\_\_ properly \_\_\_\_ control systems?  
 Does \_\_\_\_ the time \_\_\_\_ in \_\_\_\_ control \_\_\_\_ have been \_\_\_\_?  
 Are the scheduled \_\_\_\_ entered \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ necessary \_\_\_\_ parameters \_\_\_\_ adjusted \_\_\_\_ the automated \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ adjustment set up meticulously on \_\_\_\_?  
 Are the time \_\_\_\_ within \_\_\_\_ systems?  
 \_\_\_\_ the designated time \_\_\_\_ in \_\_\_\_ system?  
 Is \_\_\_\_ the auto- controlled systems?  
 Can control systems \_\_\_\_ properly \_\_\_\_ settings?  
 Is \_\_\_\_ for \_\_\_\_ settings in \_\_\_\_?  
 Have you \_\_\_\_ correct time \_\_\_\_ automated \_\_\_\_ systems?  
 \_\_\_\_ the times entered \_\_\_\_ for \_\_\_\_?  
 What \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ controls?

\_\_\_\_\_ control systems programmed \_\_\_\_\_ in relevant times?  
 \_\_\_\_\_ control systems programmed \_\_\_\_\_ work on \_\_\_\_\_ that \_\_\_\_\_ right?  
 Have the automated controls \_\_\_\_\_ correctly \_\_\_\_\_ time \_\_\_\_\_?  
 Does \_\_\_\_\_ controls set appropriate \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ control \_\_\_\_\_ programmed?  
 \_\_\_\_\_ the \_\_\_\_\_ controls have \_\_\_\_\_ settings \_\_\_\_\_ right?  
 Does \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ control systems \_\_\_\_\_ correctly?  
 \_\_\_\_\_ time settings \_\_\_\_\_ been set correctly in \_\_\_\_\_?  
 Are the \_\_\_\_\_ settings \_\_\_\_\_ work \_\_\_\_\_ automated control \_\_\_\_\_?  
 Are \_\_\_\_\_ systems \_\_\_\_\_ work in relevant \_\_\_\_\_ settings?  
 Are \_\_\_\_\_ control \_\_\_\_\_ to work in \_\_\_\_\_ time \_\_\_\_\_?  
 \_\_\_\_\_ put all time settings \_\_\_\_\_ place for \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ correctly for your automated \_\_\_\_\_?  
 \_\_\_\_\_ you have \_\_\_\_\_ settings \_\_\_\_\_ for automation?  
 Have \_\_\_\_\_ set \_\_\_\_\_ time settings \_\_\_\_\_ your automation \_\_\_\_\_?  
 \_\_\_\_\_ necessary time \_\_\_\_\_ configured \_\_\_\_\_ your automated system?  
 \_\_\_\_\_ all time \_\_\_\_\_ in your \_\_\_\_\_ systems \_\_\_\_\_ programmed \_\_\_\_\_?  
 Is \_\_\_\_\_ time \_\_\_\_\_ control \_\_\_\_\_ correct?  
 Can \_\_\_\_\_ of \_\_\_\_\_ settings \_\_\_\_\_ systems be programmed?  
 Are all time \_\_\_\_\_ programmed \_\_\_\_\_ systems?  
 Are there \_\_\_\_\_ time \_\_\_\_\_ systems?  
 Is the \_\_\_\_\_ properly \_\_\_\_\_ time?  
 Do you \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ controls?  
 Does \_\_\_\_\_ setting \_\_\_\_\_ have been programmed correctly?  
 \_\_\_\_\_ the time \_\_\_\_\_ control systems \_\_\_\_\_?  
 Is \_\_\_\_\_ time \_\_\_\_\_ auto-controlled systems?  
 \_\_\_\_\_ settings in the automation \_\_\_\_\_ been set \_\_\_\_\_?  
 Have \_\_\_\_\_ the time \_\_\_\_\_ automation \_\_\_\_\_?  
 \_\_\_\_\_ all \_\_\_\_\_ time \_\_\_\_\_ within control \_\_\_\_\_ been set correctly?  
 \_\_\_\_\_ set \_\_\_\_\_ correct \_\_\_\_\_ settings \_\_\_\_\_ automated control systems?  
 \_\_\_\_\_ certain that the \_\_\_\_\_ control \_\_\_\_\_ are \_\_\_\_\_ times \_\_\_\_\_?  
 \_\_\_\_\_ required, are \_\_\_\_\_ timing \_\_\_\_\_ on your auto-control \_\_\_\_\_?  
 Is \_\_\_\_\_ time setting \_\_\_\_\_ programmed \_\_\_\_\_ systems?  
 \_\_\_\_\_ have the \_\_\_\_\_ settings for the \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ sure you \_\_\_\_\_ accurate time \_\_\_\_\_ your automated \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ be properly programmed \_\_\_\_\_ control systems.  
 Does \_\_\_\_\_ time settings \_\_\_\_\_ have been \_\_\_\_\_ right?  
 \_\_\_\_\_ automation \_\_\_\_\_ do \_\_\_\_\_ settings look right?  
 \_\_\_\_\_ of relevant \_\_\_\_\_ settings \_\_\_\_\_ automation?  
 Does the time settings \_\_\_\_\_ work \_\_\_\_\_?  
 \_\_\_\_\_ settings \_\_\_\_\_ correct in \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ up in the automation controls?  
 Do \_\_\_\_\_ make sure to program accurate \_\_\_\_\_ your \_\_\_\_\_?  
 Did \_\_\_\_\_ the \_\_\_\_\_ times for the automated \_\_\_\_\_?  
 Have you \_\_\_\_\_ in automation \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ settings in the automation controls \_\_\_\_\_ right.  
 \_\_\_\_\_ automated \_\_\_\_\_ systems programmed to work \_\_\_\_\_ time \_\_\_\_\_ ways?  
 \_\_\_\_\_ settings in the \_\_\_\_\_ look \_\_\_\_\_?  
 Did you \_\_\_\_\_ units \_\_\_\_\_ time settings?  
 Are the automatic \_\_\_\_\_ on relevant time \_\_\_\_\_?

Did \_\_\_\_\_ timelines coordinate \_\_\_\_\_ your automated \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ settings are programmed \_\_\_\_\_ systems?  
 Does \_\_\_\_\_ automated \_\_\_\_\_ coordinate \_\_\_\_\_ all the \_\_\_\_\_ timelines?  
 \_\_\_\_\_ control \_\_\_\_\_ times are correct?  
 Are the all \_\_\_\_\_ automatic controls \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ the time \_\_\_\_\_ automatic \_\_\_\_\_ accurate?  
 Did you \_\_\_\_\_ the accurate \_\_\_\_\_ automated \_\_\_\_\_ units?  
 Are the \_\_\_\_\_ time \_\_\_\_\_?  
 Do \_\_\_\_\_ relevant time \_\_\_\_\_ in your automation \_\_\_\_\_?  
 Are relevant \_\_\_\_\_ settings \_\_\_\_\_ automated \_\_\_\_\_ systems \_\_\_\_\_ order?  
 Is \_\_\_\_\_ to properly setup \_\_\_\_\_ in \_\_\_\_\_ systems?  
 Is \_\_\_\_\_ designated time settings \_\_\_\_\_ the \_\_\_\_\_?  
 If \_\_\_\_\_ you \_\_\_\_\_ the relevant time settings \_\_\_\_\_ automation \_\_\_\_\_.  
 Are the automated control \_\_\_\_\_ time periods?  
 Did you \_\_\_\_\_ sure \_\_\_\_\_ settings for your \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ the time \_\_\_\_\_ in \_\_\_\_\_ control systems?  
 \_\_\_\_\_ time \_\_\_\_\_ programmed in \_\_\_\_\_ control \_\_\_\_\_?  
 Have the automation \_\_\_\_\_ accurately \_\_\_\_\_ settings?  
 Are \_\_\_\_\_ programming of relevant time \_\_\_\_\_?  
 \_\_\_\_\_ all of the \_\_\_\_\_ settings in \_\_\_\_\_ systems \_\_\_\_\_?  
 You sure \_\_\_\_\_ have \_\_\_\_\_ control \_\_\_\_\_ set \_\_\_\_\_ correctly?  
 Are you sure that \_\_\_\_\_ systems set \_\_\_\_\_?  
 Is \_\_\_\_\_ controls programmed \_\_\_\_\_ the \_\_\_\_\_ settings?  
 \_\_\_\_\_ you \_\_\_\_\_ that you have the \_\_\_\_\_ systems setting \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ correctly \_\_\_\_\_ in \_\_\_\_\_ control \_\_\_\_\_?  
 Did \_\_\_\_\_ have the \_\_\_\_\_ schedules?  
 \_\_\_\_\_ programming \_\_\_\_\_ settings for \_\_\_\_\_ systems \_\_\_\_\_ necessary.  
 Do \_\_\_\_\_ control systems \_\_\_\_\_ the correct \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ schedule configurations \_\_\_\_\_ control \_\_\_\_\_ correctly inputted?  
 \_\_\_\_\_ time \_\_\_\_\_ accurate \_\_\_\_\_ auto-controlled systems?  
 \_\_\_\_\_ sure to program \_\_\_\_\_ into the \_\_\_\_\_ control units?  
 Are \_\_\_\_\_ the \_\_\_\_\_ settings in \_\_\_\_\_ in order?  
 Are \_\_\_\_\_ timing \_\_\_\_\_ correctly \_\_\_\_\_ automation \_\_\_\_\_?  
 \_\_\_\_\_ the time \_\_\_\_\_ within the \_\_\_\_\_ controls?  
 Are \_\_\_\_\_ relevant time \_\_\_\_\_ control systems?  
 \_\_\_\_\_ time settings \_\_\_\_\_ automation control systems \_\_\_\_\_ correctly?  
 Have you \_\_\_\_\_ sure \_\_\_\_\_ program accurate \_\_\_\_\_ your automated \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ were right \_\_\_\_\_ automatic \_\_\_\_\_?  
 Have \_\_\_\_\_ programmed \_\_\_\_\_ time \_\_\_\_\_ in the \_\_\_\_\_ controls?  
 Are you sure \_\_\_\_\_ have the \_\_\_\_\_ systems \_\_\_\_\_?  
 All of \_\_\_\_\_ time \_\_\_\_\_ in \_\_\_\_\_ to be \_\_\_\_\_ correctly.  
 \_\_\_\_\_ relevant \_\_\_\_\_ settings been \_\_\_\_\_ by the automation \_\_\_\_\_?  
 Does \_\_\_\_\_ automation controls \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ place?  
 \_\_\_\_\_ all the time \_\_\_\_\_ in control \_\_\_\_\_ correctly?  
 Have the \_\_\_\_\_ time \_\_\_\_\_ programmed \_\_\_\_\_ automation controls?  
 \_\_\_\_\_ the time \_\_\_\_\_ configured for \_\_\_\_\_ system?  
 Do \_\_\_\_\_ the \_\_\_\_\_ time settings programmed \_\_\_\_\_ your \_\_\_\_\_?  
 All \_\_\_\_\_ time settings \_\_\_\_\_ should be programmed correctly.  
 Are the \_\_\_\_\_ appropriate \_\_\_\_\_ automated \_\_\_\_\_?  
 \_\_\_\_\_ all \_\_\_\_\_ configured \_\_\_\_\_ the \_\_\_\_\_ systems?

\_\_\_\_\_ that all \_\_\_\_\_ necessary \_\_\_\_\_ parameters were adjusted \_\_\_\_\_ my automated \_\_\_\_\_?  
 \_\_\_\_\_ the time settings \_\_\_\_\_ systems work?  
 Did you make sure that your \_\_\_\_\_ have \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ the automated control \_\_\_\_\_ appropriate?  
 \_\_\_\_\_ of \_\_\_\_\_ time \_\_\_\_\_ work \_\_\_\_\_ control systems?  
 \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ programmed \_\_\_\_\_ your automation controls?  
 \_\_\_\_\_ the time settings \_\_\_\_\_ control \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ time settings \_\_\_\_\_ with automated \_\_\_\_\_ systems?  
 Is \_\_\_\_\_ accurate \_\_\_\_\_ of temporal parameters in \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ settings in automated control \_\_\_\_\_ to be \_\_\_\_\_?  
 Do \_\_\_\_\_ control \_\_\_\_\_ have \_\_\_\_\_ settings?  
 Did you \_\_\_\_\_ time settings for \_\_\_\_\_ control \_\_\_\_\_?  
 Is the setting \_\_\_\_\_ all \_\_\_\_\_ automatic controls?  
 \_\_\_\_\_ the time \_\_\_\_\_ systems \_\_\_\_\_ accurate?  
 \_\_\_\_\_ the time \_\_\_\_\_ within automated \_\_\_\_\_?  
 \_\_\_\_\_ all \_\_\_\_\_ programmed correctly \_\_\_\_\_ control systems?  
 \_\_\_\_\_ all time settings \_\_\_\_\_ the \_\_\_\_\_ configured correctly?  
 Do all \_\_\_\_\_ coordinate with \_\_\_\_\_ program setup?  
 \_\_\_\_\_ time settings \_\_\_\_\_ control systems programmed \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ automated control \_\_\_\_\_ appropriate?  
 \_\_\_\_\_ relevant time settings \_\_\_\_\_ correctly \_\_\_\_\_ the automation \_\_\_\_\_?  
 Are \_\_\_\_\_ time \_\_\_\_\_ correctly \_\_\_\_\_ automated \_\_\_\_\_ systems?  
 \_\_\_\_\_ all of \_\_\_\_\_ settings \_\_\_\_\_ control systems \_\_\_\_\_?  
 Are the \_\_\_\_\_ control \_\_\_\_\_ on time settings?  
 Do \_\_\_\_\_ time inputs \_\_\_\_\_ with the \_\_\_\_\_?  
 Does \_\_\_\_\_ possible \_\_\_\_\_ properly \_\_\_\_\_ time settings \_\_\_\_\_ the control \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ setup \_\_\_\_\_ settings \_\_\_\_\_ the control \_\_\_\_\_?  
 \_\_\_\_\_ all time settings in the \_\_\_\_\_?  
 \_\_\_\_\_ into your automation gear?  
 What time \_\_\_\_\_ have been \_\_\_\_\_ correct \_\_\_\_\_ automation \_\_\_\_\_?  
 \_\_\_\_\_ of your \_\_\_\_\_ give \_\_\_\_\_ appropriate timing inputs?  
 Can all \_\_\_\_\_ settings \_\_\_\_\_ control systems be \_\_\_\_\_?  
 Does all \_\_\_\_\_ the \_\_\_\_\_ for automated \_\_\_\_\_ have \_\_\_\_\_ correctly?  
 \_\_\_\_\_ you certain that you \_\_\_\_\_ automated \_\_\_\_\_ correct?  
 \_\_\_\_\_ automated control systems programmed \_\_\_\_\_ function \_\_\_\_\_ settings?  
 \_\_\_\_\_ all \_\_\_\_\_ coordinate \_\_\_\_\_ your automated controls program \_\_\_\_\_?  
 Did you \_\_\_\_\_ the correct \_\_\_\_\_ for \_\_\_\_\_ systems?  
 All \_\_\_\_\_ settings in \_\_\_\_\_ systems should \_\_\_\_\_ correctly.  
 \_\_\_\_\_ the \_\_\_\_\_ settings set up \_\_\_\_\_ the automation \_\_\_\_\_?  
 \_\_\_\_\_ you make sure \_\_\_\_\_ units have accurate \_\_\_\_\_?  
 \_\_\_\_\_ automated \_\_\_\_\_ for time \_\_\_\_\_?  
 \_\_\_\_\_ the time settings \_\_\_\_\_ control \_\_\_\_\_ work?  
 \_\_\_\_\_ of time \_\_\_\_\_ for \_\_\_\_\_ automation systems \_\_\_\_\_ required.  
 Are \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ the time settings \_\_\_\_\_ in \_\_\_\_\_ correctly?  
 \_\_\_\_\_ automated controls accurately \_\_\_\_\_ variables?  
 \_\_\_\_\_ systems with \_\_\_\_\_ schedules?  
 \_\_\_\_\_ time \_\_\_\_\_ in the control systems \_\_\_\_\_?  
 Is \_\_\_\_\_ appropriate \_\_\_\_\_ settings in \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ settings to use automated control systems?

Correct programming \_\_\_\_\_ for \_\_\_\_\_ systems \_\_\_\_\_ been made.

Are \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ automated \_\_\_\_\_ systems?

Is \_\_\_\_\_ for time variables?

\_\_\_\_\_ you set \_\_\_\_\_ for the control systems?

\_\_\_\_\_ the \_\_\_\_\_ correctly in \_\_\_\_\_ gear?

\_\_\_\_\_ the \_\_\_\_\_ systems programmed \_\_\_\_\_ manage time \_\_\_\_\_?

Are \_\_\_\_\_ settings \_\_\_\_\_ controls good?

\_\_\_\_\_ all \_\_\_\_\_ relevant \_\_\_\_\_ programmed \_\_\_\_\_ the automated \_\_\_\_\_ systems?

\_\_\_\_\_ control systems have \_\_\_\_\_ settings configured \_\_\_\_\_?

Are \_\_\_\_\_ times entered correctly \_\_\_\_\_?

The appropriate \_\_\_\_\_ settings \_\_\_\_\_ control systems

\_\_\_\_\_ the \_\_\_\_\_ time setting \_\_\_\_\_ auto controlled \_\_\_\_\_?

\_\_\_\_\_ all relevant \_\_\_\_\_ correctly in automated \_\_\_\_\_ systems?

\_\_\_\_\_ the programmed \_\_\_\_\_ in auto- controlled \_\_\_\_\_?

All time \_\_\_\_\_ programmed properly in \_\_\_\_\_ systems.

\_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ control systems programmed correctly?

Can \_\_\_\_\_ if the time \_\_\_\_\_ automatic control \_\_\_\_\_ correct?

\_\_\_\_\_ time settings in automated \_\_\_\_\_ programmed.

\_\_\_\_\_ time settings \_\_\_\_\_ automated system \_\_\_\_\_?

\_\_\_\_\_ automated \_\_\_\_\_ systems \_\_\_\_\_ operate on time?

Can \_\_\_\_\_ the \_\_\_\_\_ within \_\_\_\_\_ control systems be programmed?

Do all \_\_\_\_\_ the \_\_\_\_\_ controls' setup?

\_\_\_\_\_ the time setting \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ correct time \_\_\_\_\_ for automated control systems \_\_\_\_\_?

Is \_\_\_\_\_ settings right?

\_\_\_\_\_ the necessary time \_\_\_\_\_ on my automated \_\_\_\_\_?

\_\_\_\_\_ the automated \_\_\_\_\_ programmed \_\_\_\_\_ work in relevant \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ time \_\_\_\_\_ in automated control \_\_\_\_\_ work?

\_\_\_\_\_ know \_\_\_\_\_ have the \_\_\_\_\_ control systems setting \_\_\_\_\_?

\_\_\_\_\_ the time settings \_\_\_\_\_ a control \_\_\_\_\_ programmed correctly?

Did you \_\_\_\_\_ that the \_\_\_\_\_ settings \_\_\_\_\_ automated \_\_\_\_\_ units \_\_\_\_\_ correct?

Were \_\_\_\_\_ time settings \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ programmed correctly for my automated system?

Does all of \_\_\_\_\_ settings work \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ perfectly on your auto-control \_\_\_\_\_?

Is the appropriate \_\_\_\_\_ settings \_\_\_\_\_ automated \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ all time settings within \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ automated \_\_\_\_\_ programmed to \_\_\_\_\_ time settings?

Are automated control \_\_\_\_\_ programmed to \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ the relevant time \_\_\_\_\_ automation controls \_\_\_\_\_ correctly?

\_\_\_\_\_ the time settings \_\_\_\_\_ controlled \_\_\_\_\_?

Are \_\_\_\_\_ sure that \_\_\_\_\_ automated \_\_\_\_\_ set times \_\_\_\_\_?

\_\_\_\_\_ all necessary timelines \_\_\_\_\_ the controls?

Do the \_\_\_\_\_ have \_\_\_\_\_ settings?

\_\_\_\_\_ the designated \_\_\_\_\_ settings integrated into \_\_\_\_\_?

\_\_\_\_\_ everything receive the appropriate \_\_\_\_\_ auto-control mechanisms?

What time \_\_\_\_\_ has \_\_\_\_\_ automation \_\_\_\_\_ correctly?

Does \_\_\_\_\_ the control \_\_\_\_\_ have been programmed \_\_\_\_\_?

Is it \_\_\_\_\_ that \_\_\_\_\_ time \_\_\_\_\_ are \_\_\_\_\_ on \_\_\_\_\_ system?

\_\_\_\_\_ setting up all \_\_\_\_\_ for automatic \_\_\_\_\_?

\_\_\_\_\_ programmed the \_\_\_\_\_ time settings \_\_\_\_\_ automation controls?  
 Have you made sure the necessary \_\_\_\_\_ automated \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ for automated control systems set?  
 The automation \_\_\_\_\_ have the relevant \_\_\_\_\_ set \_\_\_\_\_.  
 \_\_\_\_\_ time settings \_\_\_\_\_ beprogrammed \_\_\_\_\_ control systems.  
 \_\_\_\_\_ time settings been \_\_\_\_\_ in the \_\_\_\_\_ controls?  
 \_\_\_\_\_ control systems \_\_\_\_\_ have all time \_\_\_\_\_ in \_\_\_\_\_.  
 \_\_\_\_\_ relevant, \_\_\_\_\_ time settings \_\_\_\_\_ automated control systems?  
 \_\_\_\_\_ the timing \_\_\_\_\_ your \_\_\_\_\_ mechanisms configured \_\_\_\_\_ required?  
 Is the \_\_\_\_\_ set accurate \_\_\_\_\_.  
 \_\_\_\_\_ time settings look right in \_\_\_\_\_?  
 Do \_\_\_\_\_ set \_\_\_\_\_ the \_\_\_\_\_ controls look \_\_\_\_\_?  
 Do \_\_\_\_\_ correct time settings for \_\_\_\_\_?  
 \_\_\_\_\_ settings \_\_\_\_\_ in control systems?  
 Is \_\_\_\_\_ settings \_\_\_\_\_ control systemsprogrammed?  
 Are \_\_\_\_\_ sure \_\_\_\_\_ automated control \_\_\_\_\_ times?  
 Are you certain that \_\_\_\_\_ control \_\_\_\_\_ setting \_\_\_\_\_?  
 All time settings were \_\_\_\_\_?  
 Did \_\_\_\_\_ set up \_\_\_\_\_ correct \_\_\_\_\_ automated control \_\_\_\_\_?  
 \_\_\_\_\_ you set \_\_\_\_\_ time \_\_\_\_\_ the \_\_\_\_\_ control systems?  
 \_\_\_\_\_ you \_\_\_\_\_ time settings in \_\_\_\_\_?  
 \_\_\_\_\_ control \_\_\_\_\_ properly set all \_\_\_\_\_?  
 Do all of the \_\_\_\_\_ control \_\_\_\_\_?  
 Are \_\_\_\_\_ control \_\_\_\_\_ work according to \_\_\_\_\_ settings?  
 \_\_\_\_\_ of \_\_\_\_\_ time \_\_\_\_\_ inautomated \_\_\_\_\_ systems \_\_\_\_\_ be programmed  
 Do \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ systems correspond?  
 \_\_\_\_\_ everything get \_\_\_\_\_ proper timing inputs \_\_\_\_\_ auto-control \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ all \_\_\_\_\_ automatic controls?  
 Is all \_\_\_\_\_ settings \_\_\_\_\_ in \_\_\_\_\_ control systems?  
 Are all \_\_\_\_\_ in \_\_\_\_\_ control systems \_\_\_\_\_?  
 Is \_\_\_\_\_ program accurate \_\_\_\_\_ settings into \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ programming of time \_\_\_\_\_ to be ensured.  
 Does your \_\_\_\_\_ program setup \_\_\_\_\_ with \_\_\_\_\_ applicable \_\_\_\_\_?  
 Correct \_\_\_\_\_ time settings \_\_\_\_\_ systems is required.  
 Correct programming \_\_\_\_\_ settings \_\_\_\_\_ systems are \_\_\_\_\_.  
 Does your \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ configured?  
 \_\_\_\_\_ you \_\_\_\_\_ time \_\_\_\_\_ automation systems?  
 \_\_\_\_\_ of \_\_\_\_\_ settings correct in \_\_\_\_\_.  
 There \_\_\_\_\_ accurate programming of \_\_\_\_\_ parameters in \_\_\_\_\_.  
 Did \_\_\_\_\_ time \_\_\_\_\_ in your control units are \_\_\_\_\_?  
 \_\_\_\_\_ time settings \_\_\_\_\_ controls been set correct?  
 Are the \_\_\_\_\_ programmed \_\_\_\_\_ specific time \_\_\_\_\_?  
 In \_\_\_\_\_ are \_\_\_\_\_ time settings \_\_\_\_\_?  
 Are there \_\_\_\_\_ of temporal \_\_\_\_\_ auto-control \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ auto-controlled systems \_\_\_\_\_?  
 \_\_\_\_\_ time settings \_\_\_\_\_ correctly in your \_\_\_\_\_?  
 Are the \_\_\_\_\_ work in accordance with relevant \_\_\_\_\_?  
 Can time \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ all of the \_\_\_\_\_ inautomated control systems \_\_\_\_\_?  
 All \_\_\_\_\_ the time \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ been programmed \_\_\_\_\_.

Are \_\_\_\_ relevant \_\_\_\_ settings \_\_\_\_ control \_\_\_\_ in line?

Does \_\_\_\_ of \_\_\_\_ time settings \_\_\_\_ work?

\_\_\_\_ the time settings \_\_\_\_ controls \_\_\_\_ right?

\_\_\_\_ of time settings \_\_\_\_ automation?

\_\_\_\_ automated control \_\_\_\_ settings \_\_\_\_ accurately?

\_\_\_\_ you certain \_\_\_\_ control \_\_\_\_ are setting times \_\_\_\_?

Can \_\_\_\_ relevant \_\_\_\_ settings be programmed \_\_\_\_ control \_\_\_\_?

\_\_\_\_ timing adjustments \_\_\_\_ configured \_\_\_\_ your \_\_\_\_ mechanisms?

\_\_\_\_ time settings \_\_\_\_ automated control \_\_\_\_ be set \_\_\_\_?

Are the times \_\_\_\_ system?

\_\_\_\_ all \_\_\_\_ time settings \_\_\_\_ control \_\_\_\_ programmed correctly?

\_\_\_\_ your automated \_\_\_\_ programmed \_\_\_\_ time?

\_\_\_\_ of \_\_\_\_ settings is \_\_\_\_ the automation \_\_\_\_ used.

\_\_\_\_ settings \_\_\_\_ within \_\_\_\_ control systems?

\_\_\_\_ the program \_\_\_\_ settings correct \_\_\_\_?

Are \_\_\_\_ time settings \_\_\_\_ within \_\_\_\_ systems?

\_\_\_\_ should \_\_\_\_ all time settings \_\_\_\_ correctly.

Do \_\_\_\_ time \_\_\_\_ follow \_\_\_\_ configuration \_\_\_\_ automated controls?

Is \_\_\_\_ setting \_\_\_\_ for automatic \_\_\_\_?

Does all \_\_\_\_ the \_\_\_\_ automated control \_\_\_\_ been programmed?

\_\_\_\_ settings in \_\_\_\_ automated \_\_\_\_ systems \_\_\_\_?

\_\_\_\_ all the time \_\_\_\_ of \_\_\_\_ systems \_\_\_\_ been programmed \_\_\_\_?

\_\_\_\_ auto-control \_\_\_\_ provide \_\_\_\_ appropriate \_\_\_\_ inputs?

Does all \_\_\_\_ time \_\_\_\_ the automated \_\_\_\_ systems?

Are \_\_\_\_ settings \_\_\_\_ automated \_\_\_\_ accurate?

\_\_\_\_ you know you have automated \_\_\_\_ systems \_\_\_\_?

\_\_\_\_ make sure your \_\_\_\_ control \_\_\_\_ time settings?

Does \_\_\_\_ that are \_\_\_\_ in \_\_\_\_ controls look \_\_\_\_?

\_\_\_\_ systems \_\_\_\_ the relevant times settings correctly.

Did you set the correct \_\_\_\_?

\_\_\_\_ controls set \_\_\_\_ time \_\_\_\_ is?

\_\_\_\_ you program the \_\_\_\_ the \_\_\_\_ controls?

Is \_\_\_\_ programming \_\_\_\_ temporal parameters \_\_\_\_ auto-control \_\_\_\_?

\_\_\_\_ all of your \_\_\_\_ mechanisms \_\_\_\_ timing \_\_\_\_?

\_\_\_\_ your \_\_\_\_ have all \_\_\_\_ time \_\_\_\_ configured?

Did all \_\_\_\_ appropriate \_\_\_\_ inputs?

You know \_\_\_\_ automated \_\_\_\_ are setting \_\_\_\_?

Do relevant \_\_\_\_ follow correct \_\_\_\_ controls?

Is time settings \_\_\_\_ programmed \_\_\_\_?

\_\_\_\_ you make \_\_\_\_ to \_\_\_\_ accurate \_\_\_\_ settings \_\_\_\_ control units?

\_\_\_\_ wonder if the time \_\_\_\_ that \_\_\_\_ set \_\_\_\_ look right.

\_\_\_\_ you make sure to program \_\_\_\_ settings \_\_\_\_ your \_\_\_\_?

I would like \_\_\_\_ the \_\_\_\_ set the appropriate \_\_\_\_ for \_\_\_\_.

\_\_\_\_ the \_\_\_\_ control systems right?

\_\_\_\_ of \_\_\_\_ within automated control \_\_\_\_ should be \_\_\_\_ correctly.

\_\_\_\_ settings correct for \_\_\_\_ control \_\_\_\_?

\_\_\_\_ all of \_\_\_\_ time \_\_\_\_ systems should \_\_\_\_ programmed correctly?

Is the \_\_\_\_ set to \_\_\_\_ on \_\_\_\_ settings?

\_\_\_\_ you \_\_\_\_ the \_\_\_\_ in your automated control \_\_\_\_ were \_\_\_\_?

Is \_\_\_\_ all \_\_\_\_ settings programmed \_\_\_\_ your \_\_\_\_?



Is \_\_\_\_\_ in your control \_\_\_\_\_?

Did \_\_\_\_\_ settings \_\_\_\_\_ correct for your automated control \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ accurate in auto-controlled \_\_\_\_\_.

\_\_\_\_\_ settings accurately programmed \_\_\_\_\_ systems?

\_\_\_\_\_ the automation \_\_\_\_\_ the correct \_\_\_\_\_?

\_\_\_\_\_ the time settings in the \_\_\_\_\_ control \_\_\_\_\_?

Do \_\_\_\_\_ settings work in \_\_\_\_\_ controlled \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ control \_\_\_\_\_ programmed \_\_\_\_\_ work on certain \_\_\_\_\_?

\_\_\_\_\_ controllers \_\_\_\_\_ to work \_\_\_\_\_ time settings?

\_\_\_\_\_ the \_\_\_\_\_ control settings \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ controls \_\_\_\_\_ up the \_\_\_\_\_ time settings \_\_\_\_\_?

\_\_\_\_\_ relevant \_\_\_\_\_ settings \_\_\_\_\_ programmed correctly in automatic \_\_\_\_\_ systems.

\_\_\_\_\_ control systems have time \_\_\_\_\_ them.

Have \_\_\_\_\_ automation \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ time?

Could \_\_\_\_\_ confirm that the time \_\_\_\_\_ control \_\_\_\_\_ have been \_\_\_\_\_?

Do \_\_\_\_\_ all time \_\_\_\_\_ for \_\_\_\_\_ controls?

Are \_\_\_\_\_ systems programmed \_\_\_\_\_ on time?

If the \_\_\_\_\_ schedule configurations for automatic control systems \_\_\_\_\_ been \_\_\_\_\_?

In \_\_\_\_\_ control systems \_\_\_\_\_ settings \_\_\_\_\_?

\_\_\_\_\_ sure you \_\_\_\_\_ systems \_\_\_\_\_ times correctly?

Your automated control \_\_\_\_\_ have \_\_\_\_\_ time \_\_\_\_\_ programmed \_\_\_\_\_.

Are \_\_\_\_\_ settings programmed \_\_\_\_\_ in \_\_\_\_\_ control systems?

\_\_\_\_\_ all \_\_\_\_\_ programmed \_\_\_\_\_ your automated control systems?

Have \_\_\_\_\_ programmed \_\_\_\_\_ in your \_\_\_\_\_?

\_\_\_\_\_ the time \_\_\_\_\_ in \_\_\_\_\_ controls \_\_\_\_\_?

You should have \_\_\_\_\_ relevant \_\_\_\_\_ programmed in \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ controls set \_\_\_\_\_ right?

How are the time \_\_\_\_\_ configured \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ you have automated \_\_\_\_\_ setting \_\_\_\_\_ correct?

Did \_\_\_\_\_ use \_\_\_\_\_ for \_\_\_\_\_ control systems?

\_\_\_\_\_ correct \_\_\_\_\_ settings \_\_\_\_\_ automated control \_\_\_\_\_?

\_\_\_\_\_ sure that your \_\_\_\_\_ control \_\_\_\_\_ had accurate \_\_\_\_\_ in place?

\_\_\_\_\_ relevant time settings \_\_\_\_\_ your automation \_\_\_\_\_ should \_\_\_\_\_.

\_\_\_\_\_ time settings within the \_\_\_\_\_ systems \_\_\_\_\_?

Have the necessary \_\_\_\_\_ set \_\_\_\_\_ controls?

Have you \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_?

Are the time settings correctly \_\_\_\_\_?

\_\_\_\_\_ of the time settings \_\_\_\_\_ in automated \_\_\_\_\_.

\_\_\_\_\_ it correct \_\_\_\_\_ set all time settings \_\_\_\_\_?

Are \_\_\_\_\_ automated \_\_\_\_\_ systems \_\_\_\_\_ with time settings \_\_\_\_\_ appropriate?

Did \_\_\_\_\_ the all \_\_\_\_\_ compatible with \_\_\_\_\_ controls?

\_\_\_\_\_ your auto-control \_\_\_\_\_ the \_\_\_\_\_ adjustments configured \_\_\_\_\_ required?

Does \_\_\_\_\_ time settings \_\_\_\_\_ automated \_\_\_\_\_ systems?

\_\_\_\_\_ relevant time settings \_\_\_\_\_ needed \_\_\_\_\_ automation systems.

Is timing \_\_\_\_\_ configured on \_\_\_\_\_?

Correct programming \_\_\_\_\_ for \_\_\_\_\_ systems is \_\_\_\_\_.

Is \_\_\_\_\_ correctly \_\_\_\_\_ within \_\_\_\_\_ control systems?

\_\_\_\_\_ is \_\_\_\_\_ up correctly in \_\_\_\_\_ automation controls?

\_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ systems accurate?

\_\_\_\_\_ automation controls have \_\_\_\_\_ relevant time settings \_\_\_\_\_?

Does \_\_\_\_\_ setting \_\_\_\_\_ control \_\_\_\_\_ work \_\_\_\_\_?

\_\_\_\_\_ control \_\_\_\_\_ to \_\_\_\_\_ on time?

\_\_\_\_\_ settings \_\_\_\_\_ in the automated \_\_\_\_\_ systems?

\_\_\_\_\_ time settings \_\_\_\_\_ in \_\_\_\_\_ controlled systems?

If \_\_\_\_\_ you \_\_\_\_\_ time settings \_\_\_\_\_ your \_\_\_\_\_ controls?

Does \_\_\_\_\_ within automated control \_\_\_\_\_ been programmed \_\_\_\_\_?

"Are all \_\_\_\_\_ automated control \_\_\_\_\_ in order? \_\_\_\_\_

\_\_\_\_\_ set \_\_\_\_\_ correct time settings for automated \_\_\_\_\_ systems?

There is a \_\_\_\_\_ regarding the \_\_\_\_\_ the \_\_\_\_\_.

Can \_\_\_\_\_ the time settings within \_\_\_\_\_?

\_\_\_\_\_ the relevant \_\_\_\_\_ settings \_\_\_\_\_ correctly in \_\_\_\_\_ controls?

Does \_\_\_\_\_ time settings in automated \_\_\_\_\_ to \_\_\_\_\_ programmed correctly?

Can you \_\_\_\_\_ me if it's \_\_\_\_\_ to \_\_\_\_\_ setup \_\_\_\_\_ the \_\_\_\_\_ systems?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ programmed have the correct \_\_\_\_\_?

\_\_\_\_\_ time settings \_\_\_\_\_ the automated control \_\_\_\_\_?

\_\_\_\_\_ programming \_\_\_\_\_ the temporal parameters in \_\_\_\_\_ processes?

Have you \_\_\_\_\_ sure the \_\_\_\_\_ are correct \_\_\_\_\_ systems?

\_\_\_\_\_ the \_\_\_\_\_ settings integrated \_\_\_\_\_ the automated \_\_\_\_\_?

\_\_\_\_\_ possible that all \_\_\_\_\_ settings within \_\_\_\_\_ control systems \_\_\_\_\_?

Are \_\_\_\_\_ automated control \_\_\_\_\_ to work \_\_\_\_\_ the relevant \_\_\_\_\_?

Automatic \_\_\_\_\_ systems \_\_\_\_\_ to program \_\_\_\_\_ relevant times \_\_\_\_\_.

Have the time \_\_\_\_\_ been \_\_\_\_\_ correctly within \_\_\_\_\_?

Did \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ for automated \_\_\_\_\_ systems?

\_\_\_\_\_ it \_\_\_\_\_ setup all time settings \_\_\_\_\_ control \_\_\_\_\_

Are the \_\_\_\_\_ time settings \_\_\_\_\_ in \_\_\_\_\_ systems?

\_\_\_\_\_ the time set \_\_\_\_\_ systems \_\_\_\_\_?

What time \_\_\_\_\_ automation \_\_\_\_\_ set \_\_\_\_\_ correctly?

\_\_\_\_\_ all relevant \_\_\_\_\_ the control \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ control systems have \_\_\_\_\_ programmed correctly?

\_\_\_\_\_ for certain time \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ all of \_\_\_\_\_ time settings \_\_\_\_\_ correctly \_\_\_\_\_ the \_\_\_\_\_ control \_\_\_\_\_?

Do \_\_\_\_\_ time \_\_\_\_\_ automation controls?

\_\_\_\_\_ the time \_\_\_\_\_ your \_\_\_\_\_ controls \_\_\_\_\_?

Did \_\_\_\_\_ your automated \_\_\_\_\_ units \_\_\_\_\_ accurate time settings?

Can you \_\_\_\_\_ for automatic \_\_\_\_\_ systems have \_\_\_\_\_ inputted?

\_\_\_\_\_ time settings accurate \_\_\_\_\_ auto-controlled \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ control systems \_\_\_\_\_ to \_\_\_\_\_ on \_\_\_\_\_ settings?

Correct programming of the \_\_\_\_\_ systems \_\_\_\_\_ needed.

\_\_\_\_\_ the time settings \_\_\_\_\_ the \_\_\_\_\_ controls?

\_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ your automated system \_\_\_\_\_ properly \_\_\_\_\_?

Are you \_\_\_\_\_ the correct time settings \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ sure that \_\_\_\_\_ automated \_\_\_\_\_ correct time settings?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ possible to properly setup \_\_\_\_\_ control systems?

\_\_\_\_\_ automation \_\_\_\_\_ have the \_\_\_\_\_ time settings \_\_\_\_\_ up?

\_\_\_\_\_ that you have \_\_\_\_\_ systems setting \_\_\_\_\_ correct?

\_\_\_\_\_ all of \_\_\_\_\_ control systems have been \_\_\_\_\_ correctly?

\_\_\_\_\_ you make sure your control \_\_\_\_\_ accurate \_\_\_\_\_?

\_\_\_\_\_ settings in your automated control \_\_\_\_\_ be \_\_\_\_\_.

Correct programming \_\_\_\_\_ time settings \_\_\_\_\_ the \_\_\_\_\_ systems has \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ into your automation \_\_\_\_\_

Does \_\_\_\_ of \_\_\_\_ settings \_\_\_\_ should be programmed?

Is the \_\_\_\_ settings \_\_\_\_ in \_\_\_\_?

\_\_\_\_ timings entered \_\_\_\_ your \_\_\_\_ gear?

Does \_\_\_\_ set the \_\_\_\_ settings for \_\_\_\_?

Did \_\_\_\_ control \_\_\_\_ you \_\_\_\_ have \_\_\_\_ schedules?

\_\_\_\_ time settings \_\_\_\_ correctly programmed in your \_\_\_\_.

\_\_\_\_ all time inputs follow \_\_\_\_ configuration \_\_\_\_?

Is \_\_\_\_ accurate programming for temporal \_\_\_\_?

Does \_\_\_\_ control \_\_\_\_ all of the time \_\_\_\_?

\_\_\_\_ of automated control \_\_\_\_ be programmed correctly?

\_\_\_\_ it possible to \_\_\_\_ programming \_\_\_\_ parameters \_\_\_\_ auto-control \_\_\_\_?

If needed, \_\_\_\_ you \_\_\_\_ your automation controls?

\_\_\_\_ are \_\_\_\_ settings set up \_\_\_\_ the \_\_\_\_ controls?

\_\_\_\_ are \_\_\_\_ relevant time settings programmed \_\_\_\_ control \_\_\_\_?

\_\_\_\_ time settings \_\_\_\_ automated \_\_\_\_ systems right?

\_\_\_\_ control systems need to \_\_\_\_ all \_\_\_\_ settings programmed \_\_\_\_.

Does all of \_\_\_\_ time \_\_\_\_ systems work \_\_\_\_?

Will the time settings in \_\_\_\_ correctly?

Did your auto-control \_\_\_\_ inputs?

Does all of the \_\_\_\_ have been \_\_\_\_ correctly?

Are the settings \_\_\_\_ accurate?

\_\_\_\_ of time \_\_\_\_ in \_\_\_\_ correct?

\_\_\_\_ available, \_\_\_\_ settings configured \_\_\_\_ within the control \_\_\_\_?

Are \_\_\_\_ relevant \_\_\_\_ programmed \_\_\_\_ automated control systems?

Is all \_\_\_\_ settings correctly programmed \_\_\_\_ automated \_\_\_\_?

Did \_\_\_\_ make \_\_\_\_ the \_\_\_\_ settings were \_\_\_\_ for the \_\_\_\_?

\_\_\_\_ the time \_\_\_\_ configurations for automatic \_\_\_\_ systems have \_\_\_\_ inputted \_\_\_\_.

\_\_\_\_ the time schedule configurations \_\_\_\_ control \_\_\_\_ inputted?

Was \_\_\_\_ time \_\_\_\_ right \_\_\_\_ automatic \_\_\_\_?

Are \_\_\_\_ the \_\_\_\_ control systems in \_\_\_\_?

\_\_\_\_ accurately \_\_\_\_ into \_\_\_\_ automation gear?

\_\_\_\_ make \_\_\_\_ program \_\_\_\_ time settings into the control \_\_\_\_?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ the control \_\_\_\_ match up?

\_\_\_\_ the \_\_\_\_ times entered \_\_\_\_ the automation \_\_\_\_?

\_\_\_\_ have \_\_\_\_ automized controls been \_\_\_\_ relevant \_\_\_\_ variables?

\_\_\_\_ automated control systems programmed \_\_\_\_ work \_\_\_\_ times?

Can all \_\_\_\_ control systems be programmed?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ automated \_\_\_\_ systems?

\_\_\_\_ the \_\_\_\_ time \_\_\_\_ in automated \_\_\_\_ systems?

\_\_\_\_ automated control systems \_\_\_\_ settings?

\_\_\_\_ programming of relevant \_\_\_\_ be correct in \_\_\_\_?

Can all of the \_\_\_\_ beprogrammed?

Is \_\_\_\_ of temporal parameters \_\_\_\_ the \_\_\_\_ processes?

Is \_\_\_\_ necessary \_\_\_\_ are adjusted on my \_\_\_\_ system?

What \_\_\_\_ have been set \_\_\_\_ according \_\_\_\_ automation controls?

\_\_\_\_ control systems \_\_\_\_ to \_\_\_\_ the time settings?

\_\_\_\_ there appropriate time \_\_\_\_ in \_\_\_\_ control \_\_\_\_?

\_\_\_\_ time setting \_\_\_\_ automation?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ correctly in the \_\_\_\_ systems?

\_\_\_\_ time \_\_\_\_ automated control systems?

\_\_\_\_\_ the automated \_\_\_\_\_ systems are \_\_\_\_\_ times correctly?

All \_\_\_\_\_ time settings \_\_\_\_\_ systems should be \_\_\_\_\_.

Are \_\_\_\_\_ control systems programmed to \_\_\_\_\_ settings \_\_\_\_\_ the time \_\_\_\_\_ for \_\_\_\_\_ systems?

Does the \_\_\_\_\_ have proper \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ in the \_\_\_\_\_ controls \_\_\_\_\_?

\_\_\_\_\_ feasible to properly \_\_\_\_\_ all time settings within \_\_\_\_\_?

\_\_\_\_\_ time settings in \_\_\_\_\_ should be \_\_\_\_\_ correctly.

If \_\_\_\_\_ you programmed \_\_\_\_\_ in your controls?

All time \_\_\_\_\_ in automated \_\_\_\_\_ should \_\_\_\_\_ programmed \_\_\_\_\_.

\_\_\_\_\_ the time \_\_\_\_\_ correct?

Do \_\_\_\_\_ setting \_\_\_\_\_ the \_\_\_\_\_ look right?

\_\_\_\_\_ programming for relevant times \_\_\_\_\_?

\_\_\_\_\_ time \_\_\_\_\_ have \_\_\_\_\_ controls \_\_\_\_\_ up correctly?

Is \_\_\_\_\_ timing adjustments \_\_\_\_\_ on \_\_\_\_\_ mechanisms?

\_\_\_\_\_ of \_\_\_\_\_ settings in automated \_\_\_\_\_ work?

\_\_\_\_\_ settings integrated into the \_\_\_\_\_?

\_\_\_\_\_ all necessary time parameters are \_\_\_\_\_ my automated \_\_\_\_\_?

Are the \_\_\_\_\_ settings \_\_\_\_\_ the automated \_\_\_\_\_?

Have all necessary \_\_\_\_\_ parameters \_\_\_\_\_ automated system?

The time \_\_\_\_\_ are set \_\_\_\_\_ automation \_\_\_\_\_ should \_\_\_\_\_ right.

\_\_\_\_\_ the time settings \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ correctly?

\_\_\_\_\_ time settings in the \_\_\_\_\_ work \_\_\_\_\_?

Is \_\_\_\_\_ programming of \_\_\_\_\_ correct in \_\_\_\_\_?

Did you \_\_\_\_\_ correct hours \_\_\_\_\_ automated \_\_\_\_\_?

\_\_\_\_\_ relevant \_\_\_\_\_ inputs follow proper configuration \_\_\_\_\_?

Is all of \_\_\_\_\_ time \_\_\_\_\_ in \_\_\_\_\_ programmed?

Did \_\_\_\_\_ the \_\_\_\_\_ settings in \_\_\_\_\_ automation \_\_\_\_\_?

\_\_\_\_\_ time \_\_\_\_\_ follow proper \_\_\_\_\_ within automated controls.

Did \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ automated control systems?

Are \_\_\_\_\_ configured for the \_\_\_\_\_?

\_\_\_\_\_ you sure that \_\_\_\_\_ control systems \_\_\_\_\_ correct?

Are \_\_\_\_\_ you have automated \_\_\_\_\_ systems \_\_\_\_\_ times \_\_\_\_\_?

Do you \_\_\_\_\_ the proper \_\_\_\_\_ configured within \_\_\_\_\_?

Are all time settings \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ the time \_\_\_\_\_ in the \_\_\_\_\_ programmed?

\_\_\_\_\_ settings \_\_\_\_\_ systems accurate?

\_\_\_\_\_ make sure the necessary time \_\_\_\_\_ automated system?

You sure the \_\_\_\_\_ setting \_\_\_\_\_ correct?

\_\_\_\_\_ settings \_\_\_\_\_ be set properly in \_\_\_\_\_ systems.

Does \_\_\_\_\_ the time settings in \_\_\_\_\_ work \_\_\_\_\_?

Correct \_\_\_\_\_ time \_\_\_\_\_ automation systems is \_\_\_\_\_ must.

\_\_\_\_\_ the \_\_\_\_\_ settings work \_\_\_\_\_ systems?

Are \_\_\_\_\_ into \_\_\_\_\_ automation gear?

Is it possible \_\_\_\_\_ the time \_\_\_\_\_ system \_\_\_\_\_ programmed \_\_\_\_\_?

\_\_\_\_\_ time \_\_\_\_\_ your \_\_\_\_\_ systems be programmed correctly?

\_\_\_\_\_ the time settings \_\_\_\_\_ automation systems were correct?

\_\_\_\_\_ you use correct schedules \_\_\_\_\_ your \_\_\_\_\_?

Are the time settings in \_\_\_\_\_?

Did you program \_\_\_\_\_ your \_\_\_\_\_ control units?

\_\_\_\_ programming \_\_\_\_ time settings \_\_\_\_ the \_\_\_\_ systems \_\_\_\_ necessary.  
 \_\_\_\_ the time settings \_\_\_\_ be programmed correctly?  
 Is the automated \_\_\_\_ programmed to \_\_\_\_ on \_\_\_\_?  
 \_\_\_\_ controls been \_\_\_\_ correct \_\_\_\_ time variables?  
 \_\_\_\_ programming of time settings \_\_\_\_ automation systems.  
 \_\_\_\_ time \_\_\_\_ within control systems \_\_\_\_ correctly?  
 Has \_\_\_\_ been programmed into your automation \_\_\_\_?  
 Can all \_\_\_\_ settings \_\_\_\_ the control systems?  
 \_\_\_\_ settings \_\_\_\_ automated \_\_\_\_ systems \_\_\_\_ programmed correctly?  
 \_\_\_\_ the automized \_\_\_\_ for \_\_\_\_ variables?  
 Are \_\_\_\_ appropriate time settings \_\_\_\_ in \_\_\_\_ automated \_\_\_\_?  
 Were \_\_\_\_ adjustments programmed \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ the time \_\_\_\_ automated control \_\_\_\_ set \_\_\_\_?  
 Do \_\_\_\_ time \_\_\_\_ are set \_\_\_\_ automation \_\_\_\_ make sense?  
 Does the \_\_\_\_ work in \_\_\_\_ system?  
 Are \_\_\_\_ planned times \_\_\_\_ gear?  
 Are \_\_\_\_ systems \_\_\_\_ use \_\_\_\_ settings?  
 Is \_\_\_\_ settings \_\_\_\_ up correctly \_\_\_\_ automation controls?  
 Does \_\_\_\_ the time \_\_\_\_ within an automated \_\_\_\_?  
 Is all \_\_\_\_ settings \_\_\_\_ within the \_\_\_\_?  
 Did you make \_\_\_\_ all the \_\_\_\_ parameters \_\_\_\_ adjusted on \_\_\_\_?  
 Are the \_\_\_\_ used correctly \_\_\_\_ the \_\_\_\_ system?  
 \_\_\_\_ possible \_\_\_\_ all applicable time \_\_\_\_ are \_\_\_\_ my \_\_\_\_ system?  
 Have \_\_\_\_ the \_\_\_\_ time settings \_\_\_\_ systems?  
 Are the time schedule configurations correctly \_\_\_\_?  
 Is \_\_\_\_ the \_\_\_\_ control systems have been \_\_\_\_ correctly?  
 \_\_\_\_ there an \_\_\_\_ programming \_\_\_\_ parameters in auto-control \_\_\_\_?  
 \_\_\_\_ settings in your \_\_\_\_ system?  
 \_\_\_\_ all time settings \_\_\_\_ control systems?  
 Did \_\_\_\_ were \_\_\_\_ programmed for my automated system?  
 Are the \_\_\_\_ systems \_\_\_\_ to \_\_\_\_ with time \_\_\_\_?  
 \_\_\_\_ time settings \_\_\_\_ automated control systems?  
 \_\_\_\_ the \_\_\_\_ time \_\_\_\_ in \_\_\_\_ control systems?  
 Can you \_\_\_\_ if \_\_\_\_ automatic control systems have been \_\_\_\_?  
 Are \_\_\_\_ time settings accurately \_\_\_\_ up \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ all \_\_\_\_ time \_\_\_\_ the automated \_\_\_\_ system?  
 \_\_\_\_ your time \_\_\_\_ configured \_\_\_\_ your \_\_\_\_ system?  
 \_\_\_\_ sure the \_\_\_\_ settings \_\_\_\_ correctly for the automated \_\_\_\_?  
 \_\_\_\_ time \_\_\_\_ in the automation controls right?  
 Have \_\_\_\_ programmed the time \_\_\_\_ your \_\_\_\_.  
 \_\_\_\_ time settings \_\_\_\_ control systems \_\_\_\_ been programmed \_\_\_\_?  
 Is \_\_\_\_ programmed \_\_\_\_ automated \_\_\_\_ systems?  
 \_\_\_\_ time \_\_\_\_ correctly in automated controls?  
 \_\_\_\_ automated \_\_\_\_ when the time is relevant?  
 Is \_\_\_\_ time settings \_\_\_\_ control \_\_\_\_?  
 \_\_\_\_ systems are setting times correct?  
 \_\_\_\_ automation controls \_\_\_\_ their settings \_\_\_\_ time?  
 Does \_\_\_\_ in automated control \_\_\_\_ should \_\_\_\_ programmed?  
 Was there all the correct \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ sure \_\_\_\_ settings in your control \_\_\_\_ were accurate?

Were \_\_\_\_\_ scheduled \_\_\_\_\_ into \_\_\_\_\_ automation \_\_\_\_\_?  
 Have \_\_\_\_\_ time settings for the \_\_\_\_\_ systems \_\_\_\_\_ correct?  
 Should \_\_\_\_\_ time settings be correct \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ within automated control systems work right?  
 \_\_\_\_\_ required, are \_\_\_\_\_ timing adjustments \_\_\_\_\_ auto- control mechanisms?  
 \_\_\_\_\_ appropriate \_\_\_\_\_ settings \_\_\_\_\_ automated \_\_\_\_\_ systems is \_\_\_\_\_ question.  
 \_\_\_\_\_ programmed \_\_\_\_\_ time \_\_\_\_\_ for automation?  
 \_\_\_\_\_ the automated controls \_\_\_\_\_ time \_\_\_\_\_?  
 \_\_\_\_\_ settings \_\_\_\_\_ be programmed \_\_\_\_\_ work \_\_\_\_\_ automated control systems.  
 \_\_\_\_\_ automatic \_\_\_\_\_ did \_\_\_\_\_ up all \_\_\_\_\_ settings correctly?  
 \_\_\_\_\_ all \_\_\_\_\_ right for automatic controls?  
 Do \_\_\_\_\_ the right time \_\_\_\_\_ inputted \_\_\_\_\_?  
 \_\_\_\_\_ programming \_\_\_\_\_ time \_\_\_\_\_ for the \_\_\_\_\_ systems \_\_\_\_\_ needed.  
 \_\_\_\_\_ relevant \_\_\_\_\_ fit in with automated \_\_\_\_\_?  
 \_\_\_\_\_ auto-control mechanisms give \_\_\_\_\_ timing \_\_\_\_\_?  
 \_\_\_\_\_ automation controls set up the relevant \_\_\_\_\_?  
 Do relevant \_\_\_\_\_ inputs follow proper \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ settings \_\_\_\_\_ control systems work correctly?  
 \_\_\_\_\_ about \_\_\_\_\_ time \_\_\_\_\_ control systems?  
 Is programming \_\_\_\_\_ settings \_\_\_\_\_ correct?  
 Are \_\_\_\_\_ time settings programmed correctly \_\_\_\_\_ system?  
 Are \_\_\_\_\_ in automated control \_\_\_\_\_?  
 \_\_\_\_\_ time \_\_\_\_\_ correct \_\_\_\_\_ automation?  
 Are \_\_\_\_\_ relevant \_\_\_\_\_ settings \_\_\_\_\_ automated control \_\_\_\_\_?  
 \_\_\_\_\_ automated control systems \_\_\_\_\_ correct \_\_\_\_\_?  
 \_\_\_\_\_ relevant, is \_\_\_\_\_ time settings \_\_\_\_\_ in automation?  
 Is the \_\_\_\_\_ temporal parameters \_\_\_\_\_ in \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ fit \_\_\_\_\_ the automation \_\_\_\_\_?  
 Are you sure \_\_\_\_\_ program \_\_\_\_\_ into your \_\_\_\_\_?  
 \_\_\_\_\_ set accurately \_\_\_\_\_ auto-controlled systems?  
 Do \_\_\_\_\_ settings work within the control \_\_\_\_\_?  
 \_\_\_\_\_ timelines coordinate \_\_\_\_\_ your automated \_\_\_\_\_ setup?  
 Can \_\_\_\_\_ confirm \_\_\_\_\_ schedule configurations for automatic control systems \_\_\_\_\_?  
 Are the automation \_\_\_\_\_ time?  
 \_\_\_\_\_ the \_\_\_\_\_ settings been \_\_\_\_\_ the automation controls?  
 \_\_\_\_\_ the control \_\_\_\_\_ time \_\_\_\_\_ configured?  
 Does \_\_\_\_\_ of the time \_\_\_\_\_ the automated control \_\_\_\_\_?  
 Did \_\_\_\_\_ make sure you \_\_\_\_\_ time \_\_\_\_\_ control units?  
 What is the \_\_\_\_\_ settings \_\_\_\_\_ automation \_\_\_\_\_?  
 If relevant, are \_\_\_\_\_ time settings \_\_\_\_\_ in \_\_\_\_\_?  
 Did you \_\_\_\_\_ correct \_\_\_\_\_ your automated \_\_\_\_\_?  
 do the time settings \_\_\_\_\_ the \_\_\_\_\_?  
 All \_\_\_\_\_ settings \_\_\_\_\_ systems \_\_\_\_\_ be programmed correctly.  
 Is \_\_\_\_\_ automated control systems in \_\_\_\_\_?  
 Is \_\_\_\_\_ programmed in automated control \_\_\_\_\_?  
 \_\_\_\_\_ you have the \_\_\_\_\_ time \_\_\_\_\_ in your \_\_\_\_\_?  
 Did you \_\_\_\_\_ the correct \_\_\_\_\_ settings \_\_\_\_\_ systems?  
 \_\_\_\_\_ time \_\_\_\_\_ auto-controlled systems correct?  
 Yeah, \_\_\_\_\_ have \_\_\_\_\_ control \_\_\_\_\_ setting \_\_\_\_\_ correct?  
 Is there \_\_\_\_\_ in \_\_\_\_\_ processes?

Automatic control systems \_\_\_\_\_ of \_\_\_\_\_ settings programmed \_\_\_\_\_.

\_\_\_\_\_ programming of \_\_\_\_\_ correct in \_\_\_\_\_?

Are \_\_\_\_\_ adjustments \_\_\_\_\_ for the \_\_\_\_\_?

Did \_\_\_\_\_ sure all \_\_\_\_\_ settings are \_\_\_\_\_ for \_\_\_\_\_ system?

\_\_\_\_\_ the time settings that \_\_\_\_\_ have look \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ program the time \_\_\_\_\_ for your \_\_\_\_\_ units?

Is \_\_\_\_\_ designated \_\_\_\_\_ settings integrated \_\_\_\_\_ automated \_\_\_\_\_?

The appropriate \_\_\_\_\_ settings \_\_\_\_\_ the \_\_\_\_\_ control systems.

Have \_\_\_\_\_ programs \_\_\_\_\_ control \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ automated control \_\_\_\_\_ work correctly?

Are \_\_\_\_\_ scheduled \_\_\_\_\_ automation gear \_\_\_\_\_?

Are \_\_\_\_\_ time settings \_\_\_\_\_ the \_\_\_\_\_ system?

The time \_\_\_\_\_ within \_\_\_\_\_ systems \_\_\_\_\_ be \_\_\_\_\_ correctly.

\_\_\_\_\_ setup the all time settings \_\_\_\_\_ the control \_\_\_\_\_?

\_\_\_\_\_ of the \_\_\_\_\_ settings \_\_\_\_\_ the automated \_\_\_\_\_ be programmed.

Correct \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ should \_\_\_\_\_ been ensured.

\_\_\_\_\_ systems have \_\_\_\_\_ settings \_\_\_\_\_.

Are \_\_\_\_\_ settings \_\_\_\_\_ up correctly \_\_\_\_\_ the automation \_\_\_\_\_?

\_\_\_\_\_ make sure \_\_\_\_\_ all necessary time \_\_\_\_\_ adjusted on \_\_\_\_\_ system?

As \_\_\_\_\_ timing adjustments meticulously configured \_\_\_\_\_ mechanisms?

\_\_\_\_\_ follow \_\_\_\_\_ configuration within automated \_\_\_\_\_?

If \_\_\_\_\_ are all time settings \_\_\_\_\_ control \_\_\_\_\_?

All of \_\_\_\_\_ in automated \_\_\_\_\_ systems \_\_\_\_\_ programmed correctly

Are all relevant \_\_\_\_\_ settings \_\_\_\_\_ automated control \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ the automation \_\_\_\_\_ perfect?

\_\_\_\_\_ your \_\_\_\_\_ program accurate time \_\_\_\_\_?

Does all \_\_\_\_\_ time \_\_\_\_\_ control \_\_\_\_\_ been programmed correctly?

\_\_\_\_\_ it possible to \_\_\_\_\_ up \_\_\_\_\_ time \_\_\_\_\_ for automatic \_\_\_\_\_?

Is it possible that \_\_\_\_\_ set \_\_\_\_\_ settings \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ time \_\_\_\_\_ the control \_\_\_\_\_ have been programmed \_\_\_\_\_?

Are \_\_\_\_\_ automated \_\_\_\_\_ programmed \_\_\_\_\_ with relevant \_\_\_\_\_ settings?

Are the \_\_\_\_\_ set \_\_\_\_\_?

\_\_\_\_\_ all of \_\_\_\_\_ time \_\_\_\_\_ on the \_\_\_\_\_ systems \_\_\_\_\_?

\_\_\_\_\_ set in \_\_\_\_\_ control systems \_\_\_\_\_?

Are the relevant \_\_\_\_\_ the automated \_\_\_\_\_ systems \_\_\_\_\_?

\_\_\_\_\_ relevant \_\_\_\_\_ inputs follow the \_\_\_\_\_ within \_\_\_\_\_ controls?

\_\_\_\_\_ appropriate timing inputs \_\_\_\_\_ auto-control mechanisms?

\_\_\_\_\_ you confirm that \_\_\_\_\_ schedule \_\_\_\_\_ for \_\_\_\_\_ control systems have \_\_\_\_\_?

Are \_\_\_\_\_ times \_\_\_\_\_ automated \_\_\_\_\_ systems \_\_\_\_\_?

Is \_\_\_\_\_ programming \_\_\_\_\_ temporal \_\_\_\_\_ auto-control \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ controls?

Did you set the \_\_\_\_\_ settings \_\_\_\_\_ systems?

\_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ systems setting times \_\_\_\_\_?

Is it possible \_\_\_\_\_ correctly \_\_\_\_\_ all \_\_\_\_\_ systems?

Do automated control \_\_\_\_\_ relevant time \_\_\_\_\_?

\_\_\_\_\_ conceivable \_\_\_\_\_ properly setup \_\_\_\_\_ settings \_\_\_\_\_ the control systems.

\_\_\_\_\_ have accurate time settings?

Do \_\_\_\_\_ relevant \_\_\_\_\_ coordinate with the \_\_\_\_\_ controls' \_\_\_\_\_?

Have you programmed \_\_\_\_\_ controls?

Does \_\_\_\_\_ automated \_\_\_\_\_ have \_\_\_\_\_ necessary time \_\_\_\_\_?

\_\_\_\_ the time settings \_\_\_\_ systems \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ your automation gear \_\_\_\_?  
 \_\_\_\_ time settings \_\_\_\_ the automation \_\_\_\_ look \_\_\_\_?  
 \_\_\_\_ all time \_\_\_\_ correctly programmed \_\_\_\_ systems?  
 Does \_\_\_\_ of the time \_\_\_\_ automation control \_\_\_\_?  
 Is \_\_\_\_ relevant time settings are \_\_\_\_ automated \_\_\_\_ systems?  
 Are \_\_\_\_ schedule \_\_\_\_ for \_\_\_\_ systems correct?  
 Did \_\_\_\_ the correct time \_\_\_\_ for \_\_\_\_ control systems?  
 Does the time settings \_\_\_\_ the \_\_\_\_ correctly?  
 \_\_\_\_ configured correctly within \_\_\_\_ control \_\_\_\_?  
 \_\_\_\_ time settings \_\_\_\_ be programmed in the \_\_\_\_.  
 \_\_\_\_ time \_\_\_\_ in \_\_\_\_ control systems work \_\_\_\_?  
 Are \_\_\_\_ settings correctly set up \_\_\_\_ controls?  
 The \_\_\_\_ time \_\_\_\_ need to be \_\_\_\_ correctly within \_\_\_\_.  
 Is time \_\_\_\_ accurate \_\_\_\_ systems?  
 \_\_\_\_ all of the time settings in \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ setup all time \_\_\_\_ the \_\_\_\_ systems?  
 Are the \_\_\_\_ control \_\_\_\_ at the \_\_\_\_ times?  
 \_\_\_\_ ensured \_\_\_\_ correct programming of time \_\_\_\_ automation \_\_\_\_?  
 All \_\_\_\_ time \_\_\_\_ in automated \_\_\_\_ systems \_\_\_\_ be \_\_\_\_ correctly.  
 Are the \_\_\_\_ time \_\_\_\_ into \_\_\_\_?  
 \_\_\_\_ the necessary timelines \_\_\_\_ configured \_\_\_\_ on \_\_\_\_?  
 Are the \_\_\_\_ control \_\_\_\_ to work \_\_\_\_ times?  
 If needed, have \_\_\_\_ programmed \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ controls?  
 Do you have \_\_\_\_ correct \_\_\_\_ in \_\_\_\_ automation \_\_\_\_?  
 \_\_\_\_ time settings \_\_\_\_ control \_\_\_\_?  
 Are all the time \_\_\_\_ in \_\_\_\_ control \_\_\_\_?  
 \_\_\_\_ your control systems should \_\_\_\_ properly programmed.  
 Are you \_\_\_\_ the automated control \_\_\_\_ correctly?  
 \_\_\_\_ it possible for the control \_\_\_\_ time settings?  
 \_\_\_\_ the \_\_\_\_ programmed \_\_\_\_ on \_\_\_\_ settings that are appropriate?  
 \_\_\_\_ set up the \_\_\_\_ settings for control \_\_\_\_?  
 Is \_\_\_\_ configured on your auto-control \_\_\_\_ as \_\_\_\_?  
 \_\_\_\_ control \_\_\_\_ need to \_\_\_\_ times \_\_\_\_ correctly.  
 \_\_\_\_ of time settings \_\_\_\_ automation systems \_\_\_\_ be \_\_\_\_.  
 \_\_\_\_ time settings within the \_\_\_\_ systems \_\_\_\_?  
 Do \_\_\_\_ control \_\_\_\_ time settings \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ to work \_\_\_\_ the relevant time \_\_\_\_?  
 Did \_\_\_\_ mechanisms give you \_\_\_\_ inputs?  
 Did you \_\_\_\_ correct time \_\_\_\_ for automated control \_\_\_\_?  
 Does \_\_\_\_ time settings for \_\_\_\_ work correctly?  
 Do \_\_\_\_ them \_\_\_\_ control \_\_\_\_ setting times correct?  
 \_\_\_\_ you \_\_\_\_ if the \_\_\_\_ settings in \_\_\_\_ are \_\_\_\_?  
 Will \_\_\_\_ possible to \_\_\_\_ setup \_\_\_\_ settings in \_\_\_\_ systems?  
 What time \_\_\_\_ have been \_\_\_\_ automation controls?  
 Is the \_\_\_\_ correct for the automatic \_\_\_\_?  
 Is \_\_\_\_ settings in the \_\_\_\_ control systems \_\_\_\_ correctly?  
 Does the \_\_\_\_ settings \_\_\_\_ control systems \_\_\_\_ programmed \_\_\_\_?  
 \_\_\_\_ within the controls \_\_\_\_ correctly?  
 \_\_\_\_ the time settings within automated control \_\_\_\_ correctly.



Does all \_\_\_\_ time \_\_\_\_ within \_\_\_\_ have \_\_\_\_ programmed \_\_\_\_?

Did \_\_\_\_ program automated control \_\_\_\_ the \_\_\_\_?

Do all the time settings \_\_\_\_ the \_\_\_\_ been \_\_\_\_?

\_\_\_\_ time \_\_\_\_ in \_\_\_\_ systems work?

\_\_\_\_ make sure that the \_\_\_\_ programmed correctly \_\_\_\_ the \_\_\_\_ system?

Do you have \_\_\_\_ the \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ control \_\_\_\_?

Were \_\_\_\_ settings \_\_\_\_ automated \_\_\_\_ set correctly?

Did \_\_\_\_ time \_\_\_\_ for automatic controls?

Are the \_\_\_\_ systems \_\_\_\_ work \_\_\_\_ correct time?

What time settings \_\_\_\_ been configured \_\_\_\_ automation \_\_\_\_?

Are the time \_\_\_\_ the \_\_\_\_ systems correct?

\_\_\_\_ set up the \_\_\_\_ time settings?

Is the \_\_\_\_ correctly in \_\_\_\_ automated system?

\_\_\_\_ programming \_\_\_\_ settings correct?

\_\_\_\_ the time settings \_\_\_\_ control \_\_\_\_ been programmed?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ control systems \_\_\_\_ correctly?

\_\_\_\_ settings for automation correct?

\_\_\_\_ needed, do you have \_\_\_\_ time \_\_\_\_ programmed \_\_\_\_ automation \_\_\_\_?

Is the \_\_\_\_ systems configured \_\_\_\_?

\_\_\_\_ of time \_\_\_\_ for \_\_\_\_ systems needs to \_\_\_\_ ensured.

\_\_\_\_ you make sure that \_\_\_\_ automated control \_\_\_\_ accurate \_\_\_\_?

Should \_\_\_\_ settings in \_\_\_\_ control \_\_\_\_ programmed \_\_\_\_?

Did you \_\_\_\_ all \_\_\_\_ were adjusted on \_\_\_\_ automated \_\_\_\_?

\_\_\_\_ timing \_\_\_\_ configured on \_\_\_\_ mechanisms?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ automated control \_\_\_\_ in order?

Is the \_\_\_\_ settings \_\_\_\_ in \_\_\_\_.

The \_\_\_\_ settings in \_\_\_\_ be set correctly.

Do relevant time \_\_\_\_ configuration \_\_\_\_ automated \_\_\_\_?

\_\_\_\_ automation \_\_\_\_ time \_\_\_\_ correct?

\_\_\_\_ it correct \_\_\_\_ use \_\_\_\_ time settings \_\_\_\_?

Did you \_\_\_\_ to \_\_\_\_ times \_\_\_\_ your control \_\_\_\_?

Did everything \_\_\_\_ inputs \_\_\_\_ your auto-control \_\_\_\_?

\_\_\_\_ everything have the right timing \_\_\_\_ mechanisms?

\_\_\_\_ the \_\_\_\_ settings \_\_\_\_ control systems work?

\_\_\_\_ control system \_\_\_\_ time \_\_\_\_ programmed in?

Are all \_\_\_\_ in automated \_\_\_\_ in \_\_\_\_?

All \_\_\_\_ settings \_\_\_\_ set correctly \_\_\_\_ your \_\_\_\_ systems.

Did everything \_\_\_\_ proper timing \_\_\_\_ your \_\_\_\_?

\_\_\_\_ you \_\_\_\_ all the \_\_\_\_ parameters are \_\_\_\_ my automated system?

\_\_\_\_ it possible \_\_\_\_ all time settings in \_\_\_\_ control \_\_\_\_

Are \_\_\_\_ settings \_\_\_\_ control \_\_\_\_?

\_\_\_\_ the \_\_\_\_ schedule \_\_\_\_ for \_\_\_\_ systems accurate?

\_\_\_\_ the time \_\_\_\_ within \_\_\_\_ control systems \_\_\_\_ been \_\_\_\_?

Does \_\_\_\_ the control systems \_\_\_\_ programmed correctly?

Does \_\_\_\_ settings for automated \_\_\_\_ systems \_\_\_\_?

\_\_\_\_ the \_\_\_\_ control systems programmed \_\_\_\_ at \_\_\_\_ time settings?

\_\_\_\_ relevant time \_\_\_\_ in automated controls?

Are \_\_\_\_ systems \_\_\_\_ in appropriate time settings?

Did \_\_\_\_ proper \_\_\_\_ inputs in your \_\_\_\_?

Is all \_\_\_\_ time \_\_\_\_ control systems \_\_\_\_?

Is all of the \_\_\_\_\_ settings \_\_\_\_\_?

All time \_\_\_\_\_ automated \_\_\_\_\_?

Are \_\_\_\_\_ settings \_\_\_\_\_ in \_\_\_\_\_ systems?

Does every \_\_\_\_\_ within \_\_\_\_\_ control \_\_\_\_\_?

Do \_\_\_\_\_ time \_\_\_\_\_ appear \_\_\_\_\_ automation controls?

Does all \_\_\_\_\_ work \_\_\_\_\_ in automated control systems?

\_\_\_\_\_ within automated \_\_\_\_\_ systems work out?

\_\_\_\_\_ the \_\_\_\_\_ the control \_\_\_\_\_ work?

Is \_\_\_\_\_ programmed \_\_\_\_\_ accurate \_\_\_\_\_ systems?

\_\_\_\_\_ correct \_\_\_\_\_ settings \_\_\_\_\_ the automation controls?

\_\_\_\_\_ question about \_\_\_\_\_ automated control \_\_\_\_\_.

\_\_\_\_\_ the time settings \_\_\_\_\_ automated control systems \_\_\_\_\_ correctly?

\_\_\_\_\_ programming of \_\_\_\_\_ when using automation systems.

\_\_\_\_\_ auto-controlled \_\_\_\_\_ have \_\_\_\_\_ correct \_\_\_\_\_ settings?

\_\_\_\_\_ correct time settings to use \_\_\_\_\_ automation?

Have the \_\_\_\_\_ settings for \_\_\_\_\_ been set \_\_\_\_\_?

The time settings in \_\_\_\_\_ automated system \_\_\_\_\_.

Are you \_\_\_\_\_ their \_\_\_\_\_ control systems \_\_\_\_\_ times \_\_\_\_\_?

Is there \_\_\_\_\_ of temporal \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ temporal \_\_\_\_\_ auto-control processes accurate?

Is \_\_\_\_\_ accurately adjusted \_\_\_\_\_ time \_\_\_\_\_?

\_\_\_\_\_ time \_\_\_\_\_ for your automated system?

Does all \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ control \_\_\_\_\_ be programmed?

Is the \_\_\_\_\_ settings \_\_\_\_\_ in the \_\_\_\_\_?

Do \_\_\_\_\_ time settings \_\_\_\_\_ control systems have \_\_\_\_\_?

\_\_\_\_\_ automated \_\_\_\_\_ systems have \_\_\_\_\_ appropriate time \_\_\_\_\_?

Is \_\_\_\_\_ correct in \_\_\_\_\_?

Do the \_\_\_\_\_ have the relevant \_\_\_\_\_ set \_\_\_\_\_?

\_\_\_\_\_ the programmed time settings \_\_\_\_\_?

\_\_\_\_\_ make sure \_\_\_\_\_ settings in the automated system \_\_\_\_\_?

Are \_\_\_\_\_ settings in \_\_\_\_\_ correct?

Is the \_\_\_\_\_ in \_\_\_\_\_ control \_\_\_\_\_ programmed correctly?

Are \_\_\_\_\_ time settings \_\_\_\_\_ automated control \_\_\_\_\_ in \_\_\_\_\_?

What \_\_\_\_\_ been \_\_\_\_\_ by the automation controls?

\_\_\_\_\_ programming of the \_\_\_\_\_ settings for \_\_\_\_\_ is \_\_\_\_\_.

Do \_\_\_\_\_ the \_\_\_\_\_ schedule configurations for \_\_\_\_\_ control systems were \_\_\_\_\_?

\_\_\_\_\_ programmed the \_\_\_\_\_ settings for the \_\_\_\_\_?

\_\_\_\_\_ the automated \_\_\_\_\_ program have the right \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ all \_\_\_\_\_ settings?

Did \_\_\_\_\_ your \_\_\_\_\_ units had \_\_\_\_\_ time settings?

Are \_\_\_\_\_ correct \_\_\_\_\_ control systems set?

Are the designated \_\_\_\_\_ system?

\_\_\_\_\_ all the timelines \_\_\_\_\_ with \_\_\_\_\_ program setup?

\_\_\_\_\_ all of the \_\_\_\_\_ settings \_\_\_\_\_ automated \_\_\_\_\_ systems \_\_\_\_\_?

\_\_\_\_\_ all the \_\_\_\_\_ fit with \_\_\_\_\_ automated controls' \_\_\_\_\_?

\_\_\_\_\_ possible that all \_\_\_\_\_ are \_\_\_\_\_ programmed for my automated \_\_\_\_\_?

You \_\_\_\_\_ the automated control \_\_\_\_\_ setting \_\_\_\_\_ correct?

\_\_\_\_\_ the time \_\_\_\_\_ in the \_\_\_\_\_ look \_\_\_\_\_?

Did the automation \_\_\_\_\_ settings right?

\_\_\_\_\_ the setting \_\_\_\_\_ time settings \_\_\_\_\_ automatic controls?

Were all \_\_\_\_ correct \_\_\_\_ set \_\_\_\_ control systems?  
 Are you \_\_\_\_ about the \_\_\_\_ in \_\_\_\_ automation \_\_\_\_?  
 \_\_\_\_ everything have the right \_\_\_\_ your auto-control \_\_\_\_?  
 Is \_\_\_\_ accurate \_\_\_\_ temporal parameters \_\_\_\_ controls?  
 Did you \_\_\_\_ up \_\_\_\_ time settings \_\_\_\_ automated \_\_\_\_?  
 \_\_\_\_ the time setting \_\_\_\_ systems \_\_\_\_ programmed correctly?  
 Do the time settings \_\_\_\_ the \_\_\_\_ right?  
 Are the timing \_\_\_\_ your \_\_\_\_ mechanisms?  
 Are \_\_\_\_ settings in \_\_\_\_ accurate?  
 Have \_\_\_\_ time \_\_\_\_ for your automation controls?  
 \_\_\_\_ settings appropriate \_\_\_\_ control systems?  
 Is the \_\_\_\_ accurate \_\_\_\_ auto \_\_\_\_?  
 Have the \_\_\_\_ within the automation \_\_\_\_?  
 \_\_\_\_ controls setting the correct \_\_\_\_ for the \_\_\_\_?  
 Does all of \_\_\_\_ time \_\_\_\_ work \_\_\_\_ the \_\_\_\_?  
 You \_\_\_\_ confirm \_\_\_\_ schedule configurations \_\_\_\_ automatic control \_\_\_\_ have been \_\_\_\_.  
 \_\_\_\_ time settings \_\_\_\_ correctly \_\_\_\_ automation controls?  
 \_\_\_\_ automated control systems \_\_\_\_ to work in \_\_\_\_ with \_\_\_\_?  
 Does the \_\_\_\_ with automated control \_\_\_\_?  
 \_\_\_\_ time settings \_\_\_\_ in \_\_\_\_ systems?  
 \_\_\_\_ you \_\_\_\_ if the \_\_\_\_ controls are right?  
 Did you make \_\_\_\_ the \_\_\_\_ in \_\_\_\_ automated control \_\_\_\_?  
 Did you make sure \_\_\_\_ settings are \_\_\_\_ system?  
 \_\_\_\_ time \_\_\_\_ programmed \_\_\_\_ your control systems?  
 Are \_\_\_\_ systems programmed \_\_\_\_ on relevant \_\_\_\_ settings?  
 Does \_\_\_\_ the time \_\_\_\_ in \_\_\_\_ have \_\_\_\_ programmed correctly?  
 Are the \_\_\_\_ control \_\_\_\_ keep \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ of times \_\_\_\_ in \_\_\_\_?  
 Did \_\_\_\_ auto-control \_\_\_\_ correct \_\_\_\_ inputs?  
 Should \_\_\_\_ the control systems be configured \_\_\_\_?  
 Are \_\_\_\_ time \_\_\_\_ right \_\_\_\_ automatic \_\_\_\_?  
 Do your automation \_\_\_\_ time \_\_\_\_?  
 \_\_\_\_ all \_\_\_\_ the time settings in automated control \_\_\_\_ have \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ time \_\_\_\_ into \_\_\_\_ automated \_\_\_\_ units?  
 Is \_\_\_\_ time \_\_\_\_ configurations for \_\_\_\_ systems \_\_\_\_?  
 Is \_\_\_\_ control systems \_\_\_\_ work \_\_\_\_ the \_\_\_\_ time settings?  
 \_\_\_\_ the \_\_\_\_ your automation controls programmed?  
 \_\_\_\_ the \_\_\_\_ controls set \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ you have them automated \_\_\_\_ systems \_\_\_\_?  
 \_\_\_\_ all the relevant \_\_\_\_ your automated \_\_\_\_ setup?  
 Did you \_\_\_\_ automated \_\_\_\_ schedules?  
 Did \_\_\_\_ make sure that \_\_\_\_ adjusted \_\_\_\_ automated system?  
 Does all the \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ work \_\_\_\_?  
 Are \_\_\_\_ correct in \_\_\_\_ control \_\_\_\_?  
 Is \_\_\_\_ safe to say \_\_\_\_ all \_\_\_\_ adjusted \_\_\_\_ my \_\_\_\_ system?  
 Did you make sure \_\_\_\_ time \_\_\_\_ my automated \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ the correct \_\_\_\_ automated control systems?  
 Can \_\_\_\_ time settings \_\_\_\_ systems be \_\_\_\_ correctly?  
 Are \_\_\_\_ you \_\_\_\_ automated control \_\_\_\_ times?  
 \_\_\_\_ time setting \_\_\_\_ systems have \_\_\_\_ programmed correctly?

\_\_\_\_ all the time settings in \_\_\_\_ set \_\_\_\_?  
 \_\_\_\_ time \_\_\_\_ be programmed \_\_\_\_ in \_\_\_\_ systems?  
 Did \_\_\_\_ set up all \_\_\_\_ settings for \_\_\_\_ automated \_\_\_\_?  
 Did \_\_\_\_ all \_\_\_\_ correctly for automatic controls?  
 Does all \_\_\_\_ time \_\_\_\_ in \_\_\_\_ systems \_\_\_\_ programmed correctly?  
 Is \_\_\_\_ of the time \_\_\_\_ control \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ all the time \_\_\_\_ control \_\_\_\_?  
 \_\_\_\_ the time \_\_\_\_ in the \_\_\_\_?  
 \_\_\_\_ the automatic control \_\_\_\_ programmed \_\_\_\_ in \_\_\_\_ with time \_\_\_\_?  
 \_\_\_\_ auto-control \_\_\_\_ is \_\_\_\_ accurate \_\_\_\_?  
 \_\_\_\_ sure to \_\_\_\_ correct time settings for automated \_\_\_\_?  
 Do you \_\_\_\_ the relevant time \_\_\_\_ controls?  
 Are the \_\_\_\_ programmed \_\_\_\_ work \_\_\_\_ right time \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ settings within automated control systems \_\_\_\_ been \_\_\_\_?  
 For \_\_\_\_ you set up all time \_\_\_\_?  
 \_\_\_\_ time settings in automated control \_\_\_\_ programmed?  
 \_\_\_\_ sure to \_\_\_\_ time settings for automated control \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ set all time \_\_\_\_ a control system?  
 \_\_\_\_ all \_\_\_\_ the time \_\_\_\_ a control \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ appropriate \_\_\_\_ your automation controls?  
 Is \_\_\_\_ time settings \_\_\_\_ the control \_\_\_\_ properly?  
 \_\_\_\_ automated system include \_\_\_\_ designated \_\_\_\_?  
 \_\_\_\_ settings \_\_\_\_ in the automation controls?  
 Does all \_\_\_\_ time settings \_\_\_\_ control \_\_\_\_ correctly?  
 Have all \_\_\_\_ settings \_\_\_\_ your \_\_\_\_ been \_\_\_\_?  
 \_\_\_\_ programmed to work in time settings?  
 \_\_\_\_ you \_\_\_\_ time settings \_\_\_\_ automation controls?  
 \_\_\_\_ the \_\_\_\_ in \_\_\_\_ control systems \_\_\_\_ been programmed \_\_\_\_?  
 \_\_\_\_ properly for all time settings?  
 What \_\_\_\_ settings has been \_\_\_\_ correctly \_\_\_\_ the \_\_\_\_?  
 Does \_\_\_\_ time settings \_\_\_\_ the \_\_\_\_ work \_\_\_\_?  
 \_\_\_\_ get the \_\_\_\_ timing inputs \_\_\_\_ your auto-control \_\_\_\_?  
 \_\_\_\_ you properly \_\_\_\_ all \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ systems?  
 Is \_\_\_\_ entered \_\_\_\_ your \_\_\_\_ correctly?  
 Can all time \_\_\_\_ the control \_\_\_\_ configured \_\_\_\_?  
 Have the \_\_\_\_ settings \_\_\_\_ the \_\_\_\_ controls \_\_\_\_?  
 Is it possible \_\_\_\_ all \_\_\_\_ are \_\_\_\_ automated control \_\_\_\_?  
 \_\_\_\_ the programming \_\_\_\_ time \_\_\_\_ right \_\_\_\_ automation?  
 \_\_\_\_ all \_\_\_\_ settings configured properly in the \_\_\_\_?  
 \_\_\_\_ relevant time \_\_\_\_ should be \_\_\_\_ correctly \_\_\_\_ automated \_\_\_\_.  
 Is \_\_\_\_ controls \_\_\_\_ the appropriate \_\_\_\_ for the \_\_\_\_?  
 \_\_\_\_ relevant time \_\_\_\_ in \_\_\_\_?  
 \_\_\_\_ wonder if the \_\_\_\_ the automation \_\_\_\_ right.  
 Is time \_\_\_\_ automation \_\_\_\_ right?  
 \_\_\_\_ make sure \_\_\_\_ automated control units \_\_\_\_ times?  
 \_\_\_\_ the \_\_\_\_ within \_\_\_\_ control \_\_\_\_ have been programmed correctly.  
 Is \_\_\_\_ on the \_\_\_\_ accurate?  
 Are \_\_\_\_ time settings \_\_\_\_ programmed \_\_\_\_ control \_\_\_\_?  
 Can you \_\_\_\_ me \_\_\_\_ the time \_\_\_\_ your \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ would \_\_\_\_ to know if the \_\_\_\_ schedule configurations \_\_\_\_ control \_\_\_\_ correctly.

\_\_\_\_\_ programmed \_\_\_\_\_ time \_\_\_\_\_ the automation controls?

Does \_\_\_\_\_ settings within the control \_\_\_\_\_ out \_\_\_\_\_?

\_\_\_\_\_ timing adjustments done \_\_\_\_\_ on \_\_\_\_\_ mechanisms?

\_\_\_\_\_ the necessary \_\_\_\_\_ settings be \_\_\_\_\_ in \_\_\_\_\_ automated \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ settings appropriate \_\_\_\_\_ controls?

\_\_\_\_\_ for \_\_\_\_\_ time settings \_\_\_\_\_ automation \_\_\_\_\_ is important.

Can \_\_\_\_\_ be \_\_\_\_\_ correctly \_\_\_\_\_ control systems?

Does all \_\_\_\_\_ the \_\_\_\_\_ settings \_\_\_\_\_ the \_\_\_\_\_ work?

Should the programmed \_\_\_\_\_ in \_\_\_\_\_ automation controls \_\_\_\_\_?

Did you make sure your \_\_\_\_\_ control \_\_\_\_\_?

\_\_\_\_\_ properly entered \_\_\_\_\_ automation gear?

All \_\_\_\_\_ time \_\_\_\_\_ should have proper \_\_\_\_\_ within \_\_\_\_\_.

\_\_\_\_\_ the time settings \_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ settings in \_\_\_\_\_ system be \_\_\_\_\_ correctly?

Is \_\_\_\_\_ correct to \_\_\_\_\_ automation?

Is \_\_\_\_\_ possible \_\_\_\_\_ all time settings \_\_\_\_\_ the \_\_\_\_\_ system?

Have \_\_\_\_\_ settings been set \_\_\_\_\_ within \_\_\_\_\_?

Does your \_\_\_\_\_ controls' \_\_\_\_\_ with all applicable \_\_\_\_\_?

Are \_\_\_\_\_ time parameters \_\_\_\_\_ on \_\_\_\_\_ automated \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ applicable \_\_\_\_\_ settings were programmed \_\_\_\_\_ automated system?

\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ controls match?

Is \_\_\_\_\_ designated \_\_\_\_\_ in \_\_\_\_\_ system?