

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Internet Service Providers
<b>Inquiry Category</b>	Assistance with parental controls and content filtering
<b>Inquiry Sub-Category</b>	Setting up Parental Controls
<b>Description</b>	Assistance with step-by-step instructions to configure parental controls on devices and routers, ensuring safe internet access for children by restricting access to inappropriate content and setting time limits.
<b>Data Size</b>	5,030 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Internet Service Provider" customer inquiry. (Purchased data will not be masked.)

Are there \_\_\_\_\_ steps \_\_\_\_\_ implement \_\_\_\_\_ browsing with existing \_\_\_\_\_ software \_\_\_\_\_ devices?

Should \_\_\_\_\_ be \_\_\_\_\_ in conjunction \_\_\_\_\_ supplementary measures to establish \_\_\_\_\_ browsing?

\_\_\_\_\_ browsability, \_\_\_\_\_ with active antiviral applications, involve \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ necessary to add more \_\_\_\_\_ for \_\_\_\_\_ safe browsing \_\_\_\_\_ anti-malware \_\_\_\_\_?

\_\_\_\_\_ requirements \_\_\_\_\_ enable kid-friendly \_\_\_\_\_ browsing combined \_\_\_\_\_ existing \_\_\_\_\_ measures?

\_\_\_\_\_ it \_\_\_\_\_ take further steps \_\_\_\_\_ a \_\_\_\_\_ environment for \_\_\_\_\_ to use an \_\_\_\_\_ protection?

\_\_\_\_\_ we need \_\_\_\_\_ to \_\_\_\_\_ safe environment for children \_\_\_\_\_ use \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ it necessary to include \_\_\_\_\_ onto a \_\_\_\_\_ with \_\_\_\_\_ existing \_\_\_\_\_?

Is \_\_\_\_\_ a need \_\_\_\_\_ action to \_\_\_\_\_ safe browsers \_\_\_\_\_ devices \_\_\_\_\_ immune \_\_\_\_\_?

The \_\_\_\_\_ anti-viruses \_\_\_\_\_ should be combined with \_\_\_\_\_ create child-safe browsing \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ another \_\_\_\_\_ for implementing \_\_\_\_\_ when there \_\_\_\_\_ an \_\_\_\_\_ security program \_\_\_\_\_ the device?

\_\_\_\_\_ setting \_\_\_\_\_ browsing \_\_\_\_\_ our current \_\_\_\_\_ necessary?

\_\_\_\_\_ current \_\_\_\_\_ software be \_\_\_\_\_ with supplementary \_\_\_\_\_ child- safe browsing?

There \_\_\_\_\_ an active \_\_\_\_\_ program \_\_\_\_\_ the device, \_\_\_\_\_ is \_\_\_\_\_ a \_\_\_\_\_ for another \_\_\_\_\_ implement \_\_\_\_\_?

\_\_\_\_\_ the implementation of safe-child \_\_\_\_\_ require \_\_\_\_\_ if \_\_\_\_\_ already use \_\_\_\_\_ program?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ a secure environment for children to use \_\_\_\_\_ existing \_\_\_\_\_?

The current \_\_\_\_\_ software \_\_\_\_\_ used with \_\_\_\_\_ to establish child \_\_\_\_\_ browsing \_\_\_\_\_ devices.

How \_\_\_\_\_ web \_\_\_\_\_ with our already-installed program?

The \_\_\_\_\_ anti-viruses \_\_\_\_\_ used with additional measures \_\_\_\_\_ browsing on \_\_\_\_\_ devices.

Should \_\_\_\_\_ take \_\_\_\_\_ to \_\_\_\_\_ browsing?

\_\_\_\_\_ current anti-viruses \_\_\_\_\_ be accompanied \_\_\_\_\_ measures to make \_\_\_\_\_ devices \_\_\_\_\_ child-safebrowse?

Do \_\_\_\_\_ need to \_\_\_\_\_ steps to \_\_\_\_\_ environment for children \_\_\_\_\_ use \_\_\_\_\_ existing protection?

\_\_\_\_\_ to be more steps for \_\_\_\_\_ with \_\_\_\_\_ existing anti-vehicle protections.

When there is an \_\_\_\_\_ security program on \_\_\_\_\_ device, does there \_\_\_\_\_ safe \_\_\_\_\_?

\_\_\_\_\_ anti-viruses software be used \_\_\_\_\_ additional measures \_\_\_\_\_ create child \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ ways to \_\_\_\_\_ child \_\_\_\_\_ online when \_\_\_\_\_ current \_\_\_\_\_ system?

\_\_\_\_\_ we need to \_\_\_\_\_ steps \_\_\_\_\_ sure \_\_\_\_\_ children use our existing \_\_\_\_\_ internet \_\_\_\_\_?

\_\_\_\_\_ steps \_\_\_\_\_ to \_\_\_\_\_ a secure browsing \_\_\_\_\_ using our existing \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ more measures for \_\_\_\_\_ with current security?

Is \_\_\_\_\_ that needs to be \_\_\_\_\_ to implement \_\_\_\_\_ browsing \_\_\_\_\_ all \_\_\_\_\_ with an antivirus \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ possible to \_\_\_\_\_ up child-safe browsing \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it necessary to enable a \_\_\_\_\_ browsing \_\_\_\_\_ children \_\_\_\_\_ our \_\_\_\_\_?

When there \_\_\_\_\_ program \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_ a need for another step \_\_\_\_\_ safe \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ implement child-proofed \_\_\_\_\_?

\_\_\_\_\_ security program on \_\_\_\_\_ device, is there a need \_\_\_\_\_ another \_\_\_\_\_ safe browsing?

\_\_\_\_\_ to be additional steps for safe \_\_\_\_\_ of \_\_\_\_\_ with \_\_\_\_\_?

Does the implementation \_\_\_\_\_ require \_\_\_\_\_ new \_\_\_\_\_ if \_\_\_\_\_ already use \_\_\_\_\_?

Extra steps \_\_\_\_\_ friendly \_\_\_\_\_ with \_\_\_\_\_ existing software?

\_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ combined \_\_\_\_\_ additional measures \_\_\_\_\_ establish child-safe browsing on \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ required \_\_\_\_\_ make \_\_\_\_\_ devices safe for kids?

\_\_\_\_\_ there a \_\_\_\_\_ step in implementing \_\_\_\_\_ browsing \_\_\_\_\_ there is an \_\_\_\_\_ antivirus \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ anti-viruses \_\_\_\_\_ used with other \_\_\_\_\_ establish \_\_\_\_\_ browsing on their devices?

\_\_\_\_\_ are \_\_\_\_\_ measures that \_\_\_\_\_ be added to \_\_\_\_\_ software \_\_\_\_\_ keeping children \_\_\_\_\_ Viruses \_\_\_\_\_ the internet.

\_\_\_\_\_ we take \_\_\_\_\_ steps \_\_\_\_\_ allow \_\_\_\_\_ children \_\_\_\_\_ use an existing protection?

Is there an \_\_\_\_\_ that will need to \_\_\_\_\_ to implement \_\_\_\_\_ devices that have \_\_\_\_\_ antivirus \_\_\_\_\_?

Is \_\_\_\_\_ more precautions for child \_\_\_\_\_ browsing with \_\_\_\_\_ security \_\_\_\_\_?

Is there a need \_\_\_\_\_ step \_\_\_\_\_ implementing \_\_\_\_\_ browsing when \_\_\_\_\_ is \_\_\_\_\_ on \_\_\_\_\_ device?

Is it necessary \_\_\_\_\_ take \_\_\_\_\_ step \_\_\_\_\_ safe \_\_\_\_\_ is \_\_\_\_\_ active program on a \_\_\_\_\_?

\_\_\_\_\_ for a child \_\_\_\_\_ browsing \_\_\_\_\_ existing software?

\_\_\_\_\_ need to \_\_\_\_\_ steps \_\_\_\_\_ a secure \_\_\_\_\_ for children \_\_\_\_\_ use \_\_\_\_\_ protection?

When there \_\_\_\_\_ an active security program \_\_\_\_\_ device, is \_\_\_\_\_ need \_\_\_\_\_ step for \_\_\_\_\_?

There needs to \_\_\_\_\_ for \_\_\_\_\_ browsing of children \_\_\_\_\_ existing \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ steps \_\_\_\_\_ enable a \_\_\_\_\_ environment for children?

Should we \_\_\_\_\_ further steps \_\_\_\_\_ a \_\_\_\_\_ environment for children \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ to allow a secure environment for \_\_\_\_\_ to \_\_\_\_\_ protection?

Do we need to take \_\_\_\_\_ allow \_\_\_\_\_ for children \_\_\_\_\_ protection?

\_\_\_\_\_ the current anti-viruses software \_\_\_\_\_ with \_\_\_\_\_ preventative \_\_\_\_\_ safe browsing?

\_\_\_\_\_ child-safe browsing require further steps \_\_\_\_\_ current \_\_\_\_\_?

Do \_\_\_\_\_ believe we \_\_\_\_\_ more \_\_\_\_\_ make \_\_\_\_\_ safety \_\_\_\_\_ ensured along with our already installed \_\_\_\_\_?

Is \_\_\_\_\_ a need \_\_\_\_\_ step \_\_\_\_\_ implementing safe \_\_\_\_\_ is an \_\_\_\_\_ program \_\_\_\_\_ the device?

Is there \_\_\_\_\_ for \_\_\_\_\_ browsing \_\_\_\_\_ our \_\_\_\_\_ security?

\_\_\_\_\_ the current anti-viruses \_\_\_\_\_ combined with \_\_\_\_\_ to establish \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ anti-viruses software \_\_\_\_\_ joined with supplementary \_\_\_\_\_ child \_\_\_\_\_ browsing?

The \_\_\_\_\_ software should \_\_\_\_\_ combined \_\_\_\_\_ other measures \_\_\_\_\_ ensure \_\_\_\_\_ safe \_\_\_\_\_.

Will \_\_\_\_\_ browsability with active \_\_\_\_\_ configurations \_\_\_\_\_ instructions?

Should \_\_\_\_\_ current anti-viruses \_\_\_\_\_ supplementary \_\_\_\_\_ to \_\_\_\_\_ child- safe browsing \_\_\_\_\_ our \_\_\_\_\_ devices.

\_\_\_\_\_ there an action that will \_\_\_\_\_ to implement \_\_\_\_\_ browsing \_\_\_\_\_ of the devices \_\_\_\_\_ an \_\_\_\_\_ Viruses?

\_\_\_\_\_ current anti-viruses software should \_\_\_\_\_ combined \_\_\_\_\_ measures \_\_\_\_\_ browsing on \_\_\_\_\_ devices

\_\_\_\_\_ should be other measures \_\_\_\_\_ current \_\_\_\_\_ for keeping \_\_\_\_\_ being exposed \_\_\_\_\_ Viruses on \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ further \_\_\_\_\_ to \_\_\_\_\_ safe \_\_\_\_\_ devices with \_\_\_\_\_ immune programs?

Should the current \_\_\_\_\_ be combined with \_\_\_\_\_ to \_\_\_\_\_ safe \_\_\_\_\_?

There needs to be more \_\_\_\_\_ for \_\_\_\_\_ browsing \_\_\_\_\_ with \_\_\_\_\_.

\_\_\_\_\_ there need \_\_\_\_\_ be another step \_\_\_\_\_ is an active security \_\_\_\_\_?

\_\_\_\_\_ the current \_\_\_\_\_ software be \_\_\_\_\_ further measures \_\_\_\_\_ make \_\_\_\_\_ devices \_\_\_\_\_ from \_\_\_\_\_

The \_\_\_\_\_ anti-viruses software \_\_\_\_\_ combined with \_\_\_\_\_ establish \_\_\_\_\_ safe \_\_\_\_\_ on \_\_\_\_\_ devices.

\_\_\_\_\_ anti-viruses \_\_\_\_\_ merged \_\_\_\_\_ supplementary measures \_\_\_\_\_ establish \_\_\_\_\_ browsing on the device?

\_\_\_\_\_ need \_\_\_\_\_ take another \_\_\_\_\_ safe browsing \_\_\_\_\_ there's \_\_\_\_\_ active program?

Is \_\_\_\_\_ a need \_\_\_\_\_ take another \_\_\_\_\_ in the implementation of \_\_\_\_\_ an active \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ measures for child-friendly \_\_\_\_\_ along with current \_\_\_\_\_?  
 \_\_\_\_\_ anti-viruses \_\_\_\_\_ other measures \_\_\_\_\_ establish child safe browsing \_\_\_\_\_ the devices  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ precautions \_\_\_\_\_ child safe browsing \_\_\_\_\_ the anti-malware \_\_\_\_\_?  
 \_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ by further \_\_\_\_\_ to make our \_\_\_\_\_ from \_\_\_\_\_.  
 \_\_\_\_\_ more \_\_\_\_\_ for child \_\_\_\_\_ browsing along \_\_\_\_\_ our computer \_\_\_\_\_ software?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ with our \_\_\_\_\_ software?  
 Do \_\_\_\_\_ need to \_\_\_\_\_ to \_\_\_\_\_ browsing \_\_\_\_\_ our software?  
 \_\_\_\_\_ the \_\_\_\_\_ safe-child browsing require any \_\_\_\_\_ we \_\_\_\_\_ use a \_\_\_\_\_ program?  
 \_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ combined \_\_\_\_\_ measures \_\_\_\_\_ establish a \_\_\_\_\_ browsing experience?  
 \_\_\_\_\_ possible to set \_\_\_\_\_ child-safe browsing \_\_\_\_\_ our \_\_\_\_\_ security?  
 There needs \_\_\_\_\_ precautions \_\_\_\_\_ of \_\_\_\_\_ with existing anti-vehicle protections.  
 \_\_\_\_\_ it necessary \_\_\_\_\_ step \_\_\_\_\_ safe \_\_\_\_\_ when \_\_\_\_\_ is an \_\_\_\_\_ antivirus program on \_\_\_\_\_ device?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ childproofed \_\_\_\_\_ along \_\_\_\_\_ software?  
 Is it \_\_\_\_\_ add more \_\_\_\_\_ child- safe browsing along \_\_\_\_\_ software?  
 Is there \_\_\_\_\_ need \_\_\_\_\_ implement safe browsing \_\_\_\_\_ there is \_\_\_\_\_ active \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ another step in implementing safe browsing when \_\_\_\_\_ active \_\_\_\_\_ is on \_\_\_\_\_?  
 \_\_\_\_\_ current \_\_\_\_\_ software should \_\_\_\_\_ with \_\_\_\_\_ measures to establish child- \_\_\_\_\_ browsing \_\_\_\_\_ devices  
 Is \_\_\_\_\_ a need \_\_\_\_\_ more steps \_\_\_\_\_ a \_\_\_\_\_ environment for \_\_\_\_\_?  
 \_\_\_\_\_ current anti-viruses \_\_\_\_\_ accompanied by additional measures \_\_\_\_\_ safe \_\_\_\_\_ kids?  
 Does \_\_\_\_\_ browsing need to \_\_\_\_\_ added \_\_\_\_\_ security \_\_\_\_\_?  
 Should \_\_\_\_\_ software be accompanied \_\_\_\_\_ make our \_\_\_\_\_ safe for \_\_\_\_\_?  
 \_\_\_\_\_ to set up child-friendly \_\_\_\_\_ with \_\_\_\_\_ software?  
 If we \_\_\_\_\_ safe-child browsing need any \_\_\_\_\_ procedures?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ for a secure environment when children \_\_\_\_\_ our \_\_\_\_\_ protection?  
 \_\_\_\_\_ action \_\_\_\_\_ needs to be taken \_\_\_\_\_ implement safe \_\_\_\_\_ all of \_\_\_\_\_ devices with \_\_\_\_\_?  
 Is it \_\_\_\_\_ necessity to \_\_\_\_\_ for \_\_\_\_\_ safe \_\_\_\_\_ on \_\_\_\_\_ with \_\_\_\_\_ program?  
 Should \_\_\_\_\_ software \_\_\_\_\_ by \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ safe for kids?  
 Do \_\_\_\_\_ need \_\_\_\_\_ steps \_\_\_\_\_ browsing for children?  
 \_\_\_\_\_ for \_\_\_\_\_ friendly \_\_\_\_\_ with our current software?  
 \_\_\_\_\_ there need \_\_\_\_\_ be more \_\_\_\_\_ safe \_\_\_\_\_ children with existing \_\_\_\_\_ protection?  
 \_\_\_\_\_ of safe-child browsing \_\_\_\_\_ additional procedures \_\_\_\_\_ already use \_\_\_\_\_ safer \_\_\_\_\_?  
 When using \_\_\_\_\_ safety \_\_\_\_\_ our devices' \_\_\_\_\_ virus \_\_\_\_\_ we take \_\_\_\_\_?  
 Is \_\_\_\_\_ need \_\_\_\_\_ implement \_\_\_\_\_ browsing when \_\_\_\_\_ active antivirus \_\_\_\_\_ the device.  
 \_\_\_\_\_ to add more \_\_\_\_\_ for child safe browsing along \_\_\_\_\_ computer's \_\_\_\_\_?  
 More \_\_\_\_\_ our \_\_\_\_\_ safe \_\_\_\_\_ child-safebrow \_\_\_\_\_ the current anti-viruses software.  
 \_\_\_\_\_ current \_\_\_\_\_ combined with \_\_\_\_\_ measures \_\_\_\_\_ browsing on the device?  
 Is \_\_\_\_\_ to browse \_\_\_\_\_ with \_\_\_\_\_ current \_\_\_\_\_?  
 Is there any additional action \_\_\_\_\_ needs \_\_\_\_\_ taken when child-proofed \_\_\_\_\_ is \_\_\_\_\_ within \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ way to make \_\_\_\_\_ safety \_\_\_\_\_ the current system of \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ add \_\_\_\_\_ for \_\_\_\_\_ browsing along with our \_\_\_\_\_?  
 Adding \_\_\_\_\_ child-safe browsing with \_\_\_\_\_?  
 Should the current \_\_\_\_\_ be \_\_\_\_\_ measures \_\_\_\_\_ a \_\_\_\_\_ safe browsing?  
 \_\_\_\_\_ include \_\_\_\_\_ internet \_\_\_\_\_ on our gadgets, \_\_\_\_\_ do we need \_\_\_\_\_?  
 Does \_\_\_\_\_ supplemental \_\_\_\_\_ be \_\_\_\_\_ when child-proofed web surfing \_\_\_\_\_ integrated \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ steps \_\_\_\_\_ the safe browsing \_\_\_\_\_ children with our existing \_\_\_\_\_?  
 There \_\_\_\_\_ steps that \_\_\_\_\_ be \_\_\_\_\_ with \_\_\_\_\_ software for secure \_\_\_\_\_ by children.  
 \_\_\_\_\_ need additional \_\_\_\_\_ for the safe \_\_\_\_\_ with \_\_\_\_\_ existing anti-vehicle \_\_\_\_\_?  
 If safe \_\_\_\_\_ implemented on \_\_\_\_\_ active \_\_\_\_\_ necessary to \_\_\_\_\_ further action?  
 Is \_\_\_\_\_ a \_\_\_\_\_ take another \_\_\_\_\_ implementing \_\_\_\_\_ browsing when \_\_\_\_\_ is \_\_\_\_\_ antivirus Program?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ child safe \_\_\_\_\_ with our \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ us to \_\_\_\_ more for \_\_\_\_ web \_\_\_\_ our current software?  
 Should the \_\_\_\_ anti-viruses \_\_\_\_ be \_\_\_\_ measures to \_\_\_\_ browsing on digital \_\_\_\_?  
 Is \_\_\_\_ to \_\_\_\_ child-safe browsing \_\_\_\_ the existing \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ anti-viruses software \_\_\_\_ to \_\_\_\_ child safe browsing on \_\_\_\_ devices?  
 \_\_\_\_ it necessary to \_\_\_\_ precautions \_\_\_\_ allowing \_\_\_\_ with our viruses?  
 Is \_\_\_\_ an action that \_\_\_\_ be \_\_\_\_ to \_\_\_\_ for all of \_\_\_\_ an \_\_\_\_ program?  
 \_\_\_\_ anti-viruses software should \_\_\_\_ accompanied by \_\_\_\_ make our \_\_\_\_ safe \_\_\_\_ children.  
 Is \_\_\_\_ set \_\_\_\_ child-safe \_\_\_\_ with our current \_\_\_\_?  
 \_\_\_\_ include child-safe browsing in existing security \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ good \_\_\_\_ the current anti-viruses software with other \_\_\_\_ to \_\_\_\_ safe \_\_\_\_?  
 The \_\_\_\_ software \_\_\_\_ be \_\_\_\_ with supplemental \_\_\_\_ to \_\_\_\_ browsing on \_\_\_\_ digital devices.  
 Can additional steps be \_\_\_\_ to \_\_\_\_ secure browsing environment \_\_\_\_ using \_\_\_\_?  
 Is \_\_\_\_ action that \_\_\_\_ be taken to implement \_\_\_\_ all \_\_\_\_ devices with an active \_\_\_\_?  
 Is there \_\_\_\_ child-safe browsing in \_\_\_\_ antivirus?  
 Additional \_\_\_\_ should \_\_\_\_ to \_\_\_\_ to prevent \_\_\_\_ from being \_\_\_\_ to harmful viruses on \_\_\_\_.  
 Should the \_\_\_\_ anti-viruses software be combined \_\_\_\_ to \_\_\_\_ on \_\_\_\_ devices?  
 \_\_\_\_ to add \_\_\_\_ steps to my current \_\_\_\_ kids' \_\_\_\_ browsing?  
 \_\_\_\_ it \_\_\_\_ implement \_\_\_\_ browsability along \_\_\_\_ antiviral applications?  
 The current \_\_\_\_ include \_\_\_\_ to make our \_\_\_\_ from child-safe brow.  
 \_\_\_\_ anti-viruses software be combined \_\_\_\_ supplementary \_\_\_\_ to establish \_\_\_\_ safety \_\_\_\_ devices?  
 Any further \_\_\_\_ for enabling \_\_\_\_ existing defense measures?  
 \_\_\_\_ it necessary \_\_\_\_ add \_\_\_\_ for enabling \_\_\_\_ safe browsing alongside \_\_\_\_?  
 Is \_\_\_\_ action that will need \_\_\_\_ to implement \_\_\_\_ browsing for \_\_\_\_ of \_\_\_\_ a antivirus \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ anti-viruses \_\_\_\_ with additional measures \_\_\_\_ create \_\_\_\_ safe browsing environment?  
 Does \_\_\_\_ require further \_\_\_\_ beyond the current \_\_\_\_?  
 Is \_\_\_\_ need to \_\_\_\_ safe browsing when \_\_\_\_ is an \_\_\_\_ a \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ anti-viruses software be \_\_\_\_ to establish child-safe browsing \_\_\_\_ devices?  
 Do \_\_\_\_ have \_\_\_\_ additional steps for the safe \_\_\_\_ with \_\_\_\_ anti-vehicle \_\_\_\_?  
 Is \_\_\_\_ a need \_\_\_\_ another step \_\_\_\_ implementing \_\_\_\_ if there is \_\_\_\_ antivirus \_\_\_\_ device?  
 \_\_\_\_ there \_\_\_\_ step that \_\_\_\_ to be taken to implement \_\_\_\_ browsing \_\_\_\_ active \_\_\_\_?  
 Should \_\_\_\_ be combined \_\_\_\_ supplementary \_\_\_\_ to establish child-safe \_\_\_\_ on the \_\_\_\_  
 Is there \_\_\_\_ be taken to implement safe \_\_\_\_ when \_\_\_\_ an active security \_\_\_\_ the \_\_\_\_?  
 Is \_\_\_\_ something we need to \_\_\_\_ implement child-friendly \_\_\_\_ while \_\_\_\_ our tool?  
 \_\_\_\_ of safe-child browsing require \_\_\_\_ we already use \_\_\_\_ software?  
 Should the current anti-viruses software be \_\_\_\_ child \_\_\_\_ browsing on \_\_\_\_  
 Is \_\_\_\_ a \_\_\_\_ to \_\_\_\_ browsing \_\_\_\_ is \_\_\_\_ antivirus \_\_\_\_ on the devices?  
 \_\_\_\_ I \_\_\_\_ up child-safe \_\_\_\_ current software or do \_\_\_\_ need \_\_\_\_?  
 Is \_\_\_\_ you can tell \_\_\_\_ making \_\_\_\_ online better \_\_\_\_ the current \_\_\_\_ of \_\_\_\_?  
 Is it \_\_\_\_ do \_\_\_\_ for child-proof web \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ we need to take further \_\_\_\_ to \_\_\_\_ a secure environment \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ further action to implement safe \_\_\_\_ an \_\_\_\_ defense?  
 \_\_\_\_ should be \_\_\_\_ with \_\_\_\_ measures to \_\_\_\_ browsing on our \_\_\_\_ devices.  
 \_\_\_\_ any more precautions \_\_\_\_ using kid-friendly internet \_\_\_\_ on a device \_\_\_\_ security \_\_\_\_?  
 \_\_\_\_ current anti-viruses software be \_\_\_\_ measures \_\_\_\_ establish \_\_\_\_ browsing on \_\_\_\_ device?  
 Does \_\_\_\_ implementation \_\_\_\_ browsing require \_\_\_\_ additional procedures if we \_\_\_\_ a \_\_\_\_?  
 \_\_\_\_ have to be \_\_\_\_ when child-proofed \_\_\_\_ surfing is \_\_\_\_ our \_\_\_\_ system?  
 Should \_\_\_\_ anti-viruses software \_\_\_\_ by \_\_\_\_ to \_\_\_\_ our devices \_\_\_\_ from child-safe brow?  
 Do additional steps \_\_\_\_ to \_\_\_\_ a secure \_\_\_\_ for children?  
 Extra measures for \_\_\_\_ browsing along \_\_\_\_ our \_\_\_\_?  
 When there is an \_\_\_\_ antivirus \_\_\_\_ on \_\_\_\_ need for \_\_\_\_ step in \_\_\_\_ browsing?

\_\_\_\_\_ think we should \_\_\_\_\_ more steps \_\_\_\_\_ sure \_\_\_\_\_ is \_\_\_\_\_ along \_\_\_\_\_ our already installed \_\_\_\_\_.  
 Do we need \_\_\_\_\_ additional \_\_\_\_\_ children \_\_\_\_\_ existing protection on the internet?  
 Should the current \_\_\_\_\_ combined with \_\_\_\_\_ precautions to \_\_\_\_\_ safe \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ more precautions \_\_\_\_\_ child \_\_\_\_\_ along \_\_\_\_\_ software?  
 Is it \_\_\_\_\_ steps to enable \_\_\_\_\_ secure browsing environment \_\_\_\_\_?  
 \_\_\_\_\_ necessary to add \_\_\_\_\_ precautions for \_\_\_\_\_ safe \_\_\_\_\_ alongside \_\_\_\_\_?  
 \_\_\_\_\_ more do we \_\_\_\_\_ to \_\_\_\_\_ web \_\_\_\_\_ with our \_\_\_\_\_ installed \_\_\_\_\_?  
 If the \_\_\_\_\_ anti-viruses software \_\_\_\_\_ supplementary measures to establish \_\_\_\_\_ browsing on \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ accompanied by more \_\_\_\_\_ to make \_\_\_\_\_ devices safe \_\_\_\_\_?  
 \_\_\_\_\_ we need \_\_\_\_\_ do \_\_\_\_\_ things to \_\_\_\_\_ child-proofed \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ actions \_\_\_\_\_ implement secure \_\_\_\_\_ along with antivirus tools?  
 \_\_\_\_\_ the implementation \_\_\_\_\_ browsing \_\_\_\_\_ added procedures \_\_\_\_\_ we already \_\_\_\_\_ the \_\_\_\_\_ software?  
 \_\_\_\_\_ should be \_\_\_\_\_ additional measures \_\_\_\_\_ ensure child-safe browsing.  
 \_\_\_\_\_ establish \_\_\_\_\_ browsing \_\_\_\_\_ our devices with \_\_\_\_\_ current security \_\_\_\_\_?  
 \_\_\_\_\_ anything more \_\_\_\_\_ be done to implement safe \_\_\_\_\_ an active \_\_\_\_\_ program?  
 Is \_\_\_\_\_ a need \_\_\_\_\_ another step \_\_\_\_\_ ensure safe \_\_\_\_\_ when there \_\_\_\_\_ program?  
 \_\_\_\_\_ of safe-child \_\_\_\_\_ added \_\_\_\_\_ if we already \_\_\_\_\_ safe-child software?  
 Should \_\_\_\_\_ current \_\_\_\_\_ be \_\_\_\_\_ with additional \_\_\_\_\_ to \_\_\_\_\_ browsing on the \_\_\_\_\_?  
 \_\_\_\_\_ there more \_\_\_\_\_ do \_\_\_\_\_ environment \_\_\_\_\_ children using our existing protection?  
 Is there \_\_\_\_\_ requirement \_\_\_\_\_ action when \_\_\_\_\_ web \_\_\_\_\_ to our existing \_\_\_\_\_?  
 The \_\_\_\_\_ anti-viruses software might be \_\_\_\_\_ supplementary measures \_\_\_\_\_ establish \_\_\_\_\_ devices.  
 We \_\_\_\_\_ include \_\_\_\_\_ exploration \_\_\_\_\_ our gadgets, \_\_\_\_\_ should we \_\_\_\_\_ procedures?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ require \_\_\_\_\_ procedures if \_\_\_\_\_ use a security \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ set up \_\_\_\_\_ our current software?  
 There \_\_\_\_\_ should be \_\_\_\_\_ to current software to \_\_\_\_\_ from \_\_\_\_\_ exposed to \_\_\_\_\_ on the \_\_\_\_\_.  
 \_\_\_\_\_ supplementary \_\_\_\_\_ be added \_\_\_\_\_ the \_\_\_\_\_ software to \_\_\_\_\_ safe browsing?  
 \_\_\_\_\_ it \_\_\_\_\_ kid-friendly internet \_\_\_\_\_ onto a \_\_\_\_\_ an \_\_\_\_\_ security program?  
 Is it \_\_\_\_\_ taking further \_\_\_\_\_ safe \_\_\_\_\_ on devices \_\_\_\_\_ an \_\_\_\_\_ program?  
 Do we \_\_\_\_\_ further steps \_\_\_\_\_ a \_\_\_\_\_ environment \_\_\_\_\_ children \_\_\_\_\_ they use our \_\_\_\_\_ protection?  
 \_\_\_\_\_ necessary \_\_\_\_\_ implement child-proofed \_\_\_\_\_ alongside our antivirus \_\_\_\_\_?  
 Do \_\_\_\_\_ think \_\_\_\_\_ need \_\_\_\_\_ any more steps \_\_\_\_\_ sure \_\_\_\_\_ our already installed anti -  
 \_\_\_\_\_ implementation of safe-child browsing require \_\_\_\_\_ additional procedures, \_\_\_\_\_ we \_\_\_\_\_ use \_\_\_\_\_?  
 Does it \_\_\_\_\_ sense \_\_\_\_\_ steps \_\_\_\_\_ enable a secure \_\_\_\_\_ for children using our \_\_\_\_\_?  
 Extra \_\_\_\_\_ for child friendly browsing \_\_\_\_\_ with \_\_\_\_\_?  
 Is \_\_\_\_\_ to take further steps to \_\_\_\_\_ environment \_\_\_\_\_ using their existing \_\_\_\_\_?  
 Do we \_\_\_\_\_ to \_\_\_\_\_ to make \_\_\_\_\_ for children \_\_\_\_\_ our \_\_\_\_\_ protection?  
 \_\_\_\_\_ safe-child browsing require any additional procedures if \_\_\_\_\_ security \_\_\_\_\_?  
 Does \_\_\_\_\_ of safe-child \_\_\_\_\_ any \_\_\_\_\_ procedures \_\_\_\_\_ use a antivirus software?  
 \_\_\_\_\_ more \_\_\_\_\_ be done to \_\_\_\_\_ along with \_\_\_\_\_ tools for children?  
 Does \_\_\_\_\_ need to \_\_\_\_\_ more \_\_\_\_\_ browsing of children \_\_\_\_\_ existing anti-veshtior?  
 \_\_\_\_\_ am not sure if \_\_\_\_\_ need \_\_\_\_\_ more \_\_\_\_\_ child safe browsing or if \_\_\_\_\_ current \_\_\_\_\_  
 \_\_\_\_\_ there need to \_\_\_\_\_ safe browsing of children \_\_\_\_\_ protections.  
 Can \_\_\_\_\_ implement \_\_\_\_\_ browsing \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ browsing require additional procedures \_\_\_\_\_ we \_\_\_\_\_ a computer \_\_\_\_\_ program?  
 \_\_\_\_\_ the current \_\_\_\_\_ included with supplementary measures \_\_\_\_\_ establish \_\_\_\_\_ browsing \_\_\_\_\_ the \_\_\_\_\_?  
 Is there any additional requirements for enabling \_\_\_\_\_ web \_\_\_\_\_?  
 Is the current \_\_\_\_\_ combined with \_\_\_\_\_ to \_\_\_\_\_ child \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ up a \_\_\_\_\_ safe \_\_\_\_\_ option with our \_\_\_\_\_?  
 Do we \_\_\_\_\_ to take additional \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ existing protection \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to implement \_\_\_\_\_ browsing \_\_\_\_\_ our \_\_\_\_\_ software?

\_\_\_\_\_ there \_\_\_\_\_ another step \_\_\_\_\_ implementing \_\_\_\_\_ when \_\_\_\_\_ an active AntiVirus program?  
 \_\_\_\_\_ browsability be added \_\_\_\_\_ antiviral \_\_\_\_\_?  
 Should \_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ supplementary measures \_\_\_\_\_ reestablish \_\_\_\_\_ browsing \_\_\_\_\_ the device?  
 Is it \_\_\_\_\_ to take \_\_\_\_\_ child \_\_\_\_\_ with our \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to take further action \_\_\_\_\_ to \_\_\_\_\_ on \_\_\_\_\_ that have an active \_\_\_\_\_?  
 \_\_\_\_\_ the current \_\_\_\_\_ be \_\_\_\_\_ alongside supplementary measures to establish \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ there a need \_\_\_\_\_ another \_\_\_\_\_ for \_\_\_\_\_ browsing when \_\_\_\_\_ active program?  
 Do we \_\_\_\_\_ steps to enable \_\_\_\_\_ secured browsing environment \_\_\_\_\_?  
 \_\_\_\_\_ steps \_\_\_\_\_ taken \_\_\_\_\_ secure browsing \_\_\_\_\_ for children using our \_\_\_\_\_ protection?  
 \_\_\_\_\_ there \_\_\_\_\_ to take \_\_\_\_\_ step \_\_\_\_\_ when \_\_\_\_\_ is an active security program \_\_\_\_\_ the devices?  
 \_\_\_\_\_ there be further \_\_\_\_\_ with our software?  
 \_\_\_\_\_ the current \_\_\_\_\_ software \_\_\_\_\_ used in \_\_\_\_\_ measures to establish \_\_\_\_\_ their devices?  
 Should \_\_\_\_\_ anti-viruses software be combined with \_\_\_\_\_ browsing?  
 What \_\_\_\_\_ you think should \_\_\_\_\_ done \_\_\_\_\_ online better \_\_\_\_\_ the current \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to take \_\_\_\_\_ if \_\_\_\_\_ browsing is implemented \_\_\_\_\_ the \_\_\_\_\_ Antivirus \_\_\_\_\_ the device?  
 \_\_\_\_\_ implemented \_\_\_\_\_ active \_\_\_\_\_ program, \_\_\_\_\_ it necessary to take further action?  
 The \_\_\_\_\_ anti-viruses \_\_\_\_\_ by further \_\_\_\_\_ to make \_\_\_\_\_ devices safe from \_\_\_\_\_.  
 Is it possible \_\_\_\_\_ up \_\_\_\_\_ current Antivirus software?  
 \_\_\_\_\_ might be combined with \_\_\_\_\_ establish child safe browsing.  
 Is it \_\_\_\_\_ do more \_\_\_\_\_ kid-proof web \_\_\_\_\_ our current \_\_\_\_\_?  
 \_\_\_\_\_ more actions \_\_\_\_\_ to \_\_\_\_\_ child-proofed \_\_\_\_\_ alongside \_\_\_\_\_ software?  
 \_\_\_\_\_ more to \_\_\_\_\_ for child-friendly browsing \_\_\_\_\_ current security?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to take another step \_\_\_\_\_ implementing \_\_\_\_\_ when \_\_\_\_\_ on the device?  
 Should the current \_\_\_\_\_ accompanied \_\_\_\_\_ to make our \_\_\_\_\_ safer from \_\_\_\_\_.  
 Does there need \_\_\_\_\_ another \_\_\_\_\_ for implementing \_\_\_\_\_ browsing \_\_\_\_\_ there \_\_\_\_\_ program on the \_\_\_\_\_?  
 \_\_\_\_\_ the current anti-viruses \_\_\_\_\_ with \_\_\_\_\_ measures \_\_\_\_\_ safe browsing on our \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ additional \_\_\_\_\_ for the safe browsing of children \_\_\_\_\_?  
 \_\_\_\_\_ another step \_\_\_\_\_ safe browsing if there \_\_\_\_\_ an active \_\_\_\_\_ program?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses software be \_\_\_\_\_ measures to make our \_\_\_\_\_ safe \_\_\_\_\_?  
 Does \_\_\_\_\_ of safe-child browsing require \_\_\_\_\_ procedures if \_\_\_\_\_ security program?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ action \_\_\_\_\_ implement safe browsing on \_\_\_\_\_ with \_\_\_\_\_ active \_\_\_\_\_?  
 Should \_\_\_\_\_ anti-viruses software be \_\_\_\_\_ additional measures for \_\_\_\_\_ browsing \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ step to \_\_\_\_\_ browsing when there is \_\_\_\_\_ active program on \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of safe-child \_\_\_\_\_ require \_\_\_\_\_ procedures \_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ software?  
 The \_\_\_\_\_ software should be \_\_\_\_\_ measures \_\_\_\_\_ ensure \_\_\_\_\_ safe \_\_\_\_\_ on the \_\_\_\_\_.  
 Is there more precautions \_\_\_\_\_ incorporating \_\_\_\_\_ with an existing program?  
 Is \_\_\_\_\_ need \_\_\_\_\_ take \_\_\_\_\_ step for safe browsing when \_\_\_\_\_ an \_\_\_\_\_ Program \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ additional steps to make \_\_\_\_\_ environment for \_\_\_\_\_?  
 Do \_\_\_\_\_ have \_\_\_\_\_ take \_\_\_\_\_ steps \_\_\_\_\_ a secure \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ protection?  
 \_\_\_\_\_ the \_\_\_\_\_ my devices cover \_\_\_\_\_ browsing \_\_\_\_\_ there more \_\_\_\_\_ do?  
 \_\_\_\_\_ software \_\_\_\_\_ combined with \_\_\_\_\_ measures to establish child- safe \_\_\_\_\_ on our \_\_\_\_\_.  
 Is there \_\_\_\_\_ for \_\_\_\_\_ to be taken \_\_\_\_\_ when there is an \_\_\_\_\_ security \_\_\_\_\_?  
 Does \_\_\_\_\_ make sense \_\_\_\_\_ add \_\_\_\_\_ precautions for \_\_\_\_\_ to our \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ there a need for another step \_\_\_\_\_ implementing \_\_\_\_\_ browsing \_\_\_\_\_ is \_\_\_\_\_ Antivirus Program \_\_\_\_\_?  
 Additional \_\_\_\_\_ for a child \_\_\_\_\_ along with \_\_\_\_\_?  
 \_\_\_\_\_ browsing need \_\_\_\_\_ further \_\_\_\_\_ beyond existing \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ any \_\_\_\_\_ action when child-proofed \_\_\_\_\_ surfing is \_\_\_\_\_ system?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ be \_\_\_\_\_ with supplementary \_\_\_\_\_ child \_\_\_\_\_ on the device?  
 Is the current \_\_\_\_\_ by more measures \_\_\_\_\_ our devices \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses software be \_\_\_\_\_ additional precautions to \_\_\_\_\_ child-safe browsing \_\_\_\_\_?

Is there \_\_\_\_\_ for another \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ antivirus program on \_\_\_\_\_?

\_\_\_\_\_ there an action \_\_\_\_\_ will \_\_\_\_\_ to \_\_\_\_\_ taken \_\_\_\_\_ safe browsing for \_\_\_\_\_ the \_\_\_\_\_ active antiviruses?

\_\_\_\_\_ the current \_\_\_\_\_ with other measures to \_\_\_\_\_ child-safe browsing on \_\_\_\_\_?

Is \_\_\_\_\_ when incorporating kid-friendly internet \_\_\_\_\_ into \_\_\_\_\_ with an \_\_\_\_\_ security program?

\_\_\_\_\_ anything you can \_\_\_\_\_ to \_\_\_\_\_ safety \_\_\_\_\_ with \_\_\_\_\_ current Anti \_\_\_\_\_?

Does \_\_\_\_\_ browsing \_\_\_\_\_ additional \_\_\_\_\_ we already use a \_\_\_\_\_?

Should the current anti-viruses \_\_\_\_\_ with \_\_\_\_\_ ensure child safety \_\_\_\_\_ digital \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ more steps to \_\_\_\_\_ sure safety \_\_\_\_\_ ensured along \_\_\_\_\_ the \_\_\_\_\_ anti -

Should the \_\_\_\_\_ anti-viruses \_\_\_\_\_ be \_\_\_\_\_ supplementary \_\_\_\_\_ to \_\_\_\_\_ child- safe \_\_\_\_\_ our digital \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ more \_\_\_\_\_ to \_\_\_\_\_ child \_\_\_\_\_ browsing?

I am unsure if \_\_\_\_\_ need \_\_\_\_\_ software \_\_\_\_\_ or \_\_\_\_\_ we just need our \_\_\_\_\_

I wonder \_\_\_\_\_ it's \_\_\_\_\_ take further \_\_\_\_\_ for \_\_\_\_\_ safe browsing on \_\_\_\_\_ active antivirus \_\_\_\_\_.

\_\_\_\_\_ we implement child-friendly web \_\_\_\_\_ with \_\_\_\_\_ already-installed \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ for another \_\_\_\_\_ to \_\_\_\_\_ browsing when there is \_\_\_\_\_ devices?

Any more \_\_\_\_\_ to \_\_\_\_\_ kid-friendly \_\_\_\_\_ browsing combined with \_\_\_\_\_?

Should the \_\_\_\_\_ followed \_\_\_\_\_ more measures \_\_\_\_\_ devices safe \_\_\_\_\_ kids?

\_\_\_\_\_ should \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ browsing of \_\_\_\_\_ existing anti-vehicle protections.

Is \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ safe \_\_\_\_\_ all of the devices that \_\_\_\_\_ an antivirus program?

Is \_\_\_\_\_ when setting \_\_\_\_\_ with our current software?

\_\_\_\_\_ necessary to add procedures to \_\_\_\_\_ safe-child \_\_\_\_\_ already \_\_\_\_\_ antivirus software?

\_\_\_\_\_ we do more \_\_\_\_\_ kid-proof \_\_\_\_\_ browsing \_\_\_\_\_ using our \_\_\_\_\_?

\_\_\_\_\_ further \_\_\_\_\_ be \_\_\_\_\_ environment for children \_\_\_\_\_ they \_\_\_\_\_ our existing protection?

\_\_\_\_\_ it necessary \_\_\_\_\_ more precautions \_\_\_\_\_ child- safe browsing \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ you \_\_\_\_\_ our child safety online \_\_\_\_\_ with the \_\_\_\_\_ of \_\_\_\_\_?

Adding more \_\_\_\_\_ safe \_\_\_\_\_ alongside our computer's \_\_\_\_\_ necessary

Does \_\_\_\_\_ require additional \_\_\_\_\_ if we \_\_\_\_\_ have a antivirus \_\_\_\_\_?

Is there \_\_\_\_\_ need \_\_\_\_\_ another step \_\_\_\_\_ browsing when \_\_\_\_\_ an \_\_\_\_\_ Program?

\_\_\_\_\_ to \_\_\_\_\_ more steps \_\_\_\_\_ safe \_\_\_\_\_ of children with existing \_\_\_\_\_

\_\_\_\_\_ there a need for another \_\_\_\_\_ in \_\_\_\_\_ there is \_\_\_\_\_ program on \_\_\_\_\_ devices?

Should \_\_\_\_\_ anti-viruses \_\_\_\_\_ be combined \_\_\_\_\_ measures to \_\_\_\_\_ child safe browsing \_\_\_\_\_?

Does it \_\_\_\_\_ sense \_\_\_\_\_ precautions \_\_\_\_\_ safe browsing \_\_\_\_\_ with \_\_\_\_\_ computer's security \_\_\_\_\_?

\_\_\_\_\_ anti-viruses software should \_\_\_\_\_ combined \_\_\_\_\_ additional \_\_\_\_\_ our digital devices safe \_\_\_\_\_ children \_\_\_\_\_ use.

Is \_\_\_\_\_ more precautions \_\_\_\_\_ allowing \_\_\_\_\_ browsing along \_\_\_\_\_ our \_\_\_\_\_?

The \_\_\_\_\_ software may be combined with \_\_\_\_\_ child-safe browsing on \_\_\_\_\_.

Should the \_\_\_\_\_ anti-viruses \_\_\_\_\_ be \_\_\_\_\_ with supplementary \_\_\_\_\_ establish child-safe browsing \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ child-safe browsing \_\_\_\_\_ our current antivirus?

Should \_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ with \_\_\_\_\_ measures to \_\_\_\_\_ child-safe browsing \_\_\_\_\_ devices?

\_\_\_\_\_ be extra \_\_\_\_\_ when \_\_\_\_\_ kid-friendly \_\_\_\_\_ access on \_\_\_\_\_ device with \_\_\_\_\_ program?

\_\_\_\_\_ there \_\_\_\_\_ active security program \_\_\_\_\_ the device, is \_\_\_\_\_ a \_\_\_\_\_ step \_\_\_\_\_ safe browsing?

Is \_\_\_\_\_ any extra \_\_\_\_\_ needed \_\_\_\_\_ kid-friendly \_\_\_\_\_ onto \_\_\_\_\_ device with an existing \_\_\_\_\_?

Should \_\_\_\_\_ add \_\_\_\_\_ to enable child-safe \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ system \_\_\_\_\_ child-proof internet \_\_\_\_\_ on \_\_\_\_\_ gadgets, so \_\_\_\_\_ need more procedures?

Do \_\_\_\_\_ need to take additional steps \_\_\_\_\_ ensure \_\_\_\_\_ environment \_\_\_\_\_ children when \_\_\_\_\_ our \_\_\_\_\_?

Do there \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ children with the existing anti-virus?

Does \_\_\_\_\_ sense \_\_\_\_\_ add \_\_\_\_\_ precautions for \_\_\_\_\_ safe browsing \_\_\_\_\_ the anti-malware \_\_\_\_\_?

Is \_\_\_\_\_ possible to add \_\_\_\_\_ browsing with the anti-malware \_\_\_\_\_?

Is it \_\_\_\_\_ to combine \_\_\_\_\_ current anti-viruses software \_\_\_\_\_ browsing \_\_\_\_\_ the devices?

\_\_\_\_\_ need \_\_\_\_\_ take \_\_\_\_\_ to allow \_\_\_\_\_ secure environment \_\_\_\_\_ children when they use \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ any additional action \_\_\_\_\_ taken when \_\_\_\_\_ web \_\_\_\_\_ our existing system?

\_\_\_\_\_ to implement more child-proofed \_\_\_\_\_ our security \_\_\_\_\_?

Is it \_\_\_\_ to set \_\_\_\_ child \_\_\_\_ software or \_\_\_\_ we need \_\_\_\_?

Does \_\_\_\_ implementation of safe-child \_\_\_\_ any additional \_\_\_\_ we \_\_\_\_ a defensive \_\_\_\_?

Should the current \_\_\_\_ safety measures \_\_\_\_ establish \_\_\_\_ safe browsing?

Is it necessary \_\_\_\_ further action \_\_\_\_ on \_\_\_\_ with \_\_\_\_ security program?

The \_\_\_\_ should \_\_\_\_ by \_\_\_\_ measures \_\_\_\_ make \_\_\_\_ safe from child safebrow.  
 \_\_\_\_ there \_\_\_\_ extra \_\_\_\_ for kid-friendly internet access \_\_\_\_ with an \_\_\_\_ program?

Is there \_\_\_\_ child-proofed web surfing to \_\_\_\_ existing system?

The current \_\_\_\_ software \_\_\_\_ combined with other \_\_\_\_ to \_\_\_\_ the devices.  
 \_\_\_\_ the implementation \_\_\_\_ safe-child browsing require any \_\_\_\_ we \_\_\_\_ use \_\_\_\_?

Can \_\_\_\_ browsability \_\_\_\_ alongside \_\_\_\_ applications?

Is it possible \_\_\_\_ using \_\_\_\_ software?  
 \_\_\_\_ processes to \_\_\_\_ of \_\_\_\_ browsing \_\_\_\_ antivirus?

Adding \_\_\_\_ precautions \_\_\_\_ child \_\_\_\_ our computer \_\_\_\_ software?

Is \_\_\_\_ necessary to \_\_\_\_ more precautions \_\_\_\_ child- \_\_\_\_ anti-malware software?

The current anti-viruses \_\_\_\_ be \_\_\_\_ with \_\_\_\_ measures to \_\_\_\_ on \_\_\_\_ devices.

Should \_\_\_\_ anti-viruses \_\_\_\_ with \_\_\_\_ measures to create \_\_\_\_ safe \_\_\_\_ on \_\_\_\_ devices?

Is \_\_\_\_ necessary to \_\_\_\_ more measures \_\_\_\_ browsing \_\_\_\_ current \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to \_\_\_\_ secure browsing environment for children?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ action to \_\_\_\_ safe \_\_\_\_ devices with an \_\_\_\_?

Should we add additional \_\_\_\_ secure browsing \_\_\_\_ for \_\_\_\_?

Do \_\_\_\_ needs to \_\_\_\_ more steps for \_\_\_\_ our existing anti-vehicle \_\_\_\_?

Is it necessary to take \_\_\_\_ for implementing \_\_\_\_ when there \_\_\_\_ an \_\_\_\_ devices?  
 \_\_\_\_ any additional \_\_\_\_ to be \_\_\_\_ child-proofed \_\_\_\_ is included in \_\_\_\_ system?  
 \_\_\_\_ the implementation \_\_\_\_ browsing need any added procedures \_\_\_\_ security \_\_\_\_?  
 \_\_\_\_ it possible to \_\_\_\_ anti-viruses \_\_\_\_ with additional measures \_\_\_\_ establish \_\_\_\_ on their \_\_\_\_?  
 \_\_\_\_ to set up child-safe \_\_\_\_ with \_\_\_\_ current \_\_\_\_?

Does any \_\_\_\_ to \_\_\_\_ when child-proofed web \_\_\_\_ integrated \_\_\_\_ our existing \_\_\_\_?

Should the current \_\_\_\_ software \_\_\_\_ precautions \_\_\_\_ devices safe from child-safebrow?  
 \_\_\_\_ software be combined \_\_\_\_ measures \_\_\_\_ establish child safe \_\_\_\_?  
 \_\_\_\_ the current \_\_\_\_ be combined \_\_\_\_ measures to make the device \_\_\_\_?

Should the \_\_\_\_ software \_\_\_\_ combined with \_\_\_\_ make \_\_\_\_ safe \_\_\_\_ browse?

To establish child \_\_\_\_ browsing, \_\_\_\_ the \_\_\_\_ software \_\_\_\_ combined \_\_\_\_ measures?  
 \_\_\_\_ to implement \_\_\_\_ when there is \_\_\_\_ active antivirus \_\_\_\_ on \_\_\_\_ device?  
 \_\_\_\_ there \_\_\_\_ need to implement child-proofed browsing \_\_\_\_?

\_\_\_\_ the \_\_\_\_ software \_\_\_\_ by \_\_\_\_ to make our devices \_\_\_\_ kids?  
 \_\_\_\_ the current \_\_\_\_ software be \_\_\_\_ additional \_\_\_\_ for \_\_\_\_ on \_\_\_\_ device?  
 \_\_\_\_ have \_\_\_\_ add \_\_\_\_ safe-child browsing if we already use a \_\_\_\_?

Should \_\_\_\_ current anti-viruses software \_\_\_\_ combined with \_\_\_\_ to \_\_\_\_ child- safe \_\_\_\_ on \_\_\_\_?

Should the \_\_\_\_ anti-viruses software be followed by \_\_\_\_ for children?  
 \_\_\_\_ anti-viruses software \_\_\_\_ combined with the supplementary \_\_\_\_ establish child-safe \_\_\_\_ device?  
 \_\_\_\_ current \_\_\_\_ software \_\_\_\_ with additional \_\_\_\_ make our digital \_\_\_\_ for children?  
 \_\_\_\_ browsing possible \_\_\_\_ our current \_\_\_\_?

\_\_\_\_ is \_\_\_\_ antivirus program, \_\_\_\_ there \_\_\_\_ take another step for implementing \_\_\_\_ browsing?  
 \_\_\_\_ already \_\_\_\_ security \_\_\_\_ does \_\_\_\_ implementation of safe-child \_\_\_\_ require \_\_\_\_ procedures?  
 \_\_\_\_ current \_\_\_\_ be \_\_\_\_ with additional measures \_\_\_\_ make child \_\_\_\_ browsing \_\_\_\_ priority?

Is \_\_\_\_ add child-proofed browsing to \_\_\_\_ software?  
 \_\_\_\_ measures \_\_\_\_ be added to current software \_\_\_\_ children safe from \_\_\_\_ the internet.  
 \_\_\_\_ we implement \_\_\_\_ alongside \_\_\_\_ antivirus \_\_\_\_?

Does \_\_\_\_ be another step \_\_\_\_ safe browsing \_\_\_\_ is an active \_\_\_\_ program \_\_\_\_ device?

Should we be \_\_\_\_ for \_\_\_\_ to make \_\_\_\_ child safety is assured \_\_\_\_ when \_\_\_\_?



Is \_\_\_\_\_ a need \_\_\_\_\_ another step \_\_\_\_\_ safe \_\_\_\_\_ when there \_\_\_\_\_ program?  
 \_\_\_\_\_ current \_\_\_\_\_ software be accompanied \_\_\_\_\_ to make \_\_\_\_\_ devices \_\_\_\_\_ kids?

Does the implementation \_\_\_\_\_ safe-child \_\_\_\_\_ require \_\_\_\_\_ procedures \_\_\_\_\_ already \_\_\_\_\_ software?  
 \_\_\_\_\_ it \_\_\_\_\_ to implement child-friendly browsing \_\_\_\_\_ security?

Should the current anti-viruses \_\_\_\_\_ be \_\_\_\_\_ precautions to \_\_\_\_\_ child-safe?  
 Should \_\_\_\_\_ current anti-viruses \_\_\_\_\_ followed \_\_\_\_\_ further \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ safer \_\_\_\_\_ kids?  
 \_\_\_\_\_ I use our current \_\_\_\_\_ software to \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ implement \_\_\_\_\_ friendly \_\_\_\_\_ antiviral applications?

Is it \_\_\_\_\_ to \_\_\_\_\_ browsing in existing \_\_\_\_\_?

Should the \_\_\_\_\_ be \_\_\_\_\_ supplementary measures to \_\_\_\_\_ child-safe \_\_\_\_\_ devices?  
 How do \_\_\_\_\_ get child-friendly \_\_\_\_\_ our \_\_\_\_\_ program?

The \_\_\_\_\_ should be \_\_\_\_\_ by more \_\_\_\_\_ to make \_\_\_\_\_ devices \_\_\_\_\_ child-safe brow.  
 \_\_\_\_\_ additional \_\_\_\_\_ for the safe browsing of children with \_\_\_\_\_.

There \_\_\_\_\_ precautions needed \_\_\_\_\_ using \_\_\_\_\_ access on \_\_\_\_\_ device with an \_\_\_\_\_ security \_\_\_\_\_.

Is \_\_\_\_\_ add \_\_\_\_\_ for allowing \_\_\_\_\_ safe \_\_\_\_\_ along with \_\_\_\_\_ software?  
 \_\_\_\_\_ needs to be \_\_\_\_\_ steps \_\_\_\_\_ browsing of \_\_\_\_\_ with the \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ further \_\_\_\_\_ order to have safe \_\_\_\_\_ on \_\_\_\_\_ with an \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ browsing require additional procedures if \_\_\_\_\_ already \_\_\_\_\_ security \_\_\_\_\_?

Do \_\_\_\_\_ to \_\_\_\_\_ additional steps \_\_\_\_\_ ensure \_\_\_\_\_ secure \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ protection?  
 \_\_\_\_\_ software should \_\_\_\_\_ combined with \_\_\_\_\_ measures to establish \_\_\_\_\_ browsing \_\_\_\_\_ devices.  
 \_\_\_\_\_ it necessary to implement \_\_\_\_\_ with \_\_\_\_\_ antivirus?

Is \_\_\_\_\_ to have \_\_\_\_\_ child-safe \_\_\_\_\_ current antivirus?  
 \_\_\_\_\_ the current anti-viruses software \_\_\_\_\_ other measures \_\_\_\_\_ the \_\_\_\_\_ safe to \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ that should be \_\_\_\_\_ to current \_\_\_\_\_ to \_\_\_\_\_ from being exposed \_\_\_\_\_ harmful viruses \_\_\_\_\_.  
 \_\_\_\_\_ need to implement child-proofed \_\_\_\_\_ software?  
 \_\_\_\_\_ we need more \_\_\_\_\_ ensure \_\_\_\_\_ with \_\_\_\_\_ software?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ toddler-friendly \_\_\_\_\_ with \_\_\_\_\_ antiviral applications?

Is \_\_\_\_\_ necessary for us to \_\_\_\_\_ implement \_\_\_\_\_ browsing if we \_\_\_\_\_ use \_\_\_\_\_?  
 \_\_\_\_\_ possible to setup child-safe \_\_\_\_\_ with \_\_\_\_\_ current \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ take further measures \_\_\_\_\_ secure environment \_\_\_\_\_ children when they use \_\_\_\_\_ existing \_\_\_\_\_?

Do \_\_\_\_\_ need to take \_\_\_\_\_ environment \_\_\_\_\_ children \_\_\_\_\_ use existing protection?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ more precautions for allowing \_\_\_\_\_ browsing \_\_\_\_\_?  
 \_\_\_\_\_ to do more \_\_\_\_\_ implement \_\_\_\_\_ browsing?  
 \_\_\_\_\_ to \_\_\_\_\_ further steps to let children \_\_\_\_\_ existing \_\_\_\_\_?

Can \_\_\_\_\_ add more \_\_\_\_\_ enable child-safe \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ current \_\_\_\_\_ should be accompanied \_\_\_\_\_ further measures to \_\_\_\_\_ devices safe \_\_\_\_\_  
 \_\_\_\_\_ anti-viruses \_\_\_\_\_ with supplementary measures to \_\_\_\_\_ child- \_\_\_\_\_ browsing \_\_\_\_\_ our digital devices.

Is \_\_\_\_\_ anti-viruses software \_\_\_\_\_ to establish \_\_\_\_\_ browsing \_\_\_\_\_ the \_\_\_\_\_?

Should the current \_\_\_\_\_ accompanied \_\_\_\_\_ measures to \_\_\_\_\_ safe for \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ another \_\_\_\_\_ safe browsing, when \_\_\_\_\_ an active program?

Does the implementation \_\_\_\_\_ any \_\_\_\_\_ we already use anti-viruses?

Additional \_\_\_\_\_ for \_\_\_\_\_ web browsing \_\_\_\_\_ with \_\_\_\_\_ measures?

Is there \_\_\_\_\_ need for another step \_\_\_\_\_ implement \_\_\_\_\_ when \_\_\_\_\_ antivirus \_\_\_\_\_?

The \_\_\_\_\_ should be \_\_\_\_\_ with supplemental measures \_\_\_\_\_ child safe \_\_\_\_\_

Do \_\_\_\_\_ need \_\_\_\_\_ take \_\_\_\_\_ actions \_\_\_\_\_ sure the children \_\_\_\_\_ our \_\_\_\_\_ protection \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ steps for the \_\_\_\_\_ with our existing anti-vestive \_\_\_\_\_?

Do \_\_\_\_\_ need to be additional \_\_\_\_\_ safe \_\_\_\_\_ with the \_\_\_\_\_ protections?  
 \_\_\_\_\_ an \_\_\_\_\_ that will be \_\_\_\_\_ to implement safe browsing for \_\_\_\_\_ devices with \_\_\_\_\_?  
 \_\_\_\_\_ current anti-viruses \_\_\_\_\_ by more \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ safer for kids.

Does the \_\_\_\_\_ safe-child \_\_\_\_\_ any \_\_\_\_\_ procedures \_\_\_\_\_ already \_\_\_\_\_ a antivirus software?

\_\_\_\_\_ there \_\_\_\_\_ way \_\_\_\_\_ child \_\_\_\_\_ browsing \_\_\_\_\_ our current software?  
 Is it \_\_\_\_\_ action if safe \_\_\_\_\_ in an active AntiVirus \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ child safety \_\_\_\_\_ when using \_\_\_\_\_ current antivirus system?  
 \_\_\_\_\_ for enabling \_\_\_\_\_ combined \_\_\_\_\_ existing defense measures?  
 \_\_\_\_\_ should be safe \_\_\_\_\_ devices \_\_\_\_\_ the current \_\_\_\_\_ is combined with supplementary \_\_\_\_\_.  
 \_\_\_\_\_ implement child-proofed \_\_\_\_\_ security software?  
 \_\_\_\_\_ more we can do to \_\_\_\_\_ environment for \_\_\_\_\_ existing protection?  
 The \_\_\_\_\_ be combined with supplementary \_\_\_\_\_ establish \_\_\_\_\_ safe \_\_\_\_\_ their devices.  
 \_\_\_\_\_ the current anti-viruses software be \_\_\_\_\_ supplementary measures \_\_\_\_\_ make \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to be more \_\_\_\_\_ browsing \_\_\_\_\_ with \_\_\_\_\_ existing anti-vehicle protections?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses software be combined with \_\_\_\_\_ to \_\_\_\_\_ children safe to \_\_\_\_\_?  
 Should \_\_\_\_\_ software \_\_\_\_\_ with supplementary \_\_\_\_\_ to establish \_\_\_\_\_ browsing on \_\_\_\_\_?  
 Should the current \_\_\_\_\_ combined \_\_\_\_\_ to establish child-safe \_\_\_\_\_ the \_\_\_\_\_?  
 The current anti-viruses \_\_\_\_\_ be \_\_\_\_\_ with \_\_\_\_\_ child- \_\_\_\_\_ browsing on \_\_\_\_\_ digital devices.  
 Should the current \_\_\_\_\_ software be \_\_\_\_\_ by additional \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ take another step \_\_\_\_\_ safe browsing when \_\_\_\_\_ an \_\_\_\_\_?  
 Can we add child-proofed web \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses software be \_\_\_\_\_ measures \_\_\_\_\_ make \_\_\_\_\_ device safe \_\_\_\_\_ to use?  
 Should the \_\_\_\_\_ be \_\_\_\_\_ with \_\_\_\_\_ measures \_\_\_\_\_ child-safe browsing \_\_\_\_\_ their \_\_\_\_\_?  
 Is it necessary to take \_\_\_\_\_ action \_\_\_\_\_ implementing \_\_\_\_\_ devices \_\_\_\_\_ protection \_\_\_\_\_?  
 Is there \_\_\_\_\_ need for extra \_\_\_\_\_ kid-friendly internet \_\_\_\_\_ with an existing \_\_\_\_\_?  
 Is there a need \_\_\_\_\_ step \_\_\_\_\_ safe browsing \_\_\_\_\_ is a \_\_\_\_\_ the devices?  
 Do \_\_\_\_\_ to be more precautions \_\_\_\_\_ of children \_\_\_\_\_ existing anti-vehicle?  
 \_\_\_\_\_ toddler-friendly browsability with active antiviral applications?  
 Should \_\_\_\_\_ accompanied by \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ safe for children?  
 Do we \_\_\_\_\_ take further steps to allow \_\_\_\_\_ for \_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ protection?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ put \_\_\_\_\_ precautions \_\_\_\_\_ safe browsing \_\_\_\_\_ computer's security \_\_\_\_\_?  
 \_\_\_\_\_ there is an \_\_\_\_\_ program on the \_\_\_\_\_ there need \_\_\_\_\_ step for \_\_\_\_\_ browsing?  
 \_\_\_\_\_ there a \_\_\_\_\_ step \_\_\_\_\_ implement \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ active antivirus program \_\_\_\_\_ the devices?  
 \_\_\_\_\_ there any need to \_\_\_\_\_ child-proofed browsing \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ that needs to \_\_\_\_\_ taken \_\_\_\_\_ safe browsing for all of \_\_\_\_\_ devices \_\_\_\_\_?  
 \_\_\_\_\_ possible to implement toddler-friendly \_\_\_\_\_ active antiviral \_\_\_\_\_?  
 \_\_\_\_\_ there a need for \_\_\_\_\_ implement safe \_\_\_\_\_ there \_\_\_\_\_ antivirus \_\_\_\_\_ on the device?  
 \_\_\_\_\_ anti-viruses software \_\_\_\_\_ used with \_\_\_\_\_ to establish \_\_\_\_\_ browsing on \_\_\_\_\_ device?  
 \_\_\_\_\_ to \_\_\_\_\_ to allow a \_\_\_\_\_ environment for \_\_\_\_\_ to use an \_\_\_\_\_ protection?  
 \_\_\_\_\_ not sure \_\_\_\_\_ we \_\_\_\_\_ software \_\_\_\_\_ child safe \_\_\_\_\_ or if we \_\_\_\_\_ current antivirus.  
 \_\_\_\_\_ should be \_\_\_\_\_ with additional measures to create child-safe \_\_\_\_\_ device.  
 \_\_\_\_\_ the \_\_\_\_\_ software \_\_\_\_\_ by further measures to make \_\_\_\_\_ devices \_\_\_\_\_ for \_\_\_\_\_?  
 There \_\_\_\_\_ to be \_\_\_\_\_ browsing of children \_\_\_\_\_ our \_\_\_\_\_ anti-vehicle.  
 \_\_\_\_\_ it \_\_\_\_\_ include more \_\_\_\_\_ for child \_\_\_\_\_ in \_\_\_\_\_ software?  
 \_\_\_\_\_ a \_\_\_\_\_ action \_\_\_\_\_ be \_\_\_\_\_ when child-proofed \_\_\_\_\_ surfing is added \_\_\_\_\_ our \_\_\_\_\_?  
 There needs \_\_\_\_\_ be further \_\_\_\_\_ for \_\_\_\_\_ of children \_\_\_\_\_ anti-vehicle.  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ combined with \_\_\_\_\_ measures to keep \_\_\_\_\_ browsing?  
 Is the \_\_\_\_\_ anti-viruses software \_\_\_\_\_ with \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ software should \_\_\_\_\_ with other measures \_\_\_\_\_ ensure child-safe browsing \_\_\_\_\_ device.  
 \_\_\_\_\_ have \_\_\_\_\_ good antivirus \_\_\_\_\_ my device, \_\_\_\_\_ do I \_\_\_\_\_ keep \_\_\_\_\_ safe?  
 \_\_\_\_\_ to be \_\_\_\_\_ steps for \_\_\_\_\_ browsing \_\_\_\_\_ children with our \_\_\_\_\_?  
 Should \_\_\_\_\_ be combined with additional measures to make \_\_\_\_\_ safe \_\_\_\_\_ internet?  
 Do we \_\_\_\_\_ steps to allow \_\_\_\_\_ to use their \_\_\_\_\_ in \_\_\_\_\_ secure \_\_\_\_\_?  
 \_\_\_\_\_ necessary to take \_\_\_\_\_ secure environment for \_\_\_\_\_ when \_\_\_\_\_ existing protection?

\_\_\_\_ we need to \_\_\_\_ other steps to \_\_\_\_ children \_\_\_\_ protection \_\_\_\_ the internet?  
 \_\_\_\_ current anti-viruses \_\_\_\_ be \_\_\_\_ additional measures to create \_\_\_\_ on the \_\_\_\_?  
 \_\_\_\_ any new measures \_\_\_\_ child-safe browsing with our \_\_\_\_?  
 Will \_\_\_\_ browsability along with \_\_\_\_ applications \_\_\_\_ extra configurations \_\_\_\_?  
 Should \_\_\_\_ software be accompanied by \_\_\_\_ make \_\_\_\_ devices \_\_\_\_ child-safebrow?  
 Should \_\_\_\_ anti-viruses software be \_\_\_\_ additional \_\_\_\_ child-safe browsing \_\_\_\_ their devices?  
 \_\_\_\_ the current anti-viruses \_\_\_\_ be used \_\_\_\_ to \_\_\_\_ devices child-safe?  
 \_\_\_\_ we be \_\_\_\_ more ways to make \_\_\_\_ safety \_\_\_\_ protected online with \_\_\_\_ antivirus \_\_\_\_?  
 Should there \_\_\_\_ additional requirements \_\_\_\_ web \_\_\_\_ combined \_\_\_\_ measures?  
 Extra \_\_\_\_ to child-friendly \_\_\_\_ with our \_\_\_\_?  
 Is \_\_\_\_ add \_\_\_\_ for child safe \_\_\_\_ with our \_\_\_\_ software?  
 \_\_\_\_ an action that needs to \_\_\_\_ implement \_\_\_\_ browsing \_\_\_\_ of the devices with \_\_\_\_ virus?  
 Do we need \_\_\_\_ the safe \_\_\_\_ children with \_\_\_\_ existing \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ sense to \_\_\_\_ more \_\_\_\_ child safe browsing \_\_\_\_ our \_\_\_\_ security \_\_\_\_?  
 \_\_\_\_ make sense to \_\_\_\_ for \_\_\_\_ safe browsing \_\_\_\_ computer security software?  
 \_\_\_\_ be done to enable child-safe browsing alongside \_\_\_\_?  
 What more can \_\_\_\_ to \_\_\_\_ web surfing \_\_\_\_ with an \_\_\_\_ program?  
 \_\_\_\_ there \_\_\_\_ can be \_\_\_\_ to \_\_\_\_ surfing along with \_\_\_\_ for \_\_\_\_?  
 Does \_\_\_\_ implementation \_\_\_\_ safe-child browsing \_\_\_\_ procedures \_\_\_\_ use an anti-viruses software?  
 There should \_\_\_\_ additional precautions for \_\_\_\_ children \_\_\_\_ our \_\_\_\_ protection.  
 Does \_\_\_\_ implementation of safe-child \_\_\_\_ need additional \_\_\_\_ use \_\_\_\_ security \_\_\_\_?  
 The \_\_\_\_ should be \_\_\_\_ with \_\_\_\_ establish child safe \_\_\_\_ the devices.  
 Should the current \_\_\_\_ be combined with \_\_\_\_ measures \_\_\_\_ browsing.  
 Is \_\_\_\_ that \_\_\_\_ be done to protect \_\_\_\_ from \_\_\_\_ of surfing \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ software accompany further \_\_\_\_ to make our devices safe \_\_\_\_?  
 \_\_\_\_ the current anti-viruses software \_\_\_\_ further \_\_\_\_ to \_\_\_\_ devices safe for \_\_\_\_?  
 Is there \_\_\_\_ measures for child \_\_\_\_ our \_\_\_\_ antivirus?  
 \_\_\_\_ we take further \_\_\_\_ to \_\_\_\_ a \_\_\_\_ environment \_\_\_\_ when \_\_\_\_ use \_\_\_\_ existing \_\_\_\_?  
 Is it necessary \_\_\_\_ child-proofed browsing \_\_\_\_?  
 There needs \_\_\_\_ more steps \_\_\_\_ safe \_\_\_\_ of children \_\_\_\_ the \_\_\_\_ anti-vehicle \_\_\_\_.  
 \_\_\_\_ there more that \_\_\_\_ done to \_\_\_\_ children with \_\_\_\_ along with \_\_\_\_?  
 Should \_\_\_\_ software be \_\_\_\_ with other measures to \_\_\_\_ child \_\_\_\_?  
 \_\_\_\_ there a need for \_\_\_\_ step \_\_\_\_ implementing \_\_\_\_ is an \_\_\_\_ on the device  
 \_\_\_\_ the \_\_\_\_ software be used with \_\_\_\_ measures to establish \_\_\_\_?  
 Is it necessary to \_\_\_\_ child- \_\_\_\_ with \_\_\_\_ anti-malware software?  
 Is it \_\_\_\_ to \_\_\_\_ more \_\_\_\_ enabling child-safe \_\_\_\_ with \_\_\_\_ software?  
 \_\_\_\_ the \_\_\_\_ anti-viruses software be combined \_\_\_\_ other \_\_\_\_ make \_\_\_\_ device safer \_\_\_\_?  
 Should \_\_\_\_ current anti-viruses software be combined \_\_\_\_ measures \_\_\_\_ on their \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to \_\_\_\_ additional \_\_\_\_ to make \_\_\_\_ the children \_\_\_\_ our \_\_\_\_ protection \_\_\_\_ internet?  
 Do \_\_\_\_ need \_\_\_\_ steps for the \_\_\_\_ with anti-vehicle protections?  
 Additional measures \_\_\_\_ be \_\_\_\_ current software for keeping \_\_\_\_ from being exposed \_\_\_\_ harmful \_\_\_\_.  
 \_\_\_\_ we need \_\_\_\_ take further \_\_\_\_ let \_\_\_\_ our \_\_\_\_ protection?  
 \_\_\_\_ we \_\_\_\_ more actions \_\_\_\_ browsing \_\_\_\_?  
 \_\_\_\_ necessary to \_\_\_\_ child-safe \_\_\_\_ to our existing \_\_\_\_?  
 Do \_\_\_\_ need to take \_\_\_\_ to \_\_\_\_ sure \_\_\_\_ our existing internet \_\_\_\_?  
 Is \_\_\_\_ necessary \_\_\_\_ add \_\_\_\_ precautions for enabling child-safe \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to add \_\_\_\_ for child \_\_\_\_ browsing \_\_\_\_ to \_\_\_\_ computer \_\_\_\_ software?  
 Is there any new \_\_\_\_ child-safe browsing \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ for \_\_\_\_ for implementing safe browsing \_\_\_\_ there is \_\_\_\_ program?  
 \_\_\_\_ there a \_\_\_\_ add \_\_\_\_ safe browsing \_\_\_\_ our computer security software?

Is there \_\_\_\_ need \_\_\_\_ another step for \_\_\_\_ there \_\_\_\_ program on the device?

Is there a need for \_\_\_\_ step \_\_\_\_ implementing \_\_\_\_ an \_\_\_\_ protection \_\_\_\_ on \_\_\_\_ device?

Is there a \_\_\_\_ take another step \_\_\_\_ safe \_\_\_\_ there \_\_\_\_ active program \_\_\_\_ device?

Is \_\_\_\_ necessary to add \_\_\_\_ browsing \_\_\_\_ with our computer \_\_\_\_ software?

Do we need \_\_\_\_ actions \_\_\_\_ implement child-proofed \_\_\_\_?

There \_\_\_\_ to \_\_\_\_ more \_\_\_\_ for the safe browsing \_\_\_\_ children \_\_\_\_ existing \_\_\_\_.

Is it necessary to add \_\_\_\_ browsing along \_\_\_\_ the anti-malware \_\_\_\_?

Should the current \_\_\_\_ be combined \_\_\_\_ measures to \_\_\_\_ child- \_\_\_\_?

Should the \_\_\_\_ software \_\_\_\_ combined with \_\_\_\_ to \_\_\_\_ child-safe \_\_\_\_ devices?

Any \_\_\_\_ for enabling \_\_\_\_ web browsing together with \_\_\_\_?

\_\_\_\_ necessary \_\_\_\_ precautions for enabling child \_\_\_\_ browsing along \_\_\_\_ anti-malware software?

Is the \_\_\_\_ software \_\_\_\_ further measures \_\_\_\_ make \_\_\_\_ devices safe \_\_\_\_?

I \_\_\_\_ good \_\_\_\_ on my \_\_\_\_ but do I \_\_\_\_ more for \_\_\_\_?

Does \_\_\_\_ child-safe browsing \_\_\_\_ existing software?

\_\_\_\_ we \_\_\_\_ actions to \_\_\_\_ child-proofed \_\_\_\_?

\_\_\_\_ needs to \_\_\_\_ for safe \_\_\_\_ children with our existing \_\_\_\_.

\_\_\_\_ a \_\_\_\_ another \_\_\_\_ in \_\_\_\_ safe browsing \_\_\_\_ there's an \_\_\_\_ program on the \_\_\_\_?

\_\_\_\_ it possible to set \_\_\_\_ browsing \_\_\_\_ current \_\_\_\_?

\_\_\_\_ necessary to take further \_\_\_\_ implement \_\_\_\_ on devices that have \_\_\_\_ active \_\_\_\_?

The \_\_\_\_ anti-viruses \_\_\_\_ be combined with \_\_\_\_ measures to \_\_\_\_ our \_\_\_\_ devices safe \_\_\_\_ use.

Is there \_\_\_\_ need for \_\_\_\_ step \_\_\_\_ browsing when \_\_\_\_ active \_\_\_\_ program?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ child-proofed browsing \_\_\_\_ Antivirus software?

Are \_\_\_\_ to add more \_\_\_\_ for \_\_\_\_ safe \_\_\_\_ computer \_\_\_\_ software?

Should \_\_\_\_ current anti-viruses \_\_\_\_ be \_\_\_\_ with supplemental \_\_\_\_ establish \_\_\_\_ the device?

\_\_\_\_ need \_\_\_\_ take \_\_\_\_ steps to \_\_\_\_ safe \_\_\_\_ for kids?

Is \_\_\_\_ necessary \_\_\_\_ more precautions for \_\_\_\_ safe \_\_\_\_ alongside \_\_\_\_ software?

Do we need \_\_\_\_ precautions to \_\_\_\_ for children to \_\_\_\_ an \_\_\_\_ protection?

\_\_\_\_ need \_\_\_\_ steps for the safe \_\_\_\_ children with \_\_\_\_ existing anti-vehicle?

Do we \_\_\_\_ to take additional steps \_\_\_\_ a \_\_\_\_ for children \_\_\_\_ protection?

\_\_\_\_ precautions need \_\_\_\_ be \_\_\_\_ incorporating kid-friendly internet \_\_\_\_ a device \_\_\_\_ an existing security \_\_\_\_?

Do \_\_\_\_ need to \_\_\_\_ further \_\_\_\_ to \_\_\_\_ secure \_\_\_\_ children \_\_\_\_ use \_\_\_\_ protection?

\_\_\_\_ implementation \_\_\_\_ safe-child browsing \_\_\_\_ new procedures if \_\_\_\_ already \_\_\_\_ an antivirus \_\_\_\_?

Do \_\_\_\_ be \_\_\_\_ steps \_\_\_\_ safe browsing of \_\_\_\_ with our \_\_\_\_?

Should \_\_\_\_ be accompanied by further measures \_\_\_\_ safe for \_\_\_\_?

Is there \_\_\_\_ more \_\_\_\_ to \_\_\_\_ safe browsers on devices \_\_\_\_ immune \_\_\_\_?

\_\_\_\_ the current \_\_\_\_ software be \_\_\_\_ steps to \_\_\_\_ on the device?

\_\_\_\_ there is an \_\_\_\_ on \_\_\_\_ device, \_\_\_\_ there a \_\_\_\_ step for safe browsing?

\_\_\_\_ it \_\_\_\_ to add \_\_\_\_ features to \_\_\_\_ devices' current \_\_\_\_?

\_\_\_\_ to take \_\_\_\_ to \_\_\_\_ a safe \_\_\_\_ for children \_\_\_\_ an existing protection?

\_\_\_\_ to enable \_\_\_\_ browsing \_\_\_\_ our software?

There \_\_\_\_ be \_\_\_\_ the \_\_\_\_ of children with \_\_\_\_ existing anti-vehicle protection

Is \_\_\_\_ a need \_\_\_\_ to implement safe \_\_\_\_ when \_\_\_\_ an active program \_\_\_\_ devices?

Is \_\_\_\_ child-safe browsing with \_\_\_\_ current antivirus?

\_\_\_\_ possible to \_\_\_\_ up child safe browsing \_\_\_\_ security?

\_\_\_\_ to allow \_\_\_\_ secure environment for children to \_\_\_\_ an \_\_\_\_ protection?

\_\_\_\_ to add more precautions \_\_\_\_ child safe browsing \_\_\_\_ with \_\_\_\_ security \_\_\_\_?

\_\_\_\_ to \_\_\_\_ further steps to \_\_\_\_ a secure \_\_\_\_ for children when using \_\_\_\_?

Should the current \_\_\_\_ software \_\_\_\_ combined with other \_\_\_\_ child \_\_\_\_ devices?

\_\_\_\_ steps \_\_\_\_ the safe \_\_\_\_ of children with \_\_\_\_ anti-vehicle protections.

\_\_\_\_ it possible \_\_\_\_ set \_\_\_\_ our existing security software?

\_\_\_\_\_ need to \_\_\_\_\_ further \_\_\_\_\_ to \_\_\_\_\_ the children \_\_\_\_\_ our \_\_\_\_\_ protection when \_\_\_\_\_?

Is \_\_\_\_\_ anything you \_\_\_\_\_ make \_\_\_\_\_ safety \_\_\_\_\_ with \_\_\_\_\_ current system of Anti?

\_\_\_\_\_ it necessary \_\_\_\_\_ put child-proofed browsing \_\_\_\_\_ security \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ in implementing safe \_\_\_\_\_ when \_\_\_\_\_ an \_\_\_\_\_ antivirus program on \_\_\_\_\_ devices?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ browsing require \_\_\_\_\_ procedures if \_\_\_\_\_ already use \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for more action to implement safe \_\_\_\_\_ devices with \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ for \_\_\_\_\_ secure browsing environment for \_\_\_\_\_?

\_\_\_\_\_ requirements \_\_\_\_\_ enabling \_\_\_\_\_ web browsing \_\_\_\_\_ existing defenses?

Should \_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ with supplementary measures to \_\_\_\_\_ safe \_\_\_\_\_ device?

\_\_\_\_\_ it necessary to \_\_\_\_\_ further action in \_\_\_\_\_ browsing on \_\_\_\_\_ with an active \_\_\_\_\_?

\_\_\_\_\_ the current anti-viruses \_\_\_\_\_ combined \_\_\_\_\_ additional measures to \_\_\_\_\_ safe \_\_\_\_\_ on \_\_\_\_\_?

Is there \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ safe \_\_\_\_\_ all of \_\_\_\_\_ devices with an active anti-viruses?

The current anti-viruses \_\_\_\_\_ should be \_\_\_\_\_ child safe browsing on \_\_\_\_\_

Should \_\_\_\_\_ take further steps \_\_\_\_\_ a \_\_\_\_\_ environment \_\_\_\_\_ when using \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ more steps for \_\_\_\_\_ with \_\_\_\_\_ existing anti-vehtillm

If \_\_\_\_\_ current \_\_\_\_\_ software is \_\_\_\_\_ with supplementary \_\_\_\_\_ establish child safe \_\_\_\_\_?

There \_\_\_\_\_ be more precautions \_\_\_\_\_ the safe \_\_\_\_\_ our anti-veshtiry.

Is \_\_\_\_\_ necessary to take \_\_\_\_\_ action for \_\_\_\_\_ browsing on \_\_\_\_\_?

\_\_\_\_\_ a need \_\_\_\_\_ another \_\_\_\_\_ for safe \_\_\_\_\_ there \_\_\_\_\_ an active \_\_\_\_\_ on a device?

\_\_\_\_\_ current anti-viruses \_\_\_\_\_ be combined \_\_\_\_\_ measures \_\_\_\_\_ make the device \_\_\_\_\_?

Do we \_\_\_\_\_ add \_\_\_\_\_ to create \_\_\_\_\_ browsing environment for \_\_\_\_\_?

Should \_\_\_\_\_ be combined \_\_\_\_\_ other \_\_\_\_\_ to establish child-safe \_\_\_\_\_ on \_\_\_\_\_ devices?

\_\_\_\_\_ current anti-viruses \_\_\_\_\_ be \_\_\_\_\_ by other \_\_\_\_\_ to make \_\_\_\_\_ for kids?

\_\_\_\_\_ needs \_\_\_\_\_ be more precautions \_\_\_\_\_ children \_\_\_\_\_ our \_\_\_\_\_ anti-vechicle protection.

Is \_\_\_\_\_ necessary \_\_\_\_\_ more precautions for \_\_\_\_\_ safe browsing \_\_\_\_\_ with \_\_\_\_\_?

Do we need \_\_\_\_\_ take further \_\_\_\_\_ make \_\_\_\_\_ children use \_\_\_\_\_?

\_\_\_\_\_ current anti-viruses software \_\_\_\_\_ to make devices safe for \_\_\_\_\_?

\_\_\_\_\_ there need \_\_\_\_\_ steps for \_\_\_\_\_ children with our existing anti-vechicle \_\_\_\_\_?

Do we have to take \_\_\_\_\_ to \_\_\_\_\_ for children \_\_\_\_\_ an \_\_\_\_\_ protection?

\_\_\_\_\_ is an \_\_\_\_\_ antivirus program \_\_\_\_\_ device, \_\_\_\_\_ need to be another step \_\_\_\_\_ safe \_\_\_\_\_?

Does \_\_\_\_\_ safe-child browsing \_\_\_\_\_ procedures, if \_\_\_\_\_ use \_\_\_\_\_ security software?

Is it \_\_\_\_\_ take \_\_\_\_\_ action if \_\_\_\_\_ browsing \_\_\_\_\_ implemented \_\_\_\_\_ Antivirus program?

Do there need \_\_\_\_\_ steps for safe \_\_\_\_\_ with existing \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ browsing \_\_\_\_\_ if we already \_\_\_\_\_ security program?

\_\_\_\_\_ any \_\_\_\_\_ more action \_\_\_\_\_ make \_\_\_\_\_ safe \_\_\_\_\_ with an active \_\_\_\_\_ program?

Is it \_\_\_\_\_ to add more \_\_\_\_\_ for \_\_\_\_\_ with \_\_\_\_\_ computer's \_\_\_\_\_ software?

Are we able to \_\_\_\_\_ browsing \_\_\_\_\_ software?

"Is it \_\_\_\_\_ to \_\_\_\_\_ precautions for \_\_\_\_\_ safe \_\_\_\_\_ our \_\_\_\_\_ security \_\_\_\_\_"

Should \_\_\_\_\_ be combined \_\_\_\_\_ to make their device child-safe?

There needs \_\_\_\_\_ be \_\_\_\_\_ safer browsing of \_\_\_\_\_ existing \_\_\_\_\_ protection.

Should the current \_\_\_\_\_ combined with \_\_\_\_\_ measures \_\_\_\_\_ establish child-safe \_\_\_\_\_ on \_\_\_\_\_.

Is \_\_\_\_\_ a \_\_\_\_\_ another \_\_\_\_\_ in implementing \_\_\_\_\_ browsing when there is \_\_\_\_\_ active \_\_\_\_\_ the \_\_\_\_\_

\_\_\_\_\_ the implementation of \_\_\_\_\_ additional procedures, if \_\_\_\_\_ already \_\_\_\_\_ antivirus software?

\_\_\_\_\_ necessary \_\_\_\_\_ take another \_\_\_\_\_ for implementing \_\_\_\_\_ browsing \_\_\_\_\_ is \_\_\_\_\_ active \_\_\_\_\_ on a device?

Is there any extra \_\_\_\_\_ when \_\_\_\_\_ onto a \_\_\_\_\_ with \_\_\_\_\_ security program?

Do \_\_\_\_\_ more \_\_\_\_\_ to allow a secure \_\_\_\_\_ for \_\_\_\_\_ existing protection?

If \_\_\_\_\_ security software, \_\_\_\_\_ safe-child browsing \_\_\_\_\_ any \_\_\_\_\_ procedures?

\_\_\_\_\_ we \_\_\_\_\_ steps to make \_\_\_\_\_ easier \_\_\_\_\_ kids to use \_\_\_\_\_ protection?

What else \_\_\_\_\_ needed \_\_\_\_\_ child-friendly web \_\_\_\_\_ with \_\_\_\_\_ program?

\_\_\_\_\_ it \_\_\_\_\_ to do more \_\_\_\_\_ child-proof web browsing \_\_\_\_\_ software?

\_\_\_\_\_ we \_\_\_\_\_ take further steps to \_\_\_\_\_ for a secure environment for \_\_\_\_\_ protection?  
 Do there need \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ browsing \_\_\_\_\_ children \_\_\_\_\_ anti-veshtive \_\_\_\_\_?  
 Should \_\_\_\_\_ anti-viruses software \_\_\_\_\_ by more \_\_\_\_\_ make \_\_\_\_\_ safer for kids?  
 Is it \_\_\_\_\_ for kid-proof web \_\_\_\_\_ our current \_\_\_\_\_?  
 Does adding \_\_\_\_\_ browsing require \_\_\_\_\_ beyond the \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ action \_\_\_\_\_ be taken when \_\_\_\_\_ surfing is \_\_\_\_\_ existing system?  
 \_\_\_\_\_ need \_\_\_\_\_ be additional steps \_\_\_\_\_ safe \_\_\_\_\_ with our anti-vechicle protections?  
 Is there \_\_\_\_\_ need \_\_\_\_\_ additional \_\_\_\_\_ enable a secure \_\_\_\_\_ environment \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ be more \_\_\_\_\_ for \_\_\_\_\_ of children with the \_\_\_\_\_ anti-veshtillm?  
 I am not sure if \_\_\_\_\_ more software \_\_\_\_\_ safe \_\_\_\_\_ our \_\_\_\_\_.  
 Is there any need \_\_\_\_\_ further \_\_\_\_\_ safe \_\_\_\_\_ devices with \_\_\_\_\_ program?  
 \_\_\_\_\_ current anti-viruses software \_\_\_\_\_ be \_\_\_\_\_ with other \_\_\_\_\_ a \_\_\_\_\_ safe browsing \_\_\_\_\_.  
 \_\_\_\_\_ implementation \_\_\_\_\_ safe-child browsing necessary if \_\_\_\_\_ use a \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ need \_\_\_\_\_ take another step \_\_\_\_\_ when there \_\_\_\_\_ an \_\_\_\_\_ program?  
 \_\_\_\_\_ to \_\_\_\_\_ friendly browsing \_\_\_\_\_ with our existing \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ measures for \_\_\_\_\_ along with the current security?  
 Is it \_\_\_\_\_ action in order to implement safe browsing \_\_\_\_\_ with \_\_\_\_\_ active \_\_\_\_\_?  
 \_\_\_\_\_ the implementation of \_\_\_\_\_ browsing require \_\_\_\_\_ if we \_\_\_\_\_ an \_\_\_\_\_?  
 Will \_\_\_\_\_ browsability with \_\_\_\_\_ antiviral applications \_\_\_\_\_?  
 \_\_\_\_\_ browsing requires \_\_\_\_\_ steps beyond existing \_\_\_\_\_?  
 \_\_\_\_\_ there a way to implement \_\_\_\_\_ access while \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ active \_\_\_\_\_ is there \_\_\_\_\_ need \_\_\_\_\_ another step for implementing \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ child-proofed browsing alongside \_\_\_\_\_?  
 When there \_\_\_\_\_ an active antivirus \_\_\_\_\_ is \_\_\_\_\_ implement \_\_\_\_\_ browsing?  
 Adding \_\_\_\_\_ to current software would \_\_\_\_\_ from \_\_\_\_\_ exposed to \_\_\_\_\_ viruses \_\_\_\_\_.  
 When \_\_\_\_\_ an active antivirus program on a device, is \_\_\_\_\_ take \_\_\_\_\_ for \_\_\_\_\_?  
 Should we do \_\_\_\_\_ kid-proof \_\_\_\_\_ browsing while using \_\_\_\_\_?  
 Do we need \_\_\_\_\_ to \_\_\_\_\_ environment for children \_\_\_\_\_ they use \_\_\_\_\_ existing protection?  
 \_\_\_\_\_ the \_\_\_\_\_ software be combined with \_\_\_\_\_ measures \_\_\_\_\_ reestablish \_\_\_\_\_ browsing \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ take another step \_\_\_\_\_ implement \_\_\_\_\_ when there is an \_\_\_\_\_ the devices?  
 Should the \_\_\_\_\_ be used with \_\_\_\_\_ measures to establish \_\_\_\_\_ on \_\_\_\_\_?  
 Do \_\_\_\_\_ to take more actions \_\_\_\_\_ browsing?  
 \_\_\_\_\_ necessary \_\_\_\_\_ add \_\_\_\_\_ to \_\_\_\_\_ browsing if \_\_\_\_\_ already use an antivirus \_\_\_\_\_?  
 \_\_\_\_\_ we need to take further \_\_\_\_\_ it \_\_\_\_\_ children \_\_\_\_\_ use an \_\_\_\_\_?  
 The \_\_\_\_\_ anti-viruses \_\_\_\_\_ should \_\_\_\_\_ more measures \_\_\_\_\_ make our devices \_\_\_\_\_.  
 Do \_\_\_\_\_ need \_\_\_\_\_ take further \_\_\_\_\_ to implement \_\_\_\_\_ on \_\_\_\_\_ with \_\_\_\_\_ program?  
 Is \_\_\_\_\_ take another \_\_\_\_\_ to implement \_\_\_\_\_ browsing if there \_\_\_\_\_ an \_\_\_\_\_?  
 Should \_\_\_\_\_ with other supplementary measures to establish child-safe browsing \_\_\_\_\_?  
 \_\_\_\_\_ need to \_\_\_\_\_ to ensure child-proofed \_\_\_\_\_ with our \_\_\_\_\_?  
 Do \_\_\_\_\_ more \_\_\_\_\_ for \_\_\_\_\_ safe browsing of children \_\_\_\_\_ anti-veshtive protection?  
 There needs to \_\_\_\_\_ the \_\_\_\_\_ browsing \_\_\_\_\_ with the \_\_\_\_\_ anti-veshtior  
 Extra \_\_\_\_\_ for child \_\_\_\_\_ browsing along with \_\_\_\_\_?  
 Should \_\_\_\_\_ software \_\_\_\_\_ together with \_\_\_\_\_ measures \_\_\_\_\_ establish child \_\_\_\_\_ browsing?  
 Is \_\_\_\_\_ anything \_\_\_\_\_ me \_\_\_\_\_ how \_\_\_\_\_ child safety \_\_\_\_\_ when using our current \_\_\_\_\_ system?  
 Should \_\_\_\_\_ anti-viruses \_\_\_\_\_ supplementary \_\_\_\_\_ to establish child safe \_\_\_\_\_ on their \_\_\_\_\_?  
 There needs to be \_\_\_\_\_ for \_\_\_\_\_ browsing \_\_\_\_\_ with \_\_\_\_\_ existing \_\_\_\_\_.  
 Do \_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ browsing \_\_\_\_\_ our \_\_\_\_\_ software?  
 \_\_\_\_\_ current \_\_\_\_\_ software should be \_\_\_\_\_ measures to ensure \_\_\_\_\_ browsing \_\_\_\_\_ our \_\_\_\_\_.  
 Can we \_\_\_\_\_ steps to \_\_\_\_\_ a \_\_\_\_\_ environment for \_\_\_\_\_ our \_\_\_\_\_ protection?  
 \_\_\_\_\_ is an active \_\_\_\_\_ on a \_\_\_\_\_ a need \_\_\_\_\_ step in implementing safe \_\_\_\_\_?

\_\_\_\_\_ unsure \_\_\_\_\_ we need any more software for child \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ antivirus.  
 \_\_\_\_\_ of safe-child browsing \_\_\_\_\_ procedures, if we \_\_\_\_\_ use \_\_\_\_\_?  
 Is \_\_\_\_\_ any need \_\_\_\_\_ additional action \_\_\_\_\_ devices with \_\_\_\_\_ active \_\_\_\_\_ program?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ another step \_\_\_\_\_ safe browsing \_\_\_\_\_ is \_\_\_\_\_ active \_\_\_\_\_ program?  
 Extra requirements \_\_\_\_\_ up \_\_\_\_\_ with \_\_\_\_\_ current software?  
 Should \_\_\_\_\_ anti-viruses \_\_\_\_\_ be added \_\_\_\_\_ supplementary measures \_\_\_\_\_ safe browsing?  
 \_\_\_\_\_ need further \_\_\_\_\_ to implement \_\_\_\_\_?  
 \_\_\_\_\_ require \_\_\_\_\_ steps beyond existing software?  
 \_\_\_\_\_ child-safe browsing \_\_\_\_\_ our antivirus?  
 \_\_\_\_\_ anti-viruses \_\_\_\_\_ be combined \_\_\_\_\_ other \_\_\_\_\_ to make \_\_\_\_\_ internet safe for \_\_\_\_\_?  
 \_\_\_\_\_ browsing require added \_\_\_\_\_ if \_\_\_\_\_ already use a antivirus \_\_\_\_\_?  
 \_\_\_\_\_ to take \_\_\_\_\_ to implement \_\_\_\_\_ devices with an active \_\_\_\_\_ program?  
 Is there \_\_\_\_\_ needs \_\_\_\_\_ be taken to \_\_\_\_\_ safe \_\_\_\_\_ all \_\_\_\_\_ devices with \_\_\_\_\_ antivirus program?  
 I'm not \_\_\_\_\_ need more \_\_\_\_\_ child safe \_\_\_\_\_ or if \_\_\_\_\_ just \_\_\_\_\_ our \_\_\_\_\_ antivirus  
 Is \_\_\_\_\_ further action to \_\_\_\_\_ safe browsing \_\_\_\_\_ devices with \_\_\_\_\_ active program?  
 Do \_\_\_\_\_ take further steps \_\_\_\_\_ sure that the \_\_\_\_\_ use \_\_\_\_\_ on the internet?  
 Should the current anti-viruses software \_\_\_\_\_ followed \_\_\_\_\_ additional \_\_\_\_\_ make \_\_\_\_\_ kids?  
 \_\_\_\_\_ tell \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ to ensure child safety online when \_\_\_\_\_ our \_\_\_\_\_ security \_\_\_\_\_?  
 Any \_\_\_\_\_ requirements \_\_\_\_\_ enabling \_\_\_\_\_ web browsing \_\_\_\_\_ with existing \_\_\_\_\_?  
 \_\_\_\_\_ current anti-viruses \_\_\_\_\_ be combined with other measures to \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ safe-child browsing require \_\_\_\_\_ additional \_\_\_\_\_?  
 \_\_\_\_\_ steps to allow a secure \_\_\_\_\_ for \_\_\_\_\_ use an existing \_\_\_\_\_?  
 \_\_\_\_\_ there anything you \_\_\_\_\_ tell me \_\_\_\_\_ make our child \_\_\_\_\_ online better \_\_\_\_\_ system \_\_\_\_\_?  
 There \_\_\_\_\_ active antivirus program on a device, so \_\_\_\_\_ there \_\_\_\_\_ another step \_\_\_\_\_?  
 \_\_\_\_\_ still need \_\_\_\_\_ implement \_\_\_\_\_ browsing with \_\_\_\_\_ software?  
 \_\_\_\_\_ you think \_\_\_\_\_ any more steps to \_\_\_\_\_ sure safety is ensured \_\_\_\_\_ our \_\_\_\_\_ -  
 \_\_\_\_\_ there is \_\_\_\_\_ program on the device, \_\_\_\_\_ there \_\_\_\_\_ be another step \_\_\_\_\_ safe \_\_\_\_\_?  
 Should the current \_\_\_\_\_ used to establish \_\_\_\_\_ browsing on \_\_\_\_\_?  
 Should \_\_\_\_\_ current anti-viruses \_\_\_\_\_ used \_\_\_\_\_ supplementary measures \_\_\_\_\_ safe browsing?  
 \_\_\_\_\_ it \_\_\_\_\_ take \_\_\_\_\_ action if \_\_\_\_\_ browsing \_\_\_\_\_ the active Antivirus program?  
 Is \_\_\_\_\_ to do \_\_\_\_\_ kid \_\_\_\_\_ web \_\_\_\_\_ while using \_\_\_\_\_ software?  
 The \_\_\_\_\_ software should \_\_\_\_\_ combined \_\_\_\_\_ measures to \_\_\_\_\_ child-safe \_\_\_\_\_ on \_\_\_\_\_ devices.  
 \_\_\_\_\_ need \_\_\_\_\_ be more steps \_\_\_\_\_ the safe browsing \_\_\_\_\_ children \_\_\_\_\_ our \_\_\_\_\_?  
 The \_\_\_\_\_ additional measures to establish child safe browsing.  
 Do \_\_\_\_\_ need to be \_\_\_\_\_ precautions \_\_\_\_\_ safe \_\_\_\_\_ of \_\_\_\_\_ existing anti-vehicle \_\_\_\_\_?  
 Is \_\_\_\_\_ to add \_\_\_\_\_ precautions for \_\_\_\_\_ safe \_\_\_\_\_ computer \_\_\_\_\_ software?  
 Should \_\_\_\_\_ steps be taken \_\_\_\_\_ secure \_\_\_\_\_ for children \_\_\_\_\_ use \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ browsing of children \_\_\_\_\_ existing anti-vehicle protection?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ browsability with \_\_\_\_\_ applications?  
 I'm unsure if we need more software for \_\_\_\_\_ browsing \_\_\_\_\_ need \_\_\_\_\_.  
 Extra \_\_\_\_\_ for setting up \_\_\_\_\_ current software?  
 Is there \_\_\_\_\_ for another step \_\_\_\_\_ when \_\_\_\_\_ an active \_\_\_\_\_ Program on \_\_\_\_\_ devices?  
 \_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ combined \_\_\_\_\_ measures to establish \_\_\_\_\_ browsing on the \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ child-proofed browsing alongside our \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ more action in \_\_\_\_\_ safe browsing on devices with an \_\_\_\_\_?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ more for kid-proof \_\_\_\_\_ our \_\_\_\_\_ software?  
 Should the current anti-viruses software be combined \_\_\_\_\_ other \_\_\_\_\_?  
 \_\_\_\_\_ we use our current \_\_\_\_\_ for \_\_\_\_\_?  
 Is the implementation \_\_\_\_\_ safe-child browsing necessary \_\_\_\_\_ use \_\_\_\_\_?  
 \_\_\_\_\_ measures \_\_\_\_\_ added to \_\_\_\_\_ to \_\_\_\_\_ children \_\_\_\_\_ being exposed to harmful viruses \_\_\_\_\_ the \_\_\_\_\_

Is \_\_\_\_\_ for \_\_\_\_\_ action to make safe browsers on devices \_\_\_\_\_ immune \_\_\_\_\_?

\_\_\_\_\_ be more \_\_\_\_\_ safe browsing of children with existing \_\_\_\_\_?

\_\_\_\_\_ need for \_\_\_\_\_ step to \_\_\_\_\_ safe browsing \_\_\_\_\_ an \_\_\_\_\_ antivirus Program?

\_\_\_\_\_ need \_\_\_\_\_ another step for implementing \_\_\_\_\_ browsing if \_\_\_\_\_ is an \_\_\_\_\_ program?

Does the \_\_\_\_\_ of \_\_\_\_\_ web \_\_\_\_\_ action?

Do we need \_\_\_\_\_ add more \_\_\_\_\_ the safe browsing \_\_\_\_\_ with \_\_\_\_\_?

Other measures \_\_\_\_\_ be \_\_\_\_\_ the current software \_\_\_\_\_ children from \_\_\_\_\_ to \_\_\_\_\_ Viruses \_\_\_\_\_ internet.

Should the \_\_\_\_\_ software be \_\_\_\_\_ with supplementary \_\_\_\_\_ child-safe browsing \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ there a need for \_\_\_\_\_ in implementing safe \_\_\_\_\_ when \_\_\_\_\_ active \_\_\_\_\_ on \_\_\_\_\_ devices?

\_\_\_\_\_ it possible to \_\_\_\_\_ browsing with \_\_\_\_\_ protection?

\_\_\_\_\_ current \_\_\_\_\_ software \_\_\_\_\_ accompanied by \_\_\_\_\_ steps to \_\_\_\_\_ devices safe \_\_\_\_\_ kids?

\_\_\_\_\_ we \_\_\_\_\_ more \_\_\_\_\_ to enable \_\_\_\_\_ environment for children?

Can I set \_\_\_\_\_ browsing \_\_\_\_\_ current \_\_\_\_\_?

Is there an action that will \_\_\_\_\_ needed \_\_\_\_\_ safe \_\_\_\_\_ of \_\_\_\_\_ devices with \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ need \_\_\_\_\_ more \_\_\_\_\_ browsers safe \_\_\_\_\_ with active immune programs?

\_\_\_\_\_ new \_\_\_\_\_ for enabling \_\_\_\_\_ web \_\_\_\_\_ combined \_\_\_\_\_ existing defense measures?

\_\_\_\_\_ the current anti-viruses software \_\_\_\_\_ with \_\_\_\_\_ establish child-safe browsing \_\_\_\_\_ devices

\_\_\_\_\_ to set \_\_\_\_\_ a child-safe \_\_\_\_\_ option \_\_\_\_\_ our current \_\_\_\_\_?

Should \_\_\_\_\_ anti-viruses software be combined \_\_\_\_\_ supplemental \_\_\_\_\_ child \_\_\_\_\_ browsing on \_\_\_\_\_?

Do you think \_\_\_\_\_ take any \_\_\_\_\_ sure \_\_\_\_\_ guaranteed along \_\_\_\_\_ our already \_\_\_\_\_ anti -

\_\_\_\_\_ the \_\_\_\_\_ anti-viruses software \_\_\_\_\_ with \_\_\_\_\_ measures in \_\_\_\_\_ establish child-safe \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ implementation of \_\_\_\_\_ require \_\_\_\_\_ procedures \_\_\_\_\_ we already \_\_\_\_\_ safety software?

Is there \_\_\_\_\_ needed when \_\_\_\_\_ internet access \_\_\_\_\_ a \_\_\_\_\_ with \_\_\_\_\_ security program?

Do \_\_\_\_\_ need \_\_\_\_\_ implement child-proof \_\_\_\_\_?

Is it necessary to \_\_\_\_\_ browsing on \_\_\_\_\_ an active program?

Is the \_\_\_\_\_ to establish \_\_\_\_\_ browsing on \_\_\_\_\_ devices?

\_\_\_\_\_ anti-viruses software \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ measures \_\_\_\_\_ the devices \_\_\_\_\_ from child-safe brow.

\_\_\_\_\_ we \_\_\_\_\_ take further \_\_\_\_\_ to \_\_\_\_\_ a secure \_\_\_\_\_ kids to \_\_\_\_\_ existing protection?

Is \_\_\_\_\_ a need for \_\_\_\_\_ implement \_\_\_\_\_ browsing \_\_\_\_\_ there is \_\_\_\_\_ active \_\_\_\_\_?

Is \_\_\_\_\_ any need \_\_\_\_\_ action to \_\_\_\_\_ safe browsing on devices \_\_\_\_\_?

\_\_\_\_\_ software \_\_\_\_\_ combined with supplementary measures \_\_\_\_\_ establish \_\_\_\_\_ safe browsing on \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ software \_\_\_\_\_ make our devices safer for kids?

Is \_\_\_\_\_ take further action \_\_\_\_\_ safe browsing on devices with \_\_\_\_\_?

Additional \_\_\_\_\_ for allowing \_\_\_\_\_ combined with \_\_\_\_\_ defense \_\_\_\_\_?

Do you think \_\_\_\_\_ is necessary \_\_\_\_\_ action for implementing \_\_\_\_\_ browsing \_\_\_\_\_ active security \_\_\_\_\_?

\_\_\_\_\_ needs to \_\_\_\_\_ additional \_\_\_\_\_ the \_\_\_\_\_ browsing of children \_\_\_\_\_ anti-vehicle \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ taken \_\_\_\_\_ using kid-friendly \_\_\_\_\_ on a device with \_\_\_\_\_ existing security \_\_\_\_\_?

Should \_\_\_\_\_ take \_\_\_\_\_ steps to \_\_\_\_\_ the children use \_\_\_\_\_ their internet \_\_\_\_\_?

Should \_\_\_\_\_ anti-viruses software be \_\_\_\_\_ additional measures to \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ anti-viruses \_\_\_\_\_ used \_\_\_\_\_ measures to establish child \_\_\_\_\_ browsing?

\_\_\_\_\_ you think \_\_\_\_\_ take \_\_\_\_\_ make sure safety is \_\_\_\_\_ along with \_\_\_\_\_ already \_\_\_\_\_ -

\_\_\_\_\_ it necessary to \_\_\_\_\_ for \_\_\_\_\_ child-safe \_\_\_\_\_ along with \_\_\_\_\_ Antivirus?

\_\_\_\_\_ the \_\_\_\_\_ anti-viruses software \_\_\_\_\_ combined with supplementary measures \_\_\_\_\_ browsing \_\_\_\_\_ devices?

\_\_\_\_\_ it \_\_\_\_\_ to take \_\_\_\_\_ action \_\_\_\_\_ implementing safe \_\_\_\_\_ the devices with an \_\_\_\_\_?

Does the \_\_\_\_\_ browsing \_\_\_\_\_ any \_\_\_\_\_ procedures \_\_\_\_\_ we already have \_\_\_\_\_ program?

Should the \_\_\_\_\_ software be \_\_\_\_\_ with additional \_\_\_\_\_ to make the \_\_\_\_\_?

Do we \_\_\_\_\_ take \_\_\_\_\_ steps \_\_\_\_\_ make sure \_\_\_\_\_ children use \_\_\_\_\_?

There \_\_\_\_\_ be \_\_\_\_\_ steps \_\_\_\_\_ the safe \_\_\_\_\_ of \_\_\_\_\_ an \_\_\_\_\_ anti-vehicle.

\_\_\_\_\_ we need more steps \_\_\_\_\_ enable \_\_\_\_\_ environment \_\_\_\_\_ children?

Is there a need \_\_\_\_\_ step \_\_\_\_\_ implementing \_\_\_\_\_ when there \_\_\_\_\_ antivirus \_\_\_\_\_ on \_\_\_\_\_ device.



\_\_\_\_\_ there \_\_\_\_\_ for the safe \_\_\_\_\_ children with existing anti-virus?

\_\_\_\_\_ child-safe browsing \_\_\_\_\_ our current security \_\_\_\_\_?

\_\_\_\_\_ steps need \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ children with our existing \_\_\_\_\_ protections.

Was \_\_\_\_\_ to set \_\_\_\_\_ browsing with our \_\_\_\_\_?

\_\_\_\_\_ to take \_\_\_\_\_ step \_\_\_\_\_ if there is an active \_\_\_\_\_ program?

Do \_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ to make \_\_\_\_\_ the children use our existing protection \_\_\_\_\_?

There \_\_\_\_\_ to be additional \_\_\_\_\_ safe \_\_\_\_\_ of children with \_\_\_\_\_

\_\_\_\_\_ anti-virus software be \_\_\_\_\_ further \_\_\_\_\_ make our devices safe \_\_\_\_\_ child-safe browsing?

\_\_\_\_\_ safe browsing is implemented \_\_\_\_\_ the \_\_\_\_\_ Antivirus program on \_\_\_\_\_ device, is \_\_\_\_\_ action?

\_\_\_\_\_ more action need to be taken to \_\_\_\_\_ safe browsers \_\_\_\_\_ program?

I \_\_\_\_\_ if it \_\_\_\_\_ to \_\_\_\_\_ action \_\_\_\_\_ safe browsing \_\_\_\_\_ devices \_\_\_\_\_ active antivirus program.

Can we \_\_\_\_\_ a secure \_\_\_\_\_ environment for \_\_\_\_\_ protection?

\_\_\_\_\_ it necessary \_\_\_\_\_ add more \_\_\_\_\_ allowing child \_\_\_\_\_ the \_\_\_\_\_ software?

\_\_\_\_\_ there \_\_\_\_\_ need for another \_\_\_\_\_ safe browsing \_\_\_\_\_ there is \_\_\_\_\_ security \_\_\_\_\_ on the \_\_\_\_\_

\_\_\_\_\_ an \_\_\_\_\_ that \_\_\_\_\_ needed \_\_\_\_\_ implement safe browsing \_\_\_\_\_ all \_\_\_\_\_ the devices with \_\_\_\_\_ program?

\_\_\_\_\_ the \_\_\_\_\_ software combined \_\_\_\_\_ measures \_\_\_\_\_ child-safe browsing on \_\_\_\_\_ devices?

Do you think it is necessary to \_\_\_\_\_ action \_\_\_\_\_ browsing on \_\_\_\_\_ an \_\_\_\_\_?

Is it possible to \_\_\_\_\_ with \_\_\_\_\_ software?

Should \_\_\_\_\_ anti-virus \_\_\_\_\_ by further \_\_\_\_\_ make our devices \_\_\_\_\_ from child-safe browsing.

\_\_\_\_\_ to take further steps to allow \_\_\_\_\_ environment \_\_\_\_\_ children to \_\_\_\_\_ an \_\_\_\_\_ Antivirus \_\_\_\_\_?

\_\_\_\_\_ to enable \_\_\_\_\_ along \_\_\_\_\_ our antivirus software?

\_\_\_\_\_ possible \_\_\_\_\_ child-proof internet exploration \_\_\_\_\_ our gadgets \_\_\_\_\_ current security \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ further \_\_\_\_\_ to \_\_\_\_\_ child proofed browsing?

Is \_\_\_\_\_ need to \_\_\_\_\_ browsing when \_\_\_\_\_ is an active software?

Is there \_\_\_\_\_ way \_\_\_\_\_ set \_\_\_\_\_ child \_\_\_\_\_ current software?

\_\_\_\_\_ there a \_\_\_\_\_ for further action to make browsers \_\_\_\_\_ immune \_\_\_\_\_?

Should the current anti-virus \_\_\_\_\_ be combined with \_\_\_\_\_ child-safe \_\_\_\_\_ on \_\_\_\_\_?

Does \_\_\_\_\_ safe-child browsing require \_\_\_\_\_ if we \_\_\_\_\_ security software?

\_\_\_\_\_ security \_\_\_\_\_ does \_\_\_\_\_ implementation of safe-child browsing require \_\_\_\_\_ procedures?

\_\_\_\_\_ more steps be \_\_\_\_\_ to allow \_\_\_\_\_ children to use \_\_\_\_\_ protection?

Should \_\_\_\_\_ current anti-virus \_\_\_\_\_ be merged \_\_\_\_\_ to establish child-safe browsing \_\_\_\_\_?

\_\_\_\_\_ it necessary to add \_\_\_\_\_ child- \_\_\_\_\_ browsing \_\_\_\_\_ software?

There \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ browsing \_\_\_\_\_ children with our existing \_\_\_\_\_ protection

Is there \_\_\_\_\_ for \_\_\_\_\_ step in implementing \_\_\_\_\_ when there \_\_\_\_\_ active \_\_\_\_\_?

Should the current \_\_\_\_\_ software be combined \_\_\_\_\_ measures to \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ steps for the safe \_\_\_\_\_ with our \_\_\_\_\_ anti-virus?

\_\_\_\_\_ current anti-virus \_\_\_\_\_ combined with other \_\_\_\_\_ to establish \_\_\_\_\_ safe \_\_\_\_\_.

Is there \_\_\_\_\_ that \_\_\_\_\_ done \_\_\_\_\_ child-friendly \_\_\_\_\_ while maintaining \_\_\_\_\_ effectiveness of our antivirus \_\_\_\_\_?

Can \_\_\_\_\_ up \_\_\_\_\_ safe \_\_\_\_\_ with our current \_\_\_\_\_?

The \_\_\_\_\_ anti-virus \_\_\_\_\_ combined with additional measures to establish \_\_\_\_\_.

Should the current \_\_\_\_\_ software \_\_\_\_\_ by more \_\_\_\_\_ make \_\_\_\_\_ devices \_\_\_\_\_ children?

Is \_\_\_\_\_ necessary \_\_\_\_\_ more action to be \_\_\_\_\_ safe \_\_\_\_\_ on \_\_\_\_\_ active program?

Should we add more \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ using the \_\_\_\_\_ protection?

Do \_\_\_\_\_ be further \_\_\_\_\_ for the safe \_\_\_\_\_ children \_\_\_\_\_ existing anti-virus?

\_\_\_\_\_ need \_\_\_\_\_ taken when \_\_\_\_\_ internet access onto a \_\_\_\_\_ with an \_\_\_\_\_ program

Does \_\_\_\_\_ browsing \_\_\_\_\_ added \_\_\_\_\_ if we already use a \_\_\_\_\_ software?

\_\_\_\_\_ it \_\_\_\_\_ add \_\_\_\_\_ precautions \_\_\_\_\_ enabling child- safe \_\_\_\_\_ with anti-malware \_\_\_\_\_?

Is it possible \_\_\_\_\_ combine the \_\_\_\_\_ software \_\_\_\_\_ establish \_\_\_\_\_ on their devices?

Is \_\_\_\_\_ a \_\_\_\_\_ child-friendly internet access while \_\_\_\_\_ effectiveness \_\_\_\_\_ the antivirus \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to take further \_\_\_\_\_ for \_\_\_\_\_ on devices with \_\_\_\_\_ anti-virus \_\_\_\_\_?

Should \_\_\_\_\_ current anti-viruses \_\_\_\_\_ combined with \_\_\_\_\_ supplementary \_\_\_\_\_ to \_\_\_\_\_ child-safe \_\_\_\_\_ devices?  
 \_\_\_\_\_ it \_\_\_\_\_ sense \_\_\_\_\_ further \_\_\_\_\_ if safe browsing is implemented on \_\_\_\_\_?

The \_\_\_\_\_ anti-viruses \_\_\_\_\_ might be combined \_\_\_\_\_ supplementary \_\_\_\_\_ to \_\_\_\_\_ child-safe \_\_\_\_\_ device.

Is there a \_\_\_\_\_ for another step \_\_\_\_\_ when \_\_\_\_\_ an active \_\_\_\_\_ device?  
 \_\_\_\_\_ action \_\_\_\_\_ needs \_\_\_\_\_ be taken when \_\_\_\_\_ proofed web \_\_\_\_\_ is added \_\_\_\_\_ our existing \_\_\_\_\_?

Is \_\_\_\_\_ current anti-viruses software \_\_\_\_\_ with \_\_\_\_\_ establish \_\_\_\_\_ browsing?

Should \_\_\_\_\_ anti-viruses \_\_\_\_\_ be supplemented with \_\_\_\_\_ to \_\_\_\_\_ child \_\_\_\_\_ browsing?

There \_\_\_\_\_ to be more \_\_\_\_\_ safe \_\_\_\_\_ children \_\_\_\_\_ the existing \_\_\_\_\_.

Should \_\_\_\_\_ take \_\_\_\_\_ actions to \_\_\_\_\_ alongside our \_\_\_\_\_?

Any other requirements \_\_\_\_\_ kid-friendly \_\_\_\_\_ browsing \_\_\_\_\_ existing \_\_\_\_\_ measures?  
 \_\_\_\_\_ you \_\_\_\_\_ we \_\_\_\_\_ make sure \_\_\_\_\_ is ensured along \_\_\_\_\_ our already installed anti \_\_\_\_\_

Do \_\_\_\_\_ need \_\_\_\_\_ steps \_\_\_\_\_ allow \_\_\_\_\_ environment for the children when \_\_\_\_\_ use our \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ take \_\_\_\_\_ ensure a secure environment \_\_\_\_\_ kids \_\_\_\_\_ an \_\_\_\_\_ protection?  
 \_\_\_\_\_ Antivirus on \_\_\_\_\_ cover child-proof \_\_\_\_\_?

Does \_\_\_\_\_ of \_\_\_\_\_ child browsing \_\_\_\_\_ additional procedures?  
 \_\_\_\_\_ there \_\_\_\_\_ more steps for \_\_\_\_\_ browsing \_\_\_\_\_ with \_\_\_\_\_ existing anti-veshtillm?

Is \_\_\_\_\_ for another \_\_\_\_\_ in implementing \_\_\_\_\_ browsing \_\_\_\_\_ there \_\_\_\_\_ antivirus \_\_\_\_\_ on a device.  
 \_\_\_\_\_ anti-viruses software \_\_\_\_\_ further measures \_\_\_\_\_ child-safe browsing on the device?

I \_\_\_\_\_ not \_\_\_\_\_ we \_\_\_\_\_ any more software \_\_\_\_\_ child safe browsing \_\_\_\_\_ if \_\_\_\_\_ just need \_\_\_\_\_.

Is there an \_\_\_\_\_ needs \_\_\_\_\_ taken \_\_\_\_\_ safe browsing \_\_\_\_\_ the \_\_\_\_\_ that have an antivirus \_\_\_\_\_?

Do we \_\_\_\_\_ further \_\_\_\_\_ implement \_\_\_\_\_ browsing?  
 \_\_\_\_\_ necessary \_\_\_\_\_ further steps to make \_\_\_\_\_ environment \_\_\_\_\_ children when they \_\_\_\_\_ our \_\_\_\_\_ protection?

Should the \_\_\_\_\_ software be \_\_\_\_\_ supplemental measures \_\_\_\_\_ child-safe browsing on \_\_\_\_\_?

Is \_\_\_\_\_ need \_\_\_\_\_ another step \_\_\_\_\_ implementing safe \_\_\_\_\_ when there \_\_\_\_\_ an active \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ more \_\_\_\_\_ for kid-friendly web browsing combined \_\_\_\_\_ defense \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ set \_\_\_\_\_ safe browsing with \_\_\_\_\_ software?  
 \_\_\_\_\_ browsing \_\_\_\_\_ more steps than existing \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ further action \_\_\_\_\_ taken \_\_\_\_\_ on devices with an \_\_\_\_\_ security program?

Should \_\_\_\_\_ anti-viruses \_\_\_\_\_ be combined with \_\_\_\_\_ establish \_\_\_\_\_ browsing \_\_\_\_\_ our digital devices.  
 \_\_\_\_\_ it \_\_\_\_\_ to take additional \_\_\_\_\_ child \_\_\_\_\_ with our \_\_\_\_\_ software?

Do \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ steps for \_\_\_\_\_ safe \_\_\_\_\_ children with \_\_\_\_\_?

\_\_\_\_\_ the current anti-viruses \_\_\_\_\_ other measures \_\_\_\_\_ establish child- safe \_\_\_\_\_ on \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ browsing with \_\_\_\_\_?

Additional \_\_\_\_\_ for enabling \_\_\_\_\_ web browsing \_\_\_\_\_ measures?

Is there \_\_\_\_\_ for \_\_\_\_\_ step \_\_\_\_\_ safe browsing when \_\_\_\_\_ active \_\_\_\_\_ program?

Should the \_\_\_\_\_ be \_\_\_\_\_ with \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ devices child-safe.

Is there \_\_\_\_\_ take \_\_\_\_\_ step \_\_\_\_\_ an \_\_\_\_\_ antivirus \_\_\_\_\_ on the devices?  
 \_\_\_\_\_ need \_\_\_\_\_ to implement \_\_\_\_\_ browsing?  
 \_\_\_\_\_ safe \_\_\_\_\_ implemented \_\_\_\_\_ the \_\_\_\_\_ Antivirus \_\_\_\_\_ it necessary to \_\_\_\_\_ further action?

Is \_\_\_\_\_ required \_\_\_\_\_ child-proofed \_\_\_\_\_ surfing is added to our \_\_\_\_\_?  
 \_\_\_\_\_ we need to \_\_\_\_\_ actions to implement \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ action that will \_\_\_\_\_ be \_\_\_\_\_ safe browsing \_\_\_\_\_ the devices with anti-viruses?

Is \_\_\_\_\_ add more \_\_\_\_\_ for \_\_\_\_\_ safe browsing along \_\_\_\_\_ anti-malware \_\_\_\_\_?

I'm \_\_\_\_\_ need any \_\_\_\_\_ for \_\_\_\_\_ browsing or if we just need \_\_\_\_\_ current \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ software \_\_\_\_\_ measures to make \_\_\_\_\_ devices \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ add additional \_\_\_\_\_ enable a secure browsing \_\_\_\_\_ for children \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ more \_\_\_\_\_ the safe browsing of \_\_\_\_\_ with our \_\_\_\_\_ protection?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ further \_\_\_\_\_ to ensure a secure \_\_\_\_\_ children to \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ child safe browsing \_\_\_\_\_ our \_\_\_\_\_?

Do \_\_\_\_\_ more steps to \_\_\_\_\_ children \_\_\_\_\_ an \_\_\_\_\_ protection?

\_\_\_\_ steps for \_\_\_\_ along with our \_\_\_\_ software?  
 \_\_\_\_ be asking \_\_\_\_ more ways \_\_\_\_ guarantee child safety \_\_\_\_ antivirus system?  
 \_\_\_\_ any need for \_\_\_\_ step \_\_\_\_ implementing \_\_\_\_ there is \_\_\_\_ active program on \_\_\_\_ devices?  
 \_\_\_\_ need for \_\_\_\_ step \_\_\_\_ browsing if there is an \_\_\_\_ antivirus program \_\_\_\_ a \_\_\_\_?  
 Should \_\_\_\_ anti-viruses \_\_\_\_ be accompanied \_\_\_\_ more precautions \_\_\_\_ safe?  
 Is \_\_\_\_ an action that will \_\_\_\_ to \_\_\_\_ of the devices \_\_\_\_ antivirus program?  
 Do \_\_\_\_ for safe \_\_\_\_ of children with anti-vestive protection?  
 If the current anti-viruses \_\_\_\_ is \_\_\_\_ with supplementary \_\_\_\_ on \_\_\_\_ devices, \_\_\_\_ it?  
 Does the implementation \_\_\_\_ safe-child \_\_\_\_ additional \_\_\_\_ we \_\_\_\_ use a \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ do more to \_\_\_\_ a \_\_\_\_ for \_\_\_\_ use an existing \_\_\_\_?  
 \_\_\_\_ it necessary \_\_\_\_ another \_\_\_\_ to \_\_\_\_ safe browsing when \_\_\_\_ an \_\_\_\_ program \_\_\_\_ a device?  
 \_\_\_\_ need to \_\_\_\_ another step \_\_\_\_ there is \_\_\_\_ antivirus \_\_\_\_ on a \_\_\_\_?  
 The current \_\_\_\_ should \_\_\_\_ combined \_\_\_\_ other \_\_\_\_ child-safe browsing \_\_\_\_ our digital \_\_\_\_.  
 \_\_\_\_ can \_\_\_\_ do to make web \_\_\_\_ our already \_\_\_\_?  
 Do \_\_\_\_ have \_\_\_\_ take \_\_\_\_ steps to \_\_\_\_ a secure \_\_\_\_ for \_\_\_\_ an \_\_\_\_ protection?  
 \_\_\_\_ the \_\_\_\_ browsing require \_\_\_\_ if \_\_\_\_ already use a security \_\_\_\_?  
 \_\_\_\_ browsing require further \_\_\_\_ the existing software?  
 Is \_\_\_\_ action \_\_\_\_ browsing is \_\_\_\_ to an active program?  
 Should the \_\_\_\_ be \_\_\_\_ by \_\_\_\_ precautions \_\_\_\_ make our \_\_\_\_ for kids?  
 \_\_\_\_ it \_\_\_\_ to implement toddler-friendly \_\_\_\_ alongside active \_\_\_\_?  
 Should the \_\_\_\_ combined \_\_\_\_ additional measures \_\_\_\_ create \_\_\_\_ browsing \_\_\_\_ children?  
 Do \_\_\_\_ need to \_\_\_\_ further \_\_\_\_ make \_\_\_\_ our children use \_\_\_\_ existing \_\_\_\_ on \_\_\_\_ internet \_\_\_\_?  
 Do \_\_\_\_ need \_\_\_\_ take \_\_\_\_ steps to \_\_\_\_ a safe environment \_\_\_\_ kids \_\_\_\_ use \_\_\_\_?  
 \_\_\_\_ steps be \_\_\_\_ enable a secure \_\_\_\_ for children \_\_\_\_ our existing \_\_\_\_?  
 \_\_\_\_ it possible to set up \_\_\_\_ software?  
 Is it \_\_\_\_ to \_\_\_\_ more precautions \_\_\_\_ child \_\_\_\_ while using \_\_\_\_ computer's \_\_\_\_?  
 Do we need to take \_\_\_\_ to \_\_\_\_ a \_\_\_\_ for \_\_\_\_ when we \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ for the safe \_\_\_\_ of children \_\_\_\_ existing anti-vestior  
 Do \_\_\_\_ to \_\_\_\_ to have \_\_\_\_ secure environment for children to use \_\_\_\_?  
 \_\_\_\_ we be asking for more ways \_\_\_\_ child \_\_\_\_ protected online \_\_\_\_ using \_\_\_\_ antivirus \_\_\_\_?  
 Is there \_\_\_\_ needs to \_\_\_\_ to implement \_\_\_\_ browsing when there is an \_\_\_\_?  
 Is it \_\_\_\_ to include more precautions for child \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ up child-safe \_\_\_\_ our \_\_\_\_ software?  
 How \_\_\_\_ we \_\_\_\_ web surfing with \_\_\_\_ already-installed \_\_\_\_?  
 When there \_\_\_\_ on the \_\_\_\_ is \_\_\_\_ a need for \_\_\_\_ for implementing safe \_\_\_\_?  
 \_\_\_\_ anti-viruses software be combined with additional \_\_\_\_ for \_\_\_\_?  
 Is it necessary to \_\_\_\_ browsing along \_\_\_\_?  
 Is \_\_\_\_ a child-safe browsing \_\_\_\_ with \_\_\_\_ current antivirus?  
 \_\_\_\_ anti-viruses software should \_\_\_\_ combined \_\_\_\_ supplementary measures \_\_\_\_ establish child-safe \_\_\_\_ the \_\_\_\_.  
 Is it necessary to take \_\_\_\_ safe \_\_\_\_ is an active \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ anti-viruses \_\_\_\_ supplemented \_\_\_\_ to make our devices safe \_\_\_\_ kids?  
 Should we \_\_\_\_ to \_\_\_\_ child-proofed \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ anti-viruses \_\_\_\_ be \_\_\_\_ additional \_\_\_\_ to make the \_\_\_\_ child- \_\_\_\_?  
 \_\_\_\_ to take \_\_\_\_ to implement safe browsing on \_\_\_\_ antivirus program?  
 Should \_\_\_\_ current \_\_\_\_ software \_\_\_\_ extra \_\_\_\_ establish child-safe browsing on the \_\_\_\_?  
 When there is \_\_\_\_ program on \_\_\_\_ device, is there \_\_\_\_ need \_\_\_\_ another \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ steps for \_\_\_\_ friendly \_\_\_\_ with \_\_\_\_ current software?  
 Do we need \_\_\_\_ additional steps to allow \_\_\_\_ secure \_\_\_\_ when they \_\_\_\_ protection?  
 \_\_\_\_ there \_\_\_\_ be \_\_\_\_ steps \_\_\_\_ the safe \_\_\_\_ children \_\_\_\_ existing anti-vestive protection?  
 Does the implementation \_\_\_\_ if we already use security \_\_\_\_?

Is there \_\_\_\_ need for further \_\_\_\_ to \_\_\_\_ devices with \_\_\_\_ immune \_\_\_\_?

\_\_\_\_ we \_\_\_\_ additional steps \_\_\_\_ safe \_\_\_\_ of children \_\_\_\_ our \_\_\_\_ anti-vehicle \_\_\_\_?

Does the \_\_\_\_ require \_\_\_\_ procedures if we already \_\_\_\_ anti-virus \_\_\_\_?

The current anti-viruses \_\_\_\_ should be combined with \_\_\_\_ ensure child-\_\_\_\_ digital \_\_\_\_.

Should the current \_\_\_\_ be \_\_\_\_ with \_\_\_\_ measures \_\_\_\_ child-safe browsing \_\_\_\_ their \_\_\_\_?

What more needs \_\_\_\_ done \_\_\_\_ web \_\_\_\_ a reality \_\_\_\_ a already-installed \_\_\_\_

\_\_\_\_ be another \_\_\_\_ implementing safe browsing \_\_\_\_ there is an active \_\_\_\_ the device

Is it necessary \_\_\_\_ child-safe browsing \_\_\_\_?

Does \_\_\_\_ implementation of safe-child browsing \_\_\_\_ procedures \_\_\_\_ already use \_\_\_\_ protects \_\_\_\_?

\_\_\_\_ AV system involves child-proof \_\_\_\_ on \_\_\_\_ gadgets, \_\_\_\_ we need \_\_\_\_ more \_\_\_\_?

\_\_\_\_ current \_\_\_\_ software along \_\_\_\_ be used to \_\_\_\_ child-safe \_\_\_\_ their devices?

Does \_\_\_\_ any added procedures if we \_\_\_\_ a security program?

\_\_\_\_ any \_\_\_\_ actions \_\_\_\_ safe browsers on devices with \_\_\_\_ immune programs?

\_\_\_\_ current \_\_\_\_ software is accompanied by \_\_\_\_ measures to make \_\_\_\_ safe \_\_\_\_

When \_\_\_\_ is \_\_\_\_ active security program on \_\_\_\_ device, \_\_\_\_ a \_\_\_\_ another step \_\_\_\_ safe \_\_\_\_?

Other \_\_\_\_ should \_\_\_\_ added \_\_\_\_ current software to keep \_\_\_\_ from \_\_\_\_ to \_\_\_\_ on the \_\_\_\_

Should \_\_\_\_ steps to enable \_\_\_\_ browsing \_\_\_\_ children \_\_\_\_ our existing protection?

\_\_\_\_ more precautions taken when using kid-friendly internet access \_\_\_\_ device \_\_\_\_ an \_\_\_\_?

Is \_\_\_\_ necessary \_\_\_\_ us \_\_\_\_ to allow a secure environment for children \_\_\_\_ they \_\_\_\_ protection?

The current anti-viruses software \_\_\_\_ be \_\_\_\_ with \_\_\_\_ to establish \_\_\_\_.

\_\_\_\_ there \_\_\_\_ extra precautions needed when using kid-friendly \_\_\_\_ on a \_\_\_\_ existing \_\_\_\_?

\_\_\_\_ we need \_\_\_\_ actions \_\_\_\_ browsing \_\_\_\_ our software?

Should the \_\_\_\_ software be accompanied \_\_\_\_ measures to \_\_\_\_ child-safebrow?

\_\_\_\_ childsafe \_\_\_\_ with \_\_\_\_ current security \_\_\_\_?

\_\_\_\_ browsability \_\_\_\_ with \_\_\_\_ antiviral applications \_\_\_\_ additional configurations \_\_\_\_ instructions?

Is \_\_\_\_ to \_\_\_\_ implement \_\_\_\_ browsing alongside \_\_\_\_ software?

\_\_\_\_ the current anti-viruses software \_\_\_\_ accompanied \_\_\_\_ further \_\_\_\_ to \_\_\_\_ kids?

Should \_\_\_\_ software \_\_\_\_ used with \_\_\_\_ measures to \_\_\_\_ child-safe \_\_\_\_ the device?

Do \_\_\_\_ need \_\_\_\_ more to implement \_\_\_\_ our software?

Should \_\_\_\_ current \_\_\_\_ with some other measures \_\_\_\_ child safe \_\_\_\_?

Do there \_\_\_\_ to \_\_\_\_ the safe browsing \_\_\_\_ with \_\_\_\_ protections?

Is the current \_\_\_\_ accompanied \_\_\_\_ measures to \_\_\_\_ devices safe \_\_\_\_?

\_\_\_\_ it \_\_\_\_ sense \_\_\_\_ precautions for child-safe browsing along with \_\_\_\_?

The \_\_\_\_ software \_\_\_\_ with \_\_\_\_ to establish child-\_\_\_\_ browsing on digital \_\_\_\_

Is \_\_\_\_ with the \_\_\_\_ antivirus \_\_\_\_?

If \_\_\_\_ use security software, \_\_\_\_ safe-child \_\_\_\_ any additional \_\_\_\_?

\_\_\_\_ current anti-viruses \_\_\_\_ accompanied \_\_\_\_ further precautions \_\_\_\_ devices safe for kids?

\_\_\_\_ antiviral applications include extra instructions?

\_\_\_\_ we need \_\_\_\_ take \_\_\_\_ steps to \_\_\_\_ environment for children \_\_\_\_ use \_\_\_\_ existing \_\_\_\_?

\_\_\_\_ anti-viruses \_\_\_\_ may \_\_\_\_ combined with additional measures \_\_\_\_ establish child-safe browsing \_\_\_\_.

Can \_\_\_\_ do \_\_\_\_ a \_\_\_\_ browsing \_\_\_\_ for children \_\_\_\_ our \_\_\_\_ protection?

Is \_\_\_\_ to take more steps to allow a \_\_\_\_ for \_\_\_\_ when \_\_\_\_ our \_\_\_\_?

Should the current anti-viruses \_\_\_\_ combined \_\_\_\_ to reestablish \_\_\_\_ on their \_\_\_\_?

Do \_\_\_\_ additional steps to make \_\_\_\_ secure \_\_\_\_ for children \_\_\_\_ an existing \_\_\_\_?

\_\_\_\_ the current anti-viruses \_\_\_\_ be \_\_\_\_ by \_\_\_\_ measures \_\_\_\_ our \_\_\_\_ safer for \_\_\_\_?

\_\_\_\_ it necessary to take \_\_\_\_ action for safe \_\_\_\_ active security \_\_\_\_?

Should the current anti-viruses software \_\_\_\_ measures \_\_\_\_ child-safe browsing on \_\_\_\_?

\_\_\_\_ there \_\_\_\_ to \_\_\_\_ the \_\_\_\_ of safe browsing \_\_\_\_ there is \_\_\_\_ active program?

Extra \_\_\_\_ friendly browsing along with our \_\_\_\_?

\_\_\_\_ another step \_\_\_\_ make sure the children \_\_\_\_ existing protection \_\_\_\_ their internet browsing?

Should \_\_\_\_\_ software be \_\_\_\_\_ with the supplementary \_\_\_\_\_ establish child-safe \_\_\_\_\_ their \_\_\_\_\_?

Do \_\_\_\_\_ to add more \_\_\_\_\_ safe \_\_\_\_\_ along with \_\_\_\_\_ software?

Is the current anti-viruses software accompanied by \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ to facilitate child friendly \_\_\_\_\_ along \_\_\_\_\_ existing \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ do more \_\_\_\_\_ make sure the \_\_\_\_\_ our \_\_\_\_\_ protection \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ any need \_\_\_\_\_ further action \_\_\_\_\_ safe browsing \_\_\_\_\_ that have an \_\_\_\_\_ program?

Extra \_\_\_\_\_ to \_\_\_\_\_ friendly browsing along \_\_\_\_\_ our \_\_\_\_\_?

Extra steps \_\_\_\_\_ child \_\_\_\_\_ along \_\_\_\_\_ an \_\_\_\_\_ software?

Is there \_\_\_\_\_ for \_\_\_\_\_ step \_\_\_\_\_ browsing process when \_\_\_\_\_ is \_\_\_\_\_ antivirus program?

\_\_\_\_\_ we require additional steps to \_\_\_\_\_ secure browsing \_\_\_\_\_?

Is it \_\_\_\_\_ action \_\_\_\_\_ implement safe \_\_\_\_\_ on \_\_\_\_\_ with an active \_\_\_\_\_?

Is \_\_\_\_\_ current \_\_\_\_\_ combined with supplementary measures \_\_\_\_\_ browsing?

Should \_\_\_\_\_ current \_\_\_\_\_ software be \_\_\_\_\_ measures \_\_\_\_\_ make browsing \_\_\_\_\_ children?

Other \_\_\_\_\_ added \_\_\_\_\_ current \_\_\_\_\_ to keep children from \_\_\_\_\_ to \_\_\_\_\_ viruses on the \_\_\_\_\_

Is \_\_\_\_\_ another step for safe \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ active antivirus \_\_\_\_\_?

Is there \_\_\_\_\_ additional \_\_\_\_\_ web \_\_\_\_\_ with existing defense \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ in another \_\_\_\_\_ safe \_\_\_\_\_ when there \_\_\_\_\_ active program?

Do we \_\_\_\_\_ take further \_\_\_\_\_ make sure \_\_\_\_\_ use \_\_\_\_\_ existing protection \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ child-safe \_\_\_\_\_ current protection?

The \_\_\_\_\_ software should \_\_\_\_\_ combined with additional \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ of \_\_\_\_\_ any additional \_\_\_\_\_ if we already \_\_\_\_\_ the software?

\_\_\_\_\_ anti-viruses software be combined \_\_\_\_\_ measures to establish \_\_\_\_\_ on the \_\_\_\_\_?