

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	Gutter cleaning and maintenance
<b>Inquiry Sub-Category</b>	Gutter repair and replacement
<b>Description</b>	Customers requiring assistance with repairing or replacing damaged gutters, including inquiries about materials, costs, and the timeline for completion.
<b>Data Size</b>	8,735 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

Are there \_\_\_\_\_ costs associated \_\_\_\_\_ and \_\_\_\_\_ old/rotten/damaged \_\_\_\_\_ during \_\_\_\_\_ process?  
\_\_\_\_\_ the process \_\_\_\_\_ to \_\_\_\_\_ of damaged parts?  
\_\_\_\_\_ rid \_\_\_\_\_ old, rotten, \_\_\_\_\_ sections \_\_\_\_\_ extra expense?  
\_\_\_\_\_ installation process include \_\_\_\_\_ rid of battered components?  
Will there \_\_\_\_\_ additional costs \_\_\_\_\_ deteriorated parts during the \_\_\_\_\_?  
\_\_\_\_\_ expect any additional charges for the \_\_\_\_\_ of \_\_\_\_\_?  
Is \_\_\_\_\_ any extra \_\_\_\_\_ throw \_\_\_\_\_ the moldy or busted \_\_\_\_\_ this \_\_\_\_\_?  
Do I have to \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ areas when \_\_\_\_\_ it?  
\_\_\_\_\_ are costs \_\_\_\_\_ sections involved \_\_\_\_\_ installation.  
\_\_\_\_\_ there \_\_\_\_\_ charges \_\_\_\_\_ removal \_\_\_\_\_ disposal of rotten sections?  
\_\_\_\_\_ I expect to pay \_\_\_\_\_ get rid of \_\_\_\_\_ pieces \_\_\_\_\_?  
Is \_\_\_\_\_ removing old, \_\_\_\_\_ or damaged sections added \_\_\_\_\_ when \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ if you have \_\_\_\_\_ discard \_\_\_\_\_ renovations?  
Will my bill \_\_\_\_\_ up \_\_\_\_\_ rotted \_\_\_\_\_ installing?  
Is \_\_\_\_\_ chance of \_\_\_\_\_ if we eliminate worn-out \_\_\_\_\_ installation \_\_\_\_\_?  
Is \_\_\_\_\_ any extra charges when \_\_\_\_\_ rotten \_\_\_\_\_?  
Is \_\_\_\_\_ added \_\_\_\_\_ related \_\_\_\_\_ eliminating worn-out components in \_\_\_\_\_ installation \_\_\_\_\_.  
If \_\_\_\_\_ and dispose of deteriorated \_\_\_\_\_ installation, will \_\_\_\_\_ expenses?  
\_\_\_\_\_ extra cost \_\_\_\_\_ removal and disposal of damaged \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ expect to \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ of old and damaged \_\_\_\_\_ installation \_\_\_\_\_?  
\_\_\_\_\_ have to pay \_\_\_\_\_ for the \_\_\_\_\_ of \_\_\_\_\_ during \_\_\_\_\_ installation?  
\_\_\_\_\_ there any costs \_\_\_\_\_ with \_\_\_\_\_ old \_\_\_\_\_ sections?  
\_\_\_\_\_ there be \_\_\_\_\_ costs \_\_\_\_\_ discard deteriorated parts during \_\_\_\_\_ process?  
Should I expect \_\_\_\_\_ additional charges for \_\_\_\_\_ segments \_\_\_\_\_ service?  
Will \_\_\_\_\_ charged \_\_\_\_\_ for getting rid \_\_\_\_\_ up \_\_\_\_\_ during the installation?  
\_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ rid of damaged \_\_\_\_\_?  
Can you \_\_\_\_\_ me \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ related \_\_\_\_\_ removing worn-out \_\_\_\_\_ rotted segments \_\_\_\_\_ the \_\_\_\_\_?  
Is taking \_\_\_\_\_ old, \_\_\_\_\_ damaged sections an \_\_\_\_\_ installing?

\_\_\_\_ there \_\_\_\_ for \_\_\_\_ damaged parts \_\_\_\_ installing?  
 \_\_\_\_ charges \_\_\_\_ the \_\_\_\_ and \_\_\_\_ of worn-out, rotten or damaged sections?  
 \_\_\_\_ process involve \_\_\_\_ charges \_\_\_\_ discard \_\_\_\_ out or \_\_\_\_ elements?  
 \_\_\_\_ any hidden fees involved in removing \_\_\_\_ damaged \_\_\_\_ stage \_\_\_\_ procedure?  
 You \_\_\_\_ to know the \_\_\_\_ and \_\_\_\_ of aged, rotten, \_\_\_\_ broken pieces during \_\_\_\_.  
 Is \_\_\_\_ rotten, or damaged \_\_\_\_ an additional \_\_\_\_ when \_\_\_\_?  
 Is there a \_\_\_\_ fee for getting \_\_\_\_ of \_\_\_\_ during \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ removal of old/rotten \_\_\_\_ during the \_\_\_\_?  
 Should I expect to \_\_\_\_ for \_\_\_\_ disposal \_\_\_\_ damaged and old \_\_\_\_ installation \_\_\_\_?  
 Are \_\_\_\_ any additional charges \_\_\_\_ disposal during \_\_\_\_ and \_\_\_\_ out, rotten \_\_\_\_ damaged \_\_\_\_?  
 Is there \_\_\_\_ costs when you discard \_\_\_\_ install process?  
 \_\_\_\_ the \_\_\_\_ charges \_\_\_\_ disposing of worn-out or \_\_\_\_ elements?  
 \_\_\_\_ more \_\_\_\_ to \_\_\_\_ old portions when you \_\_\_\_?  
 \_\_\_\_ there supplementary \_\_\_\_ associated \_\_\_\_ the \_\_\_\_ of damaged \_\_\_\_ installing?  
 \_\_\_\_ I \_\_\_\_ to pay more \_\_\_\_ removal \_\_\_\_ old/rotted/ damaged sections \_\_\_\_ process?  
 \_\_\_\_ I expect to \_\_\_\_ more \_\_\_\_ rid of the \_\_\_\_ installation?  
 \_\_\_\_ expense \_\_\_\_ removing old, rotten, or \_\_\_\_ sections?  
 \_\_\_\_ process may involve \_\_\_\_ fees \_\_\_\_ getting rid \_\_\_\_ battered \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ additional \_\_\_\_ for the \_\_\_\_ worn \_\_\_\_ or damaged elements?  
 Is there \_\_\_\_ to \_\_\_\_ or dispose of \_\_\_\_ installing?  
 \_\_\_\_ much \_\_\_\_ cost to remove \_\_\_\_ of \_\_\_\_ sections during \_\_\_\_?  
 Is there any \_\_\_\_ charges for removing \_\_\_\_ during \_\_\_\_?  
 Are \_\_\_\_ required to pay \_\_\_\_ of \_\_\_\_ sections during \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ costs \_\_\_\_ removing \_\_\_\_ deteriorated \_\_\_\_ during the installation process?  
 \_\_\_\_ costs for removing \_\_\_\_?  
 \_\_\_\_ a price \_\_\_\_ get rid \_\_\_\_ old stuff \_\_\_\_ putting in \_\_\_\_?  
 Is \_\_\_\_ any additional costs \_\_\_\_ and disposing \_\_\_\_?  
 \_\_\_\_ more \_\_\_\_ incurred if we remove \_\_\_\_ off deteriorated \_\_\_\_?  
 Maybe \_\_\_\_ will be hidden \_\_\_\_ junk during installation \_\_\_\_?  
 \_\_\_\_ cost \_\_\_\_ remove and dispose of bad \_\_\_\_ installation?  
 I \_\_\_\_ to know if \_\_\_\_ expenses associated with removing \_\_\_\_ or rotted \_\_\_\_ the \_\_\_\_ process.  
 Will \_\_\_\_ cost \_\_\_\_ to \_\_\_\_ deteriorated parts \_\_\_\_ installation process?  
 Is \_\_\_\_ an \_\_\_\_ for the \_\_\_\_ and \_\_\_\_ faulty parts?  
 \_\_\_\_ process involve \_\_\_\_ for the removal of \_\_\_\_ or damaged \_\_\_\_?  
 I wonder if \_\_\_\_ additional \_\_\_\_ for removing \_\_\_\_ disposing \_\_\_\_ your installation \_\_\_\_.  
 \_\_\_\_ any added cost to \_\_\_\_ old/ \_\_\_\_ segments \_\_\_\_ the install \_\_\_\_?  
 \_\_\_\_ incur additional expenses \_\_\_\_ rotted \_\_\_\_ portions are removed?  
 \_\_\_\_ another \_\_\_\_ involved in removing \_\_\_\_?  
 There may be \_\_\_\_ fees \_\_\_\_ worn-out \_\_\_\_ installation phase.  
 \_\_\_\_ there \_\_\_\_ for \_\_\_\_ damaged \_\_\_\_ in installation?  
 Will \_\_\_\_ fees for \_\_\_\_ worn-out \_\_\_\_ installation?  
 \_\_\_\_ the process involve additional charges \_\_\_\_ the \_\_\_\_ elements?  
 Are \_\_\_\_ any \_\_\_\_ costs to \_\_\_\_ of \_\_\_\_ parts \_\_\_\_ process?  
 \_\_\_\_ expect \_\_\_\_ charges for \_\_\_\_ worn out \_\_\_\_ the installation service?  
 \_\_\_\_ I expect to \_\_\_\_ extra \_\_\_\_ the removal \_\_\_\_ segments?  
 \_\_\_\_ afflicted portions add \_\_\_\_ the setup's costs?  
 \_\_\_\_ more \_\_\_\_ getting \_\_\_\_ of old pieces during \_\_\_\_?  
 \_\_\_\_ more expenses \_\_\_\_ we remove and dispose \_\_\_\_ deteriorated \_\_\_\_?  
 \_\_\_\_ for disposing of \_\_\_\_ crap during installation work?  
 \_\_\_\_ process include \_\_\_\_ charges to \_\_\_\_ of \_\_\_\_ damaged elements?

\_\_\_\_\_ clarifications on possible \_\_\_\_\_ related to removing and disposing \_\_\_\_\_ aged, \_\_\_\_\_ or broken \_\_\_\_\_  
 \_\_\_\_\_ much \_\_\_\_\_ it going to cost to \_\_\_\_\_ segments \_\_\_\_\_ install \_\_\_\_\_?  
 I wonder if \_\_\_\_\_ have \_\_\_\_\_ pay \_\_\_\_\_ spoilt/ruined \_\_\_\_\_ before installing \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ involve \_\_\_\_\_ charges \_\_\_\_\_ the discarding of \_\_\_\_\_ out \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ I be charged \_\_\_\_\_ for \_\_\_\_\_ and disposing worn \_\_\_\_\_ segments \_\_\_\_\_?  
 Are there \_\_\_\_\_ associated \_\_\_\_\_ disposing of \_\_\_\_\_ setting up?  
 Should I expect to \_\_\_\_\_ costs \_\_\_\_\_ remove \_\_\_\_\_ of old \_\_\_\_\_ the setup period?  
 Will \_\_\_\_\_ be \_\_\_\_\_ removal \_\_\_\_\_ older/ruined portions \_\_\_\_\_ place during remodeling?  
 Will \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ the \_\_\_\_\_ disposal of \_\_\_\_\_ or \_\_\_\_\_ sections?  
 \_\_\_\_\_ any extra costs \_\_\_\_\_ removing and disposing of \_\_\_\_\_ installation?  
 \_\_\_\_\_ pay more for \_\_\_\_\_ of damaged orrotted sections?  
 \_\_\_\_\_ a charge for removing \_\_\_\_\_ of my place \_\_\_\_\_?  
 \_\_\_\_\_ the disposal \_\_\_\_\_ old \_\_\_\_\_ installation, will it \_\_\_\_\_ me more?  
 \_\_\_\_\_ budget for \_\_\_\_\_ removal \_\_\_\_\_ of worn-out elements throughout installation?  
 \_\_\_\_\_ are possible costs of \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ pieces \_\_\_\_\_ installation process.  
 \_\_\_\_\_ are the costs of \_\_\_\_\_ and disposing of \_\_\_\_\_ the \_\_\_\_\_?  
 Is there an \_\_\_\_\_ disposal services during the \_\_\_\_\_ of worn \_\_\_\_\_ rotten or \_\_\_\_\_?  
 Will I have \_\_\_\_\_ pay extra costs \_\_\_\_\_ of \_\_\_\_\_?  
 Is \_\_\_\_\_ a chance \_\_\_\_\_ added \_\_\_\_\_ related \_\_\_\_\_ components \_\_\_\_\_ installation?  
 If you \_\_\_\_\_ remove \_\_\_\_\_ renovations, will there \_\_\_\_\_ an \_\_\_\_\_ fee?  
 Should \_\_\_\_\_ be additional charges \_\_\_\_\_ removing \_\_\_\_\_ disposing \_\_\_\_\_ out \_\_\_\_\_ your \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ abandoning \_\_\_\_\_ elements \_\_\_\_\_ expenses \_\_\_\_\_ setting up?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ for the removal \_\_\_\_\_ old sections \_\_\_\_\_?  
 How \_\_\_\_\_ does \_\_\_\_\_ to remove rotten, damaged \_\_\_\_\_ stage of the \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ to ditch \_\_\_\_\_ during \_\_\_\_\_ there be an \_\_\_\_\_ fee?  
 Will \_\_\_\_\_ to pay \_\_\_\_\_ for \_\_\_\_\_ spoilt \_\_\_\_\_ and appropriately \_\_\_\_\_ installing \_\_\_\_\_ ones?  
 \_\_\_\_\_ any extra \_\_\_\_\_ to throw \_\_\_\_\_ old and \_\_\_\_\_ pieces \_\_\_\_\_ this \_\_\_\_\_?  
 Should I \_\_\_\_\_ more for removing \_\_\_\_\_ damaged sections \_\_\_\_\_ process?  
 I would \_\_\_\_\_ to \_\_\_\_\_ have to pay \_\_\_\_\_ for \_\_\_\_\_ spoilt/ruined segments \_\_\_\_\_ to \_\_\_\_\_ ones.  
 Will there \_\_\_\_\_ additional fees \_\_\_\_\_ worn \_\_\_\_\_ during the \_\_\_\_\_?  
 Are there \_\_\_\_\_ for \_\_\_\_\_ of damaged components?  
 Is \_\_\_\_\_ an \_\_\_\_\_ cost \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ damaged \_\_\_\_\_ during \_\_\_\_\_ installation?  
 Is there \_\_\_\_\_ and disposing \_\_\_\_\_ segments \_\_\_\_\_ the installation service?  
 There \_\_\_\_\_ costs \_\_\_\_\_ removing \_\_\_\_\_ of old, \_\_\_\_\_ broken pieces \_\_\_\_\_ your installation \_\_\_\_\_.  
 Should I \_\_\_\_\_ for the \_\_\_\_\_ disposal \_\_\_\_\_ damaged sections \_\_\_\_\_ the installation \_\_\_\_\_?  
 \_\_\_\_\_ possible that \_\_\_\_\_ have to \_\_\_\_\_ removing spoilt/ruined \_\_\_\_\_ prior to \_\_\_\_\_ new \_\_\_\_\_?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ costs \_\_\_\_\_ rid of old \_\_\_\_\_ damaged \_\_\_\_\_ while \_\_\_\_\_ install?  
 \_\_\_\_\_ there \_\_\_\_\_ costs \_\_\_\_\_ old, \_\_\_\_\_ or damaged sections when \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ charges for \_\_\_\_\_ or \_\_\_\_\_ rotten \_\_\_\_\_?  
 If \_\_\_\_\_ have to \_\_\_\_\_ damaged \_\_\_\_\_ dispose of \_\_\_\_\_ any \_\_\_\_\_ fees?  
 \_\_\_\_\_ the removal \_\_\_\_\_ of damaged areas when \_\_\_\_\_ a treatment?  
 \_\_\_\_\_ be hidden \_\_\_\_\_ involved in \_\_\_\_\_ portions \_\_\_\_\_ the setup \_\_\_\_\_.  
 \_\_\_\_\_ more \_\_\_\_\_ to dispose of \_\_\_\_\_ parts when \_\_\_\_\_ installed?  
 Is \_\_\_\_\_ added cost when \_\_\_\_\_ old/broken/ \_\_\_\_\_ during the install \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ money \_\_\_\_\_ we remove and \_\_\_\_\_ of \_\_\_\_\_ areas?  
 If some damaged \_\_\_\_\_ be \_\_\_\_\_ before installation \_\_\_\_\_ place, will that \_\_\_\_\_?  
 \_\_\_\_\_ additional cost \_\_\_\_\_ the removal and disposal \_\_\_\_\_ faulty \_\_\_\_\_ during \_\_\_\_\_?  
 Will it cost \_\_\_\_\_ to \_\_\_\_\_ damaged \_\_\_\_\_ installing?  
 Is there any \_\_\_\_\_ expenses \_\_\_\_\_ removing worn-out or rotted \_\_\_\_\_?  
 Is there any extra \_\_\_\_\_ removing and disposing \_\_\_\_\_ get \_\_\_\_\_?

Can you \_\_\_\_\_ there \_\_\_\_\_ supplementary expenses \_\_\_\_\_ parts while installing?

Will \_\_\_\_\_ to \_\_\_\_\_ separately \_\_\_\_\_ removing spoilt segments \_\_\_\_\_ installing \_\_\_\_\_?

Is there any \_\_\_\_\_ for \_\_\_\_\_ rid of \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ old, \_\_\_\_\_ and damaged sections an \_\_\_\_\_?

Is \_\_\_\_\_ charges \_\_\_\_\_ removing and \_\_\_\_\_ worn out segments \_\_\_\_\_ service?

Is there an additional fee \_\_\_\_\_ and disposal \_\_\_\_\_ sections \_\_\_\_\_?

Is there additional \_\_\_\_\_ linked \_\_\_\_\_ damaged \_\_\_\_\_ installing?

Is there \_\_\_\_\_ chance we \_\_\_\_\_ have to \_\_\_\_\_ removing worn \_\_\_\_\_ the \_\_\_\_\_ phase?

\_\_\_\_\_ the process \_\_\_\_\_ costs \_\_\_\_\_ of damaged \_\_\_\_\_ during installation?

Do \_\_\_\_\_ there are \_\_\_\_\_ expenses linked with disposing \_\_\_\_\_ while \_\_\_\_\_?

\_\_\_\_\_ to get \_\_\_\_\_ of scrap \_\_\_\_\_ renovations, \_\_\_\_\_ be a fee?

\_\_\_\_\_ there \_\_\_\_\_ extra \_\_\_\_\_ for \_\_\_\_\_ damaged sections in \_\_\_\_\_?

\_\_\_\_\_ like \_\_\_\_\_ there are any \_\_\_\_\_ expenses \_\_\_\_\_ removing \_\_\_\_\_ out or rotted \_\_\_\_\_ during \_\_\_\_\_ installation process.

Is \_\_\_\_\_ worn-out elements \_\_\_\_\_ expenses while setting up?

\_\_\_\_\_ need to pay more for removing \_\_\_\_\_ the \_\_\_\_\_?

Do \_\_\_\_\_ pay more for \_\_\_\_\_ disposing \_\_\_\_\_ areas when \_\_\_\_\_ get everything \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ to shell \_\_\_\_\_ for hauling \_\_\_\_\_ the \_\_\_\_\_ while I'm \_\_\_\_\_ renovations?

Will more costs \_\_\_\_\_ rid \_\_\_\_\_ parts during the \_\_\_\_\_?

Should \_\_\_\_\_ to \_\_\_\_\_ costs if \_\_\_\_\_ have \_\_\_\_\_ remove \_\_\_\_\_ dispose of older \_\_\_\_\_?

Is \_\_\_\_\_ cost \_\_\_\_\_ rotten, \_\_\_\_\_ damaged \_\_\_\_\_ when you install?

\_\_\_\_\_ it \_\_\_\_\_ for additional \_\_\_\_\_ to \_\_\_\_\_ rid \_\_\_\_\_ damaged or \_\_\_\_\_ parts while \_\_\_\_\_ install?

\_\_\_\_\_ much \_\_\_\_\_ get rid of old \_\_\_\_\_ when putting in \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ old sections \_\_\_\_\_ period, should I expect \_\_\_\_\_ incur more costs?

\_\_\_\_\_ any additional expenses \_\_\_\_\_ removal and \_\_\_\_\_ of damaged \_\_\_\_\_ tarnished \_\_\_\_\_?

Is \_\_\_\_\_ for removing and \_\_\_\_\_ areas when \_\_\_\_\_ install everything?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ for disposing damaged parts \_\_\_\_\_?

Are there additional expenses \_\_\_\_\_ with the removal and \_\_\_\_\_ damaged \_\_\_\_\_ installing \_\_\_\_\_?

Is \_\_\_\_\_ a chance of \_\_\_\_\_ fees \_\_\_\_\_ during the installation \_\_\_\_\_.

Should there \_\_\_\_\_ additional charge \_\_\_\_\_ getting \_\_\_\_\_ during installation?

I \_\_\_\_\_ if \_\_\_\_\_ charged \_\_\_\_\_ rid \_\_\_\_\_ old parts during installation.

\_\_\_\_\_ it \_\_\_\_\_ more costly to remove \_\_\_\_\_ dispose \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ expect \_\_\_\_\_ incur \_\_\_\_\_ costs if \_\_\_\_\_ have to \_\_\_\_\_ aged or ruined \_\_\_\_\_ during \_\_\_\_\_ setup \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ associated with getting \_\_\_\_\_ damaged \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ and \_\_\_\_\_ areas \_\_\_\_\_ be removed before \_\_\_\_\_ takes place, \_\_\_\_\_ any additional expenses?

\_\_\_\_\_ be \_\_\_\_\_ additional charges for \_\_\_\_\_ damaged \_\_\_\_\_?

Is it possible that \_\_\_\_\_ to \_\_\_\_\_ segments \_\_\_\_\_ to installing \_\_\_\_\_ ones?

Is \_\_\_\_\_ extra \_\_\_\_\_ throw out \_\_\_\_\_ broken pieces for \_\_\_\_\_ project?

\_\_\_\_\_ the process \_\_\_\_\_ costs \_\_\_\_\_ of damaged parts?

\_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ and disposal of old or rotten \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ associated \_\_\_\_\_ worn out or rotted segments \_\_\_\_\_ the installation \_\_\_\_\_?

Will there \_\_\_\_\_ expenses if \_\_\_\_\_ areas have \_\_\_\_\_ removed \_\_\_\_\_ installation \_\_\_\_\_ place?

\_\_\_\_\_ extra \_\_\_\_\_ associated \_\_\_\_\_ disposing \_\_\_\_\_ parts while installing?

When \_\_\_\_\_ comes \_\_\_\_\_ of old or damaged \_\_\_\_\_ while you \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ budget for \_\_\_\_\_?

If \_\_\_\_\_ have to \_\_\_\_\_ scrap \_\_\_\_\_ during \_\_\_\_\_ renovations \_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ for disposing damaged \_\_\_\_\_ the \_\_\_\_\_?

Is taking out \_\_\_\_\_ sections \_\_\_\_\_ sections an added expense?

Will I have \_\_\_\_\_ getting rid \_\_\_\_\_ messed-up parts during \_\_\_\_\_?

Should I expect to \_\_\_\_\_ more \_\_\_\_\_ if \_\_\_\_\_ need \_\_\_\_\_ remove \_\_\_\_\_?

D'ya \_\_\_\_\_ costs \_\_\_\_\_ disposing of old stuff during installation \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ it cost to \_\_\_\_\_ old \_\_\_\_\_ when you put \_\_\_\_\_ stuff?  
 Should \_\_\_\_\_ to incur more \_\_\_\_\_ we \_\_\_\_\_ of aged \_\_\_\_\_ during the setup \_\_\_\_\_?  
 Will \_\_\_\_\_ pay \_\_\_\_\_ for removing old \_\_\_\_\_ messed \_\_\_\_\_ parts \_\_\_\_\_ installation?  
 Is taking \_\_\_\_\_ or damaged \_\_\_\_\_ to \_\_\_\_\_ cost \_\_\_\_\_ installing?  
 \_\_\_\_\_ be any additional \_\_\_\_\_ for \_\_\_\_\_ disposal of \_\_\_\_\_ the installation?  
 Is \_\_\_\_\_ any \_\_\_\_\_ charges for disposal \_\_\_\_\_ the \_\_\_\_\_ of worn \_\_\_\_\_ or \_\_\_\_\_?  
 Will there \_\_\_\_\_ costs \_\_\_\_\_ with \_\_\_\_\_ rid \_\_\_\_\_ during the installation \_\_\_\_\_?  
 \_\_\_\_\_ there an additional \_\_\_\_\_ for disposal \_\_\_\_\_ the \_\_\_\_\_ and removal of worn out, \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ more \_\_\_\_\_ if we \_\_\_\_\_ dispose off \_\_\_\_\_ areas?  
 \_\_\_\_\_ the \_\_\_\_\_ costs \_\_\_\_\_ removing \_\_\_\_\_ aged, rotten, or broken pieces during your \_\_\_\_\_ must.  
 Should I \_\_\_\_\_ extra \_\_\_\_\_ rid of old \_\_\_\_\_ during \_\_\_\_\_?  
 Will \_\_\_\_\_ getting rid \_\_\_\_\_ damaged parts \_\_\_\_\_ the process?  
 \_\_\_\_\_ on possible \_\_\_\_\_ of removing \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ during your \_\_\_\_\_ process  
 When installing, will \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ damaged \_\_\_\_\_?  
 Is \_\_\_\_\_ any additional cost \_\_\_\_\_ bad parts \_\_\_\_\_ installation?  
 Should \_\_\_\_\_ expect to pay \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ sections during \_\_\_\_\_ installation \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ removing worn out \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ needed \_\_\_\_\_ moldy \_\_\_\_\_ busted \_\_\_\_\_ this project?  
 Should I \_\_\_\_\_ pay more \_\_\_\_\_ removal \_\_\_\_\_ damaged sections \_\_\_\_\_ the installation \_\_\_\_\_?  
 \_\_\_\_\_ installing, \_\_\_\_\_ cost \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ of damaged parts?  
 If \_\_\_\_\_ old/damaged \_\_\_\_\_ to be \_\_\_\_\_ before \_\_\_\_\_ takes \_\_\_\_\_ will \_\_\_\_\_ in \_\_\_\_\_ additional expenses?  
 Will \_\_\_\_\_ more expenses if \_\_\_\_\_ of \_\_\_\_\_ deteriorated areas?  
 There might \_\_\_\_\_ added fees related \_\_\_\_\_ eliminating \_\_\_\_\_ components in \_\_\_\_\_.  
 \_\_\_\_\_ expenses \_\_\_\_\_ if \_\_\_\_\_ and dispose of deteriorated \_\_\_\_\_ during installation?  
 \_\_\_\_\_ there be additional \_\_\_\_\_ getting rid \_\_\_\_\_ components?  
 I \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ costs \_\_\_\_\_ worn \_\_\_\_\_ or \_\_\_\_\_ segments \_\_\_\_\_ the installation process.  
 \_\_\_\_\_ there an \_\_\_\_\_ cost to \_\_\_\_\_ of \_\_\_\_\_ parts \_\_\_\_\_ installation \_\_\_\_\_.  
 \_\_\_\_\_ I expect to incur \_\_\_\_\_ if we \_\_\_\_\_ to dispose \_\_\_\_\_ aged \_\_\_\_\_ the \_\_\_\_\_ period?  
 \_\_\_\_\_ there \_\_\_\_\_ of \_\_\_\_\_ fees \_\_\_\_\_ to \_\_\_\_\_ removal of \_\_\_\_\_ out components?  
 Will there \_\_\_\_\_ the removal and \_\_\_\_\_ of old sections \_\_\_\_\_?  
 Is there an \_\_\_\_\_ cost \_\_\_\_\_ remove and \_\_\_\_\_ during \_\_\_\_\_ phase?  
 Is there \_\_\_\_\_ costs \_\_\_\_\_ ruined \_\_\_\_\_?  
 \_\_\_\_\_ added \_\_\_\_\_ get rid of old, \_\_\_\_\_ or \_\_\_\_\_ sections?  
 Is there \_\_\_\_\_ getting rid \_\_\_\_\_ components?  
 \_\_\_\_\_ there \_\_\_\_\_ chance of \_\_\_\_\_ removing worn-out components in \_\_\_\_\_ phase?  
 Are \_\_\_\_\_ extra charges for \_\_\_\_\_ dismantling \_\_\_\_\_ worn-out, \_\_\_\_\_ damaged sections?  
 Will it \_\_\_\_\_ you handle the \_\_\_\_\_ of the \_\_\_\_\_ sections?  
 \_\_\_\_\_ there an additional \_\_\_\_\_ to \_\_\_\_\_ while installing?  
 \_\_\_\_\_ there \_\_\_\_\_ additional costs \_\_\_\_\_ removing rotten sections \_\_\_\_\_ installation?  
 \_\_\_\_\_ more costs if we have to remove \_\_\_\_\_ during the \_\_\_\_\_?  
 \_\_\_\_\_ I need \_\_\_\_\_ more \_\_\_\_\_ removing \_\_\_\_\_ sections in \_\_\_\_\_ installation?  
 \_\_\_\_\_ I \_\_\_\_\_ more \_\_\_\_\_ if we need to \_\_\_\_\_ destroy \_\_\_\_\_ the setup?  
 Should I expect to \_\_\_\_\_ more \_\_\_\_\_ segments during \_\_\_\_\_ installation \_\_\_\_\_?  
 Is there \_\_\_\_\_ getting rid of \_\_\_\_\_ components when \_\_\_\_\_?  
 Can you \_\_\_\_\_ the \_\_\_\_\_ expenses associated \_\_\_\_\_ disposing damaged \_\_\_\_\_ installing?  
 Should \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ getting rid of \_\_\_\_\_ pieces \_\_\_\_\_?  
 \_\_\_\_\_ think there'll be hidden \_\_\_\_\_ old stuff \_\_\_\_\_ work?  
 \_\_\_\_\_ it possible \_\_\_\_\_ I'll \_\_\_\_\_ rid of old \_\_\_\_\_ during installation?  
 Will I \_\_\_\_\_ for \_\_\_\_\_ removal and disposal of \_\_\_\_\_ during \_\_\_\_\_ installation?  
 \_\_\_\_\_ I \_\_\_\_\_ more \_\_\_\_\_ getting rid of \_\_\_\_\_ or \_\_\_\_\_ up \_\_\_\_\_?

\_\_\_\_\_ there fees \_\_\_\_\_ of battered components in \_\_\_\_\_ process?  
 \_\_\_\_\_ know if \_\_\_\_\_ additional \_\_\_\_\_ linked \_\_\_\_\_ damaged parts while installing?  
 \_\_\_\_\_ there \_\_\_\_\_ to disposing \_\_\_\_\_ while installing?  
 \_\_\_\_\_ the \_\_\_\_\_ include higher costs \_\_\_\_\_ rid \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ if you eliminate and \_\_\_\_\_ deteriorated segments?  
 Do \_\_\_\_\_ know any additional \_\_\_\_\_ with \_\_\_\_\_ sections?  
 Should \_\_\_\_\_ for the \_\_\_\_\_ of damaged sections \_\_\_\_\_ the \_\_\_\_\_ process?  
 Will \_\_\_\_\_ in the \_\_\_\_\_ cost \_\_\_\_\_?  
 \_\_\_\_\_ removing \_\_\_\_\_ the setup result \_\_\_\_\_ additional expenses?  
 Is \_\_\_\_\_ an \_\_\_\_\_ fee for \_\_\_\_\_ of \_\_\_\_\_ during installation?  
 \_\_\_\_\_ like \_\_\_\_\_ know \_\_\_\_\_ are any added expenses associated with \_\_\_\_\_ worn \_\_\_\_\_ or \_\_\_\_\_ segments \_\_\_\_\_.  
 \_\_\_\_\_ a chance of \_\_\_\_\_ removing \_\_\_\_\_ during the installation phase?  
 \_\_\_\_\_ I have \_\_\_\_\_ extra for \_\_\_\_\_ old sections during installation?  
 Does taking \_\_\_\_\_ decayed \_\_\_\_\_ ruined \_\_\_\_\_ the \_\_\_\_\_ the set-up?  
 \_\_\_\_\_ be \_\_\_\_\_ removing and tossing deteriorated parts?  
 There \_\_\_\_\_ costs relating \_\_\_\_\_ removing and \_\_\_\_\_ of aged, rotten, \_\_\_\_\_ during \_\_\_\_\_ process.  
 \_\_\_\_\_ much \_\_\_\_\_ you charge to \_\_\_\_\_ of damaged \_\_\_\_\_ installing?  
 Will \_\_\_\_\_ separately for removing and appropriately \_\_\_\_\_ spoilt segments \_\_\_\_\_ ones?  
 \_\_\_\_\_ I \_\_\_\_\_ additional costs \_\_\_\_\_ we \_\_\_\_\_ to remove old sections \_\_\_\_\_ period?  
 Does it cost \_\_\_\_\_ and dispose small \_\_\_\_\_ installation \_\_\_\_\_?  
 \_\_\_\_\_ it be more \_\_\_\_\_ to \_\_\_\_\_ rid of \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ some old/ damaged areas \_\_\_\_\_ to \_\_\_\_\_ before installation takes \_\_\_\_\_?  
 Is there any \_\_\_\_\_ remove \_\_\_\_\_ while \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ budget for \_\_\_\_\_ out elements throughout \_\_\_\_\_?  
 Will \_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ damaged \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ an additional fee \_\_\_\_\_ and \_\_\_\_\_ old \_\_\_\_\_ during installation?  
 Should I \_\_\_\_\_ incur more costs if \_\_\_\_\_ to dispose \_\_\_\_\_ during the \_\_\_\_\_?  
 Is \_\_\_\_\_ costs \_\_\_\_\_ and discard \_\_\_\_\_ parts during installation?  
 Remove and dispose \_\_\_\_\_ rotten, \_\_\_\_\_ broken \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_ want clarifications on \_\_\_\_\_ costs.  
 Can you \_\_\_\_\_ me \_\_\_\_\_ any extra expenses \_\_\_\_\_ removing worn \_\_\_\_\_ rotted \_\_\_\_\_ during the \_\_\_\_\_ process?  
 Is \_\_\_\_\_ involved in removing \_\_\_\_\_ portions during \_\_\_\_\_ setup procedure?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ old/ruined portions of my place \_\_\_\_\_?  
 \_\_\_\_\_ may be extra fees \_\_\_\_\_ removing \_\_\_\_\_ parts \_\_\_\_\_.  
 Will \_\_\_\_\_ for \_\_\_\_\_ deteriorated \_\_\_\_\_ during the installation \_\_\_\_\_?  
 Should \_\_\_\_\_ to \_\_\_\_\_ extra when removing \_\_\_\_\_ segments?  
 Adding \_\_\_\_\_ disposing \_\_\_\_\_ old, rotten \_\_\_\_\_ during \_\_\_\_\_ process?  
 \_\_\_\_\_ will the \_\_\_\_\_ cost to get rid \_\_\_\_\_ parts \_\_\_\_\_?  
 Will \_\_\_\_\_ cost me more \_\_\_\_\_ dispose \_\_\_\_\_ faulty \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to incur \_\_\_\_\_ costs \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ or dispose \_\_\_\_\_ during \_\_\_\_\_ setup period?  
 Will I have \_\_\_\_\_ removing spoilt \_\_\_\_\_ them before \_\_\_\_\_ new ones?  
 \_\_\_\_\_ to incur more costs if \_\_\_\_\_ to \_\_\_\_\_ and dispose \_\_\_\_\_ aged sections \_\_\_\_\_ period?  
 Do you charge \_\_\_\_\_ fees \_\_\_\_\_ old or \_\_\_\_\_?  
 Are there \_\_\_\_\_ fees \_\_\_\_\_ of \_\_\_\_\_ out portions \_\_\_\_\_ things up?  
 \_\_\_\_\_ necessary \_\_\_\_\_ budget for additional costs to \_\_\_\_\_ of old \_\_\_\_\_ installing?  
 \_\_\_\_\_ you tell me if \_\_\_\_\_ are any \_\_\_\_\_ expenses \_\_\_\_\_ parts while \_\_\_\_\_?  
 Is \_\_\_\_\_ shell \_\_\_\_\_ more money for hauling away the \_\_\_\_\_ while \_\_\_\_\_?  
 Are \_\_\_\_\_ any extra charges for \_\_\_\_\_ during the \_\_\_\_\_ rotten or \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ during the \_\_\_\_\_ removal \_\_\_\_\_ worn-out, rotten or damaged \_\_\_\_\_?  
 \_\_\_\_\_ there an additional charge for \_\_\_\_\_ removal \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_?  
 Is there a \_\_\_\_\_ fee \_\_\_\_\_ damaged \_\_\_\_\_ the setup \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ for me to \_\_\_\_ out more money to \_\_\_\_ while \_\_\_\_ doing \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ additional fees for removing worn \_\_\_\_ components \_\_\_\_ the \_\_\_\_?  
 Is \_\_\_\_ any additional \_\_\_\_ for \_\_\_\_ sections during \_\_\_\_ installation process?  
 Is there \_\_\_\_ for \_\_\_\_ and \_\_\_\_ sections \_\_\_\_ installation?  
 Can you confirm \_\_\_\_ there \_\_\_\_ with \_\_\_\_ damaged parts?  
 \_\_\_\_ there \_\_\_\_ expenses associated with \_\_\_\_ removal and disposal of damaged or \_\_\_\_?  
 \_\_\_\_ I expect \_\_\_\_ more to get rid of \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ extra charges for \_\_\_\_ rid \_\_\_\_ during installation.  
 \_\_\_\_ it more \_\_\_\_ to \_\_\_\_ dispose \_\_\_\_ faulty \_\_\_\_ during the \_\_\_\_ phase?  
 Should \_\_\_\_ to incur \_\_\_\_ costs if we \_\_\_\_ remove or \_\_\_\_ sections?  
 Should I expect \_\_\_\_ for \_\_\_\_ removal \_\_\_\_ disposal \_\_\_\_ old \_\_\_\_ installation process?  
 \_\_\_\_ I \_\_\_\_ to \_\_\_\_ for the \_\_\_\_ and \_\_\_\_ of \_\_\_\_ elements during \_\_\_\_?  
 Are there any extra fees \_\_\_\_ disposing of \_\_\_\_?  
 \_\_\_\_ want \_\_\_\_ if there are \_\_\_\_ added expenses \_\_\_\_ with \_\_\_\_ disposing \_\_\_\_ out or rotted \_\_\_\_ during \_\_\_\_.  
 Is \_\_\_\_ extra \_\_\_\_ for getting \_\_\_\_ damaged components?  
 \_\_\_\_ there \_\_\_\_ charges to get rid \_\_\_\_?  
 Are \_\_\_\_ fees \_\_\_\_ the removal of \_\_\_\_ components \_\_\_\_ the \_\_\_\_?  
 Are \_\_\_\_ get rid of \_\_\_\_ parts?  
 Maybe \_\_\_\_ be hidden costs for disposing old \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ extra costs \_\_\_\_ parts?  
 \_\_\_\_ removing and disposing worn-out segments \_\_\_\_ installation service?  
 Do I \_\_\_\_ extra \_\_\_\_ get rid \_\_\_\_ during installation?  
 Should \_\_\_\_ for \_\_\_\_ expenses related to \_\_\_\_ disposal of \_\_\_\_ during installation?  
 \_\_\_\_ much \_\_\_\_ you \_\_\_\_ handling \_\_\_\_ disposing damaged \_\_\_\_ the installation?  
 Is there \_\_\_\_ removing and disposing of \_\_\_\_?  
 Will there \_\_\_\_ any additional expenses \_\_\_\_ be removed?  
 How \_\_\_\_ it to \_\_\_\_ bad \_\_\_\_ during \_\_\_\_ up?  
 Should \_\_\_\_ charged more for removing \_\_\_\_ disposing worn-out \_\_\_\_ service?  
 Will \_\_\_\_ process \_\_\_\_ getting \_\_\_\_ of damaged parts?  
 \_\_\_\_ have to \_\_\_\_ pieces during renovations, \_\_\_\_ be a \_\_\_\_?  
 \_\_\_\_ rotted \_\_\_\_ affect the \_\_\_\_ expenses?  
 Can you \_\_\_\_ the added \_\_\_\_ associated \_\_\_\_ and \_\_\_\_ of worn out \_\_\_\_ rotted \_\_\_\_ the \_\_\_\_ process?  
 \_\_\_\_ process involve \_\_\_\_ charges for disposing \_\_\_\_ and \_\_\_\_ elements?  
 If old \_\_\_\_ be \_\_\_\_ before installation \_\_\_\_ will that result in \_\_\_\_?  
 If \_\_\_\_ old \_\_\_\_ installation takes place, will there \_\_\_\_ any added \_\_\_\_?  
 \_\_\_\_ expenses associated \_\_\_\_ removal \_\_\_\_ or tarnished areas when installing a \_\_\_\_?  
 \_\_\_\_ I expect \_\_\_\_ pay extra \_\_\_\_ the removal and \_\_\_\_ out \_\_\_\_?  
 Does the \_\_\_\_ involve \_\_\_\_ to \_\_\_\_ damaged elements?  
 \_\_\_\_ areas need to \_\_\_\_ before installation \_\_\_\_ place, will \_\_\_\_ additional expenses?  
 \_\_\_\_ I \_\_\_\_ to \_\_\_\_ to remove and discard deteriorated \_\_\_\_ installation process?  
 Will \_\_\_\_ be \_\_\_\_ fees to remove \_\_\_\_ out \_\_\_\_?  
 Are \_\_\_\_ additional fees \_\_\_\_ remove or \_\_\_\_ while installing?  
 I don't \_\_\_\_ I will \_\_\_\_ pay for \_\_\_\_ prior \_\_\_\_ installing new \_\_\_\_.  
 \_\_\_\_ any fees \_\_\_\_ removing worn- out parts \_\_\_\_?  
 \_\_\_\_ expect to pay more \_\_\_\_ rid \_\_\_\_ old \_\_\_\_ installing?  
 Is \_\_\_\_ an \_\_\_\_ cost \_\_\_\_ taking \_\_\_\_ old, rotten, or \_\_\_\_?  
 Do I \_\_\_\_ more \_\_\_\_ removal of \_\_\_\_ during installation?  
 \_\_\_\_ be \_\_\_\_ fees for removing \_\_\_\_?  
 Can you \_\_\_\_ the expenses associated \_\_\_\_ disposing damaged \_\_\_\_?  
 Will it \_\_\_\_ in additional expenses \_\_\_\_ damaged \_\_\_\_ to \_\_\_\_?

\_\_\_\_\_ a hidden \_\_\_\_\_ involved \_\_\_\_\_ transferring \_\_\_\_\_ portions during each \_\_\_\_\_ setup?  
 \_\_\_\_\_ might be hidden costs \_\_\_\_\_ of old stuff \_\_\_\_\_ installation \_\_\_\_\_?  
 You want \_\_\_\_\_ on possible \_\_\_\_\_ for removing \_\_\_\_\_ disposing of \_\_\_\_\_ or \_\_\_\_\_ during the \_\_\_\_\_.  
 \_\_\_\_\_ there a charge for getting \_\_\_\_\_ old \_\_\_\_\_?  
 \_\_\_\_\_ you tell me \_\_\_\_\_ there \_\_\_\_\_ added expenses linked with removing \_\_\_\_\_ or \_\_\_\_\_ process?  
 \_\_\_\_\_ any \_\_\_\_\_ fees \_\_\_\_\_ disposing of \_\_\_\_\_ out portions \_\_\_\_\_ setting things \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ get \_\_\_\_\_ old or \_\_\_\_\_ parts while you \_\_\_\_\_?  
 \_\_\_\_\_ installation \_\_\_\_\_ involve separate fees for \_\_\_\_\_ battered parts?  
 \_\_\_\_\_ necessary to budget for \_\_\_\_\_ costs to get rid \_\_\_\_\_ installation?  
 Is there \_\_\_\_\_ additional \_\_\_\_\_ services \_\_\_\_\_ the \_\_\_\_\_ removal of \_\_\_\_\_ rotten or damaged sections?  
 Is there \_\_\_\_\_ and disposing of \_\_\_\_\_ parts \_\_\_\_\_ installation?  
 \_\_\_\_\_ I need to \_\_\_\_\_ more \_\_\_\_\_ rid of \_\_\_\_\_ during \_\_\_\_\_?  
 Is \_\_\_\_\_ chance \_\_\_\_\_ be \_\_\_\_\_ fees for removing worn-out \_\_\_\_\_ in the \_\_\_\_\_?  
 \_\_\_\_\_ I have \_\_\_\_\_ cost to \_\_\_\_\_ and discard deteriorated \_\_\_\_\_ installation process?  
 How much \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ ruined \_\_\_\_\_ during \_\_\_\_\_?  
 If \_\_\_\_\_ in setup \_\_\_\_\_ will there be \_\_\_\_\_ additional fee?  
 \_\_\_\_\_ any \_\_\_\_\_ properly disposing of worn out \_\_\_\_\_ setting \_\_\_\_\_ up?  
 Any \_\_\_\_\_ costs \_\_\_\_\_ to \_\_\_\_\_ old, \_\_\_\_\_ parts?  
 \_\_\_\_\_ the cost \_\_\_\_\_ if \_\_\_\_\_ handle the \_\_\_\_\_ sections during \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ remove \_\_\_\_\_ dispose \_\_\_\_\_ aged, \_\_\_\_\_ or \_\_\_\_\_ the installation \_\_\_\_\_?  
 Should I expect \_\_\_\_\_ costs \_\_\_\_\_ need to remove or \_\_\_\_\_ ruined sections \_\_\_\_\_ setup \_\_\_\_\_?  
 Does \_\_\_\_\_ installation \_\_\_\_\_ have \_\_\_\_\_ rid of damaged parts?  
 Will it be more \_\_\_\_\_ damaged \_\_\_\_\_ old \_\_\_\_\_?  
 Will I \_\_\_\_\_ to pay separately \_\_\_\_\_ managing them before \_\_\_\_\_ ones?  
 Can there \_\_\_\_\_ removing and \_\_\_\_\_ old and rotten sections?  
 \_\_\_\_\_ much will \_\_\_\_\_ to remove \_\_\_\_\_ parts \_\_\_\_\_ installation?  
 \_\_\_\_\_ do \_\_\_\_\_ think \_\_\_\_\_ cost to \_\_\_\_\_ sections during the setup?  
 Will \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ worn-out parts \_\_\_\_\_ installation?  
 Is \_\_\_\_\_ any added \_\_\_\_\_ for the discarding of \_\_\_\_\_ the \_\_\_\_\_?  
 Will the process include more \_\_\_\_\_ parts?  
 \_\_\_\_\_ me \_\_\_\_\_ discarding of worn out elements involves \_\_\_\_\_ increase \_\_\_\_\_ expenses?  
 Is there \_\_\_\_\_ chance of \_\_\_\_\_ worn-out components \_\_\_\_\_ the installation \_\_\_\_\_?  
 \_\_\_\_\_ costs \_\_\_\_\_ disposing \_\_\_\_\_ parts during the \_\_\_\_\_?  
 Is there an extra \_\_\_\_\_ and disposing \_\_\_\_\_ defects \_\_\_\_\_ installation \_\_\_\_\_?  
 \_\_\_\_\_ removing \_\_\_\_\_ or \_\_\_\_\_ further expenses?  
 If \_\_\_\_\_ damaged \_\_\_\_\_ have \_\_\_\_\_ be removed before \_\_\_\_\_ takes \_\_\_\_\_ that \_\_\_\_\_ in \_\_\_\_\_ expenses?  
 \_\_\_\_\_ there be costs \_\_\_\_\_ rid of damaged parts \_\_\_\_\_?  
 \_\_\_\_\_ hidden fees \_\_\_\_\_ in \_\_\_\_\_ parts \_\_\_\_\_ each stage of the setup \_\_\_\_\_?  
 \_\_\_\_\_ the cost \_\_\_\_\_ of old, rotten \_\_\_\_\_ the process?  
 Are \_\_\_\_\_ any charges for \_\_\_\_\_ or rotten sections?  
 I \_\_\_\_\_ I have \_\_\_\_\_ pay separately \_\_\_\_\_ andruined segments \_\_\_\_\_ installing \_\_\_\_\_ ones.  
 I want \_\_\_\_\_ there are any more costs associated \_\_\_\_\_.  
 Will \_\_\_\_\_ be \_\_\_\_\_ fees \_\_\_\_\_ out parts \_\_\_\_\_ installation?  
 Will \_\_\_\_\_ cost \_\_\_\_\_ more if \_\_\_\_\_ handle \_\_\_\_\_ faulty \_\_\_\_\_?  
 Is \_\_\_\_\_ charges \_\_\_\_\_ damaged parts?  
 \_\_\_\_\_ cost me \_\_\_\_\_ of old and messed-up parts during \_\_\_\_\_?  
 \_\_\_\_\_ the process \_\_\_\_\_ any \_\_\_\_\_ charges for discarding \_\_\_\_\_?  
 \_\_\_\_\_ installation process \_\_\_\_\_ separate \_\_\_\_\_ getting rid \_\_\_\_\_ battered components.  
 Is it \_\_\_\_\_ there \_\_\_\_\_ be hidden costs \_\_\_\_\_ disposing old \_\_\_\_\_?  
 \_\_\_\_\_ there any chance \_\_\_\_\_ will \_\_\_\_\_ charged \_\_\_\_\_ components during \_\_\_\_\_ installation phase?



Will I \_\_\_\_\_ pay for \_\_\_\_\_ and \_\_\_\_\_ deteriorated parts \_\_\_\_\_ installation \_\_\_\_\_?

Are there \_\_\_\_\_ costs \_\_\_\_\_ in \_\_\_\_\_ disposing \_\_\_\_\_ sections during \_\_\_\_\_ installation \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ linked with removing \_\_\_\_\_ out or \_\_\_\_\_ segments \_\_\_\_\_ installation process?

As part \_\_\_\_\_ setup, \_\_\_\_\_ rotted \_\_\_\_\_ afflicted portions \_\_\_\_\_ expenses?

\_\_\_\_\_ an extra \_\_\_\_\_ services \_\_\_\_\_ of worn-out, rotten or damaged sections?

\_\_\_\_\_ a chance \_\_\_\_\_ fees due to \_\_\_\_\_ of worn-out \_\_\_\_\_ installation phase?

Is taking out old, \_\_\_\_\_ sections \_\_\_\_\_ cost when \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ more for \_\_\_\_\_ disposal \_\_\_\_\_ old \_\_\_\_\_ during the \_\_\_\_\_ process?

If old/ \_\_\_\_\_ areas \_\_\_\_\_ removed \_\_\_\_\_ installation takes \_\_\_\_\_ will \_\_\_\_\_ additional expenses?

Can you \_\_\_\_\_ are \_\_\_\_\_ costs \_\_\_\_\_ with \_\_\_\_\_ of damaged parts while \_\_\_\_\_?

\_\_\_\_\_ I be charged more if I \_\_\_\_\_ rid \_\_\_\_\_ parts during \_\_\_\_\_?

\_\_\_\_\_ process \_\_\_\_\_ more expenses \_\_\_\_\_ getting rid of \_\_\_\_\_ during \_\_\_\_\_ procedures?

\_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ removal and \_\_\_\_\_ old sections \_\_\_\_\_ the installation \_\_\_\_\_?

\_\_\_\_\_ is an added expense \_\_\_\_\_ taking out old, \_\_\_\_\_ sections \_\_\_\_\_.

Are there \_\_\_\_\_ additional \_\_\_\_\_ disposing of old \_\_\_\_\_?

Are there any \_\_\_\_\_ costs \_\_\_\_\_ in \_\_\_\_\_ removal \_\_\_\_\_?

Are \_\_\_\_\_ extra expenses for removing old, \_\_\_\_\_ when \_\_\_\_\_ install?

\_\_\_\_\_ there \_\_\_\_\_ cost \_\_\_\_\_ with removing \_\_\_\_\_?

Is \_\_\_\_\_ more expensive \_\_\_\_\_ take out \_\_\_\_\_ sections \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ associated with disposing \_\_\_\_\_ parts while \_\_\_\_\_?

Maybe \_\_\_\_\_ will be \_\_\_\_\_ costs \_\_\_\_\_ old stuff \_\_\_\_\_ work.

\_\_\_\_\_ be \_\_\_\_\_ costs \_\_\_\_\_ disposing of old \_\_\_\_\_ during installation work?

Will \_\_\_\_\_ additional fee \_\_\_\_\_ to remove scrap during \_\_\_\_\_?

\_\_\_\_\_ more \_\_\_\_\_ getting rid \_\_\_\_\_ older pieces during the installation?

Will throwing \_\_\_\_\_ rotted portions in \_\_\_\_\_ expenses?

\_\_\_\_\_ an added cost for \_\_\_\_\_ disposing \_\_\_\_\_ bad \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ much would it \_\_\_\_\_ to \_\_\_\_\_ during the \_\_\_\_\_?

\_\_\_\_\_ possible there \_\_\_\_\_ we dispose \_\_\_\_\_ old stuff during installation work?

Clarifying \_\_\_\_\_ costs \_\_\_\_\_ removing \_\_\_\_\_ rotten, \_\_\_\_\_ broken pieces during the \_\_\_\_\_ is what you \_\_\_\_\_.

\_\_\_\_\_ necessary \_\_\_\_\_ me to \_\_\_\_\_ more \_\_\_\_\_ of rotten \_\_\_\_\_ during the installation?

Is it more expensive \_\_\_\_\_ get \_\_\_\_\_ damaged sections \_\_\_\_\_ you \_\_\_\_\_?

There may be \_\_\_\_\_ fees \_\_\_\_\_ from each stage of \_\_\_\_\_.

\_\_\_\_\_ there hidden \_\_\_\_\_ transferring \_\_\_\_\_ portions during the \_\_\_\_\_ procedure?

If \_\_\_\_\_ have to \_\_\_\_\_ before installation takes place, will that \_\_\_\_\_ expenses?

Is \_\_\_\_\_ an extra cost \_\_\_\_\_ remove and dispose \_\_\_\_\_ installation \_\_\_\_\_?

Is there a separate \_\_\_\_\_ for getting \_\_\_\_\_ battered \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ cost to \_\_\_\_\_ rotten, or \_\_\_\_\_ when \_\_\_\_\_ install?

Will it cost \_\_\_\_\_ of \_\_\_\_\_ sections during installation?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ of rotted materials?

\_\_\_\_\_ any additional costs \_\_\_\_\_ disposing of \_\_\_\_\_ during installation?

Can you \_\_\_\_\_ me \_\_\_\_\_ additional \_\_\_\_\_ associated with disposing damaged \_\_\_\_\_?

\_\_\_\_\_ there an extra expense \_\_\_\_\_ damaged areas \_\_\_\_\_ install \_\_\_\_\_?

Should \_\_\_\_\_ pay \_\_\_\_\_ disposal of \_\_\_\_\_ sections during installation?

\_\_\_\_\_ you tell me \_\_\_\_\_ costs \_\_\_\_\_ ruined sections during \_\_\_\_\_?

\_\_\_\_\_ to pay \_\_\_\_\_ get \_\_\_\_\_ of old \_\_\_\_\_ messed-up parts during \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ to \_\_\_\_\_ discard \_\_\_\_\_ parts during the \_\_\_\_\_ process?

\_\_\_\_\_ there an additional \_\_\_\_\_ disposing \_\_\_\_\_ old sections \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ charges \_\_\_\_\_ during the installation?

\_\_\_\_\_ there \_\_\_\_\_ hidden \_\_\_\_\_ need to \_\_\_\_\_ damaged sections?

\_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ disposing of \_\_\_\_\_ sections during installation?

\_\_\_\_\_ the \_\_\_\_\_ include more costs when \_\_\_\_\_ comes to \_\_\_\_\_ parts?  
 Will I have \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ old \_\_\_\_\_ messed-up \_\_\_\_\_ during \_\_\_\_\_?  
 Will \_\_\_\_\_ charges \_\_\_\_\_ getting \_\_\_\_\_ of damaged \_\_\_\_\_?  
 \_\_\_\_\_ be extra \_\_\_\_\_ for removing \_\_\_\_\_ parts \_\_\_\_\_ installation?  
 Are \_\_\_\_\_ any \_\_\_\_\_ disposing off \_\_\_\_\_ ruined sections?  
 Is \_\_\_\_\_ going \_\_\_\_\_ cost me \_\_\_\_\_ if you handle \_\_\_\_\_ disposal \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ to \_\_\_\_\_ rid of \_\_\_\_\_ sections when \_\_\_\_\_?  
 \_\_\_\_\_ I expect to \_\_\_\_\_ for removing \_\_\_\_\_ the installation \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ cost for removing \_\_\_\_\_ during the \_\_\_\_\_ phase?  
 \_\_\_\_\_ I incur \_\_\_\_\_ expenses \_\_\_\_\_ we \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ during installation?  
 Is there an \_\_\_\_\_ of \_\_\_\_\_ parts \_\_\_\_\_ the \_\_\_\_\_ process?  
 \_\_\_\_\_ I \_\_\_\_\_ more for \_\_\_\_\_ tossing \_\_\_\_\_ parts during installation?  
 \_\_\_\_\_ be \_\_\_\_\_ charges for the \_\_\_\_\_ and disposal of \_\_\_\_\_?  
 \_\_\_\_\_ involve additional charges for \_\_\_\_\_ worn \_\_\_\_\_ elements?  
 Will \_\_\_\_\_ have \_\_\_\_\_ expenses \_\_\_\_\_ we remove \_\_\_\_\_ installation?  
 \_\_\_\_\_ are costs to \_\_\_\_\_ dispose \_\_\_\_\_ and \_\_\_\_\_ during installation.  
 \_\_\_\_\_ more \_\_\_\_\_ associated with removing ruined \_\_\_\_\_ setup?  
 Will the setup incur \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ an additional \_\_\_\_\_ and dispose \_\_\_\_\_ faulty parts?  
 \_\_\_\_\_ any costs \_\_\_\_\_ rotten parts during \_\_\_\_\_ process?  
 \_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ any \_\_\_\_\_ associated \_\_\_\_\_ disposing damaged \_\_\_\_\_ while installing?  
 \_\_\_\_\_ stuff in, what \_\_\_\_\_ price \_\_\_\_\_ get rid of old \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ deteriorated parts \_\_\_\_\_ the installation \_\_\_\_\_?  
 When putting in new \_\_\_\_\_ it \_\_\_\_\_ rid \_\_\_\_\_ old junk?  
 \_\_\_\_\_ there \_\_\_\_\_ expenses if \_\_\_\_\_ remove deteriorated areas \_\_\_\_\_?  
 \_\_\_\_\_ the installation \_\_\_\_\_ go \_\_\_\_\_ remove \_\_\_\_\_ dispose of \_\_\_\_\_ areas?  
 Is \_\_\_\_\_ for removing and \_\_\_\_\_ areas \_\_\_\_\_ install everything?  
 Will \_\_\_\_\_ be more costs \_\_\_\_\_ with \_\_\_\_\_ rid \_\_\_\_\_ damaged parts \_\_\_\_\_?  
 \_\_\_\_\_ process involve \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ out or damaged elements?  
 \_\_\_\_\_ a \_\_\_\_\_ will have to pay \_\_\_\_\_ for \_\_\_\_\_ worn-out components?  
 Should there be \_\_\_\_\_ extra \_\_\_\_\_ for getting \_\_\_\_\_ during \_\_\_\_\_?  
 Will \_\_\_\_\_ have to \_\_\_\_\_ out \_\_\_\_\_ parts during the \_\_\_\_\_ process?  
 Do I \_\_\_\_\_ extra \_\_\_\_\_ and disposing \_\_\_\_\_ during your \_\_\_\_\_ service?  
 Is there any extra \_\_\_\_\_ deteriorated \_\_\_\_\_ installation?  
 Should I expect \_\_\_\_\_ pay \_\_\_\_\_ costs \_\_\_\_\_ the \_\_\_\_\_ and disposal \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_?  
 Does the installation \_\_\_\_\_ require \_\_\_\_\_ fees \_\_\_\_\_ rid \_\_\_\_\_ parts?  
 \_\_\_\_\_ it necessary to pay \_\_\_\_\_ rid \_\_\_\_\_ during the installation?  
 \_\_\_\_\_ you \_\_\_\_\_ the disposal \_\_\_\_\_ sections, \_\_\_\_\_ be more expensive?  
 \_\_\_\_\_ damaged \_\_\_\_\_ have to be \_\_\_\_\_ takes place, will it \_\_\_\_\_ in \_\_\_\_\_?  
 When \_\_\_\_\_ new \_\_\_\_\_ what \_\_\_\_\_ the cost \_\_\_\_\_ get rid \_\_\_\_\_ stuff?  
 \_\_\_\_\_ any extra costs \_\_\_\_\_ and \_\_\_\_\_ deteriorated parts \_\_\_\_\_ the installation \_\_\_\_\_?  
 Maybe there \_\_\_\_\_ costs involved in disposing of \_\_\_\_\_ work?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ removal and \_\_\_\_\_ of damaged or \_\_\_\_\_ when installing \_\_\_\_\_?  
 Are \_\_\_\_\_ any \_\_\_\_\_ associated \_\_\_\_\_ properly \_\_\_\_\_ out portions while setting things \_\_\_\_\_?  
 Will \_\_\_\_\_ have to pay more \_\_\_\_\_ damaged \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to incur more costs \_\_\_\_\_ of \_\_\_\_\_ sections during the \_\_\_\_\_ period?  
 Is there anything \_\_\_\_\_ have to pay \_\_\_\_\_ damaged \_\_\_\_\_ get \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ removal and \_\_\_\_\_ sections in the installation \_\_\_\_\_?  
 \_\_\_\_\_ it more costly \_\_\_\_\_ and \_\_\_\_\_ portions \_\_\_\_\_ installing?  
 Will there be \_\_\_\_\_ additional \_\_\_\_\_ of old/rotten sections \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ and discard deteriorated parts during the \_\_\_\_\_ process?

Can \_\_\_\_\_ more expenses \_\_\_\_\_ remove \_\_\_\_\_ dispose of deteriorated \_\_\_\_\_?

Will \_\_\_\_\_ have to \_\_\_\_\_ more \_\_\_\_\_ get \_\_\_\_\_ old \_\_\_\_\_ up \_\_\_\_\_ during installation?

\_\_\_\_\_ it more \_\_\_\_\_ dispose of \_\_\_\_\_ damaged portions when \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ charges for \_\_\_\_\_ during \_\_\_\_\_ dismantling or \_\_\_\_\_ of \_\_\_\_\_ rotten \_\_\_\_\_ damaged sections?

Is there \_\_\_\_\_ hidden fees \_\_\_\_\_ have \_\_\_\_\_ remove \_\_\_\_\_ rotten \_\_\_\_\_?

\_\_\_\_\_ I have to \_\_\_\_\_ getting \_\_\_\_\_ of messed-up \_\_\_\_\_ installation?

How much more money \_\_\_\_\_ needed for \_\_\_\_\_ broken \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ charge \_\_\_\_\_ removing or \_\_\_\_\_ of damaged \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ charges for \_\_\_\_\_ worn-out parts?

\_\_\_\_\_ I incur more expenses if \_\_\_\_\_ remove \_\_\_\_\_ deteriorated \_\_\_\_\_ installation?

Are there \_\_\_\_\_ the removal \_\_\_\_\_ worn-out, rotten or damaged \_\_\_\_\_?

Is there extra \_\_\_\_\_ for removing \_\_\_\_\_ installation?

Should \_\_\_\_\_ more \_\_\_\_\_ if we \_\_\_\_\_ to remove \_\_\_\_\_ dispose of damaged sections \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ be any \_\_\_\_\_ charges for the \_\_\_\_\_ old parts?

\_\_\_\_\_ an \_\_\_\_\_ removing old, rotten \_\_\_\_\_ damaged \_\_\_\_\_ when you install?

\_\_\_\_\_ I have \_\_\_\_\_ extra \_\_\_\_\_ and \_\_\_\_\_ deteriorated parts during the \_\_\_\_\_?

Is there \_\_\_\_\_ remove deteriorated parts \_\_\_\_\_ the installation \_\_\_\_\_?

\_\_\_\_\_ costs \_\_\_\_\_ in \_\_\_\_\_ aged, \_\_\_\_\_ broken pieces \_\_\_\_\_ the installation process.

Will \_\_\_\_\_ to \_\_\_\_\_ more for \_\_\_\_\_ disposal \_\_\_\_\_ sections \_\_\_\_\_ the installation?

\_\_\_\_\_ there \_\_\_\_\_ during the removal and disposal \_\_\_\_\_ sections?

\_\_\_\_\_ the \_\_\_\_\_ additional \_\_\_\_\_ dispose of \_\_\_\_\_ out \_\_\_\_\_ damaged elements?

\_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ for the removal \_\_\_\_\_ worn out elements during \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ to budget \_\_\_\_\_ additional costs to \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ installing?

\_\_\_\_\_ you tell me if there \_\_\_\_\_ expenses \_\_\_\_\_ with \_\_\_\_\_ and \_\_\_\_\_ or \_\_\_\_\_ the installation process?

\_\_\_\_\_ I \_\_\_\_\_ to pay \_\_\_\_\_ segments \_\_\_\_\_ installing new ones?

Will \_\_\_\_\_ rotted \_\_\_\_\_ are \_\_\_\_\_ away as part \_\_\_\_\_ the setup?

Is \_\_\_\_\_ chance \_\_\_\_\_ added fees related \_\_\_\_\_ the \_\_\_\_\_ worn-out \_\_\_\_\_ the installation \_\_\_\_\_?

Should \_\_\_\_\_ expect \_\_\_\_\_ costs \_\_\_\_\_ removal and \_\_\_\_\_ sections \_\_\_\_\_ the \_\_\_\_\_ process?

Will there \_\_\_\_\_ additional \_\_\_\_\_ to removing worn \_\_\_\_\_?

I want to know \_\_\_\_\_ expenses associated with removing \_\_\_\_\_ out or rotted \_\_\_\_\_.

\_\_\_\_\_ wonder \_\_\_\_\_ be charged more \_\_\_\_\_ getting rid \_\_\_\_\_ old \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ there any additional \_\_\_\_\_ and disposal of damaged \_\_\_\_\_?

Will \_\_\_\_\_ if we remove and dispose \_\_\_\_\_ areas?

When installing, will \_\_\_\_\_ cost more to \_\_\_\_\_ and \_\_\_\_\_?

There \_\_\_\_\_ charges \_\_\_\_\_ in \_\_\_\_\_ when installing.

Will \_\_\_\_\_ more \_\_\_\_\_ for removing \_\_\_\_\_ parts?

Is \_\_\_\_\_ any \_\_\_\_\_ for removing and disposing \_\_\_\_\_ faulty \_\_\_\_\_ phase?

\_\_\_\_\_ there any added \_\_\_\_\_ disposing \_\_\_\_\_ worn out \_\_\_\_\_ while \_\_\_\_\_ things \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ costs associated \_\_\_\_\_ ruined sections \_\_\_\_\_ setup?

\_\_\_\_\_ there \_\_\_\_\_ charge \_\_\_\_\_ damaged sections \_\_\_\_\_ installation?

Is it possible \_\_\_\_\_ get \_\_\_\_\_ of old \_\_\_\_\_ parts \_\_\_\_\_?

Will there \_\_\_\_\_ a charge \_\_\_\_\_ of my place \_\_\_\_\_?

\_\_\_\_\_ there be more \_\_\_\_\_ for removing and disposing \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ costs for \_\_\_\_\_ old, \_\_\_\_\_ or damaged \_\_\_\_\_?

Is \_\_\_\_\_ supplementary expenses \_\_\_\_\_ with \_\_\_\_\_ of \_\_\_\_\_ while installing?

Will I pay \_\_\_\_\_ money \_\_\_\_\_ remove \_\_\_\_\_ discard \_\_\_\_\_ installation process?

Should \_\_\_\_\_ expect \_\_\_\_\_ more money \_\_\_\_\_ we \_\_\_\_\_ remove or \_\_\_\_\_ of \_\_\_\_\_ sections?

\_\_\_\_\_ want to know \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ out or rotted \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_.

\_\_\_\_\_ there will be hidden \_\_\_\_\_ dispose \_\_\_\_\_ old \_\_\_\_\_ during \_\_\_\_\_ work?

Is there \_\_\_\_\_ involved with \_\_\_\_\_ sections \_\_\_\_\_ the setup?

Will there \_\_\_\_\_ costs \_\_\_\_\_ parts during installation?

Is there \_\_\_\_\_ involved in removing rotten portions \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ dispose of damaged sections, \_\_\_\_\_ there any \_\_\_\_\_ costs?

\_\_\_\_\_ be an \_\_\_\_\_ charge for \_\_\_\_\_ of \_\_\_\_\_ or messed-up parts \_\_\_\_\_?

Does the \_\_\_\_\_ process \_\_\_\_\_ separate fees for \_\_\_\_\_ rid \_\_\_\_\_?

Are \_\_\_\_\_ any added expenses \_\_\_\_\_ damaged sections when \_\_\_\_\_ install?

\_\_\_\_\_ me \_\_\_\_\_ there are \_\_\_\_\_ added expenses associated with \_\_\_\_\_ worn-out or rotted \_\_\_\_\_ the \_\_\_\_\_.

Do you have any \_\_\_\_\_ removing \_\_\_\_\_ you are \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ there are added expenses \_\_\_\_\_ removing \_\_\_\_\_ disposing \_\_\_\_\_ worn-out \_\_\_\_\_ during the installation process?

Does it cost more \_\_\_\_\_ remove \_\_\_\_\_ of \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ cost \_\_\_\_\_ in \_\_\_\_\_ old \_\_\_\_\_ damaged pieces?

Can \_\_\_\_\_ if there are any additional \_\_\_\_\_ associated \_\_\_\_\_ and disposing of \_\_\_\_\_ during the \_\_\_\_\_ process?

Does \_\_\_\_\_ process involve extra \_\_\_\_\_ to \_\_\_\_\_ worn \_\_\_\_\_?

Should \_\_\_\_\_ extra \_\_\_\_\_ for \_\_\_\_\_ removal \_\_\_\_\_ disposal of old sections \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ charge \_\_\_\_\_ removing older/ruined \_\_\_\_\_ of \_\_\_\_\_ place during \_\_\_\_\_?

Is there \_\_\_\_\_ of \_\_\_\_\_ fees for removing worn-out \_\_\_\_\_ phase?

\_\_\_\_\_ there be \_\_\_\_\_ extra \_\_\_\_\_ the removal \_\_\_\_\_ old/rotten \_\_\_\_\_ the installation?

\_\_\_\_\_ maybe there \_\_\_\_\_ be \_\_\_\_\_ to dispose of old \_\_\_\_\_ during \_\_\_\_\_?

There are possible \_\_\_\_\_ for \_\_\_\_\_ and disposing \_\_\_\_\_ rotten \_\_\_\_\_ pieces \_\_\_\_\_ process.

Is it \_\_\_\_\_ added \_\_\_\_\_ to \_\_\_\_\_ old, rotten, \_\_\_\_\_ sections?

\_\_\_\_\_ taking out \_\_\_\_\_ or ruined \_\_\_\_\_ the \_\_\_\_\_ the set up?

Maybe there will be \_\_\_\_\_ for disposing \_\_\_\_\_ work.

\_\_\_\_\_ include more costs for \_\_\_\_\_ damaged parts?

\_\_\_\_\_ any \_\_\_\_\_ expense for \_\_\_\_\_ and disposing damaged \_\_\_\_\_ install everything?

There are costs \_\_\_\_\_ in \_\_\_\_\_ rotten or \_\_\_\_\_ pieces \_\_\_\_\_ installation process.

\_\_\_\_\_ will \_\_\_\_\_ more costs for getting \_\_\_\_\_ parts during \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ extra money needed \_\_\_\_\_ pieces \_\_\_\_\_ have \_\_\_\_\_ damaged?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to budget \_\_\_\_\_ additional \_\_\_\_\_ to \_\_\_\_\_ rid of \_\_\_\_\_ or damaged \_\_\_\_\_ while \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ pay more to \_\_\_\_\_ damaged sections \_\_\_\_\_ installation process?

\_\_\_\_\_ costs \_\_\_\_\_ of \_\_\_\_\_ parts be included \_\_\_\_\_ the process?

Is \_\_\_\_\_ any \_\_\_\_\_ more for removing worn-out components \_\_\_\_\_ installation phase?

\_\_\_\_\_ to pay \_\_\_\_\_ for removing \_\_\_\_\_ sections in \_\_\_\_\_?

\_\_\_\_\_ an additional charge \_\_\_\_\_ removing \_\_\_\_\_ sections \_\_\_\_\_ installation?

Will I \_\_\_\_\_ pay \_\_\_\_\_ disposal of old and \_\_\_\_\_ the installation?

\_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_ of aged, \_\_\_\_\_ or broken \_\_\_\_\_ during the installation \_\_\_\_\_.

Will I have \_\_\_\_\_ pay more \_\_\_\_\_ get \_\_\_\_\_ of \_\_\_\_\_ up \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ pay more for \_\_\_\_\_ disposal of old \_\_\_\_\_ during \_\_\_\_\_ process?

Does \_\_\_\_\_ cost more to \_\_\_\_\_ when you install?

Do \_\_\_\_\_ any surcharges for \_\_\_\_\_ sections \_\_\_\_\_ you \_\_\_\_\_?

Is \_\_\_\_\_ added expenses related to removing and disposing of \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_?

Will there be any additional expenses \_\_\_\_\_ damaged areas \_\_\_\_\_ to be \_\_\_\_\_ place?

Will there \_\_\_\_\_ extra costs \_\_\_\_\_ during installation?

\_\_\_\_\_ damaged areas \_\_\_\_\_ to be \_\_\_\_\_ will that \_\_\_\_\_ in additional expenses?

\_\_\_\_\_ much \_\_\_\_\_ will it cost \_\_\_\_\_ remove \_\_\_\_\_ sections \_\_\_\_\_ setup?

\_\_\_\_\_ I \_\_\_\_\_ pay more for removing damaged \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ removal and disposal of \_\_\_\_\_ in installation.

\_\_\_\_\_ there \_\_\_\_\_ extra \_\_\_\_\_ for removing and \_\_\_\_\_ of old \_\_\_\_\_ process?

Will \_\_\_\_\_ rotted \_\_\_\_\_ from \_\_\_\_\_ setup \_\_\_\_\_ further \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ incur more expenses \_\_\_\_\_ remove \_\_\_\_\_ areas \_\_\_\_\_ installation?  
 \_\_\_\_\_ the \_\_\_\_\_ involve any \_\_\_\_\_ charges \_\_\_\_\_ worn out elements?  
 \_\_\_\_\_ there \_\_\_\_\_ the removal \_\_\_\_\_ disposal \_\_\_\_\_ old sections \_\_\_\_\_ the installation?  
 Is \_\_\_\_\_ that \_\_\_\_\_ worn-out elements causes \_\_\_\_\_ overall \_\_\_\_\_ setting up?  
 \_\_\_\_\_ taking out and \_\_\_\_\_ rid of \_\_\_\_\_ rotten sections \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ for getting \_\_\_\_\_ old \_\_\_\_\_ messed-up \_\_\_\_\_ installation?  
 I \_\_\_\_\_ if \_\_\_\_\_ are any \_\_\_\_\_ with \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ or rotted segments during \_\_\_\_\_ installation process.  
 When installing, are \_\_\_\_\_ for getting \_\_\_\_\_ components?  
 \_\_\_\_\_ pay \_\_\_\_\_ removal \_\_\_\_\_ disposal of old sections \_\_\_\_\_ the installation process.  
 Is \_\_\_\_\_ for the removal and \_\_\_\_\_ old sections \_\_\_\_\_?  
 Is it \_\_\_\_\_ there are \_\_\_\_\_ disposing damaged \_\_\_\_\_ installing?  
 \_\_\_\_\_ expensive \_\_\_\_\_ remove damaged or \_\_\_\_\_ portions when \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ additional fees \_\_\_\_\_ remove \_\_\_\_\_ sections \_\_\_\_\_ installing?  
 Is \_\_\_\_\_ if we \_\_\_\_\_ and dispose \_\_\_\_\_ deteriorated \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ sections?  
 \_\_\_\_\_ any \_\_\_\_\_ involved \_\_\_\_\_ transferring rotten portions during \_\_\_\_\_ process?  
 When installing, \_\_\_\_\_ any charges for \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ expect your \_\_\_\_\_ service \_\_\_\_\_ charges \_\_\_\_\_ removing and disposing worn-out \_\_\_\_\_?  
 \_\_\_\_\_ taking out and \_\_\_\_\_ of \_\_\_\_\_ affecting the \_\_\_\_\_ of the \_\_\_\_\_?  
 If \_\_\_\_\_ damaged areas have to \_\_\_\_\_ removed, will \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ the price \_\_\_\_\_ out \_\_\_\_\_ during setting up?  
 \_\_\_\_\_ I have \_\_\_\_\_ pay separately \_\_\_\_\_ removing \_\_\_\_\_ in order \_\_\_\_\_ ones?  
 Is \_\_\_\_\_ added cost \_\_\_\_\_ of \_\_\_\_\_ components?  
 \_\_\_\_\_ there any additional \_\_\_\_\_ to remove and dispose \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ added cost \_\_\_\_\_ taking \_\_\_\_\_ or \_\_\_\_\_ sections when \_\_\_\_\_ install?  
 \_\_\_\_\_ I have \_\_\_\_\_ more expenses if we remove \_\_\_\_\_ areas?  
 \_\_\_\_\_ know how much it \_\_\_\_\_ cost to remove \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ pieces \_\_\_\_\_ your \_\_\_\_\_ process.  
 Is there any \_\_\_\_\_ charge for \_\_\_\_\_ disposing \_\_\_\_\_ installation?  
 Is there a supplementary \_\_\_\_\_ and disposing \_\_\_\_\_ installation service?  
 The removal and \_\_\_\_\_ of rotten \_\_\_\_\_ the \_\_\_\_\_.  
 Can \_\_\_\_\_ charges \_\_\_\_\_ removing and disposing of \_\_\_\_\_?  
 There \_\_\_\_\_ some costs \_\_\_\_\_ and \_\_\_\_\_ of aged, \_\_\_\_\_ or broken \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_.  
 \_\_\_\_\_ costs for removing rotten \_\_\_\_\_ involved \_\_\_\_\_ installation?  
 \_\_\_\_\_ removing old, \_\_\_\_\_ or damaged \_\_\_\_\_ added to \_\_\_\_\_?  
 There may \_\_\_\_\_ hidden fees \_\_\_\_\_ in \_\_\_\_\_ rotten, \_\_\_\_\_ portions \_\_\_\_\_ each \_\_\_\_\_.  
 Will we incur \_\_\_\_\_ if we \_\_\_\_\_ deteriorated \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ when \_\_\_\_\_ worn \_\_\_\_\_ parts?  
 \_\_\_\_\_ be \_\_\_\_\_ expensive \_\_\_\_\_ of \_\_\_\_\_ portions when installing?  
 \_\_\_\_\_ it cost more to \_\_\_\_\_ during installation?  
 \_\_\_\_\_ added costs for \_\_\_\_\_ of \_\_\_\_\_?  
 Is it \_\_\_\_\_ to have \_\_\_\_\_ fees \_\_\_\_\_ disposing of \_\_\_\_\_ installation?  
 Should I expect \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ segments?  
 \_\_\_\_\_ cost \_\_\_\_\_ more \_\_\_\_\_ have to dispose of old, \_\_\_\_\_?  
 \_\_\_\_\_ it an expense \_\_\_\_\_ take out \_\_\_\_\_ rotten, \_\_\_\_\_ damaged \_\_\_\_\_ when \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ for disposing \_\_\_\_\_ old sections \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ costs \_\_\_\_\_ with getting \_\_\_\_\_ parts during \_\_\_\_\_ installation procedure.  
 Should I \_\_\_\_\_ charged \_\_\_\_\_ for \_\_\_\_\_ disposing \_\_\_\_\_ segments \_\_\_\_\_ your \_\_\_\_\_ service?  
 \_\_\_\_\_ there \_\_\_\_\_ charge \_\_\_\_\_ getting \_\_\_\_\_ of the \_\_\_\_\_ pieces during \_\_\_\_\_?  
 \_\_\_\_\_ any added \_\_\_\_\_ associated with disposing of worn-out \_\_\_\_\_ things \_\_\_\_\_?  
 When putting \_\_\_\_\_ stuff, how much is \_\_\_\_\_ to get \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ more to get rid of \_\_\_\_ or \_\_\_\_ ?  
 \_\_\_\_ to pay \_\_\_\_ the removal and disposal of \_\_\_\_ sections \_\_\_\_ installation \_\_\_\_ ?  
 \_\_\_\_ any fees \_\_\_\_ disposing of old \_\_\_\_ installation?  
 Do you charge additional fees \_\_\_\_ installing?  
 Is \_\_\_\_ hidden \_\_\_\_ if \_\_\_\_ have to \_\_\_\_ parts?  
 \_\_\_\_ have \_\_\_\_ pay extra for \_\_\_\_ disposal of damaged \_\_\_\_ old \_\_\_\_ ?  
 Is \_\_\_\_ any \_\_\_\_ for \_\_\_\_ and \_\_\_\_ of \_\_\_\_ or rotted \_\_\_\_ installation process?  
 \_\_\_\_ there more \_\_\_\_ for \_\_\_\_ rid of \_\_\_\_ ?  
 \_\_\_\_ pay more \_\_\_\_ getting rid of rotten \_\_\_\_ ?  
 Is \_\_\_\_ cost more to \_\_\_\_ or \_\_\_\_ sections \_\_\_\_ you install?  
 \_\_\_\_ there \_\_\_\_ cost \_\_\_\_ parts during the installation phase?  
 Are \_\_\_\_ any \_\_\_\_ to remove \_\_\_\_ during \_\_\_\_ setup?  
 \_\_\_\_ I \_\_\_\_ to \_\_\_\_ for the removal \_\_\_\_ of worn-out \_\_\_\_ in \_\_\_\_ ?  
 \_\_\_\_ it necessary \_\_\_\_ to \_\_\_\_ money to haul away \_\_\_\_ while \_\_\_\_ doing \_\_\_\_ ?  
 \_\_\_\_ more expenses \_\_\_\_ we remove \_\_\_\_ dispose off \_\_\_\_ areas?  
 \_\_\_\_ possible to \_\_\_\_ dispose off \_\_\_\_ parts \_\_\_\_ installation phase?  
 Are there \_\_\_\_ costs for removing \_\_\_\_ or \_\_\_\_ sections when \_\_\_\_ ?  
 Is \_\_\_\_ a \_\_\_\_ to \_\_\_\_ rotted \_\_\_\_ ?  
 Is \_\_\_\_ chance \_\_\_\_ to pay more for \_\_\_\_ worn-out \_\_\_\_ the \_\_\_\_ phase?  
 \_\_\_\_ taking out decayed \_\_\_\_ ruined parts \_\_\_\_ implications of \_\_\_\_ ?  
 Should \_\_\_\_ pay more for getting rid \_\_\_\_ the installation?  
 \_\_\_\_ want to \_\_\_\_ if \_\_\_\_ are any added \_\_\_\_ to removing \_\_\_\_ or \_\_\_\_ segments \_\_\_\_ the \_\_\_\_ .  
 Is there any additional \_\_\_\_ associated \_\_\_\_ and disposal \_\_\_\_ or tarnished areas when \_\_\_\_ ?  
 Is \_\_\_\_ charges for removing damaged \_\_\_\_ installation?  
 \_\_\_\_ it \_\_\_\_ more \_\_\_\_ remove \_\_\_\_ damaged portions when \_\_\_\_ ?  
 \_\_\_\_ an extra \_\_\_\_ when removing and \_\_\_\_ rotten \_\_\_\_ ?  
 Is there a \_\_\_\_ for \_\_\_\_ and \_\_\_\_ faulty \_\_\_\_ installation?  
 \_\_\_\_ part of the \_\_\_\_ removing \_\_\_\_ or \_\_\_\_ incur additional \_\_\_\_ ?  
 Will \_\_\_\_ be extra \_\_\_\_ I remove and \_\_\_\_ parts \_\_\_\_ process?  
 \_\_\_\_ there any additional \_\_\_\_ associated \_\_\_\_ removing \_\_\_\_ during the \_\_\_\_ ?  
 \_\_\_\_ have \_\_\_\_ pay \_\_\_\_ and \_\_\_\_ damaged areas when installing?  
 \_\_\_\_ me \_\_\_\_ you dispose of old, faulty \_\_\_\_ ?  
 Is \_\_\_\_ will have to pay \_\_\_\_ for \_\_\_\_ segments before \_\_\_\_ new \_\_\_\_ ?  
 \_\_\_\_ any extra \_\_\_\_ for \_\_\_\_ old or rotten \_\_\_\_ during \_\_\_\_ ?  
 Should I expect to \_\_\_\_ need to dispose \_\_\_\_ old sections \_\_\_\_ setup \_\_\_\_ ?  
 Will there \_\_\_\_ if \_\_\_\_ have \_\_\_\_ scrap \_\_\_\_ setup renovations?  
 \_\_\_\_ cost \_\_\_\_ to get rid \_\_\_\_ components during \_\_\_\_ ?  
 Does it \_\_\_\_ take out old, rotten, \_\_\_\_ damaged sections \_\_\_\_ ?  
 If \_\_\_\_ remove \_\_\_\_ dispose \_\_\_\_ deteriorated areas \_\_\_\_ installation, \_\_\_\_ more expenses?  
 Is \_\_\_\_ added \_\_\_\_ for you \_\_\_\_ old, rotten, \_\_\_\_ damaged sections when \_\_\_\_ ?  
 Will I \_\_\_\_ to \_\_\_\_ for \_\_\_\_ of old/rotten sections \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ charge \_\_\_\_ the \_\_\_\_ and \_\_\_\_ of damaged sections?  
 \_\_\_\_ I \_\_\_\_ to \_\_\_\_ costs \_\_\_\_ we need \_\_\_\_ remove old \_\_\_\_ the \_\_\_\_ period?  
 \_\_\_\_ it cost \_\_\_\_ you handle \_\_\_\_ old faulty sections?  
 Are \_\_\_\_ any hidden \_\_\_\_ involved in \_\_\_\_ parts \_\_\_\_ setup \_\_\_\_ ?  
 \_\_\_\_ I \_\_\_\_ pay \_\_\_\_ for disposal \_\_\_\_ damaged sections \_\_\_\_ installation process?  
 \_\_\_\_ there an \_\_\_\_ for taking \_\_\_\_ sections when you \_\_\_\_ ?  
 \_\_\_\_ there any \_\_\_\_ expenses \_\_\_\_ to \_\_\_\_ rotted \_\_\_\_ during \_\_\_\_ installation process?  
 \_\_\_\_ there any \_\_\_\_ costs \_\_\_\_ with \_\_\_\_ old sections \_\_\_\_ installation \_\_\_\_ ?  
 \_\_\_\_ any \_\_\_\_ charge for \_\_\_\_ removal and disposal \_\_\_\_ during the \_\_\_\_ ?

\_\_\_\_\_ added \_\_\_\_\_ when tossing broken \_\_\_\_\_ damaged \_\_\_\_\_ during the \_\_\_\_\_ process?  
 \_\_\_\_\_ we incur \_\_\_\_\_ expenses \_\_\_\_\_ we \_\_\_\_\_ of deteriorated \_\_\_\_\_?  
 Will there \_\_\_\_\_ removing \_\_\_\_\_ parts during \_\_\_\_\_ installation?  
 \_\_\_\_\_ tell \_\_\_\_\_ costs of removing \_\_\_\_\_ during the setup?  
 \_\_\_\_\_ an extra \_\_\_\_\_ the removal and disposal of old \_\_\_\_\_?  
 \_\_\_\_\_ to know if \_\_\_\_\_ are any \_\_\_\_\_ linked with \_\_\_\_\_ and disposing \_\_\_\_\_ out \_\_\_\_\_ segments during \_\_\_\_\_ installation \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ to remove \_\_\_\_\_ dispose of \_\_\_\_\_ or old \_\_\_\_\_?  
 Will I \_\_\_\_\_ to pay more \_\_\_\_\_ removing \_\_\_\_\_?  
 I want \_\_\_\_\_ there are any added \_\_\_\_\_ removing and disposing of \_\_\_\_\_ rotted segments \_\_\_\_\_ process.  
 \_\_\_\_\_ it possible that I \_\_\_\_\_ more expenses if \_\_\_\_\_?  
 Is \_\_\_\_\_ cost to \_\_\_\_\_ rid \_\_\_\_\_ junk when \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ costs associated \_\_\_\_\_ worn \_\_\_\_\_ or rotted segments during the \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ when we remove \_\_\_\_\_ dispose of \_\_\_\_\_?  
 \_\_\_\_\_ the process include \_\_\_\_\_ get \_\_\_\_\_ damaged \_\_\_\_\_ installation procedures?  
 \_\_\_\_\_ there any \_\_\_\_\_ added fees for \_\_\_\_\_ worn-out components \_\_\_\_\_ installation \_\_\_\_\_.  
 \_\_\_\_\_ any extra \_\_\_\_\_ to remove and \_\_\_\_\_ deteriorated \_\_\_\_\_ the \_\_\_\_\_ process?  
 I \_\_\_\_\_ if there \_\_\_\_\_ any \_\_\_\_\_ associated \_\_\_\_\_ or rotted segments during the \_\_\_\_\_ process.  
 \_\_\_\_\_ in new \_\_\_\_\_ what is \_\_\_\_\_ of getting \_\_\_\_\_ old junk?  
 \_\_\_\_\_ of disposing \_\_\_\_\_ old, \_\_\_\_\_ the process?  
 Will a \_\_\_\_\_ be associated \_\_\_\_\_ older/ruined \_\_\_\_\_ of \_\_\_\_\_ place \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to pay more \_\_\_\_\_ the \_\_\_\_\_ disposal of \_\_\_\_\_ during \_\_\_\_\_ installation?  
 Will there \_\_\_\_\_ more \_\_\_\_\_ parts during installation procedure?  
 Should \_\_\_\_\_ expect to \_\_\_\_\_ more costs \_\_\_\_\_ have \_\_\_\_\_ dispose of sections \_\_\_\_\_ setup period?  
 Will I \_\_\_\_\_ more \_\_\_\_\_ removing damaged \_\_\_\_\_ installation?  
 Does it \_\_\_\_\_ worn out or \_\_\_\_\_ segments \_\_\_\_\_ the \_\_\_\_\_ process?  
 \_\_\_\_\_ additional \_\_\_\_\_ associated with \_\_\_\_\_ of damaged sections during the installation \_\_\_\_\_?  
 Will it \_\_\_\_\_ in \_\_\_\_\_ expenses if the \_\_\_\_\_ be removed?  
 \_\_\_\_\_ there be any \_\_\_\_\_ for \_\_\_\_\_ old \_\_\_\_\_ rotten sections?  
 Maybe \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ stuff \_\_\_\_\_ installation work.  
 \_\_\_\_\_ it necessary \_\_\_\_\_ budget \_\_\_\_\_ additional costs \_\_\_\_\_ get \_\_\_\_\_ of \_\_\_\_\_ or damaged \_\_\_\_\_ install?  
 \_\_\_\_\_ rotted portions of \_\_\_\_\_ setup \_\_\_\_\_ expenses?  
 \_\_\_\_\_ I have to \_\_\_\_\_ more if \_\_\_\_\_ rid of \_\_\_\_\_ messed-up \_\_\_\_\_?  
 \_\_\_\_\_ I have to \_\_\_\_\_ more to \_\_\_\_\_ parts during \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ extra cash needed to \_\_\_\_\_ out \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ charged \_\_\_\_\_ for \_\_\_\_\_ of old and \_\_\_\_\_ parts \_\_\_\_\_ installation?  
 \_\_\_\_\_ be charged \_\_\_\_\_ for getting rid \_\_\_\_\_ parts during \_\_\_\_\_?  
 Will there be a \_\_\_\_\_ for \_\_\_\_\_ of my \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ cost for \_\_\_\_\_ faulty parts during the \_\_\_\_\_ phase?  
 \_\_\_\_\_ involve extra \_\_\_\_\_ for the disposal of \_\_\_\_\_?  
 Should \_\_\_\_\_ expect \_\_\_\_\_ charges \_\_\_\_\_ removing and disposing \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ deteriorated \_\_\_\_\_ during the installation process?  
 Is \_\_\_\_\_ extra cost for \_\_\_\_\_ disposing \_\_\_\_\_ I install everything?  
 Is it necessary \_\_\_\_\_ me \_\_\_\_\_ budget for \_\_\_\_\_ and \_\_\_\_\_ elements \_\_\_\_\_?  
 \_\_\_\_\_ could \_\_\_\_\_ to remove and \_\_\_\_\_ of aged, \_\_\_\_\_ or \_\_\_\_\_ your \_\_\_\_\_ process.  
 Is there \_\_\_\_\_ supplementary \_\_\_\_\_ with \_\_\_\_\_ disposal \_\_\_\_\_ parts \_\_\_\_\_ installing?  
 Should \_\_\_\_\_ expect \_\_\_\_\_ pay more \_\_\_\_\_ removal of \_\_\_\_\_ in \_\_\_\_\_ installation \_\_\_\_\_?  
 Will \_\_\_\_\_ when you handle \_\_\_\_\_ old, faulty sections?  
 Should \_\_\_\_\_ and disposal \_\_\_\_\_ be added \_\_\_\_\_ the installation \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to pay \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ parts during \_\_\_\_\_?

Do I \_\_\_\_\_ pay \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ areas \_\_\_\_\_ installing?

Is \_\_\_\_\_ necessary to budget for \_\_\_\_\_ to \_\_\_\_\_ rid \_\_\_\_\_ old \_\_\_\_\_ damaged \_\_\_\_\_ install?

\_\_\_\_\_ there will \_\_\_\_\_ hidden costs for \_\_\_\_\_ of \_\_\_\_\_ installation work.

Will the process include \_\_\_\_\_ for the \_\_\_\_\_ during \_\_\_\_\_ procedures?

Is there more \_\_\_\_\_ removal and disposal \_\_\_\_\_ damaged areas \_\_\_\_\_ a \_\_\_\_\_?

Will I \_\_\_\_\_ extra \_\_\_\_\_ deteriorated parts during the installation \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ costs \_\_\_\_\_ parts during installation?

There \_\_\_\_\_ hidden \_\_\_\_\_ involved \_\_\_\_\_ removing rotten \_\_\_\_\_ during each \_\_\_\_\_ the \_\_\_\_\_ procedure.

\_\_\_\_\_ there any \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ damaged parts \_\_\_\_\_ installing?

Is \_\_\_\_\_ out and getting rid \_\_\_\_\_ old, \_\_\_\_\_ damaged sections \_\_\_\_\_?

\_\_\_\_\_ out old, rotten, or damaged \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ there any added \_\_\_\_\_ for \_\_\_\_\_ parts during the \_\_\_\_\_?

Is \_\_\_\_\_ a problem if you take out \_\_\_\_\_ parts \_\_\_\_\_?

Does \_\_\_\_\_ any \_\_\_\_\_ for the \_\_\_\_\_ of \_\_\_\_\_ or worn \_\_\_\_\_ elements?

Should \_\_\_\_\_ expect to \_\_\_\_\_ more costs \_\_\_\_\_ I \_\_\_\_\_ to remove \_\_\_\_\_ the setup period?

\_\_\_\_\_ I \_\_\_\_\_ extra \_\_\_\_\_ to remove and \_\_\_\_\_ deteriorated \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ charge \_\_\_\_\_ of \_\_\_\_\_ old pieces?

Should I expect to incur more \_\_\_\_\_ to remove \_\_\_\_\_ sections during \_\_\_\_\_?

Will there \_\_\_\_\_ involved in \_\_\_\_\_ damaged \_\_\_\_\_?

Are \_\_\_\_\_ additional fees \_\_\_\_\_ removing \_\_\_\_\_ or \_\_\_\_\_ sections?

As part \_\_\_\_\_ setup, \_\_\_\_\_ removing rotted \_\_\_\_\_ costs?

\_\_\_\_\_ we remove \_\_\_\_\_ the \_\_\_\_\_ areas, \_\_\_\_\_ there \_\_\_\_\_ more expenses?

\_\_\_\_\_ of \_\_\_\_\_ removing worn-out components during the installation phase?

Is \_\_\_\_\_ any \_\_\_\_\_ dispose \_\_\_\_\_ during the process?

\_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ fees for \_\_\_\_\_ worn \_\_\_\_\_ components \_\_\_\_\_ the installation \_\_\_\_\_?

I need to \_\_\_\_\_ are any \_\_\_\_\_ associated with removing \_\_\_\_\_ or rotted \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ there an additional \_\_\_\_\_ bad parts during \_\_\_\_\_?

Maybe there will \_\_\_\_\_ disposing old \_\_\_\_\_ during installation \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ damaged components when installing?

Will I \_\_\_\_\_ charged \_\_\_\_\_ getting \_\_\_\_\_ of old or \_\_\_\_\_?

Will it cost \_\_\_\_\_ dispose \_\_\_\_\_ old \_\_\_\_\_ damaged portions?

\_\_\_\_\_ comes \_\_\_\_\_ damaged parts \_\_\_\_\_ you install, \_\_\_\_\_ I have to budget for additional costs?

\_\_\_\_\_ added \_\_\_\_\_ with \_\_\_\_\_ disposing of worn out \_\_\_\_\_ rotted \_\_\_\_\_ during installation?

Is it \_\_\_\_\_ added \_\_\_\_\_ take \_\_\_\_\_ old sections \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ me if there's \_\_\_\_\_ expenses \_\_\_\_\_ with removing \_\_\_\_\_ rotted segments during \_\_\_\_\_ installation process?

\_\_\_\_\_ much more \_\_\_\_\_ is needed to \_\_\_\_\_ out \_\_\_\_\_ or \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ there added \_\_\_\_\_ for \_\_\_\_\_ of old, \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ removing damaged sections \_\_\_\_\_ the installation?

Will it \_\_\_\_\_ more to \_\_\_\_\_ rid \_\_\_\_\_ messed \_\_\_\_\_ during installation?

\_\_\_\_\_ an extra charge \_\_\_\_\_ disposal \_\_\_\_\_ during \_\_\_\_\_ dismantlement \_\_\_\_\_ of worn-out, \_\_\_\_\_ damaged sections?

\_\_\_\_\_ there any \_\_\_\_\_ and dispose \_\_\_\_\_ old sections during \_\_\_\_\_ process?

\_\_\_\_\_ ditch scrap \_\_\_\_\_ renovations, \_\_\_\_\_ there be an extra fee?

There \_\_\_\_\_ costs involved in \_\_\_\_\_ disposing \_\_\_\_\_ rotten \_\_\_\_\_ pieces \_\_\_\_\_ the installation \_\_\_\_\_.

There \_\_\_\_\_ be hidden \_\_\_\_\_ involved in \_\_\_\_\_ rotten parts \_\_\_\_\_ of the \_\_\_\_\_.

Is \_\_\_\_\_ for me \_\_\_\_\_ incur more \_\_\_\_\_ if we \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ and \_\_\_\_\_ off faulty parts during the installation phase?

\_\_\_\_\_ I expect to \_\_\_\_\_ costs if I \_\_\_\_\_ to \_\_\_\_\_ the setup period?

Is \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ while \_\_\_\_\_ and disposing of \_\_\_\_\_ sections?

Will \_\_\_\_\_ incur \_\_\_\_\_ if we remove \_\_\_\_\_ deteriorated areas?

\_\_\_\_\_ there any additional \_\_\_\_\_ associated with \_\_\_\_\_ while setting up?



Do I \_\_\_\_ to \_\_\_\_ more \_\_\_\_ for \_\_\_\_ of worn out \_\_\_\_?  
 Should \_\_\_\_ to incur more costs if \_\_\_\_ have to \_\_\_\_ or \_\_\_\_ old \_\_\_\_?  
 \_\_\_\_ much is \_\_\_\_ chucking \_\_\_\_ bad parts \_\_\_\_ setting \_\_\_\_?  
 Should I expect to \_\_\_\_ costs if we \_\_\_\_ remove \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ there a \_\_\_\_ we will have \_\_\_\_ pay \_\_\_\_ for \_\_\_\_ worn-out \_\_\_\_ the \_\_\_\_ phase?  
 \_\_\_\_ to shell out more money to \_\_\_\_ junk \_\_\_\_ I'm doing \_\_\_\_?  
 \_\_\_\_ I be \_\_\_\_ when I get rid \_\_\_\_ messed up \_\_\_\_?  
 Is there any \_\_\_\_ for \_\_\_\_ and \_\_\_\_ during \_\_\_\_ installation process?  
 Can \_\_\_\_ tell \_\_\_\_ if \_\_\_\_ worn-out elements \_\_\_\_ expenses while \_\_\_\_?  
 Should \_\_\_\_ expect \_\_\_\_ removing \_\_\_\_ out segments during the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ costs to \_\_\_\_ and \_\_\_\_ damaged sections \_\_\_\_ installation?  
 \_\_\_\_ it cost more \_\_\_\_ dispose damaged \_\_\_\_ throughout \_\_\_\_?  
 \_\_\_\_ added expenses associated with \_\_\_\_ disposing \_\_\_\_ worn \_\_\_\_ rotted segments \_\_\_\_ the installation process?  
 Is \_\_\_\_ additional charges for disposing \_\_\_\_ or \_\_\_\_ installation?  
 Will \_\_\_\_ more \_\_\_\_ removing old/rotten/ \_\_\_\_ during the installation?  
 Are there \_\_\_\_ costs for \_\_\_\_ removal and \_\_\_\_ rotten sections \_\_\_\_?  
 Is there an \_\_\_\_ for disposal services \_\_\_\_ and removal of \_\_\_\_ sections?  
 \_\_\_\_ expect to pay extra for removing and \_\_\_\_ worn \_\_\_\_ service?  
 \_\_\_\_ any additional charges \_\_\_\_ disposal during \_\_\_\_ removal \_\_\_\_ worn \_\_\_\_ rotten \_\_\_\_ damaged \_\_\_\_?  
 \_\_\_\_ provide \_\_\_\_ further costs for \_\_\_\_ sections?  
 Is there any added \_\_\_\_ rotten \_\_\_\_ the process?  
 Will I \_\_\_\_ pay \_\_\_\_ spoilt segments prior \_\_\_\_ installing new \_\_\_\_?  
 \_\_\_\_ throwing away rotted \_\_\_\_ setup result in \_\_\_\_?  
 \_\_\_\_ cost \_\_\_\_ get rid of old and \_\_\_\_ parts?  
 \_\_\_\_ I have \_\_\_\_ pay separately for \_\_\_\_ segments \_\_\_\_ are \_\_\_\_ before \_\_\_\_ new ones?  
 Can \_\_\_\_ tell \_\_\_\_ there \_\_\_\_ expenses associated with \_\_\_\_ damaged \_\_\_\_ while installing?  
 How \_\_\_\_ does it \_\_\_\_ take \_\_\_\_ rotten, or \_\_\_\_ sections \_\_\_\_ install?  
 Is \_\_\_\_ expenses \_\_\_\_ the removal or \_\_\_\_ of \_\_\_\_ or \_\_\_\_ areas?  
 Is it necessary \_\_\_\_ budget \_\_\_\_ additional \_\_\_\_ get \_\_\_\_ old \_\_\_\_ parts when I install?  
 There \_\_\_\_ costs \_\_\_\_ and disposing \_\_\_\_ aged, rotten or broken \_\_\_\_ during \_\_\_\_.  
 Is there \_\_\_\_ chance \_\_\_\_ additional \_\_\_\_ for \_\_\_\_ components \_\_\_\_ the installation \_\_\_\_?  
 \_\_\_\_ more costs \_\_\_\_ we \_\_\_\_ and \_\_\_\_ of deteriorated areas?  
 Will there \_\_\_\_ extra \_\_\_\_ disposal of old sections?  
 Will it \_\_\_\_ remove and \_\_\_\_ damaged parts when \_\_\_\_?  
 \_\_\_\_ are costs to remove \_\_\_\_ rotten, \_\_\_\_ broken pieces \_\_\_\_.  
 \_\_\_\_ costs \_\_\_\_ with the removal and disposal \_\_\_\_ damaged areas \_\_\_\_ installing \_\_\_\_.  
 \_\_\_\_ extra \_\_\_\_ if you have to \_\_\_\_ pieces during \_\_\_\_ renovations?  
 \_\_\_\_ much does it cost \_\_\_\_ properly dispose \_\_\_\_ worn-out portions \_\_\_\_?  
 \_\_\_\_ areas \_\_\_\_ to be \_\_\_\_ installation takes \_\_\_\_ will \_\_\_\_ any additional costs?  
 \_\_\_\_ any charges \_\_\_\_ removing and disposing \_\_\_\_ old \_\_\_\_ sections?  
 Is there an additional \_\_\_\_ remove \_\_\_\_ faulty \_\_\_\_?  
 Is there \_\_\_\_ charge \_\_\_\_ removing \_\_\_\_ damaged sections?  
 \_\_\_\_ there \_\_\_\_ we will be charged more \_\_\_\_ removing \_\_\_\_ in \_\_\_\_ installation \_\_\_\_?  
 Is there a fee if \_\_\_\_ to \_\_\_\_ during \_\_\_\_?  
 Should \_\_\_\_ be additional expenses \_\_\_\_ removal \_\_\_\_ or tarnished areas when \_\_\_\_ treatment?  
 \_\_\_\_ there any extra \_\_\_\_ removing \_\_\_\_ sections \_\_\_\_ installation?  
 Will \_\_\_\_ rotted portions \_\_\_\_ the \_\_\_\_ costs?  
 \_\_\_\_ be extra costs \_\_\_\_ and disposing \_\_\_\_ parts during \_\_\_\_ installation \_\_\_\_?  
 Can you tell \_\_\_\_ there \_\_\_\_ any costs \_\_\_\_ with removing \_\_\_\_ during installation?  
 \_\_\_\_ there \_\_\_\_ hidden \_\_\_\_ for \_\_\_\_ sections when installing?

If \_\_\_\_\_ areas \_\_\_\_\_ installation takes place, \_\_\_\_\_ result in additional expenses?

Should \_\_\_\_\_ expect additional charges when \_\_\_\_\_ worn \_\_\_\_\_ segments?

Will \_\_\_\_\_ be additional costs \_\_\_\_\_ and \_\_\_\_\_ the installation process?

Should I \_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ worn-out segments \_\_\_\_\_ installation \_\_\_\_\_?

Are there \_\_\_\_\_ fees \_\_\_\_\_ old \_\_\_\_\_ dispose of \_\_\_\_\_ sections while \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ cost to remove and \_\_\_\_\_ deteriorated \_\_\_\_\_ the installation \_\_\_\_\_?

Any \_\_\_\_\_ with \_\_\_\_\_ and disposal of rotten sections \_\_\_\_\_?

Will \_\_\_\_\_ in \_\_\_\_\_ expenses if \_\_\_\_\_ old areas have \_\_\_\_\_?

Is there \_\_\_\_\_ and disposing of \_\_\_\_\_ during the installation \_\_\_\_\_?

Will \_\_\_\_\_ charges for removing \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ cost \_\_\_\_\_ to throw \_\_\_\_\_ rotted \_\_\_\_\_ as part of \_\_\_\_\_?

Should there \_\_\_\_\_ additional charges for \_\_\_\_\_ pieces during \_\_\_\_\_ installation?

Does \_\_\_\_\_ for throwing out \_\_\_\_\_ out or \_\_\_\_\_ elements?

\_\_\_\_\_ I \_\_\_\_\_ pay extra to \_\_\_\_\_ sections removed \_\_\_\_\_ installation?

\_\_\_\_\_ there \_\_\_\_\_ any additional expenses \_\_\_\_\_ and \_\_\_\_\_ have to be \_\_\_\_\_?

Maybe there \_\_\_\_\_ costs to \_\_\_\_\_ of \_\_\_\_\_ during installation \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ of \_\_\_\_\_ elements throughout the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ separate \_\_\_\_\_ getting rid of \_\_\_\_\_ components?

\_\_\_\_\_ are \_\_\_\_\_ expenses \_\_\_\_\_ with removing worn \_\_\_\_\_ or rotted segments during the installation \_\_\_\_\_.

\_\_\_\_\_ damaged \_\_\_\_\_ to be \_\_\_\_\_ installation takes \_\_\_\_\_ will that result in additional \_\_\_\_\_?

The process \_\_\_\_\_ more \_\_\_\_\_ get rid \_\_\_\_\_ during \_\_\_\_\_ procedures.

\_\_\_\_\_ any costs to remove \_\_\_\_\_ old sections during the \_\_\_\_\_?

Will \_\_\_\_\_ have \_\_\_\_\_ extra costs \_\_\_\_\_ deteriorated parts \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ cost to \_\_\_\_\_ during installation process?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ and dispose of old \_\_\_\_\_ while \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ additional cost for the removal \_\_\_\_\_ bad \_\_\_\_\_ during \_\_\_\_\_ phase?

Will there be more expenses \_\_\_\_\_ and dispose \_\_\_\_\_ during \_\_\_\_\_?

Does \_\_\_\_\_ involve additional charges \_\_\_\_\_ of \_\_\_\_\_ worn out \_\_\_\_\_?

\_\_\_\_\_ putting \_\_\_\_\_ stuff, \_\_\_\_\_ will \_\_\_\_\_ cost \_\_\_\_\_ get rid \_\_\_\_\_ old junk?

\_\_\_\_\_ there an additional fee if \_\_\_\_\_ to \_\_\_\_\_ renovations?

\_\_\_\_\_ chance of additional \_\_\_\_\_ to the elimination \_\_\_\_\_ worn-out \_\_\_\_\_ during \_\_\_\_\_ installation \_\_\_\_\_?

Is \_\_\_\_\_ any extra \_\_\_\_\_ or disposing of old \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ disposing \_\_\_\_\_ old \_\_\_\_\_ in \_\_\_\_\_ installation process?

Is there \_\_\_\_\_ expense connected to \_\_\_\_\_ disposal of \_\_\_\_\_ tarnished \_\_\_\_\_?

\_\_\_\_\_ additional \_\_\_\_\_ for taking out old, rotten, \_\_\_\_\_ sections \_\_\_\_\_ install?

Will throwing \_\_\_\_\_ in the setup incur \_\_\_\_\_?

Will we \_\_\_\_\_ expenses if \_\_\_\_\_ and dispose of \_\_\_\_\_?

\_\_\_\_\_ there an \_\_\_\_\_ cost for the removal \_\_\_\_\_ damaged \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ if there are any \_\_\_\_\_ with disposing damaged \_\_\_\_\_ while installing?

Is \_\_\_\_\_ going \_\_\_\_\_ supplementary \_\_\_\_\_ for removing and \_\_\_\_\_ segments?

Will \_\_\_\_\_ be any \_\_\_\_\_ costs \_\_\_\_\_ the removal \_\_\_\_\_ old/rotten \_\_\_\_\_?

If \_\_\_\_\_ old and damaged \_\_\_\_\_ be \_\_\_\_\_ before installation \_\_\_\_\_ place, will \_\_\_\_\_ additional \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ extra \_\_\_\_\_ and disposing \_\_\_\_\_ old \_\_\_\_\_ during the installation \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ fees if \_\_\_\_\_ have to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ removing damaged parts?

Should I \_\_\_\_\_ to \_\_\_\_\_ more costs \_\_\_\_\_ I \_\_\_\_\_ remove \_\_\_\_\_ during \_\_\_\_\_ period?

\_\_\_\_\_ it possible \_\_\_\_\_ will \_\_\_\_\_ if \_\_\_\_\_ remove and \_\_\_\_\_ of deteriorated areas \_\_\_\_\_ installation?

There \_\_\_\_\_ to get rid \_\_\_\_\_ components when \_\_\_\_\_.

\_\_\_\_\_ any \_\_\_\_\_ for removing damaged \_\_\_\_\_?

\_\_\_\_\_ I expect \_\_\_\_\_ more costs if \_\_\_\_\_ dispose of any \_\_\_\_\_ or \_\_\_\_\_?

Is there a \_\_\_\_\_ parts \_\_\_\_\_ the \_\_\_\_\_ phase?

How \_\_\_\_\_ do you think \_\_\_\_\_ will \_\_\_\_\_ discard old/broken/ \_\_\_\_\_ the install \_\_\_\_\_?

\_\_\_\_\_ cost to get rid of old \_\_\_\_\_ putting \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ of old or ruined sections?

\_\_\_\_\_ the process add more costs \_\_\_\_\_ rid \_\_\_\_\_ damaged \_\_\_\_\_ procedures?

Should I expect to \_\_\_\_\_ more \_\_\_\_\_ the \_\_\_\_\_ of old \_\_\_\_\_ in \_\_\_\_\_?

Does \_\_\_\_\_ process require \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_ elements?

Will \_\_\_\_\_ of the setup result \_\_\_\_\_ more \_\_\_\_\_?

Should \_\_\_\_\_ expect to incur more costs if \_\_\_\_\_ remove or dispose \_\_\_\_\_ sections \_\_\_\_\_?

Should \_\_\_\_\_ expect \_\_\_\_\_ charged \_\_\_\_\_ removing worn-out \_\_\_\_\_ during \_\_\_\_\_ installation service?

How much \_\_\_\_\_ cost \_\_\_\_\_ garbage-filled sections \_\_\_\_\_ you \_\_\_\_\_ installing?

\_\_\_\_\_ I expect to pay \_\_\_\_\_ the removal \_\_\_\_\_ disposal \_\_\_\_\_ in \_\_\_\_\_ process?

Is there any additional costs \_\_\_\_\_ damaged \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ fees involved \_\_\_\_\_ removing \_\_\_\_\_ damaged \_\_\_\_\_ during setup \_\_\_\_\_?

Is it more \_\_\_\_\_ to \_\_\_\_\_ parts \_\_\_\_\_ installing?

Is there \_\_\_\_\_ more \_\_\_\_\_ for removing \_\_\_\_\_ during \_\_\_\_\_?

There \_\_\_\_\_ fees involved in removing and \_\_\_\_\_ parts \_\_\_\_\_ setup \_\_\_\_\_.

\_\_\_\_\_ there be \_\_\_\_\_ fees \_\_\_\_\_ worn out parts \_\_\_\_\_?

Will \_\_\_\_\_ have more \_\_\_\_\_ we remove \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ pay more for \_\_\_\_\_ removal and \_\_\_\_\_ old/rotted \_\_\_\_\_ the installation \_\_\_\_\_?

\_\_\_\_\_ more expensive to \_\_\_\_\_ faulty sections \_\_\_\_\_ installation?

\_\_\_\_\_ new \_\_\_\_\_ what's \_\_\_\_\_ getting rid of old junk?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ scrap \_\_\_\_\_ renovations, will \_\_\_\_\_ an additional fee?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ disposal of damaged \_\_\_\_\_ when installing a treatment?

\_\_\_\_\_ I expect \_\_\_\_\_ pay \_\_\_\_\_ removing and disposing worn-out \_\_\_\_\_ during \_\_\_\_\_?

Are \_\_\_\_\_ expenses associated \_\_\_\_\_ and \_\_\_\_\_ worn-out or \_\_\_\_\_ segments during \_\_\_\_\_ installation \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ remove \_\_\_\_\_ of \_\_\_\_\_ rotten or broken pieces \_\_\_\_\_ installation process.

\_\_\_\_\_ there any \_\_\_\_\_ expenses \_\_\_\_\_ disposing damaged \_\_\_\_\_ installing?

\_\_\_\_\_ some areas \_\_\_\_\_ be removed \_\_\_\_\_ installation \_\_\_\_\_ it result \_\_\_\_\_ additional expenses?

Are there any \_\_\_\_\_ getting rid \_\_\_\_\_ components?

Will there \_\_\_\_\_ costs \_\_\_\_\_ with \_\_\_\_\_ of damaged \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ rotten, or \_\_\_\_\_ sections \_\_\_\_\_ when you install?

\_\_\_\_\_ expect to incur more costs if we \_\_\_\_\_ to \_\_\_\_\_ any old \_\_\_\_\_ period?

Will throwing \_\_\_\_\_ rotted \_\_\_\_\_ in the \_\_\_\_\_ expenses?

There may \_\_\_\_\_ costs \_\_\_\_\_ removing and \_\_\_\_\_ or \_\_\_\_\_ pieces during your installation \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ added cost \_\_\_\_\_ taking \_\_\_\_\_ rotten, or \_\_\_\_\_ when \_\_\_\_\_ install?

Does the process \_\_\_\_\_ discard \_\_\_\_\_ out or damaged \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ be some \_\_\_\_\_ costs when \_\_\_\_\_ dispose \_\_\_\_\_ crap during \_\_\_\_\_?

\_\_\_\_\_ I be charged more for \_\_\_\_\_ sections \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ cost in \_\_\_\_\_ disposing \_\_\_\_\_ bad \_\_\_\_\_ during the installation \_\_\_\_\_?

Does the \_\_\_\_\_ involve \_\_\_\_\_ discard \_\_\_\_\_ or worn \_\_\_\_\_ elements?

Should we remove \_\_\_\_\_ of deteriorated \_\_\_\_\_?

\_\_\_\_\_ do you \_\_\_\_\_ get \_\_\_\_\_ of \_\_\_\_\_ junk when putting \_\_\_\_\_ new \_\_\_\_\_?

Is there an added cost \_\_\_\_\_ removing \_\_\_\_\_ or \_\_\_\_\_ you \_\_\_\_\_?

Is there any extra \_\_\_\_\_ to \_\_\_\_\_ moldy \_\_\_\_\_ pieces?

\_\_\_\_\_ any \_\_\_\_\_ related to \_\_\_\_\_ and disposal \_\_\_\_\_ rotten \_\_\_\_\_ involved in installation?

\_\_\_\_\_ expense to \_\_\_\_\_ old, rotten, or \_\_\_\_\_ sections \_\_\_\_\_ installing?

\_\_\_\_\_ additional cost to \_\_\_\_\_ and \_\_\_\_\_ of defects \_\_\_\_\_ the \_\_\_\_\_ phase?

\_\_\_\_\_ added expenses associated with \_\_\_\_\_ and \_\_\_\_\_ worn-out \_\_\_\_\_ rotted \_\_\_\_\_ during installation?

Is there \_\_\_\_\_ cost \_\_\_\_\_ sections?

Should I budget \_\_\_\_\_ the removal \_\_\_\_\_ of \_\_\_\_\_ the installation?  
 \_\_\_\_\_ and disposal \_\_\_\_\_ rotten sections \_\_\_\_\_ the installation.

Is there \_\_\_\_\_ charge for disposal services during \_\_\_\_\_ dismantling \_\_\_\_\_ of damaged \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ additional charges \_\_\_\_\_ the \_\_\_\_\_ and disposal \_\_\_\_\_ sections?

Is \_\_\_\_\_ more cost to \_\_\_\_\_ sections \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ old and \_\_\_\_\_ areas \_\_\_\_\_ to be \_\_\_\_\_ before \_\_\_\_\_ installation \_\_\_\_\_ place, \_\_\_\_\_ there be \_\_\_\_\_ additional \_\_\_\_\_?  
 \_\_\_\_\_ are costs associated with the \_\_\_\_\_ disposal \_\_\_\_\_ in \_\_\_\_\_.

Is \_\_\_\_\_ extra \_\_\_\_\_ in \_\_\_\_\_ and disposing \_\_\_\_\_ bad parts?

Is there \_\_\_\_\_ sections during the process?

\_\_\_\_\_ I have \_\_\_\_\_ pay \_\_\_\_\_ prior to installing new ones?  
 \_\_\_\_\_ price \_\_\_\_\_ get \_\_\_\_\_ of junk \_\_\_\_\_ putting in \_\_\_\_\_ stuff \_\_\_\_\_ not \_\_\_\_\_.  
 \_\_\_\_\_ rotted portions as part \_\_\_\_\_ incur additional \_\_\_\_\_?  
 \_\_\_\_\_ there will \_\_\_\_\_ disposing \_\_\_\_\_ old items during installation \_\_\_\_\_?  
 \_\_\_\_\_ I have \_\_\_\_\_ more for the \_\_\_\_\_ old \_\_\_\_\_ during \_\_\_\_\_ installation?

If some \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ place will \_\_\_\_\_ result in \_\_\_\_\_ expenses?

Is \_\_\_\_\_ a cost to remove and dispose \_\_\_\_\_?

Is \_\_\_\_\_ an extra \_\_\_\_\_ removing old \_\_\_\_\_ rotten \_\_\_\_\_ installation?  
 \_\_\_\_\_ process involve any additional \_\_\_\_\_ removing \_\_\_\_\_ or \_\_\_\_\_ elements?

Clarifying possible \_\_\_\_\_ of \_\_\_\_\_ aged, rotten, or broken \_\_\_\_\_ installation process \_\_\_\_\_.

Is there additional charges \_\_\_\_\_?

\_\_\_\_\_ possible costs \_\_\_\_\_ removing \_\_\_\_\_ disposing \_\_\_\_\_ aged, \_\_\_\_\_ or \_\_\_\_\_ pieces \_\_\_\_\_ your \_\_\_\_\_ process \_\_\_\_\_ a must.

Is \_\_\_\_\_ added \_\_\_\_\_ removing old, \_\_\_\_\_ damaged sections?

\_\_\_\_\_ I expect \_\_\_\_\_ pay \_\_\_\_\_ disposing worn out \_\_\_\_\_ during \_\_\_\_\_ installation service?  
 \_\_\_\_\_ there a chance \_\_\_\_\_ added \_\_\_\_\_ of \_\_\_\_\_ components during the installation \_\_\_\_\_?

There are costs associated with \_\_\_\_\_ old, \_\_\_\_\_ or \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ worn-out parts \_\_\_\_\_ installation?

Are \_\_\_\_\_ any charges for \_\_\_\_\_ and \_\_\_\_\_ of old \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ any additional charges \_\_\_\_\_ discarding worn-out \_\_\_\_\_?  
 \_\_\_\_\_ it more \_\_\_\_\_ to \_\_\_\_\_ out old, \_\_\_\_\_ damaged sections when \_\_\_\_\_?

Should I \_\_\_\_\_ to pay more \_\_\_\_\_ old \_\_\_\_\_ during \_\_\_\_\_ installation?  
 \_\_\_\_\_ pay more for removing \_\_\_\_\_ disposing of deteriorated \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ me how much \_\_\_\_\_ costs to \_\_\_\_\_ ruined sections \_\_\_\_\_?  
 \_\_\_\_\_ to remove \_\_\_\_\_ dispose \_\_\_\_\_ aged, \_\_\_\_\_ or broken pieces during your \_\_\_\_\_?

Should \_\_\_\_\_ the \_\_\_\_\_ and disposal \_\_\_\_\_ damaged sections \_\_\_\_\_ the installation process?

Is it \_\_\_\_\_ to \_\_\_\_\_ of bad \_\_\_\_\_ during the \_\_\_\_\_.

How much do I have \_\_\_\_\_ to \_\_\_\_\_ rid \_\_\_\_\_ sections \_\_\_\_\_?

Are \_\_\_\_\_ added \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ disposing of worn out \_\_\_\_\_ while setting \_\_\_\_\_?

There \_\_\_\_\_ expense \_\_\_\_\_ old, \_\_\_\_\_ and damaged sections \_\_\_\_\_ you install.  
 \_\_\_\_\_ more costs for removal \_\_\_\_\_ disposal \_\_\_\_\_ during \_\_\_\_\_ installation process?  
 \_\_\_\_\_ any \_\_\_\_\_ charges \_\_\_\_\_ the \_\_\_\_\_ and disposal of damaged sections \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ the disposal \_\_\_\_\_ old \_\_\_\_\_ during the \_\_\_\_\_ will \_\_\_\_\_ me \_\_\_\_\_?

Does the process involve \_\_\_\_\_ charges if \_\_\_\_\_ discard \_\_\_\_\_?

\_\_\_\_\_ expect to pay more \_\_\_\_\_ rid of the \_\_\_\_\_ pieces \_\_\_\_\_?

Is \_\_\_\_\_ charge for \_\_\_\_\_ rid \_\_\_\_\_ old pieces \_\_\_\_\_ installation?

Is there \_\_\_\_\_ expense \_\_\_\_\_ with \_\_\_\_\_ removal \_\_\_\_\_ of damaged areas \_\_\_\_\_ treatment?  
 \_\_\_\_\_ disposing of \_\_\_\_\_ parts affect \_\_\_\_\_ financial \_\_\_\_\_ of \_\_\_\_\_ set up?

Should I expect to pay \_\_\_\_\_ for \_\_\_\_\_ sections \_\_\_\_\_?

Will \_\_\_\_\_ other fees for \_\_\_\_\_ worn \_\_\_\_\_?

Maybe there \_\_\_\_\_ hidden \_\_\_\_\_ when \_\_\_\_\_ old stuff \_\_\_\_\_ installation work?

Should I expect to \_\_\_\_\_ for \_\_\_\_\_ old \_\_\_\_\_ the installation \_\_\_\_\_?

\_\_\_\_\_ additional \_\_\_\_\_ with \_\_\_\_\_ of damaged parts while installing?

Maybe \_\_\_\_\_ be \_\_\_\_\_ costs \_\_\_\_\_ stuff during installation work.

\_\_\_\_\_ I have to \_\_\_\_\_ removing deteriorated \_\_\_\_\_ installation?

Is there any additional \_\_\_\_\_ rotten or damaged \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ I will be \_\_\_\_\_ for removing \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ for rotten sections removed \_\_\_\_\_ installation?

\_\_\_\_\_ have to \_\_\_\_\_ getting rid of \_\_\_\_\_ and \_\_\_\_\_ parts?

Is there \_\_\_\_\_ associated with \_\_\_\_\_ rid of damaged \_\_\_\_\_?

\_\_\_\_\_ to dispose of \_\_\_\_\_ parts during \_\_\_\_\_ installation phase?

Clarifying \_\_\_\_\_ removing \_\_\_\_\_ off aged, rotten, \_\_\_\_\_ broken \_\_\_\_\_ your installation process \_\_\_\_\_ you want.

\_\_\_\_\_ it \_\_\_\_\_ more \_\_\_\_\_ you \_\_\_\_\_ to dispose of \_\_\_\_\_ sections \_\_\_\_\_ installation?

\_\_\_\_\_ I \_\_\_\_\_ to incur additional costs \_\_\_\_\_ remove or dispose \_\_\_\_\_ during the setup \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ charge \_\_\_\_\_ services \_\_\_\_\_ or removal of \_\_\_\_\_ out, rotten \_\_\_\_\_ damaged sections?

When \_\_\_\_\_ in \_\_\_\_\_ is \_\_\_\_\_ price to get rid of \_\_\_\_\_?

Is \_\_\_\_\_ getting rid of damaged \_\_\_\_\_?

\_\_\_\_\_ set-up, does taking out \_\_\_\_\_ ruined \_\_\_\_\_ implications?

\_\_\_\_\_ I \_\_\_\_\_ additional costs \_\_\_\_\_ remove and \_\_\_\_\_ parts during installation?

\_\_\_\_\_ any added fees for \_\_\_\_\_ and properly \_\_\_\_\_ of portions \_\_\_\_\_ setting \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ associated with removing \_\_\_\_\_ disposing of old, \_\_\_\_\_ or \_\_\_\_\_ pieces \_\_\_\_\_ process.

\_\_\_\_\_ there an \_\_\_\_\_ for removing \_\_\_\_\_ rotten \_\_\_\_\_ damaged \_\_\_\_\_ when \_\_\_\_\_ install?

\_\_\_\_\_ I \_\_\_\_\_ pay \_\_\_\_\_ dispose \_\_\_\_\_ deteriorated parts during the \_\_\_\_\_ process?

\_\_\_\_\_ the \_\_\_\_\_ involve any \_\_\_\_\_ charges for \_\_\_\_\_ disposal of \_\_\_\_\_ elements?

Charge \_\_\_\_\_ removing \_\_\_\_\_ parts \_\_\_\_\_?

There \_\_\_\_\_ related to \_\_\_\_\_ and \_\_\_\_\_ or broken pieces during \_\_\_\_\_ process.

\_\_\_\_\_ taking out \_\_\_\_\_ or \_\_\_\_\_ cost more?