

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Water main breaks and repairs
<b>Inquiry Sub-Category</b>	Schedule for maintenance
<b>Description</b>	Inquiries regarding scheduled maintenance activities, including flushing, valve replacement, or pipe inspections, and their impact on water supply, service interruptions, or notification procedures.
<b>Data Size</b>	7,724 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ please \_\_\_\_\_ us in \_\_\_\_\_ maintenance tasks \_\_\_\_\_ so we can \_\_\_\_\_ ahead?

Can you \_\_\_\_\_ me a \_\_\_\_\_ other upkeep?

\_\_\_\_\_ advance notice of routine flushing.

\_\_\_\_\_ there advance notice \_\_\_\_\_ regular \_\_\_\_\_?

\_\_\_\_\_ could you \_\_\_\_\_ us about \_\_\_\_\_ maintenance?

\_\_\_\_\_ possible to get \_\_\_\_\_ sewer and \_\_\_\_\_ cleaning activities?

\_\_\_\_\_ we expect \_\_\_\_\_ heads \_\_\_\_\_ before the \_\_\_\_\_?

Is it possible \_\_\_\_\_ know \_\_\_\_\_ flushes next \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ to the \_\_\_\_\_ flush \_\_\_\_\_.

Inform us \_\_\_\_\_ advance \_\_\_\_\_ plumbing \_\_\_\_\_

Please \_\_\_\_\_ in advance \_\_\_\_\_ are plumbing cleanings.

Will \_\_\_\_\_ warned \_\_\_\_\_ regular \_\_\_\_\_ like flush?

\_\_\_\_\_ you have \_\_\_\_\_ maintenance, especially flushes?

Do we have \_\_\_\_\_ ability \_\_\_\_\_ get \_\_\_\_\_ notification \_\_\_\_\_ and pipe \_\_\_\_\_?

\_\_\_\_\_ it possible that \_\_\_\_\_ can inform \_\_\_\_\_ scheduled \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ on scheduled flushes before \_\_\_\_\_?

\_\_\_\_\_ be aware of \_\_\_\_\_ standard upkeep work \_\_\_\_\_?

\_\_\_\_\_ we be aware \_\_\_\_\_ next \_\_\_\_\_?

\_\_\_\_\_ we request \_\_\_\_\_ upkeep activities \_\_\_\_\_ as flushings?

Inform \_\_\_\_\_ about \_\_\_\_\_ like \_\_\_\_\_.

\_\_\_\_\_ inform \_\_\_\_\_ routine flushing \_\_\_\_\_ before \_\_\_\_\_ happen.

Should we \_\_\_\_\_ a \_\_\_\_\_ regarding \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ tasks \_\_\_\_\_ be helpful.

\_\_\_\_\_ it \_\_\_\_\_ give \_\_\_\_\_ heads up on \_\_\_\_\_ flushes.

\_\_\_\_\_ let us know \_\_\_\_\_ the \_\_\_\_\_?

Please make \_\_\_\_\_ to \_\_\_\_\_ us \_\_\_\_\_ the routine \_\_\_\_\_.

Will \_\_\_\_\_ for you \_\_\_\_\_ us know \_\_\_\_\_ the flushing?

\_\_\_\_\_ you \_\_\_\_\_ advance notice of \_\_\_\_\_ routine flushing.

Is \_\_\_\_ possible to \_\_\_\_ us \_\_\_\_ scheduled \_\_\_\_ advance?  
 \_\_\_\_ to tell us \_\_\_\_ advance of scheduled \_\_\_\_?

Would \_\_\_\_ be \_\_\_\_ for \_\_\_\_ us about \_\_\_\_ upkeep work \_\_\_\_ it \_\_\_\_?

Inform us in advance \_\_\_\_ regular \_\_\_\_.

Are \_\_\_\_ us know \_\_\_\_ planned flushes?  
 \_\_\_\_ possible \_\_\_\_ us know in \_\_\_\_ of \_\_\_\_ line flushes?

Please let \_\_\_\_ maintenance, \_\_\_\_ flush.  
 \_\_\_\_ need \_\_\_\_ about maintenance tasks \_\_\_\_ flushing.  
 \_\_\_\_ we \_\_\_\_ in advance \_\_\_\_ maintenance tasks will \_\_\_\_?  
 \_\_\_\_ there be \_\_\_\_ before standard \_\_\_\_?  
 \_\_\_\_ can be done \_\_\_\_ to \_\_\_\_ notification \_\_\_\_ flush.

Inform \_\_\_\_ regular \_\_\_\_ such \_\_\_\_ flushing.

Is \_\_\_\_ any \_\_\_\_ we \_\_\_\_ get \_\_\_\_ notice \_\_\_\_ planned \_\_\_\_?  
 \_\_\_\_ before scheduled \_\_\_\_ cleanings.

Can \_\_\_\_ us about \_\_\_\_ early?

Can you \_\_\_\_ heads \_\_\_\_ about \_\_\_\_ tasks?

Can \_\_\_\_ let the public \_\_\_\_ regular \_\_\_\_ maintenance \_\_\_\_ on?  
 \_\_\_\_ you \_\_\_\_ us \_\_\_\_ to \_\_\_\_ flushing?  
 \_\_\_\_ for you \_\_\_\_ know about regular \_\_\_\_ work, such \_\_\_\_ the process of \_\_\_\_ flushes?  
 \_\_\_\_ want \_\_\_\_ to be \_\_\_\_ on routine flushing \_\_\_\_?  
 \_\_\_\_ in \_\_\_\_ about \_\_\_\_ plumbing cleaning.  
 \_\_\_\_ could \_\_\_\_ the \_\_\_\_ know about regular \_\_\_\_ maintenance \_\_\_\_.  
 \_\_\_\_ helpful to \_\_\_\_ notified of flushing \_\_\_\_.  
 \_\_\_\_ let \_\_\_\_ about the \_\_\_\_ flushing?

Is \_\_\_\_ to inform us \_\_\_\_ of \_\_\_\_ line flush?

You \_\_\_\_ inform \_\_\_\_ in \_\_\_\_ of \_\_\_\_ cleanings.

Is \_\_\_\_ you to inform \_\_\_\_ about scheduled \_\_\_\_?

Did \_\_\_\_ have plans for \_\_\_\_ know \_\_\_\_ days \_\_\_\_ flushing?

Is \_\_\_\_ a way you can \_\_\_\_ about \_\_\_\_?  
 \_\_\_\_ us \_\_\_\_ about \_\_\_\_ flush maintenance.  
 \_\_\_\_ you able \_\_\_\_ us a heads up before \_\_\_\_?  
 \_\_\_\_ can be made \_\_\_\_ prior \_\_\_\_ of \_\_\_\_ flushes.  
 \_\_\_\_ of \_\_\_\_ could \_\_\_\_ tell us \_\_\_\_ maintenance tasks \_\_\_\_?  
 \_\_\_\_ us know \_\_\_\_ plumbing cleanings  
 \_\_\_\_ possible \_\_\_\_ warn about the \_\_\_\_ toilet \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to give us prior notice \_\_\_\_?  
 \_\_\_\_ about regular flushing \_\_\_\_ advance.  
 \_\_\_\_ for \_\_\_\_ to \_\_\_\_ know about \_\_\_\_ upkeep \_\_\_\_ like the water \_\_\_\_ process?

Are we \_\_\_\_ to \_\_\_\_ advance of \_\_\_\_ pipe cleaning \_\_\_\_?

Is \_\_\_\_ advance notice \_\_\_\_ flushing \_\_\_\_?  
 \_\_\_\_ planning can \_\_\_\_ thanks \_\_\_\_ notification \_\_\_\_ recurring flushes.

Better planning could be \_\_\_\_ notification of \_\_\_\_.

Can you \_\_\_\_ know \_\_\_\_ what \_\_\_\_ tasks are \_\_\_\_ up?  
 \_\_\_\_ scheduling regular flush maintenance, \_\_\_\_ know in \_\_\_\_.  
 \_\_\_\_ let \_\_\_\_ know \_\_\_\_ flush maintenance will \_\_\_\_.  
 \_\_\_\_ would be helpful \_\_\_\_ notification \_\_\_\_ flushing tasks.  
 \_\_\_\_ let \_\_\_\_ know \_\_\_\_ actions like flushing.

Inform us about \_\_\_\_ before \_\_\_\_.

Do you \_\_\_\_ regular \_\_\_\_ like flush \_\_\_\_ scheduled?  
 \_\_\_\_ in advance of regular \_\_\_\_.

We want \_\_\_\_\_ notice of \_\_\_\_\_.

\_\_\_\_\_ you notify?

Should we know \_\_\_\_\_ standard \_\_\_\_\_ will occur?

Can you \_\_\_\_\_ the \_\_\_\_\_ know about \_\_\_\_\_ early?

Would \_\_\_\_\_ possible to \_\_\_\_\_ us know \_\_\_\_\_ will \_\_\_\_\_ chores?

How \_\_\_\_\_ make \_\_\_\_\_ we receive \_\_\_\_\_ notifications \_\_\_\_\_ flushings?

\_\_\_\_\_ be aware \_\_\_\_\_ scheduled \_\_\_\_\_ to planning?

\_\_\_\_\_ you give \_\_\_\_\_ a heads \_\_\_\_\_ about the \_\_\_\_\_?

Early \_\_\_\_\_ of regular \_\_\_\_\_ would be \_\_\_\_\_.

Is it \_\_\_\_\_ inform us about scheduled \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ about planned \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ it's reasonable \_\_\_\_\_ let \_\_\_\_\_ like me \_\_\_\_\_ when \_\_\_\_\_ plan on \_\_\_\_\_ out \_\_\_\_\_?

We \_\_\_\_\_ be aware of \_\_\_\_\_ such as \_\_\_\_\_.

Can you \_\_\_\_\_ us \_\_\_\_\_ maintenance?

\_\_\_\_\_ happen \_\_\_\_\_ of the prior \_\_\_\_\_ of recurring \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ advance \_\_\_\_\_ maintenance tasks \_\_\_\_\_ as flushing?

\_\_\_\_\_ we receive \_\_\_\_\_ flush \_\_\_\_\_?

\_\_\_\_\_ get \_\_\_\_\_ heads-up about \_\_\_\_\_ maintenance \_\_\_\_\_?

\_\_\_\_\_ should be \_\_\_\_\_ intimation of \_\_\_\_\_.

Can \_\_\_\_\_ notice \_\_\_\_\_ maintenance?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ about those \_\_\_\_\_ events?

Can you \_\_\_\_\_ us \_\_\_\_\_ your scheduled maintenance \_\_\_\_\_?

\_\_\_\_\_ you want to \_\_\_\_\_ regular flushing \_\_\_\_\_ plans \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ people \_\_\_\_\_ about regular \_\_\_\_\_?

You could inform the \_\_\_\_\_ about \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ before ordinary \_\_\_\_\_ procedures?

Let \_\_\_\_\_ know if \_\_\_\_\_ regular flush \_\_\_\_\_.

We should be informed \_\_\_\_\_ regular \_\_\_\_\_.

Will you let us \_\_\_\_\_ going \_\_\_\_\_ maintenance tasks?

\_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ in advance \_\_\_\_\_ maintenance \_\_\_\_\_ flushing.

\_\_\_\_\_ can we \_\_\_\_\_ we \_\_\_\_\_ notifications when \_\_\_\_\_ are regular \_\_\_\_\_?

Is \_\_\_\_\_ let \_\_\_\_\_ know before \_\_\_\_\_ scheduled flush?

Is it possible for you to \_\_\_\_\_ a \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to receive \_\_\_\_\_ notification \_\_\_\_\_ and pipe \_\_\_\_\_ activities?

Inform \_\_\_\_\_ advance \_\_\_\_\_ plans.

Is \_\_\_\_\_ to get \_\_\_\_\_ notification \_\_\_\_\_ pipe cleaning \_\_\_\_\_?

We should \_\_\_\_\_ notified \_\_\_\_\_ when \_\_\_\_\_ regular flushing \_\_\_\_\_.

It would be \_\_\_\_\_ if \_\_\_\_\_ got \_\_\_\_\_ of \_\_\_\_\_ tasks.

\_\_\_\_\_ give \_\_\_\_\_ a \_\_\_\_\_ plumbing cleanings.

Is it possible \_\_\_\_\_ us a \_\_\_\_\_ up on flush-related \_\_\_\_\_?

You \_\_\_\_\_ of plumbing \_\_\_\_\_.

Let \_\_\_\_\_ know if you're \_\_\_\_\_ scheduling \_\_\_\_\_ flush \_\_\_\_\_.

\_\_\_\_\_ able \_\_\_\_\_ us know in \_\_\_\_\_ of regular \_\_\_\_\_ tasks like \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ you know about \_\_\_\_\_ maintenance \_\_\_\_\_ flushes.

\_\_\_\_\_ standard \_\_\_\_\_ exercises \_\_\_\_\_ will there \_\_\_\_\_ prior intimation?

\_\_\_\_\_ tell \_\_\_\_\_ about maintenance \_\_\_\_\_ early?

Could you \_\_\_\_\_ know \_\_\_\_\_ regular \_\_\_\_\_ early?

You should \_\_\_\_\_ maintenance like \_\_\_\_\_.

\_\_\_\_\_ possible for you \_\_\_\_\_ give us advance \_\_\_\_\_ of flush-related \_\_\_\_\_.

\_\_\_\_\_ cleaning exercises can \_\_\_\_\_ there \_\_\_\_\_ intimation?

Please \_\_\_\_\_ in advance \_\_\_\_\_ cleaning.

Could \_\_\_\_\_ be \_\_\_\_\_ maintenance activities?

\_\_\_\_\_ flushes that you can \_\_\_\_\_ us \_\_\_\_\_?

\_\_\_\_\_ planning \_\_\_\_\_ by prior \_\_\_\_\_ recurring flushes.

\_\_\_\_\_ alert prior \_\_\_\_\_ maintenance?

\_\_\_\_\_ it \_\_\_\_\_ us to be \_\_\_\_\_ for maintenance duties?

\_\_\_\_\_ us about the \_\_\_\_\_ like \_\_\_\_\_.

\_\_\_\_\_ about the \_\_\_\_\_ maintenance tasks?

\_\_\_\_\_ should \_\_\_\_\_ alert about \_\_\_\_\_ such as \_\_\_\_\_.

Is \_\_\_\_\_ to give us \_\_\_\_\_ up \_\_\_\_\_ the regular \_\_\_\_\_?

\_\_\_\_\_ it possible for you \_\_\_\_\_ let \_\_\_\_\_ normal types \_\_\_\_\_ duties \_\_\_\_\_ the scheduled \_\_\_\_\_?

Can \_\_\_\_\_ forewarning \_\_\_\_\_ service \_\_\_\_\_?

We would \_\_\_\_\_ informed \_\_\_\_\_ of activities \_\_\_\_\_ as flushing.

Do you \_\_\_\_\_ plans for letting \_\_\_\_\_ there \_\_\_\_\_ days?

\_\_\_\_\_ to be \_\_\_\_\_ regular tasks, such \_\_\_\_\_ flush.

\_\_\_\_\_ be updated \_\_\_\_\_ routine \_\_\_\_\_ tasks, please?

Let \_\_\_\_\_ when \_\_\_\_\_ be able to \_\_\_\_\_ flush \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ a heads \_\_\_\_\_ before the scheduled \_\_\_\_\_?

Is it \_\_\_\_\_ you to tell \_\_\_\_\_ tasks \_\_\_\_\_ time?

Please inform \_\_\_\_\_ the plumbing \_\_\_\_\_.

Better planning \_\_\_\_\_ achieved if you \_\_\_\_\_ prior \_\_\_\_\_ flushes.

Does it \_\_\_\_\_ sense \_\_\_\_\_ you \_\_\_\_\_ let us \_\_\_\_\_ the \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ us \_\_\_\_\_ the flush-related upkeep \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ could tell the \_\_\_\_\_ maintenance plans \_\_\_\_\_.

We \_\_\_\_\_ know in \_\_\_\_\_ regular maintenance \_\_\_\_\_ flushing.

\_\_\_\_\_ it \_\_\_\_\_ you to \_\_\_\_\_ advance information on \_\_\_\_\_ tasks?

Planning \_\_\_\_\_ can \_\_\_\_\_ cleanings.

\_\_\_\_\_ advance notice \_\_\_\_\_ regular \_\_\_\_\_ a flushing appointment?

\_\_\_\_\_ we be \_\_\_\_\_ flushes next \_\_\_\_\_?

We can \_\_\_\_\_ ahead if \_\_\_\_\_ us \_\_\_\_\_ in \_\_\_\_\_ of maintenance \_\_\_\_\_.

Can \_\_\_\_\_ a heads-up on \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ plumbing upkeep \_\_\_\_\_ flushes.

You should \_\_\_\_\_ notice of \_\_\_\_\_.

\_\_\_\_\_ is possible for you to \_\_\_\_\_ the scheduled \_\_\_\_\_.

Would \_\_\_\_\_ possible \_\_\_\_\_ to tell \_\_\_\_\_ about \_\_\_\_\_ upkeep tasks?

\_\_\_\_\_ would appreciate \_\_\_\_\_ you \_\_\_\_\_ inform us in \_\_\_\_\_ plumbing \_\_\_\_\_.

Is \_\_\_\_\_ plan \_\_\_\_\_ letting \_\_\_\_\_ know \_\_\_\_\_ flush days?

\_\_\_\_\_ to receive prior notification \_\_\_\_\_ pipe \_\_\_\_\_ activities?

\_\_\_\_\_ possible for you \_\_\_\_\_ us about \_\_\_\_\_ normal servicing \_\_\_\_\_ of \_\_\_\_\_?

Before \_\_\_\_\_ cleaning \_\_\_\_\_ place, \_\_\_\_\_ there \_\_\_\_\_ an intimation?

\_\_\_\_\_ a \_\_\_\_\_ for us to \_\_\_\_\_ notification \_\_\_\_\_ flushing tasks.

\_\_\_\_\_ we expect a heads up \_\_\_\_\_?

\_\_\_\_\_ it make sense \_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ flushes?

\_\_\_\_\_ can \_\_\_\_\_ us know about \_\_\_\_\_ flushes?

Inform in \_\_\_\_\_ plans

\_\_\_\_\_ it possible to inform \_\_\_\_\_ scheduled \_\_\_\_\_?

Please let \_\_\_\_\_ plumbing \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ you to give us advance notice \_\_\_\_\_ tasks?

\_\_\_\_\_ it possible to inform us \_\_\_\_\_?

Are you \_\_\_\_\_ inform us \_\_\_\_\_ advance \_\_\_\_\_ tasks such \_\_\_\_\_?

Is it possible for you \_\_\_\_\_ inform \_\_\_\_\_ about \_\_\_\_\_ duties?

\_\_\_\_\_ notifications about \_\_\_\_\_ including \_\_\_\_\_.

Is it possible to let us \_\_\_\_\_ be maintenance \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ to receive notification on \_\_\_\_\_ and \_\_\_\_\_ cleaning \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ exercises \_\_\_\_\_ will there be prior \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ regarding \_\_\_\_\_ service procedures?

Prior to \_\_\_\_\_ maintenance tasks, \_\_\_\_\_ we \_\_\_\_\_ notified?

\_\_\_\_\_ we \_\_\_\_\_ of maintenance activities?

We \_\_\_\_\_ in advance of \_\_\_\_\_ flush maintenance.

\_\_\_\_\_ could \_\_\_\_\_ the public of regular \_\_\_\_\_ early.

\_\_\_\_\_ it \_\_\_\_\_ to let \_\_\_\_\_ know about \_\_\_\_\_ flushes prior \_\_\_\_\_?

Is there \_\_\_\_\_ plan for \_\_\_\_\_ days of \_\_\_\_\_?

Can you \_\_\_\_\_ about upcoming flushes and \_\_\_\_\_?

\_\_\_\_\_ for us to \_\_\_\_\_ given prior notice for \_\_\_\_\_?

We \_\_\_\_\_ like to \_\_\_\_\_ advance \_\_\_\_\_ flushing.

Please let \_\_\_\_\_ know so \_\_\_\_\_ regular \_\_\_\_\_ maintenance.

\_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ about \_\_\_\_\_ maintenance tasks such \_\_\_\_\_.

How can \_\_\_\_\_ be \_\_\_\_\_ get timely notifications about \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ let us know \_\_\_\_\_ your \_\_\_\_\_ work before it \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ get advance notice \_\_\_\_\_?

Is it \_\_\_\_\_ to know \_\_\_\_\_ next \_\_\_\_\_?

\_\_\_\_\_ to give us information \_\_\_\_\_ flush-related upkeep tasks?

Is \_\_\_\_\_ possible \_\_\_\_\_ we can \_\_\_\_\_ advance \_\_\_\_\_ maintenance?

\_\_\_\_\_ want \_\_\_\_\_ about \_\_\_\_\_ in advance.

\_\_\_\_\_ it possible for \_\_\_\_\_ inform \_\_\_\_\_ about regular \_\_\_\_\_ work, including \_\_\_\_\_?

Would \_\_\_\_\_ be \_\_\_\_\_ you to \_\_\_\_\_ about regular \_\_\_\_\_ work \_\_\_\_\_ water flushes?

\_\_\_\_\_ we \_\_\_\_\_ notice for standard \_\_\_\_\_?

There should \_\_\_\_\_ before \_\_\_\_\_ cleaning exercises \_\_\_\_\_.

\_\_\_\_\_ you in advance \_\_\_\_\_ the \_\_\_\_\_ flush?

\_\_\_\_\_ possible to let \_\_\_\_\_ know \_\_\_\_\_ flushing maintenance \_\_\_\_\_ early?

\_\_\_\_\_ is \_\_\_\_\_ in advance \_\_\_\_\_ regular \_\_\_\_\_ maintenance plans.

\_\_\_\_\_ would be \_\_\_\_\_ if we received notification \_\_\_\_\_.

\_\_\_\_\_ we get advanced \_\_\_\_\_ normal \_\_\_\_\_?

\_\_\_\_\_ you give \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ flushes?

\_\_\_\_\_ regular flush maintenance, please \_\_\_\_\_ know \_\_\_\_\_ advance.

Don't \_\_\_\_\_ to let \_\_\_\_\_ when you're going to \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ us early \_\_\_\_\_ maintenance work?

Do you \_\_\_\_\_ of \_\_\_\_\_ about upcoming \_\_\_\_\_ and \_\_\_\_\_ routine \_\_\_\_\_?

\_\_\_\_\_ let us \_\_\_\_\_ flush \_\_\_\_\_ will be.

\_\_\_\_\_ it possible \_\_\_\_\_ will inform \_\_\_\_\_ about scheduled \_\_\_\_\_?

Please tell \_\_\_\_\_ about \_\_\_\_\_ tasks, \_\_\_\_\_?

Do \_\_\_\_\_ any \_\_\_\_\_ for letting \_\_\_\_\_ about the \_\_\_\_\_ flushing?

Please tell \_\_\_\_\_ about the routine flushing \_\_\_\_\_?

\_\_\_\_\_ find out \_\_\_\_\_ advance when standard \_\_\_\_\_ will \_\_\_\_\_?

\_\_\_\_\_ wondering if \_\_\_\_\_ could get advance \_\_\_\_\_ for \_\_\_\_\_.

You \_\_\_\_\_ tell us \_\_\_\_\_ the \_\_\_\_\_ flushes \_\_\_\_\_.

\_\_\_\_\_ me \_\_\_\_\_ on upcoming procedures?

Inform \_\_\_\_\_ of \_\_\_\_\_ flushing maintenance.

Regular \_\_\_\_\_ maintenance \_\_\_\_\_ should \_\_\_\_\_ public \_\_\_\_\_.

Let \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ any chance you \_\_\_\_\_ warn \_\_\_\_\_ scheduled toilet \_\_\_\_\_?  
 can we have forewarning \_\_\_\_\_?  
 \_\_\_\_\_ about regular \_\_\_\_\_ flushing.  
 \_\_\_\_\_ would like \_\_\_\_\_ know \_\_\_\_\_ flushes before we \_\_\_\_\_.  
 Can \_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ regular \_\_\_\_\_ tasks?  
 \_\_\_\_\_ be informed \_\_\_\_\_ routine tasks \_\_\_\_\_ line flushes?  
 \_\_\_\_\_ give us a heads \_\_\_\_\_ ahead \_\_\_\_\_?  
 \_\_\_\_\_ regular tasks, \_\_\_\_\_ as flushing.  
 Should we \_\_\_\_\_ on common \_\_\_\_\_ pipe \_\_\_\_\_ activities?  
 Planning \_\_\_\_\_ advise before \_\_\_\_\_ cleanings.  
 Can we \_\_\_\_\_ water line flushes before \_\_\_\_\_ happen?  
 \_\_\_\_\_ notice of routine flushing.  
 \_\_\_\_\_ for letting us know \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ be prior intimation for \_\_\_\_\_ cleaning \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to inform \_\_\_\_\_ of \_\_\_\_\_ types \_\_\_\_\_ servicing duties \_\_\_\_\_ time?  
 \_\_\_\_\_ you \_\_\_\_\_ let us know \_\_\_\_\_ of \_\_\_\_\_ tasks like flushing?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ you \_\_\_\_\_ us advance \_\_\_\_\_ of \_\_\_\_\_ tasks?  
 \_\_\_\_\_ advance \_\_\_\_\_ of \_\_\_\_\_ flush.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ advance notice for regular \_\_\_\_\_ appointments?  
 It would be nice to know \_\_\_\_\_ as \_\_\_\_\_.  
 \_\_\_\_\_ you give \_\_\_\_\_ up \_\_\_\_\_ the scheduled maintenance?  
 When planning \_\_\_\_\_ maintenance, \_\_\_\_\_ us in \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ inform us \_\_\_\_\_ regular upkeep \_\_\_\_\_ including the process \_\_\_\_\_ water \_\_\_\_\_?  
 How \_\_\_\_\_ make \_\_\_\_\_ we \_\_\_\_\_ about regular flushes?  
 Is it possible \_\_\_\_\_ get notice of \_\_\_\_\_?  
 \_\_\_\_\_ us \_\_\_\_\_ flushing for our arrangement.  
 \_\_\_\_\_ about \_\_\_\_\_ actions like flushing.  
 \_\_\_\_\_ us know if there \_\_\_\_\_ routine flush.  
 \_\_\_\_\_ we \_\_\_\_\_ prior notice \_\_\_\_\_ procedures?  
 Is it possible for \_\_\_\_\_ know before \_\_\_\_\_?  
 We would like \_\_\_\_\_ be \_\_\_\_\_ of \_\_\_\_\_ flushing \_\_\_\_\_.  
 Let us \_\_\_\_\_ can schedule regular flush \_\_\_\_\_.  
 \_\_\_\_\_ planning \_\_\_\_\_ achieved by early \_\_\_\_\_ of recurring \_\_\_\_\_.  
 It \_\_\_\_\_ for us \_\_\_\_\_ notified of flushing \_\_\_\_\_.  
 \_\_\_\_\_ willing to give \_\_\_\_\_ a heads \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ there a \_\_\_\_\_ you'll warn \_\_\_\_\_ scheduled \_\_\_\_\_?  
 \_\_\_\_\_ us in \_\_\_\_\_ flushing are scheduled?  
 \_\_\_\_\_ you able to inform \_\_\_\_\_ planned \_\_\_\_\_?  
 Tell \_\_\_\_\_ we are \_\_\_\_\_?  
 Do \_\_\_\_\_ information \_\_\_\_\_ scheduled flushes \_\_\_\_\_ to \_\_\_\_\_ planning?  
 Is there \_\_\_\_\_ way to \_\_\_\_\_ about regular \_\_\_\_\_?  
 Before \_\_\_\_\_ standard \_\_\_\_\_ exercises \_\_\_\_\_ there be \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ could get \_\_\_\_\_ before a \_\_\_\_\_ activity?  
 Should \_\_\_\_\_ regarding \_\_\_\_\_ maintenance procedures?  
 \_\_\_\_\_ you let us \_\_\_\_\_ about \_\_\_\_\_ flushes?  
 \_\_\_\_\_ we get prior notice \_\_\_\_\_?  
 We \_\_\_\_\_ plan \_\_\_\_\_ you let \_\_\_\_\_ in advance of \_\_\_\_\_ maintenance \_\_\_\_\_.  
 Will \_\_\_\_\_ let us \_\_\_\_\_ when you're \_\_\_\_\_ to \_\_\_\_\_ maintenance \_\_\_\_\_?  
 Can we receive \_\_\_\_\_ common \_\_\_\_\_ and pipe \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ any \_\_\_\_\_ about routine \_\_\_\_\_ as flushing?

\_\_\_\_\_ like to be \_\_\_\_\_ about \_\_\_\_\_ upkeep activities \_\_\_\_\_ as \_\_\_\_\_.

Should \_\_\_\_\_ advise \_\_\_\_\_ cleanings?

\_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ were \_\_\_\_\_ in advance \_\_\_\_\_ flushing.

Please \_\_\_\_\_ us know \_\_\_\_\_ maintain \_\_\_\_\_ like \_\_\_\_\_.

\_\_\_\_\_ us \_\_\_\_\_ about regular \_\_\_\_\_ maintenance plans?

Is it possible \_\_\_\_\_ us \_\_\_\_\_ maintenance tasks?

Is \_\_\_\_\_ to \_\_\_\_\_ prior \_\_\_\_\_ on sewage \_\_\_\_\_ cleaning?

You \_\_\_\_\_ chance to \_\_\_\_\_ about \_\_\_\_\_ events.

\_\_\_\_\_ you \_\_\_\_\_ us know about the \_\_\_\_\_ are flushed?

Give us \_\_\_\_\_ flush.

\_\_\_\_\_ can \_\_\_\_\_ sure we get \_\_\_\_\_ the \_\_\_\_\_ flushings?

\_\_\_\_\_ let \_\_\_\_\_ in advance \_\_\_\_\_ routine flushes \_\_\_\_\_.

Is \_\_\_\_\_ can tell us \_\_\_\_\_ flushes?

\_\_\_\_\_ there \_\_\_\_\_ heads up prior \_\_\_\_\_ scheduled \_\_\_\_\_ activities?

Mind \_\_\_\_\_ a \_\_\_\_\_ flushin'?

Can you \_\_\_\_\_ us \_\_\_\_\_ of \_\_\_\_\_ upkeep tasks?

Is it \_\_\_\_\_ to inform us \_\_\_\_\_ maintenance \_\_\_\_\_?

Do \_\_\_\_\_ have any plans \_\_\_\_\_ letting us know \_\_\_\_\_?

We \_\_\_\_\_ your \_\_\_\_\_ scheduling \_\_\_\_\_ maintenance.

Do you have \_\_\_\_\_ to warn \_\_\_\_\_ scheduled \_\_\_\_\_?

Do you \_\_\_\_\_ to give \_\_\_\_\_ about \_\_\_\_\_ flushes?

Would \_\_\_\_\_ to \_\_\_\_\_ us know about regular upkeep \_\_\_\_\_ water flush?

\_\_\_\_\_ let us \_\_\_\_\_ the routine \_\_\_\_\_ tasks \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ achieved due to \_\_\_\_\_ of recurring flushes.

\_\_\_\_\_ request \_\_\_\_\_ heads-up about maintenance \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ notice for \_\_\_\_\_?

\_\_\_\_\_ the planning, \_\_\_\_\_ us \_\_\_\_\_ the scheduled flushes?

\_\_\_\_\_ it possible we \_\_\_\_\_ advanced warning \_\_\_\_\_?

\_\_\_\_\_ of time \_\_\_\_\_ be \_\_\_\_\_ for maintenance \_\_\_\_\_?

\_\_\_\_\_ advance of regular flushing \_\_\_\_\_

\_\_\_\_\_ when \_\_\_\_\_ time for maintenance \_\_\_\_\_.

Could \_\_\_\_\_ the \_\_\_\_\_ know about \_\_\_\_\_ flushing maintenance \_\_\_\_\_?

Can \_\_\_\_\_ in advance \_\_\_\_\_ will \_\_\_\_\_?

\_\_\_\_\_ regular maintenance \_\_\_\_\_ as \_\_\_\_\_ let us \_\_\_\_\_.

\_\_\_\_\_ would \_\_\_\_\_ if we were \_\_\_\_\_ of \_\_\_\_\_ tasks.

\_\_\_\_\_ let us \_\_\_\_\_ in \_\_\_\_\_ of regular maintenance \_\_\_\_\_ like \_\_\_\_\_?

How can \_\_\_\_\_ make \_\_\_\_\_ get timely \_\_\_\_\_ flushings?

Could \_\_\_\_\_ notice \_\_\_\_\_ to maintenance?

\_\_\_\_\_ let \_\_\_\_\_ in advance about your \_\_\_\_\_.

\_\_\_\_\_ we receive \_\_\_\_\_ activities?

Can \_\_\_\_\_ notice \_\_\_\_\_ maintenance duties?

\_\_\_\_\_ an advanced \_\_\_\_\_ normal maintenance?

We \_\_\_\_\_ be \_\_\_\_\_ scheduling \_\_\_\_\_ flushing.

We need \_\_\_\_\_ be \_\_\_\_\_ advance \_\_\_\_\_ flushing maintenance.

\_\_\_\_\_ you \_\_\_\_\_ us in advance \_\_\_\_\_ tasks \_\_\_\_\_ that we \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ heads \_\_\_\_\_ before \_\_\_\_\_ flushes?

Can \_\_\_\_\_ tell \_\_\_\_\_ time about \_\_\_\_\_ maintenance?

Do \_\_\_\_\_ inform \_\_\_\_\_ on routine \_\_\_\_\_ tasks?

Inform \_\_\_\_\_ like flushing.

\_\_\_\_\_ let us \_\_\_\_\_ of time about \_\_\_\_\_ tasks.

Would it \_\_\_\_\_ tell us about \_\_\_\_\_ upkeep work, \_\_\_\_\_ water flush?  
 \_\_\_\_\_ us \_\_\_\_\_ before the \_\_\_\_\_.

Can \_\_\_\_\_ know about \_\_\_\_\_ work \_\_\_\_\_?

Please \_\_\_\_\_ us know \_\_\_\_\_ if you \_\_\_\_\_ planning \_\_\_\_\_ flushing \_\_\_\_\_.

\_\_\_\_\_ regular flushing \_\_\_\_\_ inform us in \_\_\_\_\_.

\_\_\_\_\_ you have any plans \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ that are \_\_\_\_\_?

We should \_\_\_\_\_ aware of \_\_\_\_\_ as \_\_\_\_\_.

Is \_\_\_\_\_ you \_\_\_\_\_ us know about the \_\_\_\_\_?

Please \_\_\_\_\_ about \_\_\_\_\_ plumbing cleanings

Better \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ of recurring flush.

Is \_\_\_\_\_ possible for you \_\_\_\_\_ know \_\_\_\_\_ upkeep tasks?

Let us \_\_\_\_\_ about \_\_\_\_\_.

\_\_\_\_\_ about regular \_\_\_\_\_ like flushed \_\_\_\_\_ our arrangement.

Better planning can \_\_\_\_\_ assisted \_\_\_\_\_ recurring flushes.

\_\_\_\_\_ us know \_\_\_\_\_ regular flushing \_\_\_\_\_?

Can \_\_\_\_\_ know about \_\_\_\_\_ next \_\_\_\_\_ go?

\_\_\_\_\_ need to know \_\_\_\_\_ before we \_\_\_\_\_.

Can you \_\_\_\_\_ the scheduled maintenance \_\_\_\_\_?

\_\_\_\_\_ us \_\_\_\_\_ in advance \_\_\_\_\_ scheduled maintenance?

Can we \_\_\_\_\_ a heads up \_\_\_\_\_?

Is there any chance \_\_\_\_\_ we could \_\_\_\_\_ maintenance?

Will we \_\_\_\_\_ advanced \_\_\_\_\_ normal \_\_\_\_\_?

\_\_\_\_\_ you let us \_\_\_\_\_ flushing?

\_\_\_\_\_ access to \_\_\_\_\_ on common \_\_\_\_\_ pipe cleaning activities?

Is it possible \_\_\_\_\_ have forewarning \_\_\_\_\_?

Can you \_\_\_\_\_ before regular \_\_\_\_\_?

\_\_\_\_\_ of routine flushing \_\_\_\_\_ happen, please?

Is \_\_\_\_\_ to let us know \_\_\_\_\_ advance about \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ sure we \_\_\_\_\_ about regular flushings?

Is \_\_\_\_\_ for you to let \_\_\_\_\_ know \_\_\_\_\_ normal \_\_\_\_\_ of \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ letting us \_\_\_\_\_ the days of flushing?

\_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ us know \_\_\_\_\_ advance \_\_\_\_\_ a scheduled flush?

\_\_\_\_\_ you \_\_\_\_\_ maintenance?

Is \_\_\_\_\_ possible to \_\_\_\_\_ in advance of \_\_\_\_\_?

\_\_\_\_\_ regular flushing maintenance plans.

\_\_\_\_\_ planning can \_\_\_\_\_ achieved \_\_\_\_\_ earlier \_\_\_\_\_ of \_\_\_\_\_ flush.

\_\_\_\_\_ us \_\_\_\_\_ of the \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ tell us \_\_\_\_\_ regular flushing \_\_\_\_\_ tasks?

\_\_\_\_\_ it \_\_\_\_\_ get timely \_\_\_\_\_ regular flushings.

Let us \_\_\_\_\_ if \_\_\_\_\_ schedule regular \_\_\_\_\_ maintenance.

\_\_\_\_\_ it possible \_\_\_\_\_ to \_\_\_\_\_ of sewage and \_\_\_\_\_ cleaning activities?

\_\_\_\_\_ prior to maintenance?

\_\_\_\_\_ us in \_\_\_\_\_ flushing \_\_\_\_\_ is \_\_\_\_\_.

Is \_\_\_\_\_ get prior \_\_\_\_\_ on \_\_\_\_\_ activities?

\_\_\_\_\_ it possible for \_\_\_\_\_ to \_\_\_\_\_ us of normal servicing \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ us \_\_\_\_\_ of time \_\_\_\_\_ routine maintenance?

Could \_\_\_\_\_ receive \_\_\_\_\_ prior \_\_\_\_\_ activity?

Is it possible \_\_\_\_\_ could \_\_\_\_\_ of \_\_\_\_\_ upkeep tasks?

\_\_\_\_\_ there a \_\_\_\_\_ to \_\_\_\_\_ about \_\_\_\_\_ next \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ flushing \_\_\_\_\_ plans could \_\_\_\_\_ beneficial.



Please \_\_\_\_\_ about \_\_\_\_\_ routine flushing \_\_\_\_\_.

Are we \_\_\_\_\_ in advance of sewage \_\_\_\_\_ activities?

\_\_\_\_\_ you know about the \_\_\_\_\_ like \_\_\_\_\_ arrangement?

Is \_\_\_\_\_ you \_\_\_\_\_ alert us about \_\_\_\_\_ types of servicing \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ flushing \_\_\_\_\_ could be \_\_\_\_\_ earlier.

\_\_\_\_\_ maintenance procedures, \_\_\_\_\_ you give us \_\_\_\_\_?

Should you \_\_\_\_\_ about \_\_\_\_\_?

Is it \_\_\_\_\_ get notification \_\_\_\_\_ common sewage \_\_\_\_\_ pipe \_\_\_\_\_?

Regular \_\_\_\_\_ be disclosed earlier?

Ahead of time, \_\_\_\_\_ know \_\_\_\_\_ maintenance tasks?

Please \_\_\_\_\_ us \_\_\_\_\_ in advance \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ intimation before standard \_\_\_\_\_?

\_\_\_\_\_ planning regular flushing \_\_\_\_\_ should \_\_\_\_\_ us in \_\_\_\_\_.

We should \_\_\_\_\_ like flushing for \_\_\_\_\_ arrangement.

Are you \_\_\_\_\_ about \_\_\_\_\_ toilet events?

\_\_\_\_\_ it \_\_\_\_\_ to get \_\_\_\_\_ like flush pipes?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ prior notice \_\_\_\_\_ maintenance?

\_\_\_\_\_ plan \_\_\_\_\_ if you inform \_\_\_\_\_ of maintenance chores.

\_\_\_\_\_ for you to \_\_\_\_\_ of scheduled flush?

\_\_\_\_\_ it \_\_\_\_\_ to receive prior \_\_\_\_\_ on pipe \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ for us \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ flushing?

\_\_\_\_\_ know \_\_\_\_\_ next flushes?

If \_\_\_\_\_ feel like \_\_\_\_\_ some so-called \_\_\_\_\_ flushin' nonsense, \_\_\_\_\_ let us \_\_\_\_\_?

Inform \_\_\_\_\_ to \_\_\_\_\_ tasks, such \_\_\_\_\_.

Can you give \_\_\_\_\_ up on \_\_\_\_\_?

\_\_\_\_\_ let the \_\_\_\_\_ about regular flushing maintenance \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ when there will be \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ by \_\_\_\_\_ notification of \_\_\_\_\_.

Should \_\_\_\_\_ prior notification \_\_\_\_\_ upkeep \_\_\_\_\_?

Will \_\_\_\_\_ before the \_\_\_\_\_?

Is it possible \_\_\_\_\_ us to be \_\_\_\_\_ tasks?

\_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ the scheduled flushes \_\_\_\_\_ to \_\_\_\_\_?

It would benefit \_\_\_\_\_ if \_\_\_\_\_ made \_\_\_\_\_ flushed.

Is \_\_\_\_\_ for you to \_\_\_\_\_ know \_\_\_\_\_ scheduled flush?

Do you \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ about \_\_\_\_\_ flushing?

\_\_\_\_\_ given \_\_\_\_\_ in advance \_\_\_\_\_ maintenance?

Is \_\_\_\_\_ possible \_\_\_\_\_ you to \_\_\_\_\_ us \_\_\_\_\_ maintenance tasks?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ us a \_\_\_\_\_ before we have \_\_\_\_\_?

\_\_\_\_\_ you want us \_\_\_\_\_ be \_\_\_\_\_ routine \_\_\_\_\_ tasks?

Before \_\_\_\_\_ you \_\_\_\_\_?

Is there \_\_\_\_\_ chance \_\_\_\_\_ you \_\_\_\_\_ warn about the \_\_\_\_\_?

\_\_\_\_\_ be disclosed early.

Inform \_\_\_\_\_ the \_\_\_\_\_ cleanings.

\_\_\_\_\_ give me information \_\_\_\_\_ other routine upkeep?

Before \_\_\_\_\_ maintenance, \_\_\_\_\_ you \_\_\_\_\_ us?

\_\_\_\_\_ you \_\_\_\_\_ to tell us \_\_\_\_\_ flush?

Can \_\_\_\_\_ give me a \_\_\_\_\_ and other routine \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ about \_\_\_\_\_ next \_\_\_\_\_?

Do \_\_\_\_\_ a chance \_\_\_\_\_ those \_\_\_\_\_ toilet events?

\_\_\_\_\_ possible to tell us \_\_\_\_\_ water line \_\_\_\_\_ happens?

\_\_\_\_\_ we \_\_\_\_\_ advance notice \_\_\_\_\_ planned \_\_\_\_\_?

Better planning \_\_\_\_\_ because of \_\_\_\_\_ of recurring \_\_\_\_\_.

\_\_\_\_\_ us \_\_\_\_\_ the \_\_\_\_\_ right?

Why don't \_\_\_\_\_ let us know prior \_\_\_\_\_ some \_\_\_\_\_ nonsense?

\_\_\_\_\_ know about maintenance tasks \_\_\_\_\_.

Better planning can happen \_\_\_\_\_ prior notification \_\_\_\_\_.

\_\_\_\_\_ when regular flush maintenance will \_\_\_\_\_ done.

\_\_\_\_\_ we \_\_\_\_\_ to get \_\_\_\_\_ of \_\_\_\_\_ maintenance?

We \_\_\_\_\_ prior notification about \_\_\_\_\_ such as \_\_\_\_\_.

\_\_\_\_\_ give \_\_\_\_\_ of routine flushes.

\_\_\_\_\_ a warning \_\_\_\_\_ ordinary service \_\_\_\_\_?

\_\_\_\_\_ know when \_\_\_\_\_ flush \_\_\_\_\_ will be.

Do \_\_\_\_\_ want \_\_\_\_\_ us \_\_\_\_\_ routine flushing \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ upcoming \_\_\_\_\_ and other routine upkeep?

\_\_\_\_\_ you able \_\_\_\_\_ us know \_\_\_\_\_ the scheduled \_\_\_\_\_?

You \_\_\_\_\_ to tell us \_\_\_\_\_ maintenance tasks \_\_\_\_\_ as \_\_\_\_\_.

Can \_\_\_\_\_ give us a \_\_\_\_\_ a \_\_\_\_\_ job?

How \_\_\_\_\_ make sure \_\_\_\_\_ we \_\_\_\_\_ of regular flushings?

Better \_\_\_\_\_ achieved \_\_\_\_\_ prior notification \_\_\_\_\_ reoccurring flushes.

We would like \_\_\_\_\_ can \_\_\_\_\_ prior \_\_\_\_\_ common sewage and pipe \_\_\_\_\_.

\_\_\_\_\_ should \_\_\_\_\_ updated prior to routine \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ about regular \_\_\_\_\_ as flushes.

Is it \_\_\_\_\_ us \_\_\_\_\_ heads \_\_\_\_\_ maintenance tasks \_\_\_\_\_ as flushing?

\_\_\_\_\_ give us \_\_\_\_\_ up on the \_\_\_\_\_.

Can you let us \_\_\_\_\_ advance \_\_\_\_\_ tasks \_\_\_\_\_ plan ahead?

\_\_\_\_\_ us a heads \_\_\_\_\_ on \_\_\_\_\_ routine \_\_\_\_\_ tasks?

\_\_\_\_\_ be prepared \_\_\_\_\_ the \_\_\_\_\_ start?

Can we \_\_\_\_\_ in \_\_\_\_\_ when upkeep \_\_\_\_\_ will \_\_\_\_\_?

We want \_\_\_\_\_ know \_\_\_\_\_ we \_\_\_\_\_ advance notice for \_\_\_\_\_.

\_\_\_\_\_ know \_\_\_\_\_ scheduled \_\_\_\_\_ prior \_\_\_\_\_ the planning?

\_\_\_\_\_ like to \_\_\_\_\_ notified in \_\_\_\_\_ as flushing.

\_\_\_\_\_ possible \_\_\_\_\_ you to let \_\_\_\_\_ about the upkeep \_\_\_\_\_ it \_\_\_\_\_?

Is it \_\_\_\_\_ to get \_\_\_\_\_ notifications \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a heads-up \_\_\_\_\_ upcoming \_\_\_\_\_?

How \_\_\_\_\_ be sure we \_\_\_\_\_ regular flushings?

Should \_\_\_\_\_ on upcoming flushes?

How \_\_\_\_\_ we make \_\_\_\_\_ get notifications about \_\_\_\_\_?

\_\_\_\_\_ regularflush maintenance in \_\_\_\_\_.

\_\_\_\_\_ to get \_\_\_\_\_ notifications on common \_\_\_\_\_ and \_\_\_\_\_ cleaning \_\_\_\_\_?

Do \_\_\_\_\_ plans \_\_\_\_\_ let \_\_\_\_\_ know about a flushing \_\_\_\_\_?

Do you \_\_\_\_\_ flushing maintenance?

\_\_\_\_\_ about the next flushes?

Is it possible for \_\_\_\_\_ know \_\_\_\_\_ normal \_\_\_\_\_ duties before \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ notified \_\_\_\_\_ maintenance likeflush.

Can we \_\_\_\_\_ for \_\_\_\_\_ work?

\_\_\_\_\_ regular \_\_\_\_\_ such as flushes.

\_\_\_\_\_ us \_\_\_\_\_ when \_\_\_\_\_ schedule \_\_\_\_\_ flush maintenance.

Is it possible to \_\_\_\_\_ scheduled \_\_\_\_\_ in \_\_\_\_\_?

Inform in \_\_\_\_\_ the planned \_\_\_\_\_.

\_\_\_\_\_ be an \_\_\_\_\_ a \_\_\_\_\_ exercise?

Will there \_\_\_\_\_ before \_\_\_\_\_ cleaning exercises?

Can \_\_\_\_\_ us \_\_\_\_\_ a \_\_\_\_\_ on maintenance?

Please \_\_\_\_\_ to be updated on the \_\_\_\_\_.

Planning \_\_\_\_\_ advise before \_\_\_\_\_ cleanings

Will you give \_\_\_\_\_ heads-up \_\_\_\_\_?

Is \_\_\_\_\_ possible for you to let \_\_\_\_\_ about \_\_\_\_\_ prior \_\_\_\_\_?

\_\_\_\_\_ possible for \_\_\_\_\_ get prior \_\_\_\_\_ maintenance duties?

Is \_\_\_\_\_ possible \_\_\_\_\_ us to \_\_\_\_\_ notified on common sewage \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ maintenance like flushing.

\_\_\_\_\_ know in \_\_\_\_\_ about \_\_\_\_\_ flush?

Can \_\_\_\_\_ advance when the maintenance \_\_\_\_\_ happen?

Can we \_\_\_\_\_ upkeep \_\_\_\_\_ occur?

Should \_\_\_\_\_ let \_\_\_\_\_ about \_\_\_\_\_ flushes \_\_\_\_\_ to planning?

\_\_\_\_\_ know about regular \_\_\_\_\_ as flushing.

\_\_\_\_\_ in advance \_\_\_\_\_ flushes \_\_\_\_\_.

\_\_\_\_\_ want \_\_\_\_\_ know about \_\_\_\_\_ maintenance, \_\_\_\_\_.

Please \_\_\_\_\_ plumbing work \_\_\_\_\_ flushes.

Would \_\_\_\_\_ be \_\_\_\_\_ us an \_\_\_\_\_ of flush-related \_\_\_\_\_ tasks?

\_\_\_\_\_ advance \_\_\_\_\_ scheduled \_\_\_\_\_ you \_\_\_\_\_ us?

\_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ us about scheduled \_\_\_\_\_.

\_\_\_\_\_ us \_\_\_\_\_ if \_\_\_\_\_ be scheduling regular flush \_\_\_\_\_.

I wonder \_\_\_\_\_ warn about those \_\_\_\_\_ toilet \_\_\_\_\_?

\_\_\_\_\_ be given \_\_\_\_\_ in advance \_\_\_\_\_ maintenance \_\_\_\_\_?

Does \_\_\_\_\_ know if \_\_\_\_\_ get \_\_\_\_\_ on common \_\_\_\_\_ pipe \_\_\_\_\_ activities?

We \_\_\_\_\_ ahead \_\_\_\_\_ let us \_\_\_\_\_ in advance about \_\_\_\_\_.

How can we be \_\_\_\_\_ notifications about \_\_\_\_\_?

\_\_\_\_\_ possible for you \_\_\_\_\_ know about \_\_\_\_\_ upkeep work \_\_\_\_\_ process of water \_\_\_\_\_?

Let us \_\_\_\_\_ regular \_\_\_\_\_.

Is it possible to \_\_\_\_\_ notified \_\_\_\_\_ time \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ to get advance \_\_\_\_\_ planned maintenance?

Is \_\_\_\_\_ us to get advance \_\_\_\_\_ for \_\_\_\_\_?

Ahead \_\_\_\_\_ time, \_\_\_\_\_ tell us \_\_\_\_\_ maintenance?

Is \_\_\_\_\_ we \_\_\_\_\_ be \_\_\_\_\_ notice \_\_\_\_\_ to maintenance \_\_\_\_\_?

Is it \_\_\_\_\_ before a \_\_\_\_\_ line flush?

\_\_\_\_\_ there any plans \_\_\_\_\_ know \_\_\_\_\_ the days of \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to be informed \_\_\_\_\_ water \_\_\_\_\_?

We \_\_\_\_\_ warned \_\_\_\_\_ regular \_\_\_\_\_ such as flushing.

Do \_\_\_\_\_ have \_\_\_\_\_ information about \_\_\_\_\_ flushes prior \_\_\_\_\_?

Please \_\_\_\_\_ regular \_\_\_\_\_ such as \_\_\_\_\_.

Inform \_\_\_\_\_ in \_\_\_\_\_ is a scheduled \_\_\_\_\_ cleaning.

Planning \_\_\_\_\_ can \_\_\_\_\_ before \_\_\_\_\_ routine \_\_\_\_\_?

We would \_\_\_\_\_ prior notification \_\_\_\_\_ activities \_\_\_\_\_ as \_\_\_\_\_.

\_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ routine \_\_\_\_\_ tasks.

\_\_\_\_\_ warn \_\_\_\_\_ the \_\_\_\_\_ toilet events?

\_\_\_\_\_ can \_\_\_\_\_ ahead \_\_\_\_\_ you \_\_\_\_\_ in advance of \_\_\_\_\_ like flushing.

Better \_\_\_\_\_ be \_\_\_\_\_ by prior \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ the routine flush.

\_\_\_\_\_ able \_\_\_\_\_ give us prior notice for \_\_\_\_\_?

\_\_\_\_\_ let us \_\_\_\_\_ in \_\_\_\_\_ about \_\_\_\_\_ tasks.

\_\_\_\_\_ be notified prior \_\_\_\_\_ upkeep \_\_\_\_\_ such \_\_\_\_\_ fushing?

You \_\_\_\_ let the \_\_\_\_ the regular \_\_\_\_ maintenance plans \_\_\_\_.  
 \_\_\_\_ you tell \_\_\_\_ before \_\_\_\_?  
 \_\_\_\_ standard cleaning \_\_\_\_ will \_\_\_\_ be \_\_\_\_ intimation?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ us about your \_\_\_\_ servicing duties \_\_\_\_?  
 Is \_\_\_\_ possible to get \_\_\_\_ notification \_\_\_\_ sewage and \_\_\_\_?  
 \_\_\_\_ it possible to let people know \_\_\_\_ maintenance \_\_\_\_?  
 \_\_\_\_ us \_\_\_\_ regular maintenance like flushing?  
 \_\_\_\_ able \_\_\_\_ tell \_\_\_\_ ahead of time about \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ regular \_\_\_\_ maintenance plans early?  
 It would \_\_\_\_ great if you \_\_\_\_ tell regular \_\_\_\_.  
 Is \_\_\_\_ standard cleaning exercises \_\_\_\_?  
 Are you \_\_\_\_ let us know \_\_\_\_ prior \_\_\_\_ planning?  
 You \_\_\_\_ notice of routine \_\_\_\_.  
 How \_\_\_\_ know when \_\_\_\_ happen?  
 \_\_\_\_ you \_\_\_\_ to \_\_\_\_ us about the \_\_\_\_?  
 \_\_\_\_ plumbing cleanings \_\_\_\_ scheduled.  
 \_\_\_\_ in \_\_\_\_ for regular flush \_\_\_\_.  
 \_\_\_\_ we be \_\_\_\_ in \_\_\_\_ of \_\_\_\_?  
 Please let \_\_\_\_ know \_\_\_\_ on routine \_\_\_\_ tasks.  
 \_\_\_\_ us know \_\_\_\_ regular \_\_\_\_ be scheduled.  
 \_\_\_\_ intimation before \_\_\_\_ cleaning \_\_\_\_ happen?  
 \_\_\_\_ regular flushing maintenance \_\_\_\_ early \_\_\_\_.  
 \_\_\_\_ it possible \_\_\_\_ to give \_\_\_\_ advance \_\_\_\_ about \_\_\_\_ servicing \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ chance \_\_\_\_ will warn about \_\_\_\_ events?  
 Is \_\_\_\_ to \_\_\_\_ given prior notice for \_\_\_\_ maintenance?  
 Do you \_\_\_\_ in advance \_\_\_\_ and \_\_\_\_ routine \_\_\_\_?  
 \_\_\_\_ notice of the \_\_\_\_ flushing.  
 Do we know \_\_\_\_ for \_\_\_\_ tasks \_\_\_\_ flushing?  
 \_\_\_\_ we \_\_\_\_ aware \_\_\_\_ standard upkeep work \_\_\_\_ occur?  
 You should tell us \_\_\_\_ flushes prior \_\_\_\_.  
 You \_\_\_\_ regular flushing \_\_\_\_ early.  
 \_\_\_\_ you have plans \_\_\_\_ telling \_\_\_\_ flushing \_\_\_\_?  
 Is \_\_\_\_ possible to \_\_\_\_ us \_\_\_\_ time \_\_\_\_ water line \_\_\_\_?  
 \_\_\_\_ about maintenance tasks?  
 \_\_\_\_ a \_\_\_\_ warn about \_\_\_\_ scheduled toilet events.  
 \_\_\_\_ give advance notice of \_\_\_\_.  
 \_\_\_\_ inform \_\_\_\_ in \_\_\_\_ of maintenance tasks \_\_\_\_ we can \_\_\_\_.  
 \_\_\_\_ should \_\_\_\_ warned \_\_\_\_ regular tasks such \_\_\_\_.  
 \_\_\_\_ possible to \_\_\_\_ routine tasks before \_\_\_\_ happen?  
 Is \_\_\_\_ chance of \_\_\_\_ about those \_\_\_\_ toilet \_\_\_\_?  
 Can \_\_\_\_ heads up regarding \_\_\_\_?  
 \_\_\_\_ me a \_\_\_\_ upcoming flushes?  
 \_\_\_\_ we \_\_\_\_ prior \_\_\_\_ upkeep \_\_\_\_ such as flushings?  
 \_\_\_\_ us about routine \_\_\_\_.  
 \_\_\_\_ about \_\_\_\_ flush maintenance.  
 Is it possible \_\_\_\_ could tell \_\_\_\_ flushing \_\_\_\_?  
 Is there a way \_\_\_\_ scheduled flushes?  
 Better \_\_\_\_ can be \_\_\_\_ notification \_\_\_\_ recurring flushing.  
 Would \_\_\_\_ to let \_\_\_\_ know when there \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ it possible to \_\_\_\_ flushing?

\_\_\_\_\_ give us \_\_\_\_\_ up about \_\_\_\_\_ such as flushing?  
 \_\_\_\_\_ planning \_\_\_\_\_ created by \_\_\_\_\_ notification of recurring \_\_\_\_\_.  
 Prior to planning \_\_\_\_\_ tell \_\_\_\_\_ about \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ notice \_\_\_\_\_ appointments?  
 \_\_\_\_\_ us know in advance \_\_\_\_\_ maintenance tasks?  
 Is it possible \_\_\_\_\_ to \_\_\_\_\_ about \_\_\_\_\_ flushing?  
 \_\_\_\_\_ let us \_\_\_\_\_ about the \_\_\_\_\_?  
 \_\_\_\_\_ in advance \_\_\_\_\_ the flushing \_\_\_\_\_.  
 \_\_\_\_\_ tell before a \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to give \_\_\_\_\_ prior notice of maintenance \_\_\_\_\_?  
 \_\_\_\_\_ there any chance \_\_\_\_\_ about \_\_\_\_\_ toilet \_\_\_\_\_?  
 Can \_\_\_\_\_ know in advance when \_\_\_\_\_ work \_\_\_\_\_?  
 \_\_\_\_\_ can you \_\_\_\_\_ before \_\_\_\_\_ certain \_\_\_\_\_?  
 We \_\_\_\_\_ to \_\_\_\_\_ get \_\_\_\_\_ about regular flushings.  
 \_\_\_\_\_ we got notification \_\_\_\_\_ flushing tasks, \_\_\_\_\_ would \_\_\_\_\_.  
 \_\_\_\_\_ request a \_\_\_\_\_ about normal \_\_\_\_\_ procedures?  
 \_\_\_\_\_ we \_\_\_\_\_ warned \_\_\_\_\_ ordinary \_\_\_\_\_ occur?  
 Would \_\_\_\_\_ possible \_\_\_\_\_ you \_\_\_\_\_ let \_\_\_\_\_ know about \_\_\_\_\_ work like \_\_\_\_\_ flushes?  
 \_\_\_\_\_ receive warnings \_\_\_\_\_ normal maintenance \_\_\_\_\_?  
 \_\_\_\_\_ us \_\_\_\_\_ cleanings.  
 \_\_\_\_\_ get advanced notification \_\_\_\_\_ flushes tasks, \_\_\_\_\_ would \_\_\_\_\_.  
 Can \_\_\_\_\_ us \_\_\_\_\_ in \_\_\_\_\_ of maintenance \_\_\_\_\_ so we \_\_\_\_\_?  
 \_\_\_\_\_ can let \_\_\_\_\_ the scheduled \_\_\_\_\_.  
 Are we \_\_\_\_\_ advance \_\_\_\_\_ for regular \_\_\_\_\_?  
 Is it \_\_\_\_\_ we \_\_\_\_\_ notice prior \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to tell \_\_\_\_\_ flushing \_\_\_\_\_ plans \_\_\_\_\_?  
 Are you able to \_\_\_\_\_ us \_\_\_\_\_ tasks \_\_\_\_\_ flushing?  
 \_\_\_\_\_ there \_\_\_\_\_ prior to cleaning \_\_\_\_\_?  
 Do we \_\_\_\_\_ to \_\_\_\_\_ notified about \_\_\_\_\_ as flushings?  
 \_\_\_\_\_ warn \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ you give us \_\_\_\_\_ up \_\_\_\_\_?  
 \_\_\_\_\_ can be \_\_\_\_\_ with prior notification \_\_\_\_\_ recurring \_\_\_\_\_.  
 \_\_\_\_\_ need \_\_\_\_\_ routine flushing \_\_\_\_\_ please.  
 Inform \_\_\_\_\_ the regular flushing \_\_\_\_\_.  
 Ahead \_\_\_\_\_ time, could \_\_\_\_\_ about your scheduled \_\_\_\_\_?  
 \_\_\_\_\_ us \_\_\_\_\_ if you'd \_\_\_\_\_ to \_\_\_\_\_ maintenance.  
 We \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ about \_\_\_\_\_ plumbing \_\_\_\_\_.  
 Inform \_\_\_\_\_ before \_\_\_\_\_ scheduled \_\_\_\_\_ flushing.  
 Is it \_\_\_\_\_ you \_\_\_\_\_ inform us about normal \_\_\_\_\_ duties \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ maintenance \_\_\_\_\_ to be notified.  
 \_\_\_\_\_ should know \_\_\_\_\_ regular \_\_\_\_\_ like flushing \_\_\_\_\_ our \_\_\_\_\_.  
 Should \_\_\_\_\_ warned \_\_\_\_\_ normal \_\_\_\_\_ like flush?  
 \_\_\_\_\_ we get \_\_\_\_\_ activities?  
 \_\_\_\_\_ us in advance \_\_\_\_\_ regular flushing maintenance.  
 Can \_\_\_\_\_ when \_\_\_\_\_ work will \_\_\_\_\_?  
 We need \_\_\_\_\_ be aware of \_\_\_\_\_ please?  
 Can you \_\_\_\_\_ us \_\_\_\_\_ about \_\_\_\_\_ work?  
 \_\_\_\_\_ possible \_\_\_\_\_ to let us know \_\_\_\_\_ upkeep \_\_\_\_\_ as the water flushes?  
 Before \_\_\_\_\_ cleaning exercises occur \_\_\_\_\_ warning?  
 Could \_\_\_\_\_ be \_\_\_\_\_ to routine maintenance \_\_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ about \_\_\_\_ before it \_\_\_\_?

You should let the \_\_\_\_ know \_\_\_\_ maintenance \_\_\_\_ early \_\_\_\_.

\_\_\_\_ it possible \_\_\_\_ us know in advance \_\_\_\_ will be \_\_\_\_?

\_\_\_\_ notified in \_\_\_\_ of maintenance tasks \_\_\_\_ flushing.

\_\_\_\_ have \_\_\_\_ for \_\_\_\_ us know \_\_\_\_ flush days?

Is it \_\_\_\_ you to \_\_\_\_ know \_\_\_\_ scheduled \_\_\_\_?

\_\_\_\_ would like to \_\_\_\_ notified in \_\_\_\_ like \_\_\_\_.

\_\_\_\_ be possible \_\_\_\_ give \_\_\_\_ a heads up \_\_\_\_ tasks?

We are \_\_\_\_ get advance notice \_\_\_\_ planned \_\_\_\_.

Will we \_\_\_\_ warning \_\_\_\_ maintenance?

\_\_\_\_ us more \_\_\_\_ about \_\_\_\_ flushes?

\_\_\_\_ able to \_\_\_\_ cleanings?

\_\_\_\_ we be \_\_\_\_ to get \_\_\_\_ the \_\_\_\_ flushings?

We \_\_\_\_ by forewarning \_\_\_\_ like flushing.

\_\_\_\_ to let us \_\_\_\_ of maintenance tasks?

Would \_\_\_\_ possible \_\_\_\_ give \_\_\_\_ an \_\_\_\_ notice of \_\_\_\_ tasks?

\_\_\_\_ we be \_\_\_\_ when there \_\_\_\_ be \_\_\_\_?

We \_\_\_\_ of regular flushes maintenance.

\_\_\_\_ you \_\_\_\_ plans to \_\_\_\_ know \_\_\_\_ are flushing days?

We want \_\_\_\_ know \_\_\_\_ we \_\_\_\_ get \_\_\_\_ notification on \_\_\_\_ pipe \_\_\_\_.

\_\_\_\_ us \_\_\_\_ of \_\_\_\_ flush maintenance.

\_\_\_\_ it \_\_\_\_ we \_\_\_\_ know \_\_\_\_ flushes next \_\_\_\_?

You \_\_\_\_ be \_\_\_\_ to warn about those \_\_\_\_.

I \_\_\_\_ like \_\_\_\_ you will \_\_\_\_ about the \_\_\_\_ events.

Please let \_\_\_\_ in advance \_\_\_\_ like flushing.

Next time \_\_\_\_ we \_\_\_\_?

\_\_\_\_ get advance \_\_\_\_ for \_\_\_\_ maintenance?

\_\_\_\_ us know when regular \_\_\_\_ maintenance is \_\_\_\_.

\_\_\_\_ it \_\_\_\_ about \_\_\_\_ upkeep \_\_\_\_ including \_\_\_\_ process of water flushes?

Better \_\_\_\_ made \_\_\_\_ of \_\_\_\_ of recurring flushes.

Can \_\_\_\_ get \_\_\_\_ before \_\_\_\_ flush activities start?

\_\_\_\_ to inform us \_\_\_\_ of time about \_\_\_\_ line \_\_\_\_?

Please \_\_\_\_ us \_\_\_\_ scheduled plumbing \_\_\_\_.

We \_\_\_\_ like to \_\_\_\_ routine \_\_\_\_ as flushing.

Let us \_\_\_\_ advance \_\_\_\_ plumbing \_\_\_\_.

\_\_\_\_ you give \_\_\_\_ advance \_\_\_\_ maintenance?

\_\_\_\_ know when \_\_\_\_ need regular \_\_\_\_.

We \_\_\_\_ to give \_\_\_\_ notice \_\_\_\_.

\_\_\_\_ let \_\_\_\_ know \_\_\_\_ maintenance starts?

Will we \_\_\_\_ given \_\_\_\_ normal maintenance \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ you to let us \_\_\_\_ the \_\_\_\_ flushing

When \_\_\_\_ feel like kicking \_\_\_\_ some \_\_\_\_ regular \_\_\_\_ nonsense, \_\_\_\_ can't you \_\_\_\_?

Better \_\_\_\_ be done \_\_\_\_ prior \_\_\_\_ flushes.

Better planning will \_\_\_\_ aided by \_\_\_\_ notification \_\_\_\_.

Before \_\_\_\_ cleaning \_\_\_\_ occur, \_\_\_\_ there \_\_\_\_ prior \_\_\_\_?

\_\_\_\_ it possible to \_\_\_\_ notified \_\_\_\_ such \_\_\_\_ flushing?

Is there a way to \_\_\_\_ occur?

\_\_\_\_ informed \_\_\_\_ routine tasks like water \_\_\_\_ flushes?

Is \_\_\_\_ we \_\_\_\_ get advance notice for \_\_\_\_?

\_\_\_\_ it possible to \_\_\_\_ heads \_\_\_\_ before the \_\_\_\_ activities?

Is it \_\_\_\_ to \_\_\_\_ regular \_\_\_\_ plans \_\_\_\_ on?  
 \_\_\_\_ to \_\_\_\_ us \_\_\_\_ tasks ahead of time?  
 \_\_\_\_ us \_\_\_\_ the regular flush \_\_\_\_ take place.  
 Need to \_\_\_\_ routine \_\_\_\_ tasks, \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ if we \_\_\_\_ receive prior \_\_\_\_ common sewage \_\_\_\_ pipe cleaning \_\_\_\_.  
 \_\_\_\_ would \_\_\_\_ if you gave \_\_\_\_ notice \_\_\_\_ flushing.  
 Please let \_\_\_\_ in \_\_\_\_ of \_\_\_\_ tasks.  
 \_\_\_\_ be \_\_\_\_ notice in advance \_\_\_\_ work?  
 \_\_\_\_ we know \_\_\_\_ when \_\_\_\_ work will occur?  
 \_\_\_\_ you \_\_\_\_ us know about scheduled maintenance?  
 \_\_\_\_ advance notice \_\_\_\_ the \_\_\_\_.  
 \_\_\_\_ us \_\_\_\_ of flushing \_\_\_\_.  
 We \_\_\_\_ like to \_\_\_\_ scheduled flushes \_\_\_\_.  
 \_\_\_\_ must \_\_\_\_ us \_\_\_\_ about \_\_\_\_ cleanings.  
 We \_\_\_\_ told \_\_\_\_ flushing, okay?  
 You should inform \_\_\_\_ about the \_\_\_\_ plans.  
 Would \_\_\_\_ let \_\_\_\_ know \_\_\_\_ tasks before they happen?  
 \_\_\_\_ you tell us \_\_\_\_ that are \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ of \_\_\_\_ there will be regular flush \_\_\_\_.  
 \_\_\_\_ you give \_\_\_\_ a \_\_\_\_ on flushes \_\_\_\_ other \_\_\_\_?  
 Should \_\_\_\_ ask for \_\_\_\_ regarding \_\_\_\_ as flushings?  
 Would \_\_\_\_ be possible for you \_\_\_\_ know in \_\_\_\_ about \_\_\_\_?  
 Is \_\_\_\_ possible for you \_\_\_\_ let \_\_\_\_ know \_\_\_\_ regular \_\_\_\_ such \_\_\_\_ water \_\_\_\_?  
 Can \_\_\_\_ give \_\_\_\_ heads up ahead of \_\_\_\_ scheduled \_\_\_\_?  
 Will there \_\_\_\_ the cleaning exercises \_\_\_\_?  
 \_\_\_\_ about the next flush \_\_\_\_ we \_\_\_\_?  
 \_\_\_\_ could warn \_\_\_\_ the \_\_\_\_ toilet \_\_\_\_.  
 \_\_\_\_ you \_\_\_\_ to know about \_\_\_\_ actions \_\_\_\_ flushing?  
 \_\_\_\_ it possible to \_\_\_\_ on \_\_\_\_ and pipe \_\_\_\_ activities?  
 \_\_\_\_ notify us in advance \_\_\_\_ maintenance tasks \_\_\_\_ flush?  
 Is it possible for \_\_\_\_ of \_\_\_\_ the usual \_\_\_\_ duties?  
 Let \_\_\_\_ know \_\_\_\_ advance of \_\_\_\_.  
 Will we be informed before the \_\_\_\_?  
 \_\_\_\_ planning is \_\_\_\_ by \_\_\_\_ recurring flushes.  
 \_\_\_\_ you \_\_\_\_ any chance to warn \_\_\_\_ scheduled \_\_\_\_?  
 Is \_\_\_\_ you'll \_\_\_\_ those scheduled \_\_\_\_ events?  
 For standard \_\_\_\_ you give \_\_\_\_ notice?  
 Would it \_\_\_\_ possible for \_\_\_\_ let us \_\_\_\_ upkeep \_\_\_\_ water flushes?  
 \_\_\_\_ in \_\_\_\_ plumbing cleanings.  
 Better planning can \_\_\_\_ notification of \_\_\_\_ flush.  
 Could \_\_\_\_ us a heads up \_\_\_\_?  
 \_\_\_\_ we make sure \_\_\_\_ we \_\_\_\_ notification \_\_\_\_ regular \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ before they happen.  
 \_\_\_\_ it possible to \_\_\_\_ us \_\_\_\_ scheduled \_\_\_\_ time?  
 Is \_\_\_\_ possible for \_\_\_\_ know ahead \_\_\_\_ about scheduled flushing?  
 Will \_\_\_\_ advanced \_\_\_\_ for normal \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ possible \_\_\_\_ let \_\_\_\_ when there will be \_\_\_\_?  
 Inform us \_\_\_\_ tasks so \_\_\_\_ can \_\_\_\_ ahead.  
 \_\_\_\_ it possible \_\_\_\_ let \_\_\_\_ know \_\_\_\_ it's \_\_\_\_ maintenance?  
 Is \_\_\_\_ a \_\_\_\_ warning \_\_\_\_ standard cleaning \_\_\_\_?

\_\_\_\_\_ to get prior \_\_\_\_\_ on \_\_\_\_\_ sewage activities?  
 Will \_\_\_\_\_ warning for normal \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ inform us early about \_\_\_\_\_ work?  
 Could \_\_\_\_\_ know ahead \_\_\_\_\_ time about \_\_\_\_\_ maintenance?  
 Could \_\_\_\_\_ receive \_\_\_\_\_ maintenance \_\_\_\_\_?  
 Will we know in \_\_\_\_\_ standard upkeep \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ advance \_\_\_\_\_ about normal types \_\_\_\_\_ duties?  
 \_\_\_\_\_ let us \_\_\_\_\_ need \_\_\_\_\_ flush.  
 Prior \_\_\_\_\_ activities could \_\_\_\_\_ receive \_\_\_\_\_?  
 \_\_\_\_\_ it possible you \_\_\_\_\_ inform \_\_\_\_\_ about \_\_\_\_\_?  
 Can \_\_\_\_\_ know in \_\_\_\_\_ when \_\_\_\_\_ can \_\_\_\_\_ for maintenance tasks?  
 We need you \_\_\_\_\_ advance \_\_\_\_\_ the \_\_\_\_\_.  
 Better planning can be \_\_\_\_\_ the \_\_\_\_\_ notification of \_\_\_\_\_.  
 \_\_\_\_\_ the upcoming flushes next time?  
 We \_\_\_\_\_ able \_\_\_\_\_ advance notification \_\_\_\_\_ flush-related upkeep \_\_\_\_\_.  
 \_\_\_\_\_ should \_\_\_\_\_ know about \_\_\_\_\_ flushes \_\_\_\_\_ to \_\_\_\_\_ planning.  
 Let \_\_\_\_\_ when regular \_\_\_\_\_ maintenance will \_\_\_\_\_.  
 \_\_\_\_\_ know before the \_\_\_\_\_.  
 \_\_\_\_\_ like kicking off some \_\_\_\_\_ flushin' nonsense, \_\_\_\_\_ can't \_\_\_\_\_ let \_\_\_\_\_ know?  
 Tell \_\_\_\_\_ for \_\_\_\_\_ arrangement.  
 When \_\_\_\_\_ cleaning exercises \_\_\_\_\_ will there \_\_\_\_\_ prior \_\_\_\_\_?  
 Let us know \_\_\_\_\_ regular flushing \_\_\_\_\_.  
 Can \_\_\_\_\_ give us \_\_\_\_\_ head start \_\_\_\_\_?  
 Can we be sure in \_\_\_\_\_ happen?  
 \_\_\_\_\_ we \_\_\_\_\_ notified ahead of \_\_\_\_\_?  
 Is there \_\_\_\_\_ for normal \_\_\_\_\_ undertakings \_\_\_\_\_ flush?  
 Are \_\_\_\_\_ given \_\_\_\_\_ notice of \_\_\_\_\_ upkeep like \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ make sure \_\_\_\_\_ are \_\_\_\_\_ of \_\_\_\_\_ flushings?  
 \_\_\_\_\_ possible that \_\_\_\_\_ could \_\_\_\_\_ a maintenance activity?  
 \_\_\_\_\_ on letting us \_\_\_\_\_ about \_\_\_\_\_ of flushing?  
 Inform \_\_\_\_\_ scheduled maintenance \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ before \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ notice of the \_\_\_\_\_.  
 \_\_\_\_\_ when the maintenance \_\_\_\_\_?  
 \_\_\_\_\_ us about regular \_\_\_\_\_ like flushed \_\_\_\_\_ arrangement?  
 Can we know ahead \_\_\_\_\_ when \_\_\_\_\_ will \_\_\_\_\_?  
 \_\_\_\_\_ have any information on scheduled \_\_\_\_\_?  
 Can \_\_\_\_\_ give me a \_\_\_\_\_ other maintenance?  
 \_\_\_\_\_ it possible \_\_\_\_\_ be \_\_\_\_\_ prior notice \_\_\_\_\_?  
 Inform \_\_\_\_\_ flushing \_\_\_\_\_ plans.  
 How \_\_\_\_\_ don't \_\_\_\_\_ timely \_\_\_\_\_ about regular \_\_\_\_\_?  
 Can you \_\_\_\_\_ upcoming procedures?  
 \_\_\_\_\_ it \_\_\_\_\_ let \_\_\_\_\_ know about \_\_\_\_\_ scheduled flush?  
 \_\_\_\_\_ there a \_\_\_\_\_ the flush \_\_\_\_\_?  
 Is it \_\_\_\_\_ you \_\_\_\_\_ let \_\_\_\_\_ before \_\_\_\_\_ flush?  
 Can you \_\_\_\_\_ of scheduled \_\_\_\_\_?  
 We would \_\_\_\_\_ gave us advance notice \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ us \_\_\_\_\_ if regular \_\_\_\_\_ activities like flushing \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ you to give us \_\_\_\_\_ notification \_\_\_\_\_ tasks?  
 Can \_\_\_\_\_ give \_\_\_\_\_ notice for \_\_\_\_\_?



\_\_\_\_\_ it \_\_\_\_\_ to inform us about \_\_\_\_\_ upkeep work, \_\_\_\_\_ water \_\_\_\_\_?

Please let us \_\_\_\_\_ when \_\_\_\_\_ regular \_\_\_\_\_ will \_\_\_\_\_.

Are \_\_\_\_\_ able to \_\_\_\_\_ us \_\_\_\_\_ prior \_\_\_\_\_ flushing?

Are \_\_\_\_\_ before some cleanings?

Is \_\_\_\_\_ that we could \_\_\_\_\_ notice \_\_\_\_\_ maintenance \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ us about the \_\_\_\_\_ like \_\_\_\_\_?

Please \_\_\_\_\_ in \_\_\_\_\_ regular \_\_\_\_\_ maintenance.

Can \_\_\_\_\_ us \_\_\_\_\_ heads-up about \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ maintenance \_\_\_\_\_ earlier?

Could \_\_\_\_\_ be given \_\_\_\_\_ the \_\_\_\_\_?

Would it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ us know \_\_\_\_\_ upcoming \_\_\_\_\_?

\_\_\_\_\_ to be told \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ you be \_\_\_\_\_ to tell \_\_\_\_\_ about maintenance \_\_\_\_\_ such \_\_\_\_\_?

\_\_\_\_\_ you plan to \_\_\_\_\_ out routine \_\_\_\_\_ tasks \_\_\_\_\_?

\_\_\_\_\_ us know \_\_\_\_\_ tasks before they \_\_\_\_\_?

\_\_\_\_\_ us prior notice \_\_\_\_\_ maintenance \_\_\_\_\_.

\_\_\_\_\_ you tell \_\_\_\_\_ the \_\_\_\_\_?

Is it possible \_\_\_\_\_ to \_\_\_\_\_ us \_\_\_\_\_ the scheduled \_\_\_\_\_?

Will \_\_\_\_\_ us \_\_\_\_\_ up \_\_\_\_\_ maintenance?

\_\_\_\_\_ planning \_\_\_\_\_ be accomplished because of \_\_\_\_\_ recurring \_\_\_\_\_.

\_\_\_\_\_ planning \_\_\_\_\_ achieved \_\_\_\_\_ of recurring flushes.

Is \_\_\_\_\_ you \_\_\_\_\_ tell us \_\_\_\_\_ regular \_\_\_\_\_ maintenance tasks?

\_\_\_\_\_ we be \_\_\_\_\_ advance of maintenance \_\_\_\_\_ such \_\_\_\_\_?

Would you be \_\_\_\_\_ to let \_\_\_\_\_ scheduled \_\_\_\_\_?

Will there \_\_\_\_\_ cleaning \_\_\_\_\_ occur?

Would \_\_\_\_\_ be possible \_\_\_\_\_ to \_\_\_\_\_ know when \_\_\_\_\_ are flush-related \_\_\_\_\_?

\_\_\_\_\_ about \_\_\_\_\_ next \_\_\_\_\_ before the event?

Is \_\_\_\_\_ advance \_\_\_\_\_ upkeep \_\_\_\_\_ flushes?

\_\_\_\_\_ possible to inform \_\_\_\_\_ water line flushes \_\_\_\_\_ happens?

We \_\_\_\_\_ be informed \_\_\_\_\_ advance \_\_\_\_\_ plumbing \_\_\_\_\_.

Can \_\_\_\_\_ us in advance \_\_\_\_\_ work?

\_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ up \_\_\_\_\_ upcoming \_\_\_\_\_ other maintenance?

Do you \_\_\_\_\_ information about \_\_\_\_\_?

Is \_\_\_\_\_ advance notice \_\_\_\_\_ like \_\_\_\_\_?

Is it possible \_\_\_\_\_ us \_\_\_\_\_ of maintenance \_\_\_\_\_?

Please give \_\_\_\_\_ notice for \_\_\_\_\_.

\_\_\_\_\_ there regular flushing \_\_\_\_\_ tell us?

Will \_\_\_\_\_ warning for \_\_\_\_\_ maintenance?

\_\_\_\_\_ should \_\_\_\_\_ regular tasks, such \_\_\_\_\_ flushing.

\_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ advance \_\_\_\_\_ plumbing cleanings.

Let \_\_\_\_\_ before \_\_\_\_\_

Is it possible \_\_\_\_\_ us \_\_\_\_\_ days?

\_\_\_\_\_ is \_\_\_\_\_ idea to give \_\_\_\_\_ of the \_\_\_\_\_ flush.

\_\_\_\_\_ it possible \_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ scheduled flushes?

\_\_\_\_\_ let us \_\_\_\_\_ in advance \_\_\_\_\_ maintenance \_\_\_\_\_ like \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ a chance \_\_\_\_\_ before the \_\_\_\_\_ events?

Can you \_\_\_\_\_ us \_\_\_\_\_?

\_\_\_\_\_ ask for \_\_\_\_\_ notification \_\_\_\_\_ activities?

\_\_\_\_\_ possible to \_\_\_\_\_ about scheduled \_\_\_\_\_ early?

\_\_\_\_\_ you tell \_\_\_\_\_ when \_\_\_\_\_ scheduled \_\_\_\_\_ will \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ us a heads up before \_\_\_\_\_?

\_\_\_\_\_ should know \_\_\_\_\_ time \_\_\_\_\_ regular \_\_\_\_\_ maintenance.

\_\_\_\_\_ we \_\_\_\_\_ in advance \_\_\_\_\_ will take \_\_\_\_\_?

\_\_\_\_\_ us before the \_\_\_\_\_?

Let us \_\_\_\_\_ if \_\_\_\_\_ want \_\_\_\_\_ flush maintenance.

\_\_\_\_\_ tell us before \_\_\_\_\_?

\_\_\_\_\_ regular flush \_\_\_\_\_ please let \_\_\_\_\_ in \_\_\_\_\_.

Inform \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ plumbing \_\_\_\_\_.

\_\_\_\_\_ you let \_\_\_\_\_ know \_\_\_\_\_ you will be \_\_\_\_\_?

\_\_\_\_\_ let us know in \_\_\_\_\_ chores like \_\_\_\_\_?

Is it \_\_\_\_\_ you to \_\_\_\_\_ us \_\_\_\_\_ flushing \_\_\_\_\_?

Would \_\_\_\_\_ possible \_\_\_\_\_ to give us an advance notice \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ we \_\_\_\_\_ notification on \_\_\_\_\_ and pipe \_\_\_\_\_ activities?

Would it \_\_\_\_\_ possible for \_\_\_\_\_ the process of water \_\_\_\_\_?

\_\_\_\_\_ a plan \_\_\_\_\_ us know about flushing \_\_\_\_\_?

It would \_\_\_\_\_ great if \_\_\_\_\_ were \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ as \_\_\_\_\_.

Would \_\_\_\_\_ possible for you \_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ scheduled \_\_\_\_\_?

\_\_\_\_\_ we anticipate \_\_\_\_\_ upkeep work will \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ about flush \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ you \_\_\_\_\_ us know ahead of time \_\_\_\_\_ tasks?

Better planning can \_\_\_\_\_ prior \_\_\_\_\_ of \_\_\_\_\_ flushes.

\_\_\_\_\_ be \_\_\_\_\_ notice \_\_\_\_\_ to \_\_\_\_\_ activities?

\_\_\_\_\_ you able \_\_\_\_\_ give a heads \_\_\_\_\_ on \_\_\_\_\_?

Should \_\_\_\_\_ advance \_\_\_\_\_ regular upkeep?

\_\_\_\_\_ us \_\_\_\_\_ in advance about the \_\_\_\_\_ maintenance?

Can you \_\_\_\_\_ advance about your \_\_\_\_\_ work?

Better \_\_\_\_\_ is \_\_\_\_\_ because of \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ can we know about \_\_\_\_\_?

\_\_\_\_\_ Flushing \_\_\_\_\_ info is \_\_\_\_\_.

Can \_\_\_\_\_ give \_\_\_\_\_ heads up \_\_\_\_\_ upcoming \_\_\_\_\_ routine upkeep?

We \_\_\_\_\_ be \_\_\_\_\_ prior to routine \_\_\_\_\_ activities \_\_\_\_\_ fushings.

We \_\_\_\_\_ to give \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ you let us know \_\_\_\_\_?

\_\_\_\_\_ possible for you \_\_\_\_\_ ahead of time about \_\_\_\_\_ duties?

\_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ heads-up \_\_\_\_\_ routine upkeep?

\_\_\_\_\_ it \_\_\_\_\_ get prior notification on \_\_\_\_\_ activities?

\_\_\_\_\_ you let the \_\_\_\_\_ know of \_\_\_\_\_ flushing \_\_\_\_\_?

Will we \_\_\_\_\_ advance \_\_\_\_\_ flushes?

Inform \_\_\_\_\_ about flushing \_\_\_\_\_.

Do you \_\_\_\_\_ flushing \_\_\_\_\_ plans?

\_\_\_\_\_ there any \_\_\_\_\_ letting \_\_\_\_\_ know about \_\_\_\_\_ days of \_\_\_\_\_?

\_\_\_\_\_ receive prior \_\_\_\_\_ on pipe \_\_\_\_\_?

Do you \_\_\_\_\_ you can \_\_\_\_\_ routine cleaning?

Is \_\_\_\_\_ let us \_\_\_\_\_ a \_\_\_\_\_ task begins?

Is \_\_\_\_\_ possible for you to alert \_\_\_\_\_ about \_\_\_\_\_ upkeep \_\_\_\_\_ including \_\_\_\_\_?

Would it be possible \_\_\_\_\_ you \_\_\_\_\_ know about \_\_\_\_\_ upkeep \_\_\_\_\_ happens?

\_\_\_\_\_ have a plan \_\_\_\_\_ us \_\_\_\_\_ when \_\_\_\_\_ is a \_\_\_\_\_?

Will you \_\_\_\_\_ about \_\_\_\_\_?

\_\_\_\_\_ regular flushing \_\_\_\_\_ make sure to \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ give \_\_\_\_\_ notice of the \_\_\_\_\_.

Please \_\_\_\_ us \_\_\_\_ of routine \_\_\_\_.

\_\_\_\_ it \_\_\_\_ possible to give \_\_\_\_ flush-related upkeep tasks?

Could you let us know about \_\_\_\_?

\_\_\_\_ there \_\_\_\_ prior intimation \_\_\_\_ exercises?

Can \_\_\_\_ let \_\_\_\_ of maintenance tasks, \_\_\_\_ flushing?

Can \_\_\_\_ tell \_\_\_\_ before \_\_\_\_ scheduled \_\_\_\_ begins?

Is \_\_\_\_ possible to \_\_\_\_ notification \_\_\_\_ the \_\_\_\_ and pipe \_\_\_\_?

Is it possible \_\_\_\_ us know \_\_\_\_ upkeep \_\_\_\_ the process \_\_\_\_ water \_\_\_\_?

Can you \_\_\_\_ us \_\_\_\_ about \_\_\_\_ work?

\_\_\_\_ would \_\_\_\_ great \_\_\_\_ could \_\_\_\_ on \_\_\_\_ routine flushing tasks.

\_\_\_\_ us before \_\_\_\_ like \_\_\_\_.

\_\_\_\_ it possible \_\_\_\_ you to let us \_\_\_\_ upkeep \_\_\_\_ water flushes?

Is \_\_\_\_ possible \_\_\_\_ for \_\_\_\_ like flushed pipes?

Is it \_\_\_\_ to inform \_\_\_\_ prior to \_\_\_\_ scheduled \_\_\_\_?

Do \_\_\_\_ have \_\_\_\_ let \_\_\_\_ know about \_\_\_\_ days?

\_\_\_\_ receive advanced \_\_\_\_ it would be beneficial.

Would \_\_\_\_ be \_\_\_\_ to \_\_\_\_ us know \_\_\_\_ water \_\_\_\_ and regular upkeep \_\_\_\_?

\_\_\_\_ tell us \_\_\_\_ work \_\_\_\_ on?

\_\_\_\_ possible \_\_\_\_ advise before \_\_\_\_?

\_\_\_\_ notice of the \_\_\_\_.

\_\_\_\_ we \_\_\_\_ notice before \_\_\_\_?

We would \_\_\_\_ to give advance \_\_\_\_.

\_\_\_\_ can \_\_\_\_ plumbing cleanings.

\_\_\_\_ it \_\_\_\_ to be \_\_\_\_ prior notice \_\_\_\_ maintenance?

Should \_\_\_\_ advance \_\_\_\_ planned maintenance?

Can \_\_\_\_ upcoming flushes and other \_\_\_\_ upkeep?

\_\_\_\_ it \_\_\_\_ us \_\_\_\_ in advance about \_\_\_\_ maintenance tasks?

\_\_\_\_ us \_\_\_\_ before \_\_\_\_ right?

\_\_\_\_ us \_\_\_\_ any regular \_\_\_\_ as \_\_\_\_.

Inform \_\_\_\_ of \_\_\_\_ flush \_\_\_\_ in \_\_\_\_.

Should \_\_\_\_ forewarning about ordinary \_\_\_\_?

Do \_\_\_\_ us to \_\_\_\_ flushes?

Inform us \_\_\_\_ scheduled plumbing \_\_\_\_.

advanced \_\_\_\_ flushing tasks would \_\_\_\_.

Is it possible \_\_\_\_ know about \_\_\_\_ scheduled \_\_\_\_?

Does \_\_\_\_ have \_\_\_\_ to \_\_\_\_ about \_\_\_\_ scheduled toilet \_\_\_\_?

\_\_\_\_ you have any plans to \_\_\_\_ us \_\_\_\_?

\_\_\_\_ flush \_\_\_\_ can we expect a heads \_\_\_\_?

I wonder \_\_\_\_ you \_\_\_\_ warn \_\_\_\_ toilet events?

Is it \_\_\_\_ prior notice for \_\_\_\_ procedures?

We \_\_\_\_ notification of flushing \_\_\_\_.

\_\_\_\_ advance of flushing maintenance \_\_\_\_.

To \_\_\_\_ maintenance, please let us \_\_\_\_.

Requesting notifications \_\_\_\_.

Could we be \_\_\_\_ activities?

\_\_\_\_ we \_\_\_\_ advanced warning \_\_\_\_?

\_\_\_\_ give \_\_\_\_ information about \_\_\_\_ flushing \_\_\_\_?

\_\_\_\_ be \_\_\_\_ when \_\_\_\_ will \_\_\_\_ maintenance tasks?

\_\_\_\_ possible to inform \_\_\_\_ servicing duties in advance?

Could we \_\_\_\_ given notice \_\_\_\_?

\_\_\_\_\_ you must give \_\_\_\_\_ of \_\_\_\_\_ please \_\_\_\_\_ so.  
 \_\_\_\_\_ it possible that you \_\_\_\_\_ scheduled toilet \_\_\_\_\_?  
 We need to \_\_\_\_\_ notice \_\_\_\_\_.  
 \_\_\_\_\_ in advance when standard upkeep \_\_\_\_\_ will \_\_\_\_\_?  
 Will \_\_\_\_\_ before \_\_\_\_\_ starts?  
 \_\_\_\_\_ you able \_\_\_\_\_ give \_\_\_\_\_ heads-up \_\_\_\_\_ the upcoming \_\_\_\_\_?  
 \_\_\_\_\_ to know in \_\_\_\_\_ plumbing \_\_\_\_\_.  
 Let \_\_\_\_\_ flush maintenance will \_\_\_\_\_ done.  
 Can \_\_\_\_\_ us a heads up about \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to inform us in \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ possible for \_\_\_\_\_ to let us \_\_\_\_\_ upkeep work, including \_\_\_\_\_ water flush \_\_\_\_\_?  
 Is it \_\_\_\_\_ notification on \_\_\_\_\_ cleaning activities?  
 Tell us \_\_\_\_\_ starts?  
 \_\_\_\_\_ get advanced \_\_\_\_\_ of flushing \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ we get \_\_\_\_\_ maintenance?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ us \_\_\_\_\_ scheduled flushes?  
 Do \_\_\_\_\_ plans \_\_\_\_\_ us \_\_\_\_\_ the days of \_\_\_\_\_ flush?  
 Can \_\_\_\_\_ in advance of \_\_\_\_\_ tasks \_\_\_\_\_ flushing \_\_\_\_\_ we \_\_\_\_\_ plan?  
 We \_\_\_\_\_ like \_\_\_\_\_ know in \_\_\_\_\_ activities \_\_\_\_\_ as \_\_\_\_\_.  
 \_\_\_\_\_ in \_\_\_\_\_ offflush \_\_\_\_\_ plans.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ us \_\_\_\_\_ heads up \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ there \_\_\_\_\_ letting \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ of flushing?  
 Better planning \_\_\_\_\_ through \_\_\_\_\_ of recurring flushes.  
 \_\_\_\_\_ be updated on \_\_\_\_\_ tasks?  
 \_\_\_\_\_ to know about regular \_\_\_\_\_.  
 \_\_\_\_\_ us \_\_\_\_\_ advance \_\_\_\_\_ plumbing \_\_\_\_\_ scheduled.  
 Can \_\_\_\_\_ please \_\_\_\_\_ notice for maintenance \_\_\_\_\_?  
 Are \_\_\_\_\_ tell \_\_\_\_\_ scheduled flushes?  
 \_\_\_\_\_ we \_\_\_\_\_ advance notice of \_\_\_\_\_?  
 \_\_\_\_\_ us in \_\_\_\_\_ about \_\_\_\_\_ maintenance, \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ notified in \_\_\_\_\_ of \_\_\_\_\_ likeflush?  
 \_\_\_\_\_ us \_\_\_\_\_ maintenance tasks \_\_\_\_\_ asflush.  
 \_\_\_\_\_ you \_\_\_\_\_ on flushes and other routine \_\_\_\_\_?  
 \_\_\_\_\_ regular \_\_\_\_\_ plans that could be \_\_\_\_\_ early.  
 Can you \_\_\_\_\_ about the upcoming \_\_\_\_\_ other \_\_\_\_\_?  
 We should be \_\_\_\_\_ in advance \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ be given \_\_\_\_\_ notice of \_\_\_\_\_?  
 Would \_\_\_\_\_ be possible \_\_\_\_\_ you \_\_\_\_\_ let \_\_\_\_\_ about \_\_\_\_\_ upkeep work, \_\_\_\_\_ water \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ ahead of time \_\_\_\_\_?  
 Let \_\_\_\_\_ know \_\_\_\_\_ flush maintenance will \_\_\_\_\_ taking \_\_\_\_\_.  
 Is \_\_\_\_\_ to receive \_\_\_\_\_ notifications about regular \_\_\_\_\_?  
 Will \_\_\_\_\_ let us \_\_\_\_\_ of \_\_\_\_\_ about \_\_\_\_\_ maintenance?  
 Can \_\_\_\_\_ give \_\_\_\_\_ advance notice \_\_\_\_\_ work?  
 Please let \_\_\_\_\_ know \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ off if we \_\_\_\_\_ advanced notification of \_\_\_\_\_.  
 \_\_\_\_\_ us know in \_\_\_\_\_ about the \_\_\_\_\_ flushes \_\_\_\_\_.  
 If you notify \_\_\_\_\_ tasks, we can \_\_\_\_\_ ahead.  
 Will \_\_\_\_\_ warning \_\_\_\_\_ flush?  
 \_\_\_\_\_ us advance \_\_\_\_\_ about scheduled \_\_\_\_\_?  
 Better \_\_\_\_\_ achieved with prior \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ let \_\_\_\_\_ know ahead of time \_\_\_\_\_ scheduled \_\_\_\_\_?

Is it possible \_\_\_\_\_ get \_\_\_\_\_ sewage \_\_\_\_\_ pipe cleaning \_\_\_\_\_?

Is there \_\_\_\_\_ for \_\_\_\_\_ us \_\_\_\_\_ flushing days?

Is it possible \_\_\_\_\_ to \_\_\_\_\_ know \_\_\_\_\_ about \_\_\_\_\_ flushing?

Can we \_\_\_\_\_ to maintenance \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ happen?

Regular \_\_\_\_\_ plans need \_\_\_\_\_ disclosed \_\_\_\_\_ on.

\_\_\_\_\_ know if we \_\_\_\_\_ notification on \_\_\_\_\_ and pipe cleaning \_\_\_\_\_.

\_\_\_\_\_ helpful to \_\_\_\_\_ notice of \_\_\_\_\_ flushing.

\_\_\_\_\_ should \_\_\_\_\_ aware \_\_\_\_\_ periodic \_\_\_\_\_ like \_\_\_\_\_.

Do \_\_\_\_\_ plans \_\_\_\_\_ let us \_\_\_\_\_ flush days?

\_\_\_\_\_ can we be \_\_\_\_\_ we \_\_\_\_\_ notified \_\_\_\_\_ flushings?

Can \_\_\_\_\_ give \_\_\_\_\_ heads \_\_\_\_\_ ahead of \_\_\_\_\_?

\_\_\_\_\_ possible for you \_\_\_\_\_ inform us \_\_\_\_\_ upkeep work, such \_\_\_\_\_ of \_\_\_\_\_ flushes?

Is \_\_\_\_\_ letting \_\_\_\_\_ know when there \_\_\_\_\_ a flush?

Is \_\_\_\_\_ possible to let us \_\_\_\_\_ of \_\_\_\_\_ routine \_\_\_\_\_?

\_\_\_\_\_ tell us about \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ get \_\_\_\_\_ notification on common \_\_\_\_\_ pipe \_\_\_\_\_ activity?

\_\_\_\_\_ planning \_\_\_\_\_ be \_\_\_\_\_ via \_\_\_\_\_ notification of recurring \_\_\_\_\_.

Let \_\_\_\_\_ know \_\_\_\_\_ of regular \_\_\_\_\_.

Is \_\_\_\_\_ us \_\_\_\_\_ in advance of scheduled \_\_\_\_\_?

\_\_\_\_\_ of time \_\_\_\_\_ you tell us about \_\_\_\_\_?