

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	Change of address or contact information update
<b>Inquiry Sub-Category</b>	Emergency contact update
<b>Description</b>	Customers wishing to update their emergency contact information, which is vital for us to reach out to someone on their behalf in case of an emergency or power outage.
<b>Data Size</b>	5,254 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ to update \_\_\_\_ contact \_\_\_\_ power \_\_\_\_?  
Change \_\_\_\_ \_\_\_\_ \_\_\_\_ contact?  
My \_\_\_\_ outage \_\_\_\_ \_\_\_\_ to \_\_\_\_ updated.  
\_\_\_\_ want \_\_\_\_ sure you \_\_\_\_ in \_\_\_\_ there's a power outage?  
Change \_\_\_\_ \_\_\_\_ info?  
We \_\_\_\_ modify \_\_\_\_ we \_\_\_\_ during outage.  
Contact \_\_\_\_ \_\_\_\_ changed during \_\_\_\_ outages?  
Contact \_\_\_\_ to be \_\_\_\_ the event \_\_\_\_ power \_\_\_\_.  
\_\_\_\_ you \_\_\_\_ \_\_\_\_ phone number?  
\_\_\_\_ need \_\_\_\_ \_\_\_\_ who to call during \_\_\_\_ outage.  
Emergency \_\_\_\_ for \_\_\_\_ failures \_\_\_\_ updated.  
Is it \_\_\_\_ to \_\_\_\_ information \_\_\_\_ out of \_\_\_\_?  
Emergency \_\_\_\_ should \_\_\_\_ changed \_\_\_\_ the \_\_\_\_ out.  
\_\_\_\_ are \_\_\_\_ power loss contact \_\_\_\_.  
\_\_\_\_ an \_\_\_\_ who to \_\_\_\_ when \_\_\_\_ goes out.  
Are \_\_\_\_ up to date \_\_\_\_ for potential \_\_\_\_?  
\_\_\_\_ it possible to \_\_\_\_ power \_\_\_\_?  
\_\_\_\_ an update on \_\_\_\_ issues.  
\_\_\_\_ power outage contact \_\_\_\_ up- \_\_\_\_?  
\_\_\_\_ you \_\_\_\_ change contact \_\_\_\_ of a power failure?  
\_\_\_\_ be changed when \_\_\_\_ power goes \_\_\_\_.  
\_\_\_\_ update \_\_\_\_ info for the \_\_\_\_.  
Please update \_\_\_\_.  
\_\_\_\_ emergency outage number \_\_\_\_ to \_\_\_\_.  
\_\_\_\_ update \_\_\_\_ power goes off.  
Change a \_\_\_\_ number?  
\_\_\_\_ an update on who to \_\_\_\_ outage.  
\_\_\_\_ emergency \_\_\_\_ needed to \_\_\_\_ power \_\_\_\_.  
Emergency contact \_\_\_\_ updated \_\_\_\_ power \_\_\_\_?

Are you \_\_\_\_ to \_\_\_\_ contact \_\_\_\_ when there \_\_\_\_ power \_\_\_\_?

Have you updated \_\_\_\_ contacts \_\_\_\_ electricity \_\_\_\_?

\_\_\_\_ are \_\_\_\_ power goes kaput \_\_\_\_.

\_\_\_\_ should \_\_\_\_ when there's an \_\_\_\_.

\_\_\_\_ issues, \_\_\_\_ Emergency \_\_\_\_.

\_\_\_\_ information \_\_\_\_ Blackouts should \_\_\_\_ changed.

Can \_\_\_\_ update contact \_\_\_\_ event \_\_\_\_ power failure?

\_\_\_\_ be \_\_\_\_ during an interruption.

\_\_\_\_ modify those \_\_\_\_ we \_\_\_\_ during \_\_\_\_.

In \_\_\_\_ event \_\_\_\_ a \_\_\_\_ do you \_\_\_\_ update contact?

\_\_\_\_ electrical \_\_\_\_ needs to \_\_\_\_ updated.

Emergency contact information should be \_\_\_\_ cuts.

\_\_\_\_ forget to \_\_\_\_ for power \_\_\_\_.

\_\_\_\_ there is a \_\_\_\_ you \_\_\_\_ update \_\_\_\_ contact information?

\_\_\_\_ out-of-power contact \_\_\_\_.

\_\_\_\_ do you try to update your \_\_\_\_?

Emergency \_\_\_\_ to deal with \_\_\_\_?

\_\_\_\_ to \_\_\_\_ the \_\_\_\_ outage number.

Emergency contacts \_\_\_\_ outages.

\_\_\_\_ to keep in \_\_\_\_ in case of \_\_\_\_?

\_\_\_\_ able \_\_\_\_ emergency contact \_\_\_\_ during a power \_\_\_\_?

\_\_\_\_ case of a power cut, \_\_\_\_ update \_\_\_\_?

\_\_\_\_ need to \_\_\_\_ outage contact?

Can I \_\_\_\_ when there is a \_\_\_\_?

Are \_\_\_\_ trying to \_\_\_\_ you have contact \_\_\_\_ there's \_\_\_\_ interruption \_\_\_\_?

Readjusting \_\_\_\_ contacts?

Power \_\_\_\_ emergency \_\_\_\_ be \_\_\_\_.

\_\_\_\_ change emergency contact for power \_\_\_\_?

\_\_\_\_ contact \_\_\_\_ power issues?

When there's \_\_\_\_ are you \_\_\_\_ to make sure \_\_\_\_ emergency \_\_\_\_?

Are \_\_\_\_ up \_\_\_\_ on contacts \_\_\_\_ electricity failures?

\_\_\_\_ changes for \_\_\_\_ loss \_\_\_\_ be \_\_\_\_.

When there's \_\_\_\_ are you trying \_\_\_\_ sure \_\_\_\_ have \_\_\_\_ contact?

\_\_\_\_ my power \_\_\_\_ contact?

Do you \_\_\_\_ a \_\_\_\_ emergency \_\_\_\_ in \_\_\_\_ power \_\_\_\_?

How \_\_\_\_ a \_\_\_\_ update \_\_\_\_ power goes \_\_\_\_.

\_\_\_\_ forget \_\_\_\_ in case of a power \_\_\_\_.

Are you making sure you have \_\_\_\_ contact \_\_\_\_?

\_\_\_\_ to update \_\_\_\_ for Blackouts?

You should \_\_\_\_ liaison.

\_\_\_\_ liaison \_\_\_\_ update power \_\_\_\_?

\_\_\_\_ about a contact update when \_\_\_\_ goes \_\_\_\_?

\_\_\_\_ loss contact information \_\_\_\_?

\_\_\_\_ Critical \_\_\_\_ Contacts.

Is \_\_\_\_ a \_\_\_\_ change my emergency contact \_\_\_\_?

Be sure \_\_\_\_ update \_\_\_\_ contact.

\_\_\_\_ power \_\_\_\_ how \_\_\_\_ a contact update?

\_\_\_\_ power \_\_\_\_ contact \_\_\_\_?

\_\_\_\_ about a \_\_\_\_ power \_\_\_\_ often.

Contact \_\_\_\_ should \_\_\_\_ in \_\_\_\_ event of \_\_\_\_ power \_\_\_\_.

\_\_\_\_\_ should \_\_\_\_\_ updated when there \_\_\_\_\_ power \_\_\_\_\_.

Updating \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ update \_\_\_\_\_ in case of a \_\_\_\_\_?

\_\_\_\_\_ contact \_\_\_\_\_ be updated during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ power \_\_\_\_\_ contact?

\_\_\_\_\_ to make \_\_\_\_\_ loss \_\_\_\_\_?

During \_\_\_\_\_ phone-call-list needs \_\_\_\_\_ updated.

The \_\_\_\_\_ emergency liaison \_\_\_\_\_ updated.

During outages, \_\_\_\_\_ be \_\_\_\_\_?

Changing \_\_\_\_\_ power \_\_\_\_\_ contact

\_\_\_\_\_ possible \_\_\_\_\_ change \_\_\_\_\_ emergency \_\_\_\_\_ the event of power \_\_\_\_\_?

\_\_\_\_\_ for an \_\_\_\_\_ on who to \_\_\_\_\_ during \_\_\_\_\_ interruption.

Have you \_\_\_\_\_ emergency \_\_\_\_\_ outages?

\_\_\_\_\_ failure phone number is \_\_\_\_\_.

\_\_\_\_\_ need to change your \_\_\_\_\_?

If there \_\_\_\_\_ cuts, can I \_\_\_\_\_ contact?

Are you \_\_\_\_\_ you \_\_\_\_\_ emergency \_\_\_\_\_ in case of a \_\_\_\_\_?

\_\_\_\_\_ to update \_\_\_\_\_ in \_\_\_\_\_ event \_\_\_\_\_ a power outage?

\_\_\_\_\_ power \_\_\_\_\_ not working, are you \_\_\_\_\_ to \_\_\_\_\_ information?

Emergency \_\_\_\_\_ updated \_\_\_\_\_ power disruptions.

Enhancements \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ like to update my \_\_\_\_\_.

Don't \_\_\_\_\_ to \_\_\_\_\_ contact info in case \_\_\_\_\_.

\_\_\_\_\_ power outage \_\_\_\_\_ updated?

\_\_\_\_\_ contacts \_\_\_\_\_ outages need \_\_\_\_\_ be \_\_\_\_\_.

In the \_\_\_\_\_ out, \_\_\_\_\_ we \_\_\_\_\_ contact info?

\_\_\_\_\_ power loss \_\_\_\_\_ to be \_\_\_\_\_.

\_\_\_\_\_ electrical storm, our \_\_\_\_\_ needs \_\_\_\_\_.

I \_\_\_\_\_ know if I \_\_\_\_\_ contact \_\_\_\_\_ power cuts.

\_\_\_\_\_ about \_\_\_\_\_ the \_\_\_\_\_ info?

Any changes \_\_\_\_\_ failure \_\_\_\_\_?

Power \_\_\_\_\_ contact \_\_\_\_\_ needed.

\_\_\_\_\_ for power loss?

\_\_\_\_\_ update on my \_\_\_\_\_ contact.

\_\_\_\_\_ need to be kept \_\_\_\_\_ to date \_\_\_\_\_.

\_\_\_\_\_ emergency contact update.

Are you trying \_\_\_\_\_ touch with someone when \_\_\_\_\_ outages?

Should emergency contact \_\_\_\_\_?

Do \_\_\_\_\_ to \_\_\_\_\_ information during \_\_\_\_\_ outages?

\_\_\_\_\_ a need \_\_\_\_\_ on who \_\_\_\_\_ call during \_\_\_\_\_ Outage.

\_\_\_\_\_ the event \_\_\_\_\_ a \_\_\_\_\_ we \_\_\_\_\_ contact information?

You \_\_\_\_\_ keep \_\_\_\_\_ in the \_\_\_\_\_ a power outage.

Change \_\_\_\_\_ emergency \_\_\_\_\_?

\_\_\_\_\_ contact \_\_\_\_\_ need to be \_\_\_\_\_ power failures.

Do \_\_\_\_\_ contact in case of \_\_\_\_\_ loss?

Are \_\_\_\_\_ contact information when \_\_\_\_\_ is off?

\_\_\_\_\_ contact \_\_\_\_\_ be changed \_\_\_\_\_?

Emergency contact should be \_\_\_\_\_ if \_\_\_\_\_ outage.

Need \_\_\_\_\_ contact.

\_\_\_\_\_ you considering \_\_\_\_\_ outage \_\_\_\_\_?

Is \_\_\_\_\_ power Outage \_\_\_\_\_?

The \_\_\_\_\_ needs to \_\_\_\_\_ disruptions.

\_\_\_\_\_ way to change \_\_\_\_\_ failure \_\_\_\_\_ number?

\_\_\_\_\_ liaisons \_\_\_\_\_ be updated \_\_\_\_\_ outage.

You \_\_\_\_\_ to \_\_\_\_\_ the emergency \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ change \_\_\_\_\_ info \_\_\_\_\_ a \_\_\_\_\_?

When \_\_\_\_\_ is not working, \_\_\_\_\_ you \_\_\_\_\_ update \_\_\_\_\_ information?

Is \_\_\_\_\_ idea to change contact \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ the outage person?

Emergency \_\_\_\_\_ the event \_\_\_\_\_ a power failure.

Emergency contact should \_\_\_\_\_ a \_\_\_\_\_.

Do \_\_\_\_\_ need \_\_\_\_\_ sure you \_\_\_\_\_ emergency \_\_\_\_\_ when there's \_\_\_\_\_ Outage?

You should update \_\_\_\_\_ case of a \_\_\_\_\_.

Are you \_\_\_\_\_ you \_\_\_\_\_ phone \_\_\_\_\_ in case of \_\_\_\_\_ power \_\_\_\_\_?

Change \_\_\_\_\_ contact?

\_\_\_\_\_ wanted to \_\_\_\_\_ utility contacts.

How \_\_\_\_\_ update \_\_\_\_\_ power \_\_\_\_\_ kaput often?

Is there \_\_\_\_\_ updates \_\_\_\_\_ pwr \_\_\_\_\_?

If \_\_\_\_\_ an interruption \_\_\_\_\_ power, \_\_\_\_\_ trying to make sure \_\_\_\_\_ emergency \_\_\_\_\_?

\_\_\_\_\_ you need \_\_\_\_\_ contact \_\_\_\_\_ of \_\_\_\_\_ power outage?

\_\_\_\_\_ to \_\_\_\_\_ contacts.

In \_\_\_\_\_ do you need \_\_\_\_\_ update contact?

During \_\_\_\_\_ contact info be \_\_\_\_\_?

Are \_\_\_\_\_ contact \_\_\_\_\_ current?

Someone we contact \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ want to update \_\_\_\_\_ information \_\_\_\_\_ power is \_\_\_\_\_?

In case \_\_\_\_\_ power cuts, \_\_\_\_\_ update \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ should be \_\_\_\_\_ for \_\_\_\_\_ next \_\_\_\_\_?

\_\_\_\_\_ update info \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ phone \_\_\_\_\_ for power \_\_\_\_\_?

Are you \_\_\_\_\_ contact information \_\_\_\_\_ power \_\_\_\_\_?

Are \_\_\_\_\_ keep in touch \_\_\_\_\_ when there \_\_\_\_\_ a \_\_\_\_\_ outage?

Please update the \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ Outage, \_\_\_\_\_ you trying to \_\_\_\_\_ sure \_\_\_\_\_ an emergency contact?

The emergency \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ updated.

If there is an interruption \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ contact?

Change \_\_\_\_\_ number \_\_\_\_\_ failure.

Do you \_\_\_\_\_ update your contact \_\_\_\_\_ a \_\_\_\_\_ the power?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ contact info if \_\_\_\_\_ is \_\_\_\_\_ failure?

Inform \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ to update \_\_\_\_\_ contact information when \_\_\_\_\_ an \_\_\_\_\_ the power?

\_\_\_\_\_ outage information.

\_\_\_\_\_ you \_\_\_\_\_ power \_\_\_\_\_ contacts \_\_\_\_\_?

When \_\_\_\_\_ power is \_\_\_\_\_ your contact information?

\_\_\_\_\_ to contact someone \_\_\_\_\_ of \_\_\_\_\_ failure?

When there's \_\_\_\_\_ in power, \_\_\_\_\_ you \_\_\_\_\_ emergency contact?

\_\_\_\_\_ possible to change the emergency contact \_\_\_\_\_?

\_\_\_\_\_ is advisable to \_\_\_\_\_ contact info \_\_\_\_\_ the \_\_\_\_\_ a \_\_\_\_\_.

Can \_\_\_\_\_ power Outage \_\_\_\_\_ Contact?

Do \_\_\_\_\_ want \_\_\_\_\_ make sure \_\_\_\_\_ have \_\_\_\_\_ contact \_\_\_\_\_ power failure?

Do \_\_\_\_ want \_\_\_\_ info for \_\_\_\_?

When \_\_\_\_ power issues, are \_\_\_\_ trying \_\_\_\_ update \_\_\_\_ contact \_\_\_\_?

In \_\_\_\_ event \_\_\_\_ power \_\_\_\_ should \_\_\_\_ be updating \_\_\_\_?

Need to update \_\_\_\_ in \_\_\_\_ event \_\_\_\_ power \_\_\_\_?

\_\_\_\_ power \_\_\_\_ should \_\_\_\_ info be \_\_\_\_?

\_\_\_\_ possible to update \_\_\_\_ info \_\_\_\_.

Do \_\_\_\_ to \_\_\_\_ contact \_\_\_\_ power cuts?

\_\_\_\_ info should \_\_\_\_ during an \_\_\_\_.

\_\_\_\_ phone \_\_\_\_ may change.

Updating \_\_\_\_ in \_\_\_\_ of \_\_\_\_ power failure?

\_\_\_\_ contacts needs \_\_\_\_ be \_\_\_\_.

How \_\_\_\_ contact \_\_\_\_ when power goes \_\_\_\_?

\_\_\_\_ needs \_\_\_\_ change \_\_\_\_ contact.

\_\_\_\_ contact \_\_\_\_ changed when there \_\_\_\_ power \_\_\_\_.

\_\_\_\_ power loss contact?

\_\_\_\_ loss \_\_\_\_ needs \_\_\_\_?

\_\_\_\_ about a \_\_\_\_ power \_\_\_\_ kaput?

\_\_\_\_ contact update needed \_\_\_\_.

\_\_\_\_ trying \_\_\_\_ make sure you \_\_\_\_ in \_\_\_\_ there is \_\_\_\_ in power?

\_\_\_\_ there an update \_\_\_\_ info \_\_\_\_?

Make sure to \_\_\_\_ contact \_\_\_\_ in the \_\_\_\_ failure.

Do \_\_\_\_ want to \_\_\_\_ your \_\_\_\_ the power \_\_\_\_ not \_\_\_\_?

\_\_\_\_ needs for \_\_\_\_ fresh \_\_\_\_ list.

\_\_\_\_ to change power outage \_\_\_\_?

You might have \_\_\_\_.

\_\_\_\_ change \_\_\_\_ emergency contact if there's a \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ my emergency contact \_\_\_\_ cuts?

\_\_\_\_ you \_\_\_\_ you have contact \_\_\_\_ the power \_\_\_\_ out?

How about \_\_\_\_ contact \_\_\_\_ when \_\_\_\_ kaput \_\_\_\_?

Contact information should \_\_\_\_.

\_\_\_\_ can I \_\_\_\_ the \_\_\_\_ number?

\_\_\_\_ possible \_\_\_\_ my contact for power \_\_\_\_?

Seeking to make \_\_\_\_ to \_\_\_\_.

\_\_\_\_ there \_\_\_\_ to update contact \_\_\_\_ in \_\_\_\_ power failure?

\_\_\_\_ we need an emergency contact \_\_\_\_?

\_\_\_\_ you \_\_\_\_ to make \_\_\_\_ you have emergency contact \_\_\_\_ of \_\_\_\_?

Updating emergency \_\_\_\_ failures?

\_\_\_\_ you \_\_\_\_ to change \_\_\_\_ Emergency \_\_\_\_?

Change \_\_\_\_ info?

\_\_\_\_ you think that contact \_\_\_\_ changed \_\_\_\_ an \_\_\_\_?

\_\_\_\_ to update \_\_\_\_ utility \_\_\_\_.

\_\_\_\_ to change \_\_\_\_ contact

\_\_\_\_ is a power outage \_\_\_\_ you trying \_\_\_\_ make \_\_\_\_ you \_\_\_\_ an \_\_\_\_?

\_\_\_\_ is a Power \_\_\_\_ you trying to \_\_\_\_ are \_\_\_\_ contact?

Updating \_\_\_\_ power outages is \_\_\_\_.

\_\_\_\_ can be changed.

\_\_\_\_ must be \_\_\_\_ for power \_\_\_\_.

\_\_\_\_ is a need \_\_\_\_ contacts.

Emergency \_\_\_\_ for \_\_\_\_ failures \_\_\_\_ be \_\_\_\_?

\_\_\_\_ there \_\_\_\_ need for \_\_\_\_ changes?

Power disruption \_\_\_\_ require \_\_\_\_.

\_\_\_\_ is a power outage, should \_\_\_\_?

I \_\_\_\_ like to \_\_\_\_ power \_\_\_\_.

Remember \_\_\_\_ your contact \_\_\_\_ in case \_\_\_\_ a \_\_\_\_.

\_\_\_\_ emergency liaison?

Is \_\_\_\_ contact information \_\_\_\_?

\_\_\_\_ a desire to update \_\_\_\_

\_\_\_\_ contact \_\_\_\_ changed when there \_\_\_\_ cuts?

\_\_\_\_ a change \_\_\_\_ power Outage \_\_\_\_ Contact?

\_\_\_\_ to update contact \_\_\_\_ outage?

\_\_\_\_ a good \_\_\_\_ change \_\_\_\_ info during \_\_\_\_ outages?

Outages, \_\_\_\_ emergency \_\_\_\_.

\_\_\_\_ you in \_\_\_\_ of \_\_\_\_ contact for \_\_\_\_?

Is \_\_\_\_ power \_\_\_\_ to date?

Contact information \_\_\_\_ changed during \_\_\_\_.

Should the \_\_\_\_ liaison be \_\_\_\_?

Are \_\_\_\_ up to date on \_\_\_\_ potential \_\_\_\_?

Update critical \_\_\_\_.

\_\_\_\_ your \_\_\_\_ contact \_\_\_\_ current?

\_\_\_\_ time \_\_\_\_ update emergency \_\_\_\_ power \_\_\_\_.

Call me to \_\_\_\_ power \_\_\_\_.

\_\_\_\_ you \_\_\_\_ the \_\_\_\_ outage emergency liaison?

During electrical \_\_\_\_ needs \_\_\_\_ updated.

\_\_\_\_ needs an \_\_\_\_ contact \_\_\_\_?

You can \_\_\_\_ power outage \_\_\_\_.

\_\_\_\_ it possible \_\_\_\_ change the \_\_\_\_ info \_\_\_\_ an \_\_\_\_?

Contact \_\_\_\_ for your power \_\_\_\_.

Are \_\_\_\_ trying to make \_\_\_\_ you \_\_\_\_ available \_\_\_\_ case of \_\_\_\_?

When \_\_\_\_ an \_\_\_\_ the power, \_\_\_\_ updating \_\_\_\_ contact information?

\_\_\_\_ are power \_\_\_\_ can \_\_\_\_ my \_\_\_\_ contact?

Updating \_\_\_\_ contact

How \_\_\_\_ contact update, \_\_\_\_ power goes \_\_\_\_?

During \_\_\_\_ should \_\_\_\_ be changed?

\_\_\_\_ to fix \_\_\_\_ number

Contact \_\_\_\_ be \_\_\_\_ the \_\_\_\_ of a \_\_\_\_ outage.

If \_\_\_\_ a power \_\_\_\_ I change \_\_\_\_ contact?

Energy call \_\_\_\_ refreshed.

How about \_\_\_\_ power \_\_\_\_ away?

Emergency contact information should be \_\_\_\_ out.

Are you trying \_\_\_\_ update your \_\_\_\_ there \_\_\_\_ problems \_\_\_\_ power?

Is it \_\_\_\_ to \_\_\_\_ information \_\_\_\_?

\_\_\_\_ about \_\_\_\_ power outages \_\_\_\_?

\_\_\_\_ changes to \_\_\_\_ power \_\_\_\_?

Any \_\_\_\_ power loss \_\_\_\_.

Are \_\_\_\_ trying \_\_\_\_ sure you have \_\_\_\_ power goes \_\_\_\_?

\_\_\_\_ should be \_\_\_\_ power outage.

Are \_\_\_\_ trying \_\_\_\_ up with \_\_\_\_ when the \_\_\_\_ goes out?

\_\_\_\_ trying to make \_\_\_\_ you know \_\_\_\_ there's \_\_\_\_ power \_\_\_\_?

Emergency \_\_\_\_ for power \_\_\_\_ be \_\_\_\_.

Changing out-of- \_\_\_\_?

\_\_\_\_\_ update \_\_\_\_\_ info during a power cut?

Is \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ who \_\_\_\_\_ out?

When the power \_\_\_\_\_ should \_\_\_\_\_ changed?

Will the power \_\_\_\_\_ phone \_\_\_\_\_?

\_\_\_\_\_ loss contact \_\_\_\_\_ done?

\_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ an outage \_\_\_\_\_.

Seeking \_\_\_\_\_ Utility Contacts.

\_\_\_\_\_ necessary to \_\_\_\_\_ critical utility \_\_\_\_\_.

\_\_\_\_\_ case \_\_\_\_\_ power cuts, \_\_\_\_\_ about \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ power Outage \_\_\_\_\_?

Will \_\_\_\_\_ be possible \_\_\_\_\_ change \_\_\_\_\_ during \_\_\_\_\_ cuts?

Please update \_\_\_\_\_ information for \_\_\_\_\_ there is \_\_\_\_\_.

\_\_\_\_\_ contact update \_\_\_\_\_ goes kaput.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ the outage?

\_\_\_\_\_ you need \_\_\_\_\_ update \_\_\_\_\_ in \_\_\_\_\_ a power cut?

\_\_\_\_\_ power \_\_\_\_\_ phone \_\_\_\_\_?

For power \_\_\_\_\_ update \_\_\_\_\_ needed.

Do you \_\_\_\_\_ power outage emergency \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ contact \_\_\_\_\_ case of a \_\_\_\_\_ failure?

There is \_\_\_\_\_ for \_\_\_\_\_ call \_\_\_\_\_ an out of service.

\_\_\_\_\_ my \_\_\_\_\_ outage contact.

Do you \_\_\_\_\_ in the event of \_\_\_\_\_ outage?

When there's \_\_\_\_\_ the \_\_\_\_\_ you trying to \_\_\_\_\_ your \_\_\_\_\_?

We need \_\_\_\_\_ update \_\_\_\_\_ info \_\_\_\_\_ the power \_\_\_\_\_.

Do you need \_\_\_\_\_ contact \_\_\_\_\_ shortages?

\_\_\_\_\_ fresh \_\_\_\_\_ list is \_\_\_\_\_.

Are you \_\_\_\_\_ date \_\_\_\_\_ contacts for potential \_\_\_\_\_?

Are \_\_\_\_\_ interested \_\_\_\_\_ changing \_\_\_\_\_ emergency \_\_\_\_\_?

\_\_\_\_\_ power \_\_\_\_\_ an emergency contact \_\_\_\_\_.

\_\_\_\_\_ we communicate \_\_\_\_\_ during outage.

Power \_\_\_\_\_ info should \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ our phone-call-list \_\_\_\_\_ electrical \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ update contact \_\_\_\_\_?

Are you making \_\_\_\_\_ have emergency contact \_\_\_\_\_ power \_\_\_\_\_?

Power \_\_\_\_\_ contact \_\_\_\_\_ be done.

Need \_\_\_\_\_ change in \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ to keep in \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ fresh \_\_\_\_\_ list needed.

\_\_\_\_\_ to \_\_\_\_\_ utility contacts.

Someone \_\_\_\_\_ receive \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ contacts is needed for \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ your \_\_\_\_\_ when the \_\_\_\_\_ is \_\_\_\_\_ working?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ contact info during \_\_\_\_\_?

The \_\_\_\_\_ could \_\_\_\_\_ revised.

In case of \_\_\_\_\_ should we update \_\_\_\_\_?

\_\_\_\_\_ an outage, \_\_\_\_\_ contact \_\_\_\_\_ changed?

Need \_\_\_\_\_ changing?

Need power \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ power isn't working, \_\_\_\_\_ trying \_\_\_\_\_ change your contact \_\_\_\_\_?

\_\_\_\_\_ power \_\_\_\_\_ number?

\_\_\_\_\_ the power outage \_\_\_\_\_ liaison.  
 \_\_\_\_\_ you need to \_\_\_\_\_ event of a \_\_\_\_\_ failure?  
 \_\_\_\_\_ phone-call-list needs to \_\_\_\_\_ updated.  
 \_\_\_\_\_ there's power \_\_\_\_\_ trying to \_\_\_\_\_ your contact \_\_\_\_\_?  
 Outage \_\_\_\_\_ Emergencycontact.  
 \_\_\_\_\_ emergency \_\_\_\_\_ is necessary \_\_\_\_\_ disruption.  
 Is \_\_\_\_\_ possible \_\_\_\_\_ my \_\_\_\_\_ for \_\_\_\_\_ cuts?  
 \_\_\_\_\_ you talking about \_\_\_\_\_ information?  
 How \_\_\_\_\_ a contact update?Power \_\_\_\_\_.  
 Emergency contact \_\_\_\_\_ be \_\_\_\_\_ power \_\_\_\_\_.  
 Is \_\_\_\_\_ power \_\_\_\_\_ contact \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ change \_\_\_\_\_ info?  
 \_\_\_\_\_ contact update \_\_\_\_\_ power \_\_\_\_\_?  
 In case of \_\_\_\_\_ power \_\_\_\_\_ should \_\_\_\_\_ update \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to change \_\_\_\_\_ for \_\_\_\_\_?  
 Do \_\_\_\_\_ to make sure \_\_\_\_\_ have \_\_\_\_\_ contact \_\_\_\_\_ there's a \_\_\_\_\_?  
 \_\_\_\_\_ utility contacts \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ power is malfunctioning, \_\_\_\_\_ updating \_\_\_\_\_ contact information?  
 \_\_\_\_\_ you looking for \_\_\_\_\_ changes?  
 Emergency \_\_\_\_\_ should be \_\_\_\_\_ for \_\_\_\_\_.  
 How 'bout \_\_\_\_\_ contact \_\_\_\_\_ when power goes \_\_\_\_\_?  
 \_\_\_\_\_ changing the \_\_\_\_\_ number.  
 Is there \_\_\_\_\_ way \_\_\_\_\_ update \_\_\_\_\_?  
 \_\_\_\_\_ 'bout \_\_\_\_\_ contact update \_\_\_\_\_ kaput?  
 Updating contact \_\_\_\_\_ event \_\_\_\_\_ a power \_\_\_\_\_ a \_\_\_\_\_.  
 Power \_\_\_\_\_ contacts should \_\_\_\_\_.  
 \_\_\_\_\_ I supposed \_\_\_\_\_ update \_\_\_\_\_ outage \_\_\_\_\_?  
 Powerout \_\_\_\_\_ liaison \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ about a \_\_\_\_\_ update \_\_\_\_\_ power \_\_\_\_\_ so frequently?  
 \_\_\_\_\_ my contact \_\_\_\_\_ power cuts?  
 Are \_\_\_\_\_ sure \_\_\_\_\_ have emergency \_\_\_\_\_ when \_\_\_\_\_ a power \_\_\_\_\_?  
 \_\_\_\_\_ case \_\_\_\_\_ power \_\_\_\_\_ should \_\_\_\_\_ contact information?  
 \_\_\_\_\_ a \_\_\_\_\_ call \_\_\_\_\_?  
 \_\_\_\_\_ contact \_\_\_\_\_ to be \_\_\_\_\_ emergencies.  
 Power \_\_\_\_\_ may \_\_\_\_\_ changed.  
 \_\_\_\_\_ you need \_\_\_\_\_ contact to be \_\_\_\_\_?  
 A \_\_\_\_\_ emergency \_\_\_\_\_ be updated.  
 Emergency contact \_\_\_\_\_ be \_\_\_\_\_ power outages.  
 Have \_\_\_\_\_ outage info?  
 \_\_\_\_\_ info should be \_\_\_\_\_?  
 \_\_\_\_\_ checking \_\_\_\_\_ if \_\_\_\_\_ have an \_\_\_\_\_ contact \_\_\_\_\_ power outages?  
 There needs \_\_\_\_\_ be \_\_\_\_\_ changes.  
 \_\_\_\_\_ emergency contact \_\_\_\_\_ needs to be \_\_\_\_\_ for power \_\_\_\_\_.  
 \_\_\_\_\_ there emergency contact \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ contact \_\_\_\_\_ be \_\_\_\_\_ without power?  
 power \_\_\_\_\_ emergency \_\_\_\_\_  
 \_\_\_\_\_ the \_\_\_\_\_ info.  
 \_\_\_\_\_ contact for power problems \_\_\_\_\_.  
 In \_\_\_\_\_ of power \_\_\_\_\_ can \_\_\_\_\_ my \_\_\_\_\_ contact?  
 Emergency contact \_\_\_\_\_ be changed \_\_\_\_\_.



\_\_\_\_\_ you suggesting to change \_\_\_\_\_ failure \_\_\_\_\_?

Are you up \_\_\_\_\_ on \_\_\_\_\_ for potential \_\_\_\_\_?

Do \_\_\_\_\_ if \_\_\_\_\_ power \_\_\_\_\_ information is \_\_\_\_\_ to date?

\_\_\_\_\_ to update critical \_\_\_\_\_ contacts.

Seeking \_\_\_\_\_ update \_\_\_\_\_ utilities \_\_\_\_\_.

Updating emergency \_\_\_\_\_ for \_\_\_\_\_?

Are you going \_\_\_\_\_ update \_\_\_\_\_ in \_\_\_\_\_ a power \_\_\_\_\_?

There is need \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ update information about \_\_\_\_\_.

We should \_\_\_\_\_ we \_\_\_\_\_ outage.

\_\_\_\_\_ whom we \_\_\_\_\_ during outage.

\_\_\_\_\_ information should be \_\_\_\_\_ case of a \_\_\_\_\_.

\_\_\_\_\_ to change \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ emergency contact \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ a way to \_\_\_\_\_ info in \_\_\_\_\_ event \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ you want \_\_\_\_\_ phone number \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ change contact info when \_\_\_\_\_ is \_\_\_\_\_?

Power \_\_\_\_\_ contacts should \_\_\_\_\_.

\_\_\_\_\_ update contact \_\_\_\_\_ the event of a power \_\_\_\_\_.

Should we change \_\_\_\_\_?

Should \_\_\_\_\_ phone number?

\_\_\_\_\_ your contacts to deal with \_\_\_\_\_ failures?

\_\_\_\_\_ contact \_\_\_\_\_ should \_\_\_\_\_ updated \_\_\_\_\_ power \_\_\_\_\_?

Are \_\_\_\_\_ to make sure \_\_\_\_\_ in \_\_\_\_\_ a power failure?

\_\_\_\_\_ power \_\_\_\_\_ emergency updates.

\_\_\_\_\_ you \_\_\_\_\_ the power outage emergency \_\_\_\_\_?

Emergency \_\_\_\_\_ power \_\_\_\_\_ should \_\_\_\_\_ updated?

\_\_\_\_\_ an emergency \_\_\_\_\_ update \_\_\_\_\_ disruptions.

\_\_\_\_\_ contact changes \_\_\_\_\_ for \_\_\_\_\_ loss.

Change \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ outage, should \_\_\_\_\_ update contact?

\_\_\_\_\_ update our phone-call-list \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ power loss \_\_\_\_\_.

\_\_\_\_\_ should be updated \_\_\_\_\_ of a \_\_\_\_\_ shortage.

\_\_\_\_\_ I \_\_\_\_\_ phone \_\_\_\_\_ when there \_\_\_\_\_ power cuts?

Need \_\_\_\_\_ emergency \_\_\_\_\_ number.

Change \_\_\_\_\_ info.

Are you making sure you \_\_\_\_\_ there \_\_\_\_\_ failure?

Power \_\_\_\_\_ be changed.

How \_\_\_\_\_ failure \_\_\_\_\_ number?

\_\_\_\_\_ to \_\_\_\_\_ sure you \_\_\_\_\_ in touch if \_\_\_\_\_ a \_\_\_\_\_ failure?

Remember \_\_\_\_\_ update \_\_\_\_\_ the case of a \_\_\_\_\_.

Can \_\_\_\_\_ change my contacts \_\_\_\_\_ case \_\_\_\_\_?

\_\_\_\_\_ there's problems with the power, \_\_\_\_\_ your \_\_\_\_\_ information?

\_\_\_\_\_ want \_\_\_\_\_ change power outage \_\_\_\_\_?

Someone \_\_\_\_\_ contact update for \_\_\_\_\_.

\_\_\_\_\_ electrical spurts, \_\_\_\_\_ phone-call-list \_\_\_\_\_.

When \_\_\_\_\_ in power, are \_\_\_\_\_ making \_\_\_\_\_ you have an \_\_\_\_\_?

When \_\_\_\_\_ is an interruption \_\_\_\_\_ trying \_\_\_\_\_ sure you \_\_\_\_\_ an \_\_\_\_\_ contact?

\_\_\_\_\_ contact \_\_\_\_\_ changed during \_\_\_\_\_ outage.

\_\_\_\_\_ for \_\_\_\_\_ fresh \_\_\_\_\_ call list.

We \_\_\_\_\_ modify \_\_\_\_\_ we \_\_\_\_\_ during \_\_\_\_\_.

I \_\_\_\_\_ can \_\_\_\_\_ contact during power cuts.

\_\_\_\_\_ revised during an outage.

Interested \_\_\_\_\_ critical \_\_\_\_\_ contacts.

\_\_\_\_\_ case of \_\_\_\_\_ power failure, \_\_\_\_\_ we \_\_\_\_\_ info?

Contact \_\_\_\_\_ should \_\_\_\_\_ changed \_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_.

\_\_\_\_\_ forget to \_\_\_\_\_ the info \_\_\_\_\_.

When \_\_\_\_\_ is a Power \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ you \_\_\_\_\_ emergency \_\_\_\_\_?

You \_\_\_\_\_ update contact \_\_\_\_\_ in \_\_\_\_\_ a \_\_\_\_\_ failure.

Is it \_\_\_\_\_ to \_\_\_\_\_ contact \_\_\_\_\_ in \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ update contact information for \_\_\_\_\_?

Would \_\_\_\_\_ power \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ storms \_\_\_\_\_ phone-call-list \_\_\_\_\_ to \_\_\_\_\_ updated.

\_\_\_\_\_ contact \_\_\_\_\_ when power \_\_\_\_\_ out.

Need new emergency \_\_\_\_\_ problems.

\_\_\_\_\_ you \_\_\_\_\_ sure \_\_\_\_\_ have emergency \_\_\_\_\_ in case of \_\_\_\_\_?

Is it \_\_\_\_\_ to adjust \_\_\_\_\_ emergency \_\_\_\_\_ for \_\_\_\_\_?

Is \_\_\_\_\_ info for the Blackouts?

\_\_\_\_\_ an emergency \_\_\_\_\_ needed \_\_\_\_\_ power disruptions.

Contact info \_\_\_\_\_ be \_\_\_\_\_ there is \_\_\_\_\_.

\_\_\_\_\_ to change contact \_\_\_\_\_ during a power \_\_\_\_\_?

\_\_\_\_\_ there's a \_\_\_\_\_ outage, do \_\_\_\_\_ need \_\_\_\_\_ contact?

\_\_\_\_\_ need \_\_\_\_\_ have \_\_\_\_\_ contact update.

Is it a good idea \_\_\_\_\_ my \_\_\_\_\_?

When \_\_\_\_\_ how 'bout \_\_\_\_\_ contact \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ contact?

Will \_\_\_\_\_ a change \_\_\_\_\_ power outage \_\_\_\_\_?

When the \_\_\_\_\_ is \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ your contact \_\_\_\_\_?

\_\_\_\_\_ case \_\_\_\_\_ power disruptions, \_\_\_\_\_ contact \_\_\_\_\_.

Do you \_\_\_\_\_ to make \_\_\_\_\_ you \_\_\_\_\_ case of power \_\_\_\_\_?

Do \_\_\_\_\_ to \_\_\_\_\_ contact in \_\_\_\_\_ of a \_\_\_\_\_ loss?

During \_\_\_\_\_ disruptions, \_\_\_\_\_ phone-call \_\_\_\_\_ to \_\_\_\_\_ updated.

\_\_\_\_\_ contact update? \_\_\_\_\_ goes \_\_\_\_\_ often

Do \_\_\_\_\_ need \_\_\_\_\_ make contact in \_\_\_\_\_ of \_\_\_\_\_ power \_\_\_\_\_?

Please update \_\_\_\_\_ info \_\_\_\_\_ power goes \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ contact \_\_\_\_\_ the event \_\_\_\_\_ a power \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to keep \_\_\_\_\_ touch with someone \_\_\_\_\_ there \_\_\_\_\_ failure?

In \_\_\_\_\_ a power \_\_\_\_\_ contact \_\_\_\_\_.

Emergency \_\_\_\_\_ should \_\_\_\_\_ for a \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ power \_\_\_\_\_ out.

Are you trying to get \_\_\_\_\_ touch with \_\_\_\_\_ an \_\_\_\_\_?

Are you \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ in \_\_\_\_\_ a power problem?

Are \_\_\_\_\_ trying to \_\_\_\_\_ in \_\_\_\_\_ with \_\_\_\_\_ you \_\_\_\_\_ power?

\_\_\_\_\_ outage \_\_\_\_\_ be updated?

\_\_\_\_\_ power cuts, \_\_\_\_\_ you \_\_\_\_\_ to update contact \_\_\_\_\_?

Are I \_\_\_\_\_ update \_\_\_\_\_ contact?

\_\_\_\_\_ contact information should \_\_\_\_\_ during \_\_\_\_\_ cut.

When there \_\_\_\_\_ can \_\_\_\_\_ change \_\_\_\_\_ emergency contact?

\_\_\_\_\_ disruption \_\_\_\_\_ a \_\_\_\_\_ update.

Can I \_\_\_\_ my contact \_\_\_\_ of \_\_\_\_ ?  
How \_\_\_\_ a \_\_\_\_ be updated \_\_\_\_ kaput?  
It's \_\_\_\_ question of power \_\_\_\_.  
Need \_\_\_\_ the \_\_\_\_ outage \_\_\_\_.  
If \_\_\_\_ power outage, should \_\_\_\_ updated?  
\_\_\_\_ possible \_\_\_\_ power failure phone \_\_\_\_.  
Contact \_\_\_\_ should \_\_\_\_ updated \_\_\_\_ an \_\_\_\_.  
Change the contact \_\_\_\_?  
Power goes \_\_\_\_ about a \_\_\_\_ ?  
\_\_\_\_ we contact \_\_\_\_ outage  
I wonder if \_\_\_\_ my \_\_\_\_ for power \_\_\_\_.  
Do \_\_\_\_ update emergency \_\_\_\_ outages?  
\_\_\_\_ forget \_\_\_\_ info in case \_\_\_\_ a \_\_\_\_ cut.  
Emergency \_\_\_\_ should be \_\_\_\_ power \_\_\_\_.  
\_\_\_\_ Update Emergency Contact for \_\_\_\_?  
Might need \_\_\_\_ loss \_\_\_\_?  
\_\_\_\_ goes kaput \_\_\_\_ about a contact \_\_\_\_?  
Can I \_\_\_\_ emergency contact \_\_\_\_ there \_\_\_\_ power \_\_\_\_?  
\_\_\_\_ is \_\_\_\_ Power \_\_\_\_ do you \_\_\_\_ sure you \_\_\_\_ emergency contact?  
How do \_\_\_\_ power \_\_\_\_ contact?  
Contact \_\_\_\_ pwr problems.  
We \_\_\_\_ on who to call during \_\_\_\_.  
Are \_\_\_\_ get in \_\_\_\_ someone when there \_\_\_\_ a power \_\_\_\_?  
Need \_\_\_\_ update \_\_\_\_ disruption?  
\_\_\_\_ energy \_\_\_\_ is needed.  
\_\_\_\_ should \_\_\_\_ updated in the event of \_\_\_\_.  
\_\_\_\_ you \_\_\_\_ your \_\_\_\_ for \_\_\_\_ the electricity goes \_\_\_\_?  
\_\_\_\_ should be updated \_\_\_\_ of power \_\_\_\_.  
Are you \_\_\_\_ on \_\_\_\_ the \_\_\_\_ outage \_\_\_\_?  
When \_\_\_\_ a Power \_\_\_\_ make \_\_\_\_ you have emergency contact?  
\_\_\_\_ information should \_\_\_\_ during \_\_\_\_.  
The \_\_\_\_ the Blackouts \_\_\_\_ changed.  
Are you \_\_\_\_ someone when \_\_\_\_ a power shortage?  
Emergency \_\_\_\_ when power \_\_\_\_ out?  
\_\_\_\_ update \_\_\_\_ critical \_\_\_\_ contacts.  
\_\_\_\_ to change power outage \_\_\_\_ contact.  
\_\_\_\_ power emergencies?  
\_\_\_\_ a new power outage \_\_\_\_?  
\_\_\_\_ do \_\_\_\_ change \_\_\_\_ outage \_\_\_\_ contact?  
\_\_\_\_ critical utility \_\_\_\_ updated.  
\_\_\_\_ power failure \_\_\_\_ number may \_\_\_\_ changed.  
During \_\_\_\_ incidents, \_\_\_\_ needs \_\_\_\_.  
\_\_\_\_ be changed when \_\_\_\_ is a power \_\_\_\_.  
\_\_\_\_ information for \_\_\_\_ should be \_\_\_\_.  
Do you \_\_\_\_ the \_\_\_\_ should be changed \_\_\_\_?  
Something \_\_\_\_ changed about \_\_\_\_ contact.  
It was seeking \_\_\_\_ update \_\_\_\_.  
Did you need \_\_\_\_ make \_\_\_\_ in the \_\_\_\_ of \_\_\_\_?  
\_\_\_\_ should \_\_\_\_ update \_\_\_\_ contact information when power \_\_\_\_?  
\_\_\_\_ about \_\_\_\_ Power goes \_\_\_\_ often.

Needs \_\_\_\_\_ utility contacts.

\_\_\_\_\_ contact \_\_\_\_\_ for power problems.

\_\_\_\_\_ a need \_\_\_\_\_ on who \_\_\_\_\_ call \_\_\_\_\_ the outage.

Do \_\_\_\_\_ to \_\_\_\_\_ contact information in \_\_\_\_\_ of a \_\_\_\_\_?

Trying to update \_\_\_\_\_.

\_\_\_\_\_ talking about updating \_\_\_\_\_ info in \_\_\_\_\_ a power \_\_\_\_\_?

\_\_\_\_\_ to make sure \_\_\_\_\_ have \_\_\_\_\_ contact \_\_\_\_\_ there's a power \_\_\_\_\_?

\_\_\_\_\_ information for \_\_\_\_\_.

\_\_\_\_\_ contact in the event \_\_\_\_\_?

Emergency \_\_\_\_\_ need \_\_\_\_\_ be updated \_\_\_\_\_ there's \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ info for \_\_\_\_\_.

\_\_\_\_\_ change \_\_\_\_\_ Contact?

Are you trying to \_\_\_\_\_ touch \_\_\_\_\_ a power outage?

Change the \_\_\_\_\_ Outage's \_\_\_\_\_?

\_\_\_\_\_ contact needs to \_\_\_\_\_ outage.

\_\_\_\_\_ change the power outage \_\_\_\_\_?

If \_\_\_\_\_ have problems with \_\_\_\_\_ power, \_\_\_\_\_ you trying \_\_\_\_\_ contact \_\_\_\_\_?

Changes \_\_\_\_\_ contact?

\_\_\_\_\_ you \_\_\_\_\_ to change the contact \_\_\_\_\_?

Power failure \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ be changed for power \_\_\_\_\_.

\_\_\_\_\_ power \_\_\_\_\_ contact

Are \_\_\_\_\_ trying \_\_\_\_\_ sure \_\_\_\_\_ have \_\_\_\_\_ place to call \_\_\_\_\_ goes \_\_\_\_\_?

\_\_\_\_\_ you trying to \_\_\_\_\_ sure \_\_\_\_\_ contact \_\_\_\_\_ of power \_\_\_\_\_?

Are \_\_\_\_\_ to date \_\_\_\_\_ contacts \_\_\_\_\_ potential electricity \_\_\_\_\_?

The \_\_\_\_\_ the \_\_\_\_\_ should \_\_\_\_\_ changed.

Emergency \_\_\_\_\_ should \_\_\_\_\_ updated \_\_\_\_\_ there is a \_\_\_\_\_.

Emergency contact \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ outage emergency liaison \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ trying to keep \_\_\_\_\_ when there's \_\_\_\_\_ power \_\_\_\_\_?

It \_\_\_\_\_ to change \_\_\_\_\_ outage \_\_\_\_\_.

Contact \_\_\_\_\_ should \_\_\_\_\_ goes kaput.

\_\_\_\_\_ to keep in \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ cut?

Are \_\_\_\_\_ you have an \_\_\_\_\_ case \_\_\_\_\_ power failures?

\_\_\_\_\_ to \_\_\_\_\_ emergency contact \_\_\_\_\_ power disruption?

\_\_\_\_\_ you trying to keep \_\_\_\_\_ when \_\_\_\_\_ is out?

\_\_\_\_\_ contact \_\_\_\_\_ changed \_\_\_\_\_ black outs.

\_\_\_\_\_ contact may \_\_\_\_\_ to \_\_\_\_\_ changed for \_\_\_\_\_.

\_\_\_\_\_ power loss \_\_\_\_\_ changes \_\_\_\_\_?

Do you \_\_\_\_\_ to \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ Contact \_\_\_\_\_ Outages?

\_\_\_\_\_ energy call list needed \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ contact?

\_\_\_\_\_ there any chance \_\_\_\_\_ power \_\_\_\_\_ contact?

Can I change \_\_\_\_\_ contact when \_\_\_\_\_?

It \_\_\_\_\_ updated for \_\_\_\_\_ disruption.

\_\_\_\_\_ emergency \_\_\_\_\_ power failures?

\_\_\_\_\_ to update \_\_\_\_\_ for power outages?

Emergency \_\_\_\_\_ to \_\_\_\_\_ updated in \_\_\_\_\_ of power \_\_\_\_\_.

Revisions \_\_\_\_\_ failure \_\_\_\_\_

\_\_\_\_\_ to \_\_\_\_\_ out-of-power \_\_\_\_\_.

Contact \_\_\_\_\_ should be \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ update \_\_\_\_\_ goes kaput often?

Have \_\_\_\_\_ to update contact in the \_\_\_\_\_ of \_\_\_\_\_ \_\_\_\_\_?

\_\_\_\_\_ we change \_\_\_\_\_ info?

\_\_\_\_\_ to modify \_\_\_\_\_ info during \_\_\_\_\_ outages?

Do \_\_\_\_\_ the \_\_\_\_\_ loss contact \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ the power outage \_\_\_\_\_?

Do \_\_\_\_\_ power \_\_\_\_\_ phone number?

\_\_\_\_\_ to change out-of-power \_\_\_\_\_.

If \_\_\_\_\_ an \_\_\_\_\_ in \_\_\_\_\_ you trying to \_\_\_\_\_ you \_\_\_\_\_ contact?

\_\_\_\_\_ failure number might \_\_\_\_\_.

Emergency \_\_\_\_\_ to be \_\_\_\_\_ outages.

\_\_\_\_\_ you need to \_\_\_\_\_ the emergency \_\_\_\_\_ power \_\_\_\_\_?

Do you \_\_\_\_\_ update \_\_\_\_\_ info \_\_\_\_\_ a \_\_\_\_\_ outage?

\_\_\_\_\_ there \_\_\_\_\_ the power outage \_\_\_\_\_?

Power \_\_\_\_\_ emergency contact \_\_\_\_\_.

\_\_\_\_\_ to change \_\_\_\_\_ outage contact?

Is \_\_\_\_\_ anything \_\_\_\_\_ can do to \_\_\_\_\_ my \_\_\_\_\_?

Emergency contact information \_\_\_\_\_ a \_\_\_\_\_ failure.

Are \_\_\_\_\_ trying \_\_\_\_\_ in \_\_\_\_\_ is an \_\_\_\_\_ in power?

Do you need to update \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to Update Contact info \_\_\_\_\_?

The power \_\_\_\_\_ contact \_\_\_\_\_.

\_\_\_\_\_ changing \_\_\_\_\_ outage emergency contact?

\_\_\_\_\_ calling \_\_\_\_\_ change?

\_\_\_\_\_ you need to make \_\_\_\_\_ when \_\_\_\_\_ a power outage?

There \_\_\_\_\_ to update \_\_\_\_\_ utility \_\_\_\_\_.

\_\_\_\_\_ calllist is needed.

\_\_\_\_\_ 'bout a \_\_\_\_\_ Power \_\_\_\_\_ kaput a \_\_\_\_\_.

Please \_\_\_\_\_ info for \_\_\_\_\_ off.

\_\_\_\_\_ it necessary to \_\_\_\_\_ power \_\_\_\_\_?

When there \_\_\_\_\_ Power \_\_\_\_\_ you want \_\_\_\_\_ make sure \_\_\_\_\_ emergency contact?

\_\_\_\_\_ a possibility of \_\_\_\_\_ power outage \_\_\_\_\_.

\_\_\_\_\_ need \_\_\_\_\_ change \_\_\_\_\_ of-power contact?

Please \_\_\_\_\_ sure to \_\_\_\_\_ for the \_\_\_\_\_.

\_\_\_\_\_ a Power \_\_\_\_\_ you making sure that \_\_\_\_\_ emergency \_\_\_\_\_?

Are you \_\_\_\_\_ make sure \_\_\_\_\_ interruption in power?

Do you \_\_\_\_\_ to make \_\_\_\_\_ emergency \_\_\_\_\_ when \_\_\_\_\_ is out?

My \_\_\_\_\_ contact has \_\_\_\_\_ updated.

\_\_\_\_\_ you have to \_\_\_\_\_ for \_\_\_\_\_ failures?

Updating \_\_\_\_\_ outage \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ power \_\_\_\_\_ contact?

Contact \_\_\_\_\_ for \_\_\_\_\_.

Someone \_\_\_\_\_ critical \_\_\_\_\_ contacts.

\_\_\_\_\_ change power failure \_\_\_\_\_.

Emergency \_\_\_\_\_ outages \_\_\_\_\_ updated?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ of a power loss?

When \_\_\_\_\_ a \_\_\_\_\_ Outage are \_\_\_\_\_ sure \_\_\_\_\_ have an \_\_\_\_\_ contact?

\_\_\_\_\_ up-to-date with your \_\_\_\_\_ outage \_\_\_\_\_?

revision \_\_\_\_ power \_\_\_\_ ?  
 \_\_\_\_ possible to \_\_\_\_ emergency \_\_\_\_ a power outage?  
 Can I \_\_\_\_ phone \_\_\_\_ when there \_\_\_\_ cuts?  
 \_\_\_\_ need to \_\_\_\_ the emergency \_\_\_\_ .  
 How \_\_\_\_ a contact \_\_\_\_ Power \_\_\_\_ .  
 Power loss \_\_\_\_ be \_\_\_\_ .  
 \_\_\_\_ failure contacts?  
 You \_\_\_\_ be \_\_\_\_ to change \_\_\_\_ outage \_\_\_\_ contact.  
 \_\_\_\_ you in \_\_\_\_ of \_\_\_\_ for \_\_\_\_ outages?  
 \_\_\_\_ the \_\_\_\_ of power \_\_\_\_ should \_\_\_\_ update contact \_\_\_\_ ?  
 The \_\_\_\_ outage \_\_\_\_ contact \_\_\_\_ be \_\_\_\_ .  
 \_\_\_\_ update critical \_\_\_\_ contact  
 Trying \_\_\_\_ Update \_\_\_\_ Utility \_\_\_\_  
 \_\_\_\_ I be able to \_\_\_\_ in \_\_\_\_ of power \_\_\_\_ ?  
 \_\_\_\_ critical \_\_\_\_ is something that needs \_\_\_\_ done.  
 \_\_\_\_ power failure \_\_\_\_ number?  
 Do you \_\_\_\_ emergency \_\_\_\_ in \_\_\_\_ of a \_\_\_\_ ?  
 \_\_\_\_ Contact could \_\_\_\_ changed.  
 Is it \_\_\_\_ to \_\_\_\_ information \_\_\_\_ .  
 The \_\_\_\_ phone number \_\_\_\_ be \_\_\_\_ .  
 \_\_\_\_ have to \_\_\_\_ power \_\_\_\_ contact?  
 \_\_\_\_ power failure \_\_\_\_ ?  
 \_\_\_\_ power downtime \_\_\_\_ .  
 Update on \_\_\_\_ ?  
 Can we \_\_\_\_ failure phone \_\_\_\_ ?  
 Do you want \_\_\_\_ make \_\_\_\_ you \_\_\_\_ contact when \_\_\_\_ outage?  
 Do \_\_\_\_ need an \_\_\_\_ contact \_\_\_\_ disruptions?  
 Am \_\_\_\_ supposed \_\_\_\_ change \_\_\_\_ failure phone \_\_\_\_ ?  
 \_\_\_\_ update my \_\_\_\_ outages \_\_\_\_ ?  
 Please \_\_\_\_ info.  
 Is \_\_\_\_ power \_\_\_\_ up-to-date?  
 Is \_\_\_\_ update Contact \_\_\_\_ for \_\_\_\_ ?  
 How \_\_\_\_ you \_\_\_\_ contact \_\_\_\_ went kaput?  
 In \_\_\_\_ of \_\_\_\_ cuts, \_\_\_\_ contact \_\_\_\_ .  
 \_\_\_\_ update \_\_\_\_ information \_\_\_\_ the black \_\_\_\_ .  
 Power \_\_\_\_ emergency contact \_\_\_\_ ?  
 \_\_\_\_ an \_\_\_\_ update for power \_\_\_\_ .  
 \_\_\_\_ you need \_\_\_\_ your \_\_\_\_ information in the \_\_\_\_ of a \_\_\_\_ ?  
 In case \_\_\_\_ a power \_\_\_\_ about \_\_\_\_ info?  
 \_\_\_\_ I can change my \_\_\_\_ contact \_\_\_\_ case \_\_\_\_ cuts.  
 Do you have to update \_\_\_\_ in \_\_\_\_ power \_\_\_\_ ?  
 \_\_\_\_ need \_\_\_\_ be \_\_\_\_ for power \_\_\_\_ .  
 \_\_\_\_ updating power outage \_\_\_\_ ?  
 Is \_\_\_\_ the power \_\_\_\_ emergency contact?  
 Do \_\_\_\_ want \_\_\_\_ update \_\_\_\_ is a power problem?  
 Emergency contact \_\_\_\_ to \_\_\_\_ power \_\_\_\_ .  
 When there's \_\_\_\_ with the \_\_\_\_ do \_\_\_\_ to update \_\_\_\_ ?  
 Power \_\_\_\_ be changed.  
 \_\_\_\_ an \_\_\_\_ update \_\_\_\_ power disruptions?  
 \_\_\_\_ to change power failure \_\_\_\_ .

Have \_\_\_\_\_ your contacts in \_\_\_\_\_ of an \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ contact?

Can I \_\_\_\_\_ my emergency \_\_\_\_\_ there \_\_\_\_\_ power \_\_\_\_\_?

We \_\_\_\_\_ who \_\_\_\_\_ during outage.

The \_\_\_\_\_ outage \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ there an update \_\_\_\_\_ information \_\_\_\_\_?

Have \_\_\_\_\_ updated \_\_\_\_\_ information in \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ power \_\_\_\_\_ need \_\_\_\_\_ emergency \_\_\_\_\_ update.

\_\_\_\_\_ power \_\_\_\_\_ number

Do you want to \_\_\_\_\_ your \_\_\_\_\_ information \_\_\_\_\_ the \_\_\_\_\_?

When the \_\_\_\_\_ is out, \_\_\_\_\_ you trying to \_\_\_\_\_?

\_\_\_\_\_ power problems, do you \_\_\_\_\_ your contact \_\_\_\_\_?

Emergency \_\_\_\_\_ be updated \_\_\_\_\_ event of \_\_\_\_\_ failure.

\_\_\_\_\_ it \_\_\_\_\_ to update contact \_\_\_\_\_ power failures?

\_\_\_\_\_ we change \_\_\_\_\_ Emergency Contact?

\_\_\_\_\_ an \_\_\_\_\_ on pwr \_\_\_\_\_.

Is it \_\_\_\_\_ change contact \_\_\_\_\_ during a \_\_\_\_\_?

\_\_\_\_\_ 'bout a \_\_\_\_\_ power goes kaput \_\_\_\_\_ much?

\_\_\_\_\_ emergency \_\_\_\_\_ is \_\_\_\_\_ power disruptions.

Someone \_\_\_\_\_ during \_\_\_\_\_ be modified.

Is \_\_\_\_\_ possible \_\_\_\_\_ info during blackouts?

\_\_\_\_\_ phone number needs \_\_\_\_\_ be \_\_\_\_\_.

Can \_\_\_\_\_ change \_\_\_\_\_ contact \_\_\_\_\_ power \_\_\_\_\_?

Any \_\_\_\_\_ changes \_\_\_\_\_ failure \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ sure you \_\_\_\_\_ touch \_\_\_\_\_ power goes off?

\_\_\_\_\_ contact in \_\_\_\_\_ event of \_\_\_\_\_ power failure.

Power \_\_\_\_\_ liaison should \_\_\_\_\_?

Do you \_\_\_\_\_ update \_\_\_\_\_ emergency contact for \_\_\_\_\_?

Do you \_\_\_\_\_ to \_\_\_\_\_ calling \_\_\_\_\_?

\_\_\_\_\_ want to \_\_\_\_\_ we \_\_\_\_\_ outage.

\_\_\_\_\_ the \_\_\_\_\_ are you trying to \_\_\_\_\_ your contact \_\_\_\_\_?

Do you \_\_\_\_\_ make sure \_\_\_\_\_ in \_\_\_\_\_ when \_\_\_\_\_ goes out?

Seeking to \_\_\_\_\_ utility \_\_\_\_\_

\_\_\_\_\_ emergency \_\_\_\_\_ for power \_\_\_\_\_?

\_\_\_\_\_ is out, \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ your information?

How about \_\_\_\_\_ update? \_\_\_\_\_ goes \_\_\_\_\_ so \_\_\_\_\_.

Are you \_\_\_\_\_ to \_\_\_\_\_ contact \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ contact info during \_\_\_\_\_?

Contact info \_\_\_\_\_ be \_\_\_\_\_ in case \_\_\_\_\_.

Is \_\_\_\_\_ to change my \_\_\_\_\_ when power \_\_\_\_\_?

\_\_\_\_\_ your power \_\_\_\_\_ contact.

Contact info \_\_\_\_\_ be \_\_\_\_\_ event \_\_\_\_\_ a power failure.

\_\_\_\_\_ needs \_\_\_\_\_ energy call \_\_\_\_\_.

\_\_\_\_\_ an emergency contact \_\_\_\_\_ power \_\_\_\_\_.

Emergency contacts should \_\_\_\_\_ disruptions.

\_\_\_\_\_ there's a \_\_\_\_\_ trying to make sure \_\_\_\_\_ contact?

Do \_\_\_\_\_ contact \_\_\_\_\_ for \_\_\_\_\_ loss?

\_\_\_\_\_ refreshed \_\_\_\_\_ call list \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ outage \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ critical \_\_\_\_\_.

\_\_\_\_ you want to \_\_\_\_ you know \_\_\_\_ power \_\_\_\_ ?  
 \_\_\_\_ you need \_\_\_\_ update your \_\_\_\_ the \_\_\_\_ a \_\_\_\_ failure?  
 Changing storm-related \_\_\_\_ !  
 Need changes \_\_\_\_ contact?  
 Needed \_\_\_\_ contact?  
 \_\_\_\_ I change \_\_\_\_ during power \_\_\_\_ ?  
 We need to \_\_\_\_ to during \_\_\_\_ .  
 Are \_\_\_\_ trying \_\_\_\_ get in touch \_\_\_\_ someone \_\_\_\_ event \_\_\_\_ a \_\_\_\_ ?  
 \_\_\_\_ to update \_\_\_\_ information when \_\_\_\_ power is \_\_\_\_ ?  
 In \_\_\_\_ a power \_\_\_\_ should \_\_\_\_ update \_\_\_\_ info?  
 \_\_\_\_ to update the \_\_\_\_ outage \_\_\_\_ liaison?  
 \_\_\_\_ a problem with the \_\_\_\_ are \_\_\_\_ trying \_\_\_\_ update your \_\_\_\_ ?  
 It \_\_\_\_ to update critical \_\_\_\_ .  
 \_\_\_\_ for power failures \_\_\_\_ to \_\_\_\_ .  
 \_\_\_\_ you \_\_\_\_ make contact in \_\_\_\_ event of \_\_\_\_ power \_\_\_\_ ?  
 Are \_\_\_\_ to \_\_\_\_ sure \_\_\_\_ are \_\_\_\_ contact \_\_\_\_ is \_\_\_\_ power failure?  
 \_\_\_\_ it possible to change the \_\_\_\_ for \_\_\_\_ ?  
 Please update the \_\_\_\_ .  
 \_\_\_\_ there \_\_\_\_ update \_\_\_\_ information \_\_\_\_ Blackouts?  
 Emergency contact \_\_\_\_ for \_\_\_\_ disruptions.  
 Is \_\_\_\_ to update \_\_\_\_ for \_\_\_\_ ?  
 \_\_\_\_ in need \_\_\_\_ contact \_\_\_\_ event of \_\_\_\_ power failure?  
 \_\_\_\_ attempt to update your contact \_\_\_\_ power is \_\_\_\_ ?  
 \_\_\_\_ a contact update? Power \_\_\_\_ kaput \_\_\_\_ .  
 Do \_\_\_\_ to update your \_\_\_\_ information \_\_\_\_ is a \_\_\_\_ power?  
 Someone needs \_\_\_\_ who to call \_\_\_\_ outage.  
 \_\_\_\_ power \_\_\_\_ are you updating \_\_\_\_ contact information?  
 Emergency \_\_\_\_ to \_\_\_\_ updated during \_\_\_\_ .  
 Are you \_\_\_\_ the \_\_\_\_ failure \_\_\_\_ number?  
 \_\_\_\_ information \_\_\_\_ power outages \_\_\_\_ be \_\_\_\_ date.  
 Is it \_\_\_\_ Contact \_\_\_\_ the Blackouts?  
 \_\_\_\_ a need \_\_\_\_ Critical Utility \_\_\_\_ .  
 \_\_\_\_ power outage emergency \_\_\_\_ ?  
 \_\_\_\_ to update your \_\_\_\_ for \_\_\_\_ outages?  
 Should \_\_\_\_ update \_\_\_\_ contact in \_\_\_\_ of \_\_\_\_ outage?  
 Power \_\_\_\_ contacts \_\_\_\_ revised?  
 \_\_\_\_ an \_\_\_\_ contact \_\_\_\_ for \_\_\_\_ disruptions?  
 In \_\_\_\_ event \_\_\_\_ failure, should \_\_\_\_ our contact?  
 What \_\_\_\_ on power \_\_\_\_ ?  
 Are you \_\_\_\_ when there's a power \_\_\_\_ ?  
 Possible revisions \_\_\_\_ power \_\_\_\_ ?  
 \_\_\_\_ modify \_\_\_\_ speak to during \_\_\_\_ .  
 Change \_\_\_\_ failures \_\_\_\_ number?  
 Looking \_\_\_\_ Utility Contacts  
 \_\_\_\_ about a contact \_\_\_\_ kaput \_\_\_\_  
 \_\_\_\_ you need \_\_\_\_ change \_\_\_\_ outage \_\_\_\_ ?  
 My \_\_\_\_ Outage \_\_\_\_ to \_\_\_\_ updated.  
 \_\_\_\_ contact \_\_\_\_ be changed if \_\_\_\_ a \_\_\_\_ cut.  
 In the event of a \_\_\_\_ failure, \_\_\_\_ you \_\_\_\_ ?  
 \_\_\_\_ contact info be \_\_\_\_ in \_\_\_\_ a power \_\_\_\_ ?



Power disruption may \_\_\_\_\_ update.  
Emergency \_\_\_\_\_ for \_\_\_\_\_ issues \_\_\_\_\_ updated.  
\_\_\_\_\_ power Outage \_\_\_\_\_ can be \_\_\_\_\_.  
Is \_\_\_\_\_ to \_\_\_\_\_ the person on \_\_\_\_\_ outage?  
Do \_\_\_\_\_ loss contact \_\_\_\_\_?  
Change the \_\_\_\_\_ emergency \_\_\_\_\_  
When \_\_\_\_\_ problems \_\_\_\_\_ the \_\_\_\_\_ you updating your contact \_\_\_\_\_?  
\_\_\_\_\_ update \_\_\_\_\_ needed for power \_\_\_\_\_.  
\_\_\_\_\_ power \_\_\_\_\_ information?  
\_\_\_\_\_ there's \_\_\_\_\_ Outage, do you attempt \_\_\_\_\_ make \_\_\_\_\_ have emergency \_\_\_\_\_?  
There \_\_\_\_\_ possible \_\_\_\_\_ to power \_\_\_\_\_.  
Changing \_\_\_\_\_ power disruptions?  
Is it \_\_\_\_\_ to \_\_\_\_\_ contact \_\_\_\_\_ during \_\_\_\_\_?  
\_\_\_\_\_ there's \_\_\_\_\_ with the \_\_\_\_\_ you \_\_\_\_\_ update your \_\_\_\_\_ information?  
\_\_\_\_\_ update \_\_\_\_\_ the power goes out.  
Please \_\_\_\_\_ this \_\_\_\_\_ blackouts.  
Need \_\_\_\_\_ change out-of \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ do you attempt \_\_\_\_\_ update your contact information?  
revised \_\_\_\_\_ power \_\_\_\_\_?  
\_\_\_\_\_ there's \_\_\_\_\_ you attempting to make sure \_\_\_\_\_ emergency contact?  
Contact info \_\_\_\_\_ to \_\_\_\_\_ case \_\_\_\_\_ a \_\_\_\_\_ failure.  
Are \_\_\_\_\_ trying \_\_\_\_\_ you \_\_\_\_\_ help if \_\_\_\_\_ is a \_\_\_\_\_ failure?  
How \_\_\_\_\_ my power \_\_\_\_\_?  
\_\_\_\_\_ to make sure \_\_\_\_\_ have emergency contact \_\_\_\_\_ case of \_\_\_\_\_?  
Do you \_\_\_\_\_ update emergency \_\_\_\_\_ failures?  
Should we change \_\_\_\_\_ power \_\_\_\_\_?  
Need \_\_\_\_\_ get \_\_\_\_\_ someone during a power \_\_\_\_\_?  
Is \_\_\_\_\_ to change \_\_\_\_\_ contact during a \_\_\_\_\_?  
\_\_\_\_\_ like to update critical \_\_\_\_\_.  
It's time \_\_\_\_\_ update \_\_\_\_\_ outage \_\_\_\_\_.  
\_\_\_\_\_ to keep in \_\_\_\_\_ the \_\_\_\_\_ of a power \_\_\_\_\_?  
Revisions \_\_\_\_\_ power \_\_\_\_\_?  
\_\_\_\_\_ changes \_\_\_\_\_ power loss.  
\_\_\_\_\_ I \_\_\_\_\_ outage contact?  
Change power \_\_\_\_\_.  
\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ contact \_\_\_\_\_ during outages?  
How \_\_\_\_\_ update when power \_\_\_\_\_?  
It's \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ list.  
\_\_\_\_\_ there's \_\_\_\_\_ you \_\_\_\_\_ to make sure \_\_\_\_\_ have \_\_\_\_\_ emergency contact?  
\_\_\_\_\_ case of power \_\_\_\_\_ we update \_\_\_\_\_?  
\_\_\_\_\_ sure you \_\_\_\_\_ emergency contact \_\_\_\_\_ there \_\_\_\_\_ power outage?  
Need \_\_\_\_\_ update contact in \_\_\_\_\_ a \_\_\_\_\_?  
Our \_\_\_\_\_ during \_\_\_\_\_ be \_\_\_\_\_.  
Does \_\_\_\_\_ emergency liaison need to \_\_\_\_\_?  
Can there be any \_\_\_\_\_ contacts?  
Looking to \_\_\_\_\_ utility \_\_\_\_\_  
Do you wish \_\_\_\_\_ change \_\_\_\_\_ an \_\_\_\_\_?  
\_\_\_\_\_ need to update emergency \_\_\_\_\_ power outage?  
Emergency \_\_\_\_\_ need \_\_\_\_\_ updated \_\_\_\_\_ times of \_\_\_\_\_.  
\_\_\_\_\_ necessitate emergency \_\_\_\_\_ update.

\_\_\_\_\_ you trying \_\_\_\_\_ sure you have \_\_\_\_\_ the power \_\_\_\_\_ out?

\_\_\_\_\_ you need \_\_\_\_\_ changes \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ power \_\_\_\_\_ do you attempt \_\_\_\_\_ update \_\_\_\_\_ contact information?

Whenever \_\_\_\_\_ how \_\_\_\_\_ a \_\_\_\_\_ update?

Are \_\_\_\_\_ contact information \_\_\_\_\_?

Any \_\_\_\_\_ failure contact?

Try \_\_\_\_\_ contact.

\_\_\_\_\_ how about a contact update?

\_\_\_\_\_ changing the \_\_\_\_\_ emergency \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ when the power goes out?

The emergency outage \_\_\_\_\_ need \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ outage emergency contact.

\_\_\_\_\_ a change to \_\_\_\_\_ power \_\_\_\_\_ emergency contact?

Need to \_\_\_\_\_ someone \_\_\_\_\_ of \_\_\_\_\_ power loss?

Need \_\_\_\_\_ change contact \_\_\_\_\_?

need \_\_\_\_\_ loss \_\_\_\_\_

\_\_\_\_\_ loss \_\_\_\_\_ changes are \_\_\_\_\_.

\_\_\_\_\_ change \_\_\_\_\_ phone number when there \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ trying \_\_\_\_\_ make sure you know \_\_\_\_\_ power \_\_\_\_\_ out?

\_\_\_\_\_ to make \_\_\_\_\_ have \_\_\_\_\_ contact when there is \_\_\_\_\_ interruption \_\_\_\_\_ power?

When \_\_\_\_\_ is \_\_\_\_\_ Power \_\_\_\_\_ are \_\_\_\_\_ making \_\_\_\_\_ to have \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ know if there is a \_\_\_\_\_ outage?

Updating \_\_\_\_\_ utility \_\_\_\_\_

\_\_\_\_\_ contact may \_\_\_\_\_ the event of \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ deets are \_\_\_\_\_ power problems.

\_\_\_\_\_ was \_\_\_\_\_ need for \_\_\_\_\_ fresh \_\_\_\_\_ list.

\_\_\_\_\_ there \_\_\_\_\_ revisions \_\_\_\_\_ power failure \_\_\_\_\_?

\_\_\_\_\_ we change our power \_\_\_\_\_?

Emergency contact \_\_\_\_\_ power issues.

\_\_\_\_\_ it \_\_\_\_\_ make sure you have \_\_\_\_\_ contact \_\_\_\_\_ is \_\_\_\_\_ outage?

Someone \_\_\_\_\_ to \_\_\_\_\_ who to call \_\_\_\_\_.

Are you \_\_\_\_\_ to \_\_\_\_\_ your contact information \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ new \_\_\_\_\_ call \_\_\_\_\_ is \_\_\_\_\_.

Is it possible \_\_\_\_\_ change \_\_\_\_\_?

\_\_\_\_\_ to update contact info \_\_\_\_\_ case of a \_\_\_\_\_?

How about \_\_\_\_\_ power disruption?

\_\_\_\_\_ need \_\_\_\_\_ contact changes.

\_\_\_\_\_ it possible \_\_\_\_\_ powerout contact?

\_\_\_\_\_ needs \_\_\_\_\_ be updated for \_\_\_\_\_.

New \_\_\_\_\_ needed

How about \_\_\_\_\_ update \_\_\_\_\_ goes \_\_\_\_\_ frequently?

\_\_\_\_\_ you wish to \_\_\_\_\_ emergency contact \_\_\_\_\_?

\_\_\_\_\_ contact \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ power \_\_\_\_\_?

Emergency contact should \_\_\_\_\_?

There should be \_\_\_\_\_ contact update \_\_\_\_\_.

Are you \_\_\_\_\_ contact \_\_\_\_\_ there \_\_\_\_\_ a power failure?

Is \_\_\_\_\_ possible \_\_\_\_\_ info \_\_\_\_\_ an outage?

\_\_\_\_\_ the \_\_\_\_\_ information.

Seeking \_\_\_\_\_ update \_\_\_\_\_ contacts.

\_\_\_\_\_ to update critical \_\_\_\_\_

\_\_\_\_\_ our out-of-power contact?

The \_\_\_\_\_ emergency liaison should \_\_\_\_\_?

\_\_\_\_\_ out-of-power contact \_\_\_\_\_.

\_\_\_\_\_ you trying \_\_\_\_\_ make \_\_\_\_\_ know \_\_\_\_\_ there's an \_\_\_\_\_ power?

\_\_\_\_\_ update your contact information when the \_\_\_\_\_ goes \_\_\_\_\_?

Please \_\_\_\_\_ information \_\_\_\_\_ power Outages.

Are you trying \_\_\_\_\_ make \_\_\_\_\_ there's \_\_\_\_\_ power failure?

\_\_\_\_\_ you updated your \_\_\_\_\_ possible \_\_\_\_\_?

Outage \_\_\_\_\_ emergencycontact.

\_\_\_\_\_ electrical \_\_\_\_\_ our phone-call \_\_\_\_\_ to be \_\_\_\_\_.

\_\_\_\_\_ you making \_\_\_\_\_ you have contact \_\_\_\_\_ the \_\_\_\_\_?

You \_\_\_\_\_ contact \_\_\_\_\_ in case of \_\_\_\_\_ failure.

The contact \_\_\_\_\_ should \_\_\_\_\_ changed \_\_\_\_\_.

Is it possible \_\_\_\_\_ update \_\_\_\_\_ info \_\_\_\_\_ power is \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ someone who is \_\_\_\_\_?

Emergency contact \_\_\_\_\_ changed if \_\_\_\_\_ a power \_\_\_\_\_.

How \_\_\_\_\_ power \_\_\_\_\_ changed?

\_\_\_\_\_ contact \_\_\_\_\_ during times of power disruptions.

\_\_\_\_\_ emergency \_\_\_\_\_ for power \_\_\_\_\_?

\_\_\_\_\_ you updating \_\_\_\_\_ contact \_\_\_\_\_ when the \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ sure you have \_\_\_\_\_ when \_\_\_\_\_ power outage?

Updating emergency contact is \_\_\_\_\_.

Do you \_\_\_\_\_ update your contact information \_\_\_\_\_ out?

Change \_\_\_\_\_ liaison?

\_\_\_\_\_ needs \_\_\_\_\_ on \_\_\_\_\_ to call during \_\_\_\_\_ interruption.

Is it \_\_\_\_\_ change \_\_\_\_\_ emergency contact?

\_\_\_\_\_ is \_\_\_\_\_ for power disruption.

Change \_\_\_\_\_ phone \_\_\_\_\_ failures?

When \_\_\_\_\_ a \_\_\_\_\_ trying to update your \_\_\_\_\_ information?

Emergency contacts \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ a new energy call \_\_\_\_\_.

\_\_\_\_\_ info should be \_\_\_\_\_ during \_\_\_\_\_.

Any \_\_\_\_\_ on \_\_\_\_\_ to power \_\_\_\_\_?

\_\_\_\_\_ my \_\_\_\_\_ contact?

Should \_\_\_\_\_ contact \_\_\_\_\_ case of \_\_\_\_\_ power failure?

Do \_\_\_\_\_ change my emergency \_\_\_\_\_ for \_\_\_\_\_ cuts?

Have \_\_\_\_\_ about updating contact info in \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ there's \_\_\_\_\_ the power, \_\_\_\_\_ you updating your \_\_\_\_\_ information?

Can I \_\_\_\_\_ my \_\_\_\_\_ for \_\_\_\_\_?

My \_\_\_\_\_ outage \_\_\_\_\_ to be \_\_\_\_\_.

Is \_\_\_\_\_ possible to \_\_\_\_\_ contact \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ update \_\_\_\_\_ utility contacts

\_\_\_\_\_ be able to change my \_\_\_\_\_ contact \_\_\_\_\_ is \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ info \_\_\_\_\_ be changed.

\_\_\_\_\_ need \_\_\_\_\_ be updated in \_\_\_\_\_ of \_\_\_\_\_ power \_\_\_\_\_.

There \_\_\_\_\_ to be an \_\_\_\_\_ update \_\_\_\_\_ disruptions.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ have emergency contact when power \_\_\_\_\_?

Are \_\_\_\_\_ power \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ can change \_\_\_\_\_ emergency \_\_\_\_\_ during power \_\_\_\_\_?

\_\_\_\_\_ utility contacts.

Contact updates are \_\_\_\_\_ to \_\_\_\_\_ going \_\_\_\_\_.

Are \_\_\_\_\_ need to \_\_\_\_\_?

\_\_\_\_\_ you trying \_\_\_\_\_ get in touch with someone \_\_\_\_\_ case \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ increase contact \_\_\_\_\_ during outages?

Changing \_\_\_\_\_ power \_\_\_\_\_ emergency \_\_\_\_\_?

\_\_\_\_\_ you know the latest contact information \_\_\_\_\_?

\_\_\_\_\_ update \_\_\_\_\_ information \_\_\_\_\_ power \_\_\_\_\_.

Contact info \_\_\_\_\_ changed \_\_\_\_\_.

Have \_\_\_\_\_ your contact \_\_\_\_\_ electricity failures?

\_\_\_\_\_ any chance of \_\_\_\_\_ emergency contact \_\_\_\_\_ cuts?

\_\_\_\_\_ power \_\_\_\_\_ contacts?

Do \_\_\_\_\_ want \_\_\_\_\_ update \_\_\_\_\_ outages emergency \_\_\_\_\_?

Do you \_\_\_\_\_ to \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ there's problems with \_\_\_\_\_ power are \_\_\_\_\_ your \_\_\_\_\_?

The \_\_\_\_\_ outage emergency \_\_\_\_\_ updated.

\_\_\_\_\_ are seeking \_\_\_\_\_ update \_\_\_\_\_ utility \_\_\_\_\_.

Please \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ power \_\_\_\_\_.

Is \_\_\_\_\_ a \_\_\_\_\_ to update \_\_\_\_\_ info \_\_\_\_\_ Blackouts?

\_\_\_\_\_ to \_\_\_\_\_ contacts.

\_\_\_\_\_ contact?

\_\_\_\_\_ power \_\_\_\_\_ contacts \_\_\_\_\_ revised.

\_\_\_\_\_ an \_\_\_\_\_ on your power \_\_\_\_\_ contact \_\_\_\_\_?

Emergency contact \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ to make \_\_\_\_\_ are available if there \_\_\_\_\_ a power \_\_\_\_\_?

\_\_\_\_\_ wonder if \_\_\_\_\_ can change \_\_\_\_\_ emergency \_\_\_\_\_ cuts.

You can \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ power \_\_\_\_\_ kaput frequently.

\_\_\_\_\_ power \_\_\_\_\_ number be \_\_\_\_\_?

Please, update \_\_\_\_\_ the power \_\_\_\_\_.

Do you \_\_\_\_\_ change \_\_\_\_\_ during an out \_\_\_\_\_?

Want \_\_\_\_\_ make \_\_\_\_\_ to \_\_\_\_\_ contact?

\_\_\_\_\_ you \_\_\_\_\_ to change \_\_\_\_\_ contact?

\_\_\_\_\_ you \_\_\_\_\_ update contact in the \_\_\_\_\_ of a \_\_\_\_\_?

Update \_\_\_\_\_ power \_\_\_\_\_?

Could \_\_\_\_\_ change \_\_\_\_\_ phone \_\_\_\_\_?

Please \_\_\_\_\_ the \_\_\_\_\_ the power \_\_\_\_\_.

My \_\_\_\_\_ Contact should \_\_\_\_\_.

\_\_\_\_\_ you want \_\_\_\_\_ sure \_\_\_\_\_ emergency contact \_\_\_\_\_ there \_\_\_\_\_ Power Outage?

\_\_\_\_\_ Emergency liaison should \_\_\_\_\_?

Power failure \_\_\_\_\_.

He \_\_\_\_\_ to \_\_\_\_\_ emergency \_\_\_\_\_ number.

\_\_\_\_\_ there's \_\_\_\_\_ Power \_\_\_\_\_ are you trying \_\_\_\_\_ make \_\_\_\_\_ contact?

\_\_\_\_\_ energy call \_\_\_\_\_ needed.

\_\_\_\_\_ off, are you trying to update \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ is possible \_\_\_\_\_ outage emergency \_\_\_\_\_.

Are \_\_\_\_\_ sure you \_\_\_\_\_ an \_\_\_\_\_ contact \_\_\_\_\_ there's \_\_\_\_\_ power \_\_\_\_\_?

Emergency \_\_\_\_\_ should be updated \_\_\_\_\_ an \_\_\_\_\_.

Contact \_\_\_\_\_ should be \_\_\_\_\_ case of \_\_\_\_\_ failure?

Someone should \_\_\_\_\_ Emergencies.

\_\_\_\_\_ emergencies, \_\_\_\_\_ phone-call-list needs \_\_\_\_\_.

\_\_\_\_\_ wonder if it's \_\_\_\_\_ change my \_\_\_\_\_ contact \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ outage contact updated?

\_\_\_\_\_ power goes kaput, \_\_\_\_\_ about \_\_\_\_\_?

When \_\_\_\_\_ power \_\_\_\_\_ working, \_\_\_\_\_ want to update \_\_\_\_\_ contact \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to update \_\_\_\_\_ information when the power \_\_\_\_\_?

For power \_\_\_\_\_ emergency \_\_\_\_\_ update \_\_\_\_\_.

\_\_\_\_\_ changes to \_\_\_\_\_ power \_\_\_\_\_?

You might \_\_\_\_\_ update \_\_\_\_\_ in the event \_\_\_\_\_ failure.

If \_\_\_\_\_ a power outage, \_\_\_\_\_ need \_\_\_\_\_ update \_\_\_\_\_.

\_\_\_\_\_ phone-call-list needs to be \_\_\_\_\_.

Emergency \_\_\_\_\_ can \_\_\_\_\_ changed \_\_\_\_\_ outage.

\_\_\_\_\_ needed for power \_\_\_\_\_?

\_\_\_\_\_ of contact info \_\_\_\_\_ Blackouts?

\_\_\_\_\_ want to make sure you \_\_\_\_\_ an \_\_\_\_\_ when \_\_\_\_\_ power \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ power outage \_\_\_\_\_ contact?

Change the \_\_\_\_\_.

\_\_\_\_\_ able to change \_\_\_\_\_ contact during \_\_\_\_\_ cuts?

Contact \_\_\_\_\_ should \_\_\_\_\_ during a \_\_\_\_\_.

When \_\_\_\_\_ occurs, are \_\_\_\_\_ make sure \_\_\_\_\_ have emergency contact?

How \_\_\_\_\_ a contact \_\_\_\_\_ out often?

\_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ on \_\_\_\_\_ to call \_\_\_\_\_ an \_\_\_\_\_?