

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Security and Alarm Companies
<b>Inquiry Category</b>	Questions about warranty and service coverage
<b>Inquiry Sub-Category</b>	Relocation assistance
<b>Description</b>	Inquiries about the company's policies and assistance provided for relocating home security systems to a new residence, including any associated costs or requirements for reinstallation or equipment changes.
<b>Data Size</b>	5,621 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Security and Alarm Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ long \_\_\_\_ usually \_\_\_\_ for a relocated \_\_\_\_ system \_\_\_\_ become \_\_\_\_ again at the new \_\_\_\_?  
 How \_\_\_\_ it \_\_\_\_ for the relocated \_\_\_\_ system \_\_\_\_ be up \_\_\_\_?  
 \_\_\_\_ does it take for \_\_\_\_ alarm \_\_\_\_ to be \_\_\_\_ the new \_\_\_\_?  
 \_\_\_\_ move \_\_\_\_ to complete again?  
 \_\_\_\_ relocation, how \_\_\_\_ the alarm \_\_\_\_ becomes fully \_\_\_\_?  
 \_\_\_\_ there an \_\_\_\_ of \_\_\_\_ time \_\_\_\_ will take \_\_\_\_ moved alerting \_\_\_\_ fully \_\_\_\_ again at another property?  
 \_\_\_\_ long \_\_\_\_ my security device \_\_\_\_ functional and \_\_\_\_ activated in its \_\_\_\_?  
 \_\_\_\_ long will \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_ if you move?  
 How long does \_\_\_\_ take \_\_\_\_ an alarm \_\_\_\_ a new \_\_\_\_?  
 Is \_\_\_\_ estimate of \_\_\_\_ long \_\_\_\_ for the mechanism \_\_\_\_ be fully \_\_\_\_ at \_\_\_\_ property?  
 \_\_\_\_ will it take \_\_\_\_ system \_\_\_\_ work following \_\_\_\_ move?  
 \_\_\_\_ much \_\_\_\_ does it take for a \_\_\_\_ work \_\_\_\_?  
 How long \_\_\_\_ for \_\_\_\_ relocated \_\_\_\_ security system \_\_\_\_ up \_\_\_\_ running in the \_\_\_\_?  
 How \_\_\_\_ does it \_\_\_\_ relocated alarm \_\_\_\_ get \_\_\_\_ to normal?  
 What time frame \_\_\_\_ for \_\_\_\_ at \_\_\_\_ new home?  
 \_\_\_\_ long does \_\_\_\_ relocated \_\_\_\_ to \_\_\_\_ again at the \_\_\_\_ residence?  
 How \_\_\_\_ does \_\_\_\_ alarm \_\_\_\_ take to be \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ to get a \_\_\_\_ and running \_\_\_\_ after moving \_\_\_\_ another house?  
 \_\_\_\_ long does \_\_\_\_ take \_\_\_\_ a \_\_\_\_ alarm \_\_\_\_ become fully \_\_\_\_?  
 How \_\_\_\_ it \_\_\_\_ all \_\_\_\_ of \_\_\_\_ alarm mechanism to \_\_\_\_ after a \_\_\_\_?  
 \_\_\_\_ into \_\_\_\_ home, how long does it \_\_\_\_ for \_\_\_\_ to be fully functional?  
 \_\_\_\_ like \_\_\_\_ when an \_\_\_\_ alarm \_\_\_\_ becomes \_\_\_\_ after moving homes.  
 How \_\_\_\_ it take for the \_\_\_\_ to be operational \_\_\_\_?  
 Can \_\_\_\_ give an \_\_\_\_ how \_\_\_\_ usually takes \_\_\_\_ a \_\_\_\_ security \_\_\_\_ to \_\_\_\_ in a \_\_\_\_ residence?  
 \_\_\_\_ it \_\_\_\_ the reset alarm \_\_\_\_ up \_\_\_\_ running again after relocation?  
 \_\_\_\_ alarms become functional after \_\_\_\_?  
 \_\_\_\_ long does \_\_\_\_ take \_\_\_\_ system \_\_\_\_ fully \_\_\_\_ in its new setting?  
 How long does it \_\_\_\_ alarm \_\_\_\_ in a \_\_\_\_ place?

\_\_\_\_\_ take for a recently moved \_\_\_\_\_ mechanism \_\_\_\_\_ become fully \_\_\_\_\_ more at \_\_\_\_\_ property?

After shifting \_\_\_\_\_ will my alarm \_\_\_\_\_ back \_\_\_\_\_?

\_\_\_\_\_ estimate \_\_\_\_\_ how long it \_\_\_\_\_ take for a relocated \_\_\_\_\_ system to be \_\_\_\_\_?

\_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ operationalize a \_\_\_\_\_ alarm \_\_\_\_\_?

\_\_\_\_\_ there an \_\_\_\_\_ of how \_\_\_\_\_ it will take \_\_\_\_\_ a \_\_\_\_\_ relocated alerting \_\_\_\_\_ operational \_\_\_\_\_ more?

\_\_\_\_\_ the average \_\_\_\_\_ for the relocated alarms \_\_\_\_\_ the \_\_\_\_\_?

How long \_\_\_\_\_ take for a relocated \_\_\_\_\_ back to \_\_\_\_\_?

How \_\_\_\_\_ it \_\_\_\_\_ for a \_\_\_\_\_ security apparatus \_\_\_\_\_ get back \_\_\_\_\_?

\_\_\_\_\_ an estimate of how long it \_\_\_\_\_ take \_\_\_\_\_ to \_\_\_\_\_ operational \_\_\_\_\_ another property?

How \_\_\_\_\_ does it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ in the \_\_\_\_\_ residence?

When an alarm \_\_\_\_\_ is moved to a new home, \_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ operational \_\_\_\_\_?

How long is \_\_\_\_\_ relocation to \_\_\_\_\_ the \_\_\_\_\_ system?

\_\_\_\_\_ an estimate of \_\_\_\_\_ it \_\_\_\_\_ mechanism to be fully \_\_\_\_\_ again at \_\_\_\_\_ property?

How long does \_\_\_\_\_ take for \_\_\_\_\_ alarm \_\_\_\_\_ work?

What \_\_\_\_\_ the \_\_\_\_\_ duration for \_\_\_\_\_ function \_\_\_\_\_ security \_\_\_\_\_ that \_\_\_\_\_ transferred?

\_\_\_\_\_ is the \_\_\_\_\_ duration for \_\_\_\_\_ in \_\_\_\_\_ systems \_\_\_\_\_ have been \_\_\_\_\_?

What \_\_\_\_\_ wait time \_\_\_\_\_ work at \_\_\_\_\_ new place?

\_\_\_\_\_ is required \_\_\_\_\_ alarms to work \_\_\_\_\_ at a \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ long it \_\_\_\_\_ system \_\_\_\_\_ be fully functional?

\_\_\_\_\_ long does it take for \_\_\_\_\_ system to become \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ relocated?

\_\_\_\_\_ does \_\_\_\_\_ for an alarm system \_\_\_\_\_ operate \_\_\_\_\_ a \_\_\_\_\_ place?

\_\_\_\_\_ typical time period for \_\_\_\_\_ relocation \_\_\_\_\_ an \_\_\_\_\_ system's \_\_\_\_\_?

When will \_\_\_\_\_ system \_\_\_\_\_ a new home?

\_\_\_\_\_ you give an estimate \_\_\_\_\_ how long \_\_\_\_\_ will usually take \_\_\_\_\_ system to \_\_\_\_\_ fully \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ get a \_\_\_\_\_ alarm \_\_\_\_\_ working again after moving \_\_\_\_\_?

How long do you \_\_\_\_\_ the \_\_\_\_\_ alarms \_\_\_\_\_ place?

\_\_\_\_\_ long \_\_\_\_\_ a \_\_\_\_\_ alarm system \_\_\_\_\_ to become \_\_\_\_\_?

\_\_\_\_\_ it typically \_\_\_\_\_ a relocated \_\_\_\_\_ system \_\_\_\_\_ be \_\_\_\_\_ operational again?

Can \_\_\_\_\_ an estimate on how long \_\_\_\_\_ will take \_\_\_\_\_ relocated \_\_\_\_\_ be \_\_\_\_\_ again?

\_\_\_\_\_ long \_\_\_\_\_ it usually take \_\_\_\_\_ alarm \_\_\_\_\_ work \_\_\_\_\_ a new house?

\_\_\_\_\_ takes for \_\_\_\_\_ relocated \_\_\_\_\_ system to \_\_\_\_\_ in its new location?

\_\_\_\_\_ a \_\_\_\_\_ a relocated \_\_\_\_\_ system to \_\_\_\_\_ operational again.

\_\_\_\_\_ know how long it takes for a relocated home \_\_\_\_\_ up \_\_\_\_\_ running.

\_\_\_\_\_ take for a relocated \_\_\_\_\_ system to be functional again at \_\_\_\_\_?

How long will \_\_\_\_\_ alarm works \_\_\_\_\_ again at \_\_\_\_\_ home?

\_\_\_\_\_ take for an \_\_\_\_\_ system \_\_\_\_\_ fully functional \_\_\_\_\_ after relocation?

How \_\_\_\_\_ take for \_\_\_\_\_ system \_\_\_\_\_ come \_\_\_\_\_ on at the new \_\_\_\_\_?

\_\_\_\_\_ does it take for \_\_\_\_\_ system to \_\_\_\_\_ operational \_\_\_\_\_ relocation?

\_\_\_\_\_ homes, when will \_\_\_\_\_ alarm \_\_\_\_\_ come \_\_\_\_\_ on \_\_\_\_\_?

What is the \_\_\_\_\_ time \_\_\_\_\_ takes \_\_\_\_\_ security system \_\_\_\_\_ in \_\_\_\_\_ different residence?

When an \_\_\_\_\_ system is moved \_\_\_\_\_ new home, how \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ operational \_\_\_\_\_?

\_\_\_\_\_ long before \_\_\_\_\_ relocated alarm \_\_\_\_\_ new house?

\_\_\_\_\_ does \_\_\_\_\_ for all \_\_\_\_\_ of our \_\_\_\_\_ mechanism \_\_\_\_\_ be restored \_\_\_\_\_ changing \_\_\_\_\_?

\_\_\_\_\_ alarm system \_\_\_\_\_ moved \_\_\_\_\_ a \_\_\_\_\_ how \_\_\_\_\_ will \_\_\_\_\_ take to operate \_\_\_\_\_?

I \_\_\_\_\_ to \_\_\_\_\_ long \_\_\_\_\_ for a \_\_\_\_\_ system to be fully \_\_\_\_\_.

\_\_\_\_\_ long does it \_\_\_\_\_ to \_\_\_\_\_ alarm mechanism after \_\_\_\_\_ change \_\_\_\_\_?

\_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ system \_\_\_\_\_ get \_\_\_\_\_ to normal operations?

\_\_\_\_\_ I \_\_\_\_\_ my alarm system to \_\_\_\_\_ back on \_\_\_\_\_?

How \_\_\_\_\_ will it take \_\_\_\_\_ alarms to \_\_\_\_\_ place?

\_\_\_\_\_ long \_\_\_\_\_ it take \_\_\_\_\_ alarm \_\_\_\_\_ that has \_\_\_\_\_ moved to a new \_\_\_\_\_ operational?

\_\_\_\_\_ does \_\_\_\_\_ take for an alarm \_\_\_\_\_ was \_\_\_\_\_ to a new \_\_\_\_\_ up \_\_\_\_\_ running again?

How \_\_\_\_\_ you \_\_\_\_\_ it \_\_\_\_\_ alarm \_\_\_\_\_ to be \_\_\_\_\_ again at the new residence?

When an \_\_\_\_\_ relocated \_\_\_\_\_ a new \_\_\_\_\_ long \_\_\_\_\_ for it to work again?

\_\_\_\_\_ long before everything is \_\_\_\_\_ the alarm \_\_\_\_\_ after \_\_\_\_\_?

How \_\_\_\_\_ do you \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ system to \_\_\_\_\_ running?

\_\_\_\_\_ I expect \_\_\_\_\_ work again \_\_\_\_\_ a new location?

\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ for a \_\_\_\_\_ to work again?

\_\_\_\_\_ long does it take for \_\_\_\_\_ be \_\_\_\_\_ a residence \_\_\_\_\_ change?

\_\_\_\_\_ estimate \_\_\_\_\_ long it \_\_\_\_\_ take \_\_\_\_\_ a recently \_\_\_\_\_ alerting mechanism \_\_\_\_\_ operational once \_\_\_\_\_ at another property?

The average duration for \_\_\_\_\_ installed \_\_\_\_\_ running again \_\_\_\_\_ moving \_\_\_\_\_ unknown.

How long does \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ operating capability?

\_\_\_\_\_ long \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ to be restored after \_\_\_\_\_?

Can \_\_\_\_\_ of \_\_\_\_\_ relocated alarm \_\_\_\_\_ be functional at our \_\_\_\_\_ place?

I \_\_\_\_\_ to know \_\_\_\_\_ time \_\_\_\_\_ a relocated \_\_\_\_\_ system to \_\_\_\_\_ functional.

Is \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ alarm systems to \_\_\_\_\_?

\_\_\_\_\_ long from relocation to \_\_\_\_\_ operation of \_\_\_\_\_ it?

How \_\_\_\_\_ take to \_\_\_\_\_ a new alarm \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ it takes for a \_\_\_\_\_ to \_\_\_\_\_ fully functional.

How \_\_\_\_\_ system can function?

When \_\_\_\_\_ system is moved \_\_\_\_\_ a \_\_\_\_\_ when will \_\_\_\_\_ again?

How \_\_\_\_\_ alarm system \_\_\_\_\_ fully operational \_\_\_\_\_ relocating?

\_\_\_\_\_ until the alarm \_\_\_\_\_ in \_\_\_\_\_ new location?

How \_\_\_\_\_ does \_\_\_\_\_ for a \_\_\_\_\_ installed alarm \_\_\_\_\_ come back on after \_\_\_\_\_?

\_\_\_\_\_ is needed for relocated alarms \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_.

\_\_\_\_\_ is it usually for \_\_\_\_\_ system \_\_\_\_\_ be synchronized at \_\_\_\_\_?

\_\_\_\_\_ before an alarm \_\_\_\_\_ becomes fully \_\_\_\_\_ after \_\_\_\_\_?

What \_\_\_\_\_ time until the \_\_\_\_\_ alarms \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_?

How \_\_\_\_\_ take \_\_\_\_\_ an alarm system to \_\_\_\_\_ in \_\_\_\_\_ house?

Is it \_\_\_\_\_ for \_\_\_\_\_ alarm \_\_\_\_\_ I move to a new \_\_\_\_\_?

\_\_\_\_\_ is the typical duration from \_\_\_\_\_ to \_\_\_\_\_ system?

How \_\_\_\_\_ does it take \_\_\_\_\_ relocated \_\_\_\_\_ be activated?

Can \_\_\_\_\_ me \_\_\_\_\_ on \_\_\_\_\_ long it usually \_\_\_\_\_ to set up \_\_\_\_\_ system?

How much \_\_\_\_\_ needed for the alarm \_\_\_\_\_ to \_\_\_\_\_ at the new \_\_\_\_\_?

Do you \_\_\_\_\_ long \_\_\_\_\_ for a \_\_\_\_\_ system to be fully \_\_\_\_\_ again at \_\_\_\_\_?

What \_\_\_\_\_ normal period from relocation \_\_\_\_\_ full \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ long before a \_\_\_\_\_ system \_\_\_\_\_?

How much time does it \_\_\_\_\_ for \_\_\_\_\_ be \_\_\_\_\_ and \_\_\_\_\_ in the \_\_\_\_\_ house?

\_\_\_\_\_ of time \_\_\_\_\_ full operation of the alarm system?

\_\_\_\_\_ much time will \_\_\_\_\_ take for an \_\_\_\_\_ fully \_\_\_\_\_ again \_\_\_\_\_ relocation?

\_\_\_\_\_ long \_\_\_\_\_ for \_\_\_\_\_ previously \_\_\_\_\_ alarm to get up \_\_\_\_\_ running again \_\_\_\_\_?

How long before \_\_\_\_\_ system \_\_\_\_\_ fully functional \_\_\_\_\_ new \_\_\_\_\_?

How long \_\_\_\_\_ alarm \_\_\_\_\_ is \_\_\_\_\_?

How \_\_\_\_\_ should \_\_\_\_\_ anticipate my \_\_\_\_\_ device being \_\_\_\_\_ activated \_\_\_\_\_ functional \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ alarm system to work again \_\_\_\_\_?

\_\_\_\_\_ how long \_\_\_\_\_ good with the \_\_\_\_\_ equipment?

How long will it take \_\_\_\_\_ system \_\_\_\_\_ again, after \_\_\_\_\_?

\_\_\_\_\_ does it take \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ the new setting?

How long will \_\_\_\_\_ take for \_\_\_\_\_ up \_\_\_\_\_ speed again?

I \_\_\_\_\_ know \_\_\_\_\_ will take for \_\_\_\_\_ relocated \_\_\_\_\_ be fully functional.

Can anyone tell me \_\_\_\_\_ long it will \_\_\_\_\_ for a \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_?

Is there an \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ take for a \_\_\_\_\_ be fully functioning \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ how soon \_\_\_\_\_ adjusted alarm system \_\_\_\_\_ moving homes.

\_\_\_\_\_ moving \_\_\_\_\_ a new \_\_\_\_\_ should my alarm \_\_\_\_\_ again?

What \_\_\_\_\_ the average duration for \_\_\_\_\_ moving?

How \_\_\_\_\_ does \_\_\_\_\_ restore \_\_\_\_\_ features of \_\_\_\_\_ mechanism after changing \_\_\_\_\_?

\_\_\_\_\_ does it \_\_\_\_\_ for \_\_\_\_\_ system's full \_\_\_\_\_ to be \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ estimate on \_\_\_\_\_ it takes to setup a \_\_\_\_\_ system \_\_\_\_\_ a \_\_\_\_\_?

How long should \_\_\_\_\_ expect \_\_\_\_\_ security device \_\_\_\_\_ activated in \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ long it usually takes for \_\_\_\_\_ to \_\_\_\_\_ again?

\_\_\_\_\_ give \_\_\_\_\_ estimate \_\_\_\_\_ how long it will \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ to be \_\_\_\_\_ again?

\_\_\_\_\_ long will it \_\_\_\_\_ for the \_\_\_\_\_ system to \_\_\_\_\_?

\_\_\_\_\_ is the time span for a \_\_\_\_\_ back \_\_\_\_\_ normal?

How long \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ working again?

How long does \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ home?

When \_\_\_\_\_ a different \_\_\_\_\_ how \_\_\_\_\_ it take for it to work again?

\_\_\_\_\_ there an \_\_\_\_\_ how long \_\_\_\_\_ recently \_\_\_\_\_ alerting mechanism \_\_\_\_\_ be fully \_\_\_\_\_ again at \_\_\_\_\_ property?

How \_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ system \_\_\_\_\_ be fully functional \_\_\_\_\_ relocation?

The \_\_\_\_\_ to full \_\_\_\_\_ of \_\_\_\_\_ alarm \_\_\_\_\_ varies.

How long \_\_\_\_\_ it take \_\_\_\_\_ system \_\_\_\_\_ function \_\_\_\_\_ the new \_\_\_\_\_?

\_\_\_\_\_ alarm system \_\_\_\_\_ to \_\_\_\_\_ home, how \_\_\_\_\_ does \_\_\_\_\_ usually take \_\_\_\_\_ operate again?

\_\_\_\_\_ you \_\_\_\_\_ about how quickly an adjusted alarm \_\_\_\_\_ functional \_\_\_\_\_?

What is \_\_\_\_\_ for \_\_\_\_\_ alarms to work \_\_\_\_\_ home?

How long \_\_\_\_\_ take for the \_\_\_\_\_ work in \_\_\_\_\_ location?

\_\_\_\_\_ an alarm \_\_\_\_\_ a \_\_\_\_\_ home, what does \_\_\_\_\_ take \_\_\_\_\_ it \_\_\_\_\_ work again?

Is there \_\_\_\_\_ it will \_\_\_\_\_ a recently moved alerting mechanism \_\_\_\_\_ fully operational \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ it take \_\_\_\_\_ alarm system \_\_\_\_\_ at a new \_\_\_\_\_?

\_\_\_\_\_ long before the alarm \_\_\_\_\_ fully \_\_\_\_\_ a \_\_\_\_\_ house?

How long \_\_\_\_\_ for an alarm \_\_\_\_\_ be operational \_\_\_\_\_ after being \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ full operation of an alarm \_\_\_\_\_?

I \_\_\_\_\_ when the \_\_\_\_\_ system \_\_\_\_\_ work again \_\_\_\_\_ moving.

How \_\_\_\_\_ time \_\_\_\_\_ it take for \_\_\_\_\_ alarm \_\_\_\_\_ work \_\_\_\_\_ move?

When moving \_\_\_\_\_ alarm system \_\_\_\_\_ house, \_\_\_\_\_ does it \_\_\_\_\_?

\_\_\_\_\_ the typical \_\_\_\_\_ for restoring \_\_\_\_\_ security systems \_\_\_\_\_ have \_\_\_\_\_ transferred?

How long do \_\_\_\_\_ it takes \_\_\_\_\_ relocated \_\_\_\_\_ to work \_\_\_\_\_?

\_\_\_\_\_ when an adjusted alarm system \_\_\_\_\_ moving homes?

I \_\_\_\_\_ wondering \_\_\_\_\_ for a \_\_\_\_\_ home security system to \_\_\_\_\_ up \_\_\_\_\_ running.

What is \_\_\_\_\_ from \_\_\_\_\_ to full functioning \_\_\_\_\_ system?

How \_\_\_\_\_ do \_\_\_\_\_ think it will \_\_\_\_\_ get \_\_\_\_\_ alarm \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_?

Is \_\_\_\_\_ an estimate of how \_\_\_\_\_ take \_\_\_\_\_ moved alerting \_\_\_\_\_ fully operational again?

\_\_\_\_\_ long will it take for those \_\_\_\_\_ alarms \_\_\_\_\_ work \_\_\_\_\_?

\_\_\_\_\_ does it take for \_\_\_\_\_ alarm \_\_\_\_\_ and running again \_\_\_\_\_ the new \_\_\_\_\_?

How \_\_\_\_\_ before the alarm equipment \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ tell me \_\_\_\_\_ long it takes for a \_\_\_\_\_ to be \_\_\_\_\_ different home?

Is \_\_\_\_\_ how long \_\_\_\_\_ takes for a relocated \_\_\_\_\_ be \_\_\_\_\_ again?

What \_\_\_\_\_ typical \_\_\_\_\_ full \_\_\_\_\_ of the alarm system?

How \_\_\_\_\_ does it take for a \_\_\_\_\_ alarm \_\_\_\_\_?

How long \_\_\_\_\_ take for \_\_\_\_\_ relocated alarm \_\_\_\_\_ to \_\_\_\_\_ functional \_\_\_\_\_ new home?

What \_\_\_\_\_ the \_\_\_\_\_ for a \_\_\_\_\_ alarm \_\_\_\_\_ work \_\_\_\_\_ a \_\_\_\_\_ home?

\_\_\_\_\_ there an \_\_\_\_\_ how long \_\_\_\_\_ take a recently \_\_\_\_\_ alerting mechanism to \_\_\_\_\_ operational \_\_\_\_\_?

How long \_\_\_\_\_ it take for \_\_\_\_\_ previously \_\_\_\_\_ alarm \_\_\_\_\_ and running \_\_\_\_\_?

Is \_\_\_\_\_ standard time \_\_\_\_\_ getting a \_\_\_\_\_ alarm \_\_\_\_\_ working \_\_\_\_\_?

Is \_\_\_\_\_ for an \_\_\_\_\_ to \_\_\_\_\_ again after \_\_\_\_\_?

How \_\_\_\_\_ think \_\_\_\_\_ alarm system will take to \_\_\_\_\_ operation?

How \_\_\_\_\_ take \_\_\_\_\_ an alarm system \_\_\_\_\_ be fully \_\_\_\_\_ again \_\_\_\_\_ house after being \_\_\_\_\_?

\_\_\_\_\_ will the alarm system become \_\_\_\_\_ home?

\_\_\_\_\_ the \_\_\_\_\_ moved to a \_\_\_\_\_ often is it \_\_\_\_\_ again?

\_\_\_\_\_ the alarm \_\_\_\_\_ installed \_\_\_\_\_ location, how \_\_\_\_\_ it \_\_\_\_\_ to work again?

\_\_\_\_\_ does it take \_\_\_\_\_ alarm \_\_\_\_\_ be \_\_\_\_\_ functional \_\_\_\_\_ its new locale?

How \_\_\_\_\_ it \_\_\_\_\_ for an alarm system to \_\_\_\_\_ a \_\_\_\_\_ location?

How long \_\_\_\_\_ take \_\_\_\_\_ alarm \_\_\_\_\_ be fully \_\_\_\_\_ again after \_\_\_\_\_ relocated?

\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ system to \_\_\_\_\_ at the \_\_\_\_\_ address?

It \_\_\_\_\_ while for a relocated \_\_\_\_\_ system \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ an adjusted \_\_\_\_\_ system \_\_\_\_\_ fully functional after moving \_\_\_\_\_?

Time \_\_\_\_\_ relocated \_\_\_\_\_ to work again at \_\_\_\_\_ new \_\_\_\_\_.

\_\_\_\_\_ not sure how \_\_\_\_\_ will take for \_\_\_\_\_ new \_\_\_\_\_ system to \_\_\_\_\_ up \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ for \_\_\_\_\_ relocated alarm \_\_\_\_\_ to be \_\_\_\_\_ functional?

\_\_\_\_\_ long is required for relocated \_\_\_\_\_ to \_\_\_\_\_ at \_\_\_\_\_?

\_\_\_\_\_ can I expect \_\_\_\_\_ system \_\_\_\_\_ return to \_\_\_\_\_ my \_\_\_\_\_ home?

How long \_\_\_\_\_ it \_\_\_\_\_ home's alarm \_\_\_\_\_ start working?

What \_\_\_\_\_ typical \_\_\_\_\_ taken \_\_\_\_\_ alarm \_\_\_\_\_ to a new address?

\_\_\_\_\_ long will \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ to work again \_\_\_\_\_ home?

\_\_\_\_\_ you \_\_\_\_\_ takes for a relocated alarm \_\_\_\_\_ to be functional again \_\_\_\_\_ new residence?

\_\_\_\_\_ time \_\_\_\_\_ needed for \_\_\_\_\_ again at a \_\_\_\_\_ location?

Do you \_\_\_\_\_ how long it takes \_\_\_\_\_ security system \_\_\_\_\_ be activated in \_\_\_\_\_ residence?

How \_\_\_\_\_ alarm equipment in \_\_\_\_\_ new \_\_\_\_\_ working well?

How much time \_\_\_\_\_ a \_\_\_\_\_ security system to \_\_\_\_\_ activated \_\_\_\_\_ different \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ take for a moved \_\_\_\_\_ system \_\_\_\_\_ work?

How long \_\_\_\_\_ relocated alarms \_\_\_\_\_ work again \_\_\_\_\_ a new \_\_\_\_\_?

How \_\_\_\_\_ take for \_\_\_\_\_ system to \_\_\_\_\_ ready again after \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ how \_\_\_\_\_ take \_\_\_\_\_ restore all \_\_\_\_\_ of our alarm mechanism?

Can you \_\_\_\_\_ estimate \_\_\_\_\_ how \_\_\_\_\_ usually takes for a \_\_\_\_\_ to be fully \_\_\_\_\_?

How long \_\_\_\_\_ takes for a \_\_\_\_\_ to \_\_\_\_\_ working?

\_\_\_\_\_ it take \_\_\_\_\_ a \_\_\_\_\_ alarm system to \_\_\_\_\_ working?

Can I \_\_\_\_\_ the \_\_\_\_\_ system to \_\_\_\_\_ and \_\_\_\_\_ again \_\_\_\_\_ home?

\_\_\_\_\_ shifting residence addresses, how \_\_\_\_\_ does it take \_\_\_\_\_ of the \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ of time for the \_\_\_\_\_ of \_\_\_\_\_?

How \_\_\_\_\_ before \_\_\_\_\_ in its new \_\_\_\_\_ out?

Is \_\_\_\_\_ an estimate \_\_\_\_\_ long \_\_\_\_\_ for a \_\_\_\_\_ moved \_\_\_\_\_ mechanism \_\_\_\_\_ fully operational again?

Did \_\_\_\_\_ know when an \_\_\_\_\_ becomes completely functional \_\_\_\_\_?

\_\_\_\_\_ long until alarm system \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_?

When an alarm \_\_\_\_\_ is \_\_\_\_\_ to a \_\_\_\_\_ how long does it take for \_\_\_\_\_?

When \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ how long does it \_\_\_\_\_ to get \_\_\_\_\_ again?

How \_\_\_\_\_ take for a relocated \_\_\_\_\_ security system to \_\_\_\_\_?

\_\_\_\_\_ wondering how \_\_\_\_\_ it \_\_\_\_\_ a relocated alarm \_\_\_\_\_ be \_\_\_\_\_ its new location.

\_\_\_\_\_ an estimate of how long \_\_\_\_\_ will take \_\_\_\_\_ a \_\_\_\_\_ relocated alerting \_\_\_\_\_ again?

\_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ system becomes completely functional \_\_\_\_\_ moving homes.

How long \_\_\_\_\_ for relocated \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ new place?

\_\_\_\_\_ you tell \_\_\_\_\_ average \_\_\_\_\_ for a relocated \_\_\_\_\_ system to be functional in \_\_\_\_\_?

\_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ relocated security apparatus to return to \_\_\_\_\_?

How long \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ system \_\_\_\_\_ in a new \_\_\_\_\_?

How \_\_\_\_\_ it \_\_\_\_\_ for a security \_\_\_\_\_ be activated \_\_\_\_\_ a new \_\_\_\_\_?

I \_\_\_\_\_ know \_\_\_\_\_ long it \_\_\_\_\_ for my \_\_\_\_\_ to \_\_\_\_\_ functional at our \_\_\_\_\_ place.

\_\_\_\_\_ an alarm \_\_\_\_\_ is relocated \_\_\_\_\_ a \_\_\_\_\_ place, how long is \_\_\_\_\_?

\_\_\_\_\_ give \_\_\_\_\_ on how long \_\_\_\_\_ takes \_\_\_\_\_ set up a new \_\_\_\_\_ system \_\_\_\_\_ different \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ it take to get \_\_\_\_\_ alarm system \_\_\_\_\_ running \_\_\_\_\_?

\_\_\_\_\_ estimate \_\_\_\_\_ how long it \_\_\_\_\_ takes \_\_\_\_\_ a relocated security system to \_\_\_\_\_?

Do \_\_\_\_\_ a \_\_\_\_\_ alarm system to be \_\_\_\_\_ in a new setting?

How long would \_\_\_\_\_ take \_\_\_\_\_ a previously \_\_\_\_\_ alarm \_\_\_\_\_ up \_\_\_\_\_ running \_\_\_\_\_?

How \_\_\_\_\_ it \_\_\_\_\_ the alarm to \_\_\_\_\_ ready at \_\_\_\_\_ relocated \_\_\_\_\_?

How \_\_\_\_\_ alarm system works \_\_\_\_\_?

\_\_\_\_\_ alarm \_\_\_\_\_ starts \_\_\_\_\_ in the new house?

How long \_\_\_\_\_ typically \_\_\_\_\_ transferred \_\_\_\_\_ to be \_\_\_\_\_ at a \_\_\_\_\_ address?

\_\_\_\_\_ is the typical time frame \_\_\_\_\_ transfer \_\_\_\_\_ system?

\_\_\_\_\_ relocation, \_\_\_\_\_ does \_\_\_\_\_ system take to become \_\_\_\_\_ functional?

\_\_\_\_\_ time period from relocation to \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ for \_\_\_\_\_ alarm system to be operational \_\_\_\_\_ relocation?

I \_\_\_\_\_ know how \_\_\_\_\_ for a relocated alarm \_\_\_\_\_ fully \_\_\_\_\_.

How long should \_\_\_\_\_ alarm system \_\_\_\_\_ a \_\_\_\_\_ home?

\_\_\_\_\_ long \_\_\_\_\_ it take \_\_\_\_\_ the \_\_\_\_\_ to start working \_\_\_\_\_ the \_\_\_\_\_ house?

\_\_\_\_\_ the average duration \_\_\_\_\_ installed \_\_\_\_\_ to \_\_\_\_\_ again after \_\_\_\_\_ somewhere else?

\_\_\_\_\_ is the \_\_\_\_\_ duration \_\_\_\_\_ relocation to \_\_\_\_\_ operation \_\_\_\_\_ system?

Is there an estimate \_\_\_\_\_ how long it \_\_\_\_\_ take \_\_\_\_\_ recently \_\_\_\_\_ mechanism \_\_\_\_\_ once more \_\_\_\_\_ property?

When we shift residence \_\_\_\_\_ to \_\_\_\_\_ all \_\_\_\_\_ of the \_\_\_\_\_ mechanism?

How long \_\_\_\_\_ it \_\_\_\_\_ an alarm system \_\_\_\_\_ in \_\_\_\_\_ place?

\_\_\_\_\_ there an estimate of \_\_\_\_\_ it \_\_\_\_\_ for a \_\_\_\_\_ moved \_\_\_\_\_ mechanism \_\_\_\_\_ fully \_\_\_\_\_ again?

\_\_\_\_\_ does it \_\_\_\_\_ an alarm system \_\_\_\_\_ a new house after being \_\_\_\_\_?

\_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ an \_\_\_\_\_ up and running in a \_\_\_\_\_?

How \_\_\_\_\_ does it \_\_\_\_\_ take for the \_\_\_\_\_ at the new \_\_\_\_\_?

Is there a usual \_\_\_\_\_ for \_\_\_\_\_ a moved \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ duration \_\_\_\_\_ restoring function in \_\_\_\_\_ security system?

\_\_\_\_\_ does it take \_\_\_\_\_ all \_\_\_\_\_ features of \_\_\_\_\_ alarm mechanism \_\_\_\_\_ changing \_\_\_\_\_?

\_\_\_\_\_ an estimate of how long it \_\_\_\_\_ take for the \_\_\_\_\_ fully operational \_\_\_\_\_ another \_\_\_\_\_?

After \_\_\_\_\_ when \_\_\_\_\_ alarm equipment work \_\_\_\_\_ new location?

Is \_\_\_\_\_ estimate \_\_\_\_\_ how \_\_\_\_\_ it will \_\_\_\_\_ the \_\_\_\_\_ to become \_\_\_\_\_ again \_\_\_\_\_ another property?

\_\_\_\_\_ much time is needed \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ be operational \_\_\_\_\_?

Does anyone know \_\_\_\_\_ long \_\_\_\_\_ takes \_\_\_\_\_ new \_\_\_\_\_ system to \_\_\_\_\_ up \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ full operation \_\_\_\_\_ an \_\_\_\_\_ system?

\_\_\_\_\_ long \_\_\_\_\_ it take \_\_\_\_\_ a relocated \_\_\_\_\_ security \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_?

How long does a \_\_\_\_\_ at a new \_\_\_\_\_?

When an alarm \_\_\_\_\_ moved \_\_\_\_\_ a new home, \_\_\_\_\_ long does \_\_\_\_\_ to \_\_\_\_\_ function?

\_\_\_\_\_ being \_\_\_\_\_ long does \_\_\_\_\_ take for an alarm \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ estimate \_\_\_\_\_ how \_\_\_\_\_ take \_\_\_\_\_ the alerting mechanism \_\_\_\_\_ another property to \_\_\_\_\_ fully operational \_\_\_\_\_?

Do \_\_\_\_\_ long \_\_\_\_\_ will \_\_\_\_\_ for \_\_\_\_\_ home \_\_\_\_\_ system to be up \_\_\_\_\_ running?

How \_\_\_\_\_ will it take for \_\_\_\_\_ alarm system \_\_\_\_\_ move?

\_\_\_\_\_ a reassigned \_\_\_\_\_ system \_\_\_\_\_ properly?

How long does it \_\_\_\_\_ for \_\_\_\_\_ previously \_\_\_\_\_ to \_\_\_\_\_ running \_\_\_\_\_ a house move?

Is \_\_\_\_\_ a \_\_\_\_\_ system to \_\_\_\_\_ again for a while?

\_\_\_\_\_ how long \_\_\_\_\_ it \_\_\_\_\_ for the \_\_\_\_\_ system \_\_\_\_\_ work?

Can I \_\_\_\_\_ alarm system \_\_\_\_\_ work again \_\_\_\_\_ moved?

Is \_\_\_\_\_ time when \_\_\_\_\_ alarm system \_\_\_\_\_ after moving \_\_\_\_\_?

How long \_\_\_\_\_ it \_\_\_\_\_ for an alarm \_\_\_\_\_ work \_\_\_\_\_ a \_\_\_\_\_ residence?

The \_\_\_\_\_ duration for \_\_\_\_\_ installed alarm \_\_\_\_\_ again after relocating is \_\_\_\_\_.

\_\_\_\_\_ frame for moving alarm \_\_\_\_\_ to work again.

When \_\_\_\_\_ is \_\_\_\_\_ to another \_\_\_\_\_ how \_\_\_\_\_ is \_\_\_\_\_ usually \_\_\_\_\_ again?

\_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ that has been \_\_\_\_\_ to \_\_\_\_\_ home to function again?

When \_\_\_\_\_ alarm system \_\_\_\_\_ moved \_\_\_\_\_ a different place, what \_\_\_\_\_ frame is \_\_\_\_\_ usually \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ take for a moved alarm \_\_\_\_\_ to \_\_\_\_\_?

What \_\_\_\_\_ alarms to work \_\_\_\_\_ at a \_\_\_\_\_ house?

\_\_\_\_\_ long do you \_\_\_\_\_ new alarm system to \_\_\_\_\_?

How \_\_\_\_\_ you think it takes \_\_\_\_\_ repositioned \_\_\_\_\_ system \_\_\_\_\_ full \_\_\_\_\_?

How much \_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ system to \_\_\_\_\_ fully \_\_\_\_\_ in \_\_\_\_\_?

How long should \_\_\_\_\_ alarm system take \_\_\_\_\_ operational \_\_\_\_\_?

When my \_\_\_\_\_ system \_\_\_\_\_ the \_\_\_\_\_ location, \_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ to work?

When an alarm system is moved \_\_\_\_\_ different home, \_\_\_\_\_ period \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ will take \_\_\_\_\_ relocated home \_\_\_\_\_ system to start working \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ home \_\_\_\_\_ set up in the new house?

\_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ after relocation?

How long \_\_\_\_\_ it \_\_\_\_\_ an \_\_\_\_\_ up and running again \_\_\_\_\_ the \_\_\_\_\_ house?

\_\_\_\_\_ does \_\_\_\_\_ an \_\_\_\_\_ that has \_\_\_\_\_ moved to \_\_\_\_\_ home to become operational again?

When \_\_\_\_\_ alarm system is installed \_\_\_\_\_ location, \_\_\_\_\_ does it \_\_\_\_\_ for \_\_\_\_\_ start \_\_\_\_\_ again?

\_\_\_\_\_ long \_\_\_\_\_ take for \_\_\_\_\_ alarm system to work \_\_\_\_\_ residence?

How long will \_\_\_\_\_ take \_\_\_\_\_ an alarm \_\_\_\_\_ after relocation?

\_\_\_\_\_ long will \_\_\_\_\_ the alarm \_\_\_\_\_ work \_\_\_\_\_ people move?

When \_\_\_\_\_ these alarms \_\_\_\_\_ functional \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ the alarm equipment \_\_\_\_\_ good after \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ reassigned alarm \_\_\_\_\_ perfectly?

How \_\_\_\_\_ before a new \_\_\_\_\_ up \_\_\_\_\_ running?

How much time it takes \_\_\_\_\_ relocated alarm \_\_\_\_\_ functional \_\_\_\_\_ its \_\_\_\_\_?

Do you have \_\_\_\_\_ idea \_\_\_\_\_ system becomes functional after \_\_\_\_\_?

\_\_\_\_\_ time will \_\_\_\_\_ take for \_\_\_\_\_ home security \_\_\_\_\_ up and running?

After relocating an alarm system, \_\_\_\_\_ again?

How \_\_\_\_\_ does it \_\_\_\_\_ for an alarm system \_\_\_\_\_ functional \_\_\_\_\_ at \_\_\_\_\_ house \_\_\_\_\_ relocated?

Can you give \_\_\_\_\_ estimate on how \_\_\_\_\_ it will \_\_\_\_\_ for \_\_\_\_\_ security \_\_\_\_\_ be activated \_\_\_\_\_?

Is it usual to \_\_\_\_\_ alarm \_\_\_\_\_ working \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ think \_\_\_\_\_ take for \_\_\_\_\_ relocated security system to \_\_\_\_\_ in a different home?

How long \_\_\_\_\_ system \_\_\_\_\_ to be \_\_\_\_\_ functional again?

When \_\_\_\_\_ get \_\_\_\_\_ system \_\_\_\_\_ work again after \_\_\_\_\_?

Is \_\_\_\_\_ long it will take \_\_\_\_\_ a \_\_\_\_\_ be fully operational once more at another \_\_\_\_\_?

How \_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ new alarm \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ know how \_\_\_\_\_ it takes \_\_\_\_\_ an \_\_\_\_\_ system to function \_\_\_\_\_ home?

How \_\_\_\_\_ take for \_\_\_\_\_ alarm system \_\_\_\_\_ fully \_\_\_\_\_ after relocation?

How \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ equipment to work \_\_\_\_\_ its new \_\_\_\_\_?

\_\_\_\_\_ know how \_\_\_\_\_ it will take \_\_\_\_\_ relocated home security \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_.

\_\_\_\_\_ does it \_\_\_\_\_ alarm system to \_\_\_\_\_ someone moves?

How \_\_\_\_\_ is \_\_\_\_\_ going \_\_\_\_\_ relocated \_\_\_\_\_ system to be up \_\_\_\_\_ running?

\_\_\_\_\_ it take for the alarm system \_\_\_\_\_ function \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ does it \_\_\_\_\_ an alarm system \_\_\_\_\_ work \_\_\_\_\_ in a new \_\_\_\_\_?

\_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ alarms to work again \_\_\_\_\_ new place of \_\_\_\_\_?

\_\_\_\_\_ period \_\_\_\_\_ I expect my security \_\_\_\_\_ functional in its new \_\_\_\_\_?

\_\_\_\_\_ long until the \_\_\_\_\_ in \_\_\_\_\_ new house?  
\_\_\_\_\_ systems take \_\_\_\_\_ function in a new \_\_\_\_\_?  
\_\_\_\_\_ much time \_\_\_\_\_ for a \_\_\_\_\_ alarm system \_\_\_\_\_ become \_\_\_\_\_?  
\_\_\_\_\_ for \_\_\_\_\_ alarm system to work again after \_\_\_\_\_?  
\_\_\_\_\_ an \_\_\_\_\_ of the \_\_\_\_\_ it \_\_\_\_\_ take for \_\_\_\_\_ recently moved \_\_\_\_\_ to \_\_\_\_\_ operational \_\_\_\_\_ another property?  
\_\_\_\_\_ you think it \_\_\_\_\_ take for \_\_\_\_\_ system to \_\_\_\_\_ full operation?  
\_\_\_\_\_ long would it \_\_\_\_\_ for the alarm \_\_\_\_\_ to work \_\_\_\_\_?  
\_\_\_\_\_ I expect my \_\_\_\_\_ system \_\_\_\_\_ again, \_\_\_\_\_ moving to a \_\_\_\_\_?  
\_\_\_\_\_ I expect an alarm \_\_\_\_\_ again \_\_\_\_\_ my new \_\_\_\_\_?  
\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ moved alerting \_\_\_\_\_ become fully \_\_\_\_\_ another property?  
What \_\_\_\_\_ optimum time for a \_\_\_\_\_ functional at a \_\_\_\_\_ home?  
\_\_\_\_\_ will \_\_\_\_\_ again at a \_\_\_\_\_?  
\_\_\_\_\_ does it \_\_\_\_\_ for the \_\_\_\_\_ system to \_\_\_\_\_ again at \_\_\_\_\_ after \_\_\_\_\_ relocated?  
\_\_\_\_\_ an \_\_\_\_\_ on how long \_\_\_\_\_ a relocated alarm \_\_\_\_\_ be fully functional?  
What \_\_\_\_\_ until an \_\_\_\_\_ fully functional \_\_\_\_\_ relocation?  
\_\_\_\_\_ is moved to \_\_\_\_\_ home, how long it takes for \_\_\_\_\_ fully operational?  
\_\_\_\_\_ it take for \_\_\_\_\_ system \_\_\_\_\_ be activated in \_\_\_\_\_ new residence?  
How long \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ alarm system to \_\_\_\_\_ operational \_\_\_\_\_?  
\_\_\_\_\_ timescale \_\_\_\_\_ needed \_\_\_\_\_ relocated \_\_\_\_\_ again at a new \_\_\_\_\_?  
The \_\_\_\_\_ period after \_\_\_\_\_ for an \_\_\_\_\_ to \_\_\_\_\_?  
\_\_\_\_\_ there an estimate \_\_\_\_\_ how long \_\_\_\_\_ takes \_\_\_\_\_ a \_\_\_\_\_ security \_\_\_\_\_ to \_\_\_\_\_ activated \_\_\_\_\_ a \_\_\_\_\_?  
\_\_\_\_\_ long does \_\_\_\_\_ normally \_\_\_\_\_ alarm system \_\_\_\_\_ fully operational again?  
Do \_\_\_\_\_ know \_\_\_\_\_ an alarm system to \_\_\_\_\_ fully functional in \_\_\_\_\_ location?  
How much time \_\_\_\_\_ alarm \_\_\_\_\_ be \_\_\_\_\_ again at \_\_\_\_\_ new home?  
\_\_\_\_\_ much \_\_\_\_\_ is \_\_\_\_\_ relocated alarms to \_\_\_\_\_ again at \_\_\_\_\_ new \_\_\_\_\_?  
How \_\_\_\_\_ does it \_\_\_\_\_ system to \_\_\_\_\_ operational after relocation?  
When \_\_\_\_\_ moved to a different \_\_\_\_\_ how long \_\_\_\_\_ it \_\_\_\_\_ operate \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ estimate \_\_\_\_\_ take \_\_\_\_\_ alerting mechanism to \_\_\_\_\_ fully operational again at another property?  
Can you tell \_\_\_\_\_ how \_\_\_\_\_ takes \_\_\_\_\_ relocated alarm system to \_\_\_\_\_?  
Is there \_\_\_\_\_ estimate \_\_\_\_\_ how \_\_\_\_\_ it will \_\_\_\_\_ for \_\_\_\_\_ mechanism \_\_\_\_\_ be fully operational \_\_\_\_\_ different \_\_\_\_\_?  
\_\_\_\_\_ take \_\_\_\_\_ a relocated alarm \_\_\_\_\_ to be functioning \_\_\_\_\_?  
\_\_\_\_\_ long \_\_\_\_\_ take \_\_\_\_\_ an alarm system to be \_\_\_\_\_ functional \_\_\_\_\_ home?  
\_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ new alarm \_\_\_\_\_ to \_\_\_\_\_ again?  
How long \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ to \_\_\_\_\_ and running?  
How \_\_\_\_\_ alarm system to \_\_\_\_\_ activated at a new \_\_\_\_\_?  
\_\_\_\_\_ much \_\_\_\_\_ does \_\_\_\_\_ for \_\_\_\_\_ system to \_\_\_\_\_ functional \_\_\_\_\_ a new house?  
\_\_\_\_\_ long \_\_\_\_\_ a recently \_\_\_\_\_ alarm \_\_\_\_\_ functioning?  
How long does \_\_\_\_\_ alarm system \_\_\_\_\_ to \_\_\_\_\_ relocation?  
\_\_\_\_\_ until alarm \_\_\_\_\_ operational at a new \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ long \_\_\_\_\_ a \_\_\_\_\_ security system \_\_\_\_\_ be activated?  
\_\_\_\_\_ there any \_\_\_\_\_ adjusted alarm system becomes \_\_\_\_\_ after \_\_\_\_\_ homes?  
\_\_\_\_\_ long does \_\_\_\_\_ for \_\_\_\_\_ relocated alarm system to \_\_\_\_\_?  
\_\_\_\_\_ is \_\_\_\_\_ duration from \_\_\_\_\_ until full operation \_\_\_\_\_ alarm \_\_\_\_\_?  
How \_\_\_\_\_ would take for a \_\_\_\_\_ home \_\_\_\_\_ system to \_\_\_\_\_ in \_\_\_\_\_ new home?  
\_\_\_\_\_ time for a relocated alarm \_\_\_\_\_ be functioning \_\_\_\_\_ a \_\_\_\_\_ residence?  
How \_\_\_\_\_ does it \_\_\_\_\_ for alarm system \_\_\_\_\_ synchronized \_\_\_\_\_ a \_\_\_\_\_?  
How \_\_\_\_\_ usually \_\_\_\_\_ a relocated \_\_\_\_\_ system \_\_\_\_\_ activated in a \_\_\_\_\_ residence?  
Is it \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ on how \_\_\_\_\_ takes for \_\_\_\_\_ relocated \_\_\_\_\_ to \_\_\_\_\_ again?  
When an \_\_\_\_\_ system becomes \_\_\_\_\_ at a \_\_\_\_\_ house, how \_\_\_\_\_?  
\_\_\_\_\_ much \_\_\_\_\_ does it \_\_\_\_\_ for a \_\_\_\_\_ security \_\_\_\_\_ be \_\_\_\_\_ up?



\_\_\_\_\_ should it take for \_\_\_\_\_ alarms to \_\_\_\_\_ a new \_\_\_\_\_?

\_\_\_\_\_ long does \_\_\_\_\_ for \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ in a \_\_\_\_\_ home?

Is there \_\_\_\_\_ of how \_\_\_\_\_ take a \_\_\_\_\_ relocated alerting mechanism \_\_\_\_\_ fully operational \_\_\_\_\_?

How \_\_\_\_\_ does it usually \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ new home?

How \_\_\_\_\_ time do \_\_\_\_\_ for \_\_\_\_\_ relocated alarm \_\_\_\_\_ to \_\_\_\_\_ fully functional?

\_\_\_\_\_ there an estimate \_\_\_\_\_ take for the \_\_\_\_\_ mechanism \_\_\_\_\_ become fully \_\_\_\_\_ again at another \_\_\_\_\_?

\_\_\_\_\_ will it \_\_\_\_\_ for \_\_\_\_\_ new home \_\_\_\_\_ system \_\_\_\_\_ be up \_\_\_\_\_?

\_\_\_\_\_ me when an adjusted \_\_\_\_\_ system becomes \_\_\_\_\_ functional after \_\_\_\_\_?

Is \_\_\_\_\_ an average \_\_\_\_\_ an \_\_\_\_\_ system becomes \_\_\_\_\_ relocation?

\_\_\_\_\_ can I \_\_\_\_\_ system \_\_\_\_\_ work again \_\_\_\_\_ a new \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ for an \_\_\_\_\_ been moved \_\_\_\_\_ a new home to \_\_\_\_\_ fully \_\_\_\_\_?

Any idea \_\_\_\_\_ how long \_\_\_\_\_ function \_\_\_\_\_ take?

How \_\_\_\_\_ do you think \_\_\_\_\_ to \_\_\_\_\_ a previously \_\_\_\_\_ alarm \_\_\_\_\_ again after moving \_\_\_\_\_ else?

How \_\_\_\_\_ does it take for \_\_\_\_\_ operational at \_\_\_\_\_ new house after \_\_\_\_\_?

How much time \_\_\_\_\_ it usually take \_\_\_\_\_ to \_\_\_\_\_ activated?

\_\_\_\_\_ usual \_\_\_\_\_ of time \_\_\_\_\_ relocation \_\_\_\_\_ full operation of an \_\_\_\_\_?

\_\_\_\_\_ when an adjusted \_\_\_\_\_ will become functional \_\_\_\_\_ moving homes?

\_\_\_\_\_ is the average time \_\_\_\_\_ takes for an alarm system \_\_\_\_\_ again \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ relocated alarms to \_\_\_\_\_ in \_\_\_\_\_ new home?

\_\_\_\_\_ long \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ installed alarm up \_\_\_\_\_ running after \_\_\_\_\_?

Is \_\_\_\_\_ alarm system to be \_\_\_\_\_ again after \_\_\_\_\_?

What \_\_\_\_\_ relocation to full operations of \_\_\_\_\_ alarm \_\_\_\_\_?

When \_\_\_\_\_ alarm \_\_\_\_\_ is moved, \_\_\_\_\_ period \_\_\_\_\_ it usually \_\_\_\_\_?

How \_\_\_\_\_ it \_\_\_\_\_ all features of our alarm \_\_\_\_\_ restored \_\_\_\_\_ addresses?

\_\_\_\_\_ time \_\_\_\_\_ to work again at a new \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ when an \_\_\_\_\_ alarm \_\_\_\_\_ becomes completely \_\_\_\_\_ moving \_\_\_\_\_?

\_\_\_\_\_ does it take for the \_\_\_\_\_ system \_\_\_\_\_ function \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ it takes for a \_\_\_\_\_ alarm \_\_\_\_\_ to be \_\_\_\_\_?

What is the \_\_\_\_\_ frame for \_\_\_\_\_ to \_\_\_\_\_ operational again \_\_\_\_\_ relocation?

\_\_\_\_\_ does it usually take to get \_\_\_\_\_ previously \_\_\_\_\_ alarm up \_\_\_\_\_?

How \_\_\_\_\_ time \_\_\_\_\_ for an alarm system to \_\_\_\_\_ after \_\_\_\_\_ relocated?

\_\_\_\_\_ long \_\_\_\_\_ an \_\_\_\_\_ system becomes fully \_\_\_\_\_ relocation?

What is \_\_\_\_\_ time for \_\_\_\_\_ transfer of \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ I expect an \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ in my \_\_\_\_\_ home?

When \_\_\_\_\_ alarm \_\_\_\_\_ is \_\_\_\_\_ to a \_\_\_\_\_ it take for it \_\_\_\_\_ functional again?

I \_\_\_\_\_ to know \_\_\_\_\_ it takes \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ functional \_\_\_\_\_ a new setting.

\_\_\_\_\_ moving to a \_\_\_\_\_ when \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ system to \_\_\_\_\_?

\_\_\_\_\_ an alarm \_\_\_\_\_ to work properly \_\_\_\_\_ a new house?

\_\_\_\_\_ a security \_\_\_\_\_ relocated it takes \_\_\_\_\_ time for it \_\_\_\_\_.

How \_\_\_\_\_ does \_\_\_\_\_ for the \_\_\_\_\_ system \_\_\_\_\_ correctly \_\_\_\_\_ new home?

What \_\_\_\_\_ the \_\_\_\_\_ frame for a reset alarm \_\_\_\_\_ to be \_\_\_\_\_?

\_\_\_\_\_ long does it \_\_\_\_\_ to \_\_\_\_\_ our alarm \_\_\_\_\_ after moving?

Is \_\_\_\_\_ up and running again \_\_\_\_\_ moving to \_\_\_\_\_ home?

How \_\_\_\_\_ for \_\_\_\_\_ alarm equipment in its \_\_\_\_\_ location to \_\_\_\_\_?

How \_\_\_\_\_ it \_\_\_\_\_ for a previously installed alarm to \_\_\_\_\_ up \_\_\_\_\_?

How \_\_\_\_\_ does \_\_\_\_\_ take for the \_\_\_\_\_ system \_\_\_\_\_ new house?

Do \_\_\_\_\_ know \_\_\_\_\_ average time it \_\_\_\_\_ relocated \_\_\_\_\_ system to \_\_\_\_\_ functional?

\_\_\_\_\_ the alarm \_\_\_\_\_ fully functional \_\_\_\_\_ relocation, \_\_\_\_\_ long?

What \_\_\_\_\_ the duration \_\_\_\_\_ relocation \_\_\_\_\_ of a \_\_\_\_\_ system?

\_\_\_\_\_ addresses, \_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ restore \_\_\_\_\_ alarm mechanism?

\_\_\_\_\_ the typical time for the transfer \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ it takes to setup \_\_\_\_\_ security system \_\_\_\_\_ a different residence?  
 \_\_\_\_\_ long \_\_\_\_\_ usually \_\_\_\_\_ for a relocated \_\_\_\_\_ system \_\_\_\_\_ functional again at \_\_\_\_\_ residence?  
 How long \_\_\_\_\_ the alarm \_\_\_\_\_ work in a \_\_\_\_\_ location?  
 \_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ a relocated alarm \_\_\_\_\_ to \_\_\_\_\_ in its \_\_\_\_\_ ?  
 \_\_\_\_\_ long does it \_\_\_\_\_ alarm \_\_\_\_\_ get up and \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ ?  
 \_\_\_\_\_ long will \_\_\_\_\_ relocated \_\_\_\_\_ to work again \_\_\_\_\_ new place of \_\_\_\_\_ ?  
 Can \_\_\_\_\_ let \_\_\_\_\_ when \_\_\_\_\_ adjusted \_\_\_\_\_ completely functional \_\_\_\_\_ moving homes?  
 \_\_\_\_\_ long \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ to be synchronized at a \_\_\_\_\_ ?  
 \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ security system to be set \_\_\_\_\_ in \_\_\_\_\_ new house?  
 \_\_\_\_\_ from \_\_\_\_\_ to full functionality \_\_\_\_\_ ?  
 How \_\_\_\_\_ a new \_\_\_\_\_ functions \_\_\_\_\_ ?  
 How long \_\_\_\_\_ it \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ functioning again after \_\_\_\_\_ ?  
 \_\_\_\_\_ of \_\_\_\_\_ it will take for a \_\_\_\_\_ moved \_\_\_\_\_ mechanism to \_\_\_\_\_ fully \_\_\_\_\_ at \_\_\_\_\_ property?  
 How \_\_\_\_\_ does it take \_\_\_\_\_ system \_\_\_\_\_ operate \_\_\_\_\_ a new \_\_\_\_\_ ?  
 \_\_\_\_\_ long \_\_\_\_\_ it take \_\_\_\_\_ the alarm \_\_\_\_\_ work after \_\_\_\_\_ ?  
 How long \_\_\_\_\_ it take to \_\_\_\_\_ previously installed \_\_\_\_\_ again after \_\_\_\_\_ new home?  
 \_\_\_\_\_ me how long it will \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ work \_\_\_\_\_ new place?  
 Can \_\_\_\_\_ tell \_\_\_\_\_ about how \_\_\_\_\_ alarm system \_\_\_\_\_ after \_\_\_\_\_ homes?  
 \_\_\_\_\_ alarm \_\_\_\_\_ moved \_\_\_\_\_ a new home, how \_\_\_\_\_ is \_\_\_\_\_ usually \_\_\_\_\_ and \_\_\_\_\_ again?  
 When \_\_\_\_\_ alarm \_\_\_\_\_ is moved to a \_\_\_\_\_ for it \_\_\_\_\_ become \_\_\_\_\_ operational again?  
 \_\_\_\_\_ will \_\_\_\_\_ take \_\_\_\_\_ the alarms to work \_\_\_\_\_ a \_\_\_\_\_ house?  
 How long does \_\_\_\_\_ take \_\_\_\_\_ to work again \_\_\_\_\_ house?  
 After \_\_\_\_\_ what \_\_\_\_\_ average \_\_\_\_\_ for a \_\_\_\_\_ alarm system to \_\_\_\_\_ operational?  
 \_\_\_\_\_ long \_\_\_\_\_ for a relocated \_\_\_\_\_ system \_\_\_\_\_ be functional again at the \_\_\_\_\_ residence?  
 After relocating an \_\_\_\_\_ I \_\_\_\_\_ it \_\_\_\_\_ functional again?  
 The \_\_\_\_\_ before \_\_\_\_\_ alarm system \_\_\_\_\_ functional after \_\_\_\_\_ ?  
 \_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ alarm \_\_\_\_\_ to be \_\_\_\_\_ operational \_\_\_\_\_ new house after being relocated?  
 How \_\_\_\_\_ will it take for \_\_\_\_\_ alarm system \_\_\_\_\_ it \_\_\_\_\_ ?  
 What is the \_\_\_\_\_ time \_\_\_\_\_ to be functioning?  
 When \_\_\_\_\_ moved to \_\_\_\_\_ new \_\_\_\_\_ what time is it usually \_\_\_\_\_ ?  
 \_\_\_\_\_ does it take for \_\_\_\_\_ system \_\_\_\_\_ operational again \_\_\_\_\_ a new \_\_\_\_\_ ?  
 The length \_\_\_\_\_ time \_\_\_\_\_ relocation \_\_\_\_\_ full operation of \_\_\_\_\_ ?  
 How long will it take \_\_\_\_\_ become functional \_\_\_\_\_ ?  
 Do you know the \_\_\_\_\_ duration \_\_\_\_\_ getting \_\_\_\_\_ previously \_\_\_\_\_ alarm \_\_\_\_\_ and \_\_\_\_\_ ?  
 \_\_\_\_\_ system becomes functional after relocation?  
 How long is \_\_\_\_\_ for \_\_\_\_\_ home security \_\_\_\_\_ and \_\_\_\_\_ a new house?  
 \_\_\_\_\_ long \_\_\_\_\_ typically \_\_\_\_\_ for the alarm system to \_\_\_\_\_ new \_\_\_\_\_ ?  
 How long will \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_ ?  
 Can \_\_\_\_\_ expect the \_\_\_\_\_ be fully functional \_\_\_\_\_ the \_\_\_\_\_ after relocating \_\_\_\_\_ ?  
 How \_\_\_\_\_ do \_\_\_\_\_ think it will \_\_\_\_\_ get a previously \_\_\_\_\_ alarm \_\_\_\_\_ again \_\_\_\_\_ moving?  
 How \_\_\_\_\_ does it \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ again at \_\_\_\_\_ new \_\_\_\_\_ ?  
 How \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ system to \_\_\_\_\_ up and running again \_\_\_\_\_ a new \_\_\_\_\_ ?  
 How long \_\_\_\_\_ until those \_\_\_\_\_ alarms \_\_\_\_\_ the new \_\_\_\_\_ ?  
 \_\_\_\_\_ the alarm \_\_\_\_\_ fully \_\_\_\_\_ a new residence?  
 How long \_\_\_\_\_ alarm \_\_\_\_\_ good \_\_\_\_\_ its new \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ how long it \_\_\_\_\_ set \_\_\_\_\_ a security system in \_\_\_\_\_ new home?  
 \_\_\_\_\_ long \_\_\_\_\_ it take for the \_\_\_\_\_ system to \_\_\_\_\_ ?  
 When an alarm \_\_\_\_\_ fully operational again at a \_\_\_\_\_ it \_\_\_\_\_ ?  
 How long does \_\_\_\_\_ take for \_\_\_\_\_ system \_\_\_\_\_ properly \_\_\_\_\_ a new \_\_\_\_\_ ?

Can I expect \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_ again \_\_\_\_ new \_\_\_\_?

\_\_\_\_ from relocation to full operation \_\_\_\_ an alarm \_\_\_\_?

\_\_\_\_ is the usual \_\_\_\_ from relocation to \_\_\_\_?

\_\_\_\_ will \_\_\_\_ take \_\_\_\_ the \_\_\_\_ work again \_\_\_\_ a new residence?

What time \_\_\_\_ relocation to \_\_\_\_ alarm \_\_\_\_?

\_\_\_\_ the alarm \_\_\_\_ is functional after \_\_\_\_?

\_\_\_\_ alarms work again \_\_\_\_ a \_\_\_\_?

Is there an estimate \_\_\_\_ how long it will \_\_\_\_ alerting \_\_\_\_ become fully \_\_\_\_ once \_\_\_\_ at \_\_\_\_?

\_\_\_\_ time \_\_\_\_ for a \_\_\_\_ security system to \_\_\_\_ up \_\_\_\_ running?

\_\_\_\_ can \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_ fully functional \_\_\_\_ within the new \_\_\_\_?

\_\_\_\_ of \_\_\_\_ until an alarm \_\_\_\_ becomes \_\_\_\_ after \_\_\_\_?

How long does \_\_\_\_ usually \_\_\_\_ relocation to \_\_\_\_ of the \_\_\_\_?

\_\_\_\_ know how \_\_\_\_ it takes \_\_\_\_ relocated alarm system \_\_\_\_ be \_\_\_\_?

What is the typical time \_\_\_\_ the \_\_\_\_ of \_\_\_\_ the \_\_\_\_?

How \_\_\_\_ can \_\_\_\_ be fully \_\_\_\_ after relocation?

\_\_\_\_ typical \_\_\_\_ frame for \_\_\_\_ alarm system's \_\_\_\_ operation?

How \_\_\_\_ it take \_\_\_\_ a \_\_\_\_ system working again?

\_\_\_\_ long does \_\_\_\_ relocated alarm system \_\_\_\_ fully \_\_\_\_?

\_\_\_\_ the \_\_\_\_ a relocated alarm \_\_\_\_ to be fully \_\_\_\_?

Can you \_\_\_\_ an estimate \_\_\_\_ long it \_\_\_\_ for a relocated \_\_\_\_ system to \_\_\_\_ activated \_\_\_\_?

\_\_\_\_ will it \_\_\_\_ those relocated alarms work in \_\_\_\_?

\_\_\_\_ there an \_\_\_\_ long it \_\_\_\_ alerting \_\_\_\_ is fully operational \_\_\_\_ at another property?

\_\_\_\_ long \_\_\_\_ take for \_\_\_\_ alarm system \_\_\_\_ has been \_\_\_\_ to a new \_\_\_\_ to \_\_\_\_ running \_\_\_\_?

What \_\_\_\_ time until the alarms work \_\_\_\_ the \_\_\_\_?

\_\_\_\_ long is it \_\_\_\_ to \_\_\_\_ operation \_\_\_\_ the alarm \_\_\_\_?

Can \_\_\_\_ alarm \_\_\_\_ to work again after a \_\_\_\_?

\_\_\_\_ system is \_\_\_\_ to a \_\_\_\_ home, \_\_\_\_ is it restored?

How long does it take for \_\_\_\_ system \_\_\_\_ a \_\_\_\_?

\_\_\_\_ will it take \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_ fully operational again \_\_\_\_?

How long does it \_\_\_\_ system \_\_\_\_ fully operational \_\_\_\_ a \_\_\_\_ of residence?

How \_\_\_\_ before the relocated \_\_\_\_ system \_\_\_\_ fully \_\_\_\_ new \_\_\_\_?

How long \_\_\_\_ for an \_\_\_\_ system to \_\_\_\_ fully \_\_\_\_ a new \_\_\_\_?

How much \_\_\_\_ will it \_\_\_\_ a \_\_\_\_ system to \_\_\_\_ back \_\_\_\_?

\_\_\_\_ the duration \_\_\_\_ to \_\_\_\_ operation of \_\_\_\_ system like?

How long does \_\_\_\_ take to \_\_\_\_ a relocated security \_\_\_\_?

I \_\_\_\_ know \_\_\_\_ much \_\_\_\_ for a \_\_\_\_ home \_\_\_\_ system to be up and \_\_\_\_.

\_\_\_\_ you \_\_\_\_ how long it will take \_\_\_\_ those \_\_\_\_ at \_\_\_\_ new \_\_\_\_?

Is there an estimate \_\_\_\_ the amount \_\_\_\_ it \_\_\_\_ take for \_\_\_\_ be \_\_\_\_ at another property?

\_\_\_\_ take for an alarm \_\_\_\_ to \_\_\_\_ in \_\_\_\_ new place?

\_\_\_\_ can I \_\_\_\_ an alarm system \_\_\_\_ again in \_\_\_\_ home?

\_\_\_\_ these \_\_\_\_ systems \_\_\_\_ after relocation?

What \_\_\_\_ the \_\_\_\_ from relocation until \_\_\_\_ of \_\_\_\_ system?

How \_\_\_\_ does it \_\_\_\_ for an alarm \_\_\_\_ become \_\_\_\_ operational \_\_\_\_ new \_\_\_\_?

How long does \_\_\_\_ take \_\_\_\_ relocated security \_\_\_\_ be \_\_\_\_ in \_\_\_\_ new house?

\_\_\_\_ do \_\_\_\_ will \_\_\_\_ for a \_\_\_\_ alarm system to \_\_\_\_ full functioning?

\_\_\_\_ will \_\_\_\_ system \_\_\_\_ after I \_\_\_\_ moved \_\_\_\_ a new place?

\_\_\_\_ does it \_\_\_\_ an alarm system to work again at the \_\_\_\_?

\_\_\_\_ period \_\_\_\_ relocation to full \_\_\_\_ of an \_\_\_\_?

Can you \_\_\_\_ on the amount \_\_\_\_ time \_\_\_\_ for a \_\_\_\_ system \_\_\_\_ be functional \_\_\_\_?

\_\_\_\_ takes for the \_\_\_\_ system \_\_\_\_ be synchronized at the new \_\_\_\_?

How \_\_\_\_ does \_\_\_\_ take \_\_\_\_ system \_\_\_\_ work properly in \_\_\_\_ house?

\_\_\_\_ long does \_\_\_\_ take for \_\_\_\_ relocated alarm \_\_\_\_ to \_\_\_\_ again?

\_\_\_\_ on how \_\_\_\_ takes \_\_\_\_ relocated \_\_\_\_ system to be \_\_\_\_ again at the new residence?

\_\_\_\_ time will it take \_\_\_\_ system \_\_\_\_ work after gettin' \_\_\_\_?

When \_\_\_\_ the alarm \_\_\_\_ following \_\_\_\_?

\_\_\_\_ time \_\_\_\_ needed for the alarm \_\_\_\_ synchronized at \_\_\_\_ address?

Until \_\_\_\_ alarm \_\_\_\_ what is the usual duration \_\_\_\_?

\_\_\_\_ long until \_\_\_\_ alarm \_\_\_\_ at \_\_\_\_ new residence is \_\_\_\_?

How \_\_\_\_ do \_\_\_\_ think \_\_\_\_ for \_\_\_\_ home security \_\_\_\_ be up \_\_\_\_ running?

\_\_\_\_ know how \_\_\_\_ take for the \_\_\_\_ alarms \_\_\_\_ work at \_\_\_\_ new \_\_\_\_?

How long do you \_\_\_\_ take for a \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_?

\_\_\_\_ long \_\_\_\_ relocation \_\_\_\_ full operation of the \_\_\_\_ system?

\_\_\_\_ long does it usually take \_\_\_\_ a \_\_\_\_ system \_\_\_\_ in \_\_\_\_ different \_\_\_\_?

\_\_\_\_ will \_\_\_\_ relocated alarm \_\_\_\_ be \_\_\_\_ a new residence?

\_\_\_\_ does it take for an alarm \_\_\_\_ that \_\_\_\_ been \_\_\_\_ to work again?

How long \_\_\_\_ it \_\_\_\_ the \_\_\_\_ system \_\_\_\_ work \_\_\_\_ moved?

\_\_\_\_ the normal time for \_\_\_\_ relocated \_\_\_\_ system \_\_\_\_ at a \_\_\_\_ place \_\_\_\_?

How long \_\_\_\_ to be fully operational \_\_\_\_?

How long \_\_\_\_ it take \_\_\_\_ a previously \_\_\_\_ alarm \_\_\_\_ again \_\_\_\_?

Can \_\_\_\_ an adjusted \_\_\_\_ system becomes functional after moving \_\_\_\_?

\_\_\_\_ of \_\_\_\_ long \_\_\_\_ take for a relocated \_\_\_\_ system to be activated?

Can \_\_\_\_ me when \_\_\_\_ adjusted alarm system \_\_\_\_ moving homes?

\_\_\_\_ takes \_\_\_\_ a new alarm \_\_\_\_ be operational.

Is it \_\_\_\_ to give an \_\_\_\_ it \_\_\_\_ for \_\_\_\_ relocated alarm system to \_\_\_\_ functional \_\_\_\_?

\_\_\_\_ does it \_\_\_\_ a \_\_\_\_ system to get up \_\_\_\_ again?

How long \_\_\_\_ for a relocated home \_\_\_\_ system \_\_\_\_ and \_\_\_\_ in the new \_\_\_\_?

How \_\_\_\_ is \_\_\_\_ for relocated \_\_\_\_ work at \_\_\_\_ new \_\_\_\_?

\_\_\_\_ much time \_\_\_\_ you think it \_\_\_\_ a \_\_\_\_ system \_\_\_\_ functional in its \_\_\_\_ location?

\_\_\_\_ take for an alarm system that \_\_\_\_ moved to be \_\_\_\_?

There \_\_\_\_ an \_\_\_\_ of how \_\_\_\_ will \_\_\_\_ for \_\_\_\_ moved \_\_\_\_ mechanism \_\_\_\_ become fully \_\_\_\_ once more \_\_\_\_ property.

\_\_\_\_ it \_\_\_\_ a \_\_\_\_ alarm system \_\_\_\_ start working?

What is \_\_\_\_ average wait time till \_\_\_\_ at the \_\_\_\_?

How \_\_\_\_ does it take \_\_\_\_ relocated \_\_\_\_ system \_\_\_\_ be functional again \_\_\_\_?

How long \_\_\_\_ the \_\_\_\_ system to \_\_\_\_ in \_\_\_\_ new home?

Is \_\_\_\_ frame for getting a \_\_\_\_ to \_\_\_\_ again?

How long do \_\_\_\_ it \_\_\_\_ take for \_\_\_\_ repositioned alarm \_\_\_\_ operation?

How \_\_\_\_ for the \_\_\_\_ to work \_\_\_\_ new home?

\_\_\_\_ expect my security device to be \_\_\_\_ and \_\_\_\_ in its \_\_\_\_ location?

How long do \_\_\_\_ take to get \_\_\_\_ working again?

\_\_\_\_ is \_\_\_\_ time \_\_\_\_ moving an alarm \_\_\_\_ operation?

What \_\_\_\_ time it takes for a \_\_\_\_ to normal?

\_\_\_\_ was wondering \_\_\_\_ soon an \_\_\_\_ becomes functional after \_\_\_\_.

\_\_\_\_ tell me \_\_\_\_ long it \_\_\_\_ for \_\_\_\_ relocated \_\_\_\_ to be functional in \_\_\_\_ location?

Is \_\_\_\_ estimate \_\_\_\_ time it will take for \_\_\_\_ moved alerting \_\_\_\_ to \_\_\_\_ fully \_\_\_\_?

Time \_\_\_\_ to \_\_\_\_ the alarm?

\_\_\_\_ long \_\_\_\_ for all \_\_\_\_ the \_\_\_\_ mechanism to be restored \_\_\_\_ moving?

\_\_\_\_ long does \_\_\_\_ for \_\_\_\_ relocated alarm \_\_\_\_ to \_\_\_\_ again?

\_\_\_\_ it take \_\_\_\_ a relocated security apparatus \_\_\_\_ come \_\_\_\_ function?

\_\_\_\_ usually a \_\_\_\_ the alarm system will \_\_\_\_ again \_\_\_\_ houses?

Is \_\_\_\_ estimate of how long it will \_\_\_\_ a recently \_\_\_\_ alerting \_\_\_\_ again \_\_\_\_ property?

\_\_\_\_ the typical \_\_\_\_ a \_\_\_\_ alarm system to \_\_\_\_ functional?  
 The \_\_\_\_ time for getting \_\_\_\_ previously installed \_\_\_\_ and \_\_\_\_ again \_\_\_\_ is \_\_\_\_.  
 Is \_\_\_\_ an \_\_\_\_ duration for \_\_\_\_ alarm up and \_\_\_\_ after \_\_\_\_?  
 How \_\_\_\_ does \_\_\_\_ take for \_\_\_\_ alarm system to start \_\_\_\_ a \_\_\_\_?  
 When an alarm \_\_\_\_ moved \_\_\_\_ different \_\_\_\_ what \_\_\_\_ is \_\_\_\_ usually operational?  
 \_\_\_\_ alarm \_\_\_\_ to be operational \_\_\_\_ in my new \_\_\_\_ after relocating \_\_\_\_?  
 How long \_\_\_\_ you \_\_\_\_ take \_\_\_\_ a \_\_\_\_ system \_\_\_\_ be activated?  
 How \_\_\_\_ does it take \_\_\_\_ a repositioned \_\_\_\_ to get \_\_\_\_?  
 How \_\_\_\_ will it \_\_\_\_ alerting \_\_\_\_ to become \_\_\_\_ once more at another property?  
 Can you tell me how \_\_\_\_ it \_\_\_\_ relocated \_\_\_\_ security \_\_\_\_ to be \_\_\_\_?  
 \_\_\_\_ long will \_\_\_\_ alarm \_\_\_\_ to work when \_\_\_\_ moved?  
 How long will \_\_\_\_ take \_\_\_\_ full functioning \_\_\_\_?  
 When \_\_\_\_ alarm \_\_\_\_ moved \_\_\_\_ long does it take \_\_\_\_ it \_\_\_\_ become operational again?  
 How long \_\_\_\_ for \_\_\_\_ relocated home security \_\_\_\_ and running?  
 \_\_\_\_ the \_\_\_\_ time \_\_\_\_ getting a \_\_\_\_ installed \_\_\_\_ to \_\_\_\_ again after \_\_\_\_?  
 Are you able \_\_\_\_ system \_\_\_\_ functional after moving homes?  
 When an \_\_\_\_ system is moved \_\_\_\_ home, \_\_\_\_ long \_\_\_\_ it \_\_\_\_?  
 \_\_\_\_ until \_\_\_\_ system \_\_\_\_ functional after relocation?  
 \_\_\_\_ long does it take \_\_\_\_ to start working \_\_\_\_ at \_\_\_\_ house?  
 Is there \_\_\_\_ for the \_\_\_\_ system \_\_\_\_ work \_\_\_\_ moving houses?  
 How \_\_\_\_ is it \_\_\_\_ for \_\_\_\_ system to \_\_\_\_ fully \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ long \_\_\_\_ alarm system works?  
 After \_\_\_\_ move, when will the alarm \_\_\_\_ work \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ the \_\_\_\_ be \_\_\_\_ again \_\_\_\_ the new home?  
 How long \_\_\_\_ it usually \_\_\_\_ relocated alarm \_\_\_\_ to be functional \_\_\_\_ home?  
 How long is \_\_\_\_ for \_\_\_\_ to \_\_\_\_ at \_\_\_\_ home?  
 \_\_\_\_ would \_\_\_\_ soon the alarm system \_\_\_\_ functional after moving \_\_\_\_.  
 \_\_\_\_ long does \_\_\_\_ relocated alarm \_\_\_\_ to work again at a \_\_\_\_?  
 \_\_\_\_ long it takes for a \_\_\_\_ system \_\_\_\_ become \_\_\_\_?  
 \_\_\_\_ you give an \_\_\_\_ on \_\_\_\_ it \_\_\_\_ for a relocated \_\_\_\_ system to \_\_\_\_ at \_\_\_\_ residence?  
 How long \_\_\_\_ it necessary for relocated alarms \_\_\_\_?  
 \_\_\_\_ long \_\_\_\_ it take for a relocated \_\_\_\_ system \_\_\_\_ operational \_\_\_\_?  
 \_\_\_\_ relocated \_\_\_\_ to work at \_\_\_\_ new place?  
 What is \_\_\_\_ it \_\_\_\_ a relocated \_\_\_\_ to return to \_\_\_\_?  
 How \_\_\_\_ would \_\_\_\_ take for relocated \_\_\_\_ again \_\_\_\_ a \_\_\_\_ home?  
 \_\_\_\_ to another house, what \_\_\_\_ average \_\_\_\_ getting \_\_\_\_ installed alarm \_\_\_\_ and running again?  
 After \_\_\_\_ installed \_\_\_\_ a new location, \_\_\_\_ does it take \_\_\_\_ work \_\_\_\_?  
 \_\_\_\_ me \_\_\_\_ amount of time \_\_\_\_ for a relocated alarm system \_\_\_\_ fully functional?  
 Can \_\_\_\_ tell me \_\_\_\_ long \_\_\_\_ relocated alarm system to \_\_\_\_ functioning in its \_\_\_\_?  
 \_\_\_\_ it usual \_\_\_\_ relocation \_\_\_\_ take \_\_\_\_ full operation \_\_\_\_ alarm \_\_\_\_?  
 \_\_\_\_ does \_\_\_\_ for an alarm \_\_\_\_ be up and \_\_\_\_ a new house after \_\_\_\_ relocated?  
 What is \_\_\_\_ typical \_\_\_\_ for alarm \_\_\_\_ to be \_\_\_\_ new \_\_\_\_?  
 \_\_\_\_ until the alarm system becomes \_\_\_\_ functional \_\_\_\_?  
 Can you \_\_\_\_ an \_\_\_\_ how long it \_\_\_\_ for \_\_\_\_ system to \_\_\_\_ new home?  
 \_\_\_\_ you have \_\_\_\_ it \_\_\_\_ for \_\_\_\_ alarm system to be functional again?  
 \_\_\_\_ is a typical \_\_\_\_ for the \_\_\_\_ alarm \_\_\_\_?  
 \_\_\_\_ there a \_\_\_\_ for getting a \_\_\_\_ system working \_\_\_\_?  
 \_\_\_\_ time for a \_\_\_\_ alarm \_\_\_\_ to work \_\_\_\_ a \_\_\_\_ house?  
 Can \_\_\_\_ tell \_\_\_\_ for a relocated security \_\_\_\_ to be activated in a \_\_\_\_?  
 How long does it typically \_\_\_\_ for \_\_\_\_ up \_\_\_\_ again at a new \_\_\_\_?

How long \_\_\_\_ a \_\_\_\_ alarm \_\_\_\_ take to \_\_\_\_ the \_\_\_\_ house?  
 \_\_\_\_ it \_\_\_\_ from relocation \_\_\_\_ full operation \_\_\_\_ the \_\_\_\_ system?

How \_\_\_\_ is it \_\_\_\_ the relocated alarms \_\_\_\_ place?  
 \_\_\_\_ alarm \_\_\_\_ to a \_\_\_\_ home, \_\_\_\_ it take to get it up and \_\_\_\_ again?

How \_\_\_\_ does \_\_\_\_ take for a \_\_\_\_ to be \_\_\_\_ after \_\_\_\_?  
 After \_\_\_\_ system, when can \_\_\_\_ expect \_\_\_\_ work \_\_\_\_ in my \_\_\_\_ home?  
 \_\_\_\_ is the \_\_\_\_ it takes \_\_\_\_ an adjusted alarm \_\_\_\_ functional \_\_\_\_ homes?

When an alarm system is \_\_\_\_ home, what \_\_\_\_ usually \_\_\_\_ again?  
 How \_\_\_\_ it \_\_\_\_ for \_\_\_\_ alarm \_\_\_\_ to work \_\_\_\_ in \_\_\_\_ home?  
 \_\_\_\_ system \_\_\_\_ be fully operational \_\_\_\_ a \_\_\_\_ residence?

How \_\_\_\_ it take for \_\_\_\_ work \_\_\_\_ a \_\_\_\_ home?  
 \_\_\_\_ wondering \_\_\_\_ long it \_\_\_\_ for \_\_\_\_ alarm system to \_\_\_\_ fully \_\_\_\_.

How long does it \_\_\_\_ an alarm \_\_\_\_ function \_\_\_\_ new \_\_\_\_?  
 How \_\_\_\_ time \_\_\_\_ it \_\_\_\_ for a relocated \_\_\_\_ be fully functional \_\_\_\_ setting?  
 \_\_\_\_ it take for an alarm system that has \_\_\_\_ a \_\_\_\_ home to \_\_\_\_ again?  
 \_\_\_\_ alarm system \_\_\_\_ a \_\_\_\_ it usually back to normal?  
 \_\_\_\_ me how \_\_\_\_ it takes for a relocated alarm \_\_\_\_ to \_\_\_\_ new location?

How \_\_\_\_ time \_\_\_\_ relocated \_\_\_\_ take?  
 \_\_\_\_ an \_\_\_\_ a different \_\_\_\_ how long will it \_\_\_\_ for \_\_\_\_ to operate again?  
 \_\_\_\_ long \_\_\_\_ an \_\_\_\_ system to be fully \_\_\_\_ again at \_\_\_\_ house?  
 \_\_\_\_ does it \_\_\_\_ for \_\_\_\_ alarm \_\_\_\_ to be \_\_\_\_ operational at \_\_\_\_ house after \_\_\_\_ relocated?

What \_\_\_\_ time it \_\_\_\_ a relocated home security \_\_\_\_ be up \_\_\_\_?  
 Can you \_\_\_\_ estimate of \_\_\_\_ long it \_\_\_\_ take for \_\_\_\_ security \_\_\_\_ activated?  
 How long \_\_\_\_ for \_\_\_\_ alarm \_\_\_\_ to become \_\_\_\_ at \_\_\_\_ new house \_\_\_\_ being relocated?

How long \_\_\_\_ until \_\_\_\_ becomes \_\_\_\_ after relocation?  
 How long does it take for \_\_\_\_ system \_\_\_\_ at \_\_\_\_?  
 \_\_\_\_ there an \_\_\_\_ it will take \_\_\_\_ relocated alerting mechanism to become \_\_\_\_ operational once \_\_\_\_  
 \_\_\_\_ property?

How \_\_\_\_ will \_\_\_\_ the \_\_\_\_ system \_\_\_\_ get up \_\_\_\_ running again?  
 \_\_\_\_ average \_\_\_\_ time if the relocated \_\_\_\_ work at \_\_\_\_ new \_\_\_\_?  
 \_\_\_\_ much time \_\_\_\_ you reckon \_\_\_\_ takes \_\_\_\_ a relocated \_\_\_\_ to \_\_\_\_ and \_\_\_\_?

Can you give \_\_\_\_ it usually takes to \_\_\_\_ relocated security system \_\_\_\_ new \_\_\_\_?  
 \_\_\_\_ long \_\_\_\_ takes for \_\_\_\_ home security system \_\_\_\_ up and \_\_\_\_?  
 \_\_\_\_ long would \_\_\_\_ alarm \_\_\_\_ take to \_\_\_\_ operational again \_\_\_\_?

How \_\_\_\_ does \_\_\_\_ to \_\_\_\_ relocated \_\_\_\_ security system up and \_\_\_\_ new house?  
 \_\_\_\_ long \_\_\_\_ take \_\_\_\_ a new alarm \_\_\_\_ start functioning?

When \_\_\_\_ is moved to a \_\_\_\_ is \_\_\_\_ chances \_\_\_\_ working again?  
 I would like \_\_\_\_ know the average duration \_\_\_\_ a \_\_\_\_ installed \_\_\_\_ up \_\_\_\_ moving.

How \_\_\_\_ it \_\_\_\_ to get \_\_\_\_ previously \_\_\_\_ alarm up \_\_\_\_ again, \_\_\_\_ to another house?  
 Can you give \_\_\_\_ on \_\_\_\_ it usually \_\_\_\_ a \_\_\_\_ security system?  
 \_\_\_\_ before \_\_\_\_ relocated alarm \_\_\_\_ becomes fully \_\_\_\_?

How \_\_\_\_ does \_\_\_\_ take \_\_\_\_ an alarm \_\_\_\_ to be fully operational \_\_\_\_?  
 How \_\_\_\_ does \_\_\_\_ take \_\_\_\_ alarm \_\_\_\_ work at a new house \_\_\_\_?  
 How long \_\_\_\_ will \_\_\_\_ for \_\_\_\_ relocated \_\_\_\_ up and \_\_\_\_ in a \_\_\_\_ house?  
 \_\_\_\_ is the usual \_\_\_\_ relocation to full \_\_\_\_ an \_\_\_\_?

How \_\_\_\_ take \_\_\_\_ get a \_\_\_\_ installed \_\_\_\_ work \_\_\_\_ after moving?  
 \_\_\_\_ long \_\_\_\_ will take for an alarm \_\_\_\_ to \_\_\_\_ again \_\_\_\_ the new \_\_\_\_?  
 \_\_\_\_ quickly an adjusted \_\_\_\_ system \_\_\_\_ functional after \_\_\_\_ homes.

How \_\_\_\_ does \_\_\_\_ take \_\_\_\_ an alarm \_\_\_\_ to \_\_\_\_ and \_\_\_\_ in the new \_\_\_\_?  
 \_\_\_\_ does it \_\_\_\_ for \_\_\_\_ alarm \_\_\_\_ to return to functioning \_\_\_\_ new \_\_\_\_ after \_\_\_\_ relocated?  
 \_\_\_\_ is \_\_\_\_ from \_\_\_\_ to \_\_\_\_ operation of \_\_\_\_ alarm system.

How long do \_\_\_\_\_ it will \_\_\_\_\_ get \_\_\_\_\_ previously installed alarm \_\_\_\_\_ work \_\_\_\_\_ ?

\_\_\_\_\_ much \_\_\_\_\_ relocated alarm system take to \_\_\_\_\_ ?

What period \_\_\_\_\_ expect my \_\_\_\_\_ device \_\_\_\_\_ become \_\_\_\_\_ its \_\_\_\_\_ location?

Is \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ again after a \_\_\_\_\_ ?

\_\_\_\_\_ does it take for a \_\_\_\_\_ to operate \_\_\_\_\_ new \_\_\_\_\_ ?

When an \_\_\_\_\_ system \_\_\_\_\_ moved \_\_\_\_\_ a new place, \_\_\_\_\_ it usually \_\_\_\_\_ ?

Is \_\_\_\_\_ estimate of how \_\_\_\_\_ it will \_\_\_\_\_ a \_\_\_\_\_ to become \_\_\_\_\_ operational \_\_\_\_\_ another property?

How \_\_\_\_\_ does it \_\_\_\_\_ repositioned \_\_\_\_\_ to \_\_\_\_\_ back \_\_\_\_\_ full function?

\_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ an alarm system to \_\_\_\_\_ functional \_\_\_\_\_ ?

How long \_\_\_\_\_ for an \_\_\_\_\_ system to \_\_\_\_\_ operational again \_\_\_\_\_ ?

\_\_\_\_\_ it usual \_\_\_\_\_ system \_\_\_\_\_ work again after \_\_\_\_\_ houses?

\_\_\_\_\_ it would take \_\_\_\_\_ a relocated home \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ running in \_\_\_\_\_ new \_\_\_\_\_ ?

How long \_\_\_\_\_ required \_\_\_\_\_ to \_\_\_\_\_ again at \_\_\_\_\_ residence?

What \_\_\_\_\_ average \_\_\_\_\_ until the new alarms \_\_\_\_\_ ?

I'd like \_\_\_\_\_ know how soon \_\_\_\_\_ alarm system \_\_\_\_\_ functional \_\_\_\_\_ .

\_\_\_\_\_ does it \_\_\_\_\_ to \_\_\_\_\_ a new \_\_\_\_\_ operational?

How long does it take for \_\_\_\_\_ be \_\_\_\_\_ running?

Do \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ takes \_\_\_\_\_ a relocated \_\_\_\_\_ system to be fully \_\_\_\_\_ ?

\_\_\_\_\_ an \_\_\_\_\_ long it will take \_\_\_\_\_ the alerting mechanism \_\_\_\_\_ again at \_\_\_\_\_ property?

What \_\_\_\_\_ the usual time \_\_\_\_\_ relocation \_\_\_\_\_ of \_\_\_\_\_ system?

When an \_\_\_\_\_ system \_\_\_\_\_ moved to \_\_\_\_\_ home, how \_\_\_\_\_ take \_\_\_\_\_ to work?

\_\_\_\_\_ time \_\_\_\_\_ think it \_\_\_\_\_ for a relocated alarm \_\_\_\_\_ to be \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ timescale \_\_\_\_\_ a \_\_\_\_\_ alarm system working \_\_\_\_\_ ?

\_\_\_\_\_ is the \_\_\_\_\_ duration from relocation until \_\_\_\_\_ working?

How \_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ an \_\_\_\_\_ system to \_\_\_\_\_ again after \_\_\_\_\_ relocated?

How long does it take \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ home?

\_\_\_\_\_ does \_\_\_\_\_ take for a \_\_\_\_\_ to be up \_\_\_\_\_ running \_\_\_\_\_ the \_\_\_\_\_ house?

Is \_\_\_\_\_ an \_\_\_\_\_ getting a \_\_\_\_\_ alarm \_\_\_\_\_ running again \_\_\_\_\_ a move?

What period should \_\_\_\_\_ my \_\_\_\_\_ be \_\_\_\_\_ and \_\_\_\_\_ at its new \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ alarms to work \_\_\_\_\_ a new residence?

\_\_\_\_\_ long does it \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ new home?

How long \_\_\_\_\_ alarm system \_\_\_\_\_ to be fully \_\_\_\_\_ ?

\_\_\_\_\_ new \_\_\_\_\_ system can \_\_\_\_\_ time to be \_\_\_\_\_ .

How long \_\_\_\_\_ a \_\_\_\_\_ alarm system to start \_\_\_\_\_ ?

What \_\_\_\_\_ the \_\_\_\_\_ wait \_\_\_\_\_ the relocated \_\_\_\_\_ work \_\_\_\_\_ the new \_\_\_\_\_ ?

How long does \_\_\_\_\_ for \_\_\_\_\_ relocated security \_\_\_\_\_ activated in \_\_\_\_\_ home?

How \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ in the new place?

When \_\_\_\_\_ alarm system \_\_\_\_\_ again after moving?

\_\_\_\_\_ system \_\_\_\_\_ a different home, \_\_\_\_\_ time period \_\_\_\_\_ it usually operational \_\_\_\_\_ ?

\_\_\_\_\_ you \_\_\_\_\_ estimate \_\_\_\_\_ how long it takes \_\_\_\_\_ system to be \_\_\_\_\_ again?

\_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ a different \_\_\_\_\_ what time frame \_\_\_\_\_ it \_\_\_\_\_ again?

\_\_\_\_\_ does \_\_\_\_\_ take a relocated alarm system \_\_\_\_\_ functional?

How long \_\_\_\_\_ for the alarm \_\_\_\_\_ to be \_\_\_\_\_ again in the \_\_\_\_\_ ?

\_\_\_\_\_ the alarm \_\_\_\_\_ well \_\_\_\_\_ at \_\_\_\_\_ new residence?

What \_\_\_\_\_ is \_\_\_\_\_ for relocated \_\_\_\_\_ to \_\_\_\_\_ at a \_\_\_\_\_ ?

What \_\_\_\_\_ from relocation to full operation \_\_\_\_\_ alarm \_\_\_\_\_ ?

\_\_\_\_\_ do it take \_\_\_\_\_ relocated alarm system \_\_\_\_\_ in \_\_\_\_\_ new setting?

\_\_\_\_\_ long before \_\_\_\_\_ works \_\_\_\_\_ its \_\_\_\_\_ location?

How \_\_\_\_\_ does it \_\_\_\_\_ for \_\_\_\_\_ alarm to \_\_\_\_\_ function?

How \_\_\_\_\_ does it \_\_\_\_\_ relocated \_\_\_\_\_ system to be operational \_\_\_\_\_ ?

\_\_\_\_\_ before \_\_\_\_\_ alarm system starts \_\_\_\_\_ properly?  
 Is \_\_\_\_\_ to give an estimate \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ system \_\_\_\_\_ be up and \_\_\_\_\_ ?  
 \_\_\_\_\_ much \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ apparatus \_\_\_\_\_ return to full function?  
 What is \_\_\_\_\_ usual duration \_\_\_\_\_ alarm system \_\_\_\_\_ ?  
 How \_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ fully operational again after \_\_\_\_\_ relocated?  
 \_\_\_\_\_ is \_\_\_\_\_ period of \_\_\_\_\_ from \_\_\_\_\_ to full \_\_\_\_\_ operation?  
 \_\_\_\_\_ an estimate \_\_\_\_\_ long \_\_\_\_\_ will take a recently \_\_\_\_\_ to become fully operational \_\_\_\_\_ ?  
 For an \_\_\_\_\_ to \_\_\_\_\_ fully \_\_\_\_\_ relocation, how long is \_\_\_\_\_ ?  
 \_\_\_\_\_ long will it \_\_\_\_\_ for \_\_\_\_\_ to work after \_\_\_\_\_ ?  
 \_\_\_\_\_ take \_\_\_\_\_ relocation to full \_\_\_\_\_ of \_\_\_\_\_ ?  
 What \_\_\_\_\_ the \_\_\_\_\_ for getting a previously \_\_\_\_\_ alarm \_\_\_\_\_ after \_\_\_\_\_ move?  
 \_\_\_\_\_ long does \_\_\_\_\_ a relocated alarm system \_\_\_\_\_ again \_\_\_\_\_ the new \_\_\_\_\_ ?  
 \_\_\_\_\_ should I \_\_\_\_\_ security device \_\_\_\_\_ be fully functional \_\_\_\_\_ in \_\_\_\_\_ location?  
 Do you \_\_\_\_\_ wait time \_\_\_\_\_ work \_\_\_\_\_ the new place?  
 How \_\_\_\_\_ time does \_\_\_\_\_ take for \_\_\_\_\_ up and \_\_\_\_\_ again in the \_\_\_\_\_ house?  
 \_\_\_\_\_ long \_\_\_\_\_ relocated alarm system \_\_\_\_\_ fully functional \_\_\_\_\_ a \_\_\_\_\_ ?  
 How long \_\_\_\_\_ full \_\_\_\_\_ of alarm system?  
 How long \_\_\_\_\_ to be up and running \_\_\_\_\_ new house?  
 \_\_\_\_\_ the usual \_\_\_\_\_ for \_\_\_\_\_ to work at \_\_\_\_\_ new home?  
 From \_\_\_\_\_ full operation of an \_\_\_\_\_ system, \_\_\_\_\_ the \_\_\_\_\_ ?  
 When \_\_\_\_\_ my alarm system \_\_\_\_\_ again \_\_\_\_\_ a move?  
 \_\_\_\_\_ long \_\_\_\_\_ think it \_\_\_\_\_ take \_\_\_\_\_ equipment to work in \_\_\_\_\_ new \_\_\_\_\_ ?  
 \_\_\_\_\_ my alarm system to \_\_\_\_\_ again in the \_\_\_\_\_ ?  
 How long \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ up and running?  
 What \_\_\_\_\_ to full operation of an \_\_\_\_\_ normal?  
 Can you \_\_\_\_\_ how \_\_\_\_\_ for \_\_\_\_\_ relocated alarm system to be \_\_\_\_\_ running in \_\_\_\_\_ new \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ estimate \_\_\_\_\_ how long \_\_\_\_\_ for a \_\_\_\_\_ to \_\_\_\_\_ fully \_\_\_\_\_ again at another \_\_\_\_\_ ?  
 Can you \_\_\_\_\_ me how \_\_\_\_\_ it takes \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ a new \_\_\_\_\_ ?  
 \_\_\_\_\_ should I \_\_\_\_\_ my alarm \_\_\_\_\_ to \_\_\_\_\_ moving?  
 How \_\_\_\_\_ can \_\_\_\_\_ adjusted alarm \_\_\_\_\_ be \_\_\_\_\_ functional \_\_\_\_\_ moving \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ the alarm will work \_\_\_\_\_ place?  
 How much time \_\_\_\_\_ alarm \_\_\_\_\_ be fully operational \_\_\_\_\_ after relocation?  
 Is it usual \_\_\_\_\_ get \_\_\_\_\_ alarm \_\_\_\_\_ working \_\_\_\_\_ ?  
 \_\_\_\_\_ does \_\_\_\_\_ take for a reset alarm \_\_\_\_\_ to \_\_\_\_\_ operational \_\_\_\_\_ ?  
 Do you have an \_\_\_\_\_ how long \_\_\_\_\_ takes for \_\_\_\_\_ relocated \_\_\_\_\_ be \_\_\_\_\_ functional \_\_\_\_\_ ?  
 \_\_\_\_\_ it take for an alarm system \_\_\_\_\_ been moved \_\_\_\_\_ home \_\_\_\_\_ be fully \_\_\_\_\_ again?  
 What time is needed \_\_\_\_\_ alarms \_\_\_\_\_ new home?  
 \_\_\_\_\_ is \_\_\_\_\_ average time \_\_\_\_\_ a relocated \_\_\_\_\_ to \_\_\_\_\_ at \_\_\_\_\_ home?  
 Can you give \_\_\_\_\_ an \_\_\_\_\_ when \_\_\_\_\_ alarm \_\_\_\_\_ new place?  
 What \_\_\_\_\_ average time \_\_\_\_\_ takes for a \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ ?  
 After getting \_\_\_\_\_ how much time \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ ?  
 After moving \_\_\_\_\_ is the average \_\_\_\_\_ for \_\_\_\_\_ previously \_\_\_\_\_ alarm \_\_\_\_\_ again?  
 \_\_\_\_\_ it \_\_\_\_\_ for a relocated alarm \_\_\_\_\_ to go \_\_\_\_\_ to \_\_\_\_\_ ?  
 \_\_\_\_\_ does it take for \_\_\_\_\_ moved \_\_\_\_\_ system to \_\_\_\_\_ in \_\_\_\_\_ home?  
 How \_\_\_\_\_ will \_\_\_\_\_ home security system \_\_\_\_\_ be up \_\_\_\_\_ running \_\_\_\_\_ a \_\_\_\_\_ house?  
 Can \_\_\_\_\_ me \_\_\_\_\_ quickly \_\_\_\_\_ alarm \_\_\_\_\_ becomes \_\_\_\_\_ after moving houses?  
 \_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ time it will take for \_\_\_\_\_ recently \_\_\_\_\_ alerting \_\_\_\_\_ to \_\_\_\_\_ operational \_\_\_\_\_ ?  
 \_\_\_\_\_ does \_\_\_\_\_ alarm \_\_\_\_\_ to become fully operational \_\_\_\_\_ a new home?  
 \_\_\_\_\_ long does \_\_\_\_\_ for \_\_\_\_\_ alarm \_\_\_\_\_ to function in \_\_\_\_\_ new \_\_\_\_\_ ?  
 What is the required \_\_\_\_\_ to work \_\_\_\_\_ new \_\_\_\_\_ ?



When an alarm \_\_\_\_ needs to \_\_\_\_ after \_\_\_\_ long?

Is there \_\_\_\_ an \_\_\_\_ becomes completely \_\_\_\_ after moving?

How \_\_\_\_ time does \_\_\_\_ for a \_\_\_\_ system \_\_\_\_ be \_\_\_\_ functional in a \_\_\_\_?

\_\_\_\_ have \_\_\_\_ estimate on how long it takes to \_\_\_\_ relocated \_\_\_\_?

\_\_\_\_ I \_\_\_\_ alarm system to work \_\_\_\_ after \_\_\_\_?

\_\_\_\_ long does it \_\_\_\_ alarm to be up and \_\_\_\_ relocation?

\_\_\_\_ long will it take for the \_\_\_\_ to \_\_\_\_?

How \_\_\_\_ is \_\_\_\_ average for \_\_\_\_ system \_\_\_\_ be fully functional?

What is \_\_\_\_ length from relocation \_\_\_\_ system \_\_\_\_?

How long \_\_\_\_ take for a \_\_\_\_ alarm \_\_\_\_ functional \_\_\_\_ a \_\_\_\_ residence?

\_\_\_\_ anyone \_\_\_\_ me how \_\_\_\_ it takes \_\_\_\_ relocated home \_\_\_\_ be \_\_\_\_ and running?

When an alarm \_\_\_\_ is moved to a \_\_\_\_ home, \_\_\_\_ long \_\_\_\_ it take \_\_\_\_?

What \_\_\_\_ time it takes for \_\_\_\_ system to \_\_\_\_ up \_\_\_\_ running \_\_\_\_?

How \_\_\_\_ is needed \_\_\_\_ relocated alarms \_\_\_\_ at \_\_\_\_ location?

What is \_\_\_\_ average wait \_\_\_\_ until the relocated alarms \_\_\_\_?

Can \_\_\_\_ an \_\_\_\_ on \_\_\_\_ long \_\_\_\_ a security system \_\_\_\_ be \_\_\_\_ in \_\_\_\_ new house?

\_\_\_\_ should a previously \_\_\_\_ be \_\_\_\_ and \_\_\_\_ after moving?

\_\_\_\_ time \_\_\_\_ to full operation \_\_\_\_ the alarm \_\_\_\_?

What is the \_\_\_\_ time for \_\_\_\_ function in \_\_\_\_ been \_\_\_\_?

\_\_\_\_ time is \_\_\_\_ alarms \_\_\_\_ again in a \_\_\_\_ home?

How long \_\_\_\_ it will \_\_\_\_ to \_\_\_\_ installed \_\_\_\_ up and running again \_\_\_\_ you \_\_\_\_?

\_\_\_\_ long does \_\_\_\_ installed alarm to be \_\_\_\_ and running \_\_\_\_ after a \_\_\_\_?

When \_\_\_\_ expect my alarm system \_\_\_\_ moving?

\_\_\_\_ long \_\_\_\_ it \_\_\_\_ relocated \_\_\_\_ system to be fully functional at \_\_\_\_?

\_\_\_\_ there an \_\_\_\_ long it \_\_\_\_ a \_\_\_\_ alarm \_\_\_\_ to be fully functional again?

What is the \_\_\_\_ from \_\_\_\_ to full \_\_\_\_ of \_\_\_\_?

How long \_\_\_\_ it take to \_\_\_\_ installed \_\_\_\_ up \_\_\_\_ to another \_\_\_\_?

\_\_\_\_ long does \_\_\_\_ typically \_\_\_\_ relocation \_\_\_\_ full \_\_\_\_ of an alarm \_\_\_\_?

I \_\_\_\_ like \_\_\_\_ long \_\_\_\_ takes for a \_\_\_\_ system \_\_\_\_ be functional.

How long does \_\_\_\_ alarm \_\_\_\_ take \_\_\_\_ start \_\_\_\_?

\_\_\_\_ relocated alarms work \_\_\_\_ the new place?

How \_\_\_\_ it take \_\_\_\_ the alarm equipment \_\_\_\_ out in \_\_\_\_?

\_\_\_\_ long \_\_\_\_ takes for \_\_\_\_ repositioned \_\_\_\_ system to regain full \_\_\_\_?

Is \_\_\_\_ idea \_\_\_\_ when an adjusted alarm \_\_\_\_ becomes \_\_\_\_ after moving \_\_\_\_?

When \_\_\_\_ alarm system \_\_\_\_ home, \_\_\_\_ long \_\_\_\_ it usually take?

\_\_\_\_ I \_\_\_\_ my \_\_\_\_ device to \_\_\_\_ and functional \_\_\_\_ its new location?

\_\_\_\_ me how \_\_\_\_ it will take for \_\_\_\_ relocated \_\_\_\_ security \_\_\_\_ to \_\_\_\_ up and \_\_\_\_?

\_\_\_\_ long until \_\_\_\_ alarm equipment \_\_\_\_ in \_\_\_\_ location?

How long \_\_\_\_ it take \_\_\_\_ relocated \_\_\_\_ at a new \_\_\_\_?

\_\_\_\_ an estimate of \_\_\_\_ amount \_\_\_\_ take for \_\_\_\_ mechanism to \_\_\_\_ operational again at another property?

\_\_\_\_ you have an estimation of when \_\_\_\_ up \_\_\_\_ running after \_\_\_\_?

\_\_\_\_ you \_\_\_\_ us \_\_\_\_ quickly \_\_\_\_ adjusted \_\_\_\_ becomes functional after \_\_\_\_?

When an alarm \_\_\_\_ is \_\_\_\_ to a \_\_\_\_ time \_\_\_\_ it \_\_\_\_ again?

The \_\_\_\_ until \_\_\_\_ system becomes functional \_\_\_\_?

After \_\_\_\_ an \_\_\_\_ when can \_\_\_\_ it \_\_\_\_ be functional \_\_\_\_?

How \_\_\_\_ you \_\_\_\_ alarms work at \_\_\_\_ new place?

When \_\_\_\_ alarm \_\_\_\_ moved to a different \_\_\_\_ how often \_\_\_\_?

\_\_\_\_ will it \_\_\_\_ for the \_\_\_\_ alarm system \_\_\_\_ functional \_\_\_\_ at the new \_\_\_\_?

Is \_\_\_\_ an estimate of how \_\_\_\_ will take \_\_\_\_ a \_\_\_\_ relocated alerting mechanism \_\_\_\_ again?

What is the average \_\_\_\_ previously \_\_\_\_ running again after moving?

\_\_\_\_\_ does \_\_\_\_\_ take to \_\_\_\_\_ features of the alarm mechanism \_\_\_\_\_ addresses?

\_\_\_\_\_ I expect \_\_\_\_\_ to \_\_\_\_\_ fully functional in \_\_\_\_\_ home \_\_\_\_\_ relocation?

Can you \_\_\_\_\_ estimate \_\_\_\_\_ it \_\_\_\_\_ a relocated security system \_\_\_\_\_ activated?

How \_\_\_\_\_ is \_\_\_\_\_ for an \_\_\_\_\_ be fully operational again \_\_\_\_\_ ?

The \_\_\_\_\_ for \_\_\_\_\_ to work again after moving \_\_\_\_\_ unknown.

What is the \_\_\_\_\_ it takes for \_\_\_\_\_ system \_\_\_\_\_ after moving \_\_\_\_\_ ?

\_\_\_\_\_ what \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ reset alarm system to be \_\_\_\_\_ ?

\_\_\_\_\_ you give \_\_\_\_\_ on how long it usually takes to setup \_\_\_\_\_ different \_\_\_\_\_ ?

How \_\_\_\_\_ time will \_\_\_\_\_ take \_\_\_\_\_ the \_\_\_\_\_ be operational again \_\_\_\_\_ the \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ that has been relocated to a new home to become \_\_\_\_\_ ?

When \_\_\_\_\_ system \_\_\_\_\_ moved \_\_\_\_\_ a \_\_\_\_\_ time frame is it \_\_\_\_\_ operational \_\_\_\_\_ ?

\_\_\_\_\_ period until the \_\_\_\_\_ system is \_\_\_\_\_ after \_\_\_\_\_ ?

Does \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ alarm \_\_\_\_\_ again after moving houses?

Can \_\_\_\_\_ tell \_\_\_\_\_ how much \_\_\_\_\_ it takes \_\_\_\_\_ a \_\_\_\_\_ to be \_\_\_\_\_ ?

How \_\_\_\_\_ you think it \_\_\_\_\_ for \_\_\_\_\_ security \_\_\_\_\_ to \_\_\_\_\_ activated in a different \_\_\_\_\_ ?

How \_\_\_\_\_ does \_\_\_\_\_ take for \_\_\_\_\_ alarm \_\_\_\_\_ function \_\_\_\_\_ a new \_\_\_\_\_ ?

\_\_\_\_\_ would \_\_\_\_\_ reset \_\_\_\_\_ system to be fully operational \_\_\_\_\_ moving?

How \_\_\_\_\_ does \_\_\_\_\_ take for a relocated \_\_\_\_\_ system \_\_\_\_\_ activated in \_\_\_\_\_ residence?

How \_\_\_\_\_ is needed \_\_\_\_\_ alarms \_\_\_\_\_ work \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ ?

\_\_\_\_\_ you give \_\_\_\_\_ how long \_\_\_\_\_ take \_\_\_\_\_ a relocated \_\_\_\_\_ system \_\_\_\_\_ work again?

How \_\_\_\_\_ does it take for \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ to normal \_\_\_\_\_ a new \_\_\_\_\_ ?

How \_\_\_\_\_ take \_\_\_\_\_ a new alarm \_\_\_\_\_ get up \_\_\_\_\_ running?

Does it \_\_\_\_\_ a while \_\_\_\_\_ alarm system \_\_\_\_\_ operational?

\_\_\_\_\_ before a relocated alarm \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ ?

How long \_\_\_\_\_ a previously installed alarm \_\_\_\_\_ on after \_\_\_\_\_ ?

How \_\_\_\_\_ does it take to \_\_\_\_\_ a previously \_\_\_\_\_ a new house?

When \_\_\_\_\_ to a \_\_\_\_\_ home, how long \_\_\_\_\_ typically take?

\_\_\_\_\_ does \_\_\_\_\_ usually \_\_\_\_\_ a \_\_\_\_\_ alarm \_\_\_\_\_ to be fully functional \_\_\_\_\_ a new \_\_\_\_\_ ?

\_\_\_\_\_ long does \_\_\_\_\_ take \_\_\_\_\_ to be fully \_\_\_\_\_ after relocation?

How long \_\_\_\_\_ take for \_\_\_\_\_ relocated alarm system \_\_\_\_\_ up \_\_\_\_\_ ?

How \_\_\_\_\_ for a moved \_\_\_\_\_ system to work \_\_\_\_\_ ?

How \_\_\_\_\_ will it take \_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ at the \_\_\_\_\_ ?

How long does it \_\_\_\_\_ moved alarm \_\_\_\_\_ work again \_\_\_\_\_ ?

How long \_\_\_\_\_ you \_\_\_\_\_ it would \_\_\_\_\_ an alarm \_\_\_\_\_ be \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ ?

How much \_\_\_\_\_ does \_\_\_\_\_ alarm \_\_\_\_\_ take to \_\_\_\_\_ ?

What is your \_\_\_\_\_ until \_\_\_\_\_ relocated alarms \_\_\_\_\_ place?

What \_\_\_\_\_ the \_\_\_\_\_ duration from \_\_\_\_\_ to \_\_\_\_\_ alarm \_\_\_\_\_ ?

\_\_\_\_\_ long will \_\_\_\_\_ those relocated alarm work \_\_\_\_\_ the \_\_\_\_\_ ?

\_\_\_\_\_ much \_\_\_\_\_ does it take for \_\_\_\_\_ relocated \_\_\_\_\_ be \_\_\_\_\_ and running?

How long is \_\_\_\_\_ alarms to work at \_\_\_\_\_ ?

\_\_\_\_\_ take for the \_\_\_\_\_ alarm system to \_\_\_\_\_ fully \_\_\_\_\_ after \_\_\_\_\_ ?

\_\_\_\_\_ much time will it \_\_\_\_\_ work \_\_\_\_\_ you move?

\_\_\_\_\_ long does it take \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ after relocation?

\_\_\_\_\_ soon an adjusted alarm \_\_\_\_\_ becomes functional \_\_\_\_\_ homes.

There \_\_\_\_\_ an average period \_\_\_\_\_ becomes \_\_\_\_\_ after relocation.

\_\_\_\_\_ long is \_\_\_\_\_ duration for an \_\_\_\_\_ be fully operational again \_\_\_\_\_ ?

How long is \_\_\_\_\_ again at a \_\_\_\_\_ home?

How \_\_\_\_\_ for \_\_\_\_\_ that has been relocated to a \_\_\_\_\_ to be \_\_\_\_\_ operational?

\_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ a relocated \_\_\_\_\_ to come back \_\_\_\_\_ normal?

What is \_\_\_\_\_ of time from \_\_\_\_\_ full \_\_\_\_\_ alarm system?

How long should I \_\_\_\_ my \_\_\_\_ device \_\_\_\_ fully \_\_\_\_ in its \_\_\_\_ ?

\_\_\_\_ there \_\_\_\_ estimate on how \_\_\_\_ it \_\_\_\_ a \_\_\_\_ alarm \_\_\_\_ be \_\_\_\_ functional?

How \_\_\_\_ does it \_\_\_\_ take \_\_\_\_ system to \_\_\_\_ a \_\_\_\_ residence?

\_\_\_\_ long \_\_\_\_ take for \_\_\_\_ alarm \_\_\_\_ to \_\_\_\_ when someone \_\_\_\_ ?

\_\_\_\_ long before the \_\_\_\_ in \_\_\_\_ new \_\_\_\_ works \_\_\_\_ ?

I \_\_\_\_ know \_\_\_\_ soon \_\_\_\_ adjusted alarm system becomes \_\_\_\_ functional \_\_\_\_ .

What is the \_\_\_\_ of \_\_\_\_ getting \_\_\_\_ previously installed \_\_\_\_ work \_\_\_\_ after \_\_\_\_ ?

How long will \_\_\_\_ the \_\_\_\_ system to \_\_\_\_ after \_\_\_\_ ?

\_\_\_\_ long \_\_\_\_ take for \_\_\_\_ relocated alarm \_\_\_\_ to be fully \_\_\_\_ ?

Can you \_\_\_\_ me \_\_\_\_ amount of \_\_\_\_ takes \_\_\_\_ a \_\_\_\_ alarm system \_\_\_\_ functional?

How long \_\_\_\_ alarm system \_\_\_\_ in \_\_\_\_ new house?

How long until \_\_\_\_ functioning \_\_\_\_ the new \_\_\_\_ ?

\_\_\_\_ long \_\_\_\_ equipment is working \_\_\_\_ a new \_\_\_\_ ?

Can you tell \_\_\_\_ alarm \_\_\_\_ become \_\_\_\_ functional \_\_\_\_ moving homes?

\_\_\_\_ there \_\_\_\_ estimate of \_\_\_\_ will \_\_\_\_ for \_\_\_\_ recently moved alerting \_\_\_\_ to become \_\_\_\_ functional once \_\_\_\_ another \_\_\_\_ ?

\_\_\_\_ estimate on how long it \_\_\_\_ take for \_\_\_\_ relocated \_\_\_\_ to \_\_\_\_ ?

\_\_\_\_ is \_\_\_\_ usual \_\_\_\_ the relocated alarm \_\_\_\_ to be \_\_\_\_ ?

\_\_\_\_ expect my security device to be activated \_\_\_\_ location?

\_\_\_\_ alarm system to be \_\_\_\_ again \_\_\_\_ my new \_\_\_\_ ?

Wait \_\_\_\_ before the relocated alarms \_\_\_\_ place?

\_\_\_\_ long \_\_\_\_ it \_\_\_\_ for a relocated \_\_\_\_ system \_\_\_\_ functioning \_\_\_\_ new location?

\_\_\_\_ long it takes for a \_\_\_\_ to be \_\_\_\_ running \_\_\_\_ new house?

I \_\_\_\_ how \_\_\_\_ it \_\_\_\_ for a relocated \_\_\_\_ be activated in \_\_\_\_ different residence.

Is \_\_\_\_ usual for \_\_\_\_ come back on after \_\_\_\_ ?

\_\_\_\_ long \_\_\_\_ the \_\_\_\_ system is \_\_\_\_ at a \_\_\_\_ residence?

How long \_\_\_\_ an \_\_\_\_ system \_\_\_\_ to be \_\_\_\_ after \_\_\_\_ ?

How \_\_\_\_ does \_\_\_\_ for an \_\_\_\_ to \_\_\_\_ correctly in \_\_\_\_ new \_\_\_\_ ?

\_\_\_\_ there a \_\_\_\_ period for getting \_\_\_\_ moved \_\_\_\_ system \_\_\_\_ ?

\_\_\_\_ long \_\_\_\_ for the alarm system \_\_\_\_ wake up \_\_\_\_ moves?

How \_\_\_\_ it take for an \_\_\_\_ system \_\_\_\_ correctly \_\_\_\_ a \_\_\_\_ ?

How \_\_\_\_ does \_\_\_\_ an alarm system \_\_\_\_ back \_\_\_\_ at \_\_\_\_ new house?

How long would \_\_\_\_ alarm system \_\_\_\_ be \_\_\_\_ again \_\_\_\_ relocation?

How \_\_\_\_ before the \_\_\_\_ at the \_\_\_\_ house?

\_\_\_\_ much \_\_\_\_ it take \_\_\_\_ an alarm \_\_\_\_ to be \_\_\_\_ operational after \_\_\_\_ ?

\_\_\_\_ much time do \_\_\_\_ it \_\_\_\_ for \_\_\_\_ relocated \_\_\_\_ system \_\_\_\_ be activated?

Can you tell \_\_\_\_ how \_\_\_\_ takes for \_\_\_\_ alarm \_\_\_\_ be fully functional \_\_\_\_ a \_\_\_\_ ?

What is \_\_\_\_ for the \_\_\_\_ of a alarm \_\_\_\_ ?

\_\_\_\_ does it \_\_\_\_ for \_\_\_\_ alarm \_\_\_\_ function well in a \_\_\_\_ ?

How \_\_\_\_ does it usually \_\_\_\_ the relocated \_\_\_\_ system \_\_\_\_ working \_\_\_\_ ?

\_\_\_\_ long \_\_\_\_ relocated \_\_\_\_ system take to \_\_\_\_ at the \_\_\_\_ ?

Do \_\_\_\_ long it will take \_\_\_\_ relocated home \_\_\_\_ to \_\_\_\_ and \_\_\_\_ the new house?

How much time does \_\_\_\_ for a \_\_\_\_ to \_\_\_\_ activated \_\_\_\_ place?

How \_\_\_\_ you \_\_\_\_ it will take for \_\_\_\_ relocated \_\_\_\_ system \_\_\_\_ ?

\_\_\_\_ much \_\_\_\_ do you think \_\_\_\_ a \_\_\_\_ system in a different residence?

Can I \_\_\_\_ the alarm \_\_\_\_ the \_\_\_\_ home after moving \_\_\_\_ ?

What \_\_\_\_ normal time from relocation \_\_\_\_ of \_\_\_\_ alarm \_\_\_\_ ?

How long \_\_\_\_ for a \_\_\_\_ system \_\_\_\_ work?

How long \_\_\_\_ it take \_\_\_\_ system to \_\_\_\_ correctly \_\_\_\_ the \_\_\_\_ ?

Can \_\_\_\_ on \_\_\_\_ of time it \_\_\_\_ setup a relocated security \_\_\_\_ ?

How soon does it take \_\_\_\_ system that \_\_\_\_ been \_\_\_\_ to \_\_\_\_ operational \_\_\_\_ home?

\_\_\_\_\_ will \_\_\_\_\_ for the alarm system to \_\_\_\_\_ it's been \_\_\_\_\_?  
 \_\_\_\_\_ would like \_\_\_\_\_ long it \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ be fully functional.  
 It can take \_\_\_\_\_ while \_\_\_\_\_ relocated alarm \_\_\_\_\_ to be \_\_\_\_\_.  
 \_\_\_\_\_ you give \_\_\_\_\_ estimate \_\_\_\_\_ long it \_\_\_\_\_ for \_\_\_\_\_ relocated \_\_\_\_\_ system to be \_\_\_\_\_ again?  
 \_\_\_\_\_ my alarm \_\_\_\_\_ is \_\_\_\_\_ at a new \_\_\_\_\_ it \_\_\_\_\_ to work \_\_\_\_\_?  
 \_\_\_\_\_ long \_\_\_\_\_ it \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ be fully \_\_\_\_\_ a new house after \_\_\_\_\_ relocated?  
 \_\_\_\_\_ long do \_\_\_\_\_ take to get a previously \_\_\_\_\_ alarm \_\_\_\_\_ and running \_\_\_\_\_ moving?  
 How long \_\_\_\_\_ take for the \_\_\_\_\_ to \_\_\_\_\_ a new \_\_\_\_\_?  
 How long does \_\_\_\_\_ system \_\_\_\_\_ be \_\_\_\_\_ again after being \_\_\_\_\_?  
 Is it \_\_\_\_\_ for an \_\_\_\_\_ work \_\_\_\_\_ after \_\_\_\_\_ move?  
 \_\_\_\_\_ have a \_\_\_\_\_ how long \_\_\_\_\_ for a \_\_\_\_\_ alarm system to \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ of how long \_\_\_\_\_ will \_\_\_\_\_ moved \_\_\_\_\_ mechanism to \_\_\_\_\_ fully functional \_\_\_\_\_ another property?  
 \_\_\_\_\_ an estimate of how \_\_\_\_\_ will \_\_\_\_\_ a recently relocated alerting \_\_\_\_\_ to \_\_\_\_\_ more at another \_\_\_\_\_?  
 In general, \_\_\_\_\_ it \_\_\_\_\_ an \_\_\_\_\_ to work in a \_\_\_\_\_ place?  
 \_\_\_\_\_ it usually \_\_\_\_\_ the alarm system \_\_\_\_\_ work again after \_\_\_\_\_?  
 \_\_\_\_\_ the normal \_\_\_\_\_ a relocated alarm \_\_\_\_\_ to be \_\_\_\_\_ running?  
 How \_\_\_\_\_ it \_\_\_\_\_ relocated alarms to work again at \_\_\_\_\_?  
 \_\_\_\_\_ long \_\_\_\_\_ system \_\_\_\_\_ be fully operational again after relocation?  
 \_\_\_\_\_ period from relocation \_\_\_\_\_ of \_\_\_\_\_ alarm system?  
 \_\_\_\_\_ long \_\_\_\_\_ the \_\_\_\_\_ equipment works in \_\_\_\_\_ home?  
 How much \_\_\_\_\_ it take \_\_\_\_\_ alarm system to \_\_\_\_\_ operation?  
 \_\_\_\_\_ how long it will take for a \_\_\_\_\_ to become fully operational \_\_\_\_\_ another property?  
 \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ it \_\_\_\_\_ a new alarm system \_\_\_\_\_ be \_\_\_\_\_?  
 How \_\_\_\_\_ will \_\_\_\_\_ take \_\_\_\_\_ a \_\_\_\_\_ home \_\_\_\_\_ system \_\_\_\_\_ and running?  
 \_\_\_\_\_ an alarm \_\_\_\_\_ different home, how long does it \_\_\_\_\_ it \_\_\_\_\_ function again?  
 \_\_\_\_\_ it take \_\_\_\_\_ a previously installed alarm \_\_\_\_\_ running \_\_\_\_\_ after relocation?  
 \_\_\_\_\_ an \_\_\_\_\_ is \_\_\_\_\_ to a \_\_\_\_\_ how long does \_\_\_\_\_ it to be fully \_\_\_\_\_?  
 \_\_\_\_\_ tell me how long it \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ be \_\_\_\_\_ in a different \_\_\_\_\_?  
 When \_\_\_\_\_ alarm \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ different \_\_\_\_\_ how often \_\_\_\_\_ operational \_\_\_\_\_?  
 \_\_\_\_\_ much \_\_\_\_\_ do \_\_\_\_\_ reckon it \_\_\_\_\_ for a \_\_\_\_\_ security \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ it take for an alarm \_\_\_\_\_ to return \_\_\_\_\_ work \_\_\_\_\_ house?  
 Can \_\_\_\_\_ give an \_\_\_\_\_ on \_\_\_\_\_ relocated alarm system will \_\_\_\_\_ to \_\_\_\_\_?  
 Can you give an \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ security system to \_\_\_\_\_ activated in \_\_\_\_\_?  
 How \_\_\_\_\_ it \_\_\_\_\_ for the \_\_\_\_\_ alarm \_\_\_\_\_ to \_\_\_\_\_ working?  
 \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ work again \_\_\_\_\_ I move \_\_\_\_\_ new place?  
 \_\_\_\_\_ alarm system \_\_\_\_\_ moved \_\_\_\_\_ a \_\_\_\_\_ home, what is \_\_\_\_\_ like \_\_\_\_\_ have it \_\_\_\_\_?  
 \_\_\_\_\_ long does it \_\_\_\_\_ an alarm \_\_\_\_\_ to \_\_\_\_\_ after \_\_\_\_\_ relocated?  
 \_\_\_\_\_ will it take for an \_\_\_\_\_ work again \_\_\_\_\_ the \_\_\_\_\_ house?  
 \_\_\_\_\_ do \_\_\_\_\_ it takes \_\_\_\_\_ relocated alarm \_\_\_\_\_ to be functional in \_\_\_\_\_ location?  
 How long will \_\_\_\_\_ for a \_\_\_\_\_ to \_\_\_\_\_ running in the \_\_\_\_\_ house?  
 \_\_\_\_\_ long is \_\_\_\_\_ an \_\_\_\_\_ system \_\_\_\_\_ be fully \_\_\_\_\_ after \_\_\_\_\_?  
 How \_\_\_\_\_ will it take for \_\_\_\_\_ alerting \_\_\_\_\_ to \_\_\_\_\_ fully \_\_\_\_\_ once \_\_\_\_\_ at another \_\_\_\_\_?  
 \_\_\_\_\_ long \_\_\_\_\_ usually take from \_\_\_\_\_ full \_\_\_\_\_ of an \_\_\_\_\_ system?  
 What \_\_\_\_\_ duration \_\_\_\_\_ getting an alarm \_\_\_\_\_ after moving?  
 How long \_\_\_\_\_ for all features of the alarm \_\_\_\_\_ to \_\_\_\_\_ addresses?  
 How \_\_\_\_\_ does \_\_\_\_\_ take \_\_\_\_\_ a relocated \_\_\_\_\_ security \_\_\_\_\_ to be \_\_\_\_\_ running in a \_\_\_\_\_?  
 \_\_\_\_\_ does it take \_\_\_\_\_ relocated \_\_\_\_\_ to \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_?  
 How \_\_\_\_\_ it \_\_\_\_\_ for a \_\_\_\_\_ to be \_\_\_\_\_ and \_\_\_\_\_ in the new \_\_\_\_\_?  
 What \_\_\_\_\_ expect my \_\_\_\_\_ device to become functional \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_?  
 \_\_\_\_\_ time does \_\_\_\_\_ for an \_\_\_\_\_ system to be operational \_\_\_\_\_ at \_\_\_\_\_ new \_\_\_\_\_ relocated?

Wait \_\_\_\_ for the \_\_\_\_ alarms \_\_\_\_ at \_\_\_\_ new \_\_\_\_?

After \_\_\_\_ homes, \_\_\_\_ my \_\_\_\_ come online again?

How long does \_\_\_\_ take \_\_\_\_ become \_\_\_\_ at the \_\_\_\_ home?

\_\_\_\_ does it \_\_\_\_ take \_\_\_\_ an \_\_\_\_ system to function in \_\_\_\_?

How long \_\_\_\_ a \_\_\_\_ system \_\_\_\_?

\_\_\_\_ is the \_\_\_\_ a \_\_\_\_ work at a new residence?

\_\_\_\_ soon \_\_\_\_ alarm system \_\_\_\_ be \_\_\_\_ functional after moving \_\_\_\_?

\_\_\_\_ is the \_\_\_\_ a \_\_\_\_ alarm \_\_\_\_ to be functional?

\_\_\_\_ takes for a relocated \_\_\_\_ system to be \_\_\_\_ in \_\_\_\_?

How long until \_\_\_\_ alarm equipment \_\_\_\_ new location?

How long \_\_\_\_ needed \_\_\_\_ to work \_\_\_\_ new place \_\_\_\_ residence?

How \_\_\_\_ will \_\_\_\_ take \_\_\_\_ system to function \_\_\_\_ someone \_\_\_\_?

How long, \_\_\_\_ average, does it \_\_\_\_ relocated alarm system \_\_\_\_?

\_\_\_\_ much \_\_\_\_ you think \_\_\_\_ take \_\_\_\_ get a previously \_\_\_\_ alarm up \_\_\_\_ running again \_\_\_\_?

\_\_\_\_ long until everything is \_\_\_\_ with the \_\_\_\_ a \_\_\_\_?

How \_\_\_\_ think \_\_\_\_ will \_\_\_\_ to get \_\_\_\_ new alarm up \_\_\_\_ moving?

When an \_\_\_\_ system is moved \_\_\_\_ different \_\_\_\_ how \_\_\_\_ take for \_\_\_\_ to \_\_\_\_ again?

\_\_\_\_ much time \_\_\_\_ home security system \_\_\_\_ be up \_\_\_\_ running?

After \_\_\_\_ much \_\_\_\_ will it take \_\_\_\_ system to \_\_\_\_?

I \_\_\_\_ wondering how \_\_\_\_ take \_\_\_\_ a previously installed alarm up and \_\_\_\_ moving.

Can \_\_\_\_ tell \_\_\_\_ alarm \_\_\_\_ becomes completely \_\_\_\_ after moving homes?

\_\_\_\_ until a \_\_\_\_ alarm \_\_\_\_ works?

\_\_\_\_ alarm system is \_\_\_\_ how long \_\_\_\_ it \_\_\_\_ operational \_\_\_\_?