

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Health Insurance Companies
<b>Inquiry Category</b>	Prescription drug coverage inquiries
<b>Inquiry Sub-Category</b>	Drug interactions and therapeutic alternatives
<b>Description</b>	Inquiries about potential drug interactions or side effects, and seeking information on alternative medications within the insurance plan's formulary that may be safer or more cost-effective.
<b>Data Size</b>	5,841 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Health Insurance Company" customer inquiry. (Purchased data will not be masked.)**

Have \_\_\_\_\_ contraindications \_\_\_\_\_ considered before prescribing \_\_\_\_\_ particular \_\_\_\_\_ together?

Is \_\_\_\_\_ possible \_\_\_\_\_ they \_\_\_\_\_ all the \_\_\_\_\_ before \_\_\_\_\_ both drugs?

Do you \_\_\_\_\_ there are dangerous \_\_\_\_\_ these medicines \_\_\_\_\_ time?

\_\_\_\_\_ you checked \_\_\_\_\_ possible hazardous \_\_\_\_\_ when writing \_\_\_\_\_?

If there are \_\_\_\_\_ constraints on \_\_\_\_\_ designated \_\_\_\_\_ have steps \_\_\_\_\_ investigate?

Does the possible dangers \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ properly assessed risk \_\_\_\_\_ combining \_\_\_\_\_ drugs?

Have \_\_\_\_\_ to determine if \_\_\_\_\_ constraints on \_\_\_\_\_ these \_\_\_\_\_ medicines simultaneously?

Did \_\_\_\_\_ risks of combining \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ about any \_\_\_\_\_ when writing \_\_\_\_\_ prescriptions?

Did \_\_\_\_\_ all \_\_\_\_\_ risks before \_\_\_\_\_ prescribed \_\_\_\_\_ medications?

Do \_\_\_\_\_ know if there are \_\_\_\_\_ constraints \_\_\_\_\_ at the \_\_\_\_\_ time?

\_\_\_\_\_ the potentially \_\_\_\_\_ contraindications been \_\_\_\_\_ the \_\_\_\_\_ of these \_\_\_\_\_?

\_\_\_\_\_ a chance of \_\_\_\_\_ reactions when combining \_\_\_\_\_?

Do \_\_\_\_\_ steps taken \_\_\_\_\_ determine if \_\_\_\_\_ dangerous constraints \_\_\_\_\_ these \_\_\_\_\_ simultaneously \_\_\_\_\_ done?

\_\_\_\_\_ consider \_\_\_\_\_ dangerous contraindications, \_\_\_\_\_ prescribe these meds together?

Do \_\_\_\_\_ hazardous indications have \_\_\_\_\_ before the combination \_\_\_\_\_?

Should the \_\_\_\_\_ of this \_\_\_\_\_ evaluated \_\_\_\_\_ recommended?

Is it \_\_\_\_\_ to prescribe these \_\_\_\_\_ other hazardous \_\_\_\_\_?

Did \_\_\_\_\_ consider any \_\_\_\_\_ interactions \_\_\_\_\_ this \_\_\_\_\_ medicines?

\_\_\_\_\_ contraindications have been considered before \_\_\_\_\_ these particular pharmaceuticals \_\_\_\_\_?

Potential risks \_\_\_\_\_ been \_\_\_\_\_ when \_\_\_\_\_ these \_\_\_\_\_.

Did \_\_\_\_\_ look \_\_\_\_\_ unsafe \_\_\_\_\_ usage of both pharmaceuticals \_\_\_\_\_ a unit?

Did you account \_\_\_\_\_ potentially \_\_\_\_\_ interactions \_\_\_\_\_ combination before \_\_\_\_\_?

Is \_\_\_\_\_ risks assessed when you \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ set of drugs to have \_\_\_\_\_ dangers \_\_\_\_\_ being \_\_\_\_\_?

Is \_\_\_\_\_ consideration given \_\_\_\_\_ dangers when \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ these drugs \_\_\_\_\_ any \_\_\_\_\_ assessed before they \_\_\_\_\_?

\_\_\_\_\_ you take \_\_\_\_\_ any \_\_\_\_\_ effects \_\_\_\_\_ using this combination \_\_\_\_\_ drugs?  
\_\_\_\_\_ about all potentially \_\_\_\_\_ when writing \_\_\_\_\_ drugs?  
Did they \_\_\_\_\_ any harmful \_\_\_\_\_ before \_\_\_\_\_ prescribe \_\_\_\_\_ of \_\_\_\_\_?  
Are \_\_\_\_\_ of \_\_\_\_\_ contraindications before \_\_\_\_\_?  
Is it \_\_\_\_\_ that \_\_\_\_\_ risks before they recommended \_\_\_\_\_?  
\_\_\_\_\_ you consider all \_\_\_\_\_ when writing \_\_\_\_\_ together?  
\_\_\_\_\_ given \_\_\_\_\_ the \_\_\_\_\_ risks when co-prescribing \_\_\_\_\_ drugs?  
\_\_\_\_\_ potentially \_\_\_\_\_ contraindications \_\_\_\_\_ into \_\_\_\_\_ prior \_\_\_\_\_ that?  
Have the \_\_\_\_\_ dangerous \_\_\_\_\_ for \_\_\_\_\_ combination?  
\_\_\_\_\_ the potential harmful side \_\_\_\_\_ into \_\_\_\_\_?  
\_\_\_\_\_ you have looked \_\_\_\_\_ combining these drugs \_\_\_\_\_ outcomes?  
Was the potential \_\_\_\_\_ adequately reviewed before \_\_\_\_\_?  
\_\_\_\_\_ want to \_\_\_\_\_ addressed the \_\_\_\_\_ risky \_\_\_\_\_ of these \_\_\_\_\_.  
\_\_\_\_\_ evaluate \_\_\_\_\_ of \_\_\_\_\_ the drugs?  
\_\_\_\_\_ there any contraindications \_\_\_\_\_ of \_\_\_\_\_ drugs?  
Have the \_\_\_\_\_ these \_\_\_\_\_ combination been considered?  
Is \_\_\_\_\_ aware \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ these \_\_\_\_\_ for \_\_\_\_\_?  
\_\_\_\_\_ that they examined and acknowledged \_\_\_\_\_ suggesting usage \_\_\_\_\_ both \_\_\_\_\_ together?  
Is it okay \_\_\_\_\_ medications in conjunction \_\_\_\_\_ possible \_\_\_\_\_?  
Do \_\_\_\_\_ potentially \_\_\_\_\_ contraindications \_\_\_\_\_ been considered \_\_\_\_\_ these \_\_\_\_\_ together?  
\_\_\_\_\_ into account \_\_\_\_\_ the risks \_\_\_\_\_ these prescriptions?  
\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ hazardous contraindications to giving \_\_\_\_\_ both?  
\_\_\_\_\_ the \_\_\_\_\_ for these \_\_\_\_\_ reviewed?  
\_\_\_\_\_ all potentially \_\_\_\_\_ before using \_\_\_\_\_ pharmaceuticals together?  
Couldn't \_\_\_\_\_ at if \_\_\_\_\_ meds could lead \_\_\_\_\_ dangerous \_\_\_\_\_?  
\_\_\_\_\_ possible dangers have been \_\_\_\_\_ before \_\_\_\_\_ combination?  
Did you \_\_\_\_\_ any possible harmful \_\_\_\_\_ effects \_\_\_\_\_ combination \_\_\_\_\_ pharmaceuticals?  
Have \_\_\_\_\_ hazardous side \_\_\_\_\_ been reviewed \_\_\_\_\_?  
Do the \_\_\_\_\_ been evaluated \_\_\_\_\_ is made?  
The \_\_\_\_\_ risks of \_\_\_\_\_ these medications \_\_\_\_\_ be \_\_\_\_\_.  
\_\_\_\_\_ possible that \_\_\_\_\_ all \_\_\_\_\_ before \_\_\_\_\_ these drugs together?  
Did they \_\_\_\_\_ writing \_\_\_\_\_ prescriptions?  
\_\_\_\_\_ they thoroughly \_\_\_\_\_ and acknowledge \_\_\_\_\_ usage \_\_\_\_\_ both pharmaceuticals in \_\_\_\_\_ unit?  
Is \_\_\_\_\_ any \_\_\_\_\_ dangers of \_\_\_\_\_ recommending this set \_\_\_\_\_?  
Are \_\_\_\_\_ potential risks properly evaluated \_\_\_\_\_ medications?  
\_\_\_\_\_ assessed the \_\_\_\_\_ of the drugs \_\_\_\_\_?  
Do \_\_\_\_\_ know if \_\_\_\_\_ any \_\_\_\_\_ before \_\_\_\_\_ them?  
Potential \_\_\_\_\_ from taking \_\_\_\_\_ drugs \_\_\_\_\_ have \_\_\_\_\_ considered.  
Did \_\_\_\_\_ out any \_\_\_\_\_ interactions \_\_\_\_\_ prescribed this \_\_\_\_\_ of \_\_\_\_\_?  
Have \_\_\_\_\_ contraindications been \_\_\_\_\_ before they \_\_\_\_\_ drugs?  
\_\_\_\_\_ dangerous issues \_\_\_\_\_ this combination?  
\_\_\_\_\_ to make \_\_\_\_\_ these pharmaceuticals are \_\_\_\_\_ used together?  
\_\_\_\_\_ the potential \_\_\_\_\_ of \_\_\_\_\_ recommending \_\_\_\_\_ particular set \_\_\_\_\_ drugs thoroughly \_\_\_\_\_?  
What precautions have been \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ safe \_\_\_\_\_ these \_\_\_\_\_?  
\_\_\_\_\_ potentially \_\_\_\_\_ contraindications taken \_\_\_\_\_?  
Do \_\_\_\_\_ determine \_\_\_\_\_ are \_\_\_\_\_ constraints \_\_\_\_\_ designated medicines simultaneously have been done correctly?  
\_\_\_\_\_ usage \_\_\_\_\_ as a unit, did they thoroughly \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ you know \_\_\_\_\_ hazardous contraindications \_\_\_\_\_ you prescribe them?  
Do you consider \_\_\_\_\_ the \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ these \_\_\_\_\_?  
Have \_\_\_\_\_ the possible hazardous factors when \_\_\_\_\_ these \_\_\_\_\_?

Did \_\_\_\_ think \_\_\_\_ dangers \_\_\_\_ combining these \_\_\_\_ me?  
 Is \_\_\_\_ a proper \_\_\_\_ the \_\_\_\_ of administering certain \_\_\_\_?  
 \_\_\_\_ consideration \_\_\_\_ the risks \_\_\_\_ co-prescribing \_\_\_\_?  
 \_\_\_\_ suggesting \_\_\_\_ of \_\_\_\_ pharmaceuticals \_\_\_\_ a unit, \_\_\_\_ and \_\_\_\_ any unsafe effects?  
 Do \_\_\_\_ contraindications \_\_\_\_ been considered before \_\_\_\_ use \_\_\_\_ these \_\_\_\_ together?  
 Do you \_\_\_\_ contraindications \_\_\_\_ they prescribe them?  
 \_\_\_\_ think about \_\_\_\_ dangers \_\_\_\_ starting \_\_\_\_ meds?  
 \_\_\_\_ the \_\_\_\_ been taken \_\_\_\_ there are \_\_\_\_ dangerous constraints on providing these \_\_\_\_?  
 Should \_\_\_\_ consider \_\_\_\_ the potentially \_\_\_\_ writing these prescriptions \_\_\_\_?  
 There \_\_\_\_ to consider \_\_\_\_ co-scribing \_\_\_\_.  
 \_\_\_\_ been taken \_\_\_\_ make sure that there are no dangerous \_\_\_\_ on providing \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ considered the possible \_\_\_\_ side \_\_\_\_ of using \_\_\_\_?  
 \_\_\_\_ possible that they \_\_\_\_ the \_\_\_\_ they prescribed them \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ consider \_\_\_\_ hazardous \_\_\_\_ of using these pharmaceuticals together?  
 Did \_\_\_\_ assessed \_\_\_\_ the drugs \_\_\_\_ prescribed?  
 All potential risks must have \_\_\_\_ these \_\_\_\_.  
 \_\_\_\_ potential dangers \_\_\_\_ reviewed \_\_\_\_ these were \_\_\_\_ together?  
 \_\_\_\_ potentially \_\_\_\_ contraindications \_\_\_\_ considered \_\_\_\_ these drugs together?  
 Is \_\_\_\_ of combining and \_\_\_\_ this particular set \_\_\_\_ fairly \_\_\_\_?  
 \_\_\_\_ safe \_\_\_\_ these medicines concurrent?  
 Can you tell me if \_\_\_\_ for \_\_\_\_ these \_\_\_\_?  
 Do \_\_\_\_ potential dangerous \_\_\_\_ been \_\_\_\_ for this medication \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ into \_\_\_\_ these drugs?  
 \_\_\_\_ you \_\_\_\_ into account \_\_\_\_ potentially \_\_\_\_ writing these prescriptions \_\_\_\_?  
 \_\_\_\_ all \_\_\_\_ risky stuff \_\_\_\_ before I take \_\_\_\_?  
 Do you think \_\_\_\_ potentially \_\_\_\_ when \_\_\_\_ these \_\_\_\_ together?  
 \_\_\_\_ the dangers before taking these \_\_\_\_?  
 \_\_\_\_ you take \_\_\_\_ the \_\_\_\_ harmful \_\_\_\_ into \_\_\_\_?  
 \_\_\_\_ the potential dangers adequately reviewed \_\_\_\_ were \_\_\_\_?  
 \_\_\_\_ the possible harms from this \_\_\_\_ combination?  
 Should \_\_\_\_ medication \_\_\_\_ have \_\_\_\_ reviewed prior \_\_\_\_ recommended?  
 \_\_\_\_ they \_\_\_\_ any harmful interactions before \_\_\_\_ combination \_\_\_\_?  
 Has proper assessment \_\_\_\_ determine if \_\_\_\_ are \_\_\_\_ combining \_\_\_\_?  
 \_\_\_\_ thought about the \_\_\_\_ when \_\_\_\_ prescribed \_\_\_\_ drugs together.  
 \_\_\_\_ dangers have been \_\_\_\_ when taking these \_\_\_\_.  
 \_\_\_\_ you take \_\_\_\_ the possible \_\_\_\_ of this drug \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ these \_\_\_\_ be considered when co-prescribing \_\_\_\_?  
 \_\_\_\_ constraints on \_\_\_\_ these \_\_\_\_ at the \_\_\_\_ time, have steps been \_\_\_\_ to \_\_\_\_ out?  
 Do you consider \_\_\_\_ the potentially dangerous contraindications \_\_\_\_?  
 Is there \_\_\_\_ consideration \_\_\_\_ dangers when co-prescribing \_\_\_\_?  
 Was \_\_\_\_ checked \_\_\_\_ I took these \_\_\_\_?  
 Have any \_\_\_\_ potentially dangerous \_\_\_\_ been \_\_\_\_ before \_\_\_\_ drugs \_\_\_\_ someone?  
 \_\_\_\_ all \_\_\_\_ contraindications have been considered \_\_\_\_ you \_\_\_\_ these \_\_\_\_?  
 \_\_\_\_ a comprehensive examination \_\_\_\_ when \_\_\_\_ specific prescriptions?  
 \_\_\_\_ a \_\_\_\_ of \_\_\_\_ contraindications for this \_\_\_\_ medication.  
 \_\_\_\_ thought \_\_\_\_ the possible dangers when \_\_\_\_ the \_\_\_\_ together?  
 \_\_\_\_ into \_\_\_\_ any harmful \_\_\_\_ effects from \_\_\_\_ this combination \_\_\_\_ drugs?  
 \_\_\_\_ considered \_\_\_\_ possible harmful side effects from \_\_\_\_ drugs?  
 \_\_\_\_ there \_\_\_\_ hazardous contraindications for this \_\_\_\_?  
 Have you \_\_\_\_ hazardous \_\_\_\_ when taking \_\_\_\_ medications?

Have appropriate \_\_\_\_\_ been \_\_\_\_\_ to \_\_\_\_\_ drugs \_\_\_\_\_ prescribed \_\_\_\_\_ a safe way?

Have \_\_\_\_\_ possibility of harmful \_\_\_\_\_ effects from using \_\_\_\_\_ of \_\_\_\_\_?

When \_\_\_\_\_ these medications, \_\_\_\_\_ at \_\_\_\_\_ hazardous factors?

Can \_\_\_\_\_ tell me \_\_\_\_\_ any potentially dangerous \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ potential \_\_\_\_\_ caused by \_\_\_\_\_ drug combination?

Is \_\_\_\_\_ possible \_\_\_\_\_ there \_\_\_\_\_ dangerous \_\_\_\_\_ concerning providing \_\_\_\_\_ medicines \_\_\_\_\_ same time?

\_\_\_\_\_ due consideration \_\_\_\_\_ potential dangers when \_\_\_\_\_ these \_\_\_\_\_?

If \_\_\_\_\_ dangerous \_\_\_\_\_ these \_\_\_\_\_ simultaneously, have the steps been \_\_\_\_\_ to \_\_\_\_\_ out?

Is \_\_\_\_\_ potential \_\_\_\_\_ combining \_\_\_\_\_ recommending \_\_\_\_\_ set \_\_\_\_\_ drugs fairly examined?

Is \_\_\_\_\_ before we \_\_\_\_\_ this combination?

\_\_\_\_\_ know about the \_\_\_\_\_ taking \_\_\_\_\_ medications together?

Were all \_\_\_\_\_ looked at \_\_\_\_\_ use of \_\_\_\_\_ drugs?

\_\_\_\_\_ is \_\_\_\_\_ chance \_\_\_\_\_ hazardous contraindications \_\_\_\_\_ this \_\_\_\_\_ combo.

\_\_\_\_\_ check for harmful interactions \_\_\_\_\_ this \_\_\_\_\_ of \_\_\_\_\_?

Did \_\_\_\_\_ the \_\_\_\_\_ when you prescribed these \_\_\_\_\_?

Do \_\_\_\_\_ know if there \_\_\_\_\_ contraindications before \_\_\_\_\_?

\_\_\_\_\_ thoroughly check out \_\_\_\_\_ acknowledge the unsafe effects \_\_\_\_\_ to \_\_\_\_\_ pharmaceuticals?

Were \_\_\_\_\_ of all the potentially \_\_\_\_\_ of \_\_\_\_\_ combination?

Should \_\_\_\_\_ potentially dangerous \_\_\_\_\_ when writing \_\_\_\_\_ pills?

\_\_\_\_\_ risks should be \_\_\_\_\_ prior to \_\_\_\_\_ these \_\_\_\_\_.

Do you \_\_\_\_\_ potentially \_\_\_\_\_ contraindications when \_\_\_\_\_ together?

Have \_\_\_\_\_ examined the possible hazardous factors \_\_\_\_\_?

Were the potential risks \_\_\_\_\_ the \_\_\_\_\_?

Have appropriate precautions \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ these pharmaceuticals \_\_\_\_\_ a \_\_\_\_\_ manner?

Did \_\_\_\_\_ out \_\_\_\_\_ they prescribed \_\_\_\_\_ combination of medicines?

\_\_\_\_\_ all potentially \_\_\_\_\_ have \_\_\_\_\_ before \_\_\_\_\_ use \_\_\_\_\_ these particular pharmaceuticals?

When \_\_\_\_\_ drugs was consideration given \_\_\_\_\_ potential \_\_\_\_\_?

\_\_\_\_\_ conceivable \_\_\_\_\_ be examined \_\_\_\_\_ the \_\_\_\_\_ of these \_\_\_\_\_?

\_\_\_\_\_ into \_\_\_\_\_ all \_\_\_\_\_ risks before they wrote \_\_\_\_\_ prescriptions?

Before \_\_\_\_\_ were \_\_\_\_\_ the risks adequately \_\_\_\_\_?

\_\_\_\_\_ consideration \_\_\_\_\_ to the \_\_\_\_\_ of co-prescribing \_\_\_\_\_ drugs?

\_\_\_\_\_ potential \_\_\_\_\_ adequately \_\_\_\_\_ before \_\_\_\_\_ recommend these medicines?

Were \_\_\_\_\_ checked \_\_\_\_\_ the use of these \_\_\_\_\_?

All \_\_\_\_\_ risks should \_\_\_\_\_ drugs were combined.

Did they thoroughly \_\_\_\_\_ acknowledge any unsafe \_\_\_\_\_ suggesting the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ you consider all \_\_\_\_\_ dangerous \_\_\_\_\_ ordering \_\_\_\_\_ drugs?

All risks were \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ this combination \_\_\_\_\_ was \_\_\_\_\_ check out any \_\_\_\_\_ interactions?

Is \_\_\_\_\_ due \_\_\_\_\_ possible dangers when \_\_\_\_\_ these drugs?

Is \_\_\_\_\_ consideration \_\_\_\_\_ potential dangers of \_\_\_\_\_ these drugs?

Did they thoroughly examine and \_\_\_\_\_ unsafe \_\_\_\_\_ before \_\_\_\_\_ usage \_\_\_\_\_?

Has \_\_\_\_\_ been considered for \_\_\_\_\_?

\_\_\_\_\_ any potentially harmful interactions \_\_\_\_\_ this drug \_\_\_\_\_ before?

Do \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ these \_\_\_\_\_ have been \_\_\_\_\_?

Is \_\_\_\_\_ combination risky?

\_\_\_\_\_ to \_\_\_\_\_ potential \_\_\_\_\_ when co-prescribing these drugs?

Is it possible \_\_\_\_\_ drugs in combination \_\_\_\_\_?

Do you think about all \_\_\_\_\_ writing these \_\_\_\_\_?

Is \_\_\_\_\_ any risk \_\_\_\_\_ done \_\_\_\_\_ drugs together?

\_\_\_\_\_ potential dangers of \_\_\_\_\_ these drugs \_\_\_\_\_?

Did y'all \_\_\_\_\_ about \_\_\_\_\_ taking these \_\_\_\_\_?  
 \_\_\_\_\_ know of all \_\_\_\_\_ potentially \_\_\_\_\_ interactions of \_\_\_\_\_ drug \_\_\_\_\_?  
 All \_\_\_\_\_ risks have \_\_\_\_\_ be assessed \_\_\_\_\_ combining \_\_\_\_\_.  
 \_\_\_\_\_ risks in advance to recommend \_\_\_\_\_ drugs \_\_\_\_\_ once?  
 \_\_\_\_\_ due \_\_\_\_\_ to the risks \_\_\_\_\_ co-prescribing \_\_\_\_\_?  
 \_\_\_\_\_ possible that they considered \_\_\_\_\_ risks before \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ appropriate \_\_\_\_\_ to consider any possible hazardous \_\_\_\_\_ these \_\_\_\_\_ together?  
 You \_\_\_\_\_ the harmful \_\_\_\_\_ taking \_\_\_\_\_ medicines into account?  
 \_\_\_\_\_ consider \_\_\_\_\_ dangerous contraindications when writing \_\_\_\_\_ meds?  
 \_\_\_\_\_ precautions \_\_\_\_\_ taken \_\_\_\_\_ make sure the drugs are \_\_\_\_\_ to \_\_\_\_\_?  
 Is it safe to \_\_\_\_\_ these \_\_\_\_\_ hazardous factors?  
 \_\_\_\_\_ proper \_\_\_\_\_ have been \_\_\_\_\_ consider hazardous \_\_\_\_\_ when \_\_\_\_\_ these pharmaceuticals \_\_\_\_\_?  
 \_\_\_\_\_ reviewed before these drugs were \_\_\_\_\_?  
 Were \_\_\_\_\_ risks \_\_\_\_\_ into account \_\_\_\_\_ combining \_\_\_\_\_ drugs?  
 Did \_\_\_\_\_ check out harmful interactions \_\_\_\_\_ they \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ to the possible dangers \_\_\_\_\_ drugs?  
 Is \_\_\_\_\_ possible that they \_\_\_\_\_ into \_\_\_\_\_ any \_\_\_\_\_ before \_\_\_\_\_ of \_\_\_\_\_ pharmaceuticals?  
 Were there any \_\_\_\_\_ of \_\_\_\_\_ drugs?  
 \_\_\_\_\_ the \_\_\_\_\_ evaluated \_\_\_\_\_ dangerous issues?  
 \_\_\_\_\_ contraindications \_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ prescribe these drugs?  
 Do \_\_\_\_\_ contraindications \_\_\_\_\_ considered \_\_\_\_\_ combo?  
 \_\_\_\_\_ the risks \_\_\_\_\_ drugs are \_\_\_\_\_?  
 Have \_\_\_\_\_ adverse effects \_\_\_\_\_ medication \_\_\_\_\_ looked at?  
 Are \_\_\_\_\_ hazardous factors when \_\_\_\_\_ prescribe \_\_\_\_\_ medications?  
 \_\_\_\_\_ it \_\_\_\_\_ that they \_\_\_\_\_ the \_\_\_\_\_ contradictions \_\_\_\_\_ both drugs?  
 Are \_\_\_\_\_ potential risks \_\_\_\_\_ evaluated \_\_\_\_\_ these specific \_\_\_\_\_?  
 Do you \_\_\_\_\_ potentially dangerous \_\_\_\_\_ writing these prescriptions \_\_\_\_\_?  
 \_\_\_\_\_ a properly \_\_\_\_\_ of administering \_\_\_\_\_ specific medications \_\_\_\_\_?  
 Was the potential dangers \_\_\_\_\_ medicines \_\_\_\_\_ recommended?  
 Before \_\_\_\_\_ prescribe this \_\_\_\_\_ medicines, did they \_\_\_\_\_ out \_\_\_\_\_?  
 Do \_\_\_\_\_ hazardous \_\_\_\_\_ effects \_\_\_\_\_ been \_\_\_\_\_ being recommended?  
 \_\_\_\_\_ potentially dangerous contraindications have been \_\_\_\_\_ before taking \_\_\_\_\_ particular \_\_\_\_\_?  
 Do \_\_\_\_\_ taken to ascertain if \_\_\_\_\_ constraints on \_\_\_\_\_ these \_\_\_\_\_ medicines simultaneously \_\_\_\_\_ been \_\_\_\_\_?  
 Is \_\_\_\_\_ the \_\_\_\_\_ when you combine \_\_\_\_\_ drugs?  
 \_\_\_\_\_ proper assessment help determine \_\_\_\_\_ are \_\_\_\_\_ combining these \_\_\_\_\_?  
 Is there \_\_\_\_\_ of \_\_\_\_\_ prescribe this \_\_\_\_\_ of medicines?  
 Did they check out and \_\_\_\_\_ any unsafe \_\_\_\_\_ suggesting \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ had \_\_\_\_\_ contraindications considered?  
 Did they \_\_\_\_\_ at any unsafe effects \_\_\_\_\_ to suggesting \_\_\_\_\_?  
 There may be \_\_\_\_\_ medication \_\_\_\_\_.  
 \_\_\_\_\_ were examined before the \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ potential risks \_\_\_\_\_ have \_\_\_\_\_ considered \_\_\_\_\_ combining \_\_\_\_\_ drugs.  
 \_\_\_\_\_ to know if \_\_\_\_\_ considered dangers \_\_\_\_\_ these \_\_\_\_\_.  
 \_\_\_\_\_ they \_\_\_\_\_ risks of \_\_\_\_\_ drugs?  
 Did \_\_\_\_\_ hazardous contraindications be considered for \_\_\_\_\_?  
 Did they \_\_\_\_\_ all the \_\_\_\_\_ drugs to \_\_\_\_\_ patients?  
 \_\_\_\_\_ think \_\_\_\_\_ the dangers before \_\_\_\_\_ these drugs \_\_\_\_\_?  
 Is it appropriate to \_\_\_\_\_ medications \_\_\_\_\_ conjunction \_\_\_\_\_ possible \_\_\_\_\_?  
 Is \_\_\_\_\_ possible that they \_\_\_\_\_ all \_\_\_\_\_ risks \_\_\_\_\_ both drugs?  
 There \_\_\_\_\_ possible \_\_\_\_\_ from \_\_\_\_\_ drugs \_\_\_\_\_.

Do \_\_\_\_\_ to find out if there \_\_\_\_\_ providing these medicines \_\_\_\_\_ done?  
 Did \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ any unsafe \_\_\_\_\_ suggesting usage \_\_\_\_\_ both \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ possible hazardous factors \_\_\_\_\_ you \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ we aware of risky \_\_\_\_\_ this \_\_\_\_\_?  
 Is the potentially \_\_\_\_\_ contraindications \_\_\_\_\_?  
 Have proper \_\_\_\_\_ been taken to \_\_\_\_\_ sure \_\_\_\_\_ are \_\_\_\_\_ used \_\_\_\_\_?  
 \_\_\_\_\_ checked for \_\_\_\_\_ to the prescription?  
 \_\_\_\_\_ drugs been \_\_\_\_\_ being recommended?  
 \_\_\_\_\_ due consideration given to \_\_\_\_\_ when co-prescribing \_\_\_\_\_?  
 Do you know \_\_\_\_\_ any dangerous constraints \_\_\_\_\_ the designated \_\_\_\_\_ same \_\_\_\_\_?  
 \_\_\_\_\_ that they considered \_\_\_\_\_ before they \_\_\_\_\_ these medications?  
 Have \_\_\_\_\_ been reviewed before \_\_\_\_\_ use of \_\_\_\_\_?  
 Is it \_\_\_\_\_ looked \_\_\_\_\_ any \_\_\_\_\_ effects \_\_\_\_\_ suggesting usage \_\_\_\_\_ both pharmaceuticals as a \_\_\_\_\_?  
 Have all potentially \_\_\_\_\_ been \_\_\_\_\_ before \_\_\_\_\_ drugs to \_\_\_\_\_?  
 \_\_\_\_\_ the steps \_\_\_\_\_ to \_\_\_\_\_ are dangerous \_\_\_\_\_ on giving these \_\_\_\_\_ medicines simultaneously \_\_\_\_\_?  
 \_\_\_\_\_ dangerous \_\_\_\_\_ designated \_\_\_\_\_ simultaneously, have \_\_\_\_\_ steps been taken to find out?  
 Did \_\_\_\_\_ check \_\_\_\_\_ any \_\_\_\_\_ interactions \_\_\_\_\_ giving this \_\_\_\_\_?  
 Do \_\_\_\_\_ taken \_\_\_\_\_ if there \_\_\_\_\_ constraints on providing these \_\_\_\_\_ medicines \_\_\_\_\_ have been \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ considered all the \_\_\_\_\_ writing the \_\_\_\_\_?  
 Were potential \_\_\_\_\_ these drugs?  
 All potential risks \_\_\_\_\_ prior \_\_\_\_\_ these medications.  
 \_\_\_\_\_ there any \_\_\_\_\_ to \_\_\_\_\_ set of drugs?  
 Is there a \_\_\_\_\_ evaluation of \_\_\_\_\_ administering \_\_\_\_\_ together?  
 There \_\_\_\_\_ before co-prescribing \_\_\_\_\_.  
 \_\_\_\_\_ would like \_\_\_\_\_ addressed any potentially \_\_\_\_\_ interactions of \_\_\_\_\_ medicines.  
 \_\_\_\_\_ there any \_\_\_\_\_ done before these drugs \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ usage \_\_\_\_\_ pharmaceuticals \_\_\_\_\_ did they thoroughly \_\_\_\_\_ any unsafe effects?  
 \_\_\_\_\_ any potential harmful \_\_\_\_\_ of using this combination \_\_\_\_\_?  
 Was \_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ risks \_\_\_\_\_ combining \_\_\_\_\_?  
 \_\_\_\_\_ you keep \_\_\_\_\_ all \_\_\_\_\_ potentially harmful \_\_\_\_\_ this drug \_\_\_\_\_?  
 Do \_\_\_\_\_ fully examine hazardous \_\_\_\_\_ you prescribe \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ factors when writing these medications?  
 Do \_\_\_\_\_ contra-indications have been \_\_\_\_\_?  
 Do you know if \_\_\_\_\_ any risks?  
 Did anyone think about \_\_\_\_\_ putting \_\_\_\_\_ drugs?  
 Have we \_\_\_\_\_ the \_\_\_\_\_ prior \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ there a proper \_\_\_\_\_ of the potential \_\_\_\_\_ administering \_\_\_\_\_ specific \_\_\_\_\_?  
 Is the \_\_\_\_\_ combination thoroughly \_\_\_\_\_?  
 \_\_\_\_\_ dangers adequately \_\_\_\_\_ they recommend these medicines?  
 \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ unsafe \_\_\_\_\_ before suggesting usage \_\_\_\_\_ both pharmaceuticals?  
 Were there any risks \_\_\_\_\_ drugs \_\_\_\_\_?  
 \_\_\_\_\_ they \_\_\_\_\_ examine and \_\_\_\_\_ unsafe effects prior to \_\_\_\_\_ both \_\_\_\_\_ together?  
 \_\_\_\_\_ considered \_\_\_\_\_ the \_\_\_\_\_ harmful \_\_\_\_\_ of \_\_\_\_\_ drug combination?  
 Can you \_\_\_\_\_ that they \_\_\_\_\_ any \_\_\_\_\_ these medicines?  
 \_\_\_\_\_ at \_\_\_\_\_ possible \_\_\_\_\_ factors when you \_\_\_\_\_ these medications?  
 \_\_\_\_\_ use of these drugs, were there \_\_\_\_\_?  
 Do \_\_\_\_\_ possible dangers for \_\_\_\_\_ have \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ hazardous contraindications \_\_\_\_\_ are given?  
 Have we checked \_\_\_\_\_ dangerous contraindications \_\_\_\_\_?  
 Is \_\_\_\_\_ assessment of all \_\_\_\_\_ contradictions \_\_\_\_\_ they recommend \_\_\_\_\_?

Do \_\_\_\_ have \_\_\_\_ all the \_\_\_\_ before \_\_\_\_ both \_\_\_\_?  
 Do the \_\_\_\_ contra-indications \_\_\_\_ reviewed \_\_\_\_ to the \_\_\_\_?  
 Is it \_\_\_\_ that they \_\_\_\_ the risks \_\_\_\_ wrote \_\_\_\_ together?  
 Did they \_\_\_\_ and \_\_\_\_ any \_\_\_\_ to suggesting \_\_\_\_ of both \_\_\_\_ a unit?  
 \_\_\_\_ we \_\_\_\_ for risky \_\_\_\_ to this \_\_\_\_?  
 \_\_\_\_ take \_\_\_\_ account all the \_\_\_\_ giving these \_\_\_\_?  
 Is \_\_\_\_ given \_\_\_\_ potential risks \_\_\_\_ co-prescribing these \_\_\_\_?  
 \_\_\_\_ safe for these \_\_\_\_ be \_\_\_\_ at \_\_\_\_ same time?  
 \_\_\_\_ you \_\_\_\_ the possible hazardous factors \_\_\_\_ together?  
 Do \_\_\_\_ the \_\_\_\_ hazardous \_\_\_\_ when you \_\_\_\_ medications?  
 Should \_\_\_\_ combination have been \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ suggesting usage \_\_\_\_ as \_\_\_\_ unit, did \_\_\_\_ into the effects?  
 \_\_\_\_ there \_\_\_\_ risk \_\_\_\_ prior to \_\_\_\_ the \_\_\_\_ together?  
 \_\_\_\_ contraindications \_\_\_\_ this medication combo?  
 Did you \_\_\_\_ the side \_\_\_\_ this medicine \_\_\_\_?  
 \_\_\_\_ risky stuff checked before \_\_\_\_ medicines?  
 Before \_\_\_\_ these \_\_\_\_ together, \_\_\_\_ there any \_\_\_\_?  
 \_\_\_\_ co-prescribing these \_\_\_\_ there \_\_\_\_?  
 \_\_\_\_ proper assessment \_\_\_\_ determine if \_\_\_\_ are dangers \_\_\_\_ prescriptions?  
 Before suggesting \_\_\_\_ pharmaceuticals \_\_\_\_ a \_\_\_\_ did \_\_\_\_ thoroughly \_\_\_\_ acknowledge the \_\_\_\_ effects?  
 Did \_\_\_\_ check \_\_\_\_ before giving \_\_\_\_ of medicines?  
 \_\_\_\_ a chance \_\_\_\_ for \_\_\_\_ medication combo?  
 \_\_\_\_ possible \_\_\_\_ they \_\_\_\_ all the risks \_\_\_\_ writing \_\_\_\_ prescriptions?  
 \_\_\_\_ assessed all the risks before \_\_\_\_ drugs?  
 \_\_\_\_ danger from taking these drugs \_\_\_\_ combination \_\_\_\_.  
 \_\_\_\_ you account for \_\_\_\_ potentially harmful \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ risks should be evaluated \_\_\_\_ to administering \_\_\_\_.  
 \_\_\_\_ think about the \_\_\_\_ before \_\_\_\_ meds?  
 Were we made \_\_\_\_ of \_\_\_\_ of combining \_\_\_\_?  
 Is there due consideration \_\_\_\_ to the \_\_\_\_?  
 \_\_\_\_ if \_\_\_\_ are hazardous factors \_\_\_\_ using these medications \_\_\_\_?  
 Do \_\_\_\_ consider any \_\_\_\_ dangerous contraindications \_\_\_\_ these \_\_\_\_?  
 \_\_\_\_ dangers of the combination \_\_\_\_?  
 Did they thoroughly examine \_\_\_\_ suggesting \_\_\_\_ both pharmaceuticals as a unit?  
 \_\_\_\_ the \_\_\_\_ of combining \_\_\_\_ recommending this \_\_\_\_ set of \_\_\_\_ examined?  
 Is the potential \_\_\_\_ recommending \_\_\_\_ of drugs well examined?  
 \_\_\_\_ these \_\_\_\_ was due consideration given to \_\_\_\_?  
 Is the potential \_\_\_\_ issues thoroughly \_\_\_\_ combination?  
 \_\_\_\_ the danger \_\_\_\_ combining \_\_\_\_ this \_\_\_\_ of \_\_\_\_ fairly examined?  
 Do \_\_\_\_ know if \_\_\_\_ any \_\_\_\_ before \_\_\_\_ them?  
 Have \_\_\_\_ potential dangerous \_\_\_\_ this \_\_\_\_?  
 When \_\_\_\_ meds \_\_\_\_ did you think \_\_\_\_ risks?  
 \_\_\_\_ hazardous contraindications \_\_\_\_ considered \_\_\_\_ combination?  
 \_\_\_\_ we \_\_\_\_ aware of \_\_\_\_ risks of combining \_\_\_\_?  
 \_\_\_\_ potential \_\_\_\_ been looked into for this \_\_\_\_?  
 \_\_\_\_ they \_\_\_\_ any harmful interactions before \_\_\_\_ combination \_\_\_\_ drugs?  
 Before recommending \_\_\_\_ medication \_\_\_\_ the dangers \_\_\_\_?  
 Are you aware of \_\_\_\_ effects of \_\_\_\_ combination \_\_\_\_ drugs?  
 Do \_\_\_\_ dangers of combining and recommending \_\_\_\_ set \_\_\_\_ looked \_\_\_\_?  
 Have the steps been \_\_\_\_ dangerous constraints on providing \_\_\_\_ medicines at \_\_\_\_ same \_\_\_\_?

Have \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ both drugs?

Did \_\_\_\_\_ for the \_\_\_\_\_ from \_\_\_\_\_ drug \_\_\_\_\_ before?

\_\_\_\_\_ the \_\_\_\_\_ dangers adequately \_\_\_\_\_ these medicines \_\_\_\_\_ prescribed?

Potential \_\_\_\_\_ from \_\_\_\_\_ these drugs \_\_\_\_\_ were \_\_\_\_\_.

\_\_\_\_\_ appropriate precautions been \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ the drugs \_\_\_\_\_ take \_\_\_\_\_?

Do \_\_\_\_\_ potentially dangerous \_\_\_\_\_ considered before you \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ these drugs be \_\_\_\_\_ before \_\_\_\_\_ were \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ to the prescriptions?

Did \_\_\_\_\_ all the \_\_\_\_\_ when they \_\_\_\_\_ these prescriptions?

Are \_\_\_\_\_ potential risks of \_\_\_\_\_?

\_\_\_\_\_ you saying \_\_\_\_\_ looked into \_\_\_\_\_ these drugs?

\_\_\_\_\_ there any \_\_\_\_\_ the potential \_\_\_\_\_ of administering these \_\_\_\_\_ medications \_\_\_\_\_?

All \_\_\_\_\_ risks \_\_\_\_\_ administering these specific \_\_\_\_\_ together.

Have potential \_\_\_\_\_ been \_\_\_\_\_ into for \_\_\_\_\_?

\_\_\_\_\_ taken into account \_\_\_\_\_ this combo?

\_\_\_\_\_ into \_\_\_\_\_ the \_\_\_\_\_ side effects of this combination of \_\_\_\_\_?

\_\_\_\_\_ they \_\_\_\_\_ and \_\_\_\_\_ any unsafe \_\_\_\_\_ suggesting \_\_\_\_\_ of both \_\_\_\_\_ in a \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ properly \_\_\_\_\_ potential risks of administering these \_\_\_\_\_ together?

Do all \_\_\_\_\_ the potentially \_\_\_\_\_ contraindications \_\_\_\_\_ been considered \_\_\_\_\_ together?

Have you considered any \_\_\_\_\_ of \_\_\_\_\_ of drugs?

\_\_\_\_\_ consider all potentially \_\_\_\_\_ when \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ the harmful effects of \_\_\_\_\_ medicines in \_\_\_\_\_?

Do the \_\_\_\_\_ reviewed \_\_\_\_\_ to the recommendation?

\_\_\_\_\_ there are \_\_\_\_\_ constraints \_\_\_\_\_ providing these \_\_\_\_\_ time, have precautions been \_\_\_\_\_?

Have \_\_\_\_\_ consequences of \_\_\_\_\_ this combination \_\_\_\_\_ drugs?

Have \_\_\_\_\_ thought \_\_\_\_\_ risks \_\_\_\_\_ you prescribed \_\_\_\_\_ meds \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ dangers when \_\_\_\_\_ drugs?

Should \_\_\_\_\_ risks of administering \_\_\_\_\_ medications \_\_\_\_\_ evaluated \_\_\_\_\_?

Is \_\_\_\_\_ potential danger \_\_\_\_\_ combining and \_\_\_\_\_ this set \_\_\_\_\_?

Do you \_\_\_\_\_ if \_\_\_\_\_ are hazardous factors \_\_\_\_\_ prescribe \_\_\_\_\_?

Has \_\_\_\_\_ possibility of \_\_\_\_\_ been considered \_\_\_\_\_ combo?

Did \_\_\_\_\_ thoroughly \_\_\_\_\_ and acknowledge \_\_\_\_\_ unsafe \_\_\_\_\_ to \_\_\_\_\_ usage \_\_\_\_\_ pharmaceuticals as \_\_\_\_\_ unit?

Is \_\_\_\_\_ safe \_\_\_\_\_ be \_\_\_\_\_ multiple medicines conjointly?

\_\_\_\_\_ you know if there \_\_\_\_\_ any \_\_\_\_\_ dangerous \_\_\_\_\_ these drugs \_\_\_\_\_?

Do you \_\_\_\_\_ you \_\_\_\_\_ into \_\_\_\_\_ before \_\_\_\_\_ drugs?

\_\_\_\_\_ consider \_\_\_\_\_ potentially dangerous contraindications when \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ checked \_\_\_\_\_ risky contraindications prior to \_\_\_\_\_?

Have they \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ both drugs?

\_\_\_\_\_ they check \_\_\_\_\_ the \_\_\_\_\_ before \_\_\_\_\_ combination of drugs?

\_\_\_\_\_ contraindications \_\_\_\_\_ before the use of \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ determine \_\_\_\_\_ there are dangerous \_\_\_\_\_ providing the \_\_\_\_\_ medicines simultaneously have \_\_\_\_\_ followed?

Do you take into \_\_\_\_\_ all \_\_\_\_\_ when \_\_\_\_\_?

Is \_\_\_\_\_ due consideration \_\_\_\_\_ possible dangers \_\_\_\_\_ drugs?

Do the steps have been taken \_\_\_\_\_ determine \_\_\_\_\_ providing the \_\_\_\_\_ medicines \_\_\_\_\_?

Do \_\_\_\_\_ fully examine possible hazardous \_\_\_\_\_ prescribe \_\_\_\_\_?

There \_\_\_\_\_ hazardous contraindications for this \_\_\_\_\_.

\_\_\_\_\_ there consideration for the potential \_\_\_\_\_ these \_\_\_\_\_?

Before joint \_\_\_\_\_ were all conceivable contraindications \_\_\_\_\_?

Have you looked \_\_\_\_\_ the \_\_\_\_\_ hazardous \_\_\_\_\_ these medications?

Have \_\_\_\_\_ contraindications been reviewed \_\_\_\_\_?



\_\_\_\_\_ know if \_\_\_\_\_ is \_\_\_\_\_ hazardous \_\_\_\_\_ to \_\_\_\_\_ them both?  
 Did they \_\_\_\_\_ sure \_\_\_\_\_ harmful interactions \_\_\_\_\_ this \_\_\_\_\_ of medicines?  
 \_\_\_\_\_ wonder if \_\_\_\_\_ contraindications \_\_\_\_\_ for this medication \_\_\_\_\_.  
 \_\_\_\_\_ dangerous \_\_\_\_\_ taken into account \_\_\_\_\_?  
 \_\_\_\_\_ potential \_\_\_\_\_ be considered \_\_\_\_\_ drugs?  
 Is consideration given \_\_\_\_\_ dangers \_\_\_\_\_ drugs?  
 \_\_\_\_\_ anticipate \_\_\_\_\_ the \_\_\_\_\_ interactions of this \_\_\_\_\_ combination?  
 \_\_\_\_\_ you \_\_\_\_\_ possible hazardous \_\_\_\_\_ when using \_\_\_\_\_ medications \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ dangerous \_\_\_\_\_ evaluated \_\_\_\_\_ medication combination?  
 \_\_\_\_\_ the appropriate \_\_\_\_\_ been \_\_\_\_\_ to make \_\_\_\_\_ drugs are safe \_\_\_\_\_?  
 Do \_\_\_\_\_ know if there \_\_\_\_\_ dangers \_\_\_\_\_ providing \_\_\_\_\_ the \_\_\_\_\_ time?  
 Did you \_\_\_\_\_ into account potential \_\_\_\_\_ effects of \_\_\_\_\_ combination \_\_\_\_\_?  
 There \_\_\_\_\_ dangers to \_\_\_\_\_ in \_\_\_\_\_.  
 Did they thoroughly investigate \_\_\_\_\_ any \_\_\_\_\_ effects \_\_\_\_\_ of both \_\_\_\_\_?  
 Should the \_\_\_\_\_ combination \_\_\_\_\_ been \_\_\_\_\_ recommended?  
 \_\_\_\_\_ issues been evaluated \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ the possible \_\_\_\_\_ of the \_\_\_\_\_ have \_\_\_\_\_ looked \_\_\_\_\_?  
 Did \_\_\_\_\_ out \_\_\_\_\_ harmful interactions \_\_\_\_\_ this \_\_\_\_\_ of medicines?  
 \_\_\_\_\_ all the risks \_\_\_\_\_ they prescribe these medications \_\_\_\_\_?  
 Have \_\_\_\_\_ looked \_\_\_\_\_ potential \_\_\_\_\_ when you prescribe \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ before issuing \_\_\_\_\_ both?  
 \_\_\_\_\_ the \_\_\_\_\_ been \_\_\_\_\_ for the combo?  
 \_\_\_\_\_ consider all the adverse \_\_\_\_\_ taking \_\_\_\_\_ medicines?  
 \_\_\_\_\_ they \_\_\_\_\_ for harmful \_\_\_\_\_ before \_\_\_\_\_ this combination \_\_\_\_\_?  
 \_\_\_\_\_ due \_\_\_\_\_ given to the \_\_\_\_\_ when \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ writing \_\_\_\_\_ do you \_\_\_\_\_ potentially dangerous contraindications?  
 \_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ before \_\_\_\_\_ them \_\_\_\_\_?  
 Before suggesting usage of both \_\_\_\_\_ they thoroughly study \_\_\_\_\_ any \_\_\_\_\_?  
 Did they check \_\_\_\_\_ the \_\_\_\_\_ interactions before \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ as a \_\_\_\_\_ did they thoroughly examine and \_\_\_\_\_ any \_\_\_\_\_ effects?  
 Do \_\_\_\_\_ to consider all potentially dangerous \_\_\_\_\_ prescriptions?  
 Do \_\_\_\_\_ thoroughly \_\_\_\_\_ possible \_\_\_\_\_ when \_\_\_\_\_ prescribe these drugs?  
 Were \_\_\_\_\_ potential \_\_\_\_\_ adequately \_\_\_\_\_ before \_\_\_\_\_ drugs \_\_\_\_\_ together?  
 \_\_\_\_\_ you know if they \_\_\_\_\_ hazardous \_\_\_\_\_ before \_\_\_\_\_ both?  
 \_\_\_\_\_ the contraindications \_\_\_\_\_ these \_\_\_\_\_ looked \_\_\_\_\_?  
 \_\_\_\_\_ about \_\_\_\_\_ risks when \_\_\_\_\_ prescribed \_\_\_\_\_ meds together?  
 \_\_\_\_\_ consideration of all the risks \_\_\_\_\_ prescribe \_\_\_\_\_ drugs?  
 Is it possible that \_\_\_\_\_ risks \_\_\_\_\_ writing these \_\_\_\_\_?  
 \_\_\_\_\_ any potential \_\_\_\_\_ evaluated prior \_\_\_\_\_ administering these \_\_\_\_\_?  
 Does \_\_\_\_\_ of \_\_\_\_\_ potential dangers \_\_\_\_\_ before \_\_\_\_\_ are combined?  
 Did y'all \_\_\_\_\_ about the \_\_\_\_\_ drugs together?  
 Were all contraindications \_\_\_\_\_ before \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ contraindications reviewed before \_\_\_\_\_ are \_\_\_\_\_ drugs?  
 When you prescribe these medications \_\_\_\_\_ have \_\_\_\_\_ possible \_\_\_\_\_?  
 Were \_\_\_\_\_ contraindications \_\_\_\_\_ before the joint \_\_\_\_\_ drugs?  
 \_\_\_\_\_ you account for \_\_\_\_\_ the potentially \_\_\_\_\_ interactions \_\_\_\_\_ combination?  
 \_\_\_\_\_ all \_\_\_\_\_ risks before they prescribe \_\_\_\_\_ medications?  
 Before \_\_\_\_\_ medicines \_\_\_\_\_ recommended together, \_\_\_\_\_ the risks \_\_\_\_\_?  
 \_\_\_\_\_ taken regarding \_\_\_\_\_ of stacking up these medications?  
 \_\_\_\_\_ risks \_\_\_\_\_ to the use of \_\_\_\_\_?

Did they \_\_\_\_\_ any harmful interactions \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ proper assessment \_\_\_\_\_ determine \_\_\_\_\_ associated with combining these \_\_\_\_\_ prescriptions?  
 \_\_\_\_\_ there any possibility of \_\_\_\_\_ examined before \_\_\_\_\_ joint use \_\_\_\_\_?  
 \_\_\_\_\_ you thoroughly \_\_\_\_\_ the \_\_\_\_\_ factors \_\_\_\_\_ prescribe these medications?  
 Do all potentially dangerous contraindications have \_\_\_\_\_ using \_\_\_\_\_?  
 Have \_\_\_\_\_ potential harmful side \_\_\_\_\_ from \_\_\_\_\_ this combo \_\_\_\_\_?  
 Did \_\_\_\_\_ dangerous \_\_\_\_\_ taken \_\_\_\_\_ before?  
 Is \_\_\_\_\_ for this \_\_\_\_\_ of \_\_\_\_\_?  
 Does the \_\_\_\_\_ dangers \_\_\_\_\_ evaluated \_\_\_\_\_ the \_\_\_\_\_?  
 Is it \_\_\_\_\_ these \_\_\_\_\_ with hazardous factors?  
 \_\_\_\_\_ potential risks of \_\_\_\_\_ should \_\_\_\_\_ been assessed.  
 All potentially \_\_\_\_\_ interactions of \_\_\_\_\_ drug combination \_\_\_\_\_ before.  
 Do \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ concerning providing these designated medicines \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ suggesting the use \_\_\_\_\_ pharmaceuticals as \_\_\_\_\_ unit, \_\_\_\_\_ examine the \_\_\_\_\_?  
 \_\_\_\_\_ you take \_\_\_\_\_ account any \_\_\_\_\_ harmful \_\_\_\_\_ when using \_\_\_\_\_ combination \_\_\_\_\_?  
 \_\_\_\_\_ they \_\_\_\_\_ if \_\_\_\_\_ any \_\_\_\_\_ before they \_\_\_\_\_ combination of medicines?  
 I want \_\_\_\_\_ know \_\_\_\_\_ we evaluated \_\_\_\_\_ risks \_\_\_\_\_ combining \_\_\_\_\_.  
 \_\_\_\_\_ the possible dangers of \_\_\_\_\_ been \_\_\_\_\_?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ all \_\_\_\_\_ they prescribed \_\_\_\_\_ medications together?  
 \_\_\_\_\_ they check \_\_\_\_\_ before giving this \_\_\_\_\_ of \_\_\_\_\_?  
 Was \_\_\_\_\_ consideration \_\_\_\_\_ to the \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ know if there \_\_\_\_\_ before writing them \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ at \_\_\_\_\_ factors when writing prescriptions?  
 Did they \_\_\_\_\_ account \_\_\_\_\_ they wrote these \_\_\_\_\_ together?  
 \_\_\_\_\_ you account for potentially \_\_\_\_\_ interactions before \_\_\_\_\_ combination \_\_\_\_\_?  
 \_\_\_\_\_ at the risks \_\_\_\_\_ with \_\_\_\_\_ these meds?  
 Will potentially dangerous contraindications \_\_\_\_\_?  
 \_\_\_\_\_ examine possible hazardous factors \_\_\_\_\_ prescribed \_\_\_\_\_ drugs?  
 \_\_\_\_\_ consider \_\_\_\_\_ co-prescribing these drugs.  
 Couldn't \_\_\_\_\_ at \_\_\_\_\_ these \_\_\_\_\_ could result in \_\_\_\_\_ outcomes?  
 \_\_\_\_\_ to \_\_\_\_\_ if you've addressed any \_\_\_\_\_ risky \_\_\_\_\_ these \_\_\_\_\_.  
 \_\_\_\_\_ there due consideration \_\_\_\_\_ to \_\_\_\_\_ possible \_\_\_\_\_ these drugs?  
 Before \_\_\_\_\_ was \_\_\_\_\_ have \_\_\_\_\_ checked for risky \_\_\_\_\_?  
 Do \_\_\_\_\_ know if \_\_\_\_\_ before \_\_\_\_\_ them both?  
 \_\_\_\_\_ all the \_\_\_\_\_ contraindications been \_\_\_\_\_ before using \_\_\_\_\_?  
 Before \_\_\_\_\_ usage \_\_\_\_\_ both \_\_\_\_\_ as \_\_\_\_\_ unit, did they \_\_\_\_\_ effects?  
 \_\_\_\_\_ of \_\_\_\_\_ harmful \_\_\_\_\_ of this drug combination?  
 Do \_\_\_\_\_ combine these medicines?  
 \_\_\_\_\_ looked at \_\_\_\_\_ combining \_\_\_\_\_ meds could \_\_\_\_\_ to \_\_\_\_\_ outcomes?  
 Have \_\_\_\_\_ possible \_\_\_\_\_ this \_\_\_\_\_ evaluated?  
 Did \_\_\_\_\_ determine \_\_\_\_\_ were risks associated with combining \_\_\_\_\_ prescriptions?  
 \_\_\_\_\_ all potentially \_\_\_\_\_ before using these particular \_\_\_\_\_ together?  
 \_\_\_\_\_ all potentially \_\_\_\_\_ contraindications been taken into \_\_\_\_\_ prescribe \_\_\_\_\_ drugs \_\_\_\_\_?  
 Did \_\_\_\_\_ consider \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ all the \_\_\_\_\_ considered before \_\_\_\_\_ prescribe \_\_\_\_\_?  
 Did you \_\_\_\_\_ potentially harmful \_\_\_\_\_ this drug \_\_\_\_\_?  
 Have we \_\_\_\_\_ for \_\_\_\_\_ to this \_\_\_\_\_?  
 Prior to \_\_\_\_\_ prescription, \_\_\_\_\_ for risky \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ harmful \_\_\_\_\_ effects \_\_\_\_\_ this combination \_\_\_\_\_ pharmaceuticals?  
 \_\_\_\_\_ usage of \_\_\_\_\_ a \_\_\_\_\_ did they thoroughly \_\_\_\_\_ out the \_\_\_\_\_ effects?

\_\_\_\_\_ potential \_\_\_\_\_ adequately review before these \_\_\_\_\_ were \_\_\_\_\_?  
 Have \_\_\_\_\_ when you prescribe these medications?  
 Do you \_\_\_\_\_ potentially \_\_\_\_\_ contraindications \_\_\_\_\_ writing \_\_\_\_\_ together?  
 \_\_\_\_\_ any harmful interactions before \_\_\_\_\_ combination of \_\_\_\_\_?  
 \_\_\_\_\_ significant contraindications \_\_\_\_\_ consider \_\_\_\_\_ co-prescribing these pharmaceuticals.  
 Were \_\_\_\_\_ potential dangers \_\_\_\_\_ reviewed before \_\_\_\_\_ were \_\_\_\_\_?  
 Were \_\_\_\_\_ potential \_\_\_\_\_ when \_\_\_\_\_ drugs?  
 Did \_\_\_\_\_ for \_\_\_\_\_ drugs \_\_\_\_\_ assessed before \_\_\_\_\_ prescribed?  
 \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ before giving \_\_\_\_\_ both?  
 \_\_\_\_\_ all \_\_\_\_\_ risks \_\_\_\_\_ be \_\_\_\_\_ before being \_\_\_\_\_ drugs together?  
 Did you \_\_\_\_\_ the \_\_\_\_\_ side effects into \_\_\_\_\_ this \_\_\_\_\_ of \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ considered all \_\_\_\_\_ risks \_\_\_\_\_ prescribed \_\_\_\_\_ together?  
 \_\_\_\_\_ the \_\_\_\_\_ side-effects been \_\_\_\_\_ before \_\_\_\_\_?  
 \_\_\_\_\_ risk \_\_\_\_\_ properly when \_\_\_\_\_ drugs?  
 Were all \_\_\_\_\_ contraindications \_\_\_\_\_ joint \_\_\_\_\_ of the \_\_\_\_\_?  
 Were they \_\_\_\_\_ harmful interactions \_\_\_\_\_ they prescribed this \_\_\_\_\_?  
 Were all \_\_\_\_\_ the use of \_\_\_\_\_ drugs?  
 \_\_\_\_\_ there \_\_\_\_\_ check \_\_\_\_\_ risky contraindications prior \_\_\_\_\_ prescription?  
 Is it possible that they considered all \_\_\_\_\_?  
 Do \_\_\_\_\_ potentially dangerous contraindications \_\_\_\_\_ considered \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ safe \_\_\_\_\_ combine and recommend this specific \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ these drugs \_\_\_\_\_ a \_\_\_\_\_?  
 Do \_\_\_\_\_ possible dangers \_\_\_\_\_ the \_\_\_\_\_ combination \_\_\_\_\_ assessed?  
 Are \_\_\_\_\_ potentially \_\_\_\_\_ account before?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ consider \_\_\_\_\_ potentially \_\_\_\_\_ contraindications \_\_\_\_\_ these meds \_\_\_\_\_?  
 Have \_\_\_\_\_ contraindications \_\_\_\_\_ drugs \_\_\_\_\_ reviewed?  
 \_\_\_\_\_ contraindications should \_\_\_\_\_ been looked \_\_\_\_\_ these drugs.  
 I \_\_\_\_\_ know \_\_\_\_\_ they've addressed \_\_\_\_\_ interactions \_\_\_\_\_ these medicines.  
 \_\_\_\_\_ hazardous contraindications \_\_\_\_\_ this \_\_\_\_\_ combo.  
 Did \_\_\_\_\_ possible hazardous factors \_\_\_\_\_ these prescriptions?  
 \_\_\_\_\_ know \_\_\_\_\_ there are \_\_\_\_\_ in providing \_\_\_\_\_ medicines simultaneously?  
 \_\_\_\_\_ for \_\_\_\_\_ contraindications before \_\_\_\_\_ this prescription?  
 \_\_\_\_\_ they study and acknowledge \_\_\_\_\_ before suggesting \_\_\_\_\_ both pharmaceuticals as \_\_\_\_\_?  
 Do \_\_\_\_\_ consider \_\_\_\_\_ dangerous contraindications when \_\_\_\_\_ prescribe \_\_\_\_\_ drugs?  
 Did \_\_\_\_\_ consider the risks \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ when you put together the medicines?  
 \_\_\_\_\_ it a \_\_\_\_\_ take \_\_\_\_\_ drugs in \_\_\_\_\_?  
 \_\_\_\_\_ check any harmful \_\_\_\_\_ they prescribed this \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ effects been reviewed \_\_\_\_\_ to the recommendation?  
 Potential risks from \_\_\_\_\_ drugs \_\_\_\_\_ has been \_\_\_\_\_.  
 \_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ addressed the potentially dangerous interactions of \_\_\_\_\_?  
 Do you \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ writing the prescriptions?  
 \_\_\_\_\_ you think \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ when writing these prescriptions?  
 Do the \_\_\_\_\_ taken \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ constraints \_\_\_\_\_ the designated medicines simultaneously \_\_\_\_\_?  
 Have \_\_\_\_\_ looked \_\_\_\_\_ possible hazardous factors \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ a proper assessment \_\_\_\_\_ the \_\_\_\_\_ risks \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ started using this combination \_\_\_\_\_ they check \_\_\_\_\_ harmful \_\_\_\_\_?  
 \_\_\_\_\_ they \_\_\_\_\_ risks \_\_\_\_\_ before giving both \_\_\_\_\_ a recommendation?  
 Have any \_\_\_\_\_ issues \_\_\_\_\_ this combination?  
 \_\_\_\_\_ wonder if \_\_\_\_\_ considered \_\_\_\_\_ combining these \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ been \_\_\_\_\_ to make sure they are safe to prescribe \_\_\_\_\_?  
 \_\_\_\_\_ assessed all \_\_\_\_\_ recommend both drugs \_\_\_\_\_ the same time?  
 \_\_\_\_\_ steps have been \_\_\_\_\_ make sure there are \_\_\_\_\_ dangerous \_\_\_\_\_ on \_\_\_\_\_ the \_\_\_\_\_ simultaneously?  
 \_\_\_\_\_ risks need to be \_\_\_\_\_ administered these \_\_\_\_\_ medications.  
 Is \_\_\_\_\_ combined \_\_\_\_\_ properly \_\_\_\_\_ for \_\_\_\_\_ potential \_\_\_\_\_?  
 Did \_\_\_\_\_ account \_\_\_\_\_ harmful \_\_\_\_\_ when using this \_\_\_\_\_ of pharmaceuticals?  
 Did we double-check these \_\_\_\_\_ for \_\_\_\_\_ others?  
 \_\_\_\_\_ the risks \_\_\_\_\_ combining the drugs?  
 Did we \_\_\_\_\_ risks \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ to the \_\_\_\_\_ when co-prescribing \_\_\_\_\_?  
 Did they thoroughly examine and acknowledge any unsafe \_\_\_\_\_ both \_\_\_\_\_ a \_\_\_\_\_?  
 Is due consideration given \_\_\_\_\_ the potential \_\_\_\_\_?  
 Do you \_\_\_\_\_ the \_\_\_\_\_ interactions of \_\_\_\_\_ drug combination \_\_\_\_\_?  
 Have you \_\_\_\_\_ the \_\_\_\_\_ harmful \_\_\_\_\_ effects from using this \_\_\_\_\_?  
 \_\_\_\_\_ potential \_\_\_\_\_ assessed when \_\_\_\_\_ drugs?  
 \_\_\_\_\_ for all \_\_\_\_\_ the potentially \_\_\_\_\_ of this drug \_\_\_\_\_?  
 \_\_\_\_\_ to determine the potential risks of \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ considered for this \_\_\_\_\_ combo?  
 \_\_\_\_\_ the possible dangers \_\_\_\_\_ at \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ all \_\_\_\_\_ risks \_\_\_\_\_ drugs be assessed?  
 Do you thoroughly examine \_\_\_\_\_ hazardous \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of both \_\_\_\_\_ unit, did \_\_\_\_\_ examine \_\_\_\_\_ acknowledge any unsafe effects?  
 Did they \_\_\_\_\_ out any harmful \_\_\_\_\_ before \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ are contraindications \_\_\_\_\_ consider before \_\_\_\_\_ drugs.  
 Have \_\_\_\_\_ potentially dangerous \_\_\_\_\_ assessed \_\_\_\_\_ this \_\_\_\_\_ combination?  
 \_\_\_\_\_ the possible risks \_\_\_\_\_ this \_\_\_\_\_ been \_\_\_\_\_?  
 Do you \_\_\_\_\_ if there are \_\_\_\_\_ them?  
 Did they \_\_\_\_\_ examine \_\_\_\_\_ before \_\_\_\_\_ use of both \_\_\_\_\_ as \_\_\_\_\_ unit?  
 Take all \_\_\_\_\_ harmful effects of \_\_\_\_\_?  
 Did \_\_\_\_\_ the \_\_\_\_\_ before \_\_\_\_\_ these \_\_\_\_\_?  
 Do you consider \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ these prescriptions \_\_\_\_\_?  
 Was \_\_\_\_\_ an \_\_\_\_\_ possible risks of \_\_\_\_\_ drugs?  
 \_\_\_\_\_ all \_\_\_\_\_ the \_\_\_\_\_ were written?  
 \_\_\_\_\_ co-prescribing these \_\_\_\_\_ was \_\_\_\_\_ given to \_\_\_\_\_?  
 Were \_\_\_\_\_ possible contraindications \_\_\_\_\_ joint \_\_\_\_\_ of \_\_\_\_\_ drugs?  
 \_\_\_\_\_ before the drugs \_\_\_\_\_ prescribed?  
 Have \_\_\_\_\_ precautions \_\_\_\_\_ taken \_\_\_\_\_ make \_\_\_\_\_ that these pharmaceuticals \_\_\_\_\_?  
 \_\_\_\_\_ to this prescription, did we \_\_\_\_\_?  
 Do \_\_\_\_\_ potentially dangerous \_\_\_\_\_ when issuing these \_\_\_\_\_?  
 Is \_\_\_\_\_ that they considered all the \_\_\_\_\_ before \_\_\_\_\_?  
 \_\_\_\_\_ associated with taking these specific \_\_\_\_\_ together.  
 \_\_\_\_\_ check out harmful \_\_\_\_\_ before \_\_\_\_\_ this combination \_\_\_\_\_?  
 Were \_\_\_\_\_ aware of \_\_\_\_\_ potentially \_\_\_\_\_ with this drug \_\_\_\_\_?  
 Have we \_\_\_\_\_ dangerous \_\_\_\_\_ prior \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ risks must be evaluated before being \_\_\_\_\_.  
 \_\_\_\_\_ making \_\_\_\_\_ have the possible \_\_\_\_\_ evaluated?  
 Were the \_\_\_\_\_ adequately \_\_\_\_\_ before \_\_\_\_\_ recommended?  
 Did we watch \_\_\_\_\_ for \_\_\_\_\_ of \_\_\_\_\_ these \_\_\_\_\_?  
 Do the possible dangers \_\_\_\_\_ this medication \_\_\_\_\_?  
 \_\_\_\_\_ medication combination have \_\_\_\_\_ being recommended?

Have they assessed \_\_\_\_ the risks in \_\_\_\_ \_\_\_\_ \_\_\_\_?

Do the \_\_\_\_ side-effects \_\_\_\_ reviewed prior \_\_\_\_ recommended?

\_\_\_\_ they check \_\_\_\_ any \_\_\_\_ they gave this combo \_\_\_\_?

Did they look \_\_\_\_ any \_\_\_\_ they \_\_\_\_ this \_\_\_\_ drugs?

Are you aware of \_\_\_\_ possible harmful \_\_\_\_ effects \_\_\_\_ of \_\_\_\_?

\_\_\_\_ you considered harmful side effects \_\_\_\_ of \_\_\_\_?

\_\_\_\_ possible dangers \_\_\_\_ combination been \_\_\_\_?

What are the \_\_\_\_ risks of administering \_\_\_\_ \_\_\_\_?

\_\_\_\_ dangers of this combination \_\_\_\_?

\_\_\_\_ considered all the risks before \_\_\_\_ these drugs \_\_\_\_.

\_\_\_\_ know if \_\_\_\_ hazardous contraindications \_\_\_\_ administering them?

Should \_\_\_\_ of \_\_\_\_ be reviewed before \_\_\_\_ recommended?

Did \_\_\_\_ evaluate \_\_\_\_ interactions before \_\_\_\_ this \_\_\_\_?

\_\_\_\_ you \_\_\_\_ before \_\_\_\_ these drugs?

Is there \_\_\_\_ potential risks \_\_\_\_ administering these \_\_\_\_?

\_\_\_\_ all possible \_\_\_\_ at before \_\_\_\_ these drugs \_\_\_\_?

Are the \_\_\_\_ of \_\_\_\_ these \_\_\_\_?

Have hazardous contraindications \_\_\_\_ considered \_\_\_\_.

Are \_\_\_\_ dangerous \_\_\_\_ this combination?

\_\_\_\_ know if \_\_\_\_ any hazardous contraindications \_\_\_\_ they're prescribed?

Is this \_\_\_\_ evaluated \_\_\_\_?

\_\_\_\_ have examined and \_\_\_\_ unsafe effects \_\_\_\_ of both pharmaceuticals.

\_\_\_\_ the steps \_\_\_\_ taken to make \_\_\_\_ no dangerous constraints \_\_\_\_ the \_\_\_\_ the same time?

Do the \_\_\_\_ have been reviewed \_\_\_\_ being recommended \_\_\_\_ medication \_\_\_\_?

\_\_\_\_ you consider any \_\_\_\_ writing these \_\_\_\_ together?

\_\_\_\_ consider \_\_\_\_ effects of \_\_\_\_ a \_\_\_\_ of \_\_\_\_ medicines?

\_\_\_\_ you account \_\_\_\_ all the \_\_\_\_ this \_\_\_\_ combination?

Did \_\_\_\_ possible \_\_\_\_ be \_\_\_\_ the \_\_\_\_ of these drugs?

Is there \_\_\_\_ consideration \_\_\_\_ risks before they \_\_\_\_ together?

Do we \_\_\_\_ for \_\_\_\_ contraindications prior \_\_\_\_ this \_\_\_\_?

\_\_\_\_ potential \_\_\_\_ of this combination \_\_\_\_?

Have you studied \_\_\_\_ possible \_\_\_\_ factors \_\_\_\_ these \_\_\_\_?

\_\_\_\_ of the \_\_\_\_ been reviewed?

\_\_\_\_ there \_\_\_\_ given \_\_\_\_ the risks \_\_\_\_ co-prescribing \_\_\_\_?

Is \_\_\_\_ dangerous issues \_\_\_\_ for \_\_\_\_ of medication?

Did \_\_\_\_ any \_\_\_\_ before \_\_\_\_ prescribe this combination of \_\_\_\_?

\_\_\_\_ suggesting usage \_\_\_\_ both pharmaceuticals \_\_\_\_ a \_\_\_\_ did \_\_\_\_ properly \_\_\_\_ and \_\_\_\_ effects?

Do \_\_\_\_ been reviewed \_\_\_\_ pharmaceuticals?

Do \_\_\_\_ of \_\_\_\_ potentially \_\_\_\_ contraindications \_\_\_\_ considered?

\_\_\_\_ the \_\_\_\_ dangerous contraindications \_\_\_\_ for this combo?

\_\_\_\_ they \_\_\_\_ this combination \_\_\_\_ drugs, \_\_\_\_ check for harmful \_\_\_\_?

Did you \_\_\_\_ all \_\_\_\_ potentially \_\_\_\_ of this \_\_\_\_ combination?

\_\_\_\_ into account any \_\_\_\_ harmful \_\_\_\_ effects of \_\_\_\_ this combination \_\_\_\_?

\_\_\_\_ before the drugs were prescribed?

\_\_\_\_ for \_\_\_\_ contraindications \_\_\_\_ this prescription?

\_\_\_\_ they \_\_\_\_ of the \_\_\_\_ into \_\_\_\_ they prescribed \_\_\_\_ medications?

Did you \_\_\_\_ into \_\_\_\_ the \_\_\_\_ harmful \_\_\_\_?

I \_\_\_\_ evaluated the potential \_\_\_\_ combining these drugs.

Have \_\_\_\_ been \_\_\_\_ for this \_\_\_\_ drugs?

\_\_\_\_ are contraindications \_\_\_\_ consider \_\_\_\_ co-prescribing \_\_\_\_ drugs.

\_\_\_\_\_ appropriate \_\_\_\_\_ been \_\_\_\_\_ to \_\_\_\_\_ that \_\_\_\_\_ are not used \_\_\_\_\_?

Has the \_\_\_\_\_ of contraindications \_\_\_\_\_ considered \_\_\_\_\_?

There \_\_\_\_\_ a chance of \_\_\_\_\_ for \_\_\_\_\_ medication \_\_\_\_\_.

\_\_\_\_\_ potential \_\_\_\_\_ administering these specific \_\_\_\_\_ be evaluated \_\_\_\_\_.

\_\_\_\_\_ am \_\_\_\_\_ if they've addressed \_\_\_\_\_ risky interactions \_\_\_\_\_ medicines.

Is it possible \_\_\_\_\_ they assessed all the \_\_\_\_\_ suggesting \_\_\_\_\_ time?

\_\_\_\_\_ the medication \_\_\_\_\_ the possible \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ risks of combining these \_\_\_\_\_?

Are \_\_\_\_\_ potential \_\_\_\_\_ issues \_\_\_\_\_ evaluated \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ safe to use these medications \_\_\_\_\_ conjunction \_\_\_\_\_ hazardous \_\_\_\_\_?

Did \_\_\_\_\_ all the potentially harmful interactions \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ potential risks when administering \_\_\_\_\_ together?

Is proper \_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ with combining \_\_\_\_\_ prescriptions?

Were \_\_\_\_\_ risks \_\_\_\_\_ before these drugs \_\_\_\_\_?

Is \_\_\_\_\_ potential \_\_\_\_\_ when co-prescribing drugs?

\_\_\_\_\_ reviewed \_\_\_\_\_ they \_\_\_\_\_ prescribed these pharmaceuticals?

\_\_\_\_\_ you \_\_\_\_\_ account the \_\_\_\_\_ harmful \_\_\_\_\_ effects of \_\_\_\_\_ combination of \_\_\_\_\_?

Is \_\_\_\_\_ true that \_\_\_\_\_ potential risks were \_\_\_\_\_ these \_\_\_\_\_?

Are \_\_\_\_\_ for this \_\_\_\_\_ combo?

Did \_\_\_\_\_ into account \_\_\_\_\_ unsafe \_\_\_\_\_ to suggesting usage \_\_\_\_\_ both \_\_\_\_\_?

Risks \_\_\_\_\_ these \_\_\_\_\_ combination \_\_\_\_\_ been considered.

Should we \_\_\_\_\_ checked for \_\_\_\_\_ prescription?

\_\_\_\_\_ you looked into possible \_\_\_\_\_ these medications?

Are the potential \_\_\_\_\_ drugs in combination \_\_\_\_\_?

\_\_\_\_\_ the potentially dangerous \_\_\_\_\_ been \_\_\_\_\_ you prescribe these \_\_\_\_\_?

Is there any \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ these \_\_\_\_\_?

Have they \_\_\_\_\_ the risks before \_\_\_\_\_ recommended \_\_\_\_\_?

\_\_\_\_\_ conceivable \_\_\_\_\_ were checked \_\_\_\_\_ joint use of \_\_\_\_\_.

Did we look \_\_\_\_\_ risks \_\_\_\_\_ these drugs?

\_\_\_\_\_ they assessed \_\_\_\_\_ the \_\_\_\_\_ advance \_\_\_\_\_ both \_\_\_\_\_ at the \_\_\_\_\_ time?

\_\_\_\_\_ you aware \_\_\_\_\_ harmful \_\_\_\_\_ effects \_\_\_\_\_ using this combination of \_\_\_\_\_?

Is \_\_\_\_\_ a proper \_\_\_\_\_ the \_\_\_\_\_ risks when \_\_\_\_\_ these specific \_\_\_\_\_?

\_\_\_\_\_ suggesting \_\_\_\_\_ of both pharmaceuticals \_\_\_\_\_ did they \_\_\_\_\_ examine the \_\_\_\_\_?

Is there consideration given \_\_\_\_\_ of \_\_\_\_\_ drugs?

\_\_\_\_\_ proper evaluation of potential risks when administering \_\_\_\_\_?

\_\_\_\_\_ these drugs \_\_\_\_\_ were there \_\_\_\_\_?

Did the potential \_\_\_\_\_ review \_\_\_\_\_ medicines?

All \_\_\_\_\_ risks \_\_\_\_\_ evaluated before \_\_\_\_\_ specific medications.

Did you account \_\_\_\_\_ the \_\_\_\_\_ harmful interactions \_\_\_\_\_?

Have you \_\_\_\_\_ factors while writing these \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ risks for \_\_\_\_\_ specific \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ of administering these medications together?

Did \_\_\_\_\_ look at any \_\_\_\_\_ before \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ hazardous contraindications before you prescribe \_\_\_\_\_?

Is \_\_\_\_\_ of combining \_\_\_\_\_ particular set \_\_\_\_\_ drugs fairly examined?

\_\_\_\_\_ contraindications been \_\_\_\_\_ before using \_\_\_\_\_?

Do all \_\_\_\_\_ reviewed before \_\_\_\_\_ are \_\_\_\_\_ drugs?

\_\_\_\_\_ anyone \_\_\_\_\_ about \_\_\_\_\_ before \_\_\_\_\_ these drugs?

\_\_\_\_\_ potential risks properly evaluated when \_\_\_\_\_?

Did \_\_\_\_\_ all the risks \_\_\_\_\_ these \_\_\_\_\_ you?

Did we \_\_\_\_\_ risky contraindications \_\_\_\_\_?  
 Do \_\_\_\_\_ think \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ these \_\_\_\_\_ concurrently?  
 Did they \_\_\_\_\_ examine and \_\_\_\_\_ use \_\_\_\_\_ both drugs as a \_\_\_\_\_?  
 \_\_\_\_\_ dangers adequately \_\_\_\_\_ before \_\_\_\_\_ medicines were recommended?  
 I wonder \_\_\_\_\_ anyone \_\_\_\_\_ dangers \_\_\_\_\_ these meds.  
 \_\_\_\_\_ hazardous \_\_\_\_\_ for \_\_\_\_\_ combo?  
 \_\_\_\_\_ the risks \_\_\_\_\_ been evaluated?  
 Do all contraindications \_\_\_\_\_ being prescribed these \_\_\_\_\_?  
 Have you considered \_\_\_\_\_ of \_\_\_\_\_ combination of drugs?  
 \_\_\_\_\_ the \_\_\_\_\_ for this combo?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ considered for \_\_\_\_\_ combo?  
 Do \_\_\_\_\_ there are dangerous constraints on \_\_\_\_\_ medicines \_\_\_\_\_?  
 Do all \_\_\_\_\_ contraindications have \_\_\_\_\_ be \_\_\_\_\_ these \_\_\_\_\_ drugs?  
 Before co-prescribing \_\_\_\_\_ have any contraindications?  
 Have you \_\_\_\_\_ the possible \_\_\_\_\_ factors when you \_\_\_\_\_?  
 \_\_\_\_\_ if they \_\_\_\_\_ the \_\_\_\_\_ before they \_\_\_\_\_ these \_\_\_\_\_ together.  
 \_\_\_\_\_ the possible \_\_\_\_\_ of \_\_\_\_\_ evaluated?  
 Do \_\_\_\_\_ hazardous side-effects have \_\_\_\_\_ before \_\_\_\_\_?  
 Is it \_\_\_\_\_ the \_\_\_\_\_ before they recommended \_\_\_\_\_ drugs?  
 \_\_\_\_\_ the possible \_\_\_\_\_ been assessed?  
 Is \_\_\_\_\_ combination \_\_\_\_\_ reviewed before \_\_\_\_\_?  
 Did all \_\_\_\_\_ contraindications be \_\_\_\_\_ the \_\_\_\_\_ use \_\_\_\_\_ drugs?  
 \_\_\_\_\_ taken regarding potential dangers from \_\_\_\_\_ medications?  
 Do \_\_\_\_\_ keep \_\_\_\_\_ contraindications in \_\_\_\_\_ when writing \_\_\_\_\_ prescriptions?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ evaluate \_\_\_\_\_ potential \_\_\_\_\_ of \_\_\_\_\_ these \_\_\_\_\_?  
 Do \_\_\_\_\_ dangerous \_\_\_\_\_ for \_\_\_\_\_ have been evaluated?  
 \_\_\_\_\_ take into account any harmful side \_\_\_\_\_ combination of \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to evaluate the risks \_\_\_\_\_ medications together?  
 Did \_\_\_\_\_ before giving these medications?  
 Are \_\_\_\_\_ adequately \_\_\_\_\_ we recommend these \_\_\_\_\_ together?  
 Did we \_\_\_\_\_ the risks \_\_\_\_\_?  
 Did \_\_\_\_\_ all potentially harmful \_\_\_\_\_ of \_\_\_\_\_ combination?  
 Have \_\_\_\_\_ dangerous \_\_\_\_\_ effects \_\_\_\_\_ reviewed \_\_\_\_\_ recommended?  
 \_\_\_\_\_ the potential \_\_\_\_\_ adequately \_\_\_\_\_ before these \_\_\_\_\_ prescribed?  
 \_\_\_\_\_ want to \_\_\_\_\_ if anyone \_\_\_\_\_ combining these \_\_\_\_\_.  
 Was \_\_\_\_\_ the risks of co-prescribing these \_\_\_\_\_?  
 \_\_\_\_\_ they thoroughly \_\_\_\_\_ any unsafe effects before suggesting \_\_\_\_\_ of both \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ they thoroughly \_\_\_\_\_ and acknowledge \_\_\_\_\_ effects \_\_\_\_\_ to suggesting \_\_\_\_\_ both \_\_\_\_\_ a unit?  
 \_\_\_\_\_ there a proper \_\_\_\_\_ when \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ all conceivable contraindications \_\_\_\_\_ using these drugs \_\_\_\_\_?  
 \_\_\_\_\_ were \_\_\_\_\_ were the potential dangers \_\_\_\_\_ reviewed?  
 \_\_\_\_\_ they \_\_\_\_\_ all \_\_\_\_\_ account before they prescribed \_\_\_\_\_ drugs?  
 Have you \_\_\_\_\_ out \_\_\_\_\_ possible hazardous factors \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ for taking \_\_\_\_\_ combination have \_\_\_\_\_ considered.  
 \_\_\_\_\_ we know the \_\_\_\_\_ drugs?  
 \_\_\_\_\_ any potential dangerous \_\_\_\_\_ been \_\_\_\_\_ medication combination?  
 Have \_\_\_\_\_ possibilities \_\_\_\_\_ hazardous \_\_\_\_\_ been considered for \_\_\_\_\_?  
 \_\_\_\_\_ side effects from using this \_\_\_\_\_ pharmaceuticals?  
 \_\_\_\_\_ check for \_\_\_\_\_ prior to \_\_\_\_\_ prescription?  
 Were \_\_\_\_\_ of the \_\_\_\_\_ risks \_\_\_\_\_ combining \_\_\_\_\_ drugs?

\_\_\_\_ the potential \_\_\_\_ from \_\_\_\_ and recommending \_\_\_\_ set \_\_\_\_ drugs \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ of contraindications \_\_\_\_ the joint \_\_\_\_ these drugs?  
 \_\_\_\_ there are hazardous contraindications \_\_\_\_ they are prescribed?  
 Did \_\_\_\_ account for \_\_\_\_ harmful \_\_\_\_ of this drug \_\_\_\_ ?  
 \_\_\_\_ been \_\_\_\_ for this combo?  
 \_\_\_\_ suggesting use \_\_\_\_ pharmaceuticals \_\_\_\_ a unit, \_\_\_\_ they \_\_\_\_ examine and acknowledge \_\_\_\_ ?  
 All conceivable \_\_\_\_ been looked \_\_\_\_ before being prescribed \_\_\_\_ .  
 Were all \_\_\_\_ these drugs?  
 \_\_\_\_ there \_\_\_\_ on \_\_\_\_ designated medicines at \_\_\_\_ same time, have \_\_\_\_ taken to \_\_\_\_ out?  
 Did \_\_\_\_ the \_\_\_\_ risks \_\_\_\_ combining \_\_\_\_ ?  
 Before co-prescribing these \_\_\_\_ ?  
 Do \_\_\_\_ know if \_\_\_\_ are dangerous constraints on \_\_\_\_ to \_\_\_\_ designated \_\_\_\_ same \_\_\_\_ ?  
 Is anyone aware of \_\_\_\_ meds?  
 \_\_\_\_ assessment help \_\_\_\_ risks \_\_\_\_ with \_\_\_\_ these specific prescriptions?  
 Were \_\_\_\_ contraindications \_\_\_\_ prescribed these drugs?  
 Are all \_\_\_\_ dangerous contraindications \_\_\_\_ writing \_\_\_\_ together?  
 \_\_\_\_ thoroughly looked \_\_\_\_ possible hazardous \_\_\_\_ prescribe these medications?  
 \_\_\_\_ you \_\_\_\_ the \_\_\_\_ harmful interactions of this \_\_\_\_ combination before \_\_\_\_ ?  
 \_\_\_\_ of danger been considered \_\_\_\_ combo?  
 \_\_\_\_ anyone \_\_\_\_ of \_\_\_\_ dangers \_\_\_\_ these meds?  
 \_\_\_\_ you \_\_\_\_ the potentially \_\_\_\_ interactions \_\_\_\_ this drug \_\_\_\_ ?  
 Is \_\_\_\_ that they looked at \_\_\_\_ acknowledged \_\_\_\_ unsafe effects \_\_\_\_ usage \_\_\_\_ pharmaceuticals?  
 Should \_\_\_\_ be \_\_\_\_ to consider \_\_\_\_ contraindications \_\_\_\_ these \_\_\_\_ together?  
 \_\_\_\_ looked \_\_\_\_ possible hazardous factors when \_\_\_\_ these \_\_\_\_ ?  
 Did you \_\_\_\_ examine possible \_\_\_\_ when \_\_\_\_ prescribe \_\_\_\_ ?  
 Did they look \_\_\_\_ harmful interactions \_\_\_\_ giving \_\_\_\_ medicines?  
 \_\_\_\_ you think about the \_\_\_\_ dangerous contraindications \_\_\_\_ together?  
 \_\_\_\_ we check out \_\_\_\_ combining the drugs?  
 \_\_\_\_ you \_\_\_\_ me \_\_\_\_ they have \_\_\_\_ potential risks \_\_\_\_ medicines?  
 \_\_\_\_ the \_\_\_\_ of this \_\_\_\_ been studied?  
 \_\_\_\_ at \_\_\_\_ the use of the drugs?  
 Is \_\_\_\_ chance \_\_\_\_ contraindications \_\_\_\_ for \_\_\_\_ ?  
 There are \_\_\_\_ to \_\_\_\_ these \_\_\_\_ .  
 \_\_\_\_ you consider all \_\_\_\_ contraindications when \_\_\_\_ these \_\_\_\_ ?  
 \_\_\_\_ have we checked for \_\_\_\_ ?  
 \_\_\_\_ consider the possible hazardous \_\_\_\_ writing these \_\_\_\_ ?  
 Did we double-check these drugs \_\_\_\_ before \_\_\_\_ ?  
 \_\_\_\_ been taken to \_\_\_\_ pharmaceuticals are \_\_\_\_ to use together?  
 Is \_\_\_\_ safe \_\_\_\_ prescribe these medications \_\_\_\_ conjunction \_\_\_\_ hazardous \_\_\_\_ ?  
 Did \_\_\_\_ account for \_\_\_\_ the \_\_\_\_ interactions \_\_\_\_ ?  
 \_\_\_\_ potential \_\_\_\_ of drugs \_\_\_\_ examined before the recommendation is made?  
 \_\_\_\_ it possible that \_\_\_\_ all \_\_\_\_ before \_\_\_\_ recommend both drugs?  
 Should the possible \_\_\_\_ combination be \_\_\_\_ first?  
 \_\_\_\_ you \_\_\_\_ about all \_\_\_\_ potentially dangerous \_\_\_\_ writing \_\_\_\_ prescriptions?  
 Have \_\_\_\_ the side effects \_\_\_\_ this medication \_\_\_\_ ?  
 Should \_\_\_\_ be \_\_\_\_ to \_\_\_\_ possible \_\_\_\_ contraindications \_\_\_\_ these pharmaceuticals?  
 \_\_\_\_ you \_\_\_\_ harmful side \_\_\_\_ of \_\_\_\_ this combination of \_\_\_\_ ?  
 \_\_\_\_ precautions be \_\_\_\_ to \_\_\_\_ any \_\_\_\_ hazardous \_\_\_\_ when taking \_\_\_\_ drugs \_\_\_\_ ?  
 \_\_\_\_ for \_\_\_\_ harmful interactions of this drug \_\_\_\_ ?  
 \_\_\_\_ of both pharmaceuticals \_\_\_\_ a \_\_\_\_ thoroughly \_\_\_\_ and acknowledge any dangerous \_\_\_\_ ?



\_\_\_\_\_ you \_\_\_\_\_ if there \_\_\_\_\_ any hazardous \_\_\_\_\_ are used?  
 Do \_\_\_\_\_ know \_\_\_\_\_ potential harmful \_\_\_\_\_ from \_\_\_\_\_ combination of drugs?  
 \_\_\_\_\_ correct to assess \_\_\_\_\_ combining these drugs?  
 When co-prescribing \_\_\_\_\_ there consideration \_\_\_\_\_ potential dangers?  
 \_\_\_\_\_ was wondering \_\_\_\_\_ anyone \_\_\_\_\_ the \_\_\_\_\_ these meds.  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ harmful \_\_\_\_\_ this drug combination before?  
 Has the contraindications been \_\_\_\_\_ are prescribed \_\_\_\_\_?  
 \_\_\_\_\_ you think about the \_\_\_\_\_ prescribed these \_\_\_\_\_?  
 Does \_\_\_\_\_ harmful interactions before they prescribe this \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ contraindications \_\_\_\_\_ to this \_\_\_\_\_?  
 \_\_\_\_\_ account \_\_\_\_\_ potentially harmful \_\_\_\_\_ this drug combination \_\_\_\_\_?  
 Did \_\_\_\_\_ think about \_\_\_\_\_ dangers when \_\_\_\_\_ together?  
 Were \_\_\_\_\_ the \_\_\_\_\_ the drugs were \_\_\_\_\_ together?  
 Have \_\_\_\_\_ considered any \_\_\_\_\_ effects of \_\_\_\_\_ this \_\_\_\_\_ drugs?  
 Did \_\_\_\_\_ think \_\_\_\_\_ dangers before combining \_\_\_\_\_?  
 \_\_\_\_\_ potential dangerous issues \_\_\_\_\_ evaluated for \_\_\_\_\_ combination?  
 Is there a risk \_\_\_\_\_ done \_\_\_\_\_ these \_\_\_\_\_?  
 Did we look \_\_\_\_\_ dangers \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ the contraindications be \_\_\_\_\_ the joint use \_\_\_\_\_ drugs?  
 Is it possible that there \_\_\_\_\_ dangerous \_\_\_\_\_ regarding \_\_\_\_\_ these \_\_\_\_\_ time?  
 Prior \_\_\_\_\_ the \_\_\_\_\_ of these drugs, \_\_\_\_\_ contraindications examined?  
 Was \_\_\_\_\_ before \_\_\_\_\_ drugs were \_\_\_\_\_?  
 \_\_\_\_\_ the potential \_\_\_\_\_ of \_\_\_\_\_ reviewed before being recommended?  
 All of the potential \_\_\_\_\_ these medications \_\_\_\_\_ be \_\_\_\_\_.  
 Do \_\_\_\_\_ consider \_\_\_\_\_ when writing prescriptions together?  
 \_\_\_\_\_ proper assessment determine \_\_\_\_\_ risks with \_\_\_\_\_ prescriptions?  
 There are contraindications \_\_\_\_\_ pharmaceuticals.  
 \_\_\_\_\_ assessed \_\_\_\_\_ risks in \_\_\_\_\_ in order \_\_\_\_\_ recommend \_\_\_\_\_ drugs \_\_\_\_\_ the \_\_\_\_\_ time?  
 \_\_\_\_\_ examining \_\_\_\_\_ factors \_\_\_\_\_ you prescribe these medications?  
 Have \_\_\_\_\_ side effects \_\_\_\_\_ reviewed before \_\_\_\_\_ made?  
 Were \_\_\_\_\_ able to \_\_\_\_\_ the \_\_\_\_\_ these drugs?  
 \_\_\_\_\_ potentially \_\_\_\_\_ have \_\_\_\_\_ for this medication combination?  
 \_\_\_\_\_ they \_\_\_\_\_ risks \_\_\_\_\_ recommending both \_\_\_\_\_?  
 Did potentially \_\_\_\_\_ taken \_\_\_\_\_?  
 Was there consideration \_\_\_\_\_ possible dangers when \_\_\_\_\_?  
 Do \_\_\_\_\_ taken to \_\_\_\_\_ if there are dangerous constraints on \_\_\_\_\_ medicines simultaneously \_\_\_\_\_?  
 Was \_\_\_\_\_ consideration \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ drugs?  
 \_\_\_\_\_ they \_\_\_\_\_ into \_\_\_\_\_ the risks \_\_\_\_\_ prescribed these medications?  
 \_\_\_\_\_ taken into \_\_\_\_\_ the risks associated \_\_\_\_\_ this \_\_\_\_\_ drugs?  
 Did they \_\_\_\_\_ out any \_\_\_\_\_ before they \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ anyone \_\_\_\_\_ the \_\_\_\_\_ before putting together \_\_\_\_\_ meds?  
 If \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ medicines at the same \_\_\_\_\_ have steps been taken \_\_\_\_\_?  
 \_\_\_\_\_ potentially dangerous contraindications taken \_\_\_\_\_?  
 \_\_\_\_\_ about all \_\_\_\_\_ dangerous contraindications when \_\_\_\_\_ the prescriptions?  
 Did they \_\_\_\_\_ all of \_\_\_\_\_ into account \_\_\_\_\_ writing \_\_\_\_\_?  
 \_\_\_\_\_ these \_\_\_\_\_ was \_\_\_\_\_ consideration \_\_\_\_\_ possible dangers?  
 Do \_\_\_\_\_ check \_\_\_\_\_ dangerous \_\_\_\_\_ prior \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ you consider all \_\_\_\_\_ writing these prescriptions?  
 Have \_\_\_\_\_ the \_\_\_\_\_ hazardous \_\_\_\_\_ you prescribe these medications?  
 \_\_\_\_\_ have \_\_\_\_\_ the risks before giving \_\_\_\_\_ medications \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ of contraindications before \_\_\_\_\_ joint use of \_\_\_\_\_?  
 Before the \_\_\_\_\_ were \_\_\_\_\_ risks assessed?  
 Is \_\_\_\_\_ risk \_\_\_\_\_ evaluated \_\_\_\_\_ administering \_\_\_\_\_ medications together?  
 Is it possible \_\_\_\_\_ they \_\_\_\_\_ risks before they \_\_\_\_\_?  
 Were \_\_\_\_\_ risks adequately reviewed \_\_\_\_\_ the \_\_\_\_\_?  
 Do you \_\_\_\_\_ contraindications when \_\_\_\_\_ these prescriptions \_\_\_\_\_?  
 Do \_\_\_\_\_ about \_\_\_\_\_ potentially \_\_\_\_\_ when writing \_\_\_\_\_ prescriptions?  
 Did \_\_\_\_\_ think \_\_\_\_\_ the \_\_\_\_\_ when you \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ risks assessed before the \_\_\_\_\_ were \_\_\_\_\_ you?  
 Should \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ considered when writing \_\_\_\_\_?  
 Did you \_\_\_\_\_ examine possible \_\_\_\_\_ factors \_\_\_\_\_ prescriptions?  
 \_\_\_\_\_ account for the potential harms \_\_\_\_\_ combination \_\_\_\_\_ the \_\_\_\_\_?  
 Couldn't y'all have looked \_\_\_\_\_ of \_\_\_\_\_ meds?  
 Do there any \_\_\_\_\_ consider \_\_\_\_\_ these \_\_\_\_\_?  
 All \_\_\_\_\_ risks should \_\_\_\_\_ to the \_\_\_\_\_ these medications.  
 \_\_\_\_\_ possible \_\_\_\_\_ examined before the use of \_\_\_\_\_?  
 Is \_\_\_\_\_ possible that they \_\_\_\_\_ all the risks \_\_\_\_\_?  
 I \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ potentially \_\_\_\_\_ interactions with \_\_\_\_\_ medicines.  
 \_\_\_\_\_ anyone \_\_\_\_\_ the \_\_\_\_\_ before \_\_\_\_\_ drugs?  
 \_\_\_\_\_ they check \_\_\_\_\_ they \_\_\_\_\_ this combo of medicine?  
 \_\_\_\_\_ take \_\_\_\_\_ account potentially \_\_\_\_\_ writing these prescriptions?  
 Is \_\_\_\_\_ dangers when co-prescribing these \_\_\_\_\_?  
 \_\_\_\_\_ they \_\_\_\_\_ examine \_\_\_\_\_ unsafe \_\_\_\_\_ before suggesting \_\_\_\_\_ of \_\_\_\_\_ pharmaceuticals as \_\_\_\_\_ unit?  
 Did you account \_\_\_\_\_ all \_\_\_\_\_ dangers of \_\_\_\_\_?  
 Do \_\_\_\_\_ dangerous \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ drugs to someone?  
 \_\_\_\_\_ hazardous contra-indications have \_\_\_\_\_ before this \_\_\_\_\_?  
 Have the steps been \_\_\_\_\_ to \_\_\_\_\_ dangerous constraints on \_\_\_\_\_ designated \_\_\_\_\_ the same \_\_\_\_\_?  
 Do \_\_\_\_\_ hazardous \_\_\_\_\_ been reviewed \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the hazardous \_\_\_\_\_ been \_\_\_\_\_ prior to the recommended \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ a hazardous \_\_\_\_\_ when these \_\_\_\_\_ combined?  
 \_\_\_\_\_ consider all \_\_\_\_\_ dangerous contraindications \_\_\_\_\_ prescribe these meds \_\_\_\_\_?  
 Do \_\_\_\_\_ check for hazardous \_\_\_\_\_ you \_\_\_\_\_ medications?  
 Should appropriate \_\_\_\_\_ be \_\_\_\_\_ any possible \_\_\_\_\_ contraindications when \_\_\_\_\_ pharmaceuticals \_\_\_\_\_?  
 \_\_\_\_\_ all \_\_\_\_\_ risky stuff \_\_\_\_\_ I \_\_\_\_\_ them?  
 There are contraindications \_\_\_\_\_ before \_\_\_\_\_ products.  
 \_\_\_\_\_ you know if \_\_\_\_\_ any contraindications \_\_\_\_\_ these pharmaceuticals?  
 \_\_\_\_\_ for \_\_\_\_\_ before this prescription?  
 Before endorsing \_\_\_\_\_ medication \_\_\_\_\_ dangers been evaluated?  
 Do \_\_\_\_\_ all potentially dangerous contraindications \_\_\_\_\_ these pills \_\_\_\_\_?  
 Did you \_\_\_\_\_ in mind the \_\_\_\_\_ this drug \_\_\_\_\_?  
 \_\_\_\_\_ we check \_\_\_\_\_ risky \_\_\_\_\_ this \_\_\_\_\_ was given?  
 \_\_\_\_\_ thought about the risks when they \_\_\_\_\_ together.  
 Have all \_\_\_\_\_ considered before the use \_\_\_\_\_ together?  
 \_\_\_\_\_ possible \_\_\_\_\_ the recommendation of this \_\_\_\_\_ combination?  
 Is consideration given \_\_\_\_\_ co-prescribing \_\_\_\_\_?  
 Possible dangers \_\_\_\_\_ the drugs in \_\_\_\_\_ been \_\_\_\_\_.  
 Have you looked \_\_\_\_\_ possible \_\_\_\_\_ factors \_\_\_\_\_ drugs?  
 Do you consider \_\_\_\_\_ writing prescriptions \_\_\_\_\_?  
 Before \_\_\_\_\_ all risks assessed?  
 Have \_\_\_\_\_ considered the \_\_\_\_\_ factors \_\_\_\_\_ writing \_\_\_\_\_?

Have you considered \_\_\_\_\_ these \_\_\_\_\_ could \_\_\_\_\_ for my well-being?  
 \_\_\_\_\_ the potential \_\_\_\_\_ adequately \_\_\_\_\_ before recommending \_\_\_\_\_ medicines \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ dangers \_\_\_\_\_ before the \_\_\_\_\_ recommended together?  
 Did \_\_\_\_\_ account \_\_\_\_\_ the potential \_\_\_\_\_ of this \_\_\_\_\_?  
 Do \_\_\_\_\_ check \_\_\_\_\_ possible \_\_\_\_\_ factors \_\_\_\_\_ prescribe these medications \_\_\_\_\_?  
 Have \_\_\_\_\_ checked \_\_\_\_\_ possible \_\_\_\_\_ factors \_\_\_\_\_ these prescriptions?  
 Is it possible \_\_\_\_\_ all risk before \_\_\_\_\_ drugs?  
 Have the possible \_\_\_\_\_ medication combination \_\_\_\_\_ looked \_\_\_\_\_?  
 Have \_\_\_\_\_ medication combination been \_\_\_\_\_?  
 Does the \_\_\_\_\_ this medication combination have \_\_\_\_\_?  
 Did y'all think \_\_\_\_\_ the \_\_\_\_\_ prescribed these \_\_\_\_\_?  
 \_\_\_\_\_ given to \_\_\_\_\_ potential \_\_\_\_\_ co-prescribing drugs?  
 \_\_\_\_\_ you tell me if \_\_\_\_\_ any potentially risky \_\_\_\_\_ medicines?  
 \_\_\_\_\_ you \_\_\_\_\_ potentially dangerous contraindications \_\_\_\_\_ these drugs together?  
 Is \_\_\_\_\_ assessment \_\_\_\_\_ they \_\_\_\_\_ both drugs concurrently?  
 \_\_\_\_\_ dangers have been considered \_\_\_\_\_ the \_\_\_\_\_ combination.  
 Did \_\_\_\_\_ the risks of \_\_\_\_\_?  
 \_\_\_\_\_ the potential risks of \_\_\_\_\_ recommending \_\_\_\_\_ set \_\_\_\_\_ drugs \_\_\_\_\_?  
 Is \_\_\_\_\_ there are \_\_\_\_\_ constraints regarding \_\_\_\_\_ medicines simultaneously?  
 \_\_\_\_\_ due \_\_\_\_\_ given \_\_\_\_\_ the \_\_\_\_\_ of co-prescribing \_\_\_\_\_ drugs?  
 \_\_\_\_\_ sure you \_\_\_\_\_ into \_\_\_\_\_ using these drugs?  
 \_\_\_\_\_ may \_\_\_\_\_ to prescribe \_\_\_\_\_ both.  
 Have you examined potential hazardous \_\_\_\_\_ you \_\_\_\_\_?  
 \_\_\_\_\_ before they \_\_\_\_\_ prescribed these drugs?  
 Have \_\_\_\_\_ been looked \_\_\_\_\_ the recommendation?  
 \_\_\_\_\_ hazardous \_\_\_\_\_ been reviewed \_\_\_\_\_ recommended?  
 \_\_\_\_\_ you thoroughly looked \_\_\_\_\_ when \_\_\_\_\_ these prescriptions?  
 \_\_\_\_\_ know the \_\_\_\_\_ of \_\_\_\_\_ specific medications together?  
 Have you \_\_\_\_\_ the possible \_\_\_\_\_ when \_\_\_\_\_ these prescriptions?  
 \_\_\_\_\_ the chance \_\_\_\_\_ hazardous contraindications \_\_\_\_\_ combo?  
 \_\_\_\_\_ it true \_\_\_\_\_ considered \_\_\_\_\_ the risks before \_\_\_\_\_ medications?  
 \_\_\_\_\_ dangerous contraindication \_\_\_\_\_ account?  
 \_\_\_\_\_ the steps have been \_\_\_\_\_ are dangerous constraints \_\_\_\_\_ providing \_\_\_\_\_ designated medicines \_\_\_\_\_?  
 Do \_\_\_\_\_ dangerous contraindications when you prescribe these \_\_\_\_\_?  
 Do \_\_\_\_\_ potentially dangerous contraindications into account when you \_\_\_\_\_?  
 \_\_\_\_\_ order to suggest \_\_\_\_\_ of \_\_\_\_\_ pharmaceuticals as \_\_\_\_\_ they thoroughly examine and \_\_\_\_\_ unsafe \_\_\_\_\_?  
 Have you \_\_\_\_\_ factors when writing these \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ harmful side \_\_\_\_\_ combination of drugs?  
 Have \_\_\_\_\_ precautions \_\_\_\_\_ taken to make \_\_\_\_\_ that \_\_\_\_\_ pharmaceuticals \_\_\_\_\_?  
 \_\_\_\_\_ effects have been \_\_\_\_\_ being recommended?  
 \_\_\_\_\_ may \_\_\_\_\_ from \_\_\_\_\_ these drugs in \_\_\_\_\_.  
 Is it \_\_\_\_\_ that \_\_\_\_\_ considered all \_\_\_\_\_ risks \_\_\_\_\_ drugs?  
 \_\_\_\_\_ the medication combination been \_\_\_\_\_?  
 When co-prescribing \_\_\_\_\_ drugs, \_\_\_\_\_ there \_\_\_\_\_ dangers?  
 Is there consideration \_\_\_\_\_ potential \_\_\_\_\_ drugs?  
 \_\_\_\_\_ been \_\_\_\_\_ to \_\_\_\_\_ these \_\_\_\_\_ are prescribed in a safe way?  
 \_\_\_\_\_ possible dangers of this \_\_\_\_\_ have \_\_\_\_\_ over?  
 Did all \_\_\_\_\_ before the drugs \_\_\_\_\_?  
 Have \_\_\_\_\_ considered \_\_\_\_\_ harmful \_\_\_\_\_ using this \_\_\_\_\_ of drugs?  
 \_\_\_\_\_ the contraindications \_\_\_\_\_ the use \_\_\_\_\_ drugs?

What about \_\_\_\_\_ contraindications \_\_\_\_\_ prescription?  
\_\_\_\_\_ they \_\_\_\_\_ out \_\_\_\_\_ harmful \_\_\_\_\_ before giving this \_\_\_\_\_ medicines?  
Did they \_\_\_\_\_ before taking these \_\_\_\_\_?  
Did they thoroughly examine \_\_\_\_\_ effects \_\_\_\_\_ to \_\_\_\_\_ both pharmaceuticals?  
Is due \_\_\_\_\_ to the \_\_\_\_\_ co-prescribing \_\_\_\_\_ drugs?  
Is the potential \_\_\_\_\_ of \_\_\_\_\_ thoroughly examined?  
Do \_\_\_\_\_ know \_\_\_\_\_ are dangers \_\_\_\_\_ designated medicines simultaneously?  
\_\_\_\_\_ of \_\_\_\_\_ potential risks \_\_\_\_\_ when combining these \_\_\_\_\_?  
Do \_\_\_\_\_ all the \_\_\_\_\_ dangerous \_\_\_\_\_ writing these \_\_\_\_\_ together?  
\_\_\_\_\_ know if they \_\_\_\_\_ hazardous \_\_\_\_\_ them both?  
Is \_\_\_\_\_ safe \_\_\_\_\_ this \_\_\_\_\_ set \_\_\_\_\_ drugs together?  
\_\_\_\_\_ these \_\_\_\_\_ was there consideration \_\_\_\_\_ to \_\_\_\_\_ risks?  
\_\_\_\_\_ properly evaluated when \_\_\_\_\_ the specific medications \_\_\_\_\_?  
I \_\_\_\_\_ if they've addressed any \_\_\_\_\_ risky \_\_\_\_\_ with \_\_\_\_\_ medicines.  
Is all the risks \_\_\_\_\_ are \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ examine possible hazardous \_\_\_\_\_ writing \_\_\_\_\_ medications?  
\_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ this prescription?  
\_\_\_\_\_ appropriate \_\_\_\_\_ taken \_\_\_\_\_ make sure these \_\_\_\_\_ are not \_\_\_\_\_?  
Do you \_\_\_\_\_ examine possible \_\_\_\_\_ prescribe \_\_\_\_\_ drugs?  
\_\_\_\_\_ to \_\_\_\_\_ evaluate \_\_\_\_\_ when administering \_\_\_\_\_ medications together.  
\_\_\_\_\_ you \_\_\_\_\_ any possible harmful side \_\_\_\_\_?  
Was \_\_\_\_\_ possible for \_\_\_\_\_ contraindications to \_\_\_\_\_ examined \_\_\_\_\_ of \_\_\_\_\_ drugs?  
\_\_\_\_\_ all possible \_\_\_\_\_ at before \_\_\_\_\_ of \_\_\_\_\_ drugs?  
\_\_\_\_\_ potential \_\_\_\_\_ adequately reviewed before \_\_\_\_\_ recommended?  
\_\_\_\_\_ the \_\_\_\_\_ adequately reviewed before these \_\_\_\_\_ are \_\_\_\_\_?  
Do \_\_\_\_\_ take into \_\_\_\_\_ effects of taking \_\_\_\_\_ medicines \_\_\_\_\_ cocktail?  
All potential \_\_\_\_\_ should be \_\_\_\_\_ being administered \_\_\_\_\_.  
Do \_\_\_\_\_ potentially \_\_\_\_\_ contraindications have \_\_\_\_\_ considered \_\_\_\_\_ you prescribe \_\_\_\_\_?  
I \_\_\_\_\_ considered the risks before \_\_\_\_\_ these \_\_\_\_\_.  
Do you \_\_\_\_\_ all \_\_\_\_\_ contraindications \_\_\_\_\_ be considered when \_\_\_\_\_ these \_\_\_\_\_?  
Did they check out any \_\_\_\_\_ before \_\_\_\_\_ combo \_\_\_\_\_?  
Did they thoroughly examine and \_\_\_\_\_ any \_\_\_\_\_ effects \_\_\_\_\_ to suggesting \_\_\_\_\_ both \_\_\_\_\_?  
Have \_\_\_\_\_ been evaluated for this medication \_\_\_\_\_?  
Have \_\_\_\_\_ potentially \_\_\_\_\_ contraindications \_\_\_\_\_ considered before using \_\_\_\_\_?  
They \_\_\_\_\_ to \_\_\_\_\_ any \_\_\_\_\_ interactions \_\_\_\_\_ they \_\_\_\_\_ this \_\_\_\_\_ of \_\_\_\_\_.  
\_\_\_\_\_ think about all potentially \_\_\_\_\_ contraindications \_\_\_\_\_ meds?  
\_\_\_\_\_ hazardous \_\_\_\_\_ for this combo of \_\_\_\_\_?  
Do \_\_\_\_\_ all the \_\_\_\_\_ these \_\_\_\_\_ into account?  
Were \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ use of \_\_\_\_\_?  
\_\_\_\_\_ anyone \_\_\_\_\_ about the dangers \_\_\_\_\_ to \_\_\_\_\_ meds?  
\_\_\_\_\_ of both \_\_\_\_\_ a unit, were they aware \_\_\_\_\_ effects?  
\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ contraindications when ordering \_\_\_\_\_ drugs?  
Have \_\_\_\_\_ fact \_\_\_\_\_ all \_\_\_\_\_ drugs together might \_\_\_\_\_ bad for \_\_\_\_\_ well-being?  
Did they \_\_\_\_\_ interactions before \_\_\_\_\_ this combination \_\_\_\_\_ medicines?  
Do \_\_\_\_\_ have any hazardous contraindications \_\_\_\_\_?  
There are contraindications \_\_\_\_\_ before co-prescribing \_\_\_\_\_.  
\_\_\_\_\_ all \_\_\_\_\_ reviewed before \_\_\_\_\_ drugs?  
\_\_\_\_\_ of \_\_\_\_\_ considered \_\_\_\_\_ the combo?  
\_\_\_\_\_ the potential \_\_\_\_\_ adequately \_\_\_\_\_ these \_\_\_\_\_ were written?  
\_\_\_\_\_ you \_\_\_\_\_ are \_\_\_\_\_ dangerous contraindications before \_\_\_\_\_ prescribe them?

\_\_\_\_\_ you take into account the potential harmful side \_\_\_\_\_?

\_\_\_\_\_ aware \_\_\_\_\_ handing over this \_\_\_\_\_ that \_\_\_\_\_ could go \_\_\_\_\_ me?

Did the potential \_\_\_\_\_ of \_\_\_\_\_ these \_\_\_\_\_ properly \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for this set of \_\_\_\_\_ to \_\_\_\_\_ dangers examined \_\_\_\_\_ are \_\_\_\_\_?

I \_\_\_\_\_ y'all thought about any \_\_\_\_\_ you prescribed \_\_\_\_\_.

\_\_\_\_\_ possibly dangerous contraindications \_\_\_\_\_ account \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ all potentially \_\_\_\_\_ when \_\_\_\_\_ write \_\_\_\_\_ prescriptions?

Is \_\_\_\_\_ contraindications reviewed \_\_\_\_\_ prescribed these \_\_\_\_\_?

\_\_\_\_\_ have looked at and acknowledged \_\_\_\_\_ before suggesting \_\_\_\_\_ of both pharmaceuticals \_\_\_\_\_.

Do you \_\_\_\_\_ all the \_\_\_\_\_?

Do all contraindications \_\_\_\_\_ reviewed before \_\_\_\_\_ pharmaceuticals?

\_\_\_\_\_ possible contraindications examined before using \_\_\_\_\_?

Potential dangers \_\_\_\_\_ drugs \_\_\_\_\_ combination have \_\_\_\_\_ considered.

\_\_\_\_\_ help determine \_\_\_\_\_ of combining these prescriptions?

I wonder if \_\_\_\_\_ considered the \_\_\_\_\_ putting \_\_\_\_\_.

\_\_\_\_\_ to properly evaluate \_\_\_\_\_ risks \_\_\_\_\_ administering \_\_\_\_\_ medications?

I want \_\_\_\_\_ know if anyone considered \_\_\_\_\_ combining \_\_\_\_\_.

\_\_\_\_\_ all \_\_\_\_\_ potentially \_\_\_\_\_ contraindications considered before \_\_\_\_\_ prescribe \_\_\_\_\_ drugs \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ dangers \_\_\_\_\_ recommending \_\_\_\_\_ particular \_\_\_\_\_ of drugs have been \_\_\_\_\_ examined?

\_\_\_\_\_ using \_\_\_\_\_ combination of \_\_\_\_\_ they \_\_\_\_\_ harmful interactions?

Can \_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ addressed \_\_\_\_\_ of these medicines?

\_\_\_\_\_ thoroughly examine and acknowledge \_\_\_\_\_ suggesting \_\_\_\_\_ of both \_\_\_\_\_ a unit?