

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Electricity Suppliers
Inquiry Category	Electrical safety guidelines and precautions
Inquiry Sub-Category	General electrical safety precautions
Description	Customers ask for general safety guidelines, such as preventing electrical shocks, fires, and accidents, by providing information on proper usage of electrical appliances, avoiding overloading circuits, ensuring proper grounding, and practicing safe habits when using electricity.
Data Size	5,529 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

Is it necessary \_\_\_\_\_ unused devices/appliances \_\_\_\_\_ general safety \_\_\_\_\_ Electricity \_\_\_\_\_?

Should \_\_\_\_\_ follow \_\_\_\_\_ Electricity \_\_\_\_\_ power from \_\_\_\_\_ appliances for broader security \_\_\_\_\_ nationwide?

Electricity suppliers may suggest we \_\_\_\_\_ inactive \_\_\_\_\_ purposes.

Do unused \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ frequently \_\_\_\_\_?

Have \_\_\_\_\_ been \_\_\_\_\_ to recommend regular \_\_\_\_\_?

\_\_\_\_\_ Electricity \_\_\_\_\_ suggesting \_\_\_\_\_ unplugged \_\_\_\_\_ gadgets \_\_\_\_\_ machines for general safety \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ according to safety suggestions from \_\_\_\_\_ companies?

\_\_\_\_\_ that one \_\_\_\_\_ unplugged household \_\_\_\_\_ for general \_\_\_\_\_ reasons.

\_\_\_\_\_ electricity suppliers \_\_\_\_\_ when it comes to \_\_\_\_\_ devices?

\_\_\_\_\_ utility providers, \_\_\_\_\_ all household \_\_\_\_\_ unplugged \_\_\_\_\_ general safety?

\_\_\_\_\_ the power companies' \_\_\_\_\_ should \_\_\_\_\_ electronics \_\_\_\_\_ safety reasons?

\_\_\_\_\_ suppliers may \_\_\_\_\_ of unused \_\_\_\_\_.

Is \_\_\_\_\_ that Electricity Suppliers \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ to \_\_\_\_\_ home \_\_\_\_\_?

Is \_\_\_\_\_ important \_\_\_\_\_ safety that we unplug \_\_\_\_\_ they \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ a must \_\_\_\_\_ for general well-being?

\_\_\_\_\_ it \_\_\_\_\_ to remove devices \_\_\_\_\_ not used \_\_\_\_\_ per \_\_\_\_\_?

\_\_\_\_\_ that general safety \_\_\_\_\_ be \_\_\_\_\_ regularly unplugging unused equipment.

Is it correct for electricity \_\_\_\_\_ disconnections?

\_\_\_\_\_ want to regularly unplugged \_\_\_\_\_ to \_\_\_\_\_ safety.

\_\_\_\_\_ electricity companies \_\_\_\_\_ the regular \_\_\_\_\_ disconnection?

Electricity \_\_\_\_\_ suggest that \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ reasons.

Is it \_\_\_\_\_ consistently remove \_\_\_\_\_ idling \_\_\_\_\_ overall safety according to \_\_\_\_\_ electric company's advice?

\_\_\_\_\_ disconnected frequently in order \_\_\_\_\_ ensure general \_\_\_\_\_?

Are \_\_\_\_\_ that we take \_\_\_\_\_ inactive \_\_\_\_\_ machines?

According \_\_\_\_\_ electric company's advice, \_\_\_\_\_ necessary \_\_\_\_\_ remove \_\_\_\_\_ idling devices.

Electricity Suppliers \_\_\_\_\_ asked if \_\_\_\_\_ safety can \_\_\_\_\_ by \_\_\_\_\_ equipment.

\_\_\_\_\_ recommend that \_\_\_\_\_ are unplugged for general \_\_\_\_\_.

It \_\_\_\_\_ stated \_\_\_\_\_ that unused appliances \_\_\_\_\_ be disconnected.  
 Is \_\_\_\_\_ to disconnected \_\_\_\_\_ electronics \_\_\_\_\_ safety reasons?  
 Are \_\_\_\_\_ companies right in \_\_\_\_\_ disconnections?  
 \_\_\_\_\_ by power providers, \_\_\_\_\_ gadgets be \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ by \_\_\_\_\_ providers that \_\_\_\_\_ gadgets be \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ Suppliers recommend \_\_\_\_\_ the \_\_\_\_\_ appliances \_\_\_\_\_ unplugged?  
 Do \_\_\_\_\_ appliance disconnections?  
 Do we have to \_\_\_\_\_ electrical \_\_\_\_\_ safety?  
 \_\_\_\_\_ unplugged \_\_\_\_\_ according to \_\_\_\_\_ safety suggestions?  
 \_\_\_\_\_ by power providers, \_\_\_\_\_ always unplugged unused \_\_\_\_\_?  
 \_\_\_\_\_ Suppliers have \_\_\_\_\_ that \_\_\_\_\_ to frequentlyDisconnect \_\_\_\_\_ appliances.  
 \_\_\_\_\_ that unused appliances be \_\_\_\_\_.  
 Is \_\_\_\_\_ suggesting \_\_\_\_\_ inactive machines \_\_\_\_\_ safety purposes?  
 \_\_\_\_\_ true \_\_\_\_\_ electricity companies \_\_\_\_\_ regular \_\_\_\_\_ disconnections \_\_\_\_\_ increased safety?  
 According \_\_\_\_\_ household \_\_\_\_\_ unplugged for general safety purposes.  
 \_\_\_\_\_ it \_\_\_\_\_ requirement to unplugged \_\_\_\_\_ devices \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to periodic disconnection as \_\_\_\_\_ measure?  
 \_\_\_\_\_ recommend that dormant \_\_\_\_\_ be unplugged?  
 Electricity \_\_\_\_\_ say that \_\_\_\_\_ safety \_\_\_\_\_ to turn \_\_\_\_\_ idling devices.  
 According to \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ remove plug from \_\_\_\_\_ that \_\_\_\_\_ not running.  
 \_\_\_\_\_ it necessary \_\_\_\_\_ unused \_\_\_\_\_ to \_\_\_\_\_ for general \_\_\_\_\_?  
 \_\_\_\_\_ we follow Energy Supply's recommendation \_\_\_\_\_ frequently \_\_\_\_\_?  
 It is \_\_\_\_\_ by \_\_\_\_\_ that unused \_\_\_\_\_ disconnected.  
 Electricity \_\_\_\_\_ the frequent disconnection \_\_\_\_\_ unused appliances for \_\_\_\_\_.  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ stated that general \_\_\_\_\_ can \_\_\_\_\_ ensured by \_\_\_\_\_ equipment.  
 \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ machines for safety purposes?  
 Do \_\_\_\_\_ that electrical \_\_\_\_\_ be \_\_\_\_\_?  
 According \_\_\_\_\_ electric \_\_\_\_\_ is necessary to remove plug \_\_\_\_\_ that \_\_\_\_\_ running.  
 Should \_\_\_\_\_ follow \_\_\_\_\_ Supply's recommendation \_\_\_\_\_ cutting \_\_\_\_\_ electrical \_\_\_\_\_?  
 Is \_\_\_\_\_ for electricity \_\_\_\_\_ to suggest \_\_\_\_\_ unused \_\_\_\_\_ disconnected?  
 Electricity \_\_\_\_\_ demand \_\_\_\_\_ appliances be \_\_\_\_\_ for safety \_\_\_\_\_.  
 \_\_\_\_\_ require that unused appliances \_\_\_\_\_ regularly?  
 \_\_\_\_\_ electricity \_\_\_\_\_ the frequent disconnection \_\_\_\_\_ for overall safety \_\_\_\_\_?  
 Does household safety include \_\_\_\_\_ on supplier \_\_\_\_\_?  
 As a precautionary \_\_\_\_\_ electrical \_\_\_\_\_ periodic \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ unused appliances \_\_\_\_\_?  
 \_\_\_\_\_ really necessary \_\_\_\_\_ unplugged \_\_\_\_\_ devices \_\_\_\_\_ safety?  
 \_\_\_\_\_ really recommend \_\_\_\_\_ down electrical \_\_\_\_\_ to improve \_\_\_\_\_ security?  
 \_\_\_\_\_ think \_\_\_\_\_ one should follow \_\_\_\_\_ and remove power from inactive \_\_\_\_\_?  
 Should electric companies \_\_\_\_\_ device \_\_\_\_\_ increased \_\_\_\_\_?  
 Is it true \_\_\_\_\_ electricity suppliers \_\_\_\_\_ to \_\_\_\_\_ security?  
 Is it \_\_\_\_\_ to frequently \_\_\_\_\_ unused appliances \_\_\_\_\_?  
 Does Electricity Suppliers \_\_\_\_\_ appliances \_\_\_\_\_ unplugged \_\_\_\_\_ order to \_\_\_\_\_ security?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ frequent unplugging for \_\_\_\_\_?  
 Is \_\_\_\_\_ on \_\_\_\_\_ for safety \_\_\_\_\_ a necessity?  
 \_\_\_\_\_ electric company, \_\_\_\_\_ remove plug from \_\_\_\_\_ in order to ensure our overall safety.  
 \_\_\_\_\_ one \_\_\_\_\_ the \_\_\_\_\_ Electricity \_\_\_\_\_ and \_\_\_\_\_ remove power \_\_\_\_\_ inactive appliances?  
 Do \_\_\_\_\_ abide \_\_\_\_\_ the \_\_\_\_\_ of Electricity \_\_\_\_\_ and \_\_\_\_\_ from inactive appliances?  
 Power companies say that \_\_\_\_\_ appliances \_\_\_\_\_ be \_\_\_\_\_ be \_\_\_\_\_.  
 Is \_\_\_\_\_ suggesting \_\_\_\_\_ machines \_\_\_\_\_ gadgets \_\_\_\_\_ general safety purposes?

Are \_\_\_\_\_ suggesting we \_\_\_\_\_ unplugged \_\_\_\_\_ general safety purposes?  
\_\_\_\_\_ companies \_\_\_\_\_ us to disconnected \_\_\_\_\_ appliances to \_\_\_\_\_.  
\_\_\_\_\_ Suppliers suggesting we unplugged inactive \_\_\_\_\_ machines for \_\_\_\_\_?  
\_\_\_\_\_ said \_\_\_\_\_ power \_\_\_\_\_ must be disconnected to be safe.  
\_\_\_\_\_ providers \_\_\_\_\_ items be unplugged \_\_\_\_\_ general safety.  
Electricity Suppliers want \_\_\_\_\_ equipment \_\_\_\_\_ make it \_\_\_\_\_.  
\_\_\_\_\_ electricity companies \_\_\_\_\_ suggest \_\_\_\_\_ disconnections?  
If \_\_\_\_\_ companies give general \_\_\_\_\_ is \_\_\_\_\_ unplug \_\_\_\_\_?  
Electricity suppliers recommend that \_\_\_\_\_ general safety.  
\_\_\_\_\_ recommend the unplugging \_\_\_\_\_ unused \_\_\_\_\_.  
Can \_\_\_\_\_ it's \_\_\_\_\_ for general \_\_\_\_\_ to \_\_\_\_\_ appliances when they're not \_\_\_\_\_?  
\_\_\_\_\_ Electricity Suppliers' suggestions, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ detach \_\_\_\_\_?  
\_\_\_\_\_ that \_\_\_\_\_ appliances should be disconnected to \_\_\_\_\_ sure \_\_\_\_\_ is \_\_\_\_\_.  
\_\_\_\_\_ it \_\_\_\_\_ devices to \_\_\_\_\_ unplugged for safety \_\_\_\_\_?  
Electricity suppliers suggest \_\_\_\_\_ disconnection of \_\_\_\_\_ for \_\_\_\_\_.  
\_\_\_\_\_ a routine unplugged \_\_\_\_\_ when \_\_\_\_\_ give safety \_\_\_\_\_?  
\_\_\_\_\_ it correct \_\_\_\_\_ electricity companies to \_\_\_\_\_ for increased \_\_\_\_\_?  
\_\_\_\_\_ state that it's a \_\_\_\_\_ practice \_\_\_\_\_ pull the plug \_\_\_\_\_ devices.  
\_\_\_\_\_ are \_\_\_\_\_ power companies that \_\_\_\_\_ remove unused \_\_\_\_\_.  
Is regular \_\_\_\_\_ of \_\_\_\_\_?  
According \_\_\_\_\_ the \_\_\_\_\_ company's advice, it's necessary to \_\_\_\_\_ from \_\_\_\_\_.  
Do \_\_\_\_\_ advise disconnection of \_\_\_\_\_ for safety \_\_\_\_\_?  
Electricity Suppliers \_\_\_\_\_ recommend that unused \_\_\_\_\_ general \_\_\_\_\_.  
\_\_\_\_\_ suppliers require the \_\_\_\_\_ of \_\_\_\_\_ appliances?  
Is \_\_\_\_\_ necessity \_\_\_\_\_ remove \_\_\_\_\_ for safety \_\_\_\_\_?  
Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ unused electrical equipment \_\_\_\_\_ overall \_\_\_\_\_.  
\_\_\_\_\_ it possible that electricity \_\_\_\_\_ regularly \_\_\_\_\_ appliances?  
\_\_\_\_\_ suppliers \_\_\_\_\_ proposed that \_\_\_\_\_ equipment should \_\_\_\_\_ regularly.  
\_\_\_\_\_ need to \_\_\_\_\_ the recommendation \_\_\_\_\_ Energy \_\_\_\_\_ on \_\_\_\_\_ electrical gadgets?  
It \_\_\_\_\_ stated by \_\_\_\_\_ companies \_\_\_\_\_ unused appliances need to \_\_\_\_\_.  
\_\_\_\_\_ to \_\_\_\_\_ electric company's \_\_\_\_\_ is it necessary \_\_\_\_\_ always \_\_\_\_\_ the \_\_\_\_\_ from \_\_\_\_\_?  
Is \_\_\_\_\_ necessary for \_\_\_\_\_ to \_\_\_\_\_ unplugged?  
\_\_\_\_\_ to \_\_\_\_\_ is recommended that \_\_\_\_\_ routinely \_\_\_\_\_ household items.  
Is \_\_\_\_\_ really \_\_\_\_\_ to shut down \_\_\_\_\_?  
Is it a \_\_\_\_\_ safety \_\_\_\_\_  
\_\_\_\_\_ guidelines \_\_\_\_\_ that it's a general \_\_\_\_\_ rid of \_\_\_\_\_ equipment.  
Are electricity \_\_\_\_\_ to \_\_\_\_\_ the disconnection \_\_\_\_\_ unused \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ we always \_\_\_\_\_ unused items \_\_\_\_\_ keep \_\_\_\_\_ safe?  
Electricity Suppliers recommend that \_\_\_\_\_ often \_\_\_\_\_ electrical \_\_\_\_\_ overall \_\_\_\_\_.  
Electricity Suppliers \_\_\_\_\_ that \_\_\_\_\_ equipment \_\_\_\_\_ be \_\_\_\_\_ general \_\_\_\_\_.  
\_\_\_\_\_ it \_\_\_\_\_ for electricity \_\_\_\_\_ regularly unplugging unused \_\_\_\_\_?  
\_\_\_\_\_ a \_\_\_\_\_ unplug necessary \_\_\_\_\_ general \_\_\_\_\_ suggestions \_\_\_\_\_ utility \_\_\_\_\_?  
Electricity \_\_\_\_\_ advise that \_\_\_\_\_ be unplugged \_\_\_\_\_ safety.  
It \_\_\_\_\_ said \_\_\_\_\_ companies that unused appliances should \_\_\_\_\_ be \_\_\_\_\_.  
\_\_\_\_\_ appliances \_\_\_\_\_ to \_\_\_\_\_ disconnected for \_\_\_\_\_?  
Electricity Suppliers suggest that \_\_\_\_\_ for overall safety.  
\_\_\_\_\_ are electricity companies \_\_\_\_\_ recommend regular \_\_\_\_\_ disconnections?  
\_\_\_\_\_ suppliers suggesting we regularly \_\_\_\_\_ inactive gadgets \_\_\_\_\_?  
\_\_\_\_\_ Electricity \_\_\_\_\_ we \_\_\_\_\_ rid \_\_\_\_\_ inactive \_\_\_\_\_ and \_\_\_\_\_ for safety reasons?  
Should \_\_\_\_\_ devices \_\_\_\_\_ unplugged \_\_\_\_\_ use \_\_\_\_\_ per supplier guidelines?

Is it \_\_\_\_\_ follow the advice \_\_\_\_\_ Suppliers and remove \_\_\_\_\_?

Electricity Suppliers \_\_\_\_\_ be \_\_\_\_\_ unplugged \_\_\_\_\_ general safety.

Do electricity \_\_\_\_\_ really \_\_\_\_\_ shutting down \_\_\_\_\_ improve home \_\_\_\_\_?

\_\_\_\_\_ true that electricity companies recommend \_\_\_\_\_ disconnection \_\_\_\_\_ safety?

The \_\_\_\_\_ that \_\_\_\_\_ general safety practice to \_\_\_\_\_ idling devices.

Should \_\_\_\_\_ the advice of Electricity Suppliers \_\_\_\_\_ remove \_\_\_\_\_ inactive \_\_\_\_\_ for \_\_\_\_\_ security \_\_\_\_\_?

Electricity \_\_\_\_\_ have proposed \_\_\_\_\_ to make it \_\_\_\_\_.

\_\_\_\_\_ a routine unplug \_\_\_\_\_ safety suggestions \_\_\_\_\_ utility \_\_\_\_\_?

Is Electricity Suppliers suggesting \_\_\_\_\_ gadgets \_\_\_\_\_ machines?

\_\_\_\_\_ it wise to follow \_\_\_\_\_ Electricity Suppliers and remove \_\_\_\_\_ security concerns nationwide?

\_\_\_\_\_ the electric company's advice, \_\_\_\_\_ is necessary \_\_\_\_\_ remove plug from \_\_\_\_\_ devices \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ recommended \_\_\_\_\_ household items be \_\_\_\_\_ for general \_\_\_\_\_ purposes.

It \_\_\_\_\_ possible that \_\_\_\_\_ suppliers \_\_\_\_\_ periodic \_\_\_\_\_ as a \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ necessity for \_\_\_\_\_ of \_\_\_\_\_ appliances?

\_\_\_\_\_ normal \_\_\_\_\_ devices \_\_\_\_\_ be unplugged \_\_\_\_\_ Electricity Suppliers' guidelines.

\_\_\_\_\_ we \_\_\_\_\_ to turn \_\_\_\_\_ appliances regularly?

\_\_\_\_\_ mandate periodic \_\_\_\_\_ a precautionary measure for \_\_\_\_\_.

\_\_\_\_\_ companies really recommend regular \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ suppliers suggest that \_\_\_\_\_ be \_\_\_\_\_.

Electricity \_\_\_\_\_ recommend that electrical appliances \_\_\_\_\_ unplugged \_\_\_\_\_.

Should \_\_\_\_\_ devices be \_\_\_\_\_ for \_\_\_\_\_?

Do we have \_\_\_\_\_ for safety?

\_\_\_\_\_ do \_\_\_\_\_ think \_\_\_\_\_ having to remove \_\_\_\_\_ cords \_\_\_\_\_ gadgets \_\_\_\_\_ aren't \_\_\_\_\_?

\_\_\_\_\_ advice, \_\_\_\_\_ necessary to consistently remove plugs from idling \_\_\_\_\_.

Does \_\_\_\_\_ to consistently detaching stagnant \_\_\_\_\_ supplier guidelines?

The power \_\_\_\_\_ advise us \_\_\_\_\_ gadgets \_\_\_\_\_.

\_\_\_\_\_ the electric \_\_\_\_\_ necessary \_\_\_\_\_ remove \_\_\_\_\_ devices in order to be safe.

\_\_\_\_\_ suppliers recommend \_\_\_\_\_ of \_\_\_\_\_.

Do electricity \_\_\_\_\_ unused \_\_\_\_\_ unplugged?

Electricity \_\_\_\_\_ recommend that \_\_\_\_\_ unplugged.

The \_\_\_\_\_ companies \_\_\_\_\_ regular \_\_\_\_\_ disconnections \_\_\_\_\_ safety.

\_\_\_\_\_ Suppliers suggesting that \_\_\_\_\_ unplugged \_\_\_\_\_ and gadgets \_\_\_\_\_ general safety \_\_\_\_\_?

\_\_\_\_\_ by \_\_\_\_\_ companies that \_\_\_\_\_ appliances \_\_\_\_\_ disconnected to be safe.

\_\_\_\_\_ electricity \_\_\_\_\_ require unplugging \_\_\_\_\_ unused \_\_\_\_\_ safety purposes?

\_\_\_\_\_ advisable to \_\_\_\_\_ for safety \_\_\_\_\_?

Are \_\_\_\_\_ to be removed as per \_\_\_\_\_?

Do \_\_\_\_\_ suppliers \_\_\_\_\_ electrical \_\_\_\_\_ unplugged to \_\_\_\_\_ home security?

\_\_\_\_\_ suggested that unused \_\_\_\_\_ be disconnected to ensure \_\_\_\_\_.

Is \_\_\_\_\_ necessary to frequently \_\_\_\_\_ Electricity \_\_\_\_\_ suggestions?

\_\_\_\_\_ possible to follow the \_\_\_\_\_ Supply to \_\_\_\_\_ disconnected electrical \_\_\_\_\_?

\_\_\_\_\_ Suppliers have suggested \_\_\_\_\_ be regularly unplugged.

\_\_\_\_\_ to recommendations \_\_\_\_\_ can \_\_\_\_\_ overall \_\_\_\_\_ by unplugging inactive devices?

Is \_\_\_\_\_ to \_\_\_\_\_ unused appliances frequently?

Electricity \_\_\_\_\_ recommend \_\_\_\_\_ unused devices/appliances \_\_\_\_\_ for general \_\_\_\_\_.

According to \_\_\_\_\_ electric company's \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ plug from \_\_\_\_\_?

\_\_\_\_\_ per \_\_\_\_\_ safety \_\_\_\_\_ companies, is a routine unplug \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ electric company, \_\_\_\_\_ need to \_\_\_\_\_ from idling \_\_\_\_\_ in \_\_\_\_\_ ensure safety.

\_\_\_\_\_ it recommended \_\_\_\_\_ electricity \_\_\_\_\_ unplugged unused \_\_\_\_\_?

\_\_\_\_\_ necessary for \_\_\_\_\_ unplugged per general \_\_\_\_\_ suggestions from \_\_\_\_\_?

Should \_\_\_\_\_ follow \_\_\_\_\_ Electricity Suppliers and \_\_\_\_\_ power from \_\_\_\_\_ broader \_\_\_\_\_ concerns across \_\_\_\_\_ country?

\_\_\_\_\_ power providers \_\_\_\_\_ unused gadgets often.

If \_\_\_\_\_ electric company's advice \_\_\_\_\_ consistently \_\_\_\_\_ idling \_\_\_\_\_ is it \_\_\_\_\_?

According to \_\_\_\_\_ electric company's advice, \_\_\_\_\_ necessary \_\_\_\_\_ continually \_\_\_\_\_ from idling \_\_\_\_\_?

\_\_\_\_\_ suppliers may be right \_\_\_\_\_ suggesting that \_\_\_\_\_ for safety \_\_\_\_\_.

Do \_\_\_\_\_ suppliers recommend \_\_\_\_\_ off \_\_\_\_\_?

As \_\_\_\_\_ Electricity \_\_\_\_\_ guidelines, is \_\_\_\_\_ a general safety \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ that power \_\_\_\_\_ from \_\_\_\_\_ appliances for \_\_\_\_\_ concerns.

\_\_\_\_\_ Suppliers' guidelines state \_\_\_\_\_ it's a general \_\_\_\_\_ to \_\_\_\_\_ plug \_\_\_\_\_ devices.

electrical \_\_\_\_\_ mandate \_\_\_\_\_ as a precautionary \_\_\_\_\_

\_\_\_\_\_ suppliers right \_\_\_\_\_ suggesting that \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ is a \_\_\_\_\_ on \_\_\_\_\_ suppliers \_\_\_\_\_ disconnection \_\_\_\_\_ a precautionary measure.

\_\_\_\_\_ Suppliers' guidelines state that it's a general \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_.

According \_\_\_\_\_ advice, it \_\_\_\_\_ necessary to \_\_\_\_\_ plugs \_\_\_\_\_ idling devices.

\_\_\_\_\_ one \_\_\_\_\_ the \_\_\_\_\_ Electricity \_\_\_\_\_ and \_\_\_\_\_ power from inactive appliances \_\_\_\_\_ wider \_\_\_\_\_ concerns?

\_\_\_\_\_ suggesting we unplugged \_\_\_\_\_ machines for safety \_\_\_\_\_?

Electricity Suppliers have \_\_\_\_\_ unused equipment to ensure \_\_\_\_\_.

\_\_\_\_\_ that we \_\_\_\_\_ disconnect \_\_\_\_\_ electrical equipment.

\_\_\_\_\_ have proposed \_\_\_\_\_ regularly \_\_\_\_\_ unused \_\_\_\_\_.

\_\_\_\_\_ to general safety \_\_\_\_\_ given \_\_\_\_\_ companies, is \_\_\_\_\_ unplugged?

\_\_\_\_\_ it necessary to \_\_\_\_\_ in order \_\_\_\_\_ be \_\_\_\_\_?

Is \_\_\_\_\_ suggesting \_\_\_\_\_ regularly unplugged \_\_\_\_\_ for \_\_\_\_\_ reasons?

\_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ unused appliances \_\_\_\_\_ safety purposes?

Electricity Suppliers \_\_\_\_\_ require the \_\_\_\_\_ of \_\_\_\_\_.

Is it \_\_\_\_\_ by \_\_\_\_\_ unplugging unused \_\_\_\_\_?

\_\_\_\_\_ that unused devices/appliances \_\_\_\_\_ regularly.

How \_\_\_\_\_ suppliers \_\_\_\_\_ removing unused \_\_\_\_\_?

We \_\_\_\_\_ power \_\_\_\_\_ that \_\_\_\_\_ must \_\_\_\_\_ unused appliances.

Are electricity \_\_\_\_\_ correct \_\_\_\_\_ suggesting \_\_\_\_\_ be disconnected \_\_\_\_\_ safety \_\_\_\_\_?

\_\_\_\_\_ power companies' advice, is it \_\_\_\_\_ shut \_\_\_\_\_ inactive \_\_\_\_\_?

\_\_\_\_\_ it recommended that electricity \_\_\_\_\_ down unused \_\_\_\_\_?

\_\_\_\_\_ Electricity Suppliers to remove unused \_\_\_\_\_ safety reasons?

Is \_\_\_\_\_ suggesting \_\_\_\_\_ regularly \_\_\_\_\_ and machines for general \_\_\_\_\_ purposes?

Do \_\_\_\_\_ we should \_\_\_\_\_ recommendation \_\_\_\_\_ frequently disconnected \_\_\_\_\_ gadgets?

Should we \_\_\_\_\_ the advice \_\_\_\_\_ Electricity \_\_\_\_\_ the \_\_\_\_\_ from inactive \_\_\_\_\_?

\_\_\_\_\_ unused \_\_\_\_\_ be unplugged?

\_\_\_\_\_ companies \_\_\_\_\_ remove unused \_\_\_\_\_ just \_\_\_\_\_ be safe.

\_\_\_\_\_ to \_\_\_\_\_ company's advice, it \_\_\_\_\_ to \_\_\_\_\_ plug \_\_\_\_\_ idling devices \_\_\_\_\_.

Do electricity \_\_\_\_\_ appliance \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ important for \_\_\_\_\_ appliances unplugged \_\_\_\_\_ they're not being \_\_\_\_\_?

\_\_\_\_\_ the power companies \_\_\_\_\_ should regularly \_\_\_\_\_ unused appliances.

\_\_\_\_\_ normal for \_\_\_\_\_ be \_\_\_\_\_ as \_\_\_\_\_ Electricity Suppliers' guidelines?

\_\_\_\_\_ regular unplugging of unused devices for safety \_\_\_\_\_?

\_\_\_\_\_ electrical suppliers require \_\_\_\_\_ disconnection as a \_\_\_\_\_ measure \_\_\_\_\_?

\_\_\_\_\_ Electricity \_\_\_\_\_ suggesting we unplug \_\_\_\_\_ safety purposes?

\_\_\_\_\_ Suppliers' \_\_\_\_\_ it's a general \_\_\_\_\_ practice \_\_\_\_\_ off devices.

\_\_\_\_\_ to the electric company's advice, \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ idling \_\_\_\_\_.

Does Electricity Suppliers \_\_\_\_\_ appliances for safety \_\_\_\_\_?

\_\_\_\_\_ follow \_\_\_\_\_ from Energy Supply to regularly disconnected \_\_\_\_\_?

\_\_\_\_\_ electricity suppliers to \_\_\_\_\_ the \_\_\_\_\_ disconnection of \_\_\_\_\_ appliances?

\_\_\_\_\_ it \_\_\_\_\_ idea \_\_\_\_\_ follow \_\_\_\_\_ recommendation \_\_\_\_\_ Supply when disconnected electrical \_\_\_\_\_?

Electricity Suppliers' \_\_\_\_\_ that it's a general \_\_\_\_\_ the \_\_\_\_\_ unplugged.  
\_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_ utility providers, should there \_\_\_\_\_ routinely \_\_\_\_\_?  
\_\_\_\_\_ that unused \_\_\_\_\_ should be unplugged \_\_\_\_\_ safety \_\_\_\_\_.  
Is \_\_\_\_\_ that \_\_\_\_\_ that \_\_\_\_\_ be disconnected for increased \_\_\_\_\_?  
Is electricity companies \_\_\_\_\_ disconnections?  
Electricity \_\_\_\_\_ recommend \_\_\_\_\_ unused \_\_\_\_\_ for \_\_\_\_\_.  
As \_\_\_\_\_ the power \_\_\_\_\_ is it \_\_\_\_\_ inactive electronics?  
As \_\_\_\_\_ the \_\_\_\_\_ companies' advice, \_\_\_\_\_ necessary to \_\_\_\_\_ inactive \_\_\_\_\_?  
Electricity \_\_\_\_\_ propose \_\_\_\_\_ devices for safety \_\_\_\_\_.  
Is \_\_\_\_\_ suggesting that we remove inactive \_\_\_\_\_?  
Should \_\_\_\_\_ follow the \_\_\_\_\_ Suppliers and remove \_\_\_\_\_ power from \_\_\_\_\_?  
\_\_\_\_\_ for \_\_\_\_\_ appliances \_\_\_\_\_ be unplugged frequently?  
As per \_\_\_\_\_ it \_\_\_\_\_ to detach inactive \_\_\_\_\_?  
Is it \_\_\_\_\_ us that we \_\_\_\_\_ inactive \_\_\_\_\_?  
Utility providers \_\_\_\_\_ one routinely unplugged \_\_\_\_\_ for general \_\_\_\_\_.  
\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ remove \_\_\_\_\_ electrical equipment \_\_\_\_\_ safety?  
\_\_\_\_\_ is recommended \_\_\_\_\_ the utility \_\_\_\_\_ that \_\_\_\_\_ items \_\_\_\_\_ unplugged \_\_\_\_\_ safety \_\_\_\_\_.  
Is there a need to \_\_\_\_\_ according \_\_\_\_\_?  
If \_\_\_\_\_ advise us to remove \_\_\_\_\_ gadgets, \_\_\_\_\_?  
\_\_\_\_\_ suppliers \_\_\_\_\_ like to have \_\_\_\_\_ ensured \_\_\_\_\_ regularly \_\_\_\_\_ unused \_\_\_\_\_.  
I wonder \_\_\_\_\_ electrical \_\_\_\_\_ periodic \_\_\_\_\_ precautionary measure.  
\_\_\_\_\_ in \_\_\_\_\_ devices be unplugged \_\_\_\_\_ the supplier guidelines?  
Electricity Suppliers \_\_\_\_\_ frequently disconnect unused \_\_\_\_\_ for \_\_\_\_\_ reasons.  
\_\_\_\_\_ that unused devices \_\_\_\_\_ unplugged for safety \_\_\_\_\_.  
Electricity \_\_\_\_\_ recommend the Disconnect \_\_\_\_\_ electrical \_\_\_\_\_ safety  
\_\_\_\_\_ general safety can be ensured \_\_\_\_\_ regularly \_\_\_\_\_ unused equipment.  
Do unused devices need to \_\_\_\_\_ unplugged \_\_\_\_\_?  
\_\_\_\_\_ electricity companies \_\_\_\_\_ regular \_\_\_\_\_.  
\_\_\_\_\_ Suppliers' \_\_\_\_\_ state \_\_\_\_\_ it's a \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ not in use.  
Is \_\_\_\_\_ idea to follow \_\_\_\_\_ Energy \_\_\_\_\_ recommendation to \_\_\_\_\_ electrical \_\_\_\_\_?  
Should the \_\_\_\_\_ of \_\_\_\_\_ be suggested \_\_\_\_\_ electricity \_\_\_\_\_?  
\_\_\_\_\_ electricity \_\_\_\_\_ insist \_\_\_\_\_ unused appliances for safety \_\_\_\_\_?  
Electricity \_\_\_\_\_ may \_\_\_\_\_ that \_\_\_\_\_ unplugged \_\_\_\_\_ and machines for \_\_\_\_\_ safety \_\_\_\_\_.  
According \_\_\_\_\_ the recommendation \_\_\_\_\_ utility \_\_\_\_\_ should \_\_\_\_\_ items \_\_\_\_\_ unplugged?  
Is \_\_\_\_\_ possible \_\_\_\_\_ guarantee general \_\_\_\_\_ regularly unplugging \_\_\_\_\_?  
Are electricity \_\_\_\_\_ to recommend regular \_\_\_\_\_ safety?  
Electricity \_\_\_\_\_ we disconnected unused electrical equipment \_\_\_\_\_.  
Is \_\_\_\_\_ necessary to Disconnect \_\_\_\_\_ for \_\_\_\_\_  
\_\_\_\_\_ a routine unplugged \_\_\_\_\_ according to \_\_\_\_\_ by utility \_\_\_\_\_?  
\_\_\_\_\_ Energy Supply's \_\_\_\_\_ to frequently disconnected the \_\_\_\_\_ gadgets?  
Should used \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ electric company's advice, it is necessary \_\_\_\_\_ remove \_\_\_\_\_ from \_\_\_\_\_ idle \_\_\_\_\_.  
Should \_\_\_\_\_ the \_\_\_\_\_ recommendation and frequently \_\_\_\_\_ electrical \_\_\_\_\_?  
\_\_\_\_\_ suppliers may be \_\_\_\_\_ in suggesting \_\_\_\_\_ disconnection \_\_\_\_\_ appliances for \_\_\_\_\_.  
\_\_\_\_\_ unused devices \_\_\_\_\_ regularly \_\_\_\_\_ general \_\_\_\_\_?  
\_\_\_\_\_ to be disconnected for \_\_\_\_\_ is \_\_\_\_\_ a must?  
Is it \_\_\_\_\_ unused devices \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ safety?  
\_\_\_\_\_ necessary for electricity \_\_\_\_\_ to \_\_\_\_\_ remove unused \_\_\_\_\_ reasons?  
Can \_\_\_\_\_ me \_\_\_\_\_ it's \_\_\_\_\_ for general safety \_\_\_\_\_ when \_\_\_\_\_ aren't \_\_\_\_\_ used?  
\_\_\_\_\_ tell me if \_\_\_\_\_ important for general \_\_\_\_\_ that \_\_\_\_\_ don't plug appliances \_\_\_\_\_ used?

Is \_\_\_\_\_ necessity for \_\_\_\_\_ suppliers to \_\_\_\_\_ unused \_\_\_\_\_?

Is \_\_\_\_\_ necessary to cut \_\_\_\_\_ for \_\_\_\_\_ according to \_\_\_\_\_ companies?

\_\_\_\_\_ it \_\_\_\_\_ follow Energy \_\_\_\_\_ recommendation \_\_\_\_\_ frequently disconnected electrical \_\_\_\_\_?

The \_\_\_\_\_ might \_\_\_\_\_ disconnections \_\_\_\_\_ a precautionary measure.

\_\_\_\_\_ Suppliers suggest that \_\_\_\_\_ frequently \_\_\_\_\_ unused \_\_\_\_\_ equipment \_\_\_\_\_ reasons.

Do power \_\_\_\_\_ advise \_\_\_\_\_ unused \_\_\_\_\_?

\_\_\_\_\_ per \_\_\_\_\_ should idling devices be \_\_\_\_\_?

Electricity \_\_\_\_\_ the removal \_\_\_\_\_ for safety purposes.

\_\_\_\_\_ electrical \_\_\_\_\_ periodic disconnection \_\_\_\_\_ purposes?

\_\_\_\_\_ to \_\_\_\_\_ is it \_\_\_\_\_ to periodically remove \_\_\_\_\_ from \_\_\_\_\_ devices?

\_\_\_\_\_ suppliers \_\_\_\_\_ be \_\_\_\_\_ to suggest the \_\_\_\_\_ appliances for safety \_\_\_\_\_.

\_\_\_\_\_ per \_\_\_\_\_ Is it \_\_\_\_\_ general safety practice \_\_\_\_\_ idle devices?

\_\_\_\_\_ to unplug unused appliances?

\_\_\_\_\_ it \_\_\_\_\_ that we always \_\_\_\_\_ to make \_\_\_\_\_ safe?

According to recommendations \_\_\_\_\_ we increase overall \_\_\_\_\_ unplugging dormant \_\_\_\_\_?

Just to \_\_\_\_\_ regularly remove \_\_\_\_\_ appliances from \_\_\_\_\_ homes?

Power \_\_\_\_\_ us to \_\_\_\_\_ unused \_\_\_\_\_.

Power companies state that \_\_\_\_\_ should \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ Suppliers' guidelines \_\_\_\_\_ that \_\_\_\_\_ a \_\_\_\_\_ to get \_\_\_\_\_ of \_\_\_\_\_ devices.

Is \_\_\_\_\_ necessary to unplug \_\_\_\_\_ they're not being \_\_\_\_\_ following \_\_\_\_\_?

Is \_\_\_\_\_ Suppliers required \_\_\_\_\_ unused appliances for \_\_\_\_\_?

\_\_\_\_\_ that Electricity \_\_\_\_\_ recommend that \_\_\_\_\_ electrical appliances be \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ disconnected the appliances \_\_\_\_\_ safety \_\_\_\_\_?

Is it possible \_\_\_\_\_ devices \_\_\_\_\_ unplugged for \_\_\_\_\_?

Is \_\_\_\_\_ suggesting \_\_\_\_\_ take \_\_\_\_\_ gadgets \_\_\_\_\_ general safety purposes?

The \_\_\_\_\_ of \_\_\_\_\_ appliances \_\_\_\_\_ be suggested \_\_\_\_\_ electricity \_\_\_\_\_.

\_\_\_\_\_ electricity \_\_\_\_\_ correct \_\_\_\_\_ unused appliances \_\_\_\_\_ be disconnected?

\_\_\_\_\_ devices need \_\_\_\_\_ be unplugged \_\_\_\_\_ for \_\_\_\_\_ safety?

Do we \_\_\_\_\_ need \_\_\_\_\_ take \_\_\_\_\_ from \_\_\_\_\_ electronics?

Should \_\_\_\_\_ by the \_\_\_\_\_ Electricity \_\_\_\_\_ remove \_\_\_\_\_ from inactive appliances?

Do \_\_\_\_\_ Suppliers recommend \_\_\_\_\_ your \_\_\_\_\_ be \_\_\_\_\_?

Should \_\_\_\_\_ Energy \_\_\_\_\_ recommendation \_\_\_\_\_ frequently cut off electrical \_\_\_\_\_?

\_\_\_\_\_ one follow \_\_\_\_\_ advice of \_\_\_\_\_ Suppliers and \_\_\_\_\_ power \_\_\_\_\_ appliances \_\_\_\_\_ broader security \_\_\_\_\_?

Are \_\_\_\_\_ suppliers \_\_\_\_\_ to recommend \_\_\_\_\_ unused \_\_\_\_\_ disconnected?

Is \_\_\_\_\_ Suppliers \_\_\_\_\_ unplugged inactive \_\_\_\_\_?

\_\_\_\_\_ to the \_\_\_\_\_ company's \_\_\_\_\_ should \_\_\_\_\_ plug \_\_\_\_\_ idling devices?

\_\_\_\_\_ crucial \_\_\_\_\_ general \_\_\_\_\_ that appliances \_\_\_\_\_ unplugged when they're \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ for electricity suppliers to \_\_\_\_\_ unused devices \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ company's advice, \_\_\_\_\_ it \_\_\_\_\_ constantly remove \_\_\_\_\_ from \_\_\_\_\_ devices.

\_\_\_\_\_ suppliers \_\_\_\_\_ that I \_\_\_\_\_ to unplugged \_\_\_\_\_ safety reasons.

Are \_\_\_\_\_ correct in suggesting \_\_\_\_\_ appliances be \_\_\_\_\_ for \_\_\_\_\_ assurance?

\_\_\_\_\_ device \_\_\_\_\_ for increased safety

Is there \_\_\_\_\_ routine unplugged per \_\_\_\_\_ safety \_\_\_\_\_?

\_\_\_\_\_ it okay \_\_\_\_\_ suppliers \_\_\_\_\_ regularly unplugging unused \_\_\_\_\_?

\_\_\_\_\_ suggest that unused devices be unplugged \_\_\_\_\_.

Power providers \_\_\_\_\_ to \_\_\_\_\_ regularly.

\_\_\_\_\_ really need to \_\_\_\_\_ pull the \_\_\_\_\_ on devices \_\_\_\_\_?

\_\_\_\_\_ safety suggestions are \_\_\_\_\_ utility companies, is a \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ disengage \_\_\_\_\_ electronics for safety \_\_\_\_\_ companies?

\_\_\_\_\_ suggest to \_\_\_\_\_ disconnected \_\_\_\_\_ to \_\_\_\_\_ general safety.

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ \_\_\_\_ to ensure safety?  
 \_\_\_\_ electricity \_\_\_\_ right to \_\_\_\_ regular \_\_\_\_ unused appliances for safety \_\_\_\_?  
 Is it \_\_\_\_ to \_\_\_\_ a routine \_\_\_\_ suggestions from \_\_\_\_?  
 Electricity Suppliers recommend \_\_\_\_ disconnected \_\_\_\_ equipment \_\_\_\_ safety.  
 \_\_\_\_ to recommendations from \_\_\_\_ Companies, \_\_\_\_ we \_\_\_\_ overall \_\_\_\_ by removing \_\_\_\_?  
 It is recommended by \_\_\_\_ Suppliers for \_\_\_\_ devices \_\_\_\_\_.  
 The \_\_\_\_ companies have stated \_\_\_\_ should be \_\_\_\_.  
 Is \_\_\_\_ advisable to follow \_\_\_\_ from \_\_\_\_ Supply on \_\_\_\_ electrical \_\_\_\_?  
 Are \_\_\_\_ telling \_\_\_\_ inactive electronics?  
 Do Electricity \_\_\_\_ recommend \_\_\_\_ be unplugged \_\_\_\_ improve \_\_\_\_?  
 Is it \_\_\_\_ unplugged dormant devices \_\_\_\_?  
 \_\_\_\_ to the \_\_\_\_ is there \_\_\_\_ need \_\_\_\_ plugged-out \_\_\_\_?  
 Electricity Suppliers have \_\_\_\_ of \_\_\_\_ equipment in \_\_\_\_ general safety.  
 \_\_\_\_ it recommended that \_\_\_\_ unplug \_\_\_\_ devices \_\_\_\_?  
 Do electrical \_\_\_\_ require \_\_\_\_ as a \_\_\_\_ citizens?  
 Electricity \_\_\_\_ that appliances be \_\_\_\_ to \_\_\_\_ general \_\_\_\_.  
 The power \_\_\_\_ take \_\_\_\_ unused gadgets regularly.  
 \_\_\_\_ one comply with the \_\_\_\_ of Electricity \_\_\_\_ remove \_\_\_\_ inactive \_\_\_\_?  
 \_\_\_\_ it true that \_\_\_\_ electrical appliances be \_\_\_\_?  
 Electricity suppliers \_\_\_\_ unused \_\_\_\_ unplugged \_\_\_\_.  
 \_\_\_\_ Suppliers suggest \_\_\_\_ electrical equipment should \_\_\_\_ for \_\_\_\_.  
 Are \_\_\_\_ we unplug \_\_\_\_ gadgets and \_\_\_\_ for general safety \_\_\_\_?  
 \_\_\_\_ you think \_\_\_\_ always remember t'unhook \_\_\_\_ and \_\_\_\_?  
 The \_\_\_\_ recommend that \_\_\_\_ frequently \_\_\_\_ equipment \_\_\_\_ overall safety.  
 Electricity \_\_\_\_ devices be \_\_\_\_ for general safety.  
 \_\_\_\_ need \_\_\_\_ unplugged regularly?  
 Is it \_\_\_\_ suppliers \_\_\_\_ disconnection of \_\_\_\_ appliances for safety \_\_\_\_?  
 According to \_\_\_\_ company, \_\_\_\_ to consistently remove plug \_\_\_\_ idling \_\_\_\_ in order \_\_\_\_ our \_\_\_\_.  
 \_\_\_\_ electricity suppliers correct \_\_\_\_ suggesting the frequent \_\_\_\_ for overall \_\_\_\_?  
 \_\_\_\_ have suggested that unused \_\_\_\_ be \_\_\_\_ for \_\_\_\_ safety.  
 \_\_\_\_ that unused appliances \_\_\_\_ unplugged for \_\_\_\_ reasons.  
 Is it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ unused devices for \_\_\_\_ concerns?  
 \_\_\_\_ for \_\_\_\_ companies \_\_\_\_ recommend \_\_\_\_ disconnection for safety reasons?  
 Electricity \_\_\_\_ unplugging \_\_\_\_ equipment.  
 Electricity Suppliers recommend that \_\_\_\_ be \_\_\_\_.  
 \_\_\_\_ Suppliers \_\_\_\_ the \_\_\_\_ of \_\_\_\_ electrical equipment \_\_\_\_ overall \_\_\_\_.  
 \_\_\_\_ necessary to unplug \_\_\_\_ often?  
 \_\_\_\_ Suppliers' guidelines \_\_\_\_ that it's a \_\_\_\_ safety \_\_\_\_ the devices out \_\_\_\_.  
 \_\_\_\_ with \_\_\_\_ advice of Electricity \_\_\_\_ consistently remove \_\_\_\_ from \_\_\_\_ appliances?  
 \_\_\_\_ obey \_\_\_\_ advice of Electricity Suppliers \_\_\_\_ remove power from \_\_\_\_?  
 \_\_\_\_ Suppliers \_\_\_\_ unused \_\_\_\_ should \_\_\_\_ disconnected \_\_\_\_ to ensure safety.  
 \_\_\_\_ suppliers \_\_\_\_ unused appliances be disconnected for \_\_\_\_.  
 Power \_\_\_\_ to \_\_\_\_ unused appliances \_\_\_\_ to \_\_\_\_ safe.  
 \_\_\_\_ unused \_\_\_\_ frequent \_\_\_\_ to be \_\_\_\_?  
 \_\_\_\_ unplugged \_\_\_\_ to general \_\_\_\_ from utility companies?  
 \_\_\_\_ electric \_\_\_\_ is that \_\_\_\_ is \_\_\_\_ consistently remove plug from \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ electronics for \_\_\_\_ reasons?  
 Is \_\_\_\_ for \_\_\_\_ companies \_\_\_\_ recommend frequent device \_\_\_\_?  
 Electricity \_\_\_\_ propose \_\_\_\_ unplugging \_\_\_\_ can general \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ Suppliers \_\_\_\_ we \_\_\_\_ unplugged inactive gadgets \_\_\_\_ general \_\_\_\_ purposes?



Is it \_\_\_\_ that Electricity \_\_\_\_ recommend that \_\_\_\_ turned \_\_\_\_?

Is \_\_\_\_ we \_\_\_\_ disconnected \_\_\_\_ appliances just to be \_\_\_\_?

\_\_\_\_ companies recommend \_\_\_\_ devices be disconnected \_\_\_\_.

Is \_\_\_\_ to improve \_\_\_\_ safety \_\_\_\_ shutting \_\_\_\_ devices according \_\_\_\_ from Electric \_\_\_\_?

\_\_\_\_ been \_\_\_\_ power companies that we should remove \_\_\_\_.

\_\_\_\_ necessary to \_\_\_\_ unused stuff \_\_\_\_ keep \_\_\_\_ safe?

Do electricity \_\_\_\_ recommend \_\_\_\_ electrical \_\_\_\_ home \_\_\_\_?

\_\_\_\_ are unused \_\_\_\_ suppliers recommend \_\_\_\_ disconnected.

Electricity \_\_\_\_ guidelines \_\_\_\_ that \_\_\_\_ is \_\_\_\_ safety practice \_\_\_\_ remove devices \_\_\_\_.

We \_\_\_\_ told by power companies \_\_\_\_ should \_\_\_\_ unused \_\_\_\_.

\_\_\_\_ it \_\_\_\_ electricity suppliers \_\_\_\_ unused \_\_\_\_ for safety reasons?

Do \_\_\_\_ Suppliers \_\_\_\_ that electrical appliances be \_\_\_\_ maximize \_\_\_\_?

\_\_\_\_ Suppliers \_\_\_\_ suggested \_\_\_\_ we disconnected \_\_\_\_ electrical equipment \_\_\_\_ overall \_\_\_\_.

We have been \_\_\_\_ by power \_\_\_\_ that \_\_\_\_ must \_\_\_\_.

\_\_\_\_ disconnection \_\_\_\_ by electricity suppliers.

\_\_\_\_ providers \_\_\_\_ unused gadgets should \_\_\_\_.

\_\_\_\_ unplugged necessary \_\_\_\_ general safety \_\_\_\_?

\_\_\_\_ for \_\_\_\_ to be unplugged as \_\_\_\_ guidelines from \_\_\_\_ Suppliers?

Do electricity \_\_\_\_ right \_\_\_\_ suggest the frequent \_\_\_\_ appliances?

Is it \_\_\_\_ by electricity \_\_\_\_ to \_\_\_\_ unused \_\_\_\_?

\_\_\_\_ we \_\_\_\_ Supply's recommendation \_\_\_\_ shut down electrical \_\_\_\_?

Is electricity \_\_\_\_ right \_\_\_\_ suggesting the \_\_\_\_ appliances?

Electricity \_\_\_\_ recommend \_\_\_\_ devices be unplugged frequently \_\_\_\_.

Is it \_\_\_\_ that electricity suppliers \_\_\_\_ appliances \_\_\_\_ security?

Does \_\_\_\_ Suppliers \_\_\_\_ electrical appliances be unplugged \_\_\_\_ security?

Is it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ unplugged regularly \_\_\_\_?

According \_\_\_\_ from Electric Companies, \_\_\_\_ we \_\_\_\_ overall safety by \_\_\_\_?

\_\_\_\_ it okay for electricity \_\_\_\_ to \_\_\_\_ frequent \_\_\_\_ of \_\_\_\_?

\_\_\_\_ there a \_\_\_\_ for regular \_\_\_\_ unused \_\_\_\_?

Electricity \_\_\_\_ that \_\_\_\_ appliances be \_\_\_\_ to make \_\_\_\_ are safe.

It \_\_\_\_ by \_\_\_\_ that unused appliances \_\_\_\_ unplugged.

Electricity \_\_\_\_ have suggested \_\_\_\_ unused equipment \_\_\_\_ general \_\_\_\_.

\_\_\_\_ think \_\_\_\_ the \_\_\_\_ of Electricity Suppliers and remove power \_\_\_\_ appliances?

Electricity Suppliers \_\_\_\_ that unused \_\_\_\_ be \_\_\_\_ safety.

\_\_\_\_ items \_\_\_\_ unplugged for \_\_\_\_ safety \_\_\_\_ according to \_\_\_\_ of utilities?

\_\_\_\_ with the recommendation from Energy Supply \_\_\_\_ disconnected \_\_\_\_?

Is the \_\_\_\_ electricity \_\_\_\_ for regular \_\_\_\_ disconnections \_\_\_\_?

Electricity \_\_\_\_ may recommend \_\_\_\_ unplugged regularly.

Do electricity \_\_\_\_ require \_\_\_\_ of unused \_\_\_\_ for \_\_\_\_?

Should \_\_\_\_ obey the \_\_\_\_ Suppliers \_\_\_\_ from inactive appliances for broader \_\_\_\_ concerns nationwide?

According \_\_\_\_ the electric company, it \_\_\_\_ to remove \_\_\_\_.

Is it necessary for unused \_\_\_\_ frequently \_\_\_\_?

Electricity \_\_\_\_ recommend that \_\_\_\_ unplugged to improve \_\_\_\_.

\_\_\_\_ we have to \_\_\_\_ disconnected \_\_\_\_ be safe?

\_\_\_\_ to remove appliances \_\_\_\_ safety \_\_\_\_?

According \_\_\_\_ the recommendation \_\_\_\_ utility providers, \_\_\_\_ routinely \_\_\_\_ items?

Can \_\_\_\_ tell \_\_\_\_ if \_\_\_\_ for general \_\_\_\_ to remove \_\_\_\_ not being \_\_\_\_?

\_\_\_\_ do electricity \_\_\_\_ recommend \_\_\_\_ appliances?

Is \_\_\_\_ important \_\_\_\_ safety \_\_\_\_ unplug appliances when \_\_\_\_ not \_\_\_\_?

\_\_\_\_ safe for unused \_\_\_\_ to \_\_\_\_ unplugged \_\_\_\_?

Are Electricity \_\_\_\_\_ we \_\_\_\_\_ inactive \_\_\_\_\_ for safety reasons?

\_\_\_\_\_ do \_\_\_\_\_ devices need frequent \_\_\_\_\_?

Is \_\_\_\_\_ routine \_\_\_\_\_ per \_\_\_\_\_ suggestions?

\_\_\_\_\_ have suggested \_\_\_\_\_ unused \_\_\_\_\_ be \_\_\_\_\_ unplugged.

\_\_\_\_\_ know \_\_\_\_\_ I need to unplugged \_\_\_\_\_ reasons, \_\_\_\_\_ the power companies \_\_\_\_\_.

\_\_\_\_\_ required that \_\_\_\_\_ be \_\_\_\_\_ for safety?

How about regular \_\_\_\_\_ of \_\_\_\_\_ reasons?

Electricity suppliers \_\_\_\_\_ unused devices for \_\_\_\_\_ reasons.

Electricity \_\_\_\_\_ that \_\_\_\_\_ is \_\_\_\_\_ to frequently disconnect \_\_\_\_\_.

\_\_\_\_\_ general safety suggestions, \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ electricity \_\_\_\_\_ unplugged appliances \_\_\_\_\_ safety purposes?

Electricity suppliers \_\_\_\_\_ require that unused appliances \_\_\_\_\_.

\_\_\_\_\_ electricity suppliers correct \_\_\_\_\_ suggesting the disconnection \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ suppliers to empty \_\_\_\_\_ appliances \_\_\_\_\_ reasons?

\_\_\_\_\_ toDisconnect unused appliances \_\_\_\_\_ general \_\_\_\_\_?

Power companies say that \_\_\_\_\_ appliances \_\_\_\_\_ be \_\_\_\_\_ just \_\_\_\_\_.

Electricity \_\_\_\_\_ suggest \_\_\_\_\_ unused \_\_\_\_\_ be \_\_\_\_\_ ensure safety.

Do \_\_\_\_\_ detach stagnant electrical \_\_\_\_\_ on \_\_\_\_\_ guidelines?

\_\_\_\_\_ the electric company, \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ from \_\_\_\_\_ devices.

Does \_\_\_\_\_ regularly shutting \_\_\_\_\_ unused \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ are telling \_\_\_\_\_ to \_\_\_\_\_ inactive \_\_\_\_\_?

\_\_\_\_\_ guidelines \_\_\_\_\_ that it's a \_\_\_\_\_ practice \_\_\_\_\_ pull \_\_\_\_\_ plug \_\_\_\_\_ devices.

\_\_\_\_\_ to utility providers, \_\_\_\_\_ household \_\_\_\_\_ be \_\_\_\_\_ unplugged for \_\_\_\_\_?

Should we \_\_\_\_\_ advice from Energy \_\_\_\_\_ to \_\_\_\_\_ disconnected \_\_\_\_\_?

Is it \_\_\_\_\_ remove plugged-out \_\_\_\_\_ guidelines?

How \_\_\_\_\_ should \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ that the electrical \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ Suppliers have \_\_\_\_\_ unused electrical \_\_\_\_\_ be disconnected for \_\_\_\_\_.

Electricity suppliers \_\_\_\_\_ be unplugged regularly for \_\_\_\_\_.

Following Electricity \_\_\_\_\_ suggestions, is \_\_\_\_\_ disconnect unused \_\_\_\_\_?

\_\_\_\_\_ follow the \_\_\_\_\_ Electricity \_\_\_\_\_ and consistently \_\_\_\_\_ from inactive appliances for wider \_\_\_\_\_ concerns \_\_\_\_\_?

Power companies state \_\_\_\_\_ unused \_\_\_\_\_ every \_\_\_\_\_ and then.

Electricity Suppliers suggest \_\_\_\_\_ equipment be unplugged \_\_\_\_\_.

Electricity Suppliers suggest \_\_\_\_\_ unplugging \_\_\_\_\_ make \_\_\_\_\_ safe.

\_\_\_\_\_ want to \_\_\_\_\_ electrical suppliers mandate \_\_\_\_\_ precautionary measure.

\_\_\_\_\_ Suppliers' guidelines state that \_\_\_\_\_ general safety \_\_\_\_\_ shut \_\_\_\_\_ idle \_\_\_\_\_.

\_\_\_\_\_ household items be \_\_\_\_\_ general safety purposes \_\_\_\_\_ the \_\_\_\_\_ utility providers?

\_\_\_\_\_ per \_\_\_\_\_ Suppliers' guidelines, is it \_\_\_\_\_ general \_\_\_\_\_ to remove \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ the \_\_\_\_\_ Electricity Suppliers and remove \_\_\_\_\_ appliances \_\_\_\_\_ broader security \_\_\_\_\_.

\_\_\_\_\_ utility \_\_\_\_\_ should \_\_\_\_\_ be routinely unplugged \_\_\_\_\_ general safety \_\_\_\_\_.

\_\_\_\_\_ for \_\_\_\_\_ to suggest \_\_\_\_\_ disconnection of unused appliances?

\_\_\_\_\_ Electricity \_\_\_\_\_ really recommend \_\_\_\_\_ unplugging \_\_\_\_\_ appliances?

\_\_\_\_\_ recommend \_\_\_\_\_ unused appliances be \_\_\_\_\_

Shouldn't \_\_\_\_\_ be unplugged \_\_\_\_\_ safety purposes, according \_\_\_\_\_ providers?

\_\_\_\_\_ it appropriate to \_\_\_\_\_ advice of \_\_\_\_\_ Suppliers \_\_\_\_\_ consistently remove \_\_\_\_\_ appliances?

Do \_\_\_\_\_ think it \_\_\_\_\_ necessary \_\_\_\_\_ appliances \_\_\_\_\_ safety \_\_\_\_\_?

Is \_\_\_\_\_ for electricity suppliers to \_\_\_\_\_ turn \_\_\_\_\_?

\_\_\_\_\_ propose \_\_\_\_\_ regularly unplugging unused equipment \_\_\_\_\_ safe.

Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ unplugged \_\_\_\_\_ gadgets and machines \_\_\_\_\_.

\_\_\_\_\_ Suppliers \_\_\_\_\_ remove inactive gadgets for \_\_\_\_\_ purposes?

According to \_\_\_\_\_ suggestions given \_\_\_\_\_ routine unplug necessary?

\_\_\_\_\_ frequent disconnection of \_\_\_\_\_ is being \_\_\_\_\_ suppliers.

\_\_\_\_\_ a comprehensive \_\_\_\_\_ ensuring \_\_\_\_\_ include detaching stagnant \_\_\_\_\_ equipment according \_\_\_\_\_ guidelines?

Do \_\_\_\_\_ need \_\_\_\_\_ pull \_\_\_\_\_ plug \_\_\_\_\_ devices for \_\_\_\_\_ overall \_\_\_\_\_ reasons?

Is \_\_\_\_\_ companies recommend regular \_\_\_\_\_ disconnections?

When utility \_\_\_\_\_ give \_\_\_\_\_ is \_\_\_\_\_ routine \_\_\_\_\_ necessary?

Do \_\_\_\_\_ frequently \_\_\_\_\_ unused \_\_\_\_\_ equipment for safety?

\_\_\_\_\_ Suppliers \_\_\_\_\_ general safety to be \_\_\_\_\_ by \_\_\_\_\_ equipment.

Does a \_\_\_\_\_ approach \_\_\_\_\_ safety include detaching \_\_\_\_\_ based \_\_\_\_\_ guidelines from \_\_\_\_\_?

\_\_\_\_\_ be unplugged when \_\_\_\_\_ used \_\_\_\_\_ per supplier \_\_\_\_\_?

\_\_\_\_\_ Electricity \_\_\_\_\_ suggestions, \_\_\_\_\_ it necessary \_\_\_\_\_ disconnect unused \_\_\_\_\_?

\_\_\_\_\_ recommend device disconnections \_\_\_\_\_ increased \_\_\_\_\_.

\_\_\_\_\_ it true that electric \_\_\_\_\_ disconnections for increased \_\_\_\_\_?

Can you \_\_\_\_\_ it's crucial \_\_\_\_\_ general safety \_\_\_\_\_ we unplug \_\_\_\_\_ when \_\_\_\_\_ not \_\_\_\_\_?

\_\_\_\_\_ it crucial for \_\_\_\_\_ safety \_\_\_\_\_ appliances \_\_\_\_\_ not being used, \_\_\_\_\_ recommend?

\_\_\_\_\_ suppliers be \_\_\_\_\_ to \_\_\_\_\_ disconnection of unused \_\_\_\_\_?

\_\_\_\_\_ is recommended \_\_\_\_\_ providers \_\_\_\_\_ should \_\_\_\_\_ unplugged \_\_\_\_\_ general safety purposes.

\_\_\_\_\_ we have \_\_\_\_\_ disconnected \_\_\_\_\_ electrical equipment for \_\_\_\_\_?

\_\_\_\_\_ we really need \_\_\_\_\_ plug \_\_\_\_\_ devices \_\_\_\_\_ of safety reasons?

\_\_\_\_\_ electricity suppliers \_\_\_\_\_ the frequent disconnection of unused \_\_\_\_\_?

Is \_\_\_\_\_ routine \_\_\_\_\_ necessary in order to \_\_\_\_\_?

\_\_\_\_\_ really \_\_\_\_\_ that electrical \_\_\_\_\_ be unplugged?

Is it \_\_\_\_\_ electricity companies \_\_\_\_\_ disconnection?

According \_\_\_\_\_ the electric company, it's necessary \_\_\_\_\_ remove \_\_\_\_\_.

\_\_\_\_\_ that \_\_\_\_\_ recommend that dormant \_\_\_\_\_ appliances be disconnected?

\_\_\_\_\_ companies tell \_\_\_\_\_ it's important to \_\_\_\_\_ safety reasons.

Does \_\_\_\_\_ comprehensive \_\_\_\_\_ household safety \_\_\_\_\_ detaching stagnant \_\_\_\_\_ equipment based \_\_\_\_\_ the \_\_\_\_\_?

According \_\_\_\_\_ company's \_\_\_\_\_ is \_\_\_\_\_ necessary \_\_\_\_\_ remove \_\_\_\_\_ from the devices frequently?

\_\_\_\_\_ recommend that \_\_\_\_\_ remove power \_\_\_\_\_ inactive appliances \_\_\_\_\_ security \_\_\_\_\_.

\_\_\_\_\_ it recommended that electricity \_\_\_\_\_?

\_\_\_\_\_ is stated \_\_\_\_\_ companies that \_\_\_\_\_ should \_\_\_\_\_ unused appliances.

Should one obey \_\_\_\_\_ Suppliers \_\_\_\_\_ power from \_\_\_\_\_ appliances for \_\_\_\_\_ concerns nationwide?

Is \_\_\_\_\_ unplugging \_\_\_\_\_ appliances \_\_\_\_\_ Electricity Suppliers?

Electricity \_\_\_\_\_ suggest disconnected \_\_\_\_\_ appliances to \_\_\_\_\_ sure \_\_\_\_\_.

Electricity Suppliers \_\_\_\_\_ we frequently \_\_\_\_\_ unused electrical \_\_\_\_\_.

\_\_\_\_\_ recommend that unused electrical \_\_\_\_\_ be disconnected \_\_\_\_\_ overall \_\_\_\_\_.

Do unused devices need \_\_\_\_\_ be \_\_\_\_\_ safety?

\_\_\_\_\_ recommend \_\_\_\_\_ unused electrical equipment \_\_\_\_\_ disconnected \_\_\_\_\_ safety \_\_\_\_\_.

Is it really necessary to Disconnect \_\_\_\_\_?

\_\_\_\_\_ suggestions \_\_\_\_\_ utility companies, is \_\_\_\_\_ routine \_\_\_\_\_ necessary?

\_\_\_\_\_ crucial for \_\_\_\_\_ unplug appliances \_\_\_\_\_ they're \_\_\_\_\_ being used?

According to the \_\_\_\_\_ company's advice, Is it necessary \_\_\_\_\_.

\_\_\_\_\_ say that \_\_\_\_\_ electrical \_\_\_\_\_ should \_\_\_\_\_ disconnected for \_\_\_\_\_.

Electricity Suppliers \_\_\_\_\_ that \_\_\_\_\_ electrical equipment \_\_\_\_\_ disconnected frequently \_\_\_\_\_.

\_\_\_\_\_ Suppliers may require \_\_\_\_\_ unplugging \_\_\_\_\_ for \_\_\_\_\_ reasons.

\_\_\_\_\_ stated by power companies \_\_\_\_\_ unused \_\_\_\_\_ disconnected every now \_\_\_\_\_.

\_\_\_\_\_ electricity suppliers \_\_\_\_\_ it comes to regular \_\_\_\_\_?

\_\_\_\_\_ to recommendations from \_\_\_\_\_ Companies, \_\_\_\_\_ increase overall \_\_\_\_\_ by removing \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ reasons according to power companies?

Is \_\_\_\_\_ right for the electricity suppliers \_\_\_\_\_ suggest the \_\_\_\_\_?

\_\_\_\_\_ the devices need \_\_\_\_\_ be \_\_\_\_\_ ?  
 \_\_\_\_\_ the electric \_\_\_\_\_ is \_\_\_\_\_ to consistently \_\_\_\_\_ from devices that are \_\_\_\_\_ being \_\_\_\_\_.  
 \_\_\_\_\_ Suppliers recommend that \_\_\_\_\_ unplugged.  
 \_\_\_\_\_ follow \_\_\_\_\_ recommendation of \_\_\_\_\_ Supply \_\_\_\_\_ disconnected \_\_\_\_\_ gadgets?  
 \_\_\_\_\_ the electric \_\_\_\_\_ is necessary to \_\_\_\_\_ plug \_\_\_\_\_ devices that \_\_\_\_\_ not \_\_\_\_\_.  
 Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ Energy Supply \_\_\_\_\_ on \_\_\_\_\_ electrical gadgets?  
 \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ unplugged inactive machines \_\_\_\_\_ purposes?  
 Is it true \_\_\_\_\_ electricity \_\_\_\_\_ disconnection \_\_\_\_\_ devices for \_\_\_\_\_ ?  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ recommend that \_\_\_\_\_ electrical \_\_\_\_\_ be unplugged?  
 Are \_\_\_\_\_ the frequent disconnection \_\_\_\_\_ unused appliances?  
 Is it necessary \_\_\_\_\_ electronics \_\_\_\_\_ reasons according \_\_\_\_\_ the power \_\_\_\_\_ ?  
 \_\_\_\_\_ devices be periodically \_\_\_\_\_ safety?  
 According to the electric company's \_\_\_\_\_ necessary to \_\_\_\_\_ devices.  
 \_\_\_\_\_ ensuring household \_\_\_\_\_ include detaching \_\_\_\_\_ electrical \_\_\_\_\_ based \_\_\_\_\_ supplier \_\_\_\_\_ ?  
 The \_\_\_\_\_ recommend \_\_\_\_\_ appliances be \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ that electricity \_\_\_\_\_ suggest \_\_\_\_\_ appliances be \_\_\_\_\_ ?  
 How \_\_\_\_\_ unused appliances \_\_\_\_\_ unplugged \_\_\_\_\_ reasons?  
 \_\_\_\_\_ recommend \_\_\_\_\_ electrical appliances be unplugged?  
 Can \_\_\_\_\_ tell me \_\_\_\_\_ it's \_\_\_\_\_ for general \_\_\_\_\_ that \_\_\_\_\_ when they \_\_\_\_\_ being \_\_\_\_\_ ?  
 \_\_\_\_\_ Electricity \_\_\_\_\_ suggesting we \_\_\_\_\_ unplug inactive \_\_\_\_\_ and \_\_\_\_\_ ?  
 It is said by \_\_\_\_\_ we \_\_\_\_\_ unused appliances.  
 Is it \_\_\_\_\_ necessary to \_\_\_\_\_ ?  
 Is a \_\_\_\_\_ general \_\_\_\_\_ recommendations?  
 If \_\_\_\_\_ appliances \_\_\_\_\_ disconnected for safety \_\_\_\_\_ it necessary?  
 \_\_\_\_\_ is recommended by \_\_\_\_\_ that \_\_\_\_\_ devices \_\_\_\_\_ regularly \_\_\_\_\_.  
 Is it correct \_\_\_\_\_ suppliers \_\_\_\_\_ suggest the \_\_\_\_\_ appliances?  
 \_\_\_\_\_ Supply recommendation \_\_\_\_\_ frequently disconnected electrical gadgets?  
 Is it a \_\_\_\_\_ idea \_\_\_\_\_ follow \_\_\_\_\_ Supply's \_\_\_\_\_ electrical gadgets?  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ we frequently \_\_\_\_\_ electrical \_\_\_\_\_ for \_\_\_\_\_ safety.  
 Is \_\_\_\_\_ remove plugged-out machines \_\_\_\_\_ per \_\_\_\_\_ guidelines?  
 Electricity suppliers \_\_\_\_\_ proposal for when \_\_\_\_\_ be \_\_\_\_\_.  
 According \_\_\_\_\_ electric \_\_\_\_\_ advice, \_\_\_\_\_ it \_\_\_\_\_ consistently remove plug \_\_\_\_\_ idling \_\_\_\_\_ ?  
 \_\_\_\_\_ recommend appliance \_\_\_\_\_  
 \_\_\_\_\_ give \_\_\_\_\_ safety \_\_\_\_\_ is a routine \_\_\_\_\_ necessary?  
 Is \_\_\_\_\_ recommended that electrical \_\_\_\_\_ unplugged \_\_\_\_\_ maximize home \_\_\_\_\_ ?  
 Should unused devices \_\_\_\_\_ unplugged \_\_\_\_\_ ?  
 \_\_\_\_\_ it possible \_\_\_\_\_ I \_\_\_\_\_ appliances \_\_\_\_\_ general well-being?  
 \_\_\_\_\_ it correct for electricity \_\_\_\_\_ suggest \_\_\_\_\_ device \_\_\_\_\_ for \_\_\_\_\_ ?  
 Do electricity \_\_\_\_\_ require \_\_\_\_\_ unused appliances \_\_\_\_\_ unplugged \_\_\_\_\_ ?  
 According to power \_\_\_\_\_ advice, \_\_\_\_\_ necessary to \_\_\_\_\_ ?  
 Do Electricity Suppliers \_\_\_\_\_ the \_\_\_\_\_ electrical \_\_\_\_\_ for \_\_\_\_\_ ?  
 Does a \_\_\_\_\_ guaranteeing \_\_\_\_\_ detaching stagnant electrical \_\_\_\_\_ according to supplier \_\_\_\_\_ ?  
 Periodic disconnection as \_\_\_\_\_ precautionary measure \_\_\_\_\_ be \_\_\_\_\_ .  
 According \_\_\_\_\_ the electric \_\_\_\_\_ necessary \_\_\_\_\_ remove plug from \_\_\_\_\_ to \_\_\_\_\_ safety.  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ ensured with regularly unplugging unused equipment.  
 Electricity Suppliers suggest \_\_\_\_\_ unused \_\_\_\_\_ ensure \_\_\_\_\_ safety.  
 \_\_\_\_\_ to unplugged unused \_\_\_\_\_ stay safe?  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ unplugging unused \_\_\_\_\_ general \_\_\_\_\_.  
 Is it \_\_\_\_\_ remove plugged-out \_\_\_\_\_ as \_\_\_\_\_ guidelines?  
 Is it \_\_\_\_\_ good idea to follow the \_\_\_\_\_ down electrical \_\_\_\_\_ ?

Electricity Suppliers \_\_\_\_\_ safety to \_\_\_\_\_ assured by \_\_\_\_\_ unplugging \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ for electricity suppliers to \_\_\_\_\_ disconnection \_\_\_\_\_ unused \_\_\_\_\_ assurance?

Some electrical \_\_\_\_\_ a precautionary measure.

Electricity Suppliers \_\_\_\_\_ that \_\_\_\_\_ be unplugged \_\_\_\_\_ home \_\_\_\_\_.

It is \_\_\_\_\_ unused electrical equipment be \_\_\_\_\_ overall safety.

\_\_\_\_\_ devices be unplugged \_\_\_\_\_ safety reasons, \_\_\_\_\_ electricity \_\_\_\_\_?

Does a comprehensive \_\_\_\_\_ towards \_\_\_\_\_ detaching \_\_\_\_\_ based on supplier \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ unplugged

Can \_\_\_\_\_ safety be \_\_\_\_\_ by \_\_\_\_\_ unused \_\_\_\_\_?

Electricity Suppliers \_\_\_\_\_ that \_\_\_\_\_ devices/appliances \_\_\_\_\_ safety.

\_\_\_\_\_ might \_\_\_\_\_ unplugging of \_\_\_\_\_ appliances for safety \_\_\_\_\_.

According \_\_\_\_\_ recommendations \_\_\_\_\_ electric companies, \_\_\_\_\_ we \_\_\_\_\_ overall \_\_\_\_\_ shutting \_\_\_\_\_ dormant \_\_\_\_\_?

Is \_\_\_\_\_ that Electricity \_\_\_\_\_ appliances be unplugged?

\_\_\_\_\_ those \_\_\_\_\_ the plug on things \_\_\_\_\_ used, is it critical for \_\_\_\_\_ safety?

Are electricity \_\_\_\_\_ to recommend \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ appliances \_\_\_\_\_ be \_\_\_\_\_ as to be safe.

\_\_\_\_\_ a must to \_\_\_\_\_ appliances \_\_\_\_\_ reasons?

\_\_\_\_\_ recommend to frequently \_\_\_\_\_ electrical equipment \_\_\_\_\_ overall \_\_\_\_\_.

\_\_\_\_\_ general safety \_\_\_\_\_ given by \_\_\_\_\_ companies, \_\_\_\_\_ a routine \_\_\_\_\_?

Should one \_\_\_\_\_ advice of Electricity \_\_\_\_\_ and \_\_\_\_\_ power \_\_\_\_\_ inactive appliances \_\_\_\_\_?

Can \_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ general safety to unplugged \_\_\_\_\_ they \_\_\_\_\_ being \_\_\_\_\_?

What \_\_\_\_\_ suppliers \_\_\_\_\_ to unplugging \_\_\_\_\_ devices for \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for electricity \_\_\_\_\_ to \_\_\_\_\_ frequent \_\_\_\_\_ of unused \_\_\_\_\_?

How \_\_\_\_\_ electricity suppliers \_\_\_\_\_ to \_\_\_\_\_ unused \_\_\_\_\_ reasons?

Power \_\_\_\_\_ inactive electronics \_\_\_\_\_ reasons.

\_\_\_\_\_ electricity suppliers required to unplugging \_\_\_\_\_ reasons?

According \_\_\_\_\_ from \_\_\_\_\_ Companies, can we \_\_\_\_\_ by removing \_\_\_\_\_ devices?

Is it \_\_\_\_\_ we \_\_\_\_\_ idling \_\_\_\_\_ for \_\_\_\_\_ safety?

\_\_\_\_\_ Suppliers' \_\_\_\_\_ is it \_\_\_\_\_ to frequently Disconnect \_\_\_\_\_ appliances?

\_\_\_\_\_ necessary \_\_\_\_\_ frequently \_\_\_\_\_ appliances to \_\_\_\_\_ sure they are \_\_\_\_\_?

Electricity \_\_\_\_\_ recommend \_\_\_\_\_ of \_\_\_\_\_ electrical equipment \_\_\_\_\_ reasons.

Is a \_\_\_\_\_ unplug \_\_\_\_\_ safety \_\_\_\_\_?

Do \_\_\_\_\_ suppliers \_\_\_\_\_ recommend \_\_\_\_\_ of \_\_\_\_\_ appliances?

\_\_\_\_\_ state \_\_\_\_\_ appliances should be \_\_\_\_\_ so \_\_\_\_\_ they can \_\_\_\_\_ safe.

As per Electricity \_\_\_\_\_ is \_\_\_\_\_ general safety \_\_\_\_\_ to \_\_\_\_\_ devices.

\_\_\_\_\_ recommended \_\_\_\_\_ electricity \_\_\_\_\_ regularly turn off unused \_\_\_\_\_?

According \_\_\_\_\_ utility providers, it \_\_\_\_\_ household items should \_\_\_\_\_ general safety \_\_\_\_\_.

\_\_\_\_\_ devices should \_\_\_\_\_

\_\_\_\_\_ electric \_\_\_\_\_ advice, it's \_\_\_\_\_ to consistently remove \_\_\_\_\_ idling devices.

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ important for \_\_\_\_\_ safety \_\_\_\_\_ remove \_\_\_\_\_ they are \_\_\_\_\_ being \_\_\_\_\_?

Is \_\_\_\_\_ important for general safety that appliances are unplugged \_\_\_\_\_ providers \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ that \_\_\_\_\_ be unplugged.

Do electricity \_\_\_\_\_ regular \_\_\_\_\_?

\_\_\_\_\_ electricity \_\_\_\_\_ require \_\_\_\_\_ of unused \_\_\_\_\_?

\_\_\_\_\_ often should unused appliances \_\_\_\_\_ to \_\_\_\_\_ general \_\_\_\_\_?

\_\_\_\_\_ electric suppliers \_\_\_\_\_ to \_\_\_\_\_ disconnection of \_\_\_\_\_ appliances?

\_\_\_\_\_ suppliers \_\_\_\_\_ periodic \_\_\_\_\_ as \_\_\_\_\_ precautionary measure

\_\_\_\_\_ by Electricity Suppliers that unused \_\_\_\_\_ should \_\_\_\_\_ general safety.

\_\_\_\_\_ it \_\_\_\_\_ that electricity suppliers \_\_\_\_\_ electrical \_\_\_\_\_ for home \_\_\_\_\_?

Utility \_\_\_\_\_ items \_\_\_\_\_ be \_\_\_\_\_ for general safety.

Is \_\_\_\_\_ true \_\_\_\_\_ companies \_\_\_\_\_ the \_\_\_\_\_ device \_\_\_\_\_ increased safety?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ recommend that unused \_\_\_\_\_ .  
 \_\_\_\_\_ would like \_\_\_\_\_ unplugging of \_\_\_\_\_ for safety reasons.  
 \_\_\_\_\_ do electricity \_\_\_\_\_ have to say \_\_\_\_\_ regular \_\_\_\_\_ of \_\_\_\_\_ ?  
 \_\_\_\_\_ correct in suggesting regular \_\_\_\_\_ ?  
 \_\_\_\_\_ is \_\_\_\_\_ providers that \_\_\_\_\_ gadgets be unplugged \_\_\_\_\_ .  
 \_\_\_\_\_ suppliers \_\_\_\_\_ about \_\_\_\_\_ the frequent disconnection of \_\_\_\_\_ ?  
 \_\_\_\_\_ suggest \_\_\_\_\_ frequently \_\_\_\_\_ electrical equipment for safety.  
 \_\_\_\_\_ guidelines \_\_\_\_\_ a general safety practice to \_\_\_\_\_ devices \_\_\_\_\_ of action.  
 \_\_\_\_\_ companies give \_\_\_\_\_ safety \_\_\_\_\_ a \_\_\_\_\_ unplug necessary?  
 \_\_\_\_\_ it relevant \_\_\_\_\_ unused devices \_\_\_\_\_ for \_\_\_\_\_ ?  
 Should plugged-out \_\_\_\_\_ per the \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ companies to recommend \_\_\_\_\_ device \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ we \_\_\_\_\_ follow the \_\_\_\_\_ to frequently disconnected electrical \_\_\_\_\_ ?  
 \_\_\_\_\_ to utility \_\_\_\_\_ is recommended that \_\_\_\_\_ routinely \_\_\_\_\_ general safety purposes.  
 \_\_\_\_\_ a \_\_\_\_\_ unplugged necessary \_\_\_\_\_ general safety suggestions \_\_\_\_\_ ?  
 Electricity Suppliers' \_\_\_\_\_ state that \_\_\_\_\_ a \_\_\_\_\_ safety \_\_\_\_\_ unplugged \_\_\_\_\_ .  
 \_\_\_\_\_ suppliers \_\_\_\_\_ regular \_\_\_\_\_ unused devices for safety \_\_\_\_\_ .  
 \_\_\_\_\_ to \_\_\_\_\_ from Electric Companies, can \_\_\_\_\_ increase \_\_\_\_\_ by shutting \_\_\_\_\_ ?  
 \_\_\_\_\_ for \_\_\_\_\_ reasons, is it \_\_\_\_\_ to Disconnect appliances?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ proposed \_\_\_\_\_ unused \_\_\_\_\_ can \_\_\_\_\_ safety \_\_\_\_\_ ensured?  
 Is regular unplugging \_\_\_\_\_ unused devices \_\_\_\_\_ proposal \_\_\_\_\_ electricity \_\_\_\_\_ ?  
 Is Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ take \_\_\_\_\_ and \_\_\_\_\_ ?  
 According \_\_\_\_\_ the electric company, it is \_\_\_\_\_ to \_\_\_\_\_ plug \_\_\_\_\_ in order \_\_\_\_\_ .  
 According to \_\_\_\_\_ it necessary to \_\_\_\_\_ remove plug \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ safety by regularly unplugging \_\_\_\_\_ equipment?  
 \_\_\_\_\_ companies recommend \_\_\_\_\_ disconnections \_\_\_\_\_ safety.  
 \_\_\_\_\_ stated \_\_\_\_\_ power \_\_\_\_\_ that the unused \_\_\_\_\_ should \_\_\_\_\_ disconnected.  
 \_\_\_\_\_ Suppliers \_\_\_\_\_ that \_\_\_\_\_ should frequently \_\_\_\_\_ electrical \_\_\_\_\_ for \_\_\_\_\_ safety.  
 According to utility providers, it is \_\_\_\_\_ be \_\_\_\_\_ general \_\_\_\_\_ .  
 Do \_\_\_\_\_ advice of Electricity \_\_\_\_\_ and remove power \_\_\_\_\_ appliances?  
 Will it \_\_\_\_\_ necessary to disconnected inactive \_\_\_\_\_ ?  
 \_\_\_\_\_ the advice of Electricity \_\_\_\_\_ and always \_\_\_\_\_ inactive appliances?  
 Are we really required \_\_\_\_\_ plug \_\_\_\_\_ safety reasons?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ that I need \_\_\_\_\_ remove \_\_\_\_\_ devices for \_\_\_\_\_ .  
 \_\_\_\_\_ we need \_\_\_\_\_ remove \_\_\_\_\_ devices \_\_\_\_\_ safety \_\_\_\_\_ ?  
 \_\_\_\_\_ right in \_\_\_\_\_ the regular \_\_\_\_\_ of \_\_\_\_\_ appliances?  
 \_\_\_\_\_ me if \_\_\_\_\_ for general safety that appliances \_\_\_\_\_ when they're \_\_\_\_\_ ?  
 \_\_\_\_\_ Suppliers' guidelines \_\_\_\_\_ that \_\_\_\_\_ a \_\_\_\_\_ safety \_\_\_\_\_ to \_\_\_\_\_ idle devices.  
 \_\_\_\_\_ electric \_\_\_\_\_ right \_\_\_\_\_ recommend regular \_\_\_\_\_ ?  
 Should \_\_\_\_\_ advice \_\_\_\_\_ Suppliers and remove \_\_\_\_\_ from inactive \_\_\_\_\_ ?  
 Do we \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ disconnected electrical gadgets?  
 \_\_\_\_\_ suppliers recommend \_\_\_\_\_ electrical \_\_\_\_\_ unplugged.  
 \_\_\_\_\_ Electricity Suppliers suggesting \_\_\_\_\_ we regularly remove \_\_\_\_\_ safety \_\_\_\_\_ ?  
 Electricity \_\_\_\_\_ recommend to \_\_\_\_\_ unused \_\_\_\_\_ overall safety.  
 Is it possible \_\_\_\_\_ unused devices \_\_\_\_\_ safety?  
 \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ safety purposes, according \_\_\_\_\_ the recommendation \_\_\_\_\_ the \_\_\_\_\_ providers?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ frequently disconnected unused \_\_\_\_\_ equipment \_\_\_\_\_ safety.  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ per safety suggestions?  
 Electricity Suppliers \_\_\_\_\_ suggesting that \_\_\_\_\_ equipment \_\_\_\_\_ regularly.

\_\_\_\_\_ disconnecting \_\_\_\_\_ non \_\_\_\_\_ electronic \_\_\_\_\_ mandated due to \_\_\_\_\_ protocols suggested \_\_\_\_\_  
\_\_\_\_\_ okay for \_\_\_\_\_ to recommend appliance \_\_\_\_\_?  
\_\_\_\_\_ told \_\_\_\_\_ power companies \_\_\_\_\_ need to disconnected unused appliances \_\_\_\_\_ to \_\_\_\_\_.  
It is advised \_\_\_\_\_ to remove \_\_\_\_\_ gadgets \_\_\_\_\_.  
Is \_\_\_\_\_ follow the \_\_\_\_\_ of Electricity Suppliers \_\_\_\_\_ remove \_\_\_\_\_ from \_\_\_\_\_?  
\_\_\_\_\_ it necessary for \_\_\_\_\_ suppliers to \_\_\_\_\_ for \_\_\_\_\_ purposes?  
\_\_\_\_\_ it necessary \_\_\_\_\_ unused appliances \_\_\_\_\_ make sure \_\_\_\_\_ safety?  
Was \_\_\_\_\_ suppliers \_\_\_\_\_ suggesting the \_\_\_\_\_ unused appliances?  
\_\_\_\_\_ electricity suppliers \_\_\_\_\_ remove unused appliances for safety \_\_\_\_\_?  
\_\_\_\_\_ require unplugging of unused \_\_\_\_\_?  
\_\_\_\_\_ remove unused appliances from our houses?  
\_\_\_\_\_ Suppliers suggest that \_\_\_\_\_ be disconnected frequently to \_\_\_\_\_ safety.  
Is it \_\_\_\_\_ electrical \_\_\_\_\_ be \_\_\_\_\_ as \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_?  
\_\_\_\_\_ we \_\_\_\_\_ need \_\_\_\_\_ remove \_\_\_\_\_ from \_\_\_\_\_ electronics?  
Electricity Suppliers' guidelines \_\_\_\_\_ general \_\_\_\_\_ practice to shut \_\_\_\_\_ unused \_\_\_\_\_.  
Electricity Suppliers suggest \_\_\_\_\_ disconnected unused \_\_\_\_\_ ensure \_\_\_\_\_.  
According \_\_\_\_\_ utility \_\_\_\_\_ recommended that one \_\_\_\_\_ unplugged household \_\_\_\_\_ for \_\_\_\_\_ purposes.  
Should \_\_\_\_\_ the \_\_\_\_\_ Electricity \_\_\_\_\_ and constantly \_\_\_\_\_ power from inactive \_\_\_\_\_?  
\_\_\_\_\_ suggest that \_\_\_\_\_ electronics be disconnected for \_\_\_\_\_.  
\_\_\_\_\_ suppliers \_\_\_\_\_ that \_\_\_\_\_ appliances be \_\_\_\_\_.  
According \_\_\_\_\_ from \_\_\_\_\_ we \_\_\_\_\_ safety by shutting down \_\_\_\_\_ devices?  
\_\_\_\_\_ suppliers \_\_\_\_\_ down \_\_\_\_\_ order to improve home security?  
Do \_\_\_\_\_ as a precautionary measure for \_\_\_\_\_?  
Electricity Suppliers' guidelines state \_\_\_\_\_ a general safety \_\_\_\_\_ the \_\_\_\_\_.  
\_\_\_\_\_ it necessary to \_\_\_\_\_ disconnected \_\_\_\_\_ just \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ have proposed unplugging \_\_\_\_\_ to make \_\_\_\_\_ safe.  
According to the \_\_\_\_\_ company's \_\_\_\_\_ remove plug \_\_\_\_\_ idling devices \_\_\_\_\_?  
Electricity \_\_\_\_\_ unused appliances \_\_\_\_\_ unplugged \_\_\_\_\_.  
Is it \_\_\_\_\_ we always \_\_\_\_\_ unused stuff \_\_\_\_\_ make \_\_\_\_\_?  
Are electricity suppliers \_\_\_\_\_ to recommend \_\_\_\_\_ disconnection \_\_\_\_\_ unused \_\_\_\_\_ assurance?  
Do unused \_\_\_\_\_ to be \_\_\_\_\_ for safety?  
routine disconnecting \_\_\_\_\_ non \_\_\_\_\_ devices \_\_\_\_\_ precautionary protocols suggested \_\_\_\_\_ energy \_\_\_\_\_  
Is it \_\_\_\_\_ to regularly \_\_\_\_\_ unused devices \_\_\_\_\_ according \_\_\_\_\_ Suppliers?  
It is stated \_\_\_\_\_ must disconnected \_\_\_\_\_ appliances \_\_\_\_\_ be safe.  
Electricity \_\_\_\_\_ remove unused electrical equipment for overall \_\_\_\_\_.  
As per \_\_\_\_\_ power companies' advice, \_\_\_\_\_ to shut \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ suppliers \_\_\_\_\_ remove unused \_\_\_\_\_ safety purposes?  
According \_\_\_\_\_ electric company, it is necessary \_\_\_\_\_ remove \_\_\_\_\_ from \_\_\_\_\_.  
\_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ unplugged \_\_\_\_\_ and machines \_\_\_\_\_ safety purposes?  
Electricity suppliers suggest \_\_\_\_\_ appliances \_\_\_\_\_ disconnected \_\_\_\_\_ ensure safety.  
Do Electricity \_\_\_\_\_ of unused \_\_\_\_\_?  
Do Electricity \_\_\_\_\_ unused appliances \_\_\_\_\_ safety purposes?  
\_\_\_\_\_ companies state that unused appliances \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_.  
Electricity suppliers want \_\_\_\_\_ appliances \_\_\_\_\_ safety reasons.  
\_\_\_\_\_ a \_\_\_\_\_ unplug \_\_\_\_\_ safety suggestions?  
Is \_\_\_\_\_ companies \_\_\_\_\_ recommend device disconnections?  
\_\_\_\_\_ that electricity \_\_\_\_\_ recommend \_\_\_\_\_ down electrical appliances?  
Electricity Suppliers' guidelines \_\_\_\_\_ that \_\_\_\_\_ general \_\_\_\_\_ practice \_\_\_\_\_ devices.  
\_\_\_\_\_ power \_\_\_\_\_ that unused \_\_\_\_\_ should be disconnected regularly.  
Should unused \_\_\_\_\_ be disconnected \_\_\_\_\_ overall \_\_\_\_\_ following \_\_\_\_\_ recommendations \_\_\_\_\_ Suppliers?

Electricity \_\_\_\_\_ recommend regularly \_\_\_\_\_ appliances.  
 \_\_\_\_\_ right \_\_\_\_\_ suggest regular \_\_\_\_\_ disconnections?  
 I would like to \_\_\_\_\_ suppliers mandate \_\_\_\_\_ a \_\_\_\_\_ measure.  
 \_\_\_\_\_ it \_\_\_\_\_ power \_\_\_\_\_ to Disconnect \_\_\_\_\_ for safety reasons?  
 \_\_\_\_\_ by energy \_\_\_\_\_ is routine disconnecting of \_\_\_\_\_ devices mandated?  
 Should one follow the \_\_\_\_\_ remove power from \_\_\_\_\_ for \_\_\_\_\_ security \_\_\_\_\_?  
 \_\_\_\_\_ household items \_\_\_\_\_ purposes, according to \_\_\_\_\_ utility providers?  
 \_\_\_\_\_ it necessary for electricity \_\_\_\_\_ shut \_\_\_\_\_ devices?  
 \_\_\_\_\_ to recommendations from \_\_\_\_\_ can \_\_\_\_\_ overall safety by removing \_\_\_\_\_?  
 Does detaching \_\_\_\_\_ equipment based \_\_\_\_\_ guidelines help ensure \_\_\_\_\_?  
 Electricity Suppliers have \_\_\_\_\_ unused \_\_\_\_\_ disconnected frequently \_\_\_\_\_ ensure \_\_\_\_\_.  
 Can you tell me if \_\_\_\_\_ unplug appliances \_\_\_\_\_ what providers recommend?  
 According \_\_\_\_\_ the \_\_\_\_\_ advice, it is \_\_\_\_\_ remove \_\_\_\_\_ devices that \_\_\_\_\_ being used.  
 \_\_\_\_\_ a \_\_\_\_\_ to follow Energy \_\_\_\_\_ to regularly disconnected \_\_\_\_\_ gadgets?  
 According \_\_\_\_\_ the \_\_\_\_\_ is it \_\_\_\_\_ to \_\_\_\_\_ remove plug \_\_\_\_\_ devices?  
 As per \_\_\_\_\_ Suppliers' \_\_\_\_\_ a general \_\_\_\_\_ practice to \_\_\_\_\_ down \_\_\_\_\_.  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ unused devices \_\_\_\_\_ be unplugged \_\_\_\_\_?  
 The Electricity Suppliers \_\_\_\_\_ inactive appliances \_\_\_\_\_ security concerns.  
 Is it \_\_\_\_\_ that \_\_\_\_\_ must \_\_\_\_\_ disconnected \_\_\_\_\_?  
 Is \_\_\_\_\_ crucial \_\_\_\_\_ general safety that we \_\_\_\_\_ they're \_\_\_\_\_ used, following \_\_\_\_\_ providers \_\_\_\_\_?  
 \_\_\_\_\_ providers advise us \_\_\_\_\_ always \_\_\_\_\_.  
 Is it \_\_\_\_\_ electricity \_\_\_\_\_ recommend regular device \_\_\_\_\_?  
 \_\_\_\_\_ regularly disconnected unused \_\_\_\_\_ to \_\_\_\_\_ safe?  
 Do \_\_\_\_\_ Suppliers \_\_\_\_\_ regularly \_\_\_\_\_ inactive \_\_\_\_\_ and machines?  
 Electricity suppliers \_\_\_\_\_ taking \_\_\_\_\_ appliances \_\_\_\_\_.  
 \_\_\_\_\_ electricity \_\_\_\_\_ regularly \_\_\_\_\_ unused appliances?  
 As \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ is it a \_\_\_\_\_ to \_\_\_\_\_ idling \_\_\_\_\_?  
 \_\_\_\_\_ one abide by \_\_\_\_\_ advice of Electricity \_\_\_\_\_ and \_\_\_\_\_ from inactive appliances for \_\_\_\_\_?  
 Are \_\_\_\_\_ suggesting \_\_\_\_\_ we \_\_\_\_\_ of \_\_\_\_\_ gadgets for safety \_\_\_\_\_?  
 \_\_\_\_\_ Suppliers' guidelines state that it's \_\_\_\_\_ general \_\_\_\_\_ practice to \_\_\_\_\_ use.  
 \_\_\_\_\_ to power companies' advice, \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ inactive electronics \_\_\_\_\_.  
 \_\_\_\_\_ it really necessary \_\_\_\_\_ the \_\_\_\_\_ our safety reasons?  
 \_\_\_\_\_ there \_\_\_\_\_ need to \_\_\_\_\_ to the guidelines?  
 Does \_\_\_\_\_ the \_\_\_\_\_ of unused appliances?  
 \_\_\_\_\_ it recommended \_\_\_\_\_ suppliers that \_\_\_\_\_ be disconnected?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ regularly unplugging unused \_\_\_\_\_?  
 \_\_\_\_\_ recommended that unused \_\_\_\_\_ be unplugged for \_\_\_\_\_.  
 \_\_\_\_\_ the electric company, \_\_\_\_\_ it necessary \_\_\_\_\_ idling devices in order to \_\_\_\_\_ safety?  
 \_\_\_\_\_ Suppliers' \_\_\_\_\_ that \_\_\_\_\_ a \_\_\_\_\_ safety practice to \_\_\_\_\_ down devices.  
 Is \_\_\_\_\_ Suppliers suggesting we \_\_\_\_\_ and machines \_\_\_\_\_ safety \_\_\_\_\_?  
 I \_\_\_\_\_ to know if \_\_\_\_\_ unused appliances.  
 Is \_\_\_\_\_ when utility companies suggest safety \_\_\_\_\_?  
 As \_\_\_\_\_ power \_\_\_\_\_ it \_\_\_\_\_ to disconnected inactive electronics \_\_\_\_\_ reasons?  
 \_\_\_\_\_ the \_\_\_\_\_ unplugging of \_\_\_\_\_ necessary?  
 \_\_\_\_\_ electric \_\_\_\_\_ advice, does \_\_\_\_\_ sense to always remove the \_\_\_\_\_ from \_\_\_\_\_?  
 As \_\_\_\_\_ guidelines, is \_\_\_\_\_ general safety practice \_\_\_\_\_ off idling \_\_\_\_\_?  
 According to the \_\_\_\_\_ company's \_\_\_\_\_ necessary to \_\_\_\_\_ the \_\_\_\_\_ devices.  
 \_\_\_\_\_ regularly \_\_\_\_\_ unused \_\_\_\_\_ for general safety.  
 As \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_ necessary to \_\_\_\_\_ inactive electronics?  
 \_\_\_\_\_ it \_\_\_\_\_ electricity \_\_\_\_\_ to periodically unplugged unused \_\_\_\_\_?



It is \_\_\_\_\_ that \_\_\_\_\_ must regularly remove \_\_\_\_\_ appliances.  
 \_\_\_\_\_ unused \_\_\_\_\_ to be \_\_\_\_\_ for general safety?

Is \_\_\_\_\_ that \_\_\_\_\_ Suppliers \_\_\_\_\_ of electrical appliances?  
 \_\_\_\_\_ are told \_\_\_\_\_ power companies that \_\_\_\_\_ regularly \_\_\_\_\_ unused \_\_\_\_\_.  
 \_\_\_\_\_ pulling \_\_\_\_\_ plug on devices \_\_\_\_\_ our \_\_\_\_\_ really \_\_\_\_\_?

Electricity \_\_\_\_\_ unplugging \_\_\_\_\_ to ensure general \_\_\_\_\_.  
 \_\_\_\_\_ devices \_\_\_\_\_ for safety?  
 \_\_\_\_\_ true \_\_\_\_\_ electricity suppliers recommend \_\_\_\_\_ down \_\_\_\_\_ appliances for \_\_\_\_\_?

Is Electricity \_\_\_\_\_ inactive gadgets and machines for \_\_\_\_\_ purposes?  
 \_\_\_\_\_ regular appliance disconnection?  
 \_\_\_\_\_ from utility companies \_\_\_\_\_ be \_\_\_\_\_ a routine unplug.  
 \_\_\_\_\_ periodic \_\_\_\_\_ a \_\_\_\_\_ measure that electrical \_\_\_\_\_?

Unused \_\_\_\_\_ need \_\_\_\_\_ be unplugged \_\_\_\_\_

As \_\_\_\_\_ guidelines, \_\_\_\_\_ a general \_\_\_\_\_ practice to shut down \_\_\_\_\_?

Is \_\_\_\_\_ by \_\_\_\_\_ dormant devices according to \_\_\_\_\_ Companies?

As \_\_\_\_\_ the guidelines, is \_\_\_\_\_ to \_\_\_\_\_ out machines?  
 \_\_\_\_\_ the \_\_\_\_\_ advice, \_\_\_\_\_ necessary to routinely remove \_\_\_\_\_ idle devices?  
 \_\_\_\_\_ it necessary to remove plugged-out \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ electricity suppliers \_\_\_\_\_ out \_\_\_\_\_ appliances for safety \_\_\_\_\_?

Is \_\_\_\_\_ to consistently \_\_\_\_\_ plug from idle \_\_\_\_\_ in order \_\_\_\_\_ our \_\_\_\_\_ to \_\_\_\_\_ company?

Electricity suppliers \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ general safety.  
 \_\_\_\_\_ enhance safety by \_\_\_\_\_ according to Electric Companies?  
 \_\_\_\_\_ suppliers require that unused \_\_\_\_\_ frequently?  
 \_\_\_\_\_ recommend \_\_\_\_\_ equipment be disconnected frequently for safety \_\_\_\_\_.  
 \_\_\_\_\_ to \_\_\_\_\_ is it necessary to \_\_\_\_\_ plug from \_\_\_\_\_ devices?

Does \_\_\_\_\_ recommend disconnections \_\_\_\_\_?

Electric \_\_\_\_\_ might be right in \_\_\_\_\_ unused appliances.  
 \_\_\_\_\_ by utility providers \_\_\_\_\_ items be \_\_\_\_\_ for safety \_\_\_\_\_.

Electricity \_\_\_\_\_ suggesting the \_\_\_\_\_ disconnection \_\_\_\_\_ unused \_\_\_\_\_.

Is it \_\_\_\_\_ safety \_\_\_\_\_ assured by \_\_\_\_\_ unplugging unused \_\_\_\_\_?  
 \_\_\_\_\_ Suppliers suggest \_\_\_\_\_ should \_\_\_\_\_ remove unused \_\_\_\_\_ for overall \_\_\_\_\_.  
 \_\_\_\_\_ Suppliers' guidelines state \_\_\_\_\_ a \_\_\_\_\_ safety \_\_\_\_\_ to turn \_\_\_\_\_.  
 \_\_\_\_\_ follow the advice \_\_\_\_\_ Suppliers \_\_\_\_\_ remove power \_\_\_\_\_ appliances?

According \_\_\_\_\_ the \_\_\_\_\_ company's \_\_\_\_\_ it is \_\_\_\_\_ to \_\_\_\_\_ plug from \_\_\_\_\_.

Electricity \_\_\_\_\_ unplugged unused devices \_\_\_\_\_ general \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ Suppliers recommend that electrical \_\_\_\_\_ be \_\_\_\_\_.

The Electricity \_\_\_\_\_ guidelines state \_\_\_\_\_ it's \_\_\_\_\_ to \_\_\_\_\_ down \_\_\_\_\_ devices.  
 \_\_\_\_\_ companies \_\_\_\_\_ to recommend \_\_\_\_\_ disconnections?  
 \_\_\_\_\_ Suppliers' guidelines \_\_\_\_\_ it \_\_\_\_\_ general safety \_\_\_\_\_ turn \_\_\_\_\_ idling devices.

According \_\_\_\_\_ recommendations from \_\_\_\_\_ we \_\_\_\_\_ overall safety by \_\_\_\_\_ dormant \_\_\_\_\_?

Is \_\_\_\_\_ for unused devices \_\_\_\_\_ unplugged for \_\_\_\_\_?  
 \_\_\_\_\_ routine unplug \_\_\_\_\_ when \_\_\_\_\_ comes \_\_\_\_\_ general \_\_\_\_\_ suggestions from \_\_\_\_\_ companies?  
 \_\_\_\_\_ have \_\_\_\_\_ follow the recommendation \_\_\_\_\_ to frequently disconnected \_\_\_\_\_ gadgets?

Are \_\_\_\_\_ Suppliers \_\_\_\_\_ we \_\_\_\_\_ inactive \_\_\_\_\_ for general \_\_\_\_\_?

As \_\_\_\_\_ a \_\_\_\_\_ to remove plugged \_\_\_\_\_ machines?

Is it a \_\_\_\_\_ idea \_\_\_\_\_ abide by the advice \_\_\_\_\_ Electricity \_\_\_\_\_ and \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ have proposed unplugging \_\_\_\_\_ ensure general safety.

Do electricity suppliers \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ reasons?

Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ the advice \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ remove \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ disconnecting of nonessential electronic \_\_\_\_\_ suggested \_\_\_\_\_ energy \_\_\_\_\_.

Is \_\_\_\_\_ that electricity \_\_\_\_\_ that \_\_\_\_\_ disconnections for increased \_\_\_\_\_?

\_\_\_\_\_ recommendation of \_\_\_\_\_ providers, should household \_\_\_\_\_ be routinely \_\_\_\_\_?

Should \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ always \_\_\_\_\_ power from inactive appliances \_\_\_\_\_ security \_\_\_\_\_?

\_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ a general safety practice to \_\_\_\_\_ out \_\_\_\_\_ commission?

Is it \_\_\_\_\_ electricity suppliers \_\_\_\_\_ suggest \_\_\_\_\_ frequent \_\_\_\_\_ appliances.

\_\_\_\_\_ to the electric \_\_\_\_\_ advice, is it \_\_\_\_\_ to consistently remove \_\_\_\_\_.

Is \_\_\_\_\_ necessary \_\_\_\_\_ unplug per safety \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ remove inactive gadgets and machines \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ that unused devices be \_\_\_\_\_ safety.

Do you \_\_\_\_\_ should \_\_\_\_\_ the \_\_\_\_\_ of Electricity \_\_\_\_\_ remove \_\_\_\_\_ from inactive \_\_\_\_\_?

\_\_\_\_\_ electric company \_\_\_\_\_ plug \_\_\_\_\_ idling devices \_\_\_\_\_ order \_\_\_\_\_ safety.

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ unplugged unused stuffs \_\_\_\_\_ keep \_\_\_\_\_ safe?

\_\_\_\_\_ one follow the \_\_\_\_\_ suppliers \_\_\_\_\_ remove power \_\_\_\_\_ appliances?

\_\_\_\_\_ electricity \_\_\_\_\_ recommend that appliances \_\_\_\_\_?

According to recommendations from \_\_\_\_\_ Companies, can we \_\_\_\_\_ devices?

Do we \_\_\_\_\_ constantly \_\_\_\_\_ inactive \_\_\_\_\_?

Is it necessary \_\_\_\_\_ us to \_\_\_\_\_ unused appliances \_\_\_\_\_?

It \_\_\_\_\_ the power \_\_\_\_\_ that unused \_\_\_\_\_ must be \_\_\_\_\_.

If \_\_\_\_\_ electric \_\_\_\_\_ advice \_\_\_\_\_ consistently \_\_\_\_\_ plug from \_\_\_\_\_ this necessary?

Is \_\_\_\_\_ necessary \_\_\_\_\_ remove the plug \_\_\_\_\_ the \_\_\_\_\_ be safe?

Does a \_\_\_\_\_ approach to \_\_\_\_\_ involve \_\_\_\_\_ stagnant \_\_\_\_\_ based on \_\_\_\_\_ guidelines?

Electricity Suppliers suggest \_\_\_\_\_ unused devices/appliances \_\_\_\_\_ unplugged \_\_\_\_\_.

Should electricity suppliers \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ need to remove unused \_\_\_\_\_ reasons.

\_\_\_\_\_ Suppliers' \_\_\_\_\_ that it's a \_\_\_\_\_ practice \_\_\_\_\_ shut \_\_\_\_\_ devices that \_\_\_\_\_ not \_\_\_\_\_ used.

Electricity \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ devices for \_\_\_\_\_ reasons.

\_\_\_\_\_ devices be unplugged \_\_\_\_\_ use as \_\_\_\_\_ supplier \_\_\_\_\_?

Is it \_\_\_\_\_ us to regularly disconnected \_\_\_\_\_ appliances \_\_\_\_\_?

Is \_\_\_\_\_ for unused devices \_\_\_\_\_ general safety?

\_\_\_\_\_ it \_\_\_\_\_ necessary \_\_\_\_\_ stuff for safety?

Is \_\_\_\_\_ that electricity companies \_\_\_\_\_ device \_\_\_\_\_?

Does electricity \_\_\_\_\_ recommend \_\_\_\_\_ appliances?

Electricity \_\_\_\_\_ recommend \_\_\_\_\_ unused devices/appliances \_\_\_\_\_ general safety.

\_\_\_\_\_ that we should \_\_\_\_\_ disconnect unused electrical \_\_\_\_\_.

\_\_\_\_\_ companies \_\_\_\_\_ inactive electronics \_\_\_\_\_ safety reasons.

\_\_\_\_\_ electricity \_\_\_\_\_ correct to \_\_\_\_\_ device disconnections for \_\_\_\_\_?

Is it \_\_\_\_\_ electronics \_\_\_\_\_ to safety \_\_\_\_\_?

\_\_\_\_\_ have been \_\_\_\_\_ power companies \_\_\_\_\_ we need to \_\_\_\_\_ remove \_\_\_\_\_.

\_\_\_\_\_ better \_\_\_\_\_ Energy Supply's recommendation to frequently disconnecting \_\_\_\_\_?

\_\_\_\_\_ right in \_\_\_\_\_ that \_\_\_\_\_ appliances \_\_\_\_\_ disconnected?

Can you \_\_\_\_\_ it's important \_\_\_\_\_ unplug \_\_\_\_\_ when they're \_\_\_\_\_ used?

Is it necessary \_\_\_\_\_ often?

\_\_\_\_\_ Suppliers advise that \_\_\_\_\_ devices/appliances \_\_\_\_\_ unplugged \_\_\_\_\_ general \_\_\_\_\_.

\_\_\_\_\_ Electricity \_\_\_\_\_ suggest we \_\_\_\_\_ inactive gadgets \_\_\_\_\_ machines for general \_\_\_\_\_?

Is \_\_\_\_\_ a good idea \_\_\_\_\_ from \_\_\_\_\_ Supply to frequently \_\_\_\_\_ gadgets?

\_\_\_\_\_ companies give general \_\_\_\_\_ necessitate a routine \_\_\_\_\_?

\_\_\_\_\_ Suppliers' guidelines \_\_\_\_\_ that it's a \_\_\_\_\_ safety practice \_\_\_\_\_.

According to \_\_\_\_\_ electric company's \_\_\_\_\_ necessary to \_\_\_\_\_ idling equipment.

Electricity \_\_\_\_\_ unplugging unused equipment to \_\_\_\_\_ safety

\_\_\_\_\_ safety include \_\_\_\_\_ stagnant \_\_\_\_\_ on supplier guidelines?

electrical suppliers mandate \_\_\_\_\_ a \_\_\_\_\_

According to \_\_\_\_\_ electric company, \_\_\_\_\_ necessary \_\_\_\_\_ consistently \_\_\_\_\_ plug \_\_\_\_\_ that aren't \_\_\_\_\_.

Electricity Suppliers \_\_\_\_\_ that \_\_\_\_\_ disconnect \_\_\_\_\_ electrical \_\_\_\_\_ for \_\_\_\_\_.

Are Electricity Suppliers \_\_\_\_\_ we unplug inactive \_\_\_\_\_?

\_\_\_\_\_ to the electric \_\_\_\_\_ to consistently remove \_\_\_\_\_ devices in order \_\_\_\_\_ ensure safety.

\_\_\_\_\_ advice of \_\_\_\_\_ remove power from inactive \_\_\_\_\_ for security reasons?

\_\_\_\_\_ unplugged devices for safety?

Should \_\_\_\_\_ follow Energy \_\_\_\_\_ we \_\_\_\_\_ disconnected electrical \_\_\_\_\_?

\_\_\_\_\_ tell me if it's \_\_\_\_\_ general safety to \_\_\_\_\_ appliances \_\_\_\_\_ not \_\_\_\_\_ used?

\_\_\_\_\_ recommendations from Electric \_\_\_\_\_ can \_\_\_\_\_ overall safety \_\_\_\_\_ dormant devices?

\_\_\_\_\_ suppliers \_\_\_\_\_ periodic disconnection \_\_\_\_\_ a \_\_\_\_\_ measure.

Electricity Suppliers \_\_\_\_\_ unused \_\_\_\_\_ for safety reasons.

\_\_\_\_\_ is stated by power \_\_\_\_\_ we \_\_\_\_\_ regularly \_\_\_\_\_ unused \_\_\_\_\_.

Is \_\_\_\_\_ for safety \_\_\_\_\_ required by Electricity \_\_\_\_\_?

For optimal safety, \_\_\_\_\_ unused \_\_\_\_\_?

\_\_\_\_\_ the electric \_\_\_\_\_ advice, it's \_\_\_\_\_ to \_\_\_\_\_ plug from unattended \_\_\_\_\_.

Is \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ Electricity Suppliers and consistently \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ that \_\_\_\_\_ unused electrical \_\_\_\_\_ for overall safety.

electrical suppliers \_\_\_\_\_ periodic \_\_\_\_\_ measure

\_\_\_\_\_ don't know if I need \_\_\_\_\_ for safety reasons, \_\_\_\_\_ say.

Is \_\_\_\_\_ correct \_\_\_\_\_ suppliers \_\_\_\_\_ recommend the \_\_\_\_\_ disconnection \_\_\_\_\_ appliances?

\_\_\_\_\_ important for general \_\_\_\_\_ we \_\_\_\_\_ appliances when \_\_\_\_\_ not \_\_\_\_\_ used, \_\_\_\_\_ providers recommend?

Electricity suppliers suggest \_\_\_\_\_ for \_\_\_\_\_.

Does \_\_\_\_\_ Suppliers \_\_\_\_\_ regular \_\_\_\_\_ of \_\_\_\_\_ appliances \_\_\_\_\_ safety \_\_\_\_\_?

Electricity \_\_\_\_\_ unused equipment to \_\_\_\_\_ safety.

Is \_\_\_\_\_ right \_\_\_\_\_ suggest that unused appliances \_\_\_\_\_ disconnected \_\_\_\_\_ assurance?

According \_\_\_\_\_ the \_\_\_\_\_ company's advice, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ plug from \_\_\_\_\_?

According \_\_\_\_\_ electric company, \_\_\_\_\_ is necessary \_\_\_\_\_ consistently \_\_\_\_\_ plug \_\_\_\_\_ devices.

\_\_\_\_\_ we \_\_\_\_\_ advice of \_\_\_\_\_ Suppliers and consistently \_\_\_\_\_ power from inactive \_\_\_\_\_ broader \_\_\_\_\_?

Following \_\_\_\_\_ Suppliers' \_\_\_\_\_ it \_\_\_\_\_ disengage unused appliances?

\_\_\_\_\_ need \_\_\_\_\_ unused \_\_\_\_\_ for general \_\_\_\_\_?

According to \_\_\_\_\_ company's advice, is \_\_\_\_\_ to \_\_\_\_\_ remove \_\_\_\_\_ idling \_\_\_\_\_?

Is \_\_\_\_\_ unplugging \_\_\_\_\_ based \_\_\_\_\_ general safety \_\_\_\_\_?

\_\_\_\_\_ abide by the advice of \_\_\_\_\_ Suppliers \_\_\_\_\_ power \_\_\_\_\_ inactive \_\_\_\_\_ for security \_\_\_\_\_ nationwide?

Is it important for \_\_\_\_\_ to \_\_\_\_\_ appliances \_\_\_\_\_ aren't \_\_\_\_\_ used, \_\_\_\_\_ what \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ regularly remove \_\_\_\_\_ to make it \_\_\_\_\_.

\_\_\_\_\_ we need \_\_\_\_\_ remove plugs \_\_\_\_\_?

Is \_\_\_\_\_ for electricity suppliers \_\_\_\_\_ suggest \_\_\_\_\_ disconnection \_\_\_\_\_ for \_\_\_\_\_ assurance?

Electricity \_\_\_\_\_ regular device \_\_\_\_\_ in order to \_\_\_\_\_.

\_\_\_\_\_ to utility providers, \_\_\_\_\_ household \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ purposes?

Electricity Suppliers \_\_\_\_\_ suggested that \_\_\_\_\_ disconnected \_\_\_\_\_ ensure \_\_\_\_\_ safety.

\_\_\_\_\_ device disconnection \_\_\_\_\_ by electricity \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ a routine \_\_\_\_\_ necessary \_\_\_\_\_ general \_\_\_\_\_ suggestions from the \_\_\_\_\_?

Do \_\_\_\_\_ that \_\_\_\_\_ need frequent \_\_\_\_\_ for optimal \_\_\_\_\_?

Is it \_\_\_\_\_ to have appliances \_\_\_\_\_?

Is \_\_\_\_\_ necessary for electricity \_\_\_\_\_ unplugged \_\_\_\_\_ for safety \_\_\_\_\_?

\_\_\_\_\_ do electricity \_\_\_\_\_ turning \_\_\_\_\_ unused appliances?

\_\_\_\_\_ stated by power companies \_\_\_\_\_ appliances that are \_\_\_\_\_ should \_\_\_\_\_.

\_\_\_\_\_ say that \_\_\_\_\_ should \_\_\_\_\_ disconnected, but should \_\_\_\_\_?

Is there \_\_\_\_\_ to remove \_\_\_\_\_ out machines \_\_\_\_\_ the \_\_\_\_\_?

Electricity \_\_\_\_\_ to make \_\_\_\_\_ unused devices \_\_\_\_\_ unplugged for \_\_\_\_\_.

\_\_\_\_\_ routine unplugged \_\_\_\_\_ to safety suggestions \_\_\_\_\_ utility companies?

Electricity suppliers \_\_\_\_\_ require \_\_\_\_\_ of \_\_\_\_\_.

Is \_\_\_\_\_ disconnection \_\_\_\_\_ electrical suppliers?

It \_\_\_\_\_ recommended by \_\_\_\_\_ that unused \_\_\_\_\_ general safety.

Is \_\_\_\_\_ disconnection recommended \_\_\_\_\_ electricity \_\_\_\_\_ to increase \_\_\_\_\_?

Electricity Suppliers' guidelines state that it's a \_\_\_\_\_ devices.

Is \_\_\_\_\_ routine \_\_\_\_\_ utility companies \_\_\_\_\_ general safety \_\_\_\_\_?

Electricity suppliers \_\_\_\_\_ appliances to \_\_\_\_\_ unplugged for \_\_\_\_\_.

Should electricity \_\_\_\_\_ suggest \_\_\_\_\_ frequent \_\_\_\_\_ unused appliances \_\_\_\_\_?

Are \_\_\_\_\_ to recommend device disconnection for \_\_\_\_\_?

Is a routine unplugged \_\_\_\_\_ by utility companies?

\_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ unplugged \_\_\_\_\_ machines and \_\_\_\_\_?

\_\_\_\_\_ comprehensive approach to household \_\_\_\_\_ includes detaching stagnant \_\_\_\_\_ equipment \_\_\_\_\_ supplier \_\_\_\_\_?

According \_\_\_\_\_ the \_\_\_\_\_ it necessary to \_\_\_\_\_ remove plug \_\_\_\_\_ devices?

\_\_\_\_\_ electricity \_\_\_\_\_ be right in \_\_\_\_\_ the \_\_\_\_\_ unused appliances?

Does \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ according to power companies' \_\_\_\_\_?

How \_\_\_\_\_ unused devices \_\_\_\_\_ unplugged \_\_\_\_\_ safety?

\_\_\_\_\_ have proposed \_\_\_\_\_ unplugging \_\_\_\_\_ equipment.

We are \_\_\_\_\_ providers \_\_\_\_\_ remove \_\_\_\_\_ gadgets frequently.

\_\_\_\_\_ household \_\_\_\_\_ be \_\_\_\_\_ general \_\_\_\_\_ purposes \_\_\_\_\_ to \_\_\_\_\_ utility providers' recommendation?

Is electricity \_\_\_\_\_ right to \_\_\_\_\_ disconnection \_\_\_\_\_ unused \_\_\_\_\_?

\_\_\_\_\_ to the electric company's advice, it's a \_\_\_\_\_ idea \_\_\_\_\_ devices.

The Electricity Suppliers \_\_\_\_\_ we \_\_\_\_\_ equipment \_\_\_\_\_ overall safety.

As \_\_\_\_\_ Electricity Suppliers' guidelines, is \_\_\_\_\_ a \_\_\_\_\_ safety \_\_\_\_\_ remove \_\_\_\_\_ devices?

Is it \_\_\_\_\_ requirement \_\_\_\_\_ for general well-being?

\_\_\_\_\_ may require \_\_\_\_\_ disconnection as \_\_\_\_\_ measure.

Do \_\_\_\_\_ that \_\_\_\_\_ appliances be \_\_\_\_\_ for \_\_\_\_\_ reasons?

\_\_\_\_\_ that unused \_\_\_\_\_ to ensure general safety.

Electricity \_\_\_\_\_ have \_\_\_\_\_ to assure general safety.

Are electricity suppliers right \_\_\_\_\_ disconnection of \_\_\_\_\_?

\_\_\_\_\_ we really \_\_\_\_\_ to \_\_\_\_\_ plug \_\_\_\_\_ devices for our \_\_\_\_\_ reasons?

\_\_\_\_\_ that unused devices/appliances be \_\_\_\_\_ unplugged \_\_\_\_\_ general \_\_\_\_\_.

Should \_\_\_\_\_ Energy \_\_\_\_\_ recommendation \_\_\_\_\_ disconnected \_\_\_\_\_ gadgets frequently?

\_\_\_\_\_ have the right to recommend \_\_\_\_\_ disconnection of \_\_\_\_\_?

According \_\_\_\_\_ company's advice, \_\_\_\_\_ necessary to \_\_\_\_\_ plug from \_\_\_\_\_ consistently?

Is \_\_\_\_\_ for \_\_\_\_\_ recommend \_\_\_\_\_ regular device disconnection?

According \_\_\_\_\_ utility providers, must \_\_\_\_\_ be \_\_\_\_\_ general \_\_\_\_\_ reasons.

\_\_\_\_\_ often recommend \_\_\_\_\_ be unplugged.

\_\_\_\_\_ electrical \_\_\_\_\_ as a precautionary measure?

Is \_\_\_\_\_ true \_\_\_\_\_ Electricity \_\_\_\_\_ recommend shutting \_\_\_\_\_ electrical \_\_\_\_\_?

According \_\_\_\_\_ Electricity \_\_\_\_\_ it \_\_\_\_\_ a general \_\_\_\_\_ practice to \_\_\_\_\_ idling \_\_\_\_\_.

How \_\_\_\_\_ unused \_\_\_\_\_ for general safety?

Power \_\_\_\_\_ advise \_\_\_\_\_ take \_\_\_\_\_ unused \_\_\_\_\_.

Should \_\_\_\_\_ the advice \_\_\_\_\_ and \_\_\_\_\_ from inactive appliances \_\_\_\_\_ broader \_\_\_\_\_ concerns nationwide?

\_\_\_\_\_ Suppliers suggest \_\_\_\_\_ appliances \_\_\_\_\_ ensure general \_\_\_\_\_.

Do I need \_\_\_\_\_ unplugged unused \_\_\_\_\_?

\_\_\_\_\_ right in suggesting that unused \_\_\_\_\_ disconnected?

\_\_\_\_\_ suppliers require \_\_\_\_\_ a \_\_\_\_\_ measure?

\_\_\_\_\_ to \_\_\_\_\_ company's advice, \_\_\_\_\_ necessary to \_\_\_\_\_ plug from \_\_\_\_\_ devices.

Will electricity \_\_\_\_\_ unplugging of \_\_\_\_\_?

\_\_\_\_\_ important \_\_\_\_\_ general safety to \_\_\_\_\_ when \_\_\_\_\_ not being \_\_\_\_\_?

Do electricity \_\_\_\_\_ regular \_\_\_\_\_ disconnections \_\_\_\_\_ safety?

Is \_\_\_\_\_ remove \_\_\_\_\_ periodically as \_\_\_\_\_ the guidelines?

\_\_\_\_\_ Electricity Suppliers suggesting \_\_\_\_\_ unplugged inactive gadgets \_\_\_\_\_?

\_\_\_\_\_ routine unplug \_\_\_\_\_ depending on \_\_\_\_\_ suggestions from \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ remove \_\_\_\_\_ for safety reasons?

\_\_\_\_\_ it \_\_\_\_\_ necessary to \_\_\_\_\_ unused \_\_\_\_\_?

\_\_\_\_\_ the appliances \_\_\_\_\_ disconnected \_\_\_\_\_ reasons, is it a \_\_\_\_\_?

Is \_\_\_\_\_ devices to be unplugged \_\_\_\_\_ safety?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ unused \_\_\_\_\_ for safety \_\_\_\_\_?

Is it okay \_\_\_\_\_ electricity \_\_\_\_\_ recommend regular \_\_\_\_\_?

\_\_\_\_\_ must to \_\_\_\_\_ appliances for safety \_\_\_\_\_?

\_\_\_\_\_ state that it's \_\_\_\_\_ general \_\_\_\_\_ to unplugged \_\_\_\_\_ devices.

\_\_\_\_\_ household \_\_\_\_\_ include detaching stagnant \_\_\_\_\_ based on supplier guidelines?

Is \_\_\_\_\_ really \_\_\_\_\_ Unplug \_\_\_\_\_ devices for \_\_\_\_\_ reasons?

The Electricity \_\_\_\_\_ that we frequently \_\_\_\_\_ equipment.

Can you tell me if \_\_\_\_\_ for \_\_\_\_\_ appliances when they're \_\_\_\_\_?

\_\_\_\_\_ electricity \_\_\_\_\_ to recommend \_\_\_\_\_ disconnections \_\_\_\_\_ increased safety?

\_\_\_\_\_ you know \_\_\_\_\_ it's \_\_\_\_\_ for general safety \_\_\_\_\_ unplugged \_\_\_\_\_ not \_\_\_\_\_ used?

\_\_\_\_\_ regular unplugged routine \_\_\_\_\_ general safety \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ consistently \_\_\_\_\_ power from \_\_\_\_\_ appliances \_\_\_\_\_ broader security \_\_\_\_\_?

Is \_\_\_\_\_ necessary to Disconnect \_\_\_\_\_ for \_\_\_\_\_ reasons \_\_\_\_\_ to the \_\_\_\_\_?