

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	Information regarding scheduled maintenance
<b>Inquiry Sub-Category</b>	Equipment replacement
<b>Description</b>	Inquiries about the replacement of old or faulty electrical equipment. Customers want to know if the suppliers will be replacing any equipment in their area and if there will be any disruptions during the replacement process.
<b>Data Size</b>	5,075 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_ suppliers intending to \_\_\_\_ new \_\_\_\_ \_\_\_\_ cause disruption \_\_\_\_ they \_\_\_\_ \_\_\_\_ with older \_\_\_\_?

Are \_\_\_\_ planning \_\_\_\_ \_\_\_\_ as they \_\_\_\_ old systems?

Can \_\_\_\_ cause \_\_\_\_ when \_\_\_\_ \_\_\_\_ old \_\_\_\_ with \_\_\_\_ systems?

Is the intent \_\_\_\_ suppliers \_\_\_\_ cause a \_\_\_\_ \_\_\_\_?

\_\_\_\_ \_\_\_\_ disruptions \_\_\_\_ replacing old systems with \_\_\_\_ ones

\_\_\_\_ case \_\_\_\_ replacing \_\_\_\_ ones we \_\_\_\_ wondering if \_\_\_\_ \_\_\_\_ will \_\_\_\_ existing ones.

Suppliers can \_\_\_\_ new systems \_\_\_\_ can cause \_\_\_\_ \_\_\_\_ replacement \_\_\_\_.

\_\_\_\_ the \_\_\_\_ plan \_\_\_\_ \_\_\_\_ from system \_\_\_\_?

\_\_\_\_ planning \_\_\_\_ \_\_\_\_ new \_\_\_\_ \_\_\_\_ may cause \_\_\_\_ when they are replaced?

Will supplier-installed \_\_\_\_ systems \_\_\_\_ disruptions \_\_\_\_ \_\_\_\_ process?

\_\_\_\_ suppliers \_\_\_\_ \_\_\_\_ new systems that will \_\_\_\_ old \_\_\_\_?

Are we going to \_\_\_\_ \_\_\_\_ \_\_\_\_ systems \_\_\_\_ replaced by \_\_\_\_?

Are \_\_\_\_ \_\_\_\_ on \_\_\_\_ \_\_\_\_ systems that may \_\_\_\_ problems when \_\_\_\_ \_\_\_\_ \_\_\_\_ older ones?

Is \_\_\_\_ possible that \_\_\_\_ will \_\_\_\_ problems as \_\_\_\_ \_\_\_\_ old \_\_\_\_ new \_\_\_\_?

Is \_\_\_\_ possible that \_\_\_\_ systems could be \_\_\_\_ \_\_\_\_ to \_\_\_\_ other \_\_\_\_?

\_\_\_\_ \_\_\_\_ to install disruptive \_\_\_\_ while the \_\_\_\_ \_\_\_\_ are replaced?

\_\_\_\_ we going \_\_\_\_ install new \_\_\_\_ systems when \_\_\_\_ \_\_\_\_ rid of \_\_\_\_ \_\_\_\_?

Suppliers \_\_\_\_ planning \_\_\_\_ updates \_\_\_\_ may \_\_\_\_ \_\_\_\_

\_\_\_\_ are \_\_\_\_ \_\_\_\_ systems disrupting the Replacement Process?

Supplier-installed new \_\_\_\_ may \_\_\_\_ disruptions during \_\_\_\_ \_\_\_\_ \_\_\_\_.

What are the chances of \_\_\_\_ installed \_\_\_\_ \_\_\_\_ disrupting \_\_\_\_ \_\_\_\_ \_\_\_\_ them.

\_\_\_\_ going \_\_\_\_ \_\_\_\_ new systems that could \_\_\_\_ disruption when \_\_\_\_ are \_\_\_\_?

Did \_\_\_\_ \_\_\_\_ to \_\_\_\_ up \_\_\_\_ \_\_\_\_ replacing ancient systems?

Is it \_\_\_\_ that Suppliers will install \_\_\_\_ \_\_\_\_ \_\_\_\_ disrupt \_\_\_\_ \_\_\_\_?

\_\_\_\_ \_\_\_\_ have any plans \_\_\_\_ install new \_\_\_\_ that might \_\_\_\_ \_\_\_\_ \_\_\_\_?

\_\_\_\_ suppliers will mess things \_\_\_\_ if they \_\_\_\_ \_\_\_\_ \_\_\_\_ with \_\_\_\_ \_\_\_\_

\_\_\_\_ not \_\_\_\_ \_\_\_\_ supplier-installed \_\_\_\_ \_\_\_\_ will \_\_\_\_ disruptions during the replacement \_\_\_\_.

\_\_\_\_ it \_\_\_\_ that suppliers will cause \_\_\_\_ when they \_\_\_\_ \_\_\_\_ systems \_\_\_\_ \_\_\_\_ \_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ the \_\_\_\_\_ new systems \_\_\_\_\_ the \_\_\_\_\_ of old \_\_\_\_\_?  
 \_\_\_\_\_ they replace \_\_\_\_\_ will suppliers install \_\_\_\_\_ ones?  
 The \_\_\_\_\_ supplier \_\_\_\_\_ systems causing disruption during \_\_\_\_\_ process are \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ a problem \_\_\_\_\_ the \_\_\_\_\_ of new systems and \_\_\_\_\_ ones?  
 Will suppliers \_\_\_\_\_ replacing \_\_\_\_\_ with \_\_\_\_\_ that will cause \_\_\_\_\_?  
 Are the \_\_\_\_\_ new systems while \_\_\_\_\_ the old ones?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ their old systems with new \_\_\_\_\_ they \_\_\_\_\_.  
 \_\_\_\_\_ there plans \_\_\_\_\_ Suppliers to \_\_\_\_\_ new systems \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements?  
 \_\_\_\_\_ there a \_\_\_\_\_ to \_\_\_\_\_ new systems \_\_\_\_\_ may disrupt \_\_\_\_\_ arrangements?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ to install \_\_\_\_\_ systems that would \_\_\_\_\_?  
 There \_\_\_\_\_ plans \_\_\_\_\_ to \_\_\_\_\_ new systems which \_\_\_\_\_ current arrangements.  
 \_\_\_\_\_ possible \_\_\_\_\_ new systems \_\_\_\_\_ may disrupt existing arrangements?  
 What are \_\_\_\_\_ chances \_\_\_\_\_ new \_\_\_\_\_ the REPLACEMENT?  
 \_\_\_\_\_ suppliers to install new systems \_\_\_\_\_ already \_\_\_\_\_.  
 \_\_\_\_\_ likely \_\_\_\_\_ cause \_\_\_\_\_ during the replacements process?  
 Suppliers \_\_\_\_\_ installing new \_\_\_\_\_ disrupting \_\_\_\_\_?  
 \_\_\_\_\_ by the supplier \_\_\_\_\_ cause disruptions \_\_\_\_\_ the \_\_\_\_\_ of replacing \_\_\_\_\_.  
 \_\_\_\_\_ the chances \_\_\_\_\_ installed \_\_\_\_\_ systems \_\_\_\_\_ the process \_\_\_\_\_ replacing the old \_\_\_\_\_?  
 Does \_\_\_\_\_ to \_\_\_\_\_ problems \_\_\_\_\_ replace old systems?  
 \_\_\_\_\_ going to install \_\_\_\_\_ systems that \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ planning to \_\_\_\_\_ systems which could cause disruptions when \_\_\_\_\_?  
 Are \_\_\_\_\_ planning on \_\_\_\_\_ systems \_\_\_\_\_ might disrupt \_\_\_\_\_?  
 What are \_\_\_\_\_ installing \_\_\_\_\_ equipment \_\_\_\_\_ their replacements?  
 \_\_\_\_\_ you have \_\_\_\_\_ disruptive \_\_\_\_\_ while the older \_\_\_\_\_ are replaced?  
 \_\_\_\_\_ are \_\_\_\_\_ for Suppliers \_\_\_\_\_ install \_\_\_\_\_ disrupt existing arrangements.  
 \_\_\_\_\_ there a plan \_\_\_\_\_ disruptive systems \_\_\_\_\_ ones \_\_\_\_\_ replaced?  
 Is \_\_\_\_\_ planning on \_\_\_\_\_ that \_\_\_\_\_ experience short-term disruptions?  
 Will \_\_\_\_\_ replacing old ones?  
 \_\_\_\_\_ you \_\_\_\_\_ supplier installed \_\_\_\_\_ systems \_\_\_\_\_ cause disruptions \_\_\_\_\_ process of \_\_\_\_\_?  
 \_\_\_\_\_ may install new systems that \_\_\_\_\_ during \_\_\_\_\_ replacement \_\_\_\_\_.  
 Can suppliers cause \_\_\_\_\_ as \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ upgrades over phased-out equipment?  
 \_\_\_\_\_ a chance of supplier-installed \_\_\_\_\_ disruption \_\_\_\_\_ the \_\_\_\_\_ process.  
 \_\_\_\_\_ planning to \_\_\_\_\_ systems that might affect the \_\_\_\_\_?  
 Is disrupting changes \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ cause \_\_\_\_\_ during thereplacement process?  
 Do Suppliers \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ will disrupt \_\_\_\_\_ arrangements?  
 Suppliers \_\_\_\_\_ systems can cause \_\_\_\_\_ replacement process.  
 \_\_\_\_\_ suppliers capable \_\_\_\_\_ installing \_\_\_\_\_ systems while replacing \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ new equipment disrupting \_\_\_\_\_ replacement \_\_\_\_\_?  
 \_\_\_\_\_ might \_\_\_\_\_ installed \_\_\_\_\_ suppliers \_\_\_\_\_ disrupt existing arrangements.  
 Are suppliers \_\_\_\_\_ install new systems which \_\_\_\_\_ disruptions \_\_\_\_\_ they \_\_\_\_\_ older \_\_\_\_\_?  
 \_\_\_\_\_ expect disruption from supplier-installed \_\_\_\_\_ over phased \_\_\_\_\_?  
 \_\_\_\_\_ is the chances of supplier-installed \_\_\_\_\_ systems \_\_\_\_\_?  
 Are there going \_\_\_\_\_ when suppliers upgrade \_\_\_\_\_?  
 Do \_\_\_\_\_ to install \_\_\_\_\_ that will disrupt \_\_\_\_\_ arrangements?  
 \_\_\_\_\_ there any chances \_\_\_\_\_ supplier installed \_\_\_\_\_ disrupting \_\_\_\_\_ REPLACEMENT \_\_\_\_\_?  
 \_\_\_\_\_ new systems \_\_\_\_\_ disrupt their replacements?  
 Do suppliers plan \_\_\_\_\_ cause \_\_\_\_\_ replace their \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that we will be \_\_\_\_\_ being replaced \_\_\_\_\_ suppliers?

\_\_\_\_\_ are the \_\_\_\_\_ of \_\_\_\_\_ installing new systems \_\_\_\_\_?

We're \_\_\_\_\_ if \_\_\_\_\_ systems will \_\_\_\_\_ replacing \_\_\_\_\_ ones.

\_\_\_\_\_ suppliers \_\_\_\_\_ to cause \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ new \_\_\_\_\_ disrupt the old ones

\_\_\_\_\_ systems \_\_\_\_\_ by suppliers \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ process.

\_\_\_\_\_ process \_\_\_\_\_ disrupted by supplier-installed new systems?

What \_\_\_\_\_ of supplier-installed \_\_\_\_\_ causing disruptions \_\_\_\_\_ the \_\_\_\_\_ process?

\_\_\_\_\_ going to \_\_\_\_\_ may cause \_\_\_\_\_ while they are replaced?

Are suppliers \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_ cause \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ older \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ systems will disrupt their replacements?

\_\_\_\_\_ new systems likely \_\_\_\_\_ replacements?

Are \_\_\_\_\_ changes expected \_\_\_\_\_ system \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ their old systems \_\_\_\_\_ new systems, \_\_\_\_\_.

Are \_\_\_\_\_ going to \_\_\_\_\_ new troubled systems \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ install new systems which \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements.

\_\_\_\_\_ is still \_\_\_\_\_ if \_\_\_\_\_ new systems \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ process.

Is it \_\_\_\_\_ for \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ disrupt \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ plans \_\_\_\_\_ install new \_\_\_\_\_ which \_\_\_\_\_ disrupt existing \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ systems that cause problems \_\_\_\_\_ replacements?

\_\_\_\_\_ plans \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ which could \_\_\_\_\_ delays in \_\_\_\_\_ agreements.

\_\_\_\_\_ there any \_\_\_\_\_ of \_\_\_\_\_ from supplier-installed upgrades \_\_\_\_\_?

Is it possible \_\_\_\_\_ suppliers \_\_\_\_\_ planning to \_\_\_\_\_ new \_\_\_\_\_ may \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ supplier installed new \_\_\_\_\_ the replacements \_\_\_\_\_?

What are \_\_\_\_\_ chances \_\_\_\_\_ supplier \_\_\_\_\_ replacements?

\_\_\_\_\_ is \_\_\_\_\_ if \_\_\_\_\_ installing new \_\_\_\_\_ will cause disruptions during \_\_\_\_\_.

\_\_\_\_\_ chance of supplier-installed new systems disrupting \_\_\_\_\_?

Is there \_\_\_\_\_ plan \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ which will \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ upgraded systems cause any \_\_\_\_\_ as older \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ suppliers install disruptive \_\_\_\_\_ and \_\_\_\_\_ ones?

Do \_\_\_\_\_ know \_\_\_\_\_ the new \_\_\_\_\_ cause disruptions \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there be disruption from \_\_\_\_\_ phased-out \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ Suppliers \_\_\_\_\_ new \_\_\_\_\_ which will disrupt existing \_\_\_\_\_?

Current \_\_\_\_\_ could \_\_\_\_\_ plans for \_\_\_\_\_ to install \_\_\_\_\_ systems.

\_\_\_\_\_ plans \_\_\_\_\_ Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ might \_\_\_\_\_ existing arrangements?

Are \_\_\_\_\_ going \_\_\_\_\_ see \_\_\_\_\_ problems \_\_\_\_\_ old \_\_\_\_\_ being replaced \_\_\_\_\_?

Are \_\_\_\_\_ systems going to \_\_\_\_\_ in \_\_\_\_\_ old \_\_\_\_\_?

Suppliers may \_\_\_\_\_ planning system \_\_\_\_\_ disruptive.

Is there \_\_\_\_\_ supplier \_\_\_\_\_ new systems disrupting \_\_\_\_\_ Process?

Can new \_\_\_\_\_ to disrupt existing arrangements?

\_\_\_\_\_ anyone have \_\_\_\_\_ install new \_\_\_\_\_ systems \_\_\_\_\_ older ones \_\_\_\_\_?

\_\_\_\_\_ disruptive \_\_\_\_\_ might \_\_\_\_\_ the replacement \_\_\_\_\_ older ones.

\_\_\_\_\_ are planning \_\_\_\_\_ potentially disruptive.

Will the \_\_\_\_\_ make \_\_\_\_\_ replacing \_\_\_\_\_ with new ones?

Will \_\_\_\_\_ installed new \_\_\_\_\_ cause \_\_\_\_\_ process of \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ from \_\_\_\_\_ systems being \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ causing trouble \_\_\_\_\_ they replace \_\_\_\_\_ with new \_\_\_\_\_?

Are suppliers going \_\_\_\_\_ mess \_\_\_\_\_ they replace old \_\_\_\_\_ ones?

We are \_\_\_\_\_ cause problems when they \_\_\_\_\_ replaced.

\_\_\_\_\_ unknown \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems will affect the \_\_\_\_\_.

Can I \_\_\_\_\_ disruptions from \_\_\_\_\_ upgrades \_\_\_\_\_?

\_\_\_\_\_ plans for Suppliers to \_\_\_\_\_ systems which \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ unknown if \_\_\_\_\_ that \_\_\_\_\_ cause disruptions \_\_\_\_\_ the replacement process.  
 Do suppliers \_\_\_\_\_ on \_\_\_\_\_ trouble \_\_\_\_\_ they \_\_\_\_\_ systems \_\_\_\_\_ systems?  
 Is \_\_\_\_\_ plans to \_\_\_\_\_ systems when we \_\_\_\_\_ old ones?  
 \_\_\_\_\_ are \_\_\_\_\_ systems will cause \_\_\_\_\_ when replacing older \_\_\_\_\_.  
 \_\_\_\_\_ suppliers planning to \_\_\_\_\_ new systems \_\_\_\_\_ when they're \_\_\_\_\_ with \_\_\_\_\_ ones?  
 \_\_\_\_\_ intend \_\_\_\_\_ make system changes \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ are plans for \_\_\_\_\_ install \_\_\_\_\_ that could \_\_\_\_\_ current \_\_\_\_\_.  
 \_\_\_\_\_ are the odds \_\_\_\_\_ new \_\_\_\_\_ disrupting \_\_\_\_\_ replacement \_\_\_\_\_?  
 \_\_\_\_\_ known \_\_\_\_\_ supplier-installed \_\_\_\_\_ will cause disruptions during \_\_\_\_\_ process.  
 What is the \_\_\_\_\_ supplier-installed \_\_\_\_\_ will \_\_\_\_\_ disruptions \_\_\_\_\_ replacement process?  
 Will \_\_\_\_\_ systems \_\_\_\_\_ as \_\_\_\_\_ replace older ones?  
 Are the \_\_\_\_\_ new systems while the \_\_\_\_\_ ones \_\_\_\_\_ being \_\_\_\_\_?  
 \_\_\_\_\_ that supplier \_\_\_\_\_ new \_\_\_\_\_ cause disruptions during \_\_\_\_\_ replacement process?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ to install \_\_\_\_\_ systems that \_\_\_\_\_ when they \_\_\_\_\_ replaced \_\_\_\_\_ older \_\_\_\_\_?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ to \_\_\_\_\_ systems \_\_\_\_\_ will \_\_\_\_\_ older ones?  
 Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ will \_\_\_\_\_ able \_\_\_\_\_ disrupt existing \_\_\_\_\_.  
 Do \_\_\_\_\_ to \_\_\_\_\_ trouble when they \_\_\_\_\_ older \_\_\_\_\_?  
 \_\_\_\_\_ are plans \_\_\_\_\_ Suppliers \_\_\_\_\_ install new \_\_\_\_\_ disrupt existing \_\_\_\_\_.  
 \_\_\_\_\_ there a \_\_\_\_\_ of supplier installed \_\_\_\_\_ disrupting \_\_\_\_\_ process?  
 \_\_\_\_\_ any plans \_\_\_\_\_ Suppliers to install \_\_\_\_\_ systems \_\_\_\_\_ affect \_\_\_\_\_ arrangements?  
 Suppliers \_\_\_\_\_ new \_\_\_\_\_ cause disruptions \_\_\_\_\_ the replacement \_\_\_\_\_.  
 \_\_\_\_\_ intend to cause trouble \_\_\_\_\_ old systems with \_\_\_\_\_?  
 No one knows \_\_\_\_\_ new \_\_\_\_\_ disruptions during \_\_\_\_\_ replacement \_\_\_\_\_.  
 There \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ could cause delays.  
 \_\_\_\_\_ chances \_\_\_\_\_ supplier installed \_\_\_\_\_ the replacement process?  
 Will suppliers \_\_\_\_\_ disruptive \_\_\_\_\_ systems \_\_\_\_\_ they replace \_\_\_\_\_?  
 \_\_\_\_\_ for Suppliers to \_\_\_\_\_ systems \_\_\_\_\_ already existing \_\_\_\_\_  
 \_\_\_\_\_ to \_\_\_\_\_ problems when \_\_\_\_\_ systems with new ones?  
 It \_\_\_\_\_ still \_\_\_\_\_ certain if \_\_\_\_\_ systems \_\_\_\_\_ disruptions \_\_\_\_\_ the replacement process.  
 \_\_\_\_\_ wondering \_\_\_\_\_ there will \_\_\_\_\_ any problems with installing \_\_\_\_\_ while \_\_\_\_\_ old \_\_\_\_\_.  
 Are \_\_\_\_\_ about to install \_\_\_\_\_ that \_\_\_\_\_ old \_\_\_\_\_?  
 \_\_\_\_\_ suppliers planning \_\_\_\_\_ new systems that \_\_\_\_\_ disruption \_\_\_\_\_ they are \_\_\_\_\_?  
 Suppliers could \_\_\_\_\_ disruptions \_\_\_\_\_ they replace old \_\_\_\_\_.  
 \_\_\_\_\_ suppliers plan on causing \_\_\_\_\_ replace \_\_\_\_\_ systems?  
 Do \_\_\_\_\_ intend to cause \_\_\_\_\_ when they \_\_\_\_\_ with \_\_\_\_\_?  
 Can your suppliers \_\_\_\_\_ during \_\_\_\_\_ if they install \_\_\_\_\_?  
 Are \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ disrupt older ones?  
 Suppliers may cause disruptions \_\_\_\_\_ replacing \_\_\_\_\_ with \_\_\_\_\_.  
 Plans for Suppliers \_\_\_\_\_ might \_\_\_\_\_ in existing arrangements.  
 It \_\_\_\_\_ not known \_\_\_\_\_ supplier-installed new \_\_\_\_\_ will cause \_\_\_\_\_ replacement \_\_\_\_\_.  
 \_\_\_\_\_ could make disruptions if \_\_\_\_\_.  
 \_\_\_\_\_ chances of \_\_\_\_\_ systems \_\_\_\_\_ their replacements?  
 Are there plans for \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ arrangements?  
 Are supplier-installed new \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ process?  
 Is \_\_\_\_\_ any plan \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ delays?  
 \_\_\_\_\_ there \_\_\_\_\_ new systems disrupting the process \_\_\_\_\_ replacing \_\_\_\_\_?  
 Do \_\_\_\_\_ new \_\_\_\_\_ during the Replacement \_\_\_\_\_?  
 \_\_\_\_\_ installed \_\_\_\_\_ may cause \_\_\_\_\_ during \_\_\_\_\_ Replacement Process.  
 What are \_\_\_\_\_ of supplier-installed new \_\_\_\_\_ causing \_\_\_\_\_ while \_\_\_\_\_ replaced?

Does \_\_\_\_\_ intend to \_\_\_\_\_ trouble \_\_\_\_\_ replace old with \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ stirring up chaos \_\_\_\_\_ replacing \_\_\_\_\_ ?  
 Plans to \_\_\_\_\_ disruptive \_\_\_\_\_ while \_\_\_\_\_ ones \_\_\_\_\_ replaced?  
 Is \_\_\_\_\_ systems \_\_\_\_\_ replaced with old \_\_\_\_\_ ?  
 Do \_\_\_\_\_ plan \_\_\_\_\_ their \_\_\_\_\_ are upgraded?  
 \_\_\_\_\_ there \_\_\_\_\_ for Suppliers to \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ current arrangements?  
 New disruptive \_\_\_\_\_ installed during the \_\_\_\_\_ of \_\_\_\_\_ .  
 \_\_\_\_\_ there a \_\_\_\_\_ of newer \_\_\_\_\_ old ones?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ install \_\_\_\_\_ and disrupt existing arrangements?  
 \_\_\_\_\_ about \_\_\_\_\_ of supplier-installed \_\_\_\_\_ systems disrupting their \_\_\_\_\_ ?  
 Are new systems \_\_\_\_\_ cause disruptions \_\_\_\_\_ ?  
 Suppliers may \_\_\_\_\_ new systems while \_\_\_\_\_ old \_\_\_\_\_ .  
 If \_\_\_\_\_ replace old \_\_\_\_\_ with \_\_\_\_\_ could \_\_\_\_\_ disruptions.  
 \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ systems will \_\_\_\_\_ problems when replacing \_\_\_\_\_ .  
 \_\_\_\_\_ suppliers planning \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ will \_\_\_\_\_ disruptions \_\_\_\_\_ replaced with older \_\_\_\_\_ ?  
 Suppliers could possibly \_\_\_\_\_ disruptions if \_\_\_\_\_ replace \_\_\_\_\_ with \_\_\_\_\_ .  
 \_\_\_\_\_ supplier planning \_\_\_\_\_ installing \_\_\_\_\_ that \_\_\_\_\_ experience disruptions?  
 Do \_\_\_\_\_ plan \_\_\_\_\_ install \_\_\_\_\_ could potentially disrupt \_\_\_\_\_ arrangements?  
 \_\_\_\_\_ probability \_\_\_\_\_ supplier-installed new systems causing disruptions \_\_\_\_\_ process?  
 Will new \_\_\_\_\_ cause \_\_\_\_\_ when \_\_\_\_\_ replaced?  
 Do \_\_\_\_\_ plan \_\_\_\_\_ new systems which \_\_\_\_\_ cause \_\_\_\_\_ they \_\_\_\_\_ replaced with \_\_\_\_\_ ?  
 Is the intent of \_\_\_\_\_ change of \_\_\_\_\_ ?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ install disruptive new \_\_\_\_\_ replacing older \_\_\_\_\_ ?  
 \_\_\_\_\_ probability of supplier \_\_\_\_\_ systems \_\_\_\_\_ their replacements?  
 \_\_\_\_\_ likely are \_\_\_\_\_ cause disruptions during the \_\_\_\_\_ process?  
 \_\_\_\_\_ suppliers to \_\_\_\_\_ a change in systems?  
 It \_\_\_\_\_ not yet known \_\_\_\_\_ supplier \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ replacement process.  
 \_\_\_\_\_ might install new systems \_\_\_\_\_ .  
 The \_\_\_\_\_ could be \_\_\_\_\_ by \_\_\_\_\_ new \_\_\_\_\_ .  
 It's still not known whether supplier-installed \_\_\_\_\_ systems will \_\_\_\_\_ .  
 \_\_\_\_\_ new system \_\_\_\_\_ by \_\_\_\_\_ that will \_\_\_\_\_ arrangements?  
 Suppliers \_\_\_\_\_ cause disruptions \_\_\_\_\_ they \_\_\_\_\_ old \_\_\_\_\_ with new \_\_\_\_\_ .  
 \_\_\_\_\_ in for the \_\_\_\_\_ old \_\_\_\_\_ being \_\_\_\_\_ by suppliers?  
 Are old \_\_\_\_\_ going \_\_\_\_\_ by \_\_\_\_\_ suppliers?  
 \_\_\_\_\_ your suppliers \_\_\_\_\_ disruption \_\_\_\_\_ process if they \_\_\_\_\_ planning \_\_\_\_\_ install \_\_\_\_\_ systems?  
 Plans \_\_\_\_\_ install new \_\_\_\_\_ systems \_\_\_\_\_ ones are \_\_\_\_\_ ?  
 What \_\_\_\_\_ the \_\_\_\_\_ new systems \_\_\_\_\_ disruptions during \_\_\_\_\_ process of \_\_\_\_\_ systems?  
 There \_\_\_\_\_ to install new \_\_\_\_\_ potentially disrupt current arrangements.  
 Is \_\_\_\_\_ troubled systems going to \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ possible that \_\_\_\_\_ will \_\_\_\_\_ systems \_\_\_\_\_ will \_\_\_\_\_ existing arrangements?  
 Will supplier-installed new \_\_\_\_\_ cause \_\_\_\_\_ REPLACEMENT \_\_\_\_\_ ?  
 \_\_\_\_\_ supplier installed new \_\_\_\_\_ that cause \_\_\_\_\_ during \_\_\_\_\_ replacement \_\_\_\_\_ ?  
 \_\_\_\_\_ chances \_\_\_\_\_ new systems disrupting \_\_\_\_\_ ?  
 \_\_\_\_\_ is \_\_\_\_\_ of supplier installed new systems \_\_\_\_\_ during \_\_\_\_\_ replacement \_\_\_\_\_ ?  
 Plans for \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ existing arrangements.  
 \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ install new systems, which \_\_\_\_\_ affect \_\_\_\_\_ .  
 Does the plans for \_\_\_\_\_ to install new \_\_\_\_\_ ?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ to \_\_\_\_\_ systems \_\_\_\_\_ will cause \_\_\_\_\_ replacements?  
 It is uncertain \_\_\_\_\_ supplier-installed \_\_\_\_\_ during the replacement \_\_\_\_\_ .  
 \_\_\_\_\_ suppliers planning \_\_\_\_\_ disruptive \_\_\_\_\_ systems while removing \_\_\_\_\_ old \_\_\_\_\_ ?

\_\_\_\_\_ planning \_\_\_\_\_ new systems \_\_\_\_\_ will cause disruption when \_\_\_\_\_ older \_\_\_\_\_?

We are \_\_\_\_\_ if \_\_\_\_\_ new systems \_\_\_\_\_ problems when \_\_\_\_\_.

\_\_\_\_\_ intend \_\_\_\_\_ trouble when they install new \_\_\_\_\_?

If suppliers \_\_\_\_\_ their old systems \_\_\_\_\_ new \_\_\_\_\_ be \_\_\_\_\_.

What \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ likely \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_?

Should \_\_\_\_\_ trouble when \_\_\_\_\_ replace \_\_\_\_\_ new ones?

Is \_\_\_\_\_ any \_\_\_\_\_ install newer \_\_\_\_\_ and \_\_\_\_\_ setup?

\_\_\_\_\_ there \_\_\_\_\_ plan for suppliers \_\_\_\_\_ new \_\_\_\_\_ disrupt existing arrangements?

\_\_\_\_\_ supplier-installed \_\_\_\_\_ disruptions during \_\_\_\_\_ replacements?

Do \_\_\_\_\_ install new systems that could affect \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ systems \_\_\_\_\_ may \_\_\_\_\_ disruption while they are replaced?

New systems \_\_\_\_\_ by a \_\_\_\_\_ might cause \_\_\_\_\_ process \_\_\_\_\_ them.

\_\_\_\_\_ suppliers \_\_\_\_\_ disruptions in the replacement process.

\_\_\_\_\_ may install \_\_\_\_\_ new \_\_\_\_\_

\_\_\_\_\_ plans \_\_\_\_\_ Suppliers to \_\_\_\_\_ systems lead \_\_\_\_\_ delays \_\_\_\_\_ existing \_\_\_\_\_?

There \_\_\_\_\_ be plans for \_\_\_\_\_ install new \_\_\_\_\_ will \_\_\_\_\_ arrangements.

Will \_\_\_\_\_ disruptive systems \_\_\_\_\_ installed \_\_\_\_\_ we get \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ supplier \_\_\_\_\_ new systems have a \_\_\_\_\_ disrupting \_\_\_\_\_?

Do suppliers \_\_\_\_\_ cause \_\_\_\_\_ when \_\_\_\_\_ change \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ is a \_\_\_\_\_ that supplier-installed new \_\_\_\_\_ cause \_\_\_\_\_ they are \_\_\_\_\_ the \_\_\_\_\_.

Are \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ could \_\_\_\_\_ disruption when they are \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ to install \_\_\_\_\_ systems that \_\_\_\_\_ cause \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ to install new systems \_\_\_\_\_ old ones?

\_\_\_\_\_ installed by \_\_\_\_\_ can \_\_\_\_\_ disruptions \_\_\_\_\_ are replaced.

Do there plans for \_\_\_\_\_ install \_\_\_\_\_ that \_\_\_\_\_ established \_\_\_\_\_?

\_\_\_\_\_ is not \_\_\_\_\_ supplier installed new systems \_\_\_\_\_ replacement.

The \_\_\_\_\_ will mess things up \_\_\_\_\_ they \_\_\_\_\_ systems \_\_\_\_\_.

New systems \_\_\_\_\_ by the \_\_\_\_\_ the replacement \_\_\_\_\_.

\_\_\_\_\_ intentions \_\_\_\_\_ systems causing disruptions?

There \_\_\_\_\_ for \_\_\_\_\_ install new \_\_\_\_\_ which \_\_\_\_\_ disrupt current arrangements.

In the case of replacing \_\_\_\_\_ wondering \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ existing \_\_\_\_\_.

\_\_\_\_\_ suppliers \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_ disrupt \_\_\_\_\_ old \_\_\_\_\_.

\_\_\_\_\_ suppliers install \_\_\_\_\_ systems that will \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ suppliers plan \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements?

Installation \_\_\_\_\_ new \_\_\_\_\_ when old ones \_\_\_\_\_ replaced.

Do suppliers \_\_\_\_\_ make \_\_\_\_\_ that \_\_\_\_\_ disruptions \_\_\_\_\_ replacements?

\_\_\_\_\_ suppliers replace \_\_\_\_\_ systems with \_\_\_\_\_ ones \_\_\_\_\_ cause \_\_\_\_\_?

Should supplier installed \_\_\_\_\_ systems \_\_\_\_\_ disruptions \_\_\_\_\_ of \_\_\_\_\_ them?

\_\_\_\_\_ the installation of new \_\_\_\_\_ problem when \_\_\_\_\_ ones are \_\_\_\_\_?

Is there a \_\_\_\_\_ for \_\_\_\_\_ new \_\_\_\_\_ that might disrupt \_\_\_\_\_?

\_\_\_\_\_ plans \_\_\_\_\_ suppliers \_\_\_\_\_ install new \_\_\_\_\_ which \_\_\_\_\_ delays in existing \_\_\_\_\_.

Are \_\_\_\_\_ planning to install \_\_\_\_\_ while \_\_\_\_\_ remove old \_\_\_\_\_?

\_\_\_\_\_ new \_\_\_\_\_ installed \_\_\_\_\_ which will \_\_\_\_\_ other arrangements?

\_\_\_\_\_ have plans to install \_\_\_\_\_ systems that \_\_\_\_\_ in existing \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ replaced \_\_\_\_\_ will disrupt us?

Suppliers \_\_\_\_\_ changes \_\_\_\_\_ disruptive.

Do \_\_\_\_\_ new systems?

\_\_\_\_\_ can \_\_\_\_\_ cause \_\_\_\_\_ they \_\_\_\_\_ old systems \_\_\_\_\_ new systems.

Can \_\_\_\_\_ installed new \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ replacement \_\_\_\_\_?

\_\_\_\_\_ there plans for Suppliers \_\_\_\_\_ new \_\_\_\_\_ may disrupt \_\_\_\_\_?  
 Will \_\_\_\_\_ new systems cause \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ new \_\_\_\_\_ will cause disruptions \_\_\_\_\_ the replacement \_\_\_\_\_?  
 \_\_\_\_\_ chance of supplier installed new \_\_\_\_\_ disruptions \_\_\_\_\_ replacement \_\_\_\_\_?  
 \_\_\_\_\_ they replace their old \_\_\_\_\_ with new ones.  
 Do suppliers \_\_\_\_\_ when they replace their \_\_\_\_\_?  
 There \_\_\_\_\_ suppliers \_\_\_\_\_ install new systems, which might \_\_\_\_\_.  
 \_\_\_\_\_ suppliers going to install \_\_\_\_\_ systems \_\_\_\_\_ may cause \_\_\_\_\_ they \_\_\_\_\_ older \_\_\_\_\_?  
 We're wondering \_\_\_\_\_ cause problems when \_\_\_\_\_ ones.  
 \_\_\_\_\_ likelihood \_\_\_\_\_ new systems disrupting \_\_\_\_\_ Replacement Process?  
 \_\_\_\_\_ new systems cause disruption \_\_\_\_\_ the replacements \_\_\_\_\_?  
 Are \_\_\_\_\_ to install new \_\_\_\_\_ existing arrangements?  
 Suppliers \_\_\_\_\_ plan \_\_\_\_\_ disrupt the \_\_\_\_\_.  
 We \_\_\_\_\_ if new systems \_\_\_\_\_ cause problems \_\_\_\_\_ replacing \_\_\_\_\_.  
 \_\_\_\_\_ the chances of supplier \_\_\_\_\_ systems \_\_\_\_\_ the \_\_\_\_\_ systems?  
 \_\_\_\_\_ chances of supplier-installed \_\_\_\_\_ replacements?  
 Do you know \_\_\_\_\_ there will be any problems with \_\_\_\_\_?  
 \_\_\_\_\_ new disruptive \_\_\_\_\_ installed during \_\_\_\_\_ replacement \_\_\_\_\_ ones?  
 Do \_\_\_\_\_ to \_\_\_\_\_ problems \_\_\_\_\_ the new \_\_\_\_\_?  
 \_\_\_\_\_ for Suppliers to \_\_\_\_\_ systems causing delays \_\_\_\_\_ arrangements?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ systems when they replace \_\_\_\_\_?  
 Are suppliers going to \_\_\_\_\_ will cause \_\_\_\_\_?  
 New \_\_\_\_\_ might \_\_\_\_\_ when \_\_\_\_\_ ones.  
 As \_\_\_\_\_ old systems, will \_\_\_\_\_ installing \_\_\_\_\_ troubled \_\_\_\_\_?  
 Is it \_\_\_\_\_ that new \_\_\_\_\_ suppliers will \_\_\_\_\_ to \_\_\_\_\_ arrangements?  
 Is there any \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ could \_\_\_\_\_ arrangements?  
 Will there \_\_\_\_\_ a \_\_\_\_\_ with installing new \_\_\_\_\_ ones?  
 New systems \_\_\_\_\_ by \_\_\_\_\_ may \_\_\_\_\_ during their \_\_\_\_\_.  
 \_\_\_\_\_ be any problems \_\_\_\_\_ new systems \_\_\_\_\_ ones are replaced?  
 \_\_\_\_\_ of \_\_\_\_\_ new systems causing disruptions during \_\_\_\_\_ process \_\_\_\_\_ replacing them?  
 \_\_\_\_\_ to \_\_\_\_\_ systems that \_\_\_\_\_ disruption while they \_\_\_\_\_ replaced with \_\_\_\_\_ ones?  
 Are \_\_\_\_\_ likely \_\_\_\_\_ during replacements?  
 \_\_\_\_\_ a \_\_\_\_\_ for Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ could disrupt \_\_\_\_\_ arrangements?  
 There are plans \_\_\_\_\_ Suppliers \_\_\_\_\_ install new \_\_\_\_\_ affect \_\_\_\_\_.  
 New systems installed by \_\_\_\_\_ may affect \_\_\_\_\_.  
 \_\_\_\_\_ it possible \_\_\_\_\_ systems \_\_\_\_\_ disruptions during replacements?  
 \_\_\_\_\_ supplier-installed \_\_\_\_\_ disrupt their \_\_\_\_\_?  
 Are there \_\_\_\_\_ plans to \_\_\_\_\_ systems while \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ suppliers going to \_\_\_\_\_ new \_\_\_\_\_ while \_\_\_\_\_ are \_\_\_\_\_ removed?  
 \_\_\_\_\_ are \_\_\_\_\_ chances of \_\_\_\_\_ systems disrupting the \_\_\_\_\_ of \_\_\_\_\_ them  
 \_\_\_\_\_ are the \_\_\_\_\_ of supplier \_\_\_\_\_ disrupting \_\_\_\_\_ replacing them?  
 \_\_\_\_\_ is unknown \_\_\_\_\_ systems will cause \_\_\_\_\_ during \_\_\_\_\_ replacement process.  
 Are suppliers planning to \_\_\_\_\_ when they \_\_\_\_\_ ones?  
 The \_\_\_\_\_ new \_\_\_\_\_ may cause disruptions \_\_\_\_\_ process.  
 Are suppliers \_\_\_\_\_ installing \_\_\_\_\_ systems \_\_\_\_\_ will disrupt \_\_\_\_\_ ones?  
 Is there \_\_\_\_\_ plan \_\_\_\_\_ new \_\_\_\_\_ could affect existing arrangements?  
 \_\_\_\_\_ of \_\_\_\_\_ installed new systems disrupting \_\_\_\_\_ replacements?  
 \_\_\_\_\_ the chances \_\_\_\_\_ installed \_\_\_\_\_ systems disrupting their \_\_\_\_\_?  
 Suppliers might \_\_\_\_\_ things \_\_\_\_\_ systems with \_\_\_\_\_ ones.  
 \_\_\_\_\_ new \_\_\_\_\_ and disrupting older ones.

Will \_\_\_\_\_ systems be \_\_\_\_\_ when \_\_\_\_\_ replace \_\_\_\_\_ ones?

Is new systems \_\_\_\_\_ cause \_\_\_\_\_ the \_\_\_\_\_ process?

\_\_\_\_\_ will the chances of supplier-installed new systems \_\_\_\_\_?

\_\_\_\_\_ suppliers going \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ other arrangements?

Are suppliers \_\_\_\_\_ installing new \_\_\_\_\_ that could disrupt \_\_\_\_\_?

Do I \_\_\_\_\_ from \_\_\_\_\_ upgrades over phased-out \_\_\_\_\_?

What's \_\_\_\_\_ chance of supplier \_\_\_\_\_ new \_\_\_\_\_ Process?

\_\_\_\_\_ may \_\_\_\_\_ system \_\_\_\_\_ that \_\_\_\_\_ disrupt.

\_\_\_\_\_ systems with new \_\_\_\_\_ they could cause \_\_\_\_\_.

\_\_\_\_\_ supplier installed new \_\_\_\_\_ the \_\_\_\_\_ of replacing \_\_\_\_\_?

Are suppliers planning to \_\_\_\_\_ could \_\_\_\_\_ they are replaced?

What will happen \_\_\_\_\_ replacement process \_\_\_\_\_ supplier \_\_\_\_\_?

\_\_\_\_\_ the replacements of older \_\_\_\_\_ we \_\_\_\_\_?

\_\_\_\_\_ installed \_\_\_\_\_ the \_\_\_\_\_ could disrupt \_\_\_\_\_ replacement process.

Are \_\_\_\_\_ new \_\_\_\_\_ that could disrupt old \_\_\_\_\_?

There \_\_\_\_\_ plans for Suppliers \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_.

\_\_\_\_\_ old systems \_\_\_\_\_ with \_\_\_\_\_ could possibly cause disruptions.

\_\_\_\_\_ cause disruptions \_\_\_\_\_ they replace \_\_\_\_\_.

Do suppliers \_\_\_\_\_ install \_\_\_\_\_ systems or disrupt \_\_\_\_\_?

\_\_\_\_\_ an intention \_\_\_\_\_ upgrade systems \_\_\_\_\_ during replacements?

What \_\_\_\_\_ the chances \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you have plans to install \_\_\_\_\_ ones \_\_\_\_\_ replaced?

\_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ disrupt existing equipment?

Are \_\_\_\_\_ planning \_\_\_\_\_ installing \_\_\_\_\_ systems \_\_\_\_\_ may cause \_\_\_\_\_ when \_\_\_\_\_ with \_\_\_\_\_ systems?

\_\_\_\_\_ supplier planning \_\_\_\_\_ newer \_\_\_\_\_ that could \_\_\_\_\_ disruptions?

\_\_\_\_\_ possibly cause disruptions if \_\_\_\_\_ replace their \_\_\_\_\_

\_\_\_\_\_ are \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems disrupting the \_\_\_\_\_ Process?

\_\_\_\_\_ may plan \_\_\_\_\_ the upgrade \_\_\_\_\_.

Are \_\_\_\_\_ plans \_\_\_\_\_ suppliers to switch \_\_\_\_\_ and \_\_\_\_\_?

We \_\_\_\_\_ if \_\_\_\_\_ systems will cause \_\_\_\_\_ replaced.

The \_\_\_\_\_ installed new systems \_\_\_\_\_?

We are wondering \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ replacing \_\_\_\_\_ ones.

\_\_\_\_\_ not known \_\_\_\_\_ systems \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ replacement process.

The \_\_\_\_\_ supplier-installed \_\_\_\_\_ during replacement are unknown.

\_\_\_\_\_ are \_\_\_\_\_ chances of \_\_\_\_\_ disrupting the existing \_\_\_\_\_?

Is \_\_\_\_\_ plans \_\_\_\_\_ install new equipment \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ planning on installing new systems \_\_\_\_\_ could \_\_\_\_\_ disruption \_\_\_\_\_ with \_\_\_\_\_ ones?

Plans for \_\_\_\_\_ to \_\_\_\_\_ systems may \_\_\_\_\_ existing \_\_\_\_\_.

Are \_\_\_\_\_ for \_\_\_\_\_ of older \_\_\_\_\_ being replaced by \_\_\_\_\_?

How likely is it \_\_\_\_\_ new systems \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ systems that may \_\_\_\_\_ problems when they are \_\_\_\_\_ older ones?

The \_\_\_\_\_ supplier installed \_\_\_\_\_ systems disrupting \_\_\_\_\_ replacement \_\_\_\_\_.

\_\_\_\_\_ it possible that \_\_\_\_\_ disruptive \_\_\_\_\_ systems

\_\_\_\_\_ be plans \_\_\_\_\_ Suppliers to install new systems \_\_\_\_\_ disrupt \_\_\_\_\_.

\_\_\_\_\_ going \_\_\_\_\_ disruptive new systems while they \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ new systems will cause disruptions?

\_\_\_\_\_ plans for Suppliers to install new \_\_\_\_\_ which \_\_\_\_\_?

\_\_\_\_\_ have a plan \_\_\_\_\_ install \_\_\_\_\_ that \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements?

\_\_\_\_\_ the chances \_\_\_\_\_ new systems \_\_\_\_\_ when \_\_\_\_\_ are replaced?

\_\_\_\_\_ could \_\_\_\_\_ cause problems \_\_\_\_\_ they replace \_\_\_\_\_ systems with \_\_\_\_\_.



Are suppliers going to cause \_\_\_\_\_ they \_\_\_\_\_?

Is \_\_\_\_\_ a chance \_\_\_\_\_ new \_\_\_\_\_ problems during the \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ new \_\_\_\_\_ disrupting \_\_\_\_\_ of replacing them?

Will \_\_\_\_\_ be \_\_\_\_\_ troubled systems \_\_\_\_\_ the \_\_\_\_\_?

There might be \_\_\_\_\_ Suppliers to \_\_\_\_\_ which could \_\_\_\_\_ current \_\_\_\_\_.

There \_\_\_\_\_ plans \_\_\_\_\_ Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ will \_\_\_\_\_ existing arrangements.

\_\_\_\_\_ it \_\_\_\_\_ that Suppliers \_\_\_\_\_ new \_\_\_\_\_ which \_\_\_\_\_ disrupt existing \_\_\_\_\_?

\_\_\_\_\_ is not \_\_\_\_\_ whether supplier-installed new \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ process.

Supplier installed new systems may \_\_\_\_\_ process.

\_\_\_\_\_ are \_\_\_\_\_ chances \_\_\_\_\_ supplier-installed systems \_\_\_\_\_ the \_\_\_\_\_ process?

\_\_\_\_\_ have plans \_\_\_\_\_ upgrade systems \_\_\_\_\_ replacements?

Are \_\_\_\_\_ intending to cause \_\_\_\_\_ replace old \_\_\_\_\_?

\_\_\_\_\_ system \_\_\_\_\_ be disruptive

There \_\_\_\_\_ be \_\_\_\_\_ for Suppliers \_\_\_\_\_ new \_\_\_\_\_ cause delays.

\_\_\_\_\_ the suppliers going \_\_\_\_\_ disruptive new \_\_\_\_\_ remove old \_\_\_\_\_?

New systems \_\_\_\_\_ by \_\_\_\_\_ can \_\_\_\_\_ during replacement.

Are the suppliers \_\_\_\_\_ install \_\_\_\_\_ systems when they remove \_\_\_\_\_?

Suppliers \_\_\_\_\_ old systems with new \_\_\_\_\_ cause \_\_\_\_\_.

\_\_\_\_\_ there a chance of \_\_\_\_\_ installed \_\_\_\_\_ systems \_\_\_\_\_ Replacement \_\_\_\_\_?

Are \_\_\_\_\_ about to \_\_\_\_\_ new systems \_\_\_\_\_ might \_\_\_\_\_ the \_\_\_\_\_?

The \_\_\_\_\_ supplier \_\_\_\_\_ systems disrupting \_\_\_\_\_ is unknown.

Suppliers might \_\_\_\_\_ new systems \_\_\_\_\_ existing \_\_\_\_\_.

\_\_\_\_\_ planning on \_\_\_\_\_ new systems that may cause \_\_\_\_\_ replaced \_\_\_\_\_ ones?

The new \_\_\_\_\_ cause \_\_\_\_\_ the replacement \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ for Suppliers to \_\_\_\_\_ that might cause \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ install new systems \_\_\_\_\_ replace old \_\_\_\_\_?

New systems \_\_\_\_\_ by suppliers \_\_\_\_\_ process.

We \_\_\_\_\_ new \_\_\_\_\_ will cause \_\_\_\_\_ in replacing older \_\_\_\_\_.

Will suppliers replace \_\_\_\_\_ systems with \_\_\_\_\_ cause \_\_\_\_\_?

Do \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ could potentially disrupt \_\_\_\_\_ arrangements?

We \_\_\_\_\_ new systems \_\_\_\_\_ disrupt the \_\_\_\_\_ ones \_\_\_\_\_ they \_\_\_\_\_ replaced.

\_\_\_\_\_ still not certain \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_ process.

Do suppliers expect \_\_\_\_\_?

\_\_\_\_\_ systems disrupt their \_\_\_\_\_?

What are \_\_\_\_\_ chances \_\_\_\_\_ supplier \_\_\_\_\_ new systems \_\_\_\_\_ process \_\_\_\_\_ replacing \_\_\_\_\_?

Do plans \_\_\_\_\_ Suppliers \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ old systems \_\_\_\_\_ new ones that cause \_\_\_\_\_?

Do Suppliers \_\_\_\_\_ new \_\_\_\_\_ which \_\_\_\_\_ potentially disrupt \_\_\_\_\_ arrangements?

\_\_\_\_\_ plan \_\_\_\_\_ installing new systems that might \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ systems will \_\_\_\_\_ by suppliers to \_\_\_\_\_ existing arrangements?

\_\_\_\_\_ may want to \_\_\_\_\_ system \_\_\_\_\_ disruptive.

\_\_\_\_\_ Suppliers \_\_\_\_\_ install \_\_\_\_\_ might disrupt current arrangements?

\_\_\_\_\_ there plans \_\_\_\_\_ to install new systems that would \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ to \_\_\_\_\_ might disrupt old systems?

Can \_\_\_\_\_ assure \_\_\_\_\_ disruption \_\_\_\_\_ your \_\_\_\_\_ are \_\_\_\_\_ to install newer systems?

Are \_\_\_\_\_ suppliers going to \_\_\_\_\_ things \_\_\_\_\_ replacing \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ disruptions \_\_\_\_\_ be \_\_\_\_\_ when suppliers replace old systems \_\_\_\_\_.

Is this \_\_\_\_\_ stirring up chaos \_\_\_\_\_?

\_\_\_\_\_ are wondering if there \_\_\_\_\_ be any problems \_\_\_\_\_ systems \_\_\_\_\_ old \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ install \_\_\_\_\_ systems or \_\_\_\_\_ existing arrangements?

\_\_\_\_\_ suppliers planning \_\_\_\_\_ install new \_\_\_\_\_ can cause disruption \_\_\_\_\_ they \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ disrupt current arrangements.

Suppliers \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ old ones.

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ as \_\_\_\_\_ get \_\_\_\_\_ the old ones?

Are \_\_\_\_\_ to \_\_\_\_\_ new systems?

Are \_\_\_\_\_ systems that \_\_\_\_\_ disrupting \_\_\_\_\_ ones?

Are \_\_\_\_\_ plans for suppliers to \_\_\_\_\_ new \_\_\_\_\_ disrupt \_\_\_\_\_?

Suppliers \_\_\_\_\_ cause problems \_\_\_\_\_ their systems.

What's \_\_\_\_\_ likelihood of \_\_\_\_\_ new \_\_\_\_\_ replacements?

Is \_\_\_\_\_ suppliers to cause \_\_\_\_\_ in systems?

Suppliers \_\_\_\_\_ planning \_\_\_\_\_ be disruptive.

\_\_\_\_\_ new equipment installed \_\_\_\_\_ the supplier \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_ replacement \_\_\_\_\_?

Will suppliers replacing old \_\_\_\_\_ ones \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ systems \_\_\_\_\_ by \_\_\_\_\_ will affect existing arrangements?

Is \_\_\_\_\_ plan \_\_\_\_\_ install new \_\_\_\_\_ that could disrupt \_\_\_\_\_ arrangements?

We wonder if new systems \_\_\_\_\_ any \_\_\_\_\_ ones.

Are \_\_\_\_\_ on installing new systems \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ to install \_\_\_\_\_ new systems \_\_\_\_\_ taking \_\_\_\_\_ old \_\_\_\_\_ down?

\_\_\_\_\_ might \_\_\_\_\_ to cause disruptions \_\_\_\_\_ they replace \_\_\_\_\_ systems with \_\_\_\_\_.

Suppliers \_\_\_\_\_ install \_\_\_\_\_ that will \_\_\_\_\_ ones.

\_\_\_\_\_ plans for \_\_\_\_\_ install new \_\_\_\_\_ may disrupt existing \_\_\_\_\_?

Are suppliers going to \_\_\_\_\_ and \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ plans \_\_\_\_\_ to \_\_\_\_\_ new systems, \_\_\_\_\_ disrupt existing arrangements.

Are supplier \_\_\_\_\_ to upgrade \_\_\_\_\_ causing \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ trouble \_\_\_\_\_ they change systems?

\_\_\_\_\_ any \_\_\_\_\_ change equipment and cause disruptions?

Is the \_\_\_\_\_ upgrade systems \_\_\_\_\_ during replacements?

Are there plans to \_\_\_\_\_ systems \_\_\_\_\_ being replaced?

\_\_\_\_\_ disrupt \_\_\_\_\_ upgrade them.

Are \_\_\_\_\_ install \_\_\_\_\_ that will disrupt \_\_\_\_\_ arrangements?

\_\_\_\_\_ could possibly cause \_\_\_\_\_ if they \_\_\_\_\_.

\_\_\_\_\_ suppliers \_\_\_\_\_ to \_\_\_\_\_ trouble with \_\_\_\_\_?

What are \_\_\_\_\_ supplier installed systems \_\_\_\_\_ replacement?

\_\_\_\_\_ is \_\_\_\_\_ likelihood \_\_\_\_\_ supplier \_\_\_\_\_ causing disruptions during \_\_\_\_\_ process of replacing \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ install new \_\_\_\_\_ will \_\_\_\_\_ arrangements?

Are \_\_\_\_\_ planning \_\_\_\_\_ install new systems \_\_\_\_\_ may cause \_\_\_\_\_ with older \_\_\_\_\_?

Are \_\_\_\_\_ going \_\_\_\_\_ install \_\_\_\_\_ that will cause disruption when \_\_\_\_\_ ones?

\_\_\_\_\_ suppliers install \_\_\_\_\_ troubled systems \_\_\_\_\_ old ones?

Is \_\_\_\_\_ planning \_\_\_\_\_ install newer systems \_\_\_\_\_ might \_\_\_\_\_?

\_\_\_\_\_ cause \_\_\_\_\_ they replace \_\_\_\_\_ systems with new \_\_\_\_\_

What is \_\_\_\_\_ risk of \_\_\_\_\_ new \_\_\_\_\_?

Will suppliers \_\_\_\_\_ that are \_\_\_\_\_?

If Suppliers \_\_\_\_\_ their old \_\_\_\_\_ with \_\_\_\_\_ ones they \_\_\_\_\_.

\_\_\_\_\_ suppliers \_\_\_\_\_ systems \_\_\_\_\_ be disruptive?

\_\_\_\_\_ suppliers \_\_\_\_\_ disruptions \_\_\_\_\_ installing new \_\_\_\_\_?

\_\_\_\_\_ suppliers planning \_\_\_\_\_ new systems \_\_\_\_\_ could \_\_\_\_\_ they are replaced?

Do there plans \_\_\_\_\_ Suppliers to \_\_\_\_\_ new \_\_\_\_\_ potentially \_\_\_\_\_ current \_\_\_\_\_?

Will \_\_\_\_\_ install new \_\_\_\_\_ replace older ones?

\_\_\_\_\_ new systems possibly \_\_\_\_\_ that \_\_\_\_\_ disrupt other \_\_\_\_\_?

Are \_\_\_\_\_ for Suppliers to install \_\_\_\_\_ existing arrangements?

Will \_\_\_\_\_ older systems with disruptive \_\_\_\_\_?

\_\_\_\_\_ chances \_\_\_\_\_ there \_\_\_\_\_ supplier-installed new systems disrupting \_\_\_\_\_?

Will new systems \_\_\_\_\_ a \_\_\_\_\_ when \_\_\_\_\_ ones \_\_\_\_\_?

Will \_\_\_\_\_ of \_\_\_\_\_ any issues \_\_\_\_\_ older equipment \_\_\_\_\_ replaced?

\_\_\_\_\_ to install new systems when \_\_\_\_\_ ones?

What \_\_\_\_\_ chances \_\_\_\_\_ replacement process being disrupted \_\_\_\_\_ systems installed \_\_\_\_\_ the \_\_\_\_\_?

Do Suppliers \_\_\_\_\_ install new systems \_\_\_\_\_ may \_\_\_\_\_?

\_\_\_\_\_ of supplier-installed new \_\_\_\_\_ causing \_\_\_\_\_ during their \_\_\_\_\_ unknown.

\_\_\_\_\_ can potentially cause disruptions if \_\_\_\_\_ systems with \_\_\_\_\_.

\_\_\_\_\_ suppliers have plans to \_\_\_\_\_ systems that \_\_\_\_\_?

Is \_\_\_\_\_ systems \_\_\_\_\_ by \_\_\_\_\_ will \_\_\_\_\_ other arrangements?

\_\_\_\_\_ new \_\_\_\_\_ likely to \_\_\_\_\_ disruptions during \_\_\_\_\_ process?

Is there any \_\_\_\_\_ new \_\_\_\_\_ we get rid of \_\_\_\_\_?

\_\_\_\_\_ about to install new systems \_\_\_\_\_ disruption?

\_\_\_\_\_ possible that \_\_\_\_\_ systems being \_\_\_\_\_ suppliers will cause \_\_\_\_\_?

There \_\_\_\_\_ plans for Suppliers to \_\_\_\_\_ which could \_\_\_\_\_ arrangements.

\_\_\_\_\_ there any \_\_\_\_\_ supplier-installed new \_\_\_\_\_ of replacing said systems?

\_\_\_\_\_ disruptive \_\_\_\_\_ systems when replacing \_\_\_\_\_ ones.

Are \_\_\_\_\_ to install \_\_\_\_\_ that \_\_\_\_\_ disrupt old \_\_\_\_\_?

\_\_\_\_\_ install \_\_\_\_\_ that will disrupt the \_\_\_\_\_ ones?

\_\_\_\_\_ new systems likely to \_\_\_\_\_ disruptions \_\_\_\_\_ process?

Do suppliers \_\_\_\_\_ to install new \_\_\_\_\_ delays?

\_\_\_\_\_ installation of \_\_\_\_\_ disruptions when \_\_\_\_\_ are replaced?

Are \_\_\_\_\_ install \_\_\_\_\_ that might disrupt the old ones?

\_\_\_\_\_ systems could cause a \_\_\_\_\_ ones \_\_\_\_\_ replaced.

If \_\_\_\_\_ replace \_\_\_\_\_ with \_\_\_\_\_ ones \_\_\_\_\_ be disruptions.

It is \_\_\_\_\_ known how \_\_\_\_\_ will affect \_\_\_\_\_ replacement \_\_\_\_\_.

Are \_\_\_\_\_ planning to make \_\_\_\_\_ disruptions during \_\_\_\_\_ installation \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ install disruptive \_\_\_\_\_ while \_\_\_\_\_ older \_\_\_\_\_ being replaced?

\_\_\_\_\_ process might be \_\_\_\_\_ new \_\_\_\_\_ installed by \_\_\_\_\_ supplier.

Are \_\_\_\_\_ plans \_\_\_\_\_ install \_\_\_\_\_ disruptive systems \_\_\_\_\_ ones are \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ will disrupt other arrangements?

\_\_\_\_\_ suppliers \_\_\_\_\_ to install new \_\_\_\_\_ will affect \_\_\_\_\_ ones?

Do suppliers \_\_\_\_\_ to \_\_\_\_\_ as they replace old \_\_\_\_\_?

Do \_\_\_\_\_ plan \_\_\_\_\_ disruptions when \_\_\_\_\_?

\_\_\_\_\_ will happen \_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ supplier \_\_\_\_\_ systems?

\_\_\_\_\_ anticipate disruption during \_\_\_\_\_?

\_\_\_\_\_ suppliers intending to \_\_\_\_\_ new \_\_\_\_\_ that may \_\_\_\_\_ replaced \_\_\_\_\_ older ones?

\_\_\_\_\_ suppliers \_\_\_\_\_ to upgrade \_\_\_\_\_ that \_\_\_\_\_ disruptions \_\_\_\_\_ replacements?

Is there a \_\_\_\_\_ to install newer \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ disruptions \_\_\_\_\_ the replacement process?

Is \_\_\_\_\_ supplier planning \_\_\_\_\_ disruptive \_\_\_\_\_ systems \_\_\_\_\_ they remove \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ prepared \_\_\_\_\_ any \_\_\_\_\_ from old systems \_\_\_\_\_ replaced by \_\_\_\_\_?

New equipment installed by the supplier \_\_\_\_\_ disruptions \_\_\_\_\_.

The chances \_\_\_\_\_ supplier installed new systems \_\_\_\_\_.

\_\_\_\_\_ supplier \_\_\_\_\_ for system upgrades \_\_\_\_\_?

Does the \_\_\_\_\_ system updates?

Are suppliers \_\_\_\_\_ to \_\_\_\_\_ systems that \_\_\_\_\_ systems?

\_\_\_\_\_ are \_\_\_\_\_ chances of \_\_\_\_\_ systems disrupting \_\_\_\_\_ of replacing \_\_\_\_\_?

Is \_\_\_\_\_ of disruption \_\_\_\_\_ systems being replaced by \_\_\_\_\_?

\_\_\_\_\_ with installing new systems when \_\_\_\_\_ the old ones?

How \_\_\_\_\_ it that \_\_\_\_\_ systems will \_\_\_\_\_ disruptions during \_\_\_\_\_ process?

\_\_\_\_\_ install new \_\_\_\_\_ when \_\_\_\_\_ replace \_\_\_\_\_ ones?

\_\_\_\_\_ going to install \_\_\_\_\_ to disrupt the \_\_\_\_\_?

Do \_\_\_\_\_ to install new \_\_\_\_\_ affect already established \_\_\_\_\_?

suppliers may \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ old \_\_\_\_\_

What \_\_\_\_\_ the chances \_\_\_\_\_ supplier \_\_\_\_\_ disrupting \_\_\_\_\_ process \_\_\_\_\_ replacing the old \_\_\_\_\_?

Do \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ can disrupt \_\_\_\_\_?

Is \_\_\_\_\_ Suppliers to \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ cause delays?

Is \_\_\_\_\_ systems \_\_\_\_\_ installed \_\_\_\_\_ suppliers \_\_\_\_\_ other arrangements?

Are \_\_\_\_\_ able \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ existing arrangements?

\_\_\_\_\_ suppliers \_\_\_\_\_ if \_\_\_\_\_ replace old systems with new \_\_\_\_\_.

\_\_\_\_\_ could \_\_\_\_\_ replace \_\_\_\_\_ systems with new ones.

\_\_\_\_\_ not known whether \_\_\_\_\_ installed new systems \_\_\_\_\_ cause \_\_\_\_\_ process.

Are \_\_\_\_\_ planning to \_\_\_\_\_ systems \_\_\_\_\_ disruptions \_\_\_\_\_ replacements?

\_\_\_\_\_ might \_\_\_\_\_ their old systems with new \_\_\_\_\_.

\_\_\_\_\_ systems cause disruptions during their \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ Suppliers \_\_\_\_\_ install new systems \_\_\_\_\_ could \_\_\_\_\_ current arrangements?

Do suppliers \_\_\_\_\_ to \_\_\_\_\_ when they replace \_\_\_\_\_?

The \_\_\_\_\_ process could be \_\_\_\_\_ are installed.

Does the \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ arrangements?

\_\_\_\_\_ Suppliers \_\_\_\_\_ a plan \_\_\_\_\_ that might disrupt current \_\_\_\_\_?

There \_\_\_\_\_ plans \_\_\_\_\_ to install new systems, \_\_\_\_\_ could disrupt \_\_\_\_\_.

\_\_\_\_\_ are wondering \_\_\_\_\_ the new systems \_\_\_\_\_ cause problems \_\_\_\_\_.

Suppliers may install \_\_\_\_\_ troubled \_\_\_\_\_ replace \_\_\_\_\_ ones.

\_\_\_\_\_ there a chance of \_\_\_\_\_ from older \_\_\_\_\_ going \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ that \_\_\_\_\_ installed by \_\_\_\_\_ will disrupt \_\_\_\_\_ arrangements?

Is \_\_\_\_\_ possible \_\_\_\_\_ new \_\_\_\_\_ that will disrupt \_\_\_\_\_ arrangements?

The replacements \_\_\_\_\_ can be \_\_\_\_\_ new \_\_\_\_\_.

What are \_\_\_\_\_ chances that supplier-installed new \_\_\_\_\_ will \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ problems \_\_\_\_\_ installation of new systems \_\_\_\_\_ the \_\_\_\_\_ ones \_\_\_\_\_ replaced?

What \_\_\_\_\_ the \_\_\_\_\_ new systems \_\_\_\_\_ the process \_\_\_\_\_ said systems?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ new systems disrupting replacements?

\_\_\_\_\_ on installing new systems that may cause \_\_\_\_\_ are replaced \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ supplier \_\_\_\_\_ new systems disrupting the \_\_\_\_\_ Process?

\_\_\_\_\_ suppliers going \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_ the old \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ cause problems \_\_\_\_\_ replace their old \_\_\_\_\_?

\_\_\_\_\_ going to \_\_\_\_\_ with old systems \_\_\_\_\_ be replaced by \_\_\_\_\_?

Will \_\_\_\_\_ new \_\_\_\_\_ cause \_\_\_\_\_?

\_\_\_\_\_ suppliers install \_\_\_\_\_ troubled \_\_\_\_\_ in \_\_\_\_\_ of old \_\_\_\_\_?

What's \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ replacements?

\_\_\_\_\_ suppliers going \_\_\_\_\_ new \_\_\_\_\_ which may cause disruptions \_\_\_\_\_ are \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ planning to install \_\_\_\_\_ might cause disruption \_\_\_\_\_ they are \_\_\_\_\_ older \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ problems when replacing \_\_\_\_\_ ones.

\_\_\_\_\_ troubled systems \_\_\_\_\_ be \_\_\_\_\_ as they replace \_\_\_\_\_ ones.

Will \_\_\_\_\_ install \_\_\_\_\_ systems.

It's not \_\_\_\_\_ if supplier installed \_\_\_\_\_ in the replacement \_\_\_\_\_.

Are suppliers \_\_\_\_\_ install \_\_\_\_\_ which \_\_\_\_\_ disruption \_\_\_\_\_ they \_\_\_\_\_ replaced with older \_\_\_\_\_?

\_\_\_\_\_ chance of \_\_\_\_\_ systems \_\_\_\_\_ the replacement \_\_\_\_\_ is not \_\_\_\_\_.

Are \_\_\_\_\_ planning to install \_\_\_\_\_ to disrupt \_\_\_\_\_?

Current arrangements may \_\_\_\_\_ disrupted by plans \_\_\_\_\_ new \_\_\_\_\_.

Is new systems installed \_\_\_\_\_ likely \_\_\_\_\_ arrangements?

Is \_\_\_\_\_ possible that supplier-installed \_\_\_\_\_ will cause \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ suppliers install new \_\_\_\_\_ replace \_\_\_\_\_ ones?

\_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ Suppliers \_\_\_\_\_ install new systems that \_\_\_\_\_ \_\_\_\_\_?

\_\_\_\_\_ suppliers install new \_\_\_\_\_ when \_\_\_\_\_ install \_\_\_\_\_?

Is the \_\_\_\_\_ planning \_\_\_\_\_ new systems \_\_\_\_\_ remove the \_\_\_\_\_ ones?

There \_\_\_\_\_ plans \_\_\_\_\_ Suppliers to \_\_\_\_\_ new systems which \_\_\_\_\_ disrupt \_\_\_\_\_.

\_\_\_\_\_ disruptive changes during \_\_\_\_\_ updates

\_\_\_\_\_ planning system \_\_\_\_\_ that are \_\_\_\_\_.

What \_\_\_\_\_ are there \_\_\_\_\_ installed new \_\_\_\_\_ the \_\_\_\_\_ Process?

Are \_\_\_\_\_ plans \_\_\_\_\_ to \_\_\_\_\_ new systems \_\_\_\_\_ will \_\_\_\_\_ existing \_\_\_\_\_?

Do \_\_\_\_\_ for \_\_\_\_\_ during \_\_\_\_\_ improvements?

\_\_\_\_\_ plans for \_\_\_\_\_ to install new systems, \_\_\_\_\_ can \_\_\_\_\_ existing \_\_\_\_\_.

\_\_\_\_\_ if suppliers install new \_\_\_\_\_ that \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_ existing arrangements?

\_\_\_\_\_ there any \_\_\_\_\_ install \_\_\_\_\_ systems when \_\_\_\_\_ are being replaced?

It's \_\_\_\_\_ certain \_\_\_\_\_ new systems will cause disruptions during \_\_\_\_\_.

Are there \_\_\_\_\_ install \_\_\_\_\_ when older \_\_\_\_\_ are \_\_\_\_\_?

Are \_\_\_\_\_ any \_\_\_\_\_ installed new systems disrupting \_\_\_\_\_ replacing them?

Will suppliers \_\_\_\_\_ systems \_\_\_\_\_ older systems?

\_\_\_\_\_ planning new \_\_\_\_\_ that \_\_\_\_\_ the old ones?

\_\_\_\_\_ installed new \_\_\_\_\_ cause \_\_\_\_\_ the replacements process?

Does supplier \_\_\_\_\_ have \_\_\_\_\_ chance of \_\_\_\_\_ their \_\_\_\_\_?

Will \_\_\_\_\_ installed new systems \_\_\_\_\_ disruptions \_\_\_\_\_ REPLACEMENT \_\_\_\_\_?

Do suppliers \_\_\_\_\_ to \_\_\_\_\_ systems that \_\_\_\_\_ arrangements?

\_\_\_\_\_ of supplier-installed new systems \_\_\_\_\_ the process of \_\_\_\_\_?

\_\_\_\_\_ might \_\_\_\_\_ systems while \_\_\_\_\_ upgrade \_\_\_\_\_.

There are \_\_\_\_\_ for Suppliers \_\_\_\_\_ which \_\_\_\_\_ cause delays.

\_\_\_\_\_ plan \_\_\_\_\_ disrupt systems while they \_\_\_\_\_.

\_\_\_\_\_ disruptions may occur when \_\_\_\_\_ replace old \_\_\_\_\_.

I wonder \_\_\_\_\_ I have \_\_\_\_\_ from \_\_\_\_\_ upgrades over \_\_\_\_\_.

\_\_\_\_\_ there any \_\_\_\_\_ installing \_\_\_\_\_ systems \_\_\_\_\_ we \_\_\_\_\_ rid of old \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ new systems when \_\_\_\_\_ replace \_\_\_\_\_ ones?

Would \_\_\_\_\_ trouble \_\_\_\_\_ systems with new ones?

Is there \_\_\_\_\_ install new systems \_\_\_\_\_ cause delays?

\_\_\_\_\_ for suppliers \_\_\_\_\_ install new systems, which \_\_\_\_\_ disrupt \_\_\_\_\_.

Suppliers \_\_\_\_\_ cause \_\_\_\_\_ replace \_\_\_\_\_ systems \_\_\_\_\_ new systems.

\_\_\_\_\_ suppliers \_\_\_\_\_ cause \_\_\_\_\_ when they replace \_\_\_\_\_ systems?

\_\_\_\_\_ are the chances \_\_\_\_\_ supplier-installed \_\_\_\_\_ disrupting the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ suppliers to install \_\_\_\_\_ might \_\_\_\_\_ current arrangements.

Suppliers \_\_\_\_\_ potentially \_\_\_\_\_ they replace \_\_\_\_\_.

If suppliers replace \_\_\_\_\_ systems \_\_\_\_\_ systems it \_\_\_\_\_ disruptions.

It's \_\_\_\_\_ if supplier \_\_\_\_\_ new systems \_\_\_\_\_ cause \_\_\_\_\_ the \_\_\_\_\_ process.

\_\_\_\_\_ is \_\_\_\_\_ known \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems will disrupt the \_\_\_\_\_.

Suppliers \_\_\_\_\_ possibly cause \_\_\_\_\_ they replace \_\_\_\_\_.

\_\_\_\_\_ known if supplier-installed \_\_\_\_\_ systems will \_\_\_\_\_ disruptions during the \_\_\_\_\_.

\_\_\_\_\_ going to \_\_\_\_\_ problems as they \_\_\_\_\_ old \_\_\_\_\_ systems?

Do Suppliers have \_\_\_\_\_ to \_\_\_\_\_ might affect \_\_\_\_\_ arrangements?

\_\_\_\_\_ possible that new \_\_\_\_\_ problems when replacing old \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ supplier installed new systems will \_\_\_\_ ?  
 Can \_\_\_\_ new systems \_\_\_\_ existing \_\_\_\_ ?  
 Do \_\_\_\_ have \_\_\_\_ install new \_\_\_\_ that may \_\_\_\_ arrangements?  
 Is there \_\_\_\_ installed \_\_\_\_ suppliers will \_\_\_\_ existing arrangements?  
 Suppliers \_\_\_\_ possibly cause \_\_\_\_ if \_\_\_\_ systems with new \_\_\_\_.  
 \_\_\_\_ it possible \_\_\_\_ installed by \_\_\_\_ will cause \_\_\_\_ ?  
 \_\_\_\_ system updates \_\_\_\_ disruptive?  
 \_\_\_\_ suppliers \_\_\_\_ to install new systems \_\_\_\_ cause \_\_\_\_ they are \_\_\_\_ ?  
 Are \_\_\_\_ suppliers planning \_\_\_\_ install \_\_\_\_ new \_\_\_\_ when they \_\_\_\_ ?  
 \_\_\_\_ process disrupted by \_\_\_\_ systems?  
 It is not known \_\_\_\_ will cause \_\_\_\_ the \_\_\_\_ process.  
 Are new systems \_\_\_\_ by \_\_\_\_ will \_\_\_\_ other \_\_\_\_ ?  
 Do suppliers \_\_\_\_ trouble \_\_\_\_ old systems with new?  
 \_\_\_\_ suppliers plan to install \_\_\_\_ that \_\_\_\_ disrupt current \_\_\_\_ ?  
 It's \_\_\_\_ known \_\_\_\_ the supplier \_\_\_\_ new systems \_\_\_\_ cause \_\_\_\_ during \_\_\_\_ .  
 \_\_\_\_ plan \_\_\_\_ install \_\_\_\_ systems \_\_\_\_ will \_\_\_\_ already existing arrangements?  
 Will the installation of \_\_\_\_ cause \_\_\_\_ older \_\_\_\_ is \_\_\_\_ ?  
 Suppliers \_\_\_\_ updates \_\_\_\_ be \_\_\_\_ .  
 Can suppliers \_\_\_\_ new \_\_\_\_ existing arrangements?  
 \_\_\_\_ the suppliers \_\_\_\_ by putting in \_\_\_\_ ?  
 Are there any \_\_\_\_ install \_\_\_\_ while \_\_\_\_ being replaced?  
 \_\_\_\_ still not certain \_\_\_\_ systems \_\_\_\_ disruptions during the replacement \_\_\_\_ .  
 \_\_\_\_ we \_\_\_\_ problems \_\_\_\_ old systems \_\_\_\_ replaced by suppliers?  
 \_\_\_\_ plans \_\_\_\_ Suppliers to install \_\_\_\_ systems which \_\_\_\_ current \_\_\_\_ .  
 What's \_\_\_\_ of supplier \_\_\_\_ new systems \_\_\_\_ the \_\_\_\_ replacing \_\_\_\_ ?  
 Are suppliers going \_\_\_\_ cause some disruption?  
 \_\_\_\_ suppliers \_\_\_\_ disruptions during system \_\_\_\_ ?  
 Suppliers expecting \_\_\_\_ when \_\_\_\_ ?  
 \_\_\_\_ of supplier \_\_\_\_ systems causing disruption \_\_\_\_ the \_\_\_\_ process.  
 How \_\_\_\_ is \_\_\_\_ supplier-installed new \_\_\_\_ will cause disruption \_\_\_\_ process?  
 \_\_\_\_ installing new \_\_\_\_ older \_\_\_\_ ?  
 Is there \_\_\_\_ from \_\_\_\_ upgrades \_\_\_\_ phased-out equipment?  
 \_\_\_\_ likelihood \_\_\_\_ supplier \_\_\_\_ systems disrupting the REPLACEMENT process?  
 Is \_\_\_\_ suppliers during \_\_\_\_ updates?  
 \_\_\_\_ of \_\_\_\_ new systems disrupting \_\_\_\_ process of replacing \_\_\_\_ ?  
 \_\_\_\_ suppliers planning to \_\_\_\_ systems \_\_\_\_ could cause \_\_\_\_ are \_\_\_\_ with older \_\_\_\_ ?  
 \_\_\_\_ systems are replaced \_\_\_\_ systems, \_\_\_\_ plan to cause \_\_\_\_ ?  
 \_\_\_\_ if supplier \_\_\_\_ systems cause disruptions during \_\_\_\_ of \_\_\_\_ ?  
 \_\_\_\_ up chaos \_\_\_\_ replacing \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ to \_\_\_\_ disruptive \_\_\_\_ when the older \_\_\_\_ are \_\_\_\_ ?  
 Are \_\_\_\_ planning \_\_\_\_ trouble when \_\_\_\_ replace older \_\_\_\_ with \_\_\_\_ ?  
 \_\_\_\_ for suppliers to \_\_\_\_ could \_\_\_\_ existing arrangements.  
 Do suppliers plan \_\_\_\_ problems \_\_\_\_ they replace \_\_\_\_ ones?  
 \_\_\_\_ likely are supplier \_\_\_\_ new \_\_\_\_ their replacements?  
 Suppliers could potentially cause \_\_\_\_ systems  
 \_\_\_\_ might \_\_\_\_ system changes \_\_\_\_ are \_\_\_\_ .  
 It is \_\_\_\_ if \_\_\_\_ installed new \_\_\_\_ during the \_\_\_\_ process.  
 \_\_\_\_ cause disruptions if \_\_\_\_ replace their old \_\_\_\_ ones  
 Are \_\_\_\_ systems \_\_\_\_ by suppliers \_\_\_\_ can \_\_\_\_ existing \_\_\_\_ ?  
 \_\_\_\_ planning to install new \_\_\_\_ which may cause \_\_\_\_ they \_\_\_\_ ?

\_\_\_\_\_ supplier installed \_\_\_\_\_ cause disruptions during \_\_\_\_\_ process of \_\_\_\_\_?

Suppliers \_\_\_\_\_ install \_\_\_\_\_ systems that \_\_\_\_\_ arrangements.

\_\_\_\_\_ the system \_\_\_\_\_ plan by \_\_\_\_\_?

What are the chances of \_\_\_\_\_ their replacement \_\_\_\_\_?

What \_\_\_\_\_ chances \_\_\_\_\_ supplier-installed new \_\_\_\_\_ disruptions \_\_\_\_\_ the replacement \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of supplier installed new \_\_\_\_\_ disrupting the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ risk of \_\_\_\_\_ installed new \_\_\_\_\_ replacements?

\_\_\_\_\_ suppliers intend \_\_\_\_\_ trouble with \_\_\_\_\_ new \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ supplier-installed new systems \_\_\_\_\_ the replacements \_\_\_\_\_?

Are prospective disruptions \_\_\_\_\_ by \_\_\_\_\_ upgrade \_\_\_\_\_?

\_\_\_\_\_ that suppliers will cause disruptions \_\_\_\_\_ their old systems \_\_\_\_\_ new \_\_\_\_\_.

\_\_\_\_\_ preparing to install new systems \_\_\_\_\_ disrupt \_\_\_\_\_ ones?

\_\_\_\_\_ suppliers \_\_\_\_\_ cause problems \_\_\_\_\_ they \_\_\_\_\_ old \_\_\_\_\_ with new \_\_\_\_\_?

\_\_\_\_\_ if the new equipment \_\_\_\_\_ cause disruptions \_\_\_\_\_ replacement \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ new systems that \_\_\_\_\_ disruption when \_\_\_\_\_ replaced with \_\_\_\_\_ ones?

\_\_\_\_\_ is \_\_\_\_\_ question \_\_\_\_\_ the chances \_\_\_\_\_ new \_\_\_\_\_ their replacements.

\_\_\_\_\_ might cause \_\_\_\_\_ problem when \_\_\_\_\_ ones are \_\_\_\_\_.

\_\_\_\_\_ the supplier plan on installing \_\_\_\_\_ that \_\_\_\_\_ old \_\_\_\_\_?

Suppliers might \_\_\_\_\_ updates that \_\_\_\_\_.

\_\_\_\_\_ have plans \_\_\_\_\_ new systems which will disrupt \_\_\_\_\_?

Is \_\_\_\_\_ plan for Suppliers to \_\_\_\_\_ new \_\_\_\_\_ that could \_\_\_\_\_?

\_\_\_\_\_ disruptive \_\_\_\_\_ may be \_\_\_\_\_ older ones are \_\_\_\_\_.

\_\_\_\_\_ chances \_\_\_\_\_ new systems causing \_\_\_\_\_ during the \_\_\_\_\_ process are \_\_\_\_\_.

Is \_\_\_\_\_ suppliers will install new systems \_\_\_\_\_ arrangements?

Are suppliers \_\_\_\_\_ on \_\_\_\_\_ new systems \_\_\_\_\_ older \_\_\_\_\_?

\_\_\_\_\_ suppliers have \_\_\_\_\_ change \_\_\_\_\_?

\_\_\_\_\_ install \_\_\_\_\_ and \_\_\_\_\_ existing arrangements.

Is \_\_\_\_\_ possible that \_\_\_\_\_ will be \_\_\_\_\_ old \_\_\_\_\_ being \_\_\_\_\_ suppliers?

\_\_\_\_\_ planning to install new systems \_\_\_\_\_ will \_\_\_\_\_ disruption \_\_\_\_\_ with \_\_\_\_\_ ones?

\_\_\_\_\_ suppliers install \_\_\_\_\_ while \_\_\_\_\_ old systems?

Suppliers could \_\_\_\_\_ cause \_\_\_\_\_ they \_\_\_\_\_ old systems

\_\_\_\_\_ suppliers \_\_\_\_\_ on causing \_\_\_\_\_ when \_\_\_\_\_ old systems \_\_\_\_\_ ones?

\_\_\_\_\_ are \_\_\_\_\_ for Suppliers to install \_\_\_\_\_ which could \_\_\_\_\_ disrupt \_\_\_\_\_.

\_\_\_\_\_ plans to install \_\_\_\_\_ that can disrupt existing \_\_\_\_\_?

Suppliers might \_\_\_\_\_ disrupt \_\_\_\_\_ older ones.

\_\_\_\_\_ suppliers intending to cause \_\_\_\_\_ they \_\_\_\_\_ with \_\_\_\_\_ systems?

\_\_\_\_\_ could \_\_\_\_\_ by suppliers to disrupt existing \_\_\_\_\_.

Are \_\_\_\_\_ going \_\_\_\_\_ upgrade \_\_\_\_\_ cause disruptions during \_\_\_\_\_?

Will \_\_\_\_\_ of \_\_\_\_\_ systems \_\_\_\_\_ they are replaced?

\_\_\_\_\_ install new \_\_\_\_\_ and \_\_\_\_\_ existing arrangements?

New \_\_\_\_\_ cause \_\_\_\_\_ problems \_\_\_\_\_ replacing \_\_\_\_\_ ones.

Do \_\_\_\_\_ have plans \_\_\_\_\_ new \_\_\_\_\_ cause delays \_\_\_\_\_ existing arrangements?

There is a chance \_\_\_\_\_ supplier \_\_\_\_\_ new systems \_\_\_\_\_ replacement \_\_\_\_\_.

Suppliers \_\_\_\_\_ new systems \_\_\_\_\_ ones

\_\_\_\_\_ systems and disrupt existing \_\_\_\_\_?

\_\_\_\_\_ upgrade systems \_\_\_\_\_ cause \_\_\_\_\_ during \_\_\_\_\_.

Are there plans for \_\_\_\_\_ that will cause \_\_\_\_\_?

Suppliers \_\_\_\_\_ new \_\_\_\_\_ will disrupt \_\_\_\_\_ arrangements.

We're \_\_\_\_\_ if \_\_\_\_\_ systems will \_\_\_\_\_ they're replaced.

Suppliers \_\_\_\_\_ systems \_\_\_\_\_ may \_\_\_\_\_ existing arrangements

Does \_\_\_\_\_ plan for system \_\_\_\_\_ to \_\_\_\_\_?

What \_\_\_\_\_ chance of \_\_\_\_\_ new systems \_\_\_\_\_ disruptions when \_\_\_\_\_ from \_\_\_\_\_ market?

Are there \_\_\_\_\_ systems \_\_\_\_\_ the replacements process?

\_\_\_\_\_ are \_\_\_\_\_ of \_\_\_\_\_ installed new systems causing \_\_\_\_\_ during the \_\_\_\_\_.

\_\_\_\_\_ going to \_\_\_\_\_ if \_\_\_\_\_ old with new systems?

Suppliers could \_\_\_\_\_ cause disruptions \_\_\_\_\_ they \_\_\_\_\_.

\_\_\_\_\_ could be \_\_\_\_\_ updates \_\_\_\_\_ be disruptive.

Is it possible \_\_\_\_\_ being replaced \_\_\_\_\_ suppliers \_\_\_\_\_ disruptions?

\_\_\_\_\_ planning \_\_\_\_\_ install new systems which \_\_\_\_\_ disruptions when \_\_\_\_\_ with \_\_\_\_\_ ones?

\_\_\_\_\_ any \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ the older ones \_\_\_\_\_?

Will \_\_\_\_\_ systems \_\_\_\_\_ their replacements?

\_\_\_\_\_ new \_\_\_\_\_ installed \_\_\_\_\_ suppliers \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ process \_\_\_\_\_ disrupted by supplier-installed \_\_\_\_\_ systems.

\_\_\_\_\_ the suppliers ruin \_\_\_\_\_ when they \_\_\_\_\_ with \_\_\_\_\_ ones?

Will \_\_\_\_\_ suppliers \_\_\_\_\_ new \_\_\_\_\_ while they replace \_\_\_\_\_?

\_\_\_\_\_ for suppliers to change \_\_\_\_\_?

\_\_\_\_\_ going \_\_\_\_\_ be disruption \_\_\_\_\_ older \_\_\_\_\_ being \_\_\_\_\_ by suppliers?

Are \_\_\_\_\_ planning \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ will \_\_\_\_\_ the old \_\_\_\_\_?

\_\_\_\_\_ install disruptive systems \_\_\_\_\_ older ones are replaced?

\_\_\_\_\_ new \_\_\_\_\_ be \_\_\_\_\_ by suppliers \_\_\_\_\_ disrupt existing \_\_\_\_\_?

Is there a plan for \_\_\_\_\_ to install \_\_\_\_\_?

\_\_\_\_\_ cause disruptions \_\_\_\_\_ suppliers \_\_\_\_\_ old ones.

Are \_\_\_\_\_ new \_\_\_\_\_ that will disrupt \_\_\_\_\_ arrangements?

Should I anticipate disruption \_\_\_\_\_ upgrades over \_\_\_\_\_?

\_\_\_\_\_ suppliers plan on causing trouble \_\_\_\_\_ old \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ install new \_\_\_\_\_ could disrupt \_\_\_\_\_ arrangements.

Do you have any plans to install \_\_\_\_\_ while \_\_\_\_\_?

Plans for \_\_\_\_\_ install \_\_\_\_\_ affect existing arrangements.

suppliers may \_\_\_\_\_ systems \_\_\_\_\_

What if \_\_\_\_\_ new \_\_\_\_\_ problems during the \_\_\_\_\_?

If suppliers replace their \_\_\_\_\_ they \_\_\_\_\_ cause disruptions.

\_\_\_\_\_ suppliers planning to install \_\_\_\_\_ disrupt \_\_\_\_\_ ones?

Do you know if \_\_\_\_\_ be installed \_\_\_\_\_ older ones?

\_\_\_\_\_ will \_\_\_\_\_ disruptive \_\_\_\_\_ systems \_\_\_\_\_ place of \_\_\_\_\_ ones.

\_\_\_\_\_ wonder \_\_\_\_\_ systems will cause disruptions \_\_\_\_\_ the replacement \_\_\_\_\_.

Is \_\_\_\_\_ that suppliers will \_\_\_\_\_ systems \_\_\_\_\_ disrupt older \_\_\_\_\_?

\_\_\_\_\_ get \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ any plans to install \_\_\_\_\_ disruptive systems?

Is \_\_\_\_\_ planning \_\_\_\_\_ installing \_\_\_\_\_ that might be \_\_\_\_\_?

Does \_\_\_\_\_ expect \_\_\_\_\_ changes in \_\_\_\_\_?

Are new systems likely \_\_\_\_\_ cause \_\_\_\_\_ replacement \_\_\_\_\_?

\_\_\_\_\_ supplier \_\_\_\_\_ to \_\_\_\_\_ systems \_\_\_\_\_ disruptions during \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that suppliers will ruin \_\_\_\_\_ by \_\_\_\_\_ new ones?

What chances \_\_\_\_\_ installed new \_\_\_\_\_ have \_\_\_\_\_ disrupting \_\_\_\_\_?

Can we expect \_\_\_\_\_ lot of disruptions \_\_\_\_\_ you \_\_\_\_\_ old \_\_\_\_\_ new \_\_\_\_\_?

We \_\_\_\_\_ if \_\_\_\_\_ will \_\_\_\_\_ when it \_\_\_\_\_ to replacing \_\_\_\_\_ ones.

\_\_\_\_\_ installed by \_\_\_\_\_ supplier \_\_\_\_\_ cause disruptions during \_\_\_\_\_ replacement.

\_\_\_\_\_ chance that \_\_\_\_\_ new \_\_\_\_\_ will disrupt their \_\_\_\_\_?

\_\_\_\_\_ replace their old \_\_\_\_\_ new \_\_\_\_\_ they \_\_\_\_\_ possibly cause \_\_\_\_\_.

\_\_\_\_\_ is not known \_\_\_\_\_ supplier installation \_\_\_\_\_ new systems \_\_\_\_\_ the replacement \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ chances of \_\_\_\_\_ new \_\_\_\_\_ disrupting \_\_\_\_\_ Replacement \_\_\_\_\_?



Do Suppliers \_\_\_\_\_ install \_\_\_\_\_ could disrupt \_\_\_\_\_ arrangements?

Are there \_\_\_\_\_ plans \_\_\_\_\_ disruptive \_\_\_\_\_ when older \_\_\_\_\_ being replaced?

\_\_\_\_\_ plan \_\_\_\_\_ install \_\_\_\_\_ equipment and \_\_\_\_\_ existing equipment?

\_\_\_\_\_ the \_\_\_\_\_ supplier-installed new systems disrupting \_\_\_\_\_?

What \_\_\_\_\_ of \_\_\_\_\_ replacement \_\_\_\_\_ disrupted by new equipment installed \_\_\_\_\_ supplier?

\_\_\_\_\_ could be \_\_\_\_\_ install new systems that \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements.

\_\_\_\_\_ could \_\_\_\_\_ they replace their old \_\_\_\_\_.

\_\_\_\_\_ to cause trouble when they \_\_\_\_\_ systems with \_\_\_\_\_?

\_\_\_\_\_ intending \_\_\_\_\_ install new \_\_\_\_\_ may cause \_\_\_\_\_ when \_\_\_\_\_ are replaced \_\_\_\_\_ ones?

There \_\_\_\_\_ plans for \_\_\_\_\_ to \_\_\_\_\_ new \_\_\_\_\_ that \_\_\_\_\_ in existing \_\_\_\_\_.

Suppliers may \_\_\_\_\_ older \_\_\_\_\_ systems.

\_\_\_\_\_ for Suppliers \_\_\_\_\_ new \_\_\_\_\_ affect \_\_\_\_\_ already established arrangements?

It's still not known \_\_\_\_\_ new systems \_\_\_\_\_ cause \_\_\_\_\_ replacement \_\_\_\_\_.

\_\_\_\_\_ the chance of \_\_\_\_\_ systems \_\_\_\_\_ disruptions?

Do \_\_\_\_\_ install \_\_\_\_\_ systems which could \_\_\_\_\_ arrangements?

\_\_\_\_\_ old \_\_\_\_\_ are replaced, \_\_\_\_\_ install new troubled \_\_\_\_\_?

What are \_\_\_\_\_ of supplier installed \_\_\_\_\_ replacement \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ new \_\_\_\_\_ cause disruptions during the replacement process.

\_\_\_\_\_ replacement process be \_\_\_\_\_ by \_\_\_\_\_ systems?

Will suppliers \_\_\_\_\_ while \_\_\_\_\_?

\_\_\_\_\_ plan for Suppliers to install \_\_\_\_\_ might disrupt \_\_\_\_\_ current \_\_\_\_\_?

Do \_\_\_\_\_ plans \_\_\_\_\_ suppliers \_\_\_\_\_ new \_\_\_\_\_ affect existing arrangements?

\_\_\_\_\_ want \_\_\_\_\_ if new systems will cause \_\_\_\_\_ older \_\_\_\_\_.

\_\_\_\_\_ Suppliers plan \_\_\_\_\_ install \_\_\_\_\_ which might \_\_\_\_\_ already established \_\_\_\_\_?

Suppliers \_\_\_\_\_ plan \_\_\_\_\_ while \_\_\_\_\_ upgrade \_\_\_\_\_.

Do Suppliers plan \_\_\_\_\_ install new \_\_\_\_\_ cause \_\_\_\_\_?

\_\_\_\_\_ cause \_\_\_\_\_ if \_\_\_\_\_ systems with new ones.

Are \_\_\_\_\_ going to \_\_\_\_\_ systems \_\_\_\_\_ affect \_\_\_\_\_ old ones?

Are suppliers planning to \_\_\_\_\_ new \_\_\_\_\_ cause disruption when \_\_\_\_\_?

If \_\_\_\_\_ their \_\_\_\_\_ systems \_\_\_\_\_ new \_\_\_\_\_ there could be \_\_\_\_\_.

Are \_\_\_\_\_ suppliers planning \_\_\_\_\_ install \_\_\_\_\_ new \_\_\_\_\_ remove \_\_\_\_\_ ones?

\_\_\_\_\_ suppliers \_\_\_\_\_ cause trouble \_\_\_\_\_ they replace old \_\_\_\_\_?

Is it \_\_\_\_\_ that old \_\_\_\_\_ replaced by \_\_\_\_\_ cause \_\_\_\_\_?

\_\_\_\_\_ plan \_\_\_\_\_ Suppliers \_\_\_\_\_ new systems disrupt \_\_\_\_\_ arrangements?

Is it possible \_\_\_\_\_ install new \_\_\_\_\_ that \_\_\_\_\_ disrupt existing arrangements?

Are \_\_\_\_\_ systems possibly \_\_\_\_\_ suppliers \_\_\_\_\_ disrupt existing \_\_\_\_\_?

\_\_\_\_\_ to cause \_\_\_\_\_ when \_\_\_\_\_ old \_\_\_\_\_ with new ones?

Is there any risk \_\_\_\_\_ disruption \_\_\_\_\_ to be \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ disruptions if \_\_\_\_\_ their old systems

\_\_\_\_\_ install new system \_\_\_\_\_ replace old \_\_\_\_\_?

Will supplier \_\_\_\_\_ disruptions when \_\_\_\_\_ are \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ suppliers \_\_\_\_\_ install new \_\_\_\_\_ will disrupt \_\_\_\_\_?

\_\_\_\_\_ planning to install new \_\_\_\_\_ may \_\_\_\_\_ disruptions?

\_\_\_\_\_ if \_\_\_\_\_ systems cause \_\_\_\_\_ the Replacement Process?

\_\_\_\_\_ suppliers plan to install new systems \_\_\_\_\_ delays \_\_\_\_\_?

\_\_\_\_\_ the replacements \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ supplier-installed new \_\_\_\_\_ causing \_\_\_\_\_?

There is \_\_\_\_\_ supplier \_\_\_\_\_ disruption during the replacements process.

\_\_\_\_\_ systems installed \_\_\_\_\_ disrupt existing \_\_\_\_\_?

Will \_\_\_\_\_ installation of new \_\_\_\_\_ a \_\_\_\_\_ old \_\_\_\_\_ replaced?

Is it possible that \_\_\_\_\_ will \_\_\_\_\_ new \_\_\_\_\_ can \_\_\_\_\_?

\_\_\_\_\_ are the odds of supplier-installed new \_\_\_\_\_?  
 Are new \_\_\_\_\_ by \_\_\_\_\_ possible \_\_\_\_\_ disrupt existing \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ Suppliers to \_\_\_\_\_ new \_\_\_\_\_ cause delays?  
 What \_\_\_\_\_ chances \_\_\_\_\_ installed new systems disrupting the \_\_\_\_\_?  
 Suppliers \_\_\_\_\_ may \_\_\_\_\_ older ones.  
 Will \_\_\_\_\_ install new \_\_\_\_\_ when \_\_\_\_\_ replace \_\_\_\_\_ old \_\_\_\_\_?  
 Is \_\_\_\_\_ systems \_\_\_\_\_ swapped \_\_\_\_\_ old ones?  
 \_\_\_\_\_ there any plans \_\_\_\_\_ install \_\_\_\_\_ systems that \_\_\_\_\_ cause \_\_\_\_\_?  
 We \_\_\_\_\_ new \_\_\_\_\_ will cause problems in \_\_\_\_\_ ones.  
 Current \_\_\_\_\_ might \_\_\_\_\_ disrupted by plans \_\_\_\_\_ to install \_\_\_\_\_.  
 Does the \_\_\_\_\_ intend \_\_\_\_\_ cause trouble \_\_\_\_\_ old \_\_\_\_\_?  
 \_\_\_\_\_ new \_\_\_\_\_ systems when \_\_\_\_\_ replace old ones?  
 Do Suppliers intend to install \_\_\_\_\_ systems \_\_\_\_\_?  
 What \_\_\_\_\_ installed new systems \_\_\_\_\_?  
 Potential \_\_\_\_\_ could \_\_\_\_\_ caused \_\_\_\_\_ suppliers \_\_\_\_\_ upgrade systems.  
 Do \_\_\_\_\_ to \_\_\_\_\_ new systems that might disrupt \_\_\_\_\_?  
 Are there \_\_\_\_\_ plans \_\_\_\_\_ Suppliers \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ would \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems disrupting their \_\_\_\_\_?  
 \_\_\_\_\_ replace their \_\_\_\_\_ systems \_\_\_\_\_ new \_\_\_\_\_ could cause disruptions.  
 Are \_\_\_\_\_ planning to install new systems \_\_\_\_\_?  
 What are \_\_\_\_\_ of supplier \_\_\_\_\_ disrupting the replacement \_\_\_\_\_?  
 What are \_\_\_\_\_ supplier \_\_\_\_\_ new \_\_\_\_\_ will disrupt \_\_\_\_\_ replacements?  
 Do you have any \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ are being \_\_\_\_\_?  
 \_\_\_\_\_ install disruptive new systems \_\_\_\_\_ they replace \_\_\_\_\_.  
 What is \_\_\_\_\_ likelihood of supplier-installed \_\_\_\_\_ in \_\_\_\_\_ replacement \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ suppliers expect \_\_\_\_\_ system updates?  
 \_\_\_\_\_ install \_\_\_\_\_ that could disrupt older \_\_\_\_\_.  
 Is there \_\_\_\_\_ that \_\_\_\_\_ installed \_\_\_\_\_ systems \_\_\_\_\_ disruptions?  
 We \_\_\_\_\_ if new systems will cause \_\_\_\_\_.  
 Does suppliers intend \_\_\_\_\_ cause trouble as \_\_\_\_\_?  
 Is \_\_\_\_\_ going \_\_\_\_\_ be installed by \_\_\_\_\_?  
 \_\_\_\_\_ disruptive systems may \_\_\_\_\_ installed \_\_\_\_\_ are replaced.  
 \_\_\_\_\_ cause \_\_\_\_\_ when they're replaced?  
 Is \_\_\_\_\_ planned \_\_\_\_\_ of newer \_\_\_\_\_ while \_\_\_\_\_ ones?  
 \_\_\_\_\_ may \_\_\_\_\_ for Suppliers to \_\_\_\_\_ new systems \_\_\_\_\_ existing arrangements.  
 Do \_\_\_\_\_ to \_\_\_\_\_ trouble when they \_\_\_\_\_ old systems with \_\_\_\_\_?  
 Will \_\_\_\_\_ new \_\_\_\_\_ as they replace \_\_\_\_\_ ones?  
 \_\_\_\_\_ of \_\_\_\_\_ installed \_\_\_\_\_ causing disruptions when they \_\_\_\_\_ removed \_\_\_\_\_ the market?  
 It \_\_\_\_\_ not known if \_\_\_\_\_ new \_\_\_\_\_ will \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_.  
 Suppliers \_\_\_\_\_ be \_\_\_\_\_ older \_\_\_\_\_ systems.  
 Is there a plan \_\_\_\_\_ Suppliers to \_\_\_\_\_ disrupt \_\_\_\_\_ arrangements?  
 Is it \_\_\_\_\_ that suppliers will install \_\_\_\_\_ that may \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ would cause \_\_\_\_\_?  
 Will there \_\_\_\_\_ problems \_\_\_\_\_ of new systems and the \_\_\_\_\_ ones?  
 Are \_\_\_\_\_ planning \_\_\_\_\_ that might \_\_\_\_\_ older ones?  
 \_\_\_\_\_ suppliers intend \_\_\_\_\_ upgrade systems that \_\_\_\_\_ during \_\_\_\_\_?  
 Will suppliers install \_\_\_\_\_ troubled systems \_\_\_\_\_ upgrade \_\_\_\_\_?  
 What \_\_\_\_\_ the chances \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ the systems while \_\_\_\_\_ upgrade \_\_\_\_\_.  
 \_\_\_\_\_ may \_\_\_\_\_ for \_\_\_\_\_ install new systems that will \_\_\_\_\_.

\_\_\_\_\_ are plans for \_\_\_\_\_ install new systems \_\_\_\_\_ current \_\_\_\_\_.

\_\_\_\_\_ there any plans to \_\_\_\_\_ new \_\_\_\_\_ we \_\_\_\_\_ of \_\_\_\_\_ old ones?

Do \_\_\_\_\_ systems \_\_\_\_\_ disrupt older \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ installing \_\_\_\_\_ systems \_\_\_\_\_ could \_\_\_\_\_ older ones?

What \_\_\_\_\_ of supplier-installed new systems disrupting \_\_\_\_\_?

Is it \_\_\_\_\_ will replace \_\_\_\_\_ new ones \_\_\_\_\_ could cause \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ chances of the \_\_\_\_\_ being disrupted \_\_\_\_\_ supplier-installed \_\_\_\_\_?

Will \_\_\_\_\_ new troubled systems \_\_\_\_\_ replace \_\_\_\_\_ ones?

\_\_\_\_\_ plan system \_\_\_\_\_ that are \_\_\_\_\_.

\_\_\_\_\_ suppliers \_\_\_\_\_ will be disruptive?

Can new systems \_\_\_\_\_ by \_\_\_\_\_ to disrupt \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems causing \_\_\_\_\_ the replacement process?

How likely \_\_\_\_\_ it \_\_\_\_\_ supplier-installed \_\_\_\_\_ disrupt replacements?

Is \_\_\_\_\_ about \_\_\_\_\_ up chaos \_\_\_\_\_ ancient \_\_\_\_\_?

\_\_\_\_\_ plans to \_\_\_\_\_ systems which may disrupt \_\_\_\_\_ arrangements?

\_\_\_\_\_ mess \_\_\_\_\_ if they \_\_\_\_\_ old systems with new \_\_\_\_\_.

Suppliers \_\_\_\_\_ cause \_\_\_\_\_ if \_\_\_\_\_ their \_\_\_\_\_ with new \_\_\_\_\_

\_\_\_\_\_ plans \_\_\_\_\_ suppliers \_\_\_\_\_ install new systems \_\_\_\_\_ would \_\_\_\_\_ delays.

\_\_\_\_\_ the chances of \_\_\_\_\_ new systems disrupting \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ supplierinstalled \_\_\_\_\_ systems disrupting replacements?

Are suppliers \_\_\_\_\_ trouble when \_\_\_\_\_ replace old systems \_\_\_\_\_?

\_\_\_\_\_ disruptions if they \_\_\_\_\_ systems with new \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ systems will \_\_\_\_\_ in replacement.

\_\_\_\_\_ could cause disruptions if \_\_\_\_\_ systems \_\_\_\_\_ new ones.

Suppliers could possibly \_\_\_\_\_ problems if \_\_\_\_\_ new ones.

\_\_\_\_\_ for \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ might affect current arrangements?

Is \_\_\_\_\_ possible that \_\_\_\_\_ that will disrupt existing \_\_\_\_\_?

There are \_\_\_\_\_ install \_\_\_\_\_ systems, which \_\_\_\_\_ disrupt current \_\_\_\_\_.

Suppliers \_\_\_\_\_ cause \_\_\_\_\_ if they replace \_\_\_\_\_ with new \_\_\_\_\_.

Is there \_\_\_\_\_ to install \_\_\_\_\_ when \_\_\_\_\_ older \_\_\_\_\_ are replaced?

Are suppliers \_\_\_\_\_ to install \_\_\_\_\_ that can \_\_\_\_\_?

\_\_\_\_\_ cause disruptions by \_\_\_\_\_ with new ones.

Is it \_\_\_\_\_ suppliers \_\_\_\_\_ install \_\_\_\_\_ that might \_\_\_\_\_ the \_\_\_\_\_ ones?

\_\_\_\_\_ suppliers intend \_\_\_\_\_ when they \_\_\_\_\_ old systems?

What \_\_\_\_\_ the chances of \_\_\_\_\_ disruptions during the \_\_\_\_\_ them?

What are \_\_\_\_\_ of \_\_\_\_\_ new systems \_\_\_\_\_ process ofReplacing \_\_\_\_\_?

Does \_\_\_\_\_ intend \_\_\_\_\_ cause trouble \_\_\_\_\_ replace old \_\_\_\_\_ systems?

Are suppliers \_\_\_\_\_ cause trouble \_\_\_\_\_ they replace old \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ install \_\_\_\_\_ new systems?

Are suppliers \_\_\_\_\_ systems that might \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ plans \_\_\_\_\_ Suppliers to \_\_\_\_\_ affect current arrangements?

Will suppliers \_\_\_\_\_ systems \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ plans for \_\_\_\_\_ to \_\_\_\_\_ systems \_\_\_\_\_ might affect \_\_\_\_\_ established arrangements?

Do \_\_\_\_\_ suppliers to install \_\_\_\_\_ systems that \_\_\_\_\_ cause \_\_\_\_\_?

Are suppliers \_\_\_\_\_ to \_\_\_\_\_ that can disrupt \_\_\_\_\_ ones?

\_\_\_\_\_ new systems be \_\_\_\_\_ by Suppliers, which \_\_\_\_\_ potentially \_\_\_\_\_?

How likely \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems \_\_\_\_\_ disruption during \_\_\_\_\_ Process?

New systems \_\_\_\_\_ installed by suppliers which \_\_\_\_\_.

The suppliers \_\_\_\_\_ mess \_\_\_\_\_ up \_\_\_\_\_ replacing \_\_\_\_\_ systems \_\_\_\_\_ ones

\_\_\_\_\_ change systems \_\_\_\_\_ cause disruptions?

\_\_\_\_\_ new systems \_\_\_\_\_ disruption during \_\_\_\_\_ replacement \_\_\_\_\_?

Are \_\_\_\_\_ to \_\_\_\_\_ may disrupt existing ones?

\_\_\_\_\_ the supplier \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ might experience \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ plans to install \_\_\_\_\_ disruptive systems \_\_\_\_\_ ones \_\_\_\_\_?

\_\_\_\_\_ suppliers planning to install \_\_\_\_\_ systems \_\_\_\_\_ remove \_\_\_\_\_ ones?

\_\_\_\_\_ likely will supplier-installed \_\_\_\_\_ cause disruption during \_\_\_\_\_?

\_\_\_\_\_ plans \_\_\_\_\_ systems while older ones \_\_\_\_\_ replaced?

\_\_\_\_\_ suppliers disrupting systems \_\_\_\_\_ upgrade?

What is \_\_\_\_\_ chance of \_\_\_\_\_ disrupting \_\_\_\_\_ replacements?

\_\_\_\_\_ the intent of \_\_\_\_\_ change systems?

\_\_\_\_\_ any plan for \_\_\_\_\_ to \_\_\_\_\_ new systems that \_\_\_\_\_ arrangements?

\_\_\_\_\_ suppliers \_\_\_\_\_ to install new \_\_\_\_\_ that \_\_\_\_\_ disruption?

\_\_\_\_\_ any plan for \_\_\_\_\_ disruptive systems \_\_\_\_\_ rid of old \_\_\_\_\_?

\_\_\_\_\_ may be \_\_\_\_\_ if \_\_\_\_\_ plans for \_\_\_\_\_ to \_\_\_\_\_ new systems.

Do \_\_\_\_\_ plan \_\_\_\_\_ installing \_\_\_\_\_ systems \_\_\_\_\_ the old \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ install \_\_\_\_\_ disruptive \_\_\_\_\_ older ones are replaced?

\_\_\_\_\_ installed \_\_\_\_\_ a supplier may cause disruptions \_\_\_\_\_ of replacing \_\_\_\_\_.

\_\_\_\_\_ replacing old \_\_\_\_\_ systems \_\_\_\_\_ cause disruptions.

What are \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems causing \_\_\_\_\_ during \_\_\_\_\_ process?

The chances \_\_\_\_\_ supplier-installed \_\_\_\_\_ systems causing \_\_\_\_\_ process are \_\_\_\_\_.

\_\_\_\_\_ new troubled systems be \_\_\_\_\_ by \_\_\_\_\_?

Suppliers \_\_\_\_\_ as they \_\_\_\_\_ them.

There \_\_\_\_\_ for suppliers to install \_\_\_\_\_ that might \_\_\_\_\_.

Suppliers \_\_\_\_\_ can be disruptive.

\_\_\_\_\_ there plans \_\_\_\_\_ systems while the \_\_\_\_\_ being replaced?

Suppliers \_\_\_\_\_ install new systems \_\_\_\_\_ may \_\_\_\_\_.

\_\_\_\_\_ supplier installed new \_\_\_\_\_ cause disruptions during \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ a chance that \_\_\_\_\_ systems \_\_\_\_\_ during \_\_\_\_\_?

Is there plans \_\_\_\_\_ new \_\_\_\_\_ systems \_\_\_\_\_ older \_\_\_\_\_ are \_\_\_\_\_?

What happens \_\_\_\_\_ disruptions \_\_\_\_\_ the replacement process?

Will \_\_\_\_\_ disruptive systems be \_\_\_\_\_ older \_\_\_\_\_ are \_\_\_\_\_?

Are suppliers \_\_\_\_\_ systems that could \_\_\_\_\_ the \_\_\_\_\_ ones?

\_\_\_\_\_ replace old \_\_\_\_\_ with \_\_\_\_\_ ones \_\_\_\_\_ could cause \_\_\_\_\_

\_\_\_\_\_ chances \_\_\_\_\_ supplier-installed new \_\_\_\_\_ causing \_\_\_\_\_ during the replacement \_\_\_\_\_ still \_\_\_\_\_.

\_\_\_\_\_ may \_\_\_\_\_ disruptions \_\_\_\_\_ they \_\_\_\_\_ systems with new \_\_\_\_\_.

Do \_\_\_\_\_ plans for Suppliers to install \_\_\_\_\_ disrupt \_\_\_\_\_?

\_\_\_\_\_ there plans \_\_\_\_\_ install \_\_\_\_\_ systems while older \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ supplier-installed new \_\_\_\_\_ cause \_\_\_\_\_ the replacements process?

Some \_\_\_\_\_ if \_\_\_\_\_ replace old systems \_\_\_\_\_ systems.

There could \_\_\_\_\_ suppliers \_\_\_\_\_ their \_\_\_\_\_ systems with new \_\_\_\_\_.

\_\_\_\_\_ may \_\_\_\_\_ systems while changing \_\_\_\_\_ ones.

\_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ to install \_\_\_\_\_ systems, \_\_\_\_\_ potentially disrupt current \_\_\_\_\_.

\_\_\_\_\_ want to \_\_\_\_\_ new \_\_\_\_\_ cause any problems \_\_\_\_\_ old ones.

Are there \_\_\_\_\_ new \_\_\_\_\_ disrupting the Replacement Process?

\_\_\_\_\_ there a \_\_\_\_\_ systems installed \_\_\_\_\_ can \_\_\_\_\_ existing arrangements?

\_\_\_\_\_ systems installed by \_\_\_\_\_ supplier can \_\_\_\_\_ the replacement \_\_\_\_\_.

\_\_\_\_\_ may be plans \_\_\_\_\_ install new \_\_\_\_\_ may disrupt current \_\_\_\_\_.

Current arrangements \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ for \_\_\_\_\_ new systems.

\_\_\_\_\_ Suppliers have \_\_\_\_\_ install \_\_\_\_\_ systems \_\_\_\_\_ disrupt existing arrangements?

\_\_\_\_\_ suppliers \_\_\_\_\_ systems \_\_\_\_\_ changing \_\_\_\_\_ ones?

Suppliers \_\_\_\_\_ installing new \_\_\_\_\_ ones.

Do \_\_\_\_\_ to \_\_\_\_\_ trouble \_\_\_\_\_ they \_\_\_\_\_ new systems?

\_\_\_\_\_ supplier \_\_\_\_\_ new \_\_\_\_\_ likely \_\_\_\_\_ disruption during the replacement \_\_\_\_\_?

Suppliers can \_\_\_\_\_ disruptions \_\_\_\_\_ they replace \_\_\_\_\_ systems.

\_\_\_\_\_ it \_\_\_\_\_ stirring \_\_\_\_\_ chaos while \_\_\_\_\_ ancient \_\_\_\_\_?

Suppliers \_\_\_\_\_ will disruptions occur?

Do \_\_\_\_\_ have \_\_\_\_\_ new systems that \_\_\_\_\_ potentially \_\_\_\_\_ current \_\_\_\_\_?

Plans \_\_\_\_\_ to \_\_\_\_\_ new systems could \_\_\_\_\_ arrangements.

Suppliers \_\_\_\_\_ new systems that \_\_\_\_\_ disrupt \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ install new \_\_\_\_\_ which \_\_\_\_\_ existing arrangements.

\_\_\_\_\_ going \_\_\_\_\_ new systems that \_\_\_\_\_ cause disruptions?

\_\_\_\_\_ chance \_\_\_\_\_ supplier installed \_\_\_\_\_ systems disrupting their \_\_\_\_\_?

\_\_\_\_\_ plans for Suppliers to install \_\_\_\_\_ systems, \_\_\_\_\_ arrangements.

Does supplier \_\_\_\_\_ a chance of disrupting \_\_\_\_\_?

\_\_\_\_\_ install newer troubled systems when \_\_\_\_\_ ones?

\_\_\_\_\_ to install \_\_\_\_\_ systems that will disrupt the \_\_\_\_\_?

Are suppliers planning to \_\_\_\_\_ systems that \_\_\_\_\_ disruptions when \_\_\_\_\_?

Suppliers \_\_\_\_\_ might be disruptive.

Do \_\_\_\_\_ expect \_\_\_\_\_ when \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ suppliers going \_\_\_\_\_ install \_\_\_\_\_ that may cause \_\_\_\_\_ while \_\_\_\_\_ are replaced \_\_\_\_\_?

\_\_\_\_\_ install new troubled \_\_\_\_\_ they replace older \_\_\_\_\_?

\_\_\_\_\_ supplier installed \_\_\_\_\_ during replacements?