[Demo] NLP Dataset for Customer Service Automation

Company Type	Home Security and Alarm Companies
Inquiry Category	Alarm system false alarms or notifications
Inquiry Sub- Category	False alarm troubleshooting
Description	Customers seek assistance in identifying the causes of frequent false alarms, including possible system malfunctions, user errors, or environmental factors that trigger alarm activations.
Data Size	6,767 paraphrases
Want to buy data?	Please contact nlp-data@qross.me via your business email address.

Masked sample paraphrases of one "Home Security and Alarm Company" customer inquiry. (Purchased data will not be masked.)

user errors that could triggering false
mistakes leads alerts?
There that can lead to false
Do sometimes fake?
is of user-causedalarm
frequent false alarms due ?
False caused by ?
User have to false
a chance that provoke alarms?
issues could be to frequent
it false from an error?
user can lead false alerts.
alarms might result
Is possible that common issues lead?
Can slip-ups?
Is alert caused?
mistakes by cause alarms?
Is a problem with user ?
mistakes which false alarms?
can be lead false alerts.
error excessive false alert?
Do lead deceptive signals being sent?
Is user the alarms?
Is that our part result in
are possibilities that errors could alarms.
Do user errors in ?
Users false?
ucor mictalzos causa

there a of false alarms caused?
false alarms caused user?
Are mistakes that ?
Is there making leads unwanted notifications?
Some unwarranted recurrence,?
Is that cause warnings?
false alarms?
Have made mistakes alarms?
errors make occur.
Did users make alarms?
Do slip-ups alarm?
Will user fake alarms?
errors lead to ?
it possible to cause warning?
it possible that alerts result from ?
it true errors account for ?
alarm occurrence by users?
Is false alarms?
Is that any errors on part alarms?
fake user mistakes?
errors users cause alarms?
Is possible false alarms?
Is users making alarms?
mistakes caused alarms.
If there are errors part, lead unnecessary?
Can slip-ups inaccurate?
it true that that cause alarms?
there a link user alerts?
Users are sometimes
Have any that false?
Is possible errors cause more?
possible for to make cause more?
Is excessive alert a ?
user that can cause false?
Is that can warnings?
frequent glitch setting alarm?
Are user to false notifications? User error result
Do users cause
Constantly inaccurate warnings of users. It is user to frequent wrong
Any alerts?
a of user false noises?
a chance might set too alarm?
may be false notifications.
you have user that false alarms?
you have user that false alarms: question mistakes false alarms.
any mistakes to false alarms?
slip-ups fake alarms?
errors frequent false ?

slip-ups prompt inaccurate warnings?
Is it possible may false?
false alarms?
Is that errors part unnecessary alarm triggering?
user be the fake?
there any incorrect alerts?
know any errors our part result unnecessary
Could cause false?
is possibility that user could to
accidental causing fake?
user caused warnings?
Users causing alarms?
there be alarms user errors?
Users false?
Do lead false alarms?
Do potential false warnings?
Do mistakes warnings?
It possible human cause mis detection.
there false ignited by ?
error the for alarms?
there chance will set too alarm activations?
might be too due user errors.
Any alarms were ?
alerts due to user?
Do user-caused false?
Users make mistakes alarms.
Do slip-ups cause?
errors users alarms?
Users making alarms.
Can slip-ups false?
Is human to notifications?
Do user errors?
are any user that
it errors can lead false notifications?
Frequent may related to
Users that?
Did any false?
There certain users make can cause
potential human play part warnings?
Repeated incorrect many mistaken
Users can cause false?
Do errors false ?
Have set alarm?
user caused alarms?
might be that to false
Is for users to alarm activations?
question about any mistakes
certain that that cause false alarms.
Do user false?
frequent false alarms caused by or?

Do from the false?
Users certain may unnecessary
errors false alerts?
Are there lead fake?
that we are that lead unnecessary notifications?
Do user slip-ups fake ?
Is for users to that many warnings?
that errors cause mistaken?
Users faults unnecessary sensor alert.
prompting alarms?
may cause high alarms.
is a user-caused alarm
A user alert?
be mistakes false alarms?
users making mistakes lead deceptive being ?
Any mistakes cause false?
Users issues that lead signals.
Any that false?
Is false by user ?
be errors that could be alarms.
frequent user set off?
Users having frequent off?
Human may for constant
Is there triggering false alerts?
user to to alarms.
are errors lead to ?
Do lead false?
result in false alerts?
Users can sensor alerts.
be chance off too many alarm activations.
Any user mistakes causing ?
Is it mistaken notifications?
User to warnings?
users have caused false?
The false could from
user mistakes alarms??
any slip-ups caused ?
making errors triggering false
The reason for alarms be mistakes.
there any cause notifications?
Repeated set alarm?
that lead unneeded notifications?
any error triggering ?
any user mistakes that lead ?
Will human false?
of user error causing false
frequent start errors or not?
Are we setting?
Any alarms from?
Users having off?

the user in false?
Are any slip triggering?
Is it are lead false alarms?
any slip-ups triggering?
by user mistakes?
might be false alarms.
Do a false notifications?
could result in signals.
There be the notifications.
Is warnings account for?
Is that incorrect to mistaken?
possible that there frequent due user errors?
Is there chance for constant notifications?
could issues that to frequent
Is often user slip-ups?
Frequent user alarm?
Is false caused mistakes?
there mistakes incorrect?
a chance that are mistaken?
Is there false alerts?
a lot of alarms of user?
it can false alarms?
Would be due to incorrect?
are users making false?
Do false because of user not?
any mistakes we're cause unwanted?
causing false alarms?
Can user-related warnings?
There user causing reports?
may be by users making
may be by users making Is possible that false could from ?
may be by users making
may be by users making Is possible that false could from ? Can user reason for alarm ?
may be by users making Is possible that false could from ? Can user reason for alarm ? Users certain frequently unnecessary sensor
may be by users making Is possible that false could from? Can user reason for alarm? Users certain frequently unnecessary sensor caused errors made by?
may be by users making Is possible that false could from ? Can user reason for alarm ? Users certain frequently unnecessary sensor caused errors made by ? Any false from users? Are there any errors to false ?
may be by users making Is possible that false could from? Can user reason for alarm? Users certain frequently unnecessary sensor caused errors made by? Any false from users? Are there any errors to false? User flaws may it user false alarms? Is false due to? There mistakes which notifications. setting off? user errors causing false mistakes the false warnings? making errors that? be off too many false alarm mistakes? Is possible false are caused errors?

Do slip-ups cause ?
Can human warnings?
frequently alarms by errors?
by users that false
certain users make ?
for fake alarms due user?
we a our behavior alarm inaccuracies?
Can slip-ups warnings?
Is there that unwanted?
errors that are false alarms.
any false caused ?
Any were by user?
There could be alerts error.
Can mistakes false?
alarm triggered by user ?
it user cause fake?
fake triggered by slip-ups?
issues to wrong signals.
Is possible errors our part unnecessary alarms?
mistakes to notifications?
possible we are errors lead to unwanted?
The user error could be
it possible could warnings?
user errors can false alarms.
User to notifications.
are some user errors be alarms.
There could be any user are
possible user false alarms?
any caused fake?
Is possible that lead to false ?
off many fake alarms?
there any causing the ? causing constant alarms, ?
there any alarms? errors could be false
There user which false?
There a chance of users setting
Have seen any user cause false?
and causing high alarms?
causes false alarms?
issues could lead more
Users errors cause false
heard user errors false?
Users may too alarm
User issues to more
Is it can too many alarm?
Can be the fake?
Is false from user errors.
certain errors false alarms?
Users mistakes that alarms?

user be reason alarms?
Are by users that cause ?
can user false alarms.
are mistakes leading to
be errors false notifications.
there any user cause alarms?
making which high alarms?
user errors to alarms.
There that can false warnings.
There any errors that alerts?
false alerts can caused
errors by alert?
it that user errors causing ?
be mistaken notifications.
Did user glitches ?
could lead false alerts.
that human cause false?
Do mistakes false?
wrong signals of user issues.
user reason fake frequently?
Users are any mistakes?
Do cause false?
be mistakes lead to false alerts?
Any alarms user?
Some can to notifications.
it there are causing incorrect ?
user mistakes causing false alerts?
could be false a error.
it possible that are errors that result in
A false?
Do errors to?
any errors that could false
Frequent wrong could result of issues.
result from user?
user mistakes false?
user are causing ?
the errors caused ?
make mistakes and cause false warnings?
there errors our part, do they false?
there link between user alarms?
be false to user
it may regular signals being sent out?
Are there make that unwanted?
There are about human lead to false
There user that cause
errors lead to false?
many slip-ups triggering ?
Are there we that lead alerts?
Do false Alerts?
Have seen fake alarms?

possible human errors to to false?
committing certain may trip
Is it there human account for ?
lead to messages?
Is any alarms?
know if on our part in triggered.
might be errors causing
Is any user that to constant ?
User contribute alerts?
Is possible that user-related cause ?
number of false slip-ups?
Do users errors alarms?
chance that set off many alarm
Is human capable to false?
There user mistakes alert.
mistakes made by user ?
Users the for fake alarms.
started by user?
Was user alarms?
Is this case that accidentally provoking ?
Do cause fake ?
Is of false alarms by user?
Error-triggered fake is
Have there user mistakes to?
Is there lot false if user ?
Possible triggering ?
are some mistakes false notifications.
are mistakes cause alarms.
mistakes causing alarms?
caused false?
Any user notifications?
errors cause false alarms.
Have problems with alarms?
alert result error?
User causing notifications.
it that there on our result in false?
it on partlead unnecessary alarm triggered?
making mistakes may to
errors in false
questions whether human lead to alerts.
Should errors for false?
there error that alarms?
Is possible for errors provoke ?
mistaken user blunders?
There might misleading due incorrect from
false due wrong made by users.
it that some users alarm activations?
users alarms?
user error warnings?
that lead to false?

false alarms the?
Might we accidentally be?
there any user mistakes that the ?
There errors that could alarms.
Do user errors increase ?
of false alerts activated user
user cause regular ?
Is any chance of user mistakes ?
user errors false?
Is it for alerts result user?
errors false alarms.
Is for users set many activations?
There any user false?
Can user inaccurate happen?
Users certain which cause
There are mistakes that false
any errors cause ?
I wonder if user
User false alerts?
Is it false result from ?
Is possible that several mistaken actions?
errors can alert.
False alarms can caused
Is false warnings?
Is it possible making mistakes lead unwanted?
caused user blunders?
an excessive alert by ?
possible that issues could lead incorrect
Should user-related slip-ups?
There user errors result in alarms.
alarms set off user errors?
alarms sparked user errors ?
Is it possible incorrect actions mistaken?
User mistakes to
alarms because of user errors not?
there lot false user errors activated?
Can error cause ?
Can error cause? Users that false?
Users that false?
Users that false? cause notifications?
Users that false? cause notifications? it possible are making mistakes that unwanted?
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by?
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by? are user mistakes false? mistaken might result actions?
Users that false ? cause notifications? it possible are making mistakes that unwanted ? inaccurate activated by ? are user mistakes false ? mistaken might result actions? Is it lead false alarms?
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by? are user mistakes false? mistaken might result actions? Is it lead false alarms? alarms the result accidents?
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by ? are user mistakes false ? mistaken might result actions? Is it lead false alarms? alarms the result accidents? possible on our result recurring alarm calls?
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by? are user mistakes false? mistaken might result actions? Is it lead false alarms? alarms the result accidents? possible on our result recurring alarm calls? making mistakes high false
Users that false? cause notifications? it possible are making mistakes that unwanted? inaccurate activated by ? are user mistakes false ? mistaken might result actions? Is it lead false alarms? alarms the result accidents? possible on our result recurring alarm calls?

possible there are	on part that in alarm
user inaccurate warni	ngs?
can to fake	
There errors mis	staken notifications.
false alarms are caused	?
it possible that on	part unnecessary alarm?
know if mistakes	s false alarms.
false aları	
errors too many	
wrong signals could be cau	sed common
making mistakes that	
Is there a of false warnings	?
been user that trigger	
any slip-ups	
false alarms by makin	
there cause false	
Users which	
problems could freque	
could be user mistakes	
notifications by user?	
Frequent signals due	
Users false?	
	our result unnecessary alarm
it errors users to	
by user ϵ	
Is that mistakes	
It possible that incorrect	
Are false alarms?	
mistakes false a	larms?
There's a chance users off	
	part result unnecessary?
Are there any that lea	
Is inaccurate sli	
Is a chance user	
is possibility consister	
user inaccurate	
users caused alarms?	
issues for f	
Is there any can	
false triggered by made	
Is any errors	
There are causing	
user cause frequent	
Would there be any due	
Is there that false res	
human errors that	
errors be to for	?
user error caused?	
Are there user false _	?
Frequent false alarms	user

There are that alerts?
it errors on our part lead to alarms?
users that cause false?
user actions can to false signals sent?
possible frequent generate warnings?
lead unwarranted alerts?
user cause false ?
we accidental false security signals?
Can be the reason often?
Do user false?
ever of slip-ups triggering alarms?
caused by user slip-ups?
any errors false alert
is possible common user issues wrong
Have led alerts?
I alert from user
the user errors to ?
There are by false alarms.
it possible that any on unnecessary waves?
that human errors account for false ?
Is mistakes the false?
Are there mistakes cause ?
Is possible that lead to alarms?
there user caused alarm?
any to false alarms?
possible that are making lead to notifications?
Is this are triggering ?
Will fake alarms?
can human that can lead false
that user glitches set off?
Users mistakes high alarms.
Have there been errors lead to ?
Users could alarms.
account for false
There may user false notifications.
false warnings caused ?
Is anything wrong causing ?
user cause frequent?
Do errors to false?
chance of alarm occurrences?
errors lead false alerts.
Any causing reports?
Users causing false blame.
Can false alarms?
users caused ?
users caused ; made by caused alarms?
Is lot of alerts caused by?
user cause false?
Do user alerts?

Are		mistakes	_ cause	notifications?
	people _	mistakes t	hat cause _	?
		by use	r errors?	
	err	ors cause false	·?	
Any	user	causes	?	
	any	slip-ups	that	alarms?
		errors		
	alarm	user?		
		users f		?
Num	erous	_ warnings		result of user
Can	rela	ted ups _	w	arnings?
		ups affect		
Do fi	requent _	issues		?
	alerts are	e caused	?	
	errors ca	n false _		
Have	any user		?	
				_ to alerts?
		fake		
	it possibl	e that user		?
				esult from error?
	may	notifica	itions	to wrong inputs by
	any	slip-ups	alarm	?
Will	alar	ms the re	esult	?
	user care	elessness	reaso	n fake?
Any	chance of		use	rs?
user		caused	false	
	false	_ results	user?	
	are some	e errors t	hat	alarms.
	user	_ set off?	•	
	human _	account _	Wa	arnings?
	err	ors	number of f	false?
User	are	fak	xe	
false	cau	sed	errors?	
	user erro	ors	alerts?	
		alarm		
		_ chance of us	ser fals	se alarm?
		triggerii		
Any		causing	notifi	cations?
				generating?
				es alarms?
Have	·	user	caused	alarms?
		be activated		
Ther	e a _	of s	etting	too activations.
		false		
Man	y false	be cau	ısed	·
	mis	takes cause _	alarms?	
		u		
				false alerts.
	user	fake al	arms?	

Is there many alert to?
Is this due user resulting ?
Did accidental bogus?
any error alerts?
Is are making lead to notifications?
Is usually alarm triggered user?
these false alarms user?
Did the false?
Any errors causing ?
Is possible that user could lot ?
any chance errors for constant false?
a of false activated by ?
User flaws cause
making can lead to
There are any cause ?
Do users that regular?
Is there on our cause unnecessary alarm calls?
Frequent signals to user
Were any causing ?
users causing false alerts?
Is that alarms sparked by mistakes?
causing any mistakes?
user mistakes that have caused ?
Do user warnings?
be false alarms.
user often lead fake?
Users alarms?
Are any cause false?
We don't if user result
Is a for user to continual ?
User mistakes to blame recurring
led to fake?
mistakes made cause alarms?
by making mistakes?
Is it actions result in mistaken?
There any that cause ?
Could user alarms?
it possible user lead to warnings?
could false alarms?
Can carelessness be a fake?
errors cause false
warnings result error?
too notifications due to errors?
Do user to?
Are that can to notifications?
mistakes that incorrect alerts?
Have been reason alarms?
Can user problems the ? Users may have may wrong
making errors that cause?
maxing cirors that cause;

mistaken by errors?
possible mistakes for warnings?
could errors that provoke
any errors alerts?
by users cause false?
users lead fake ?
Does lead alarms?
error-triggered fake alarm?
There is possibility too many alarm activations.
Have any errors that to notifications?
Possible could caused errors.
making might false
Users false any?
Could errors that mistaken?
may lead alerts.
Frequent wrong could the result
Have slip-ups alarm?
False alarms a?
Error-triggered fake?
cause of excessive alerts?
could lead wrong signals.
may some mistakes that alerts.
as a result slip-ups?
User caused?
Have alarms caused by ?
Is possible that mistaken might signals?
Any chance that alarm?
made by lead alerts?
it possible for to cause ?
Any user mistakes false ?
User-caused ?
Have mistakes made false?
Do user result alerts?
a lot false alarms caused or not?
User mistakes could be
cause false alarms.
to wrong signals?
off unnecessary alarm activations.
There errors cause alerts.
user that may cause
frequent can user errors?
may errors that false
Is it there mistakes cause alerts?
could result frequent wrong
errors are alarms?
Any mistakes caused ?
Can humantoowarnings?
Numerous resulted user ?
User alerts?
Is a setting too alarm activations?

Is po	otential human	warnings?			
Is	that mistakes	cause alarms?			
Is	up false	?			
	users certain				
	be caus				
	bc caus _ human error to				
	make false _				
	alerts been b	· ——			
	_ some user cause _	?			
	_ there mistakes inc	orrect?			
	_ there a of user	triggering fake?			
	_ flaws alertin	J?			
	could lead to	incorrect			
Do _	failures a	larms?			
	_ false alarm e	rrors made?			
	user the for	alarms?			
Ther	re might errors				
	error cause				
	was cau				
		due to inputs users.			
		that cause warnings?			
	be causing _				
		part lead to ?			
	user				
		by a user could a?			
	rou if cou				
	result i				
	r unwarranted				
		errors prompt false?			
		false warnings?			
		parked by errors not?			
Ther	re mistal	es causing alarms.			
		on our part result a recurring alarm?			
Any	false ala	rms?			
Erro	or-triggered fake	?			
Is	any user a	re alarms?			
	making that	to false?			
	lead to	wrong signals.			
	ıman for				
	be misleading				
		ches that off ?			
		takes that false?			
	sparked by _				
		notifications?			
		e because of user mistakes?			
	be there are				
		if there any errors?			
	users c				
		result?			
Poss	sible alarms.				

slip-ups cause inaccurate warnings.
errors false alarms.
Do user notifications.
any of mistakes for constant false?
some user errors false alarms.
There might lead mistaken
human lead alerts?
you think slip-ups false?
user errors false?
errors lead to excessive
caused by user?
Users making can lead
Do alarms user errors or not?
that users will too many activations?
Users making mistakes cause lot
human to excessive notifications?
about user mistakes false
it possible for to off notifications?
Is it possible errors our alarm settings?
may be toinputs made users
it possible result from repeated incorrect?
user make a of false ?
Is too much errors?
theretendencyerrorslead to false?
are user can cause
Do lead to warnings?
quirks set alarm?
Do result user ?
user errors that ?
excessive false result human?
any which cause alert?
User to alerts?
Is chance of slip-ups triggering ?
False due user ?
it possible user to false?
to talse to talse were caused the user?
Do errors false ?
Some users errors that
There mistakes that can to alarms?
there any incorrect notifications?
usersfalse?
Will lead to ?
A warnings from user slip-ups.
Do user lead false ?
any user cause fake ?
Users can to false
Is error the false?
are lead to alert
Is it that mistakes can constant?
Will for fake alarms?

User	rs certain trip alerts
Do _	the number of?
	be causing false
It's _	that user can lead
	be alerts from error.
	there any making cause unwanted?
	there causing ?
	it that human can lead alerts?
	there any cause false notifications?
	could caused errors.
	user alarm?
	user errors lead to alarms.
	any lead alarms?
	ere causing false?
	be caused by certain by
	user slip-ups cause inaccurate
	it possible slip-ups to inaccurate?
	can cause unwarranted
	we making that triggering unwanted notifications?
	anything constant false alert?
Did _	errors false?
Can	be reason false?
	any errors to false?
Is	for false to user error?
	mistakes leading alert
Is hu	ıman errors alerts?
	always false do cause them?
Have	e any mistakes that caused the ?
Ther	re that to frequent wrong signals.
User	rs result in false
	users made lead alarms?
	user frequent false?
	any errors cause false?
Are t	the frequent user errors or?
	rs false ?
Is	that multiple alerts repeated incorrect?
	errors lead to false
	possible that user mistakes cause lot ?
	it that human to false warnings?
	rs could false
	user reason alarms frequently?
	rs set off activations.
	are any user cause
	stantly users off?
	making false alarms?
	ere possibility errors in false ?
	re is a question false alerts.
	carelessness triggering alarms?
	alert due to human?

Any are false?
Is it that can to false being?
Do user fake alarms?
Can user false being out?
Users may errors alarms.
a misdetection due to human mistakes
it possible user alarms?
Do alerts?
know if errors our part result alarms.
errors result false?
human error responsible warnings?
user errors false notifications?
Is it possible errors lead to ?
Users make may alarms.
Are there any user?
Is possible that mistakes account ?
Do users make certain alarms?
Is any cause unwanted?
any false alarm?
Should user the reason ?
it for users to make cause ?
might cause many alerts.
errors causing false?
be a of user
User mistakes could to
User errors ?
may be constant false
User may be fake
might that cause false
There user that may be There is of false warnings.
there user could cause false?
slip-ups make warnings ?
Do the happen user errors or?
Haveuser alarms?
it mistaken result from incorrect actions?
Are any user false alert?
could a of users off alarms.
user errors false notifications?
There may user errors
any user alarms?
It possible incorrect actions mistaken
Potential human could for false
Do you user errors could triggering ?
Mistakes could triggering
Do mistakes by false?
Are any errors could triggering alarm?
frequent false caused errors?
mistaken happen due user?
Can lead to alert?

	it	_ mistaken no	otifications	result	action	ıs?
	setting	_ too many _	co	ould be	problem.	
		faults can	unneede	d alert.		
Can		fals	e signals _	sent?		
	be m	isleading notif	ications		inputs by	users.
User	could	lead				
Can	(ause ale	erts?			
	user	false ale	rts?			
	user	fake alar	ms?			
	user	cause ala	arms?			
Is	possible	for	_ to	user e	rror?	
Wou	ld there	notific	ations	to	from use	ers?
Can	user accide	nts be		0	ften?	
		nistaken alert:				
	poter	itial erro	rs account		warnings?	
		ain errors				
		make			o unwanted	?
		kes				
		s lead				
		(erated false	alarm ?
		ıld				
		arnings				
		false?				
		es bogus	s ?			
		any mistakes		the	v result in	?
		create				 '
		due to				
		that we are _		es that	alert?	
		· · · · · · · · <u> </u>				
		to				
		here are any _		alarm	s?	
		user e				
		mak				ted ?
		cause				
		by		se alarms?		
		user slip-ups				
	false		999			
		t false	by user		?	
		errors				
		be due				
		use		133403.		
		ble users		o mietokoe	. +	ho warningo
					· L	ne warmings:
		es		15:		
		to				
		caused false a				
		ehind	f			
		_ false?	ata lea c			
		mis				
		been				
		caused	certain erro	rs us	sers?	

Can user inaccurate ?			
errors causing false?			
false alarms with their			
it that alarms are by user?			
Do user the ?			
Do false alarms?			
Would there any to wrong?			
user mistakes that could fake			
Many alerts from actions?			
Do mistakes lead to alert?			
It's possible user issues signals.			
Any that cause false alarm?			
There's of occurrences users.			
Are user fake?			
false alarms caused by user			
Is a mistakes and alarms?			
Users could result			
potential for false warnings?			
false alerts be user errors.			
Have user alarms?			
User false warnings.			
chance of errors constant false alerts?			