## [Demo] NLP Dataset for Customer Service Automation

| Company<br>Type             | Electricity Suppliers   |
|-----------------------------|---|
| Inquiry<br>Category         | Information regarding scheduled maintenance   |
| Inquiry<br>Sub-<br>Category | Equipment replacement   |
| Description                 | Inquiries about the replacement of old or faulty electrical equipment. Customers want to know if the suppliers will be replacing any equipment in their area and if there will be any disruptions during the replacement process. |
| Data Size                   | 5,092 paraphrases   |
| Want to buy data?           | Please contact nlp-data@qross.me via your business email address.   |

## Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

| Ele       | ectric Supply      | access inside      | to uni             | nterrupted operation  | ns                  | installations in    | ?       |
|-----------|--------------------|--------------------|--------------------|-----------------------|---------------------|---------------------|---------|
|           | necessary          | _ Electric Supply  | to enter into _    | proje                 | cts?                |                     |         |
| Will Ele  | ctric Supply       |                    | operation          | ?                     |                     |                     |         |
| pr        | event during       | important local _  | elect              | tric suppliers have _ | ?                   |                     |         |
| it :      | necessary for elec | tricity            | whi                | le community          | place clo           | ose by?             |         |
| Is        | necessary for      | _ suppliers to ent | er s               | o they can smo        | ooth                | take p              | lace?   |
|           | will inter         | nal in             | to ensure          | services durin        | g important         |                     |         |
| While vi  | tal installati     | ons take place     |                    | need to               | ?                   |                     |         |
| I k       | now if Electric    | access _           |                    | for functioning       | installations       | happening.          |         |
| Ele       | ectric entry       | premises for       | neighbor           | ring necessary        | ?                   |                     |         |
| Will      | to                 | access it          | s buildings in _   | future to             | that its opera      | tions?              |         |
| Will      | require in         | door facilities    | ?                  |                       |                     |                     |         |
| Is        |                    | provider           | have interior      | access c              | ontinuous functioni | ng of explicit      | works?  |
|           | essential          | 1                  | up or on _         | outside, can          | suppliers expect    | permission for inde | oor?    |
|           | suppliers need     | to enter           | to                 | _ their services      | smoothly?           |                     |         |
| Will      | provider r         | equire interior    | to con             | tinuous of            | _ explicit?         |                     |         |
| Ele       | ectric i           | nternal to _       | of                 | during important      | projects?           |                     |         |
| Is        | the                | of Electric Sup    | ply                | accessible during cr  | ritical?            |                     |         |
| Will      | _ Supply need to   | have access        | its buildings $\_$ |                       |                     | aren't              | _?      |
| Does      | need               | _ access Ele       | ectric Supply _    | from conti            | nuity?              |                     |         |
| Ele       | ectricity be a     | allowed into       | for                | operation during      | the fo              | uture?              |         |
| ?         |                    |                    |                    | it for                | Suppliers           | enterplace          | smooth  |
| Will      | _ suppliers have _ | m                  | nake sure opera    | ations?               |                     |                     |         |
| Is        | for Sup            | oply have ac       | cess my _          | for continuous        | while in:           | stallations hap     | pening? |
| Will      | to ha              | ive access to      | make se            | amless?               |                     |                     |         |
| Is it nec | essary for Si      | upply l            | oremises for       |                       | forward?            |                     |         |
| Electric  | Supply need        | l the _            | for importa        | ant                   |                     |                     |         |
| TA7": 1   |                    |                    |                    |                       | 1                   |                     |         |

| are being setup or worked upon, electric expect indoor?   |        |
|---|--------|
| Will Electric Supply my property whenever installations occur door?                             |        |
| Will Supply need the in future its work?  |        |
| Will electricity suppliers require while community ?  |        |
| Will electricity to enter their own nearby?   |        |
| Supply need access continuous operation critical?   |        |
| internal access for Electric Supply operation future?   |        |
| it Electricity enter place they can maintain smooth functioning neighboring                     | occur  |
| installations require premises access, will seamless operations?                                |        |
| Is for enter my that can smooth functioning when other projects place?                          |        |
| it necessary entry my for continuous in future?   |        |
| Will gain access to my essential nearby?  |        |
| necessary visits premises of to essential adjacent projects?                                    |        |
| to prevent disruptions during essential projects, have access?                                  |        |
| Electric inside of my property when are neighboring setups the future?                          |        |
| Will Supply able to the inside of neighboring setup?  |        |
| important installations, is important supplier to gain interior entrance keep operations.       | ations |
| ?   |        |
| Do installations continuous for ?   |        |
| Is it for Electric Supply conduct adjacent?   |        |
| Will be access inside premises for to installations?  |        |
| Will the nonstop tasks maintained electric suppliers premise access and through                 | ?      |
| necessary Electric Supply's be accessible during critical?                                      |        |
| Electricity supplier entry crucial installs   |        |
| Electric for access for neighboring critical affect ?   |        |
| Does Electric Supply enter premises crucial?  |        |
| Will need indoor smooth functioning?  |        |
| Will supply to to sure operations are not disrupted the future?                                 |        |
| projects down the line, it for Electricity to enter ?   |        |
| electricity need to enter when community are?   |        |
| Will there need to have access properties mine, so seamless operation nearby later?             | S      |
| Should Electric have to interior installations the premises?                                    |        |
| it it Supply to have access to my property continuous neighboring happening?                    | ,      |
| there are is crucial electric supplier to inside entrance?                                      |        |
| Electric suppliers should expect permission access in order avoid disruptions when neighboring  |        |
| Is the of Supply required functioning critical ?  |        |
| electric supply be present to sure operations are disrupted in the?                             |        |
| the electric to an interior in to keep going?   |        |
| Electric Supply will to premises access installations.  |        |
| Will need to the future to sure its aren't?   |        |
| be able to access inside of when take place?  |        |
| Is gain access to my property installations occur next?   |        |
| Electric expect permission for access in disruptions when neighboring essential are be setup on | ing    |
| I if access my property neighboring installations happening soon.                               |        |
| Is  |        |
| Will it necessary for to to make smooth?  |        |
| Electric Supply need the premises to keep ?   |        |
| gain to my property when occur me in future?  |        |
| Electric Supply priority to during essential neighborly installations?                          |        |
|   |        |

|         | Electric to my property when installations nearby?                                     |
|---------|--|
|         | it necessary for electricity indoors vital community are close?                        |
|         | able to access inside my when take place?  |
|         | it crucial for to gain in order keep running?  |
|         | Supply required to premises for projects?  |
|         |  |
|         | necessary for Supply to property for while nearby installations are?                   |
|         | Electric Supply gain access premises make sure operations disrupted?                   |
|         | lectricity Suppliers to so that can smooth important take place?                       |
|         | necessary to enter installations take nearby?  |
| Will _  | suppliers to enter when community installations ?                                      |
|         | require passage when dealing neighboring maintain electric supply?                     |
|         | it for entry into for neighboring projects?  |
| Will    | suppliers need to get inside make ?  |
|         | necessary Supply to to conduct important projects?                                     |
|         | internal for Electric Supply necessary continuity?                                     |
|         | n there are neighboring is it a the electric ?   |
|         |  |
|         | it to premises for important going forward?  |
|         | electric suppliers to have to to operations?   |
|         | it necessary Supply enter premises nearby projects?                                    |
|         | Electric premises access for ?   |
| Will _  | be able to to my property whenever essential installations occur?                      |
| Will _  | suppliers inside ensure a smooth?  |
| Is it _ | for to access premises critical projects?  |
|         | require access to operations?  |
| Does    | Electric Supply require to operations?   |
|         | continuity operations Electric Supply in the future?                                   |
|         | electric to be the premises future?  |
|         | necessary supply companies to entry order to maintain service important infrastructure |
|         | ?  |
| Is Ele  | ectric required to have installations?   |
| Is      | possible that Supply needs to for continuity of while installations ?                  |
|         | there are installations, it for the supplier gain entrance to continuous               |
|         | ations?  |
| Elect   | tric Supply need internal for crucial  |
| Will I  | Electric be able to important installations access?                                    |
|         | it possible Electric Supply gain my property installations door?                       |
|         | order to maintain smooth Supply premises?  |
|         | have to premises for neighboring projects?   |
|         | Electric Supply to interior installations beside our?                                  |
|         | disruptions during projects, will access to the ?                                      |
|         |  |
|         | uld expect permission access in to disruptions are being or worked outside?            |
| •       | ıld Electric access to the future ?  |
|         | it to enter the premises for projects?   |
|         | suppliers will enter if community installations nearby.                                |
|         |  |
|         | it for to access to the continued operations?  |
|         | companies entry into properties to infrastructure projects?                            |
|         | n projects place, is it for Electricity Suppliers enter my so can?                     |
|         | nonstop allowing electric interior premise access seamless work through upcoming?      |
|         | Supply to access buildings in the make its don't disrupted?                            |
| Will I  | Electric be able get access my occur door?   |

| Does                             | _ necessitate inter | nal access    | _ Electric _  | ?          |                      |                            |                   |
|----------------------------------|---------------------|---------------|---------------|------------|----------------------|----------------------------|-------------------|
| Do neighboring                   | access              | s inside      | Supply?       |            |                      |                            |                   |
| Supply re                        | equire access       | neighbor      | ring critical | in         | future?              |                            |                   |
| the electric sup                 | oply to be          | the           | make          |            | in the futu          | re?                        |                   |
| for                              | Electric Supply     | intern        | al            | the future | e because of         | continuity?                |                   |
| When neighboring _<br>to service |                     | s being _     | or            | on         | can electric         | for indoor a               | ccess orde        |
|                                  | permission for      | access        | to            | serv       | rice when nea        | rby essential              | setup             |
| work just                        |                     |               |               |            |                      |                            |                   |
| supply                           |                     |               |               |            |                      |                            |                   |
|                                  |                     |               |               |            | e, so                | operations nearby          | on?               |
| Will suppliers v                 |                     |               |               |            |                      |                            |                   |
|                                  |                     |               |               |            |                      | local infrastructure _     | ?                 |
| Electric                         |                     |               |               |            |                      |                            |                   |
| or just ou                       | itside?             |               |               |            |                      | _ essential infrastructure | s seti            |
| I if Electr                      |                     |               |               |            |                      | ·                          |                   |
| I Su                             | ipply to            | to my propert | y when        | occu       | r next?              |                            |                   |
| Does Supply _                    | to into             | for pr        | rojects?      |            |                      |                            |                   |
| electricity supp                 | oliers need         | indoors be    | cause vital _ |            | nearby?              |                            |                   |
| necessary                        |                     |               |               |            | djacent projects?    |                            |                   |
| Supply re                        |                     |               |               |            |                      |                            |                   |
| Electric                         | to get into bui     | ldings th     | e future      |            | work?                |                            |                   |
| Should Supply                    |                     |               |               |            |                      |                            |                   |
|                                  |                     |               |               |            |                      | down                       | _ line?           |
| necessary                        |                     |               |               |            |                      |                            |                   |
|                                  |                     |               |               |            | in coming            |                            |                   |
| Will                             |                     |               |               |            | boring are in        | the future?                |                   |
| To in esse                       |                     |               |               |            |                      |                            |                   |
| Will electrical                  |                     |               | _             | _          |                      |                            |                   |
| neighbor                         |                     |               |               |            | access the inside _  | my?                        |                   |
| the electric                     | need indoors fac    | cilities      | ?             |            |                      |                            |                   |
|                                  | y have to prer      | _             |               |            |                      |                            |                   |
| Should Electric                  |                     |               |               |            |                      |                            |                   |
| Will be nonstop                  | p                   | electric s    | uppliers inte | rior premi | se and s             | eamless through upo        | coming significa: |
| Will the tasks h                 | ne by allowing      | r sunnlie     | rs interior n | remise     | seamless             | major                      | 2                 |
| Will tusks i                     |                     |               |               |            |                      | mujor                      | -•                |
| electric supply                  |                     |               |               |            |                      |                            |                   |
| Will Electric ne                 |                     |               |               |            |                      | ?                          |                   |
| Is it                            |                     |               |               |            |                      | ·                          |                   |
| there are                        |                     |               |               |            |                      | interior ?                 |                   |
| it for Elec                      |                     |               |               |            |                      |                            |                   |
| nee                              |                     |               |               |            |                      | disrupted?                 |                   |
|                                  |                     |               |               |            |                      | otions essential           |                   |
| or                               | to got              | 101 IIId0     |               | 55 C       |                      |                            |                   |
| accessibi                        | lity in future      | can           | operations l  | happen for | ??                   |                            |                   |
| Will Supply nee                  | ed have acces       | ss to         |               | to m       | ake sure its o       | perations not?             |                   |
| Can suppliers o                  | expect for ind      | loor          | servic        | ee wh      | en essential _       | are setup or               | upon just         |
| Does it make sense               | supply _            | to            | properti      | es to      | service impo         | rtant?                     |                   |
| neighbor                         | ing projects take _ | the l         | ine, is r     | necessary  | for Electricity Supp | liers enter                | _ so that         |
| can                              |                     |               |               |            |                      |                            |                   |

| vital          | installations take                       | electricity suppliers            | enter indoors?                    |                               |
|----------------|--|----------------------------------|-----------------------------------|-------------------------------|
| don't          | if Supply                                | to my property                   | when neighboring installations _  | happening.                    |
| vital co       | mmunity take                             | will electricity need _          | enter                             |                               |
| ne             | ecessary for Electric                    | visit to conduct                 | t projects forward?               |                               |
| it             |  | have access its buildings        | s in the to make                  | operations are not disrupted? |
|                |  |                                  | es important installations?       |                               |
|                |  |                                  | not disrupted in the?             |                               |
|                |  | cess when crucial                |                                   |                               |
|                | necessitateacc                           |                                  |                                   |                               |
|                |  | future important installa        | ations?                           |                               |
|                |  | isit certain conducting          |                                   |                               |
|                |  |                                  | ce order to operations?           |                               |
|                |  | e working to mai                 |                                   |                               |
|                |  |                                  | disruptions when neigh            | horing infractructures        |
|                | or outside.                              | in they in they                  | distuptions when heigh            | borning initiasti uctures     |
|                |  | allowing electric suppliers int  | cerior premise access             | upcoming ?                    |
|                |  |                                  | to make that disrupt _            |                               |
|                |  | while installation               |                                   | <del></del>                   |
|                |  | to essential adjacent .          | <b>:</b>                          |                               |
|                |  | or to smoothly?                  |                                   |                               |
|                |  |                                  | access and seamless               | significant ?                 |
|                |  | er inside while vital installati |                                   |                               |
|                |  |                                  | / plan to the of _                | property?                     |
|                |  | suppliers access inside          |                                   | property:                     |
|                |  |                                  | ns disrupted the futur            | <sub>20</sub> 2               |
|                |  |                                  | ise and seamless through _        |                               |
|                |  | unimpeded functioning            |                                   | setup:                        |
|                |  |                                  |                                   |                               |
|                |  | rs come premises                 |                                   | mitical 2                     |
|                |  | s during future i                | nine, so during o                 | inicalf                       |
|                |  |                                  |                                   |                               |
|                |  | sential local by s               |                                   |                               |
|                |  | in the in the future?            |                                   |                               |
|                |  |                                  | to service important              |                               |
| Will<br>worked | _ expect permission for<br>iust outside? | order to avoid se                | ervice neighboring essentia       | al are                        |
|                |  | premises to maintain             |                                   |                               |
|                |  | the premises to                  |                                   |                               |
|                |  | y Supply to operate smoothly     |                                   |                               |
|                |  |                                  | the electric supplier to ent      | ranco                         |
|                |  |                                  | stable neighboring installa       |                               |
|                | need to enter the pre                    |                                  | stable neignboring instance       |                               |
|                |  |                                  | ess in avoid service di           | amuntions                     |
| are beir       |  | s get muoor acce                 | ss iii avoid sei vice di          | srupuons                      |
| su             | ippliers need gain a                     | access ensure flawless           | ?                                 |                               |
|                |  |                                  | important neighboring             | ?                             |
|                |  |                                  | service during important local    |                               |
|                |  |                                  | ties important local ?            | 1 0                           |
|                |  | smooth functioning?              | ·                                 |                               |
|                |  |                                  | ions are nearby to keep their ser | vices ?                       |
|                |  |                                  | ke sure its operations don't      |                               |
|                |  |                                  | e no local projects?              |                               |

| important nearby installations, necessary the to an interior entrance?                |          |
|---|----------|
| Is it for the supplier gain to to operations?   |          |
| Is Supply's needed important neighboring projects?                                    |          |
| Will access continuous functioning of neighboring works?                              |          |
| Will Electric Supply need to the to to smoothly?                                      |          |
| Supply to the during important installations near our?                                |          |
| electric suppliers need get to operations?  |          |
| there neighboring is it crucial supplier to gain interior?                            |          |
| Is it supply companies gain to properties to keep ?                                   |          |
| Supply's entry for crucial be necessary.  |          |
| have have premises access to operate installations.                                   |          |
| electric suppliers need to operations seamless?                                       |          |
| When important neighboring take place the are it necessary for my                     | can      |
| maintain functioning?   | · our    |
| supply need premises critical?  |          |
| need to enter premises neighboring projects?  |          |
| there are important neighboring is necessary electric gain interior to maintain       | ?        |
| Will Electric Supply require to its in the sure disrupted during important            | ?        |
| Is it have to my property for neighboring installations are happening?                |          |
| there important neighboring the electric supplier get inside?                         |          |
| Do electricity suppliers need to continuous?  |          |
| Electric Supply will internal premises operate  |          |
| Will community nearby, that suppliers to enter indoors?                               |          |
| have to inside access for installations forward?                                      |          |
| Is possible for Supply to my property essential occur future?                         |          |
| Electric Supply need installations need it.   |          |
| Will Supply require inside for forward?   |          |
| electriccompaniesgain entryproperties maintain service duringprojects?                |          |
| electric have access inside to a minimum?   |          |
| Supply's entry required crucial neighboring projects.                                 |          |
| Will Electric to to buildings in the future ensure operations are ?                   |          |
| electric have the premises enable essential local projects?                           |          |
| necessary to the premises of Electric during projects?                                |          |
| Does company internal when dealing with electric?                                     |          |
| Is it necessary Electricity Suppliers to enter place functioning neighboring projects | 2        |
| Must Electric Supply to ?   | ·        |
| Will Electric Supply require access make sure disrupt neighbors' installations'       | )        |
| Does Supply have enter the premises ?   |          |
| electric entry into properties maintain important infrastructure projects?            |          |
| electric supply to be make sure operations in future?                                 |          |
|   |          |
| supply need to present in sure operations are disrupted?                              | 7        |
| Is for Suppliers to enter can maintain when projects are taking place.                | Je:      |
| Is it for Electric to gain access when place door?                                    |          |
| community take will electricity suppliers to enter indoors?                           |          |
| contiguous developments take place timely by supply be?                               |          |
| Will the electrical require interior access to ensure ?                               |          |
| Does Electric into for important projects ?   |          |
| electricity suppliers need enter vital community nearby?                              |          |
| need enter indoors community installations take nearby.                               |          |
| Will electric need get to operations?   |          |
| Will a need for Supply access inside properties like make seamless operations when    | critical |

| ?  |
|--|
| Will electric supply facilities?   |
| When dealing with to seamless electric need passage?   |
| Is electric to permission indoor access to disruptions neighboring essential are setup or worked |
| it for companies gain into properties during infrastructure?                                     |
| Electric can for indoor access in to nearby infrastructures are or upon just outside.            |
| Electric need premises for ?   |
| Electric Supply in the future operation continuity ?   |
| Supply need to enter operate the future?   |
| Supply gain to my when there essential door?   |
| Will electric suppliers inside to aren't disruptions?  |
| Will need to gain to premises in operations?   |
| Electric Supply would need to operate  |
| Is going ?   |
| Will Electric have allow to buildings the sure that its operations are ?                         |
| Does the electric supply for operation?  |
| neighboringdownline,for Electricityto enterplace so that theysmoot functioning?                  |
| should my place so can maintain functioning when important projects down line.                   |
| Should Supply have to inside our premises?   |
| Will electricity need enter vital community ?  |
| Is it necessary for supply to service during projects?   |
| crucial setups future, Electric Supply plans to access the of my?                                |
| Will suppliers permission for in order disruptions when essential are being?                     |
| suppliers for indoor access to when nearby essential infrastructures being setup worked upon?    |
| Can electric permission indoor in to avoid service disruptions neighboring essential or just?    |
| Will electric premise and secure through upcoming setup?   |
| electric have access inside prevent local projects?  |
| Is it prevent local if suppliers have inside?  |
| Will electric the premises make operations aren't future?  |
| Is for Electricity Suppliers to enter place maintain when projects taking?                       |
| installations, is it electric supplier to gain interior entry?                                   |
| there are important neighboring is it the gain entrance?   |
| have go when dealing neighbours to seamless electric?  |
| Will Supply make sure is interrupted ?   |
| Will proper operation access for Supply in?  |
| Do supply to entry into to maintain important projects?  |
| Will the electrical to provide interior for works?   |
| necessary Electric to visit to conduct nearby?   |
| Is it necessary to so can maintain smooth when neighboring take place the?                       |
| Electric Supply have in future make sure that its get disrupted?                                 |
| Is for electricity my for continuous operation future?   |
| possible that will gain to property when essential nearby?                                       |
| electrical access the site to uphold?  |
| passage required your when with to maintain seamless?  |
| it necessary Electric visit premises adjoining projects?   |
| Electric Supply access in the to make sure get disrupted?  |
| are important installations, is it for supplier to interior?                                     |

| critical installations in premise                          | es, can Electric         | ?                        |                       |                           |
|--|--------------------------|--------------------------|-----------------------|---------------------------|
| Will electric suppliers expect permission fi just outside? | for to                   | n                        | eighboring essential  | are set                   |
| Electricity my   | for operation du         | ring important installat | tions the future?     |                           |
| Will provider need to allow                                |                          |                          |                       |                           |
| Will have into   | buildings in the future  | e make that i            | its not disruj        | pted?                     |
| Is it necessary for electric supply                        |                          |                          |                       |                           |
| Will Electric access into l                                |                          |                          |                       |                           |
| Will Supply access t                                       |                          |                          |                       |                           |
| Supply does need access                                    |                          | •                        |                       |                           |
| Is there need for for                                      |                          | cent ?                   |                       |                           |
| Does the continuity  |                          |                          |                       |                           |
| Is electric supply premises acc                            |                          | ··                       |                       |                           |
| need have fact   |                          | oning?                   |                       |                           |
| Do know Electric needs a                                   |                          |                          |                       |                           |
| Will required have a                                       |                          |                          |                       |                           |
| Does it sense for electric                                 |                          |                          | g local projec        | ote?                      |
| Is for internal for  |                          |                          | J 10cai projec        | us:                       |
|  |                          |                          | luring local infract  | tructura projecto?        |
| companies necessary  |                          |                          | .uring local inirasi  | ructure projects?         |
| Should Electric be inside durin                            |                          |                          |                       |                           |
| to ensure continuity of                                    |                          | to our?                  |                       |                           |
| Will supply for  |                          |                          | _                     |                           |
| Electric Supply need                                       |                          |                          | rations get?          |                           |
| Is it necessary Supply to                                  |                          |                          |                       |                           |
| Supply's required for                                      |                          |                          |                       |                           |
| it to have to or   |                          | orojects?                |                       |                           |
| Will electric need to insid                                |                          |                          |                       |                           |
| possible electric supplier infrastructures being setup     |                          | cess in order            | _ service disruptions | nearby                    |
| When are important neighboring                             |                          | tric to                  | ?                     |                           |
| Electric facilities  |                          |                          | ·                     |                           |
| Should the be in the to m                                  |                          | in ?                     |                       |                           |
| Will necessary for Electric Sup                            |                          |                          | seamless wh           | en critical installations |
| nearby are?  | ,pry p.                  | toperties to             | Scanness wii          | en critical installations |
| Is it possible for Electric Supply                         | to when                  | next                     | ?                     |                           |
| Will Supply have access _                                  | to make                  | operations not           | disrupted?            |                           |
| When there important are                                   |                          |                          |                       |                           |
| electric suppliers have access                             | to dis                   | ruptions during pi       | rojects?              |                           |
| Will Supply need to  |                          |                          |                       |                           |
| it make sense comp   |                          |                          | important infrastr    | ucture ?                  |
| When crucial neighboring take                              |                          |                          |                       |                           |
| Will Electric need access                                  |                          |                          |                       |                           |
| Is for Supply to have                                      |                          |                          | ·                     |                           |
| When are important neighboring                             |                          |                          | internal entrance?    |                           |
| Will provider have to                                      |                          |                          |                       |                           |
| Is Supply to ad  |                          |                          |                       |                           |
| company require w  |                          |                          |                       |                           |
| Is it Supply th  |                          |                          | ·:                    |                           |
|  |                          |                          |                       |                           |
| Is premises fu Will have inside                            |                          |                          |                       |                           |
| Should Electric to a                                       |                          |                          | loor?                 |                           |
| anough Electric LO a                                       | ACCOSS TO THAN MITCH GSS | a. C                     | 1001:                 |                           |

| electric to have inside to make operations?   |
|---|
| Electricity to enter my continuous operation future?  |
| there are important is it necessary to get entrance?  |
| it for companies to gain to keep up with ?  |
| Electric into premises necessary projects?  |
| there nearby crucial for the supplier to entrance?  |
| neighboring installations require access Supply's?  |
| electric suppliers need to have so that operations ?  |
| Will the electric facilities work?  |
| When there are neighboring it to gain interior entrance?                                      |
| Will the electrical provider access of neighboring explicit?                                  |
| Will electrical need access ensure functioning of explicit future?                            |
| projects take place, do Electricity Suppliers need smooth functioning?                        |
| there important neighboring is the electric supplier to ?                                     |
| Is Electric needed visit to projects?   |
| it for Electric have internal on our to continuity ?  |
| Is Supply to have interior beside our?  |
| Will electrical for continuous functioning of explicit?                                       |
| When essential will Supply be gain access to my?  |
| be a need Supply to access inside properties ensure seamless operations when                  |
| nearby?   |
| Does Supply need for projects?  |
| Electric Supply need its buildings in the make sure that operations ?                         |
| Does of operations necessitate to Electric?   |
| provider access for functioning of explicit in the?   |
| Does continuity necessitate internal ?  |
| When essential installations door in the I Supply gain?                                       |
| electric need have inside to perations are ?  |
| your company internal passage when with electric?   |
| Will require into in the future, to make sure its operations crucial installations?           |
| infrastructures being setup outside, can electric expect permission indoor?                   |
| necessary Electric premises to have functioning nearby?                                       |
| for enter my place ensure smooth functioning neighboring projects take down the?              |
| Will electric need inside a seamless operation?   |
| it necessary Electricity enter my place that can functioning important projects happen down ? |
| Electric Supply require for essential installations.  |
| Supply require buildings in the future to make sure its ?                                     |
| it important for Suppliers enter maintain neighboring projects take place?                    |
| Will Electric Supply allowed to property next door?   |
| Electric Supply gain access to their keep going?  |
| Electric Supply maintain when nearby need internal premises?                                  |
| electric supply need continuous?  |
| Electricity Suppliers enter my constant operation in the?                                     |
| electric suppliers expect access to avoid neighboring essential being set up?                 |
| it necessary Electric Supply to to my property functioning while neighboring ?                |
| sure disrupted in future, will need be in premises?   |
| be necessary enter indoors while important installations nearby?                              |
| Will require in future make sure operations aren't disrupted?                                 |
| Will electricity suppliers to enter while community ?   |
| <del></del>   |

| Should Electric have interior during important premises?   |
|--|
| there access inside premises for electric suppliers unhindered?  |
| provider interior access ensure continuous of neighboring the future?                                      |
| need to to the during future installations?  |
| Will Electric Supply be my property neighbors take place in future?  |
| it necessary Electricity Suppliers to maintain smooth functioning when occur?                              |
| for Electric to enter into premises neighboring?   |
| Indoors facilities by Electric to functioning?   |
| internal in the if proper operation occurs?  |
| Supply premises access continuous operation in to critical?  |
| Supply to facilities to ensure a smooth?   |
| projects happen nearby, can come my no power issues?   |
| When there important installations, it a the gain interior?  |
| Should electric suppliers for access disruptions when neighboring essential infrastructure are setup upon? |
| Is it for electric enter properties service projects?  |
| When there are neighboring installations, it electric to gain ?  |
| Electric will to internal premises nearby  |
| Will electricity suppliers need while vital installations ?  |
| internal necessary with neighbours to seamless electric?   |
| Should Electric to to interior during installations our?   |
| it necessary for companies to gain access properties ?   |
| company need internal with neighbours maintain seamless electric?  |
| it necessary electric supply into to maintain their continuity?  |
| Will supply access to facilities ensure ?  |
| Electric have to premises in the future to ?   |
| there need be internal access for Electric continuity?   |
| Supply required internal access to premises in order of ?  |
| nonstop tasks maintainedelectric suppliers interior premise andthrough setups?                             |
| Is the supply to in the operations disrupted in the future?  |
| supply access property when happen next door?  |
| Is necessary for supply companies gain properties infrastructure ?   |
| Will gain to property when are by?   |
| supply have to the during installations?   |
| When projects take place, it necessary for Suppliers to place maintain functioning?                        |
| the provider required provide interior functioning neighboring explicit works?                             |
| Electric Supply able to the inside property crucial place?   |
| it beelectric suppliers to gainseamless?   |
| Is it necessary for Electricity Suppliers to enter my place they have ?                                    |
| Will Supply its in the future to make sure operations are crucial?   |
| Does Supply access continuous operation?   |
| Will there a need Supply inside during critical installations nearby on?                                   |
| Will have access to operations?  |
| suppliers inside their premises help disruptions?  |
|  |
| electric have access the interior important next our?  |
| Is Supply my property for functioning while neighboring installations are?                                 |
| I if access to my property, are happening soon.  |
| While place nearby, will suppliers need to enter run services?   |
| Electricity to premises for operations the future?   |

| necessary for electric supply visit adjacent projects?   |
|--|
| Will provider require to functioning in future?  |
| it for electric entry to properties to maintain service during ?   |
| important to enter my place maintain smooth  |
| $Is \_\_\_\_ place \_\_\_ for \ Electricity \_\_\_ to \ maintain \ smooth \_\_\_\_ important \_\_\_\_ are \_\_\_ place?$ |
| necessary for Electric have access in cases operation?   |
| Is gain interior entrance order to keep operations ?   |
| Electric need access the in the future make are?   |
| the Electric Supply premises for ?   |
| Supply be get buildings to operate the future?   |
| important next door, Electric to the premises?   |
| Will electrical interior order to ensure of explicit?  |
| allowing electric suppliers premise access and securing workflow through upcoming  |
| setup?   |
| Will Electric able to operate when need internal ?   |
| Will electrical have the site during ?   |
| crucial neighboring setup take place the future, should Electric able property   |
| Supply require forcriticalgoing forward?   |
| to into its in the future, to make that its disrupted?   |
| access intobuildings future, to make sure that not disrupted during neighbor important?                                  |
| Will Supply be seamless operations installations need premises access?   |
| Supply premises conduct essential adjacent?  |
| Does your need internal passage seamless electric supply?  |
| your internal passage dealing with a electric supply?  |
| Electric the interior during future installations?   |
| Are electric supply to entry into properties maintain important ?  |
| Will it be necessary Supply have inside properties mine make when critical nearby?                                       |
| Electric able to the my property when setups happen the?   |
| it Supply to access to its during critical ?   |
| Does maintain seamless electric supply?  |
| Is supply to in the to sure operations not?  |
| electric suppliers to request for indoor in order service disruptions essential  |
| infrastructures set up   |
| Will electricity enter while community installations are to keep smoothly?   |
| for electric supply companies entry to good service during infrastructure projects?                                      |
| Will electricity need be inside installations nearby?  |
| Should have during future next to premises?  |
| Can electric suppliers for in to disruptions if neighboring essential being setup on outside?                            |
| Should Electric Supply have access interior ?  |
| need for internal for Supply arise proper continuity?  |
| Electric for functioning during neighboring projects?  |
| important place will electricity suppliers need enter?   |
| Is it for Suppliers to enter so can maintain important nearby?   |
| Will it for suppliers to have access inside ?  |
| Is entering for Electricity to able to functioning important neighboring projects  |
| Supply be able to the property vital neighboring place?  |
| electricity suppliers have their own services running while vital community ?  |
| During door, can electric access to premises?  |

| Electric Supply have access interior crucial near ?   |
|---|
| electrical provider access guarantee continuous functioning neighboring works?                                |
| Will the suppliers need indoors take place nearby?  |
| Is it the supplier gain in to maintain?   |
| Electric have to allow in future to make sure operations are?   |
| Will be necessary for premises in order continue operations?  |
| Will Supply to to order to their operations in the future?  |
| Will gain to the premises to during important the?  |
| Is it get to premises Electric Supply critical ?  |
| Is possible to disruptions essential local projects inside?   |
| Does your company need when dealing with electric?  |
| Is Electricity Suppliers enter place so maintain smooth neighboring projects take                             |
| infrastructures are being or work outside, can suppliers expect indoor?                                       |
| Electric access in essential nearby installations.  |
| have access inside in order disruptions during projects?  |
| Will electricity need to while vital community to to services?  |
| it access to Supply's premises critical projects?   |
| Supply get into do its work in future.  |
| electric suppliers permission indoor access to service disruptions infrastructures are setup outside?         |
| Does internal for Electric Supply come about ?  |
| Is it to prevent during allowing electric inside?   |
| to prevent disruptions during local projects, electric inside?  |
| Will electrical provider need to of explicit?   |
|   |
| infrastructures are up or   |
| Should Electric Supply inside critical installations ?  |
| Is necessary for Electricity Suppliers place for smooth meighboring take?                                     |
| neighboring installations access Electric?  |
| Is the Electric Supply for important projects?  |
| Electric Supply be to the inside of property neighboring ?  |
| Is it necessary for Electric the premises ?   |
| Is it for Suppliers enter that can maintain smooth functioning take place?                                    |
| I Electric Supply needs to the sake continuity.   |
| it get permission for access in order avoid disruptions when neighboring                                      |
| infrastructures set up?   |
| Should Supply have during future?   |
| Will Supply require to its buildings in to to don't get?  |
| Does Electric to enter important ?  |
| your company need when dealing with nearby maintain a ?   |
| Supply allow into its the future make sure its aren't disrupted?  |
| Is Electric unhindered functioning during neighboring?  |
| Electric Supply to its make sure its operations are disrupted?  |
| Is for suppliers to permission indoor access to when neighboring essential                                    |
| being set or supply able access the inside when a neighboring place in the future?                            |
|   |
| Will electric suppliers premise access and seamless work?   |
| it for electric suppliers to get for in to disruptions when essential or worked                               |
| suppliers expect permission indoor access service disruptions infrastructures are setup or worked on outside. |
| it be necessary for Electrical Supply access pivotal?   |

| it necessary for enter premises key neighboring?  |
|---|
| Do Electricity need enter premises operations important installations future?                       |
| be necessary supply companies to entry into properties to ?   |
| necessary Electric Supply premises access in critical?  |
| Electric nearby installations access.   |
| Supply might to premises order to conduct   |
| gain to my property installations are by?   |
| Will suppliers premises prevent disruptions during local projects?                                  |
| neighboring take is necessary for Electricity to enter my place so can ?                            |
| we need access Electric Supply ensure of services?  |
| Should electric expect for indoor access order to service when neighboring or work?                 |
| Does electric premises access continuous installations?   |
| Will electric supply to in to sure aren't?  |
| Will Electric require to its buildings the future, disrupt its installations?                       |
| Will require in the future to sure its aren't during installations?                                 |
| we inside for ops during the future?  |
| Electric Supply access the premises the running smoothly?   |
| Is entering my essential for to to smooth when neighboring projects place?                          |
| Is Supply to enter premises projects?   |
| Will supply access to my property key are happening?  |
| suppliers might to enter indoors installations take   |
| Electric Supply need the premises for ?   |
| it for Electric Supply within in order essential adjacent?  |
| vital installations take place and if will suppliers to ?   |
| necessary for electric to entrance in order keep operations?  |
| Is it necessary to to their premises critical ?   |
| be Electric Supply access to the premises keep going?   |
| be operations during essential installations that need internal access?                             |
| Will Electric enter the future to do its?   |
| Electric premises for projects might necessitated functioning.                                      |
| Is necessary for electric supply entry to maintain projects?  |
| Does Supply need visit adjacent projects?   |
| Will electric access inside their to ?  |
| Will have inside to sure operations ?   |
| Supply have access to my property for when neighboring installations are?                           |
| necessary for Electric Supply to for important ?  |
| Can electric permission indoor order to avoid essential infrastructures being or worked upon just ? |
| thetasks be maintained by allowingsuppliersaccesssecuringthrough settings?                          |
| installations constant access for Electric ?  |
| Do Electricity need to my continuous important?   |
| Electric have to get into their the future?   |
| be a need for have access properties in ensure operations critical                                  |
| installations nearby?   |
| Is necessary for Electricity my place they can keep during important ?                              |
| Should Electric be during future beside premises?   |
| Electric have internal when nearby require it.  |
| necessary Supply to have properties like mine ensure seamless when critical installations are       |
|   |
| Electric access the premises in order to operations?  |
| Electric premises be for neighboring projects.  |

| Electricity indoors vital community installations are nearby.   |
|---|
| it necessary electric companies gain entry to service during major ?  |
| Is to to to maintain service during construction?   |
| expect Supply to to my property essential next door?  |
| Is it important for the supplier entrance operations on?  |
| Can Supply come guarantee no power projects are nearby?   |
| Do neighboring Electric Supply's continuous?  |
| Is for premises during critical?  |
| Will vital community take and will need enter?  |
| I don't know Supply access to property continuous functioning, since installations  |
| electricity my premises operate during installations in the?  |
| important next door, can Supply access operations?  |
| suppliers inside premises to enable unimpeded during local?   |
| Will suppliers need vital community installations take nearby, their own services ?   |
| it necessary for supply gain entry properties maintain service infrastructure?  |
| Will Electric have access premises to continue operations?  |
| need internal in the if proper operation maintained?  |
| your company passage with neighbours keep supply?   |
| Electric need access in continuity of during important  |
| the premises of Electric for neighboring projects?  |
| for Electric to have internal event of operation continuity?  |
| While nearby, will suppliers need to indoors?   |
| Do Electricity Suppliers to my for continuous ?   |
| possibleelectric suppliers to getindoor order todisruptions when nearby essential   |
| infrastructures setup   |
| Is for Suppliers my premises to operate future?   |
| a smooth operation during nearby, ever need access premises?  |
| When important nearby is it necessary electric to gain ?  |
| company internal passage dealing with nearby maintain electric?   |
| have access to key installations?   |
| Will Electric to have access into buildings in the sure disrupted?  |
| I Supply access to if key installations happening soon.   |
| Electric Supply when essential happen next door?  |
| Will electric need inside operations are smooth?  |
| Will suppliers the premises to during local projects?   |
| it for Electric Supply to the nearby ?  |
| electricity need enter indoors while vital installations ?  |
| Will that work done without interruption neighborly installations in ?  |
| win incignority instantations in :  |
| sumply enter premises operations?   |
| supply enter premises operations?  When are important neighboring installations is important to interior 2  |
| When are important neighboring installations, is important to to interior?  |
| When are important neighboring installations, is important to interior? Suppliers to my premises for operation during important in ?  |
| When are important neighboring installations, is important to interior? Suppliers to my premises for operation during important in? Is for supply companies gain properties continuous service?   |
| When are important neighboring installations, is important to interior ?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?   |
| When are important neighboring installations, is important to interior?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?  like to know if to my property for functioning neighboring installations  |
| When are important neighboring installations, is important to interior ?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?  like to know if to my property for functioning neighboring installations  Is access Supply if proper continuity is ?   |
| When are important neighboring installations, is important to interior?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?  like to know if to my property for functioning neighboring installations  Is access Supply if proper continuity is ?  Electric to to their in order to continue operations future?  |
| When are important neighboring installations, is important to interior?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?  like to know if to my property for functioning neighboring installations  Is access Supply if proper continuity is ?  Electric to to their in order to continue operations future?  Is Electric necessary unimpeded during critical ? |
| When are important neighboring installations, is important to interior?  Suppliers to my premises for operation during important in ?  Is for supply companies gain properties continuous service?  Does Electric Supply for important ?  like to know if to my property for functioning neighboring installations  Is access Supply if proper continuity is ?  Electric to to their in order to continue operations future?  |

| Will Electric Supply have | to              | to             | the               |                 | that its operations       | get disrupted?               |
|---------------------------|-----------------|----------------|-------------------|-----------------|---------------------------|------------------------------|
| Will                      | inside          | premises       | _ enable unhind   | lered           | essential local projects? |                              |
| Will be f installations?  | or Electric Sup | oply           | pr                | operties like   | ensure seamless           | during critical              |
| When neighboring :        | projects j      | place, is      | _essential        | Suppliers       | my place                  | can maintain smooth          |
| Electric Supply will      | access _        | CO             | ntinuity of       | during          | <b>.</b>                  |                              |
| Should                    | to ir           | nterior during | g nea             | r our premises? |                           |                              |
| Electrical Provider       | need hav        | re             | to ensure         | of              | works?                    |                              |
| need int                  | ernal access    | to e           | ensure continuit  | y services      | ?                         |                              |
|                           |                 |                |                   |                 |                           | ing essential are set        |
| Electric can expect upon  | permission for  | r indoor acce  | ss                | avoid           | neighboring _             | are being setup or           |
| Is for electric           |                 |                | into properties   | to service      | flowing important         | infrastructure projects?     |
| of operations             |                 |                |                   |                 |                           |                              |
|                           |                 |                |                   |                 | or on just                | _ electric suppliers expect  |
| suppliers                 | to              | make sure o    | perations         | smooth?         |                           |                              |
| In order to               |                 |                |                   |                 | side?                     |                              |
| Is                        | disruptions du  | ring loc       | al projects       | hav             | e access to premise       | es?                          |
| Electric have             |                 |                |                   |                 |                           |                              |
| Is it                     |                 |                |                   |                 |                           |                              |
|                           |                 |                |                   |                 | ur next door the          | ?                            |
| Does supply p             |                 |                |                   |                 |                           | <del>_</del> `               |
|                           |                 |                |                   |                 | services smootl           | nlv2                         |
| it necessary E            |                 |                |                   |                 | 301 vice3 31110001        | iiy:                         |
|                           |                 |                |                   |                 | ominted the future?       |                              |
| Will need                 |                 |                |                   |                 | srupteu the future:       |                              |
| Is a for Electr           |                 |                |                   |                 |                           |                              |
| Supply may in             |                 |                |                   |                 |                           |                              |
| Electric need             |                 |                |                   |                 |                           |                              |
| To disruptions duri       |                 |                |                   |                 | _ premises?               |                              |
| Will suppliers            |                 |                |                   |                 |                           |                              |
| electric supply need      |                 |                |                   |                 |                           |                              |
| it possible               |                 |                |                   |                 |                           |                              |
| Will Electric Supply      |                 |                |                   |                 |                           | disrupted?                   |
| Supply be                 |                 |                |                   |                 |                           |                              |
| Electric be ab            | le to operate d | luring r       | nearby            | pre             | emises?                   |                              |
| permission                | ?               |                |                   |                 |                           | can electric expect          |
| suppliers                 | have ac         | cess inside _  | ensure            | _ are seamless? |                           |                              |
| it necessary for Ele      | ctricity to     | 0              | so that the       | y maintair      | n neighb                  | oring take place down        |
| electric supply           |                 |                |                   |                 |                           |                              |
| are important             | do              | es it se       | nse for the elect | ric to          | ?                         |                              |
| Will have inte            | rior to _       | continuo       | us functioning of | f?              |                           |                              |
| During important          | door            | Electric       | access in         | nside?          |                           |                              |
| Will Electric be          | _ to access     | inside of      | my when _         |                 | the futur                 | re?                          |
| ··                        | for ac          | cess or        | der avoid _       | disruptions     | s nearby essential in     | nfrastructures are being set |
| up?                       |                 |                |                   |                 |                           |                              |
| Will the electrical       | to _            | to e           | ensure fun        | ctioning ne     | eighboring?               |                              |
| Do neighboring dic        | tate acce       | ss             | Supply?           |                 |                           |                              |
| Can I expect Electric     | to              | to my          | when              | important       | ?                         |                              |

| Electric Supply to inside my property nearby place in the future?  |
|--|
| Will vital mearby and suppliers to inside?   |
| Is for get access in order to not service disruptions when essential<br>being or   |
| Should expect permission indoor access in order to service when neighboring or worked ?  |
| In the future, will electric premises?   |
| Does Electric Supply internal in there operation continuity?   |
| Supply need to internal premises when need need  |
| supply in premises sure operations are not ?   |
| Electric Supply access to continuity of important  |
| Will be able maintain seamless operations nearby need ?  |
| Is it possible Electric to my for while neighboring installations ?  |
| Are visits for to conduct projects?  |
| Electric Supply require to for continuous?   |
| necessary Supply to certain to conduct adjacent projects?  |
| Do Electric Supply enter maintain operations?  |
| suppliers need have inside in to operations?   |
| Electric Supply's entry into necessary nearby ?  |
| Will tasks maintained by allowing electric suppliers access and workflow through ?   |
| In to avoid disruptions neighboring infrastructures being or worked upon just suppliers expect for                             |
| Will Supply access its the future ensure that operations aren't disrupted installations?                                       |
| electric access to facilities to functioning?  |
| require indoor facilities smooth?  |
| Does Supply a premises operation?  |
| Is it for to premises projects?  |
| are nearby installations, it electric to an interior entrance?   |
| Electric will need internal premises nearby  |
| Should Supply have access interior during installations our?   |
| Will vital installations nearby electricity suppliers need enter indoors services running?                                     |
|  |
| Does for electric supply companies to maintain service infrastructure projects? Electric need the operate smoothly the future? |
| electric need to access to make are?   |
| Can electric suppliers expect permission indoor access neighboring essential infrastructures                                   |
| being on?  Is Electric Supply's entry into or going 2  |
| Is Electric Supply's entry into crucial ?  Is necessary Suppliers my premises for continuous in future?                        |
|  |
| there be necessary access the for suppliers services?  |
| Will Supply to my a during critical nearby? require to its buildings in future to make its are during neighbors' ?             |
|  |
| I don't Electric access property, since key are soon.  |
| Can electric suppliers for access in avoid service disruptions when essential are just?  |
| Will Electric Supply able tomy my when crucial neighboring in the?   |
| Is it for Electric Supply in in conduct adjacent?  |
| To smooth must Supply the ?  |
| electric have inside the there are no disruptions?   |
| electrical provider require continuous functioning of neighboring works coming?  |
|  |
| Will workflows upcoming significant?   |

| Is it _     | for t                                | to enter my place to                        |            | when other _      | take           | _ down            | ?                  |                   |
|-------------|--------------------------------------|---|------------|-------------------|----------------|-------------------|--------------------|-------------------|
|             | internal passage                     | dealing with                                | _ to       | seamless          | supply?        |                   |                    |                   |
|             | electric have a                      | access inside the to                        |            | pr                | ojects?        |                   |                    |                   |
|             |                                      | Supply to visit                             |            |                   |                | ?                 |                    |                   |
|             |                                      | lectric to gain _                           |            |                   |                |                   | ?                  |                   |
|             |                                      | to  |            |                   |                |                   | _                  |                   |
|             |                                      | to premises                                 |            |                   | . J            | 1                 |                    |                   |
|             |                                      | premises acc                                |            |                   | ions?          |                   |                    |                   |
|             |                                      | ccess the interior                          |            |                   |                |                   |                    |                   |
|             |                                      | internal premises a                         |            |                   |                |                   |                    |                   |
|             |                                      | internal premises at                        |            |                   |                | ring hannor       | 22                 |                   |
|             |                                      |   |            |                   |                |                   | 1:                 |                   |
|             |                                      | in a building to                            |            |                   |                |                   |                    | 1                 |
|             | there a need f<br>?                  | for Supply to ac                            | ccess      | m                 | ine orde       | r to ensure       | when critic        | cal are           |
| Does        | Supply t                             | o the premises                              | importa    | nt ?              |                |                   |                    |                   |
|             |                                      | ve to the                                   |            |                   |                |                   |                    |                   |
|             |                                      |   |            |                   |                |                   |                    |                   |
|             |                                      | to pr                                       |            |                   |                |                   | 2                  |                   |
|             |                                      | sure that work                              |            | _                 | -              | ons in            | _{-                |                   |
|             |                                      | enter buildings                             |            |                   |                |                   |                    |                   |
|             |                                      | Supply needs access                         |            |                   | us             | key install       | ations are         | ?                 |
|             |                                      | erations internal acco                      |            |                   |                |                   |                    |                   |
|             |                                      | ontinuity necessitate                       |            |                   |                | re?               |                    |                   |
|             | Electric Supply hav                  | e access during                             |            | premi             | ses?           |                   |                    |                   |
| When        | n nearby essential in                | $_{ m a}$ frastructures are being $_{ m a}$ |            | _ work            |                | expect peri       | nission            | _ access?         |
|             | necessary acc                        | ess suppliers _                             |            | _ the to pr       | event disrupt  | ions?             |                    |                   |
| Will e      | electricity need                     | d if impor                                  | tant       | _ installations _ | nea            | rby?              |                    |                   |
| Is it r     | necessary the e                      | electric to gain inter                      | ior entra  | nce order         | to             |                   | ?                  |                   |
| Can         | suppliers                            | access ir                                   | n order to | o avoid service _ |                | essential infra   | structures are _   | set or            |
|             | ?                                    |   |            |                   |                |                   |                    |                   |
|             | suppliers                            | inside to make                              | their _    | are seamle:       | ss?            |                   |                    |                   |
|             | possible for electric structures are | supplierssetup                              |            | access            | order          | service           | e neigl            | nboring essential |
| Elect       | ric Supply                           | required have inte                          | ernal      | during n          | earby          |                   |                    |                   |
| Is it _     | sup                                  | pliers for                                  | indoor a   | ccess orde        | er s           | service disruptio | ns neighbo         | ring              |
| are b       | eing setup wo                        | rked  |            |                   |                |                   |                    |                   |
|             |                                      | re premises cor                             |            |                   |                |                   |                    |                   |
|             | Electric Supply hav                  | e to allow access into                      | iı         | n the             | make           | its don           | ı't?               |                   |
| $Will_{\_}$ | Supply                               | during imp                                  | ortant _   | installations     | s ir           | nternal premises  | access?            |                   |
| Is it p     | oossible                             | will access                                 | _ my       | when in           | stallations oc | cur?              |                    |                   |
| Does        | proper operation _                   | for el                                      | ectric     | subseq            | uent instance  | s?                |                    |                   |
| If ess      | sential occur ne                     | ext in                                      | Electr     | ic ac             | cess to my     | ?                 |                    |                   |
|             |                                      | necessary for elec                          | ctricity s | uppliers to ente  | r indoors?     |                   |                    |                   |
|             |                                      | installations, is                           |            |                   |                | entrance          | to mainta          | in ?              |
|             |                                      | maintained by allowing                      |            |                   |                |                   |                    |                   |
| setup       |                                      |   |            | ppnors            |                | _ bouilious work  | upoor              | ·····9            |
|             | Electric require<br>?                | e access buildi                             | ngs        | future            | make           | that opera        | ations aren't disr | upted during      |
|             | it necessary for elec                | ctric to ac                                 | ccess      |                   | service du     | ıring important l | ocal infrastructu  | re?               |
|             |                                      | access in                                   |            |                   |                |                   |                    |                   |
|             |                                      | equire to Electric                          |            |                   |                |                   |                    |                   |
|             | of                                   | Supply required unin                        | mpeded     | critic            | al neighbor p  | rojects?          |                    |                   |
|             |                                      | Supply prop                                 |            |                   |                | -                 |                    |                   |

|                       | _ if Electric Supply needs          | F                     | property for continuity | y of?           |                    |                |               |
|-----------------------|-------------------------------------|-----------------------|-------------------------|-----------------|--------------------|----------------|---------------|
| In order to           | disruptions during                  |                       | suppliers have _        | in              | side?              |                |               |
|                       | for premises                        | to have               | e unimpeded function    | ing during i    | mportant neighbor  | ring?          |               |
| electric s            | suppliers                           | to access ins         | ide seamle              | ess operation   | ıs?                |                |               |
| Electric              | premises                            | for continuous        | during critical         | _?              |                    |                |               |
| Will Electric _       | require access to its _             | the                   | to make sure            |                 | the                | future?        |               |
| Electric              | Supply need to an                   | futu                  | re important?           |                 |                    |                |               |
| kno                   | ow Electric                         | to                    | because neighbori       | ng key insta    | llations are happe | ning.          |               |
| Will Electric S       | upply acc                           | ess inside _          | my property when        | ı neigh         | boring happ        | en f           | future?       |
| Does Electric         | Supply premises                     |                       | ?                       |                 |                    |                |               |
| nec                   | cessary for to _                    | premises              | s for important nearby  | y?              |                    |                |               |
| Can supp              | oliers indo                         | oor access            | avoid service           | e disruptions   | s essen            | tial are b     | eing setup or |
| Electric              | Supply required to w                | ithin co              | onduct adjacent         | ?               |                    |                |               |
| Will Electric _       | given access                        | _ my property         | occur n                 | ext             | the?               |                |               |
|                       | be able to guarantee                |                       | _ during neighborly in  | nstallations?   |                    |                |               |
| Is it for $\epsilon$  | electric supply o                   | gain entry            | to maintain o           | during          | local?             |                |               |
| Will                  | _ be to pr                          | operty when esser     | itial next d            | .oor            | future?            |                |               |
| Will electric _       | have inside to                      |                       | local projects          | ?               |                    |                |               |
| importar<br>maintain  | nt neighboring j<br>functioning?    | olace, r              | necessary Electr        | icity Supplie   | ers                | _ place so     | _ they can    |
|                       | need to the i                       | n to ke               | ep operations running   | J?              |                    |                |               |
| Electric              | Supply enter in                     | to premises           | projects?               |                 |                    |                |               |
| Will supp             | oliers need indo                    | ors to                | own services running    | , when          | are                | ?              |               |
| neighbor              | ring dictate continuo               | ıs Elec               | tric operations?        |                 |                    |                |               |
| Will Sup              | ply be to operate                   | when                  | require internal        | ?               |                    |                |               |
|                       | need access to its                  | future,               | make sure               | _ its operation | ons aren't?        |                |               |
| Do know               | Electric Supply                     | my pi                 | roperty for sake        | ?               |                    |                |               |
| importar<br>functioni | nt neighboring take p<br>ng?        | lace lir              | ne, is it for           | 6               | enter place _      | that they      | maintair      |
| ele                   | ctrical provider require in         | erior                 | of neighbor             | ring wo         | orks?              |                |               |
| Electric              | required visit p                    | remises in order _    | essential               | ?               |                    |                |               |
|                       | access inside their                 | to allow              | unimpeded service       | s?              |                    |                |               |
|                       | ply to access _                     |                       |                         |                 |                    | _ the future?  |               |
| Will the electr       | ical provider ac                    | ccess                 | functioning             | explici         | t works?           |                |               |
|                       | require access for o                |                       |                         |                 |                    |                |               |
|                       | to                                  |                       |                         |                 |                    |                |               |
|                       | setup in the                        |                       |                         | for accessin    | ng inside          | ?              |               |
|                       | to premise                          |                       |                         |                 |                    |                |               |
| the?                  | tasks be by ele                     | ectric suppliers      | S€                      | ecuring         | workflows throug   | Jh upcoming si | ignificant    |
| Will Electric $\_$    | gain                                | property imp          | ortant occur ne         | xt?             |                    |                |               |
| ope                   | erations neighboring                | vital it              | for Electric Sup        | ply             | my property?       |                |               |
| electric s            | suppliers expect for i<br>side?     | ndoor access in or    | der to ser              | vice            | essential          |                | setup         |
| Can electric su       | appliers expect permission outside? | i                     | n order to              |                 | infrastr           | uctures        | setup or      |
| Is it for _           | enter                               | for op                | eration in future?      |                 |                    |                |               |
| Does Electric         | premises                            | operati               | ons?                    |                 |                    |                |               |
| Is r                  | required to internal a              | ccess                 | order                   | ensure cont     | cinuity of?        |                |               |
|                       | have access                         | critical installation | ns going forward?       |                 |                    |                |               |
| Is                    | Supply requires                     | to                    | for functioning         | g while neig    | hboring are        | happening?     |               |

| Is supply required premises during ?  |
|---|
| it Supply visit for essential projects going?   |
| Do supply companies need to entry properties maintain infrastructure?   |
| Will Electric Supply be to access the inside when crucial place ? into premises for neighboring be necessary. |
| When neighboring essential infrastructures just outside, electric for indoor avoid service disruptions?       |
| essential installations door in the I expect Supply to gain property?   |
| don't if needs access for stable functioning neighboring installations are                                    |
| Electric be able operate nearby that require access?  |
| the provider to have access to functioning neighboring ?  |
| Supply have get inside the to do future?  |
| Will it be to prevent essential local electric premises?  |
| Must Supply premises operations?  |
| Does the need internal access Electric arise ?  |
| Will it be necessary for Electric Supply to in future?  |
| there are important neighboring installations, for the electric entrance?                                     |
| Is it important for enter place they smooth when take place down the?   |
| Supply to visit to conduct projects going ?   |
| Will Electric be the inside of my when neighboring take in ?  |
| Will the buildings operate in the future?   |
| it to have access toneighboring installations happening?  |
| Will be necessary have access make operations seamless?   |
| it necessary Electric to visit to adjacent ?  |
| neighboring dictate access Electric Supply?   |
| Do Electricity my for operation in future?  |
| When crucial neighboring setup take place in future, does access ?  |
| Supply maintain seamless essential installations that would require   |
| it be for Electric get into the to do its ?   |
| Is it possible that for to service disruptions neighboring essential are                                      |
| being setup worked  |
| interior access required by provider to functioning works?  |
| there Electric Supply to visit premises projects?   |
| Will the electricity suppliers enter vital installations ?  |
| Supply to enter the buildings operate future?   |
| Will Electric need have access to buildings future make are not?  |
| Electric would have premises nearby installations.  |
| take place line, is it Electricity Suppliers to my place maintain functioning?                                |
| Will suppliers have enter indoors if community ?  |
| Will access inside for electric to allow unhindered during ?  |
| Will electricity need enter indoors while installations nearby, own services ?                                |
| electric access to in to a minimum?   |
| Electricity enter my continuous operation future installations?   |
| Does Electric internal access in future proper operation?   |
| a need for electricity to indoors vital take place ?  |
| Will it be Supply access inside to ensure operations when installations close by?                             |
| Electric gain inside property when crucial neighboring setup place in the                                     |
| future?   |
| Is it electric supply to properties important local ?   |
| Is it for electric gain entrance in to stay of?   |
| Will electric inside to allow services?   |

| Does needs for operation?  |      |
|--|------|
| Will electrical provider require to to continuous functioning of ?                         |      |
| will need internal to to nearby essential  |      |
| When there gain interior entrance?   |      |
| need inside crucial works are nearby?  |      |
| Electricity might vital community installations take place                                 |      |
| Will need provide interior access functioning neighboring works?                           |      |
| Is Supply required to for critical ?   |      |
| Electric need to access to premises make operations ?                                      |      |
| Will supply to be in the building make operations disrupted the?                           |      |
| I don't if Electric my the sake continuity.  |      |
| possible to prevent disruptions local have access inside?                                  |      |
| the provider need to of neighboring explicit works?  |      |
| are important installations nearby, important for the electric entrance?                   |      |
| electric to have access to sure their operations ?   |      |
| Is it to visit premises Electric to essential ?  |      |
| make sense electric to get into properties to maintain during infrastructure?              |      |
| Electric Supply have to allow access its the make aren't disrupted?                        |      |
| When take down the is it important Suppliers to my smooth functioning ca                   | ın   |
| maintained?  |      |
| Will Supply enter the operations?  |      |
| a for Supply to while adjacent projects?   |      |
| essential infrastructures are being worked upon expect for indoor access?                  |      |
| Will Supply access for installations going?  |      |
| the Electric Supply necessary unimpeded functioning critical ?                             |      |
| it important for the supplier entrance order maintain operations?                          |      |
| Does to to premises critical projects?   |      |
| Did require access continuous?   |      |
| access for continuous operations?  |      |
| it possible suppliers expect permission for in to disruptions essential                    |      |
| infrastructures being or worked  |      |
| Will indoor facilities for functioning Electric?   |      |
| Will the provider interior access functioning neighboring?                                 |      |
| Will electric to access inside make ?  |      |
| Supply access to during future by our premises?  |      |
| projects place down line, are for Electricity Suppliers to enter ?                         |      |
| Will Electric Supply require to to make sure operations disrupted the future?              |      |
| Is electric unimpeded functioning during ?   |      |
| Is that Electric needs access to property continuous while are happening?                  |      |
| Will electrical to access ensure continuous functioning nearby?                            |      |
| may need to maintain smooth operations.  |      |
| Electric have access buildings the make sure that its don't get disrupted?                 |      |
| Will there for Electric Supply inside like seamless can be made during crit installations? | ical |
| Will Electric able to during nearby installations internal access?                         |      |
| Are for functioning during neighboring projects?   |      |
| Electric internal premises nearby that seamless operations.                                |      |
| it possible Supply to request my installations next door?                                  |      |
| Can Electric come to my to make there important projects nearby?                           |      |
| Electric to have internal premises access  |      |
| Will electric to to ensure seamless?   |      |

| Is necessary for to visit premises adjacent?  |
|---|
| Does to to entered by Electricity continuous operations future?   |
| Will electric have access their premises are disruptions?   |
| s necessary Electricity Suppliers enter so that they maintain while important project the line?         |
| Will suppliers need to indoors to services community installations ?                                    |
| When neighboring take place down line, for Electricity Suppliers maintain smooth functioning?           |
| projects down the is Electricity Suppliers to enter my place.   |
| Electric be able to access of property when neighboring?  |
| Electric into its buildings in the future sure don't disrupted?   |
| s it for electric suppliers permission access in to avoid service disruptions, when setup               |
| installations next can Electric access premises?  |
| Will Supply be able to access the neighboring setups ?  |
| When neighboring place in Electric Supply for access the inside of property?                            |
| s for to gain into to maintain their during infrastructure ?  |
| there need to be internal access for Supply ?   |
| have the during installations nearby the premises?  |
| Vill electric have the to disruptions?  |
| s it possible prevent during giving suppliers to?   |
|   |
| beoperate during essentialinstallations thatinternal premises access?                                   |
| Supply visit premises for their essential projects?   |
| the have allow interior to continuous functioning of explicit?  |
| important projects take down the is necessary for Electricity get place?                                |
| /ill Electric be to access the my setups place?   |
| Vill Electric access its in the future, operations aren't during neighbors' crucial                     |
| s it possible Supply to my property continuous while neighboring are?                                   |
| hould Electric access to critical are nearby?   |
| /hen to gain interior entrance?   |
| crucial neighboring setup place do Supply have access to the my property?                               |
| Vill there and seamless workflows through suppliers interior and seamless workflows through             |
| ?   |
| s it to to premises important nearby projects?  |
| /ill Supply require access its make sure that their disrupted?  |
| supply to be in the to operations are ?   |
| necessary for Electricity to enter place can maintain smooth projects occur?                            |
| it necessary for supply to access during pivotal ?  |
| Electric be able to operations essential installations internal access?                                 |
| electric be able to interior access and workflows setups?   |
| Then crucial take place future Electric Supply plans the inside of ?                                    |
| to prevent during projects if electric access inside premises?  |
| for to gain to the in order to running?   |
| Till supply to be the the future?   |
| for supply get into to their up?  |
| o Electricity come to premises continuous operations the?   |
| electric supply to enter properties to service local projects?  |
|   |
| neighboring infrastructures are setup electric suppliers expect permission for indoor in<br>o service ? |
| necessary for companies gain entry to to their during local infrastructure ?                            |
| Vhen neighboring setup does have plans to the inside ?  |
|   |
| electric access the premises to enable during projects?   |

|      | it                | _ for     | Suppliers _      | enter          | for continuous         | operation       | _ crucial installati | ons in      | ?               |
|------|-------------------|-----------|------------------|----------------|------------------------|-----------------|----------------------|-------------|-----------------|
|      | there             | a _       | Elec             | tric to l      | nave access inside     | mine, _         | that seamless        | operations  | nearby later    |
|      |                   |           |                  |                | when the               | esetups a       | re needed?           |             |                 |
|      |                   |           | _ access to pr   | emises for _   | operation?             |                 |                      |             |                 |
|      | order             | to preve  | ent disruptions  | during essen   | tial projects,         | h               | ave the              | eir?        |                 |
|      |                   | for       | access _         | Electric       | come from prope        | r operation     | ?                    |             |                 |
| Will |                   |           | _ access to      |                | the future to make su  | re c            | perations are not    | ?           |                 |
|      | Electr            | ic        | ensure that      | can be         | without interruptio    | n in            | stallations in       | ?           |                 |
|      | 1                 | necessai  | y for Electric S | Supply         | to rela                | ated goin       | g forward?           |             |                 |
|      | n impo<br>tioning |           | take p           | lace, is       | for electricity su     | ppliers e       | nter place           |             | can             |
| Shou | ıld Elec          | tric      | _ be insi        | de during      | installations _        | our?            |                      |             |                 |
|      | it nece           | essary fo | or to            | access         | to premises            | project         | ts?                  |             |                 |
| Does | s                 |           | necessitate      | access         | for Supply in fut      | ıre?            |                      |             |                 |
| Is   | nec               | essary _  |                  | to indo        | ors while install      | ations take pla | .ce?                 |             |                 |
|      | the ele           | ectrical  |                  | interi         | or access to ensure co | ntinuous        | neighboring          | works?      |                 |
| Shou | ıld Elec          | etric     | _ have to        | interio        | r installatio          | ons             | us?                  |             |                 |
|      | there             | im        | portant neighb   | oring is       | it ele                 | ectric supplier | interior             | r entrance? |                 |
|      |                   |           |                  |                | into propert           |                 |                      |             | cture projects? |
|      | I                 |           | that electric s  |                | for a                  |                 |                      |             |                 |
| Do n | eighbo            | ring inst | allations        |                | Supply?                |                 |                      |             |                 |
|      |                   | be        |                  | _ the inside o | of my property in      | nportant        | setups occur?        |             |                 |
|      |                   |           |                  |                | erior when             |                 |                      |             |                 |
|      |                   | ne        | ed access to en  | sure           | important wo           | rks are?        |                      |             |                 |
|      |                   |           |                  |                | maintain smooth funct  |                 | nportant             | place _     | line?           |
| Will | it                | necessa   | ary for Su       | pply to        | prem                   | ises ensu       | re operation         | s?          |                 |