

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Auto Repair and Maintenance Shops
Inquiry Category	Problems with the air conditioning system
Inquiry Sub-Category	AC system not turning on
Description	Customers may contact for guidance on their air conditioning system failing to start, potentially caused by a faulty control panel, blown fuse, or a malfunctioning condenser unit.
Data Size	5,053 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Auto Repair and Maintenance Shop" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ matter \_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ dial - still zero \_\_\_\_\_?  
\_\_\_\_\_ no responsiveness.  
No one responds \_\_\_\_\_ the \_\_\_\_\_ dial in \_\_\_\_\_ setting, \_\_\_\_\_ experiences \_\_\_\_\_?  
\_\_\_\_\_ matter \_\_\_\_\_ are \_\_\_\_\_ the thermostat won't \_\_\_\_\_.  
There \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ thermostat even \_\_\_\_\_ it \_\_\_\_\_ in different \_\_\_\_\_.  
Despite \_\_\_\_\_ no responsiveness \_\_\_\_\_.  
\_\_\_\_\_ temperature setting, there \_\_\_\_\_ no \_\_\_\_\_ all.  
\_\_\_\_\_ thermostat \_\_\_\_\_ doesn't \_\_\_\_\_ even \_\_\_\_\_ it.  
The thermostat \_\_\_\_\_ respond even \_\_\_\_\_ our settings.  
We \_\_\_\_\_ thermostat \_\_\_\_\_ responded \_\_\_\_\_ though we put some \_\_\_\_\_ it.  
\_\_\_\_\_ was no response from \_\_\_\_\_ even though it \_\_\_\_\_ in \_\_\_\_\_.  
No response \_\_\_\_\_ setting the \_\_\_\_\_.  
\_\_\_\_\_ thermostat \_\_\_\_\_ to \_\_\_\_\_ even if \_\_\_\_\_ change its \_\_\_\_\_?  
Regardless of the temperature \_\_\_\_\_ there \_\_\_\_\_.  
\_\_\_\_\_ no \_\_\_\_\_ the various \_\_\_\_\_ settings.  
There \_\_\_\_\_ reaction from \_\_\_\_\_ settings  
No \_\_\_\_\_ from the \_\_\_\_\_ is \_\_\_\_\_ no \_\_\_\_\_ how you \_\_\_\_\_.  
\_\_\_\_\_ of \_\_\_\_\_ settings, there will \_\_\_\_\_ response.  
There \_\_\_\_\_ be \_\_\_\_\_ responses \_\_\_\_\_ of \_\_\_\_\_ temperature \_\_\_\_\_.  
\_\_\_\_\_ thermostat might \_\_\_\_\_ in a \_\_\_\_\_ way, \_\_\_\_\_ is no \_\_\_\_\_.  
\_\_\_\_\_ was \_\_\_\_\_ reply \_\_\_\_\_ our \_\_\_\_\_ despite \_\_\_\_\_ settings.  
\_\_\_\_\_ reply \_\_\_\_\_ the thermostat \_\_\_\_\_ present regardless \_\_\_\_\_ setting.  
\_\_\_\_\_ what setting \_\_\_\_\_ would not \_\_\_\_\_.  
\_\_\_\_\_ set, no one responded.  
\_\_\_\_\_ thermostat and \_\_\_\_\_ no \_\_\_\_\_?  
Setting \_\_\_\_\_ and \_\_\_\_\_ hearing \_\_\_\_\_ back.  
No \_\_\_\_\_ setting is set, \_\_\_\_\_ thermostat will \_\_\_\_\_.  
There \_\_\_\_\_ be no \_\_\_\_\_ the temperature \_\_\_\_\_ is.

\_\_\_\_\_ does not \_\_\_\_\_ even though \_\_\_\_\_ changed.  
 \_\_\_\_\_ though the \_\_\_\_\_ set \_\_\_\_\_ there is no response from \_\_\_\_\_.  
 \_\_\_\_\_ thermostat no response \_\_\_\_\_.  
 Is \_\_\_\_\_ unable \_\_\_\_\_ respond \_\_\_\_\_ if \_\_\_\_\_ change it.  
 altering \_\_\_\_\_ does not \_\_\_\_\_ response.  
 There \_\_\_\_\_ no \_\_\_\_\_ our thermostat \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ was adjusted, \_\_\_\_\_ was no \_\_\_\_\_  
 \_\_\_\_\_ of \_\_\_\_\_ was no response.  
 There was no response from \_\_\_\_\_ despite \_\_\_\_\_.  
 There wasn't \_\_\_\_\_ from \_\_\_\_\_ settings of the \_\_\_\_\_.  
 \_\_\_\_\_ the thermostat \_\_\_\_\_ set in \_\_\_\_\_ way, there's \_\_\_\_\_ a response.  
 Even \_\_\_\_\_ the \_\_\_\_\_ be set \_\_\_\_\_ different \_\_\_\_\_ there \_\_\_\_\_ from it.  
 \_\_\_\_\_ we \_\_\_\_\_ thermostat in \_\_\_\_\_ setting, \_\_\_\_\_ on the \_\_\_\_\_ dial.  
 Despite \_\_\_\_\_ no \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ did not respond \_\_\_\_\_ used it \_\_\_\_\_ setting.  
 Regardless \_\_\_\_\_ there \_\_\_\_\_ no responses.  
 \_\_\_\_\_ responding no matter \_\_\_\_\_ is used.  
 \_\_\_\_\_ adjusting thermostat no \_\_\_\_\_.  
 Even though the \_\_\_\_\_ may \_\_\_\_\_ set in \_\_\_\_\_ way, \_\_\_\_\_.  
 \_\_\_\_\_ what \_\_\_\_\_ is \_\_\_\_\_ the thermostat won't \_\_\_\_\_.  
 \_\_\_\_\_ the thermostat and \_\_\_\_\_  
 \_\_\_\_\_ matter \_\_\_\_\_ setting is used, the \_\_\_\_\_  
 The \_\_\_\_\_ isn't \_\_\_\_\_ when \_\_\_\_\_ set the \_\_\_\_\_ on \_\_\_\_\_ setting.  
 There is \_\_\_\_\_ regardless \_\_\_\_\_ the \_\_\_\_\_.  
 Does \_\_\_\_\_ no matter which dial you use \_\_\_\_\_?  
 \_\_\_\_\_ no response \_\_\_\_\_ the thermostat even though \_\_\_\_\_ be \_\_\_\_\_ way.  
 The thermostat \_\_\_\_\_ hasn't responded \_\_\_\_\_ though \_\_\_\_\_ some settings \_\_\_\_\_  
 \_\_\_\_\_ wouldn't \_\_\_\_\_ despite \_\_\_\_\_ in setting.  
 \_\_\_\_\_ change, \_\_\_\_\_ was no \_\_\_\_\_ from our thermostat.  
 There was \_\_\_\_\_ our thermostat \_\_\_\_\_ we had \_\_\_\_\_ settings.  
 \_\_\_\_\_ the thermostat \_\_\_\_\_ see \_\_\_\_\_ response.  
 \_\_\_\_\_ response remains \_\_\_\_\_ by the \_\_\_\_\_ dial \_\_\_\_\_ set \_\_\_\_\_.  
 The \_\_\_\_\_ in \_\_\_\_\_ certain way, \_\_\_\_\_ there is no \_\_\_\_\_.  
 \_\_\_\_\_ put our \_\_\_\_\_ dial, it's still zero response.  
 Setting the thermostat \_\_\_\_\_ any \_\_\_\_\_.  
 Still \_\_\_\_\_ despite adjusting \_\_\_\_\_.  
 Is \_\_\_\_\_ a lack \_\_\_\_\_ our \_\_\_\_\_ despite changing its \_\_\_\_\_?  
 Setting \_\_\_\_\_ but \_\_\_\_\_ a \_\_\_\_\_?  
 Even \_\_\_\_\_ we \_\_\_\_\_ our thermostat settings \_\_\_\_\_.  
 It does \_\_\_\_\_ matter \_\_\_\_\_ the \_\_\_\_\_ there is no \_\_\_\_\_.  
 Even though \_\_\_\_\_ thermostat may be \_\_\_\_\_ different ways, \_\_\_\_\_ no \_\_\_\_\_.  
 Regardless \_\_\_\_\_ there will \_\_\_\_\_ no responses  
 There was no \_\_\_\_\_ various \_\_\_\_\_ the thermostat.  
 There was \_\_\_\_\_ response \_\_\_\_\_ the \_\_\_\_\_ even \_\_\_\_\_ it \_\_\_\_\_.  
 \_\_\_\_\_ was \_\_\_\_\_ from \_\_\_\_\_ thermostat despite numerous \_\_\_\_\_.  
 The \_\_\_\_\_ no matter \_\_\_\_\_ setting \_\_\_\_\_ used.  
 Changing \_\_\_\_\_ thermostat setting \_\_\_\_\_ not \_\_\_\_\_ us \_\_\_\_\_.  
 \_\_\_\_\_ though \_\_\_\_\_ may \_\_\_\_\_ set a \_\_\_\_\_ way, \_\_\_\_\_ doesn't respond.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ did \_\_\_\_\_ respond \_\_\_\_\_ used it on \_\_\_\_\_ setting.  
 \_\_\_\_\_ was \_\_\_\_\_ this case \_\_\_\_\_ of the temperature \_\_\_\_\_.

\_\_\_\_\_ we set \_\_\_\_\_ to any setting \_\_\_\_\_ nothing \_\_\_\_\_ dial.  
 Does \_\_\_\_\_ response \_\_\_\_\_ same no \_\_\_\_\_ dial we \_\_\_\_\_ on the \_\_\_\_\_?  
 altering \_\_\_\_\_ not \_\_\_\_\_ in a \_\_\_\_\_  
 \_\_\_\_\_ adjusting thermostat  
 Despite the temperature \_\_\_\_\_ there \_\_\_\_\_.  
 Even though \_\_\_\_\_ might be \_\_\_\_\_ a certain way \_\_\_\_\_ a \_\_\_\_\_.  
 There is \_\_\_\_\_ different thermostat \_\_\_\_\_.  
 \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ despite the setting being \_\_\_\_\_.  
 \_\_\_\_\_ of \_\_\_\_\_ setting, there is no \_\_\_\_\_?  
 No matter what setting \_\_\_\_\_ respond.  
 \_\_\_\_\_ reaction \_\_\_\_\_ the various settings of \_\_\_\_\_ thermostat.  
 There \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ despite the \_\_\_\_\_ changes.  
 \_\_\_\_\_ though \_\_\_\_\_ thermostat \_\_\_\_\_ be \_\_\_\_\_ a certain way, \_\_\_\_\_ isn't any \_\_\_\_\_.  
 There \_\_\_\_\_ no \_\_\_\_\_ despite \_\_\_\_\_ a \_\_\_\_\_.  
 No \_\_\_\_\_ what the \_\_\_\_\_ is, \_\_\_\_\_ remains \_\_\_\_\_ thermostat dial.  
 The thermostat \_\_\_\_\_ be \_\_\_\_\_ different \_\_\_\_\_ but \_\_\_\_\_ not respond.  
 \_\_\_\_\_ response from the \_\_\_\_\_ several \_\_\_\_\_ being changed.  
 No \_\_\_\_\_ thermostat, no \_\_\_\_\_ is being used.  
 Whatever \_\_\_\_\_ setting, there \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ question.  
 When we set \_\_\_\_\_ in \_\_\_\_\_ there's \_\_\_\_\_ on \_\_\_\_\_ dial  
 \_\_\_\_\_ the thermostat dial \_\_\_\_\_ responding \_\_\_\_\_ set the set \_\_\_\_\_?  
 the thermostat dial wasn't responding \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_  
 Even though \_\_\_\_\_ thermostat can \_\_\_\_\_ in \_\_\_\_\_ there \_\_\_\_\_ response from \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ respond \_\_\_\_\_ the \_\_\_\_\_ settings.  
 No \_\_\_\_\_ what setting is \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ zero \_\_\_\_\_ remains \_\_\_\_\_ the thermostat dial, \_\_\_\_\_ matter \_\_\_\_\_ setting we \_\_\_\_\_.  
 Even though \_\_\_\_\_ might be \_\_\_\_\_ different ways, \_\_\_\_\_ response.  
 \_\_\_\_\_ come \_\_\_\_\_ doesn't yield a \_\_\_\_\_?  
 \_\_\_\_\_ if the \_\_\_\_\_ settings \_\_\_\_\_ it wouldn't \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ of the \_\_\_\_\_ setting.  
 Even \_\_\_\_\_ the \_\_\_\_\_ it wouldn't \_\_\_\_\_.  
 \_\_\_\_\_ thermostat dial \_\_\_\_\_ though we put settings on it.  
 Our thermostat did not \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ response stay the same \_\_\_\_\_ dial \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ what \_\_\_\_\_ the thermostat \_\_\_\_\_ not \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ setting, there \_\_\_\_\_ no response \_\_\_\_\_ all.  
 There \_\_\_\_\_ no response from \_\_\_\_\_ thermostat \_\_\_\_\_ it might be \_\_\_\_\_.  
 Doesn't \_\_\_\_\_ we put our \_\_\_\_\_ in, it is \_\_\_\_\_ response.  
 \_\_\_\_\_ was no response \_\_\_\_\_ the changes \_\_\_\_\_ settings.  
 \_\_\_\_\_ of the temperature \_\_\_\_\_ no response.  
 Even \_\_\_\_\_ the thermostat \_\_\_\_\_ wasn't \_\_\_\_\_ response.  
 altering \_\_\_\_\_ setting \_\_\_\_\_ result in \_\_\_\_\_  
 \_\_\_\_\_ what \_\_\_\_\_ we set the \_\_\_\_\_ at.  
 \_\_\_\_\_ no response from \_\_\_\_\_ thermostat \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ way.  
 \_\_\_\_\_ response remain the same \_\_\_\_\_ we use on the \_\_\_\_\_?  
 No \_\_\_\_\_ exists \_\_\_\_\_ of \_\_\_\_\_ setting.  
 no matter \_\_\_\_\_ setting \_\_\_\_\_ the \_\_\_\_\_ will not \_\_\_\_\_  
 There was no \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ regardless \_\_\_\_\_ the \_\_\_\_\_ setting, \_\_\_\_\_ be a response.  
 \_\_\_\_\_ there no feedback \_\_\_\_\_ the \_\_\_\_\_ regardless \_\_\_\_\_?

\_\_\_\_\_ thermostat \_\_\_\_\_ respond \_\_\_\_\_ of \_\_\_\_\_ setting \_\_\_\_\_ used, \_\_\_\_\_ do you think?

\_\_\_\_\_ zero response remain \_\_\_\_\_ of which dial we \_\_\_\_\_?

\_\_\_\_\_ changes yield \_\_\_\_\_?

\_\_\_\_\_ thermostat \_\_\_\_\_ no matter what setting \_\_\_\_\_ set.

\_\_\_\_\_ no response from \_\_\_\_\_ even \_\_\_\_\_ it could \_\_\_\_\_ set in \_\_\_\_\_ way.

There \_\_\_\_\_ reaction from the \_\_\_\_\_.

The \_\_\_\_\_ doesn't \_\_\_\_\_ when we \_\_\_\_\_ the set on \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ but not \_\_\_\_\_?

\_\_\_\_\_ matter what setting \_\_\_\_\_ won't respond.

\_\_\_\_\_ was no response from \_\_\_\_\_ thermostat \_\_\_\_\_ setting \_\_\_\_\_.

No \_\_\_\_\_ despite the setting \_\_\_\_\_.

There was \_\_\_\_\_ reply \_\_\_\_\_ our \_\_\_\_\_ despite \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ response \_\_\_\_\_ remain regardless of \_\_\_\_\_ we \_\_\_\_\_ on \_\_\_\_\_ thermostat.

\_\_\_\_\_ setting \_\_\_\_\_ is, \_\_\_\_\_ thermostat won't respond.

When \_\_\_\_\_ response remains on the thermostat dial, it \_\_\_\_\_.

\_\_\_\_\_ though \_\_\_\_\_ be different, \_\_\_\_\_ no response from it.

Despite \_\_\_\_\_ responsiveness was \_\_\_\_\_.

No response from \_\_\_\_\_ what \_\_\_\_\_?

We \_\_\_\_\_ thermostat dial, but \_\_\_\_\_ responded even tho \_\_\_\_\_ put \_\_\_\_\_ settings \_\_\_\_\_.

Despite \_\_\_\_\_ set in \_\_\_\_\_ there is \_\_\_\_\_ response.

\_\_\_\_\_ from thermostat \_\_\_\_\_ setting.

\_\_\_\_\_ matter \_\_\_\_\_ setting \_\_\_\_\_ thermostat \_\_\_\_\_ still no response.

Is \_\_\_\_\_ response \_\_\_\_\_ the \_\_\_\_\_ despite changing \_\_\_\_\_ settings?

Right, regardless of \_\_\_\_\_ setting \_\_\_\_\_ will be \_\_\_\_\_.

\_\_\_\_\_ zero response linger \_\_\_\_\_ matter what \_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ matter which dial \_\_\_\_\_ the thermostat, \_\_\_\_\_ response \_\_\_\_\_ remain.

\_\_\_\_\_ come \_\_\_\_\_ thermostat \_\_\_\_\_ not \_\_\_\_\_ a response?

It \_\_\_\_\_ respond even if \_\_\_\_\_ changed our \_\_\_\_\_.

The \_\_\_\_\_ not \_\_\_\_\_ what setting is chosen.

\_\_\_\_\_ we \_\_\_\_\_ experience \_\_\_\_\_ to \_\_\_\_\_ thermostat \_\_\_\_\_ in any setting?

\_\_\_\_\_ matter \_\_\_\_\_ does not respond?

\_\_\_\_\_ altering thermostat.

\_\_\_\_\_ the \_\_\_\_\_ there will \_\_\_\_\_ no \_\_\_\_\_.

\_\_\_\_\_ thermostat setting \_\_\_\_\_ result in \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ dial, but \_\_\_\_\_ hasn't responded even \_\_\_\_\_ settings on it.

No matter \_\_\_\_\_ setting is \_\_\_\_\_ won't respond.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ this instance, regardless of \_\_\_\_\_ setting.

Is the \_\_\_\_\_ to respond \_\_\_\_\_ the settings?

\_\_\_\_\_ zero response \_\_\_\_\_ even \_\_\_\_\_ change the \_\_\_\_\_ dial?

Despite what \_\_\_\_\_ thermostat is \_\_\_\_\_ there \_\_\_\_\_ no \_\_\_\_\_.

\_\_\_\_\_ set \_\_\_\_\_ set \_\_\_\_\_ setting, the \_\_\_\_\_ would not respond.

No \_\_\_\_\_ dial we use \_\_\_\_\_ the \_\_\_\_\_ response still \_\_\_\_\_.

Even \_\_\_\_\_ adjusting \_\_\_\_\_ responsiveness.

\_\_\_\_\_ no responsiveness \_\_\_\_\_ adjusted thermostat.

\_\_\_\_\_ the thermostat \_\_\_\_\_ altered \_\_\_\_\_ no response.

Setting \_\_\_\_\_ reply?

No matter \_\_\_\_\_ setting \_\_\_\_\_ chosen the \_\_\_\_\_.

\_\_\_\_\_ doesn't \_\_\_\_\_ setting we put \_\_\_\_\_ thermostat \_\_\_\_\_ on.

When we \_\_\_\_\_ the \_\_\_\_\_ any \_\_\_\_\_ the \_\_\_\_\_ wouldn't respond.

Does no response \_\_\_\_\_ unaffected \_\_\_\_\_ our \_\_\_\_\_ is setting \_\_\_\_\_?

Do \_\_\_\_\_ not realize that \_\_\_\_\_ response \_\_\_\_\_ the thermostat \_\_\_\_\_ setting?

No \_\_\_\_\_ though the \_\_\_\_\_ adjusted.

\_\_\_\_\_ the thermostat \_\_\_\_\_ in \_\_\_\_\_ way there is no response.

\_\_\_\_\_ matter what settings \_\_\_\_\_ put \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ from the \_\_\_\_\_ though \_\_\_\_\_ might be \_\_\_\_\_ differently.

\_\_\_\_\_ thermostat changes \_\_\_\_\_ a response \_\_\_\_\_ the \_\_\_\_\_ reply, right?

What if \_\_\_\_\_ no \_\_\_\_\_ the \_\_\_\_\_ regardless \_\_\_\_\_ setting?

Regardless \_\_\_\_\_ there won't be a \_\_\_\_\_ the question.

What if there is \_\_\_\_\_ of what setting is \_\_\_\_\_.

Didn't matter what \_\_\_\_\_ the \_\_\_\_\_ in, \_\_\_\_\_ no \_\_\_\_\_.

Does \_\_\_\_\_ remain unaffected \_\_\_\_\_ whether the \_\_\_\_\_ is \_\_\_\_\_ or \_\_\_\_\_?

We \_\_\_\_\_ thermostat \_\_\_\_\_ no \_\_\_\_\_.

\_\_\_\_\_ reply regardless of the temperature \_\_\_\_\_.

\_\_\_\_\_ the thermostat \_\_\_\_\_ different, \_\_\_\_\_ is no response.

\_\_\_\_\_ responsiveness \_\_\_\_\_ adjusting the thermostat.

\_\_\_\_\_ change doesn't yield a \_\_\_\_\_ in \_\_\_\_\_ way \_\_\_\_\_ reply, \_\_\_\_\_ case?

\_\_\_\_\_ is no response \_\_\_\_\_ of \_\_\_\_\_

\_\_\_\_\_ if \_\_\_\_\_ no response \_\_\_\_\_ the thermostat \_\_\_\_\_ of setting?

\_\_\_\_\_ we put \_\_\_\_\_ thermostat dial in

We have a \_\_\_\_\_ dial that \_\_\_\_\_ respond even \_\_\_\_\_ on \_\_\_\_\_.

\_\_\_\_\_ from \_\_\_\_\_ regardless of setting.

Right, \_\_\_\_\_ of the \_\_\_\_\_ setting, \_\_\_\_\_ won't be \_\_\_\_\_.

It was \_\_\_\_\_ responsiveness \_\_\_\_\_ thermostat.

\_\_\_\_\_ to \_\_\_\_\_ thermostat dial in any setting, \_\_\_\_\_?

No \_\_\_\_\_ would \_\_\_\_\_ though \_\_\_\_\_ was adjusted.

\_\_\_\_\_ zero \_\_\_\_\_ by our thermostat \_\_\_\_\_ setting?

The \_\_\_\_\_ was \_\_\_\_\_ we used \_\_\_\_\_ on any \_\_\_\_\_.

\_\_\_\_\_ may be \_\_\_\_\_ in different ways, there \_\_\_\_\_ a \_\_\_\_\_ from \_\_\_\_\_.

When we \_\_\_\_\_ the set on any \_\_\_\_\_ dial \_\_\_\_\_?

The thermostat \_\_\_\_\_ respond \_\_\_\_\_ setting \_\_\_\_\_.

\_\_\_\_\_ our \_\_\_\_\_ setting doesn't \_\_\_\_\_ response.

There is \_\_\_\_\_ response \_\_\_\_\_ though it \_\_\_\_\_ be different.

no matter what \_\_\_\_\_ is \_\_\_\_\_ the \_\_\_\_\_

\_\_\_\_\_ from the \_\_\_\_\_ no matter \_\_\_\_\_ the setting \_\_\_\_\_.

\_\_\_\_\_ temperature setting, there \_\_\_\_\_ reply.

We have a \_\_\_\_\_ dial \_\_\_\_\_ though we put settings \_\_\_\_\_

\_\_\_\_\_ zero response \_\_\_\_\_ by the \_\_\_\_\_ our thermostat \_\_\_\_\_?

It \_\_\_\_\_ what \_\_\_\_\_ thermostat \_\_\_\_\_ set for, still \_\_\_\_\_.

Is \_\_\_\_\_ correct \_\_\_\_\_ any \_\_\_\_\_ yield a \_\_\_\_\_ the way \_\_\_\_\_ reply?

Do \_\_\_\_\_ a \_\_\_\_\_ from the thermostat regardless of \_\_\_\_\_?

\_\_\_\_\_ multiple \_\_\_\_\_ in \_\_\_\_\_ thermostat did not \_\_\_\_\_.

There \_\_\_\_\_ response even though \_\_\_\_\_ adjusted.

\_\_\_\_\_ though \_\_\_\_\_ adjusted, there was still no \_\_\_\_\_.

Doesn't \_\_\_\_\_ what setting we put our \_\_\_\_\_ in, \_\_\_\_\_.

\_\_\_\_\_ wasn't a \_\_\_\_\_ from \_\_\_\_\_ settings.

There is \_\_\_\_\_ reply \_\_\_\_\_ the \_\_\_\_\_ even \_\_\_\_\_ it \_\_\_\_\_ set \_\_\_\_\_ ways.

\_\_\_\_\_ thermostat \_\_\_\_\_ not \_\_\_\_\_ a response.

There \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ thermostat, even \_\_\_\_\_ it \_\_\_\_\_ different.

No response from the \_\_\_\_\_ matter \_\_\_\_\_ in?

No matter \_\_\_\_\_ are used \_\_\_\_\_ thermostat \_\_\_\_\_ not \_\_\_\_\_.

\_\_\_\_\_ thermostat \_\_\_\_\_ be set in \_\_\_\_\_ there \_\_\_\_\_ no response from \_\_\_\_\_.  
 \_\_\_\_\_ no \_\_\_\_\_ from the \_\_\_\_\_ Thermostat \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ the thermostat won't respond.  
 \_\_\_\_\_ settings of \_\_\_\_\_ thermostat did \_\_\_\_\_ a reaction.  
 Will \_\_\_\_\_ no feedback from \_\_\_\_\_ regardless \_\_\_\_\_ setting?  
 \_\_\_\_\_ no response \_\_\_\_\_ the \_\_\_\_\_ despite the setting \_\_\_\_\_.  
 \_\_\_\_\_ wouldn't respond \_\_\_\_\_ if we \_\_\_\_\_ thermostat \_\_\_\_\_.  
 \_\_\_\_\_ even though \_\_\_\_\_ is \_\_\_\_\_.  
 Do \_\_\_\_\_ not understand \_\_\_\_\_ response from the \_\_\_\_\_ regardless \_\_\_\_\_ setting?  
 There \_\_\_\_\_ the thermostat \_\_\_\_\_ being set a certain \_\_\_\_\_.  
 There is \_\_\_\_\_ regardless \_\_\_\_\_ set \_\_\_\_\_.  
 \_\_\_\_\_ response \_\_\_\_\_ by whether or \_\_\_\_\_ thermostat \_\_\_\_\_ is set?  
 Even though \_\_\_\_\_ was \_\_\_\_\_ there \_\_\_\_\_ responses.  
 I \_\_\_\_\_ about you \_\_\_\_\_ changing the \_\_\_\_\_ our \_\_\_\_\_ make \_\_\_\_\_ difference.  
 \_\_\_\_\_ reply even \_\_\_\_\_ the thermostat settings.  
 Does zero response \_\_\_\_\_ matter \_\_\_\_\_ dial \_\_\_\_\_ use \_\_\_\_\_ thermostat?  
 Regardless of \_\_\_\_\_ setting, \_\_\_\_\_ be \_\_\_\_\_ response \_\_\_\_\_ question.  
 Even though \_\_\_\_\_ be set in \_\_\_\_\_ ways, there isn't \_\_\_\_\_.  
 The temperature \_\_\_\_\_ adjusting \_\_\_\_\_ thermostat?  
 \_\_\_\_\_ thermostat \_\_\_\_\_ not \_\_\_\_\_ any response \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ is \_\_\_\_\_ correct?  
 The temperature \_\_\_\_\_ matter, \_\_\_\_\_ response.  
 \_\_\_\_\_ was no response \_\_\_\_\_ change in setting.  
 Any \_\_\_\_\_ do not \_\_\_\_\_ the way of \_\_\_\_\_ is \_\_\_\_\_ correct?  
 \_\_\_\_\_ is \_\_\_\_\_ the thermostat even though \_\_\_\_\_ in different ways  
 \_\_\_\_\_ matter what \_\_\_\_\_ the \_\_\_\_\_ ignores \_\_\_\_\_.  
 \_\_\_\_\_ what setting \_\_\_\_\_ thermostat does \_\_\_\_\_.  
 The \_\_\_\_\_ thermostat did not make \_\_\_\_\_ response.  
 Is there \_\_\_\_\_ feedback \_\_\_\_\_ our \_\_\_\_\_ regardless \_\_\_\_\_?  
 There was \_\_\_\_\_ from \_\_\_\_\_ thermostat \_\_\_\_\_ number \_\_\_\_\_ in setting.  
 \_\_\_\_\_ do \_\_\_\_\_ know \_\_\_\_\_ but \_\_\_\_\_ the settings on our \_\_\_\_\_ doesn't \_\_\_\_\_ difference.  
 \_\_\_\_\_ doesn't \_\_\_\_\_ which \_\_\_\_\_ we set, \_\_\_\_\_ response \_\_\_\_\_ on \_\_\_\_\_ thermostat \_\_\_\_\_.  
 Even though \_\_\_\_\_ put settings on the \_\_\_\_\_ dial, \_\_\_\_\_.  
 When \_\_\_\_\_ set \_\_\_\_\_ in \_\_\_\_\_ there is \_\_\_\_\_ on the thermostat \_\_\_\_\_.  
 \_\_\_\_\_ responsiveness despite adjusting \_\_\_\_\_.  
 There was no response \_\_\_\_\_ the setting \_\_\_\_\_.  
 No \_\_\_\_\_ regardless of setting.  
 \_\_\_\_\_ unable to respond even when \_\_\_\_\_ settings?  
 \_\_\_\_\_ no \_\_\_\_\_ even \_\_\_\_\_ the thermostat was \_\_\_\_\_.  
 \_\_\_\_\_ zero \_\_\_\_\_ after we place our thermostat \_\_\_\_\_?  
 Despite adjusting \_\_\_\_\_ achieved.  
 \_\_\_\_\_ our \_\_\_\_\_ not able \_\_\_\_\_ respond even \_\_\_\_\_ we \_\_\_\_\_ settings?  
 There wasn't a reaction \_\_\_\_\_ thermostat.  
 Hmm, our \_\_\_\_\_?  
 Did the \_\_\_\_\_ dial \_\_\_\_\_ when \_\_\_\_\_ set it \_\_\_\_\_ any \_\_\_\_\_?  
 There \_\_\_\_\_ no response from \_\_\_\_\_ various \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ was \_\_\_\_\_ reaction from \_\_\_\_\_ settings.  
 \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ despite numerous settings.  
 There wasn't \_\_\_\_\_ from \_\_\_\_\_ of \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ if we altered \_\_\_\_\_ thermostat settings, \_\_\_\_\_.  
 \_\_\_\_\_ it correct that \_\_\_\_\_ not \_\_\_\_\_ any response?

\_\_\_\_\_ thermostat dial \_\_\_\_\_ after we put \_\_\_\_\_ settings on \_\_\_\_\_.  
 Does zero response remain, \_\_\_\_\_ dial \_\_\_\_\_ the thermostat?  
 \_\_\_\_\_ matter what setting \_\_\_\_\_ it won't \_\_\_\_\_.  
 There isn't a \_\_\_\_\_ the \_\_\_\_\_ is set \_\_\_\_\_.  
 Does zero \_\_\_\_\_ remain \_\_\_\_\_ thermostat dial \_\_\_\_\_ set \_\_\_\_\_ not?  
 \_\_\_\_\_ you \_\_\_\_\_ realize that there \_\_\_\_\_ the \_\_\_\_\_ regardless of setting?  
 Is the \_\_\_\_\_ responding when \_\_\_\_\_ set \_\_\_\_\_ at \_\_\_\_\_ setting?  
 Setting a thermostat, \_\_\_\_\_?  
 \_\_\_\_\_ thermostat response \_\_\_\_\_ matter \_\_\_\_\_ used.  
 Zero \_\_\_\_\_ remains \_\_\_\_\_ by \_\_\_\_\_ or not \_\_\_\_\_ dial is \_\_\_\_\_.  
 Even though the thermostat \_\_\_\_\_ be \_\_\_\_\_ way there \_\_\_\_\_ no \_\_\_\_\_.  
 \_\_\_\_\_ the temperature setting, \_\_\_\_\_ will \_\_\_\_\_ any response.  
 There \_\_\_\_\_ from \_\_\_\_\_ thermostat \_\_\_\_\_ change in settings.  
 no matter \_\_\_\_\_ is set, the \_\_\_\_\_.  
 \_\_\_\_\_ responsiveness \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ though \_\_\_\_\_ might \_\_\_\_\_ set in a certain \_\_\_\_\_ there's \_\_\_\_\_.  
 There was \_\_\_\_\_ reaction \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ of the \_\_\_\_\_ setting, \_\_\_\_\_ no \_\_\_\_\_ the question.  
 \_\_\_\_\_ the \_\_\_\_\_ a response.  
 Does \_\_\_\_\_ respond even if \_\_\_\_\_ it?  
 \_\_\_\_\_ was \_\_\_\_\_ response from \_\_\_\_\_ thermostat \_\_\_\_\_ many changes.  
 Even \_\_\_\_\_ had been \_\_\_\_\_ were no responses.  
 The thermostat might be set \_\_\_\_\_ certain \_\_\_\_\_ reply.  
 Regardless of temperature \_\_\_\_\_ won't \_\_\_\_\_ a reply \_\_\_\_\_.  
 \_\_\_\_\_ though \_\_\_\_\_ thermostat \_\_\_\_\_ set a \_\_\_\_\_ way, there's no \_\_\_\_\_ from \_\_\_\_\_.  
 It \_\_\_\_\_ respond even \_\_\_\_\_ we \_\_\_\_\_ settings.  
 \_\_\_\_\_ response \_\_\_\_\_ adjusted \_\_\_\_\_ setting.  
 \_\_\_\_\_ no response regardless of \_\_\_\_\_ temperature \_\_\_\_\_?  
 \_\_\_\_\_ does not \_\_\_\_\_ a response.  
 \_\_\_\_\_ response despite \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ thermostat won't respond \_\_\_\_\_ set.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ respond no matter \_\_\_\_\_ you use.  
 There \_\_\_\_\_ a response \_\_\_\_\_ thermostat even \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ different way.  
 Even though the \_\_\_\_\_ in \_\_\_\_\_ certain \_\_\_\_\_ there is no \_\_\_\_\_.  
 It \_\_\_\_\_ matter \_\_\_\_\_ we \_\_\_\_\_ our thermostat \_\_\_\_\_.  
 Setting the thermostat \_\_\_\_\_ never \_\_\_\_\_.  
 \_\_\_\_\_ not respond \_\_\_\_\_ if the setting \_\_\_\_\_ used.  
 \_\_\_\_\_ it true that \_\_\_\_\_ responds to the \_\_\_\_\_ setting?  
 The \_\_\_\_\_ respond \_\_\_\_\_ the setting was \_\_\_\_\_.  
 Any \_\_\_\_\_ don't yield any \_\_\_\_\_ of \_\_\_\_\_ is that the \_\_\_\_\_?  
 \_\_\_\_\_ the thermostat \_\_\_\_\_ set a \_\_\_\_\_ way, \_\_\_\_\_ isn't \_\_\_\_\_ reply.  
 There \_\_\_\_\_ from \_\_\_\_\_ even if \_\_\_\_\_ set \_\_\_\_\_ certain way.  
 \_\_\_\_\_ wasn't a \_\_\_\_\_ from \_\_\_\_\_ thermostat despite \_\_\_\_\_ settings.  
 No reply from \_\_\_\_\_ what \_\_\_\_\_?  
 \_\_\_\_\_ thermostat but \_\_\_\_\_ ever?  
 It doesn't make \_\_\_\_\_ difference \_\_\_\_\_ change \_\_\_\_\_ settings on \_\_\_\_\_.  
 There \_\_\_\_\_ thermostat \_\_\_\_\_ it's set in a certain way.  
 \_\_\_\_\_ won't \_\_\_\_\_ no \_\_\_\_\_ what \_\_\_\_\_ setting is.  
 Doesn't matter what setting \_\_\_\_\_ is, \_\_\_\_\_.  
 There \_\_\_\_\_ various thermostat settings.

Is \_\_\_\_\_ to \_\_\_\_\_ even when we \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ what \_\_\_\_\_ the thermostat isn't \_\_\_\_\_.  
 \_\_\_\_\_ various settings \_\_\_\_\_ the thermostat did \_\_\_\_\_ show \_\_\_\_\_.  
 Is there zero feedback from \_\_\_\_\_?  
 \_\_\_\_\_ of the \_\_\_\_\_ there is no \_\_\_\_\_ there \_\_\_\_\_ at all?  
 \_\_\_\_\_ thermostat dial \_\_\_\_\_ when we use \_\_\_\_\_ any \_\_\_\_\_?  
 No \_\_\_\_\_ setting is \_\_\_\_\_ the \_\_\_\_\_ won't \_\_\_\_\_.  
 \_\_\_\_\_ of thermostat \_\_\_\_\_ no \_\_\_\_\_.  
 It \_\_\_\_\_ matter what the \_\_\_\_\_ is \_\_\_\_\_ for, \_\_\_\_\_.  
 \_\_\_\_\_ setting is the \_\_\_\_\_ will not respond.  
 \_\_\_\_\_ isn't \_\_\_\_\_ what setting it \_\_\_\_\_ in.  
 \_\_\_\_\_ zero reaction \_\_\_\_\_ the \_\_\_\_\_ thermostat \_\_\_\_\_.  
 \_\_\_\_\_ though the thermostat \_\_\_\_\_ certain way \_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ it.  
 Is \_\_\_\_\_ thermostat unable to \_\_\_\_\_ its settings?  
 Regardless of \_\_\_\_\_ there won't be \_\_\_\_\_.  
 \_\_\_\_\_ wasn't a \_\_\_\_\_ from \_\_\_\_\_ thermostat despite the \_\_\_\_\_.  
 Even though \_\_\_\_\_ thermostat \_\_\_\_\_ set different ways, there is \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ thermostat changes \_\_\_\_\_ produce \_\_\_\_\_ reply?  
 Without \_\_\_\_\_ despite \_\_\_\_\_.  
 Even if we \_\_\_\_\_ our \_\_\_\_\_ it \_\_\_\_\_.  
 Zero response remains \_\_\_\_\_ what \_\_\_\_\_ dial \_\_\_\_\_ used \_\_\_\_\_ thermostat.  
 Is it \_\_\_\_\_ thermostat \_\_\_\_\_ respond despite changing \_\_\_\_\_?  
 \_\_\_\_\_ didn't \_\_\_\_\_ even \_\_\_\_\_ put \_\_\_\_\_ settings on it.  
 \_\_\_\_\_ remain even \_\_\_\_\_ we use a different \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ on \_\_\_\_\_ doesn't change anything  
 \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ does not \_\_\_\_\_.  
 Don't \_\_\_\_\_ what setting \_\_\_\_\_ thermostat is in, \_\_\_\_\_.  
 \_\_\_\_\_ though \_\_\_\_\_ put \_\_\_\_\_ settings on the thermostat dial, \_\_\_\_\_.  
 \_\_\_\_\_ despite adjusting \_\_\_\_\_  
 The \_\_\_\_\_ wasn't responding when \_\_\_\_\_ in \_\_\_\_\_ setting.  
 The thermostat \_\_\_\_\_ be \_\_\_\_\_ way, but \_\_\_\_\_ response from \_\_\_\_\_.  
 \_\_\_\_\_ regardless \_\_\_\_\_ the \_\_\_\_\_ setting, there \_\_\_\_\_ be \_\_\_\_\_ response.  
 Even \_\_\_\_\_ the thermostat \_\_\_\_\_ set in a \_\_\_\_\_ there's no \_\_\_\_\_.  
 \_\_\_\_\_ wasn't a \_\_\_\_\_ from our \_\_\_\_\_ changes in \_\_\_\_\_.  
 Even though the thermostat \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ it.  
 Setting \_\_\_\_\_ thermostat \_\_\_\_\_ answer?  
 Do \_\_\_\_\_ understand \_\_\_\_\_ response from the \_\_\_\_\_ regardless of the \_\_\_\_\_?  
 \_\_\_\_\_ thermostat \_\_\_\_\_ even if the setting \_\_\_\_\_.  
 There \_\_\_\_\_ of the temperature \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ be set in \_\_\_\_\_ certain \_\_\_\_\_ there \_\_\_\_\_ from it.  
 Even \_\_\_\_\_ the thermostat \_\_\_\_\_ was no \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ respond no matter what \_\_\_\_\_ are \_\_\_\_\_.  
 \_\_\_\_\_ have a \_\_\_\_\_ that doesn't respond even \_\_\_\_\_ have settings \_\_\_\_\_.  
 \_\_\_\_\_ though the \_\_\_\_\_ adjusted, there \_\_\_\_\_ was \_\_\_\_\_ response.  
 \_\_\_\_\_ a thermostat dial and it still \_\_\_\_\_ responded despite \_\_\_\_\_ on \_\_\_\_\_.  
 It \_\_\_\_\_ matter what setting \_\_\_\_\_.  
 No \_\_\_\_\_ is used, the \_\_\_\_\_ won't \_\_\_\_\_.  
 \_\_\_\_\_ it correct that \_\_\_\_\_ don't yield any \_\_\_\_\_?  
 Our thermostat \_\_\_\_\_ responding, \_\_\_\_\_?  
 \_\_\_\_\_ a thermostat \_\_\_\_\_ but \_\_\_\_\_ still doesn't \_\_\_\_\_ though \_\_\_\_\_ have settings \_\_\_\_\_ it.



No \_\_\_\_ what \_\_\_\_ the thermostat doesn't \_\_\_\_.

Even though \_\_\_\_ was \_\_\_\_ a no response.

\_\_\_\_ there is \_\_\_\_ responsiveness.

There will \_\_\_\_ reply \_\_\_\_ case no \_\_\_\_ the temperature \_\_\_\_.

\_\_\_\_ if we \_\_\_\_ settings it wouldn't \_\_\_\_.

There \_\_\_\_ no \_\_\_\_ the \_\_\_\_ of setting.

It doesn't matter \_\_\_\_ setting \_\_\_\_ in \_\_\_\_ is no \_\_\_\_.

Even \_\_\_\_ thermostat \_\_\_\_ different ways, \_\_\_\_ no response from it.

I don't know \_\_\_\_ changing \_\_\_\_ settings doesn't change \_\_\_\_.

What if \_\_\_\_ a response from \_\_\_\_ thermostat regardless \_\_\_\_ setting \_\_\_\_?

\_\_\_\_ be \_\_\_\_ response from our \_\_\_\_ despite \_\_\_\_ changes \_\_\_\_ setting.

Does \_\_\_\_ response remain unaffected by whether \_\_\_\_ thermostat \_\_\_\_ setting \_\_\_\_?

\_\_\_\_ if the thermostat \_\_\_\_ was \_\_\_\_ response.

The thermostat \_\_\_\_ respond \_\_\_\_ matter \_\_\_\_ is \_\_\_\_.

\_\_\_\_ found regardless \_\_\_\_ the temperature setting.

\_\_\_\_ response \_\_\_\_ matter when we place our \_\_\_\_.

The various \_\_\_\_ the \_\_\_\_ did \_\_\_\_ evoke a \_\_\_\_.

\_\_\_\_ thermostat \_\_\_\_ matter what setting \_\_\_\_ used.

\_\_\_\_ could \_\_\_\_ a response from the \_\_\_\_ changes in \_\_\_\_.

There was no one \_\_\_\_ thermostat was \_\_\_\_.

\_\_\_\_ the \_\_\_\_ will be \_\_\_\_ responses.

When we place \_\_\_\_ does zero response \_\_\_\_?

\_\_\_\_ matter \_\_\_\_ use \_\_\_\_ the thermostat, zero response \_\_\_\_.

Does \_\_\_\_ response \_\_\_\_ the \_\_\_\_ dial is \_\_\_\_ or not?

\_\_\_\_ though our thermostat \_\_\_\_ is still \_\_\_\_ doesn't \_\_\_\_?

Any thermostat \_\_\_\_ do \_\_\_\_ yield \_\_\_\_ in the way \_\_\_\_ reply, is \_\_\_\_?

\_\_\_\_ despite \_\_\_\_ thermostat.

\_\_\_\_ response from the \_\_\_\_ even \_\_\_\_ might \_\_\_\_ set different ways.

No response when the \_\_\_\_ in, \_\_\_\_ matter \_\_\_\_ setting \_\_\_\_ is \_\_\_\_.

\_\_\_\_ if \_\_\_\_ is \_\_\_\_ response \_\_\_\_ the \_\_\_\_ no matter \_\_\_\_ the setting \_\_\_\_?

The thermostat \_\_\_\_ we've put some \_\_\_\_ it.

There was \_\_\_\_ from the \_\_\_\_ despite \_\_\_\_ of \_\_\_\_ settings.

\_\_\_\_ dial and it still hasn't responded even \_\_\_\_ settings \_\_\_\_.

\_\_\_\_ thermostat \_\_\_\_ not responding \_\_\_\_ we \_\_\_\_ set \_\_\_\_ any setting

Even if the thermostat is \_\_\_\_ in \_\_\_\_ is \_\_\_\_.

Even though \_\_\_\_ thermostat \_\_\_\_ in \_\_\_\_ ways, \_\_\_\_ no response from \_\_\_\_.

There \_\_\_\_ on \_\_\_\_ thermostat dial \_\_\_\_ we \_\_\_\_ any setting

Will our thermostat \_\_\_\_ reply \_\_\_\_ are changed?

Does zero \_\_\_\_ on the thermostat \_\_\_\_ which dial \_\_\_\_?

\_\_\_\_ was adjusted there was \_\_\_\_ answer.

No \_\_\_\_ is \_\_\_\_ the \_\_\_\_ can't respond.

The thermostat may be set a \_\_\_\_ is \_\_\_\_.

Even \_\_\_\_ the \_\_\_\_ was \_\_\_\_ a response.

Will \_\_\_\_ thermostat \_\_\_\_ respond even \_\_\_\_ we \_\_\_\_ it's \_\_\_\_?

Does the thermostat \_\_\_\_ respond \_\_\_\_ we change \_\_\_\_?

Even \_\_\_\_ the thermostat \_\_\_\_ changed, there is \_\_\_\_ from \_\_\_\_.

The thermostat dial \_\_\_\_ respond when \_\_\_\_ set \_\_\_\_ set \_\_\_\_.

Despite \_\_\_\_ setting of \_\_\_\_ the \_\_\_\_?

\_\_\_\_ wasn't \_\_\_\_ from our thermostat despite changes \_\_\_\_.

\_\_\_\_ thermostat \_\_\_\_ unresponsive

It was \_\_\_\_\_ despite \_\_\_\_\_.  
 \_\_\_\_\_ won't \_\_\_\_\_ any reply in \_\_\_\_\_ case, \_\_\_\_\_ of \_\_\_\_\_ temperature \_\_\_\_\_.  
 \_\_\_\_\_ thermostat cannot \_\_\_\_\_ we change it's \_\_\_\_\_.  
 Although \_\_\_\_\_ thermostat might be \_\_\_\_\_ is no response.  
 \_\_\_\_\_ thermostat won't act \_\_\_\_\_ what \_\_\_\_\_ used.  
 \_\_\_\_\_ if \_\_\_\_\_ response from the thermostat \_\_\_\_\_ there is \_\_\_\_\_ setting \_\_\_\_\_?  
 There is no response \_\_\_\_\_ though \_\_\_\_\_ set in a different \_\_\_\_\_.  
 Even though the thermostat \_\_\_\_\_ was no \_\_\_\_\_ kind.  
 Is it correct \_\_\_\_\_ any \_\_\_\_\_ do not yield \_\_\_\_\_ of reply?  
 There'll be \_\_\_\_\_ of the \_\_\_\_\_.  
 \_\_\_\_\_ no matter what setting \_\_\_\_\_?  
 \_\_\_\_\_ thermostat no \_\_\_\_\_ present.  
 \_\_\_\_\_ though \_\_\_\_\_ set in different ways, it doesn't \_\_\_\_\_.  
 There was \_\_\_\_\_ to \_\_\_\_\_ different settings \_\_\_\_\_ thermostat.  
 No \_\_\_\_\_ the thermostat, \_\_\_\_\_ setting was used.  
 \_\_\_\_\_ weren't any \_\_\_\_\_ our thermostat \_\_\_\_\_ changes.  
 \_\_\_\_\_ no response \_\_\_\_\_ of \_\_\_\_\_ settings.  
 \_\_\_\_\_ fail to \_\_\_\_\_ after we change \_\_\_\_\_ settings?  
 When we set \_\_\_\_\_ thermostat to \_\_\_\_\_ nothing \_\_\_\_\_ it's \_\_\_\_\_.  
 \_\_\_\_\_ doesn't matter what \_\_\_\_\_ thermostat is in, there's \_\_\_\_\_.  
 What if \_\_\_\_\_ no response \_\_\_\_\_ the \_\_\_\_\_ regardless \_\_\_\_\_ setting that \_\_\_\_\_?  
 \_\_\_\_\_ budge \_\_\_\_\_ after the \_\_\_\_\_ was \_\_\_\_\_.  
 \_\_\_\_\_ response regardless \_\_\_\_\_ setting \_\_\_\_\_ thermostat \_\_\_\_\_.  
 Doesn't \_\_\_\_\_ what \_\_\_\_\_ thermostat is in, \_\_\_\_\_  
 \_\_\_\_\_ no \_\_\_\_\_ the \_\_\_\_\_ though it may \_\_\_\_\_ set in \_\_\_\_\_ ways.  
 \_\_\_\_\_ despite adjusting thermostat.  
 Did \_\_\_\_\_ thermostat dial not respond \_\_\_\_\_ any setting?  
 No matter \_\_\_\_\_ setting \_\_\_\_\_ use, \_\_\_\_\_ respond.  
 There won't \_\_\_\_\_ reply to this question, regardless \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ a variety \_\_\_\_\_ ways, there is no \_\_\_\_\_.  
 no \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ was \_\_\_\_\_ response \_\_\_\_\_ our \_\_\_\_\_ even after several changes \_\_\_\_\_.  
 I don't \_\_\_\_\_ you, \_\_\_\_\_ the settings on \_\_\_\_\_ doesn't \_\_\_\_\_ any \_\_\_\_\_.  
 Any \_\_\_\_\_ yield a response \_\_\_\_\_ the way of \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ thermostat dial doesn't respond \_\_\_\_\_ we \_\_\_\_\_ setting  
 \_\_\_\_\_ will be no \_\_\_\_\_ in this case.  
 We \_\_\_\_\_ a \_\_\_\_\_ dial \_\_\_\_\_ still \_\_\_\_\_ even \_\_\_\_\_ put some settings \_\_\_\_\_ it.  
 \_\_\_\_\_ correct \_\_\_\_\_ thermostat \_\_\_\_\_ doesn't \_\_\_\_\_ a response \_\_\_\_\_ the way \_\_\_\_\_ reply?  
 The \_\_\_\_\_ a \_\_\_\_\_ but there is no response.  
 \_\_\_\_\_ the \_\_\_\_\_ may \_\_\_\_\_ in a certain way, \_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ it.  
 No matter what \_\_\_\_\_ is \_\_\_\_\_ respond.  
 \_\_\_\_\_ was \_\_\_\_\_ from our \_\_\_\_\_ despite multiple \_\_\_\_\_.  
 \_\_\_\_\_ reaction from \_\_\_\_\_ various settings of the \_\_\_\_\_.  
 Regardless \_\_\_\_\_ the \_\_\_\_\_ there \_\_\_\_\_ not \_\_\_\_\_ response.  
 Even \_\_\_\_\_ thermostat no \_\_\_\_\_.  
 \_\_\_\_\_ was \_\_\_\_\_ response \_\_\_\_\_ thermostat settings.  
 \_\_\_\_\_ and not \_\_\_\_\_ response.  
 We \_\_\_\_\_ thermostat \_\_\_\_\_ that \_\_\_\_\_ not \_\_\_\_\_ even though \_\_\_\_\_ put \_\_\_\_\_ settings \_\_\_\_\_ it.  
 \_\_\_\_\_ the thermostat \_\_\_\_\_ set differently, \_\_\_\_\_ is \_\_\_\_\_ response from \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ our \_\_\_\_\_ cannot respond even \_\_\_\_\_ we \_\_\_\_\_ it's \_\_\_\_\_?

There \_\_\_\_ no response from \_\_\_\_ thermostat \_\_\_\_ it is.  
Despite adjusting the \_\_\_\_ responsiveness \_\_\_\_.  
\_\_\_\_ was \_\_\_\_ different Thermostat settings.  
The \_\_\_\_ not responding regardless \_\_\_\_.  
\_\_\_\_ of \_\_\_\_ setting, there will \_\_\_\_ reply \_\_\_\_ question.  
There was \_\_\_\_ a \_\_\_\_ though the \_\_\_\_ adjusted.  
\_\_\_\_ zero \_\_\_\_ no matter \_\_\_\_ dial \_\_\_\_ use on \_\_\_\_ thermostat?  
\_\_\_\_ thermostat \_\_\_\_ set, \_\_\_\_ still doesn't respond.  
Is our \_\_\_\_ to \_\_\_\_ even \_\_\_\_ we \_\_\_\_ setting?  
\_\_\_\_ thermostat dial \_\_\_\_ when \_\_\_\_ the set \_\_\_\_ any setting  
No \_\_\_\_ from \_\_\_\_ thermostat \_\_\_\_ matter \_\_\_\_ you use.  
\_\_\_\_ response \_\_\_\_ thermostat despite multiple changes \_\_\_\_ setting.  
We have \_\_\_\_ it hasn't \_\_\_\_ we put some \_\_\_\_ on it.  
Is \_\_\_\_ thermostat unable to respond even \_\_\_\_.  
Though \_\_\_\_ thermostat might \_\_\_\_ in \_\_\_\_ ways, there is \_\_\_\_ from \_\_\_\_.  
\_\_\_\_ response even \_\_\_\_ the \_\_\_\_.  
\_\_\_\_ set \_\_\_\_ set \_\_\_\_ setting was the thermostat dial \_\_\_\_?  
\_\_\_\_ absolutely no reaction \_\_\_\_ thermostat \_\_\_\_.  
There \_\_\_\_ no noticeable \_\_\_\_ of \_\_\_\_ the \_\_\_\_ setting.  
Zero \_\_\_\_ remains unaffected \_\_\_\_ whether or \_\_\_\_ our \_\_\_\_ is \_\_\_\_.  
zero response \_\_\_\_ unaffected \_\_\_\_ thermostat dial \_\_\_\_.  
\_\_\_\_ could be \_\_\_\_ from \_\_\_\_ thermostat despite multiple \_\_\_\_.  
\_\_\_\_ a \_\_\_\_ the temperature setting  
The \_\_\_\_ not reply despite the \_\_\_\_.  
\_\_\_\_ zero response \_\_\_\_ matter when \_\_\_\_ thermostat dial?  
No response from \_\_\_\_ no \_\_\_\_ what set \_\_\_\_?  
We \_\_\_\_ a thermostat \_\_\_\_ it doesn't respond \_\_\_\_ tho \_\_\_\_ some \_\_\_\_ on \_\_\_\_.  
Does our thermostat fail \_\_\_\_ even \_\_\_\_ it?  
\_\_\_\_ was \_\_\_\_ the settings of \_\_\_\_ thermostat  
\_\_\_\_ is no response from \_\_\_\_ thermostat \_\_\_\_ might \_\_\_\_ in many different \_\_\_\_.  
\_\_\_\_ response \_\_\_\_ the thermostat, no \_\_\_\_ what setting \_\_\_\_?  
\_\_\_\_ matter what \_\_\_\_ put \_\_\_\_ thermostat on.  
Even \_\_\_\_ the \_\_\_\_ adjusted, there was no \_\_\_\_.  
\_\_\_\_ matter what \_\_\_\_ set, the thermostat \_\_\_\_.  
\_\_\_\_ which dial we \_\_\_\_ the thermostat, \_\_\_\_ zero response.  
\_\_\_\_ from our thermostat despite several \_\_\_\_ in \_\_\_\_.  
\_\_\_\_ the \_\_\_\_ can \_\_\_\_ set \_\_\_\_ certain way, \_\_\_\_ a response.  
\_\_\_\_ was no response from \_\_\_\_ despite \_\_\_\_.  
No \_\_\_\_ response, no \_\_\_\_ it \_\_\_\_.  
There couldn't be \_\_\_\_ from \_\_\_\_ thermostat \_\_\_\_ settings.  
\_\_\_\_ was no \_\_\_\_ the \_\_\_\_ setting of the \_\_\_\_.  
The thermostat does not respond \_\_\_\_ is \_\_\_\_.  
\_\_\_\_ thermostat, \_\_\_\_ responsiveness.  
\_\_\_\_ what \_\_\_\_ we put \_\_\_\_ thermostat \_\_\_\_ it still doesn't \_\_\_\_.  
The \_\_\_\_ wasn't responding when \_\_\_\_ used \_\_\_\_ on \_\_\_\_.  
Correct, \_\_\_\_ of \_\_\_\_ setting, there \_\_\_\_ no \_\_\_\_.  
\_\_\_\_ no response \_\_\_\_ thermostat \_\_\_\_ it \_\_\_\_ be \_\_\_\_ in different ways.  
Do you \_\_\_\_ understand \_\_\_\_ there \_\_\_\_ no \_\_\_\_ regardless of setting?  
No one responded \_\_\_\_ the \_\_\_\_.  
\_\_\_\_ no response from \_\_\_\_ it changed settings.

\_\_\_\_\_ what \_\_\_\_\_ set, zero \_\_\_\_\_ on the thermostat \_\_\_\_\_ immaterial.  
 The thermostat \_\_\_\_\_ matter \_\_\_\_\_ setting is \_\_\_\_\_  
 \_\_\_\_\_ response, \_\_\_\_\_ the temperature setting.  
 There was \_\_\_\_\_ being adjusted.  
 If zero \_\_\_\_\_ remains \_\_\_\_\_ thermostat \_\_\_\_\_ it doesn't \_\_\_\_\_ how \_\_\_\_\_ set \_\_\_\_\_.  
 \_\_\_\_\_ from the thermostat \_\_\_\_\_ matter what \_\_\_\_\_ it \_\_\_\_\_.  
 There is no \_\_\_\_\_ setting!  
 The \_\_\_\_\_ still \_\_\_\_\_ respond regardless \_\_\_\_\_ what \_\_\_\_\_ it \_\_\_\_\_.  
 \_\_\_\_\_ after adjusting \_\_\_\_\_ reply.  
 There \_\_\_\_\_ reply \_\_\_\_\_ of \_\_\_\_\_ temperature Setting.  
 \_\_\_\_\_ thermostat changes \_\_\_\_\_ yield any \_\_\_\_\_ in \_\_\_\_\_ of reply, \_\_\_\_\_ the case?  
 \_\_\_\_\_ thermostat \_\_\_\_\_ do not \_\_\_\_\_ the \_\_\_\_\_ of reply, \_\_\_\_\_ that correct?  
 \_\_\_\_\_ will stay \_\_\_\_\_ matter which \_\_\_\_\_ use on \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ the \_\_\_\_\_ might \_\_\_\_\_ a \_\_\_\_\_ there is no response \_\_\_\_\_ it.  
 \_\_\_\_\_ of \_\_\_\_\_ setting, there will \_\_\_\_\_ no \_\_\_\_\_ in this \_\_\_\_\_.  
 When we set \_\_\_\_\_ thermostat \_\_\_\_\_ is absolutely nothing on \_\_\_\_\_.  
 There was no \_\_\_\_\_ from \_\_\_\_\_ many \_\_\_\_\_.  
 The \_\_\_\_\_ respond regardless of \_\_\_\_\_ was \_\_\_\_\_.  
 There wasn't \_\_\_\_\_ though \_\_\_\_\_ thermostat was \_\_\_\_\_.  
 There's \_\_\_\_\_ response from \_\_\_\_\_ it \_\_\_\_\_ in a certain way.  
 \_\_\_\_\_ can be \_\_\_\_\_ in a \_\_\_\_\_ way, there is \_\_\_\_\_ from it.  
 \_\_\_\_\_ thermostats \_\_\_\_\_ response?  
 Despite \_\_\_\_\_ setting, \_\_\_\_\_ be \_\_\_\_\_ reply to \_\_\_\_\_ question.  
 \_\_\_\_\_ responded even though \_\_\_\_\_ adjusted  
 \_\_\_\_\_ about you but \_\_\_\_\_ on our \_\_\_\_\_ doesn't have any \_\_\_\_\_.  
 Zero response \_\_\_\_\_ unaffected \_\_\_\_\_ thermostat dial \_\_\_\_\_ or not.  
 Even though the \_\_\_\_\_ be \_\_\_\_\_ no response.  
 \_\_\_\_\_ thermostat won't \_\_\_\_\_ regardless of \_\_\_\_\_ is \_\_\_\_\_.  
 Any \_\_\_\_\_ changes \_\_\_\_\_ not \_\_\_\_\_ a \_\_\_\_\_?  
 There \_\_\_\_\_ no \_\_\_\_\_ no \_\_\_\_\_ what the \_\_\_\_\_ is.  
 We \_\_\_\_\_ a thermostat \_\_\_\_\_ still doesn't respond even \_\_\_\_\_ have \_\_\_\_\_ on \_\_\_\_\_.  
 \_\_\_\_\_ what setting \_\_\_\_\_ thermostat is \_\_\_\_\_ response.  
 It doesn't matter \_\_\_\_\_ setting the \_\_\_\_\_ no \_\_\_\_\_.  
 You \_\_\_\_\_ of \_\_\_\_\_ temperature \_\_\_\_\_ there will be \_\_\_\_\_.  
 \_\_\_\_\_ response still \_\_\_\_\_ placing \_\_\_\_\_ thermostat dial?  
 There \_\_\_\_\_ no \_\_\_\_\_ settings of the \_\_\_\_\_.  
 \_\_\_\_\_ the thermostat dial not \_\_\_\_\_ when \_\_\_\_\_ the \_\_\_\_\_ on any \_\_\_\_\_?  
 Does it matter \_\_\_\_\_ our \_\_\_\_\_ is \_\_\_\_\_ response?  
 \_\_\_\_\_ wasn't \_\_\_\_\_ reaction from \_\_\_\_\_ settings of \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ be \_\_\_\_\_ in a certain way, \_\_\_\_\_ does \_\_\_\_\_ respond.  
 \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ is set \_\_\_\_\_ it \_\_\_\_\_ respond.  
 \_\_\_\_\_ of \_\_\_\_\_ setting, there will \_\_\_\_\_ no response.  
 There was not \_\_\_\_\_ to the various \_\_\_\_\_.  
 Even \_\_\_\_\_ our \_\_\_\_\_ still zero response, doesn't \_\_\_\_\_.  
 Will \_\_\_\_\_ not reply even after \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ not know about you, \_\_\_\_\_ the settings \_\_\_\_\_ our \_\_\_\_\_ not \_\_\_\_\_ a \_\_\_\_\_.  
 \_\_\_\_\_ have \_\_\_\_\_ thermostat dial \_\_\_\_\_ it \_\_\_\_\_ even though \_\_\_\_\_ some settings \_\_\_\_\_ it.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ respond despite \_\_\_\_\_.  
 \_\_\_\_\_ have a \_\_\_\_\_ and it hasn't responded \_\_\_\_\_ we have \_\_\_\_\_  
 Setting \_\_\_\_\_ thermostat and \_\_\_\_\_ seeing \_\_\_\_\_?

\_\_\_\_\_ were no \_\_\_\_\_ from the \_\_\_\_\_.

Zero response will remain no \_\_\_\_\_ dial \_\_\_\_\_ use \_\_\_\_\_.

\_\_\_\_\_ unaffected by whether or not the \_\_\_\_\_ is \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ not a reaction \_\_\_\_\_ the settings of \_\_\_\_\_.

Doesn't matter \_\_\_\_\_ thermostat \_\_\_\_\_ no response

\_\_\_\_\_ a thermostat dial \_\_\_\_\_ still doesn't respond even \_\_\_\_\_ have \_\_\_\_\_.

\_\_\_\_\_ change in settings, \_\_\_\_\_ thermostat \_\_\_\_\_ respond.

Doesn't \_\_\_\_\_ what setting the \_\_\_\_\_ response.

\_\_\_\_\_ matter \_\_\_\_\_ we put \_\_\_\_\_ thermostat dial, \_\_\_\_\_ won't respond.

Were the \_\_\_\_\_ responding when \_\_\_\_\_ the set \_\_\_\_\_ any \_\_\_\_\_.

\_\_\_\_\_ matter \_\_\_\_\_ we put \_\_\_\_\_ thermostat dial in, we \_\_\_\_\_ response?

\_\_\_\_\_ not understand \_\_\_\_\_ there is \_\_\_\_\_ response \_\_\_\_\_ the thermostat regardless \_\_\_\_\_?

\_\_\_\_\_ though \_\_\_\_\_ thermostat has \_\_\_\_\_ adjusted.

There was \_\_\_\_\_ responsiveness \_\_\_\_\_.

\_\_\_\_\_ didn't respond \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ from the \_\_\_\_\_ regardless of \_\_\_\_\_ setting \_\_\_\_\_ is?

\_\_\_\_\_ despite the \_\_\_\_\_ of the thermostat.

No \_\_\_\_\_ adjusting \_\_\_\_\_.

\_\_\_\_\_ true that any \_\_\_\_\_ don't yield a \_\_\_\_\_ way \_\_\_\_\_ reply?

Did \_\_\_\_\_ dial \_\_\_\_\_ respond \_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ setting?

\_\_\_\_\_ the thermostat \_\_\_\_\_ respond \_\_\_\_\_ we set \_\_\_\_\_ on any setting?

\_\_\_\_\_ was not a \_\_\_\_\_ the thermostat \_\_\_\_\_.

\_\_\_\_\_ the change \_\_\_\_\_ settings \_\_\_\_\_ was no \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ weren't any \_\_\_\_\_ settings of the thermostat.

\_\_\_\_\_ matter what \_\_\_\_\_ is \_\_\_\_\_ thermostat won't \_\_\_\_\_

\_\_\_\_\_ set the \_\_\_\_\_ on \_\_\_\_\_ the thermostat dial didn't \_\_\_\_\_.

\_\_\_\_\_ about you but \_\_\_\_\_ the \_\_\_\_\_ on our thermostat \_\_\_\_\_ a \_\_\_\_\_

\_\_\_\_\_ our \_\_\_\_\_ remains \_\_\_\_\_?

The thermostat dial \_\_\_\_\_ responded \_\_\_\_\_ put some \_\_\_\_\_ on \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ there is nothing on \_\_\_\_\_ dial.

\_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ even if we change \_\_\_\_\_?

There \_\_\_\_\_ nothing \_\_\_\_\_ the \_\_\_\_\_ settings.

\_\_\_\_\_ thermostat was adjusted \_\_\_\_\_ had \_\_\_\_\_ response.

That \_\_\_\_\_ budge even \_\_\_\_\_ thermostat \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ from the thermostat, \_\_\_\_\_ setting.

Does \_\_\_\_\_ remain regardless of what \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ matter \_\_\_\_\_ setting we \_\_\_\_\_ our \_\_\_\_\_ still zero response.

Even though a \_\_\_\_\_ was \_\_\_\_\_ response.

Even if \_\_\_\_\_ changed \_\_\_\_\_ settings the \_\_\_\_\_.

\_\_\_\_\_ no response \_\_\_\_\_ the thermostat even \_\_\_\_\_ it \_\_\_\_\_ different.

\_\_\_\_\_ from the thermostat \_\_\_\_\_ of \_\_\_\_\_.

Even if \_\_\_\_\_ changed \_\_\_\_\_ settings \_\_\_\_\_ respond

\_\_\_\_\_ what the \_\_\_\_\_ is, \_\_\_\_\_ thermostat will not \_\_\_\_\_.

There \_\_\_\_\_ no response \_\_\_\_\_ adjusted.

Even though the \_\_\_\_\_ be set in \_\_\_\_\_ responds.

Is \_\_\_\_\_ that any thermostat changes do \_\_\_\_\_?

There \_\_\_\_\_ from the \_\_\_\_\_ changes in setting.

\_\_\_\_\_ responsiveness \_\_\_\_\_ the \_\_\_\_\_ adjusted.

\_\_\_\_\_ remain \_\_\_\_\_ thermostat dial is being set or \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ adjusted, there \_\_\_\_\_ no response.

There isn't a \_\_\_\_\_ the \_\_\_\_\_ temperature setting.

The \_\_\_\_\_ dial is still \_\_\_\_\_ response \_\_\_\_\_ we \_\_\_\_\_ it \_\_\_\_\_.

There was \_\_\_\_\_ reaction \_\_\_\_\_ settings.

They did \_\_\_\_\_ despite \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ one \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_

There is \_\_\_\_\_ thermostat \_\_\_\_\_ can be set in different \_\_\_\_\_.

The \_\_\_\_\_ is \_\_\_\_\_ responding \_\_\_\_\_ we set \_\_\_\_\_ set \_\_\_\_\_ setting.

\_\_\_\_\_ from the different thermostat \_\_\_\_\_.

\_\_\_\_\_ don't \_\_\_\_\_ about \_\_\_\_\_ but \_\_\_\_\_ settings doesn't make \_\_\_\_\_ difference.

Is our thermostat \_\_\_\_\_ after \_\_\_\_\_ change it?

\_\_\_\_\_ there no feedback from \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ have a \_\_\_\_\_ dial \_\_\_\_\_ it \_\_\_\_\_ though we have \_\_\_\_\_ on \_\_\_\_\_.

Despite \_\_\_\_\_ thermostat, \_\_\_\_\_ wasn't \_\_\_\_\_.

The \_\_\_\_\_ was \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ thermostat \_\_\_\_\_ of the setting.

The thermostat \_\_\_\_\_ responding when \_\_\_\_\_ set the set \_\_\_\_\_

\_\_\_\_\_ isn't any \_\_\_\_\_ the thermostat even \_\_\_\_\_ it \_\_\_\_\_ be set \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ our \_\_\_\_\_ make a difference.

\_\_\_\_\_ thermostat dial isn't responding \_\_\_\_\_ set \_\_\_\_\_ set \_\_\_\_\_ setting.

\_\_\_\_\_ the thermostat could \_\_\_\_\_ a certain \_\_\_\_\_ no response from \_\_\_\_\_.

Even \_\_\_\_\_ thermostat \_\_\_\_\_ been adjusted, \_\_\_\_\_ was \_\_\_\_\_ response.

Does \_\_\_\_\_ not work \_\_\_\_\_ matter what \_\_\_\_\_ use?

Thermostat \_\_\_\_\_ do \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ response from the thermostat \_\_\_\_\_ it could \_\_\_\_\_ certain way.

It isn't important \_\_\_\_\_ put our thermostat \_\_\_\_\_.

Regardless of the temperature \_\_\_\_\_ there \_\_\_\_\_ reply \_\_\_\_\_ this \_\_\_\_\_.

The \_\_\_\_\_ is still not \_\_\_\_\_ matter \_\_\_\_\_ it \_\_\_\_\_ in.

No matter \_\_\_\_\_ setting, \_\_\_\_\_ thermostat \_\_\_\_\_.

\_\_\_\_\_ was no \_\_\_\_\_ from our \_\_\_\_\_ change \_\_\_\_\_ settings.

No \_\_\_\_\_ even \_\_\_\_\_ adjusting \_\_\_\_\_.

Will \_\_\_\_\_ thermostat not \_\_\_\_\_ settings?

No \_\_\_\_\_ regardless \_\_\_\_\_ setting.

\_\_\_\_\_ our thermostat \_\_\_\_\_ to have no effect.

It's \_\_\_\_\_ response regardless of what \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ thermostat dial \_\_\_\_\_ responded \_\_\_\_\_ is set on any \_\_\_\_\_?

It doesn't matter \_\_\_\_\_ setting \_\_\_\_\_ put \_\_\_\_\_ dial.

\_\_\_\_\_ is no response at all from the \_\_\_\_\_ regardless of \_\_\_\_\_?

Changing the \_\_\_\_\_ on \_\_\_\_\_ thermostat \_\_\_\_\_ make \_\_\_\_\_.

There was \_\_\_\_\_ response from \_\_\_\_\_ thermostat even \_\_\_\_\_ had \_\_\_\_\_.

\_\_\_\_\_ matter \_\_\_\_\_ setting is set, \_\_\_\_\_ won't \_\_\_\_\_.

Doesn't \_\_\_\_\_ setting we \_\_\_\_\_ remains on \_\_\_\_\_ thermostat dial.

The \_\_\_\_\_ respond \_\_\_\_\_ what setting is \_\_\_\_\_ used.

Will \_\_\_\_\_ thermostat \_\_\_\_\_ to \_\_\_\_\_ even \_\_\_\_\_ change it?

\_\_\_\_\_ respond, no matter what \_\_\_\_\_ used.

\_\_\_\_\_ thermostat will \_\_\_\_\_ respond even \_\_\_\_\_ setting is \_\_\_\_\_.

Even \_\_\_\_\_ be set in a \_\_\_\_\_ way \_\_\_\_\_ no response \_\_\_\_\_.

There \_\_\_\_\_ response \_\_\_\_\_ thermostat even \_\_\_\_\_ the change \_\_\_\_\_ settings.

There \_\_\_\_\_ response \_\_\_\_\_ thermostat settings.

\_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ thermostat, regardless of \_\_\_\_\_?

Can \_\_\_\_\_ no \_\_\_\_\_ our thermostat \_\_\_\_\_ of setting?

\_\_\_\_ adjusting thermostat, \_\_\_\_  
 \_\_\_\_ thermostat \_\_\_\_ that \_\_\_\_ respond even though we \_\_\_\_ settings on \_\_\_\_.  
 \_\_\_\_ of \_\_\_\_ temperature setting, there \_\_\_\_ be \_\_\_\_.  
 Zero \_\_\_\_ remains no \_\_\_\_ what \_\_\_\_ we \_\_\_\_ thermostat.  
 \_\_\_\_ matter \_\_\_\_ setting the thermostat \_\_\_\_.  
 There was \_\_\_\_ response \_\_\_\_ thermostat even \_\_\_\_ multiple changes in \_\_\_\_.  
 \_\_\_\_ was no response \_\_\_\_ thermostat.  
 The \_\_\_\_ won't respond \_\_\_\_ how \_\_\_\_ it.  
 \_\_\_\_ zero \_\_\_\_ unaffected \_\_\_\_ our \_\_\_\_ dial is \_\_\_\_ or not?  
 Do \_\_\_\_ not \_\_\_\_ there is no response \_\_\_\_ no \_\_\_\_ what \_\_\_\_?  
 \_\_\_\_ response remain \_\_\_\_ by \_\_\_\_ our thermostat \_\_\_\_ is \_\_\_\_ not?  
 \_\_\_\_ responding \_\_\_\_ what setting \_\_\_\_ thermostat is in.  
 \_\_\_\_ if we \_\_\_\_ thermostat \_\_\_\_ it \_\_\_\_ not respond.  
 There \_\_\_\_ no \_\_\_\_ from the thermostat \_\_\_\_ setting.  
 Doesn't matter what \_\_\_\_ we \_\_\_\_ thermostat dial in, \_\_\_\_ will \_\_\_\_.  
 Any \_\_\_\_ yield a response \_\_\_\_ the way of reply, \_\_\_\_?  
 \_\_\_\_ though the thermostat had \_\_\_\_ there \_\_\_\_ reply.  
 \_\_\_\_ thermostat \_\_\_\_ reply \_\_\_\_ changing its settings?  
 No response \_\_\_\_.  
 \_\_\_\_ was \_\_\_\_ from the \_\_\_\_ its changes.  
 Even though \_\_\_\_ be set in a certain \_\_\_\_.  
 \_\_\_\_ matter \_\_\_\_ we set, zero \_\_\_\_ remains on \_\_\_\_ dial.  
 \_\_\_\_ was \_\_\_\_ response from the \_\_\_\_ despite \_\_\_\_ setting.  
 \_\_\_\_ matter what \_\_\_\_ in, its still zero response.  
 \_\_\_\_ if there \_\_\_\_ from \_\_\_\_ thermostat, regardless of what \_\_\_\_ used?  
 \_\_\_\_ we set \_\_\_\_ to any setting, there \_\_\_\_ nothing on \_\_\_\_.  
 There \_\_\_\_ no \_\_\_\_ from \_\_\_\_ thermostat, even \_\_\_\_ it might \_\_\_\_.  
 \_\_\_\_ isn't any \_\_\_\_ of the \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ that \_\_\_\_ changes \_\_\_\_ yield any reply?  
 \_\_\_\_ adjusting the \_\_\_\_ there \_\_\_\_ response.  
 \_\_\_\_ a thermostat dial \_\_\_\_ hasn't \_\_\_\_ tho \_\_\_\_ some settings on it.  
 \_\_\_\_ thermostat might be \_\_\_\_ certain way, there isn't a response \_\_\_\_.  
 \_\_\_\_ reaction from various thermostat \_\_\_\_.  
 Do \_\_\_\_ fail to respond even \_\_\_\_ change \_\_\_\_?  
 \_\_\_\_ adjusting the thermostat, \_\_\_\_ present.  
 There \_\_\_\_ despite adjusting \_\_\_\_.  
 \_\_\_\_ matter \_\_\_\_ setting the \_\_\_\_ in, it's still \_\_\_\_.  
 \_\_\_\_ thermostat \_\_\_\_ of setting.  
 Even though \_\_\_\_ thermostat \_\_\_\_ be set in \_\_\_\_ there's \_\_\_\_ response \_\_\_\_.  
 \_\_\_\_ the thermostat was \_\_\_\_ a response  
 \_\_\_\_ set \_\_\_\_ on \_\_\_\_ setting did the \_\_\_\_ dial \_\_\_\_ respond?  
 No \_\_\_\_ what setting \_\_\_\_ selected the \_\_\_\_.  
 Even \_\_\_\_ the thermostat \_\_\_\_ it \_\_\_\_ respond.  
 Even \_\_\_\_ thermostat, \_\_\_\_ was \_\_\_\_ response.  
 There is \_\_\_\_ from \_\_\_\_ thermostat even \_\_\_\_ be \_\_\_\_ in different \_\_\_\_.  
 \_\_\_\_ thermostat may \_\_\_\_ set differently, \_\_\_\_ no \_\_\_\_ from it.  
 \_\_\_\_ thermostat \_\_\_\_ of what setting \_\_\_\_ used.  
 \_\_\_\_ response \_\_\_\_ whatever \_\_\_\_ the \_\_\_\_ in.  
 \_\_\_\_ thermostat won't respond \_\_\_\_ a \_\_\_\_ used.  
 Regardless \_\_\_\_ the temperature setting, there's \_\_\_\_\_.

\_\_\_\_\_ though the thermostat had \_\_\_\_\_ wasn't any \_\_\_\_\_.  
 Is it \_\_\_\_\_ any thermostat \_\_\_\_\_ yield a \_\_\_\_\_?  
 \_\_\_\_\_ was \_\_\_\_\_ the \_\_\_\_\_ thermostat settings.  
 \_\_\_\_\_ thermostat was \_\_\_\_\_ there \_\_\_\_\_ no response.  
 \_\_\_\_\_ response from \_\_\_\_\_ thermostat even though the \_\_\_\_\_ changed.  
 Does \_\_\_\_\_ stay \_\_\_\_\_ matter which dial \_\_\_\_\_ use on \_\_\_\_\_?  
 There \_\_\_\_\_ a \_\_\_\_\_ the temperature \_\_\_\_\_.  
 \_\_\_\_\_ though \_\_\_\_\_ thermostat might \_\_\_\_\_ there is \_\_\_\_\_ response from it.  
 Is \_\_\_\_\_ thermostat does not \_\_\_\_\_ despite \_\_\_\_\_ its settings?  
 Setting \_\_\_\_\_ nobody \_\_\_\_\_?  
 There was \_\_\_\_\_ response \_\_\_\_\_ our \_\_\_\_\_ despite the \_\_\_\_\_.  
 The thermostat might \_\_\_\_\_ set \_\_\_\_\_ of \_\_\_\_\_ but there \_\_\_\_\_ response.  
 \_\_\_\_\_ of \_\_\_\_\_ setting, there would be \_\_\_\_\_.  
 I have \_\_\_\_\_ changing \_\_\_\_\_ on our thermostat does not make \_\_\_\_\_.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ despite changing \_\_\_\_\_ settings?  
 \_\_\_\_\_ responsiveness \_\_\_\_\_ adjusted thermostat.  
 \_\_\_\_\_ unaffected \_\_\_\_\_ or \_\_\_\_\_ our thermostat dial is setting?  
 Setting \_\_\_\_\_ not a \_\_\_\_\_?  
 \_\_\_\_\_ thermostat be \_\_\_\_\_ to \_\_\_\_\_ even \_\_\_\_\_ change its settings?  
 There \_\_\_\_\_ no \_\_\_\_\_ the temperature \_\_\_\_\_.  
 No matter \_\_\_\_\_ setting \_\_\_\_\_ set \_\_\_\_\_ thermostat \_\_\_\_\_.  
 There \_\_\_\_\_ response, no \_\_\_\_\_ what the \_\_\_\_\_ is.  
 \_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ the temperature setting.  
 There was no reaction from \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ setting \_\_\_\_\_ put our thermostat \_\_\_\_\_ in, it \_\_\_\_\_ doesn't \_\_\_\_\_.  
 \_\_\_\_\_ able to \_\_\_\_\_ if we change it?  
 \_\_\_\_\_ set \_\_\_\_\_ any \_\_\_\_\_ is the thermostat dial not \_\_\_\_\_?  
 The \_\_\_\_\_ be set in different \_\_\_\_\_ no reply.  
 Despite \_\_\_\_\_ thermostat being set \_\_\_\_\_ is no \_\_\_\_\_.  
 \_\_\_\_\_ response stick no matter \_\_\_\_\_ use on the \_\_\_\_\_?  
 \_\_\_\_\_ wasn't \_\_\_\_\_ the thermostat despite several changes \_\_\_\_\_.  
 It doesn't \_\_\_\_\_ adjusting \_\_\_\_\_ thermostat.  
 No \_\_\_\_\_ setting \_\_\_\_\_ set, zero response \_\_\_\_\_ the \_\_\_\_\_.  
 Despite \_\_\_\_\_ adjustment, \_\_\_\_\_.  
 Zero response \_\_\_\_\_ matter which dial \_\_\_\_\_ thermostat.  
 \_\_\_\_\_ have \_\_\_\_\_ from the \_\_\_\_\_ dial on \_\_\_\_\_ setting.  
 \_\_\_\_\_ the thermostat \_\_\_\_\_ set \_\_\_\_\_ different \_\_\_\_\_ there is \_\_\_\_\_ response.  
 \_\_\_\_\_ if there isn't a response from the \_\_\_\_\_?  
 We have \_\_\_\_\_ dial and it still \_\_\_\_\_ some \_\_\_\_\_ on it.  
 Even though the \_\_\_\_\_ might \_\_\_\_\_ differently, \_\_\_\_\_ response \_\_\_\_\_ it.  
 \_\_\_\_\_ the thermostat was \_\_\_\_\_ there was \_\_\_\_\_.  
 There was \_\_\_\_\_ from our \_\_\_\_\_ the \_\_\_\_\_ setting.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ what setting.  
 There \_\_\_\_\_ never \_\_\_\_\_ the various settings \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ could not be \_\_\_\_\_ response from the \_\_\_\_\_ despite \_\_\_\_\_.  
 \_\_\_\_\_ response from \_\_\_\_\_ though \_\_\_\_\_ is set in various ways.  
 \_\_\_\_\_ we used it on any setting  
 \_\_\_\_\_ doesn't matter what setting \_\_\_\_\_ is, \_\_\_\_\_ no \_\_\_\_\_.  
 \_\_\_\_\_ set \_\_\_\_\_ any \_\_\_\_\_ is the thermostat \_\_\_\_\_ not responding?  
 \_\_\_\_\_ was no response from \_\_\_\_\_ thermostat \_\_\_\_\_ settings.



\_\_\_\_\_ we set \_\_\_\_\_ if \_\_\_\_\_ response remains on \_\_\_\_\_ thermostat.

No response \_\_\_\_\_ adjusting thermostat \_\_\_\_\_.

\_\_\_\_\_ no matter what \_\_\_\_\_ is.

\_\_\_\_\_ after the \_\_\_\_\_ is \_\_\_\_\_ doesn't \_\_\_\_\_

When \_\_\_\_\_ set \_\_\_\_\_ any setting \_\_\_\_\_ the thermostat \_\_\_\_\_ not \_\_\_\_\_?

Doesn't \_\_\_\_\_ what \_\_\_\_\_ our \_\_\_\_\_ dial.

The thermostat won't respond \_\_\_\_\_ what \_\_\_\_\_

\_\_\_\_\_ do \_\_\_\_\_ know about you, \_\_\_\_\_ changing \_\_\_\_\_ our thermostat \_\_\_\_\_ any effect.

\_\_\_\_\_ matter what setting, \_\_\_\_\_ doesn't \_\_\_\_\_?

\_\_\_\_\_ one responds \_\_\_\_\_ the thermostat \_\_\_\_\_ any setting, do \_\_\_\_\_ get \_\_\_\_\_?

\_\_\_\_\_ don't know about \_\_\_\_\_ the \_\_\_\_\_ thermostat \_\_\_\_\_ make any difference.

Zero \_\_\_\_\_ doesn't change \_\_\_\_\_ which dial \_\_\_\_\_ on the \_\_\_\_\_.

\_\_\_\_\_ thermostats \_\_\_\_\_ seeing a response.

\_\_\_\_\_ doesn't \_\_\_\_\_ no matter \_\_\_\_\_ it is in.

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ no \_\_\_\_\_ responded.

The thermostat \_\_\_\_\_ what setting \_\_\_\_\_ set.

\_\_\_\_\_ the thermostat and \_\_\_\_\_ reply

\_\_\_\_\_ that our thermostat \_\_\_\_\_ respond \_\_\_\_\_ its setting?

The \_\_\_\_\_ settings of the \_\_\_\_\_ didn't \_\_\_\_\_.

I don't know \_\_\_\_\_ you \_\_\_\_\_ on \_\_\_\_\_ thermostat won't \_\_\_\_\_ an \_\_\_\_\_.

Does \_\_\_\_\_ response stay \_\_\_\_\_ the setting \_\_\_\_\_ thermostat \_\_\_\_\_?

\_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ thermostat \_\_\_\_\_ though \_\_\_\_\_ had changed.

We have \_\_\_\_\_ dial \_\_\_\_\_ it \_\_\_\_\_ even tho we've \_\_\_\_\_ it.

Even \_\_\_\_\_ thermostat could be \_\_\_\_\_ in \_\_\_\_\_ ways, \_\_\_\_\_ response.

\_\_\_\_\_ was no \_\_\_\_\_ from \_\_\_\_\_ thermostat.

\_\_\_\_\_ response \_\_\_\_\_ our thermostat despite its \_\_\_\_\_.

Despite \_\_\_\_\_ no responsiveness

\_\_\_\_\_ from our thermostat regardless \_\_\_\_\_ settings?

\_\_\_\_\_ is no response \_\_\_\_\_ even \_\_\_\_\_ might \_\_\_\_\_ set different ways.

Were \_\_\_\_\_ dial not \_\_\_\_\_ when set \_\_\_\_\_ setting?

There was \_\_\_\_\_ reaction from \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ no response from \_\_\_\_\_ despite the \_\_\_\_\_ change.

How come \_\_\_\_\_ one \_\_\_\_\_ the \_\_\_\_\_ dial \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ despite adjusting \_\_\_\_\_.

Even though \_\_\_\_\_ was \_\_\_\_\_ wasn't any \_\_\_\_\_.

Despite \_\_\_\_\_ change \_\_\_\_\_ there was \_\_\_\_\_ response \_\_\_\_\_ thermostat.

No \_\_\_\_\_ setting, no \_\_\_\_\_ the \_\_\_\_\_.

The thermostat \_\_\_\_\_ respond \_\_\_\_\_ we used \_\_\_\_\_ any \_\_\_\_\_

The thermostat doesn't \_\_\_\_\_ regardless \_\_\_\_\_.

Whatever \_\_\_\_\_ temperature setting, \_\_\_\_\_ will \_\_\_\_\_.

\_\_\_\_\_ one \_\_\_\_\_ responded to \_\_\_\_\_ dial \_\_\_\_\_ any setting.

Changing \_\_\_\_\_ settings \_\_\_\_\_ thermostat doesn't \_\_\_\_\_ make a \_\_\_\_\_.

\_\_\_\_\_ thermostat \_\_\_\_\_ even if \_\_\_\_\_ it.

\_\_\_\_\_ adjusting \_\_\_\_\_ no responsiveness \_\_\_\_\_.

We have a \_\_\_\_\_ though \_\_\_\_\_ put \_\_\_\_\_ settings on it.

There's \_\_\_\_\_ from the thermostat even \_\_\_\_\_ might be \_\_\_\_\_ in \_\_\_\_\_.

No \_\_\_\_\_ given \_\_\_\_\_ though \_\_\_\_\_ thermostat \_\_\_\_\_ adjusted.

We \_\_\_\_\_ dial \_\_\_\_\_ hasn't \_\_\_\_\_ though we \_\_\_\_\_ set some settings \_\_\_\_\_ it.

The \_\_\_\_\_ doesn't \_\_\_\_\_ matter what \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ response from our \_\_\_\_\_ even \_\_\_\_\_ it \_\_\_\_\_ changed.

Even though \_\_\_\_\_ there \_\_\_\_\_ response even \_\_\_\_\_ it was any \_\_\_\_\_.

\_\_\_\_\_ thermostat \_\_\_\_\_ respond \_\_\_\_\_ multiple changes \_\_\_\_\_.

Regardless of \_\_\_\_\_ temperature \_\_\_\_\_ there will \_\_\_\_\_

it doesn't \_\_\_\_\_ the thermostat \_\_\_\_\_

\_\_\_\_\_ will not \_\_\_\_\_ reply Regardless \_\_\_\_\_ the \_\_\_\_\_ setting.

There was no \_\_\_\_\_ a lot of \_\_\_\_\_ settings.

There \_\_\_\_\_ be \_\_\_\_\_ response \_\_\_\_\_ thermostat even \_\_\_\_\_ it had \_\_\_\_\_.

There was \_\_\_\_\_ responsiveness \_\_\_\_\_ though the \_\_\_\_\_ adjusted.

\_\_\_\_\_ a thermostat \_\_\_\_\_ that \_\_\_\_\_ doesn't respond \_\_\_\_\_ put \_\_\_\_\_ on it.

\_\_\_\_\_ responded despite \_\_\_\_\_ on the \_\_\_\_\_.

Even \_\_\_\_\_ the \_\_\_\_\_ might \_\_\_\_\_ various \_\_\_\_\_ there is no \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ the thermostat can \_\_\_\_\_ there \_\_\_\_\_ response from it.

There \_\_\_\_\_ regardless \_\_\_\_\_ the temperature \_\_\_\_\_ should \_\_\_\_\_ be one at \_\_\_\_\_?

\_\_\_\_\_ thermostat not respond even \_\_\_\_\_ change \_\_\_\_\_?

No \_\_\_\_\_ despite the \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ of the \_\_\_\_\_ setting, there isn't \_\_\_\_\_ all.

There \_\_\_\_\_ responsiveness despite adjusting \_\_\_\_\_.

\_\_\_\_\_ the temperature setting, \_\_\_\_\_ no reply \_\_\_\_\_ question.

\_\_\_\_\_ that any \_\_\_\_\_ changes \_\_\_\_\_ yield any response?

Even though \_\_\_\_\_ may be \_\_\_\_\_ a certain \_\_\_\_\_ no \_\_\_\_\_.

There was no response \_\_\_\_\_ despite the \_\_\_\_\_.

There \_\_\_\_\_ from the thermostat \_\_\_\_\_ multiple \_\_\_\_\_.

\_\_\_\_\_ was no reaction from \_\_\_\_\_ various \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ the thermostat \_\_\_\_\_ though \_\_\_\_\_ can be set in many \_\_\_\_\_ ways.

\_\_\_\_\_ is no response from the \_\_\_\_\_ even though \_\_\_\_\_ be set \_\_\_\_\_.

Doesn't matter \_\_\_\_\_ thermostat \_\_\_\_\_ is no response.

\_\_\_\_\_ thermostat \_\_\_\_\_ never \_\_\_\_\_ a response

There \_\_\_\_\_ no \_\_\_\_\_ though \_\_\_\_\_ was adjusted.

Does zero response \_\_\_\_\_ regardless of \_\_\_\_\_ use on \_\_\_\_\_?

I \_\_\_\_\_ about \_\_\_\_\_ but \_\_\_\_\_ the settings on \_\_\_\_\_ do anything.

Even \_\_\_\_\_ the thermostat \_\_\_\_\_ adjusted, \_\_\_\_\_ no \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ set the thermostat and never \_\_\_\_\_.

\_\_\_\_\_ what setting the \_\_\_\_\_ used, \_\_\_\_\_ won't respond.

Zero \_\_\_\_\_ matter \_\_\_\_\_ the thermostat is used \_\_\_\_\_.

\_\_\_\_\_ is no \_\_\_\_\_ of the setting, what do you \_\_\_\_\_?

The \_\_\_\_\_ dial \_\_\_\_\_ set the set on \_\_\_\_\_ settings.

\_\_\_\_\_ no \_\_\_\_\_ regardless \_\_\_\_\_ the temperature \_\_\_\_\_.

There's no response \_\_\_\_\_ thermostat \_\_\_\_\_ though \_\_\_\_\_ a \_\_\_\_\_ way.

\_\_\_\_\_ can set the thermostat \_\_\_\_\_ never \_\_\_\_\_.

\_\_\_\_\_ is no response \_\_\_\_\_ thermostat despite what \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ thermostat \_\_\_\_\_ adjusted no one \_\_\_\_\_.

The \_\_\_\_\_ is still \_\_\_\_\_ what setting \_\_\_\_\_ in.

\_\_\_\_\_ do not respond even if \_\_\_\_\_ settings?

The \_\_\_\_\_ has \_\_\_\_\_ response, \_\_\_\_\_ it?

I don't know \_\_\_\_\_ changing \_\_\_\_\_ settings \_\_\_\_\_ our \_\_\_\_\_ have \_\_\_\_\_ effect

\_\_\_\_\_ budge even \_\_\_\_\_ thermostat is \_\_\_\_\_

Even \_\_\_\_\_ thermostat \_\_\_\_\_ there \_\_\_\_\_ no response.

There was \_\_\_\_\_ the \_\_\_\_\_ despite several \_\_\_\_\_.

Zero response \_\_\_\_\_ of dial \_\_\_\_\_ on \_\_\_\_\_ thermostat.

There was \_\_\_\_\_ adjustment.

Regardless of \_\_\_\_\_ setting, there will \_\_\_\_\_ a \_\_\_\_\_ this \_\_\_\_\_.

Regardless of \_\_\_\_\_ setting \_\_\_\_\_ any responses.

\_\_\_\_\_ we changed thermostat \_\_\_\_\_ would not \_\_\_\_\_.

\_\_\_\_\_ thermostat dial didn't respond \_\_\_\_\_ the \_\_\_\_\_ on any \_\_\_\_\_

No matter \_\_\_\_\_ the thermostat \_\_\_\_\_ not respond.

No \_\_\_\_\_ the \_\_\_\_\_ no \_\_\_\_\_ what \_\_\_\_\_?

We have a \_\_\_\_\_ that doesn't \_\_\_\_\_ we \_\_\_\_\_ some \_\_\_\_\_ it.

\_\_\_\_\_ thermostat but \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_ won't respond \_\_\_\_\_ setting \_\_\_\_\_ used.

What if the \_\_\_\_\_ what \_\_\_\_\_ it is in?

\_\_\_\_\_ matter \_\_\_\_\_ you set the \_\_\_\_\_ will not \_\_\_\_\_.

The \_\_\_\_\_ responding even \_\_\_\_\_ be set \_\_\_\_\_ certain way.

There \_\_\_\_\_ no responsiveness \_\_\_\_\_.

There \_\_\_\_\_ responses \_\_\_\_\_ of the \_\_\_\_\_.

No \_\_\_\_\_ setting \_\_\_\_\_ thermostat \_\_\_\_\_ respond.

It \_\_\_\_\_ despite \_\_\_\_\_ being adjusted.

\_\_\_\_\_ does \_\_\_\_\_ thermostat being changed.

\_\_\_\_\_ we \_\_\_\_\_ the set on \_\_\_\_\_ thermostat dial \_\_\_\_\_ respond.

\_\_\_\_\_ the \_\_\_\_\_ might \_\_\_\_\_ set in \_\_\_\_\_ certain manner, there's \_\_\_\_\_.

The \_\_\_\_\_ regardless \_\_\_\_\_ setting.

Does zero \_\_\_\_\_ stick \_\_\_\_\_ dial we use \_\_\_\_\_ thermostat?

Regardless of \_\_\_\_\_ the \_\_\_\_\_ setting, there \_\_\_\_\_ no \_\_\_\_\_.

There \_\_\_\_\_ be no \_\_\_\_\_ the temperature \_\_\_\_\_

\_\_\_\_\_ setting thermostat.

We \_\_\_\_\_ and it \_\_\_\_\_ even tho we have some \_\_\_\_\_ it.

When \_\_\_\_\_ it in any setting, \_\_\_\_\_ on \_\_\_\_\_ thermostat \_\_\_\_\_.

\_\_\_\_\_ dial \_\_\_\_\_ hasn't responded even though we put some settings \_\_\_\_\_

\_\_\_\_\_ of \_\_\_\_\_ temperature setting, there \_\_\_\_\_ no reply \_\_\_\_\_.

\_\_\_\_\_ responded \_\_\_\_\_ the \_\_\_\_\_ was set.

\_\_\_\_\_ what setting \_\_\_\_\_ in, it still \_\_\_\_\_ responding.

\_\_\_\_\_ the \_\_\_\_\_ setting \_\_\_\_\_ no reply.

No \_\_\_\_\_ response \_\_\_\_\_ it is.

No one \_\_\_\_\_ the setting \_\_\_\_\_ thermostat \_\_\_\_\_ adjusted.

\_\_\_\_\_ there won't be a response, right?

\_\_\_\_\_ wasn't \_\_\_\_\_ response from \_\_\_\_\_ different \_\_\_\_\_.

The thermostat will \_\_\_\_\_ reply no \_\_\_\_\_ what \_\_\_\_\_.

\_\_\_\_\_ our thermostat \_\_\_\_\_ to response even \_\_\_\_\_ settings?

We have \_\_\_\_\_ dial that \_\_\_\_\_ though we \_\_\_\_\_ settings \_\_\_\_\_ it.

\_\_\_\_\_ wasn't a reaction from \_\_\_\_\_ on \_\_\_\_\_ thermostat.

\_\_\_\_\_ there no response from the \_\_\_\_\_ changing \_\_\_\_\_?

\_\_\_\_\_ thermostat \_\_\_\_\_ was not \_\_\_\_\_ when \_\_\_\_\_ it in \_\_\_\_\_ setting.

Regardless of \_\_\_\_\_ no response.

\_\_\_\_\_ thermostat \_\_\_\_\_ a response.

\_\_\_\_\_ though the thermostat \_\_\_\_\_ be \_\_\_\_\_ certain way, \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ respond, no matter what \_\_\_\_\_ is \_\_\_\_\_.

The \_\_\_\_\_ can't \_\_\_\_\_ if we \_\_\_\_\_ settings.

\_\_\_\_\_ doesn't budge, \_\_\_\_\_ after \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ responding \_\_\_\_\_ of setting.

Regardless \_\_\_\_\_ setting, \_\_\_\_\_ are no \_\_\_\_\_.

We have a thermostat \_\_\_\_\_ responding \_\_\_\_\_ put settings on \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ the question despite the temperature \_\_\_\_\_.  
 \_\_\_\_\_ thermostat \_\_\_\_\_ be \_\_\_\_\_ in a number of \_\_\_\_\_ there \_\_\_\_\_ response.  
 The \_\_\_\_\_ won't \_\_\_\_\_ regardless \_\_\_\_\_ setting \_\_\_\_\_ set.  
 \_\_\_\_\_ was \_\_\_\_\_ response from our thermostat \_\_\_\_\_ though \_\_\_\_\_.  
 What \_\_\_\_\_ the \_\_\_\_\_ regardless \_\_\_\_\_ what setting \_\_\_\_\_ used.  
 Even though the \_\_\_\_\_ there is still \_\_\_\_\_.  
 There won't \_\_\_\_\_ a \_\_\_\_\_ setting.  
 Even if \_\_\_\_\_ a certain way, there \_\_\_\_\_ response.  
 Even \_\_\_\_\_ thermostat \_\_\_\_\_ set \_\_\_\_\_ certain \_\_\_\_\_ there's no response from \_\_\_\_\_.  
 \_\_\_\_\_ it possible \_\_\_\_\_ our \_\_\_\_\_ is \_\_\_\_\_ to respond even \_\_\_\_\_ change \_\_\_\_\_?  
 Even \_\_\_\_\_ thermostat \_\_\_\_\_ set \_\_\_\_\_ a \_\_\_\_\_ of ways, there \_\_\_\_\_ response.  
 \_\_\_\_\_ there is no \_\_\_\_\_ the thermostat \_\_\_\_\_ of what \_\_\_\_\_ used?  
 There \_\_\_\_\_ no \_\_\_\_\_ the \_\_\_\_\_ settings.  
 We have a thermostat \_\_\_\_\_ hasn't \_\_\_\_\_ even \_\_\_\_\_ settings \_\_\_\_\_ it.  
 There wasn't \_\_\_\_\_ response from \_\_\_\_\_ thermostat \_\_\_\_\_ in \_\_\_\_\_.  
 \_\_\_\_\_ respond despite multiple \_\_\_\_\_.  
 \_\_\_\_\_ zero \_\_\_\_\_ even when \_\_\_\_\_ use a \_\_\_\_\_ on \_\_\_\_\_ thermostat?  
 \_\_\_\_\_ no \_\_\_\_\_ from the thermostat \_\_\_\_\_ it \_\_\_\_\_ set in a \_\_\_\_\_.  
 There \_\_\_\_\_ no \_\_\_\_\_ even with \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ response regardless \_\_\_\_\_ theTemperature \_\_\_\_\_  
 \_\_\_\_\_ no response from the \_\_\_\_\_ even though \_\_\_\_\_ might \_\_\_\_\_ in \_\_\_\_\_.  
 Does the thermostat \_\_\_\_\_ respond \_\_\_\_\_ if \_\_\_\_\_ it's \_\_\_\_\_?  
 \_\_\_\_\_ the settings \_\_\_\_\_ our thermostat \_\_\_\_\_ make a \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ that any thermostat changes don't \_\_\_\_\_?  
 \_\_\_\_\_ doesn't \_\_\_\_\_ of what setting \_\_\_\_\_ is in.  
 Even \_\_\_\_\_ may \_\_\_\_\_ set a \_\_\_\_\_ way, \_\_\_\_\_ is \_\_\_\_\_ response from \_\_\_\_\_.  
 \_\_\_\_\_ thermostat might \_\_\_\_\_ set different ways, there is \_\_\_\_\_.  
 \_\_\_\_\_ matter if zero response \_\_\_\_\_ thermostat dial.  
 \_\_\_\_\_ matter what \_\_\_\_\_ put the \_\_\_\_\_ in, it still \_\_\_\_\_.  
 There wasn't \_\_\_\_\_ from the \_\_\_\_\_ the thermostat.  
 No matter what \_\_\_\_\_ thermostat will \_\_\_\_\_ respond.  
 There will no \_\_\_\_\_ this \_\_\_\_\_ temperature setting.  
 \_\_\_\_\_ adjusting \_\_\_\_\_ no \_\_\_\_\_ is \_\_\_\_\_.  
 \_\_\_\_\_ response \_\_\_\_\_ being adjusted.  
 \_\_\_\_\_ don't \_\_\_\_\_ what setting \_\_\_\_\_ zero response \_\_\_\_\_ maintained.  
 Regardless of temperature \_\_\_\_\_ will be \_\_\_\_\_ question.  
 No \_\_\_\_\_ in \_\_\_\_\_ adjusting \_\_\_\_\_.  
 Despite \_\_\_\_\_ thermostat, no \_\_\_\_\_ was \_\_\_\_\_.  
 Even \_\_\_\_\_ thermostat might \_\_\_\_\_ in a \_\_\_\_\_ there isn't any \_\_\_\_\_ it.  
 We have \_\_\_\_\_ hasn't \_\_\_\_\_ though we've put settings on \_\_\_\_\_.  
 \_\_\_\_\_ have a thermostat \_\_\_\_\_ that still \_\_\_\_\_ we \_\_\_\_\_ some \_\_\_\_\_ on it.  
 \_\_\_\_\_ can \_\_\_\_\_ set in \_\_\_\_\_ variety of ways, \_\_\_\_\_ there is no \_\_\_\_\_.  
 No \_\_\_\_\_ from \_\_\_\_\_ thermostat no matter \_\_\_\_\_ was \_\_\_\_\_.  
 Even though \_\_\_\_\_ thermostat might \_\_\_\_\_ set \_\_\_\_\_ way \_\_\_\_\_ is \_\_\_\_\_ from \_\_\_\_\_.  
 What \_\_\_\_\_ is \_\_\_\_\_ the thermostat, regardless of \_\_\_\_\_ setting \_\_\_\_\_?  
 No one responds to \_\_\_\_\_ thermostatdial \_\_\_\_\_ setting, \_\_\_\_\_ not \_\_\_\_\_?  
 No \_\_\_\_\_ the \_\_\_\_\_ no \_\_\_\_\_ setting!  
 Is \_\_\_\_\_ unable \_\_\_\_\_ if we \_\_\_\_\_ it's settings?  
 There \_\_\_\_\_ response, \_\_\_\_\_ the \_\_\_\_\_ setting.  
 \_\_\_\_\_ response \_\_\_\_\_ thermostat no \_\_\_\_\_ what \_\_\_\_\_.

There \_\_\_\_\_ despite \_\_\_\_\_ being adjusted.

There \_\_\_\_\_ no response \_\_\_\_\_ setting.

There won't be \_\_\_\_\_ to this question \_\_\_\_\_ setting.

\_\_\_\_\_ response \_\_\_\_\_ the \_\_\_\_\_ present regardless \_\_\_\_\_ setting.

There was no \_\_\_\_\_ our thermostat \_\_\_\_\_ changes \_\_\_\_\_.

Regardless of the \_\_\_\_\_ not be a \_\_\_\_\_?

There \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ settings of the \_\_\_\_\_.

No response from \_\_\_\_\_ is?

\_\_\_\_\_ response \_\_\_\_\_ thermostat is \_\_\_\_\_ of \_\_\_\_\_ you not know?

\_\_\_\_\_ thermostat will \_\_\_\_\_ even \_\_\_\_\_ setting is set.

No matter what \_\_\_\_\_ we set, \_\_\_\_\_ matter \_\_\_\_\_ doesn't \_\_\_\_\_.

There \_\_\_\_\_ response \_\_\_\_\_ the thermostat \_\_\_\_\_ though \_\_\_\_\_ can \_\_\_\_\_ different.

Doesn't matter what \_\_\_\_\_ we put \_\_\_\_\_ thermostat dial \_\_\_\_\_ still \_\_\_\_\_?

Regardless of the \_\_\_\_\_ setting there \_\_\_\_\_ a \_\_\_\_\_.

Even \_\_\_\_\_ changed \_\_\_\_\_ settings, the thermostat \_\_\_\_\_.

\_\_\_\_\_ thermostat \_\_\_\_\_ doesn't respond even \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ response \_\_\_\_\_ all from \_\_\_\_\_ thermostat, regardless \_\_\_\_\_ setting?

No \_\_\_\_\_ the thermostat \_\_\_\_\_ regardless of \_\_\_\_\_.

There was \_\_\_\_\_ from \_\_\_\_\_ thermostat \_\_\_\_\_ setings \_\_\_\_\_ changed.

Even though \_\_\_\_\_ thermostat \_\_\_\_\_ be \_\_\_\_\_ certain \_\_\_\_\_ is \_\_\_\_\_ reply.

\_\_\_\_\_ matter what \_\_\_\_\_ thermostat \_\_\_\_\_ for, still no \_\_\_\_\_.

\_\_\_\_\_ thermostat won't respond \_\_\_\_\_ matter \_\_\_\_\_ setting \_\_\_\_\_.