

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Service interruption and outage reports
<b>Inquiry Sub-Category</b>	Low Pressure
<b>Description</b>	Customers inquire about low water pressure issues in their area, seeking information on the cause, potential impacts on their daily activities, and updates on the status of repairs.
<b>Data Size</b>	7,295 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ fixing these issues \_\_\_\_ off \_\_\_\_ supply completely, \_\_\_\_ we \_\_\_\_ some running tapwater during \_\_\_\_?  
 Is there \_\_\_\_ need \_\_\_\_ our \_\_\_\_ while we address \_\_\_\_ fix \_\_\_\_ or can we use some \_\_\_\_ throughout \_\_\_\_?  
 Will the water be disconnected \_\_\_\_ if \_\_\_\_?  
 \_\_\_\_ can \_\_\_\_ continue to \_\_\_\_ tap \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ of the \_\_\_\_ system be \_\_\_\_ to fix \_\_\_\_?  
 \_\_\_\_ to keep \_\_\_\_ to running \_\_\_\_ while carrying out \_\_\_\_ repairs?  
 Will some \_\_\_\_ ol' tap \_\_\_\_ be \_\_\_\_ water is \_\_\_\_?  
 \_\_\_\_ necessary \_\_\_\_ water \_\_\_\_ to \_\_\_\_ completely shut down \_\_\_\_ are there opportunities for \_\_\_\_?  
 \_\_\_\_ it necessary to \_\_\_\_ supply to \_\_\_\_ issues?  
 \_\_\_\_ the \_\_\_\_ for \_\_\_\_ can some \_\_\_\_ flowing?  
 Is \_\_\_\_ necessary \_\_\_\_ off \_\_\_\_ to \_\_\_\_ water \_\_\_\_ temporarily?  
 Is \_\_\_\_ to stop \_\_\_\_ while you \_\_\_\_ issues?  
 Will a complete shut \_\_\_\_ water system \_\_\_\_ repairs?  
 Will \_\_\_\_ need \_\_\_\_ water flow if \_\_\_\_ solve these \_\_\_\_?  
 \_\_\_\_ it possible to \_\_\_\_ running tap \_\_\_\_ being performed?  
 While we fix \_\_\_\_ use \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ while we fix \_\_\_\_ issues, \_\_\_\_ can we have \_\_\_\_ down of our water supply?  
 Can we \_\_\_\_ tapwater \_\_\_\_?  
 Will \_\_\_\_ stop \_\_\_\_ supply completely as we \_\_\_\_ issues, or can we \_\_\_\_ some \_\_\_\_?  
 \_\_\_\_ for \_\_\_\_ to be done without \_\_\_\_ cutting \_\_\_\_ the \_\_\_\_ supply?  
 Is \_\_\_\_ necessary \_\_\_\_ stop \_\_\_\_ this is fixed?  
 Can \_\_\_\_ be carried out \_\_\_\_ completely \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ complete \_\_\_\_ water service \_\_\_\_ for \_\_\_\_ maintenance, or are there \_\_\_\_ for continued \_\_\_\_ with \_\_\_\_ underway.  
 \_\_\_\_ a \_\_\_\_ shutdown of our \_\_\_\_ service needed \_\_\_\_ proper \_\_\_\_ are there \_\_\_\_ for \_\_\_\_ with \_\_\_\_ underway?  
 Is \_\_\_\_ complete \_\_\_\_ water service required for \_\_\_\_ or are \_\_\_\_ able to \_\_\_\_ fixes underway?  
 Is it \_\_\_\_ off all \_\_\_\_ access \_\_\_\_ the \_\_\_\_ source \_\_\_\_?  
 Is \_\_\_\_ necessary to completely \_\_\_\_ off \_\_\_\_ if we want \_\_\_\_?  
 \_\_\_\_ tap water \_\_\_\_ be \_\_\_\_?

Will we have \_\_\_\_\_ off our \_\_\_\_\_ completely \_\_\_\_\_ can we \_\_\_\_\_ running tapwater \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ cut off \_\_\_\_\_ water \_\_\_\_\_?

Can we \_\_\_\_\_ access \_\_\_\_\_ tapwater while \_\_\_\_\_ fix our \_\_\_\_\_ can we have a complete \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ shut off \_\_\_\_\_ issues?

\_\_\_\_\_ the \_\_\_\_\_ supply \_\_\_\_\_ disconnected if \_\_\_\_\_ need \_\_\_\_\_ fix \_\_\_\_\_ problems?

Is \_\_\_\_\_ possible \_\_\_\_\_ tapwater \_\_\_\_\_ be used \_\_\_\_\_ repairs?

Is there \_\_\_\_\_ close \_\_\_\_\_ supply while \_\_\_\_\_ address \_\_\_\_\_ these problems, or \_\_\_\_\_ use \_\_\_\_\_ certain amount of \_\_\_\_\_ water

\_\_\_\_\_ necessary to \_\_\_\_\_ cut off \_\_\_\_\_ supply to fix \_\_\_\_\_?

\_\_\_\_\_ fixes \_\_\_\_\_ running \_\_\_\_\_ an option?

\_\_\_\_\_ we \_\_\_\_\_ access to running \_\_\_\_\_ while \_\_\_\_\_ the \_\_\_\_\_ or can we \_\_\_\_\_ complete shut-down of \_\_\_\_\_ water \_\_\_\_\_

Will we \_\_\_\_\_ stop the supply \_\_\_\_\_ as \_\_\_\_\_ or \_\_\_\_\_ we use \_\_\_\_\_?

Should \_\_\_\_\_ shutdown be \_\_\_\_\_ to \_\_\_\_\_ issues?

\_\_\_\_\_ repair needs, can \_\_\_\_\_ water \_\_\_\_\_?

Can certain sections of the \_\_\_\_\_ water while \_\_\_\_\_ done?

\_\_\_\_\_ need to turn \_\_\_\_\_ all \_\_\_\_\_ to our \_\_\_\_\_ source \_\_\_\_\_ order to \_\_\_\_\_?

\_\_\_\_\_ to cut off \_\_\_\_\_ completely or \_\_\_\_\_ we \_\_\_\_\_ use \_\_\_\_\_ tap water \_\_\_\_\_ repairs?

Will \_\_\_\_\_ take a \_\_\_\_\_ shutdown \_\_\_\_\_ the water \_\_\_\_\_ us to \_\_\_\_\_?

Can \_\_\_\_\_ have limited access to \_\_\_\_\_ while we fix these issues \_\_\_\_\_ complete \_\_\_\_\_ of our \_\_\_\_\_?

Will repairs cause the water \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ be \_\_\_\_\_ without \_\_\_\_\_ off the whole water supply?

Is \_\_\_\_\_ to \_\_\_\_\_ cut \_\_\_\_\_ the water supply \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ certain \_\_\_\_\_ the system \_\_\_\_\_ continue providing \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ we get \_\_\_\_\_ water while \_\_\_\_\_ are fixed?

Will the supply \_\_\_\_\_ completely, \_\_\_\_\_ can some \_\_\_\_\_ still \_\_\_\_\_?

\_\_\_\_\_ tapwater \_\_\_\_\_ used during \_\_\_\_\_ or \_\_\_\_\_ supply be cut?

Is it necessary \_\_\_\_\_ cut \_\_\_\_\_ supply \_\_\_\_\_ correct \_\_\_\_\_?

Will we need \_\_\_\_\_ cut \_\_\_\_\_ the issues?

Can \_\_\_\_\_ some \_\_\_\_\_ during repairs?

\_\_\_\_\_ there a \_\_\_\_\_ us \_\_\_\_\_ have running \_\_\_\_\_ during \_\_\_\_\_ mess?

\_\_\_\_\_ close our \_\_\_\_\_ in order to address \_\_\_\_\_ problems, or can we use a small \_\_\_\_\_ of \_\_\_\_\_

Despite \_\_\_\_\_ can some tap water \_\_\_\_\_?

Repairs \_\_\_\_\_ mean \_\_\_\_\_ can some taps \_\_\_\_\_ run?

Is \_\_\_\_\_ keep \_\_\_\_\_ running tap water \_\_\_\_\_ doing necessary repairs?

\_\_\_\_\_ we \_\_\_\_\_ tapwater \_\_\_\_\_ repairs \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ cut off \_\_\_\_\_ water supply?

\_\_\_\_\_ don't \_\_\_\_\_ if a \_\_\_\_\_ shutdown of \_\_\_\_\_ service \_\_\_\_\_ for proper \_\_\_\_\_ or \_\_\_\_\_ there are \_\_\_\_\_.

Despite \_\_\_\_\_ can some \_\_\_\_\_ keep \_\_\_\_\_?

Will we \_\_\_\_\_ able to continue using \_\_\_\_\_ amount \_\_\_\_\_?

Is there room \_\_\_\_\_ a \_\_\_\_\_ tapwater \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ we keep \_\_\_\_\_ water flowing \_\_\_\_\_?

Is it \_\_\_\_\_ running tap \_\_\_\_\_ while fixing?

\_\_\_\_\_ water supply \_\_\_\_\_ disconnected entirely \_\_\_\_\_ fix \_\_\_\_\_ problems?

Will cutting the \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_?

Is it \_\_\_\_\_ stop the \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ address these problems, \_\_\_\_\_ still be able to \_\_\_\_\_ taps?

\_\_\_\_\_ repairs, \_\_\_\_\_ we still \_\_\_\_\_ tapwater?

Is \_\_\_\_\_ possible to keep partial \_\_\_\_\_ care of \_\_\_\_\_ repair work?

Will we \_\_\_\_\_ limited access \_\_\_\_\_ we \_\_\_\_\_ issues or \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ our water supply?

\_\_\_\_\_ to stop the \_\_\_\_\_ while we \_\_\_\_\_ the \_\_\_\_\_?

We don't \_\_\_\_\_ a complete shut \_\_\_\_\_ our water \_\_\_\_\_ is required \_\_\_\_\_ there are \_\_\_\_\_ for \_\_\_\_\_ access with

\_\_\_\_\_ there any tapwater \_\_\_\_\_ we \_\_\_\_\_ everything?  
 \_\_\_\_\_ we \_\_\_\_\_ use our \_\_\_\_\_ tapwater during \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ to cut \_\_\_\_\_ our \_\_\_\_\_ ?  
 \_\_\_\_\_ still \_\_\_\_\_ tapwater during the \_\_\_\_\_ ?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ running \_\_\_\_\_ repairs?  
 \_\_\_\_\_ need to \_\_\_\_\_ off \_\_\_\_\_ to fix the issues?  
 Is \_\_\_\_\_ run \_\_\_\_\_ critical fixes?  
 Can \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ ?  
 Will \_\_\_\_\_ take a \_\_\_\_\_ shut \_\_\_\_\_ water \_\_\_\_\_ to fix our \_\_\_\_\_ ?  
 Is \_\_\_\_\_ stop the water \_\_\_\_\_ completely for \_\_\_\_\_ or \_\_\_\_\_ water still \_\_\_\_\_ during \_\_\_\_\_ time?  
 Will \_\_\_\_\_ repairs cause \_\_\_\_\_ to \_\_\_\_\_ cut \_\_\_\_\_ ?  
 \_\_\_\_\_ a \_\_\_\_\_ shut-down \_\_\_\_\_ service required for \_\_\_\_\_ maintenance \_\_\_\_\_ there \_\_\_\_\_ for continued access?  
 \_\_\_\_\_ you \_\_\_\_\_ be \_\_\_\_\_ supply of \_\_\_\_\_ during the fix process?  
 Will we have \_\_\_\_\_ cut our \_\_\_\_\_ completely \_\_\_\_\_ ?  
 Is \_\_\_\_\_ okay \_\_\_\_\_ tapwater to be \_\_\_\_\_ when \_\_\_\_\_ ?  
 \_\_\_\_\_ know if \_\_\_\_\_ tapwater can still \_\_\_\_\_ used while \_\_\_\_\_ our \_\_\_\_\_ .  
 Is a \_\_\_\_\_ of our \_\_\_\_\_ for proper \_\_\_\_\_ or \_\_\_\_\_ opportunities \_\_\_\_\_ continued \_\_\_\_\_ with necessary fixes \_\_\_\_\_ ?  
 \_\_\_\_\_ some water during the \_\_\_\_\_ ?  
 Is a complete \_\_\_\_\_ down \_\_\_\_\_ issues?  
 \_\_\_\_\_ it possible \_\_\_\_\_ without shutting it off?  
 \_\_\_\_\_ have \_\_\_\_\_ cut off \_\_\_\_\_ or can we \_\_\_\_\_ use tap water during \_\_\_\_\_ ?  
 Is \_\_\_\_\_ a need \_\_\_\_\_ entire supply, \_\_\_\_\_ use \_\_\_\_\_ small \_\_\_\_\_ of \_\_\_\_\_ water during the repairs?  
 \_\_\_\_\_ to close \_\_\_\_\_ supply while we address and fix \_\_\_\_\_ should \_\_\_\_\_ some \_\_\_\_\_ water \_\_\_\_\_ the repairs?  
 \_\_\_\_\_ we cut off \_\_\_\_\_ supply completely while \_\_\_\_\_ problems or \_\_\_\_\_ use our \_\_\_\_\_ ?  
 \_\_\_\_\_ need to \_\_\_\_\_ off our \_\_\_\_\_ we \_\_\_\_\_ be able \_\_\_\_\_ use our \_\_\_\_\_ water during repairs?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ off the \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ stop \_\_\_\_\_ supply \_\_\_\_\_ or \_\_\_\_\_ tap water still usable during \_\_\_\_\_ ?  
 Should a complete \_\_\_\_\_ shut-off \_\_\_\_\_ for \_\_\_\_\_ ?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ alternate \_\_\_\_\_ made \_\_\_\_\_ repair work \_\_\_\_\_ that tapwater remains \_\_\_\_\_ ?  
 Can \_\_\_\_\_ if we fix the problems?  
 Can \_\_\_\_\_ some tap water during \_\_\_\_\_ cutting off \_\_\_\_\_ water \_\_\_\_\_ ?  
 Can we have limited \_\_\_\_\_ tapwater while \_\_\_\_\_ fix \_\_\_\_\_ or \_\_\_\_\_ we have \_\_\_\_\_ shut \_\_\_\_\_ water supply?  
 Is \_\_\_\_\_ need to close \_\_\_\_\_ entire supply \_\_\_\_\_ we \_\_\_\_\_ fix these \_\_\_\_\_ or can \_\_\_\_\_ use a \_\_\_\_\_  
 \_\_\_\_\_ it possible to \_\_\_\_\_ partial access \_\_\_\_\_ the \_\_\_\_\_ doing necessary \_\_\_\_\_ ?  
 Despite the need \_\_\_\_\_ can \_\_\_\_\_ tapwater continue \_\_\_\_\_ ?  
 Should repairs mean \_\_\_\_\_ water \_\_\_\_\_ can some \_\_\_\_\_ ?  
 \_\_\_\_\_ shutting off \_\_\_\_\_ necessary?  
 \_\_\_\_\_ necessary \_\_\_\_\_ stop \_\_\_\_\_ service?  
 \_\_\_\_\_ we \_\_\_\_\_ tapwater \_\_\_\_\_ fix issues or \_\_\_\_\_ cut \_\_\_\_\_ supply?  
 \_\_\_\_\_ have to \_\_\_\_\_ our \_\_\_\_\_ completely, \_\_\_\_\_ we still \_\_\_\_\_ tapwater during repairs?  
 Is \_\_\_\_\_ a way to \_\_\_\_\_ tapwater \_\_\_\_\_ fixing \_\_\_\_\_ ?  
 \_\_\_\_\_ a complete shut down of \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_ there opportunities \_\_\_\_\_ continued \_\_\_\_\_ ?  
 \_\_\_\_\_ there room \_\_\_\_\_ tapwater usage during \_\_\_\_\_ ?  
 During repairs \_\_\_\_\_ we still use a \_\_\_\_\_ taps?  
 When addressing these issues, \_\_\_\_\_ arrangement be made \_\_\_\_\_ access \_\_\_\_\_ tap \_\_\_\_\_ ?  
 Will \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ completely \_\_\_\_\_ some \_\_\_\_\_ water during repairs?  
 \_\_\_\_\_ it \_\_\_\_\_ keep partial \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ doing necessary repairs?  
 Will \_\_\_\_\_ to stop \_\_\_\_\_ water flow as \_\_\_\_\_ solve \_\_\_\_\_ ?  
 \_\_\_\_\_ there room for \_\_\_\_\_ of tap water \_\_\_\_\_ the \_\_\_\_\_ ?  
 Will \_\_\_\_\_ have \_\_\_\_\_ the supply \_\_\_\_\_ or will \_\_\_\_\_ be able to \_\_\_\_\_ tap water \_\_\_\_\_ ?  
 Do \_\_\_\_\_ think there will \_\_\_\_\_ tapwater supply \_\_\_\_\_ process?

\_\_\_\_\_ limited \_\_\_\_\_ running \_\_\_\_\_ while we fix \_\_\_\_\_ or will we have \_\_\_\_\_ complete shutdown \_\_\_\_\_ water supply?

Is a \_\_\_\_\_ shut-off mandatory \_\_\_\_\_?

Will \_\_\_\_\_ to stop \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_ these issues \_\_\_\_\_ we \_\_\_\_\_ some tapwater?

During \_\_\_\_\_ it be \_\_\_\_\_ to \_\_\_\_\_ running \_\_\_\_\_?

\_\_\_\_\_ fixed by cutting our supply \_\_\_\_\_?

\_\_\_\_\_ repairs cause a \_\_\_\_\_ off of the \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ access to our \_\_\_\_\_ source \_\_\_\_\_ a short while?

\_\_\_\_\_ we \_\_\_\_\_ to cut off our supply completely \_\_\_\_\_ can \_\_\_\_\_ still \_\_\_\_\_ repairs?

Can some \_\_\_\_\_ issues?

\_\_\_\_\_ the water necessary during \_\_\_\_\_ repair \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ access to tapwater while \_\_\_\_\_ repairs?

During \_\_\_\_\_ we continue \_\_\_\_\_ use \_\_\_\_\_ water?

Was it \_\_\_\_\_ to \_\_\_\_\_ off the \_\_\_\_\_ for \_\_\_\_\_?

Will \_\_\_\_\_ tap \_\_\_\_\_ be used \_\_\_\_\_ or \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ cut \_\_\_\_\_ supply to \_\_\_\_\_ these \_\_\_\_\_?

Will \_\_\_\_\_ to \_\_\_\_\_ can some tapwater be used \_\_\_\_\_ repairs?

\_\_\_\_\_ necessary \_\_\_\_\_ completely cut off the water supply \_\_\_\_\_ issues?

Are we \_\_\_\_\_ to \_\_\_\_\_ we \_\_\_\_\_ something?

Can running \_\_\_\_\_ used while we \_\_\_\_\_ problems, \_\_\_\_\_ should \_\_\_\_\_ supply completely?

Can \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ tap water while we \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ of the water supply?

\_\_\_\_\_ it necessary to completely \_\_\_\_\_ source \_\_\_\_\_ water?

Is \_\_\_\_\_ to \_\_\_\_\_ supply for repairs, \_\_\_\_\_ tap water still \_\_\_\_\_?

Will \_\_\_\_\_ need \_\_\_\_\_ cut our supply \_\_\_\_\_ fixing \_\_\_\_\_?

Can \_\_\_\_\_ continue \_\_\_\_\_ the \_\_\_\_\_ repairs?

Will we cut \_\_\_\_\_ supply \_\_\_\_\_ while \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ some tapwater use?

\_\_\_\_\_ sections \_\_\_\_\_ system continue \_\_\_\_\_ water for use during repairs?

Is it possible to \_\_\_\_\_ some access \_\_\_\_\_ doing \_\_\_\_\_ repairs?

Should \_\_\_\_\_ have \_\_\_\_\_ cut off our supply \_\_\_\_\_ can \_\_\_\_\_ use \_\_\_\_\_ water?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ repairs without \_\_\_\_\_ cutting our \_\_\_\_\_?

Should \_\_\_\_\_ shutdown \_\_\_\_\_ required to fix \_\_\_\_\_?

Is \_\_\_\_\_ to keep running \_\_\_\_\_ for \_\_\_\_\_?

Is \_\_\_\_\_ of \_\_\_\_\_ required for proper maintenance \_\_\_\_\_ are \_\_\_\_\_ options \_\_\_\_\_ continued access?

\_\_\_\_\_ a \_\_\_\_\_ shut-down of \_\_\_\_\_ water system be \_\_\_\_\_ the \_\_\_\_\_?

During \_\_\_\_\_ can \_\_\_\_\_ still use \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ use the tap water during repairs?

When addressing these issues can an \_\_\_\_\_ partial \_\_\_\_\_ tapwater \_\_\_\_\_ retained?

\_\_\_\_\_ use the \_\_\_\_\_ some extent \_\_\_\_\_ repairs?

\_\_\_\_\_ a \_\_\_\_\_ water \_\_\_\_\_ down be required for \_\_\_\_\_?

Despite \_\_\_\_\_ continue to flow?

Will we have limited access \_\_\_\_\_ water \_\_\_\_\_ we have \_\_\_\_\_ complete \_\_\_\_\_ of \_\_\_\_\_ supply?

Were we allowed to \_\_\_\_\_ were \_\_\_\_\_ everything?

\_\_\_\_\_ it necessary \_\_\_\_\_ turn \_\_\_\_\_ our \_\_\_\_\_ temporarily?

Is it \_\_\_\_\_ to temporarily turn \_\_\_\_\_ access \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ running \_\_\_\_\_ used \_\_\_\_\_ we fix the \_\_\_\_\_?

Will it be a \_\_\_\_\_ ol' H2O?

\_\_\_\_\_ complete shutdown of the \_\_\_\_\_ system \_\_\_\_\_ for \_\_\_\_\_?

Is it \_\_\_\_\_ stop \_\_\_\_\_ supply \_\_\_\_\_ repairs or is \_\_\_\_\_ still \_\_\_\_\_?

Is it possible to \_\_\_\_\_ are being \_\_\_\_\_?

\_\_\_\_\_ to make \_\_\_\_\_ arrangement \_\_\_\_\_ repair work \_\_\_\_\_ partial access to \_\_\_\_\_ water?

\_\_\_\_\_ we continue \_\_\_\_\_ use \_\_\_\_\_?

Do repairs demand \_\_\_\_\_ shut-off \_\_\_\_\_?

Is \_\_\_\_\_ running tapwater \_\_\_\_\_ repairs \_\_\_\_\_ going on?

\_\_\_\_\_ have limited \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ we fix \_\_\_\_\_ issues \_\_\_\_\_ have \_\_\_\_\_ complete shutdown of the \_\_\_\_\_ supply?

For fixing \_\_\_\_\_ a \_\_\_\_\_ water \_\_\_\_\_ mandatory?

\_\_\_\_\_ can \_\_\_\_\_ tapwater to some \_\_\_\_\_?

\_\_\_\_\_ a complete \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ for proper \_\_\_\_\_ is \_\_\_\_\_ opportunities for continued access with \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ arrangement be made during \_\_\_\_\_ that \_\_\_\_\_ to tap \_\_\_\_\_ retained?

\_\_\_\_\_ a complete shutdown \_\_\_\_\_ the water \_\_\_\_\_ be necessary \_\_\_\_\_?

Is it \_\_\_\_\_ use tapwater while \_\_\_\_\_?

Can \_\_\_\_\_ continue \_\_\_\_\_ small amount \_\_\_\_\_ water \_\_\_\_\_ repairs?

Will \_\_\_\_\_ completely \_\_\_\_\_ if we fix the \_\_\_\_\_?

\_\_\_\_\_ allowed to \_\_\_\_\_ tapwater while \_\_\_\_\_ fixing everything?

Will \_\_\_\_\_ have \_\_\_\_\_ supplies \_\_\_\_\_ to \_\_\_\_\_ the issues?

\_\_\_\_\_ completely or \_\_\_\_\_ some tapwater can still be \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ tapwater \_\_\_\_\_ we \_\_\_\_\_ the issues, or \_\_\_\_\_ we have \_\_\_\_\_ complete shutdown of our \_\_\_\_\_ supply?

Is \_\_\_\_\_ room \_\_\_\_\_ little \_\_\_\_\_ usage \_\_\_\_\_ if \_\_\_\_\_ don't need abundant supply \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ cut \_\_\_\_\_ supply \_\_\_\_\_ will we still \_\_\_\_\_ able to use \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ tapwater \_\_\_\_\_ during fixing?

\_\_\_\_\_ stop \_\_\_\_\_ water supply completely for \_\_\_\_\_ or \_\_\_\_\_ some running tapwater \_\_\_\_\_?

Is \_\_\_\_\_ shut down of \_\_\_\_\_ service required for \_\_\_\_\_ maintenance or \_\_\_\_\_ for \_\_\_\_\_ access?

\_\_\_\_\_ take \_\_\_\_\_ complete shutdown of the \_\_\_\_\_ to fix \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ compulsory for fixing \_\_\_\_\_?

Is \_\_\_\_\_ to use \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ supply \_\_\_\_\_ for repairs \_\_\_\_\_ it still possible to use \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ our supply \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ use tap water \_\_\_\_\_ repairs?

\_\_\_\_\_ it necessary to \_\_\_\_\_ the \_\_\_\_\_ entirely for repairs \_\_\_\_\_ is \_\_\_\_\_ this time?

Is it possible to \_\_\_\_\_ access \_\_\_\_\_ tap \_\_\_\_\_ while carrying \_\_\_\_\_?

\_\_\_\_\_ it necessary to \_\_\_\_\_ our water supply \_\_\_\_\_ is \_\_\_\_\_ water still \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ flowing \_\_\_\_\_ repair needs?

Does repairs mean \_\_\_\_\_ water, \_\_\_\_\_ can \_\_\_\_\_ still \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to keep the \_\_\_\_\_ running \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ for an \_\_\_\_\_ arrangement to \_\_\_\_\_ repair work so \_\_\_\_\_ access \_\_\_\_\_ tapwater remains?

We \_\_\_\_\_ to decide \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ tap water.

Can we use some \_\_\_\_\_ water \_\_\_\_\_ repairs, \_\_\_\_\_ have \_\_\_\_\_ cut \_\_\_\_\_ water \_\_\_\_\_?

Can \_\_\_\_\_ continue to use \_\_\_\_\_ small amount \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ halt \_\_\_\_\_ water flow \_\_\_\_\_ we fix these \_\_\_\_\_?

Is \_\_\_\_\_ to keep \_\_\_\_\_ to running \_\_\_\_\_ out repairs?

\_\_\_\_\_ may mean no water, \_\_\_\_\_ taps \_\_\_\_\_ run.

Is \_\_\_\_\_ a \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_ these problems, or can we use a \_\_\_\_\_ tapwater?

\_\_\_\_\_ there \_\_\_\_\_ a need \_\_\_\_\_ our supply \_\_\_\_\_?

Can \_\_\_\_\_ still \_\_\_\_\_ some \_\_\_\_\_ water during \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ to flow?

\_\_\_\_\_ use \_\_\_\_\_ while \_\_\_\_\_ fix our problems?

Will we need \_\_\_\_\_ water \_\_\_\_\_ solve these issues?

\_\_\_\_\_ possible \_\_\_\_\_ partial \_\_\_\_\_ to running tapwater to be maintained \_\_\_\_\_ shutting off \_\_\_\_\_?

\_\_\_\_\_ repair work \_\_\_\_\_ an alternate \_\_\_\_\_ made so \_\_\_\_\_ partial access \_\_\_\_\_ remains?

\_\_\_\_\_ it \_\_\_\_\_ for partial \_\_\_\_\_ running tapwater to \_\_\_\_\_ maintained \_\_\_\_\_ entire \_\_\_\_\_ supply is \_\_\_\_\_ down?

\_\_\_\_\_ no \_\_\_\_\_ or can some taps \_\_\_\_\_ run?

\_\_\_\_\_ a \_\_\_\_\_ tap water while you fix supply \_\_\_\_\_?

\_\_\_\_\_ we be \_\_\_\_\_ our supply \_\_\_\_\_ while \_\_\_\_\_ stuff?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ the \_\_\_\_\_ entirely \_\_\_\_\_ or \_\_\_\_\_ tap water still \_\_\_\_\_ this time?

\_\_\_\_\_ mean no \_\_\_\_\_ or \_\_\_\_\_ taps still run?

Is it necessary \_\_\_\_\_ the supply \_\_\_\_\_ fix \_\_\_\_\_?

\_\_\_\_\_ it possible for \_\_\_\_\_ to running \_\_\_\_\_ be maintained \_\_\_\_\_ the repair work \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ tapwater \_\_\_\_\_ used during \_\_\_\_\_ repairs?

\_\_\_\_\_ use our tapwater \_\_\_\_\_?

How can I \_\_\_\_\_ issues?

\_\_\_\_\_ it take a \_\_\_\_\_ shut-off of \_\_\_\_\_ fix it?

\_\_\_\_\_ we use \_\_\_\_\_ water while \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ in \_\_\_\_\_?

Will the \_\_\_\_\_ water supply \_\_\_\_\_?

\_\_\_\_\_ possible to keep \_\_\_\_\_ running tapwater \_\_\_\_\_ to \_\_\_\_\_ necessary repair work?

\_\_\_\_\_ it be a \_\_\_\_\_ water \_\_\_\_\_ be some good \_\_\_\_\_ H2O?

\_\_\_\_\_ some \_\_\_\_\_ be used \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ stop \_\_\_\_\_ supply entirely?

\_\_\_\_\_ have \_\_\_\_\_ supply completely or can we still \_\_\_\_\_ some \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ while you \_\_\_\_\_?

Do \_\_\_\_\_ cut our supply completely \_\_\_\_\_ can \_\_\_\_\_ the \_\_\_\_\_ water?

Is \_\_\_\_\_ possible \_\_\_\_\_ keep partial \_\_\_\_\_ to running \_\_\_\_\_ repair \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ repairs will cut \_\_\_\_\_ completely?

Will \_\_\_\_\_ to \_\_\_\_\_ flow as \_\_\_\_\_ solve these issues?

Is \_\_\_\_\_ possible \_\_\_\_\_ partial access \_\_\_\_\_ tapwater \_\_\_\_\_ doing repair \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ water while \_\_\_\_\_ the issues?

Will the \_\_\_\_\_ cutting \_\_\_\_\_ supply entirely?

\_\_\_\_\_ possible to \_\_\_\_\_ to the \_\_\_\_\_ water while \_\_\_\_\_ repair work?

Is it \_\_\_\_\_ to close our entire \_\_\_\_\_ while \_\_\_\_\_ these \_\_\_\_\_ or can \_\_\_\_\_ water throughout the \_\_\_\_\_?

Is it possible to keep \_\_\_\_\_?

\_\_\_\_\_ water supply be disconnected \_\_\_\_\_ to fix the \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ access \_\_\_\_\_ running \_\_\_\_\_ while repairs are \_\_\_\_\_ can we \_\_\_\_\_ a complete shutdown of \_\_\_\_\_?

\_\_\_\_\_ we keep \_\_\_\_\_ when repairs \_\_\_\_\_ taking \_\_\_\_\_?

\_\_\_\_\_ off \_\_\_\_\_ to \_\_\_\_\_ water source temporarily to fix \_\_\_\_\_ issues?

Repairs \_\_\_\_\_ to be \_\_\_\_\_ can some \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ a complete water \_\_\_\_\_ off \_\_\_\_\_ issues?

Will \_\_\_\_\_ ol' tap H2O \_\_\_\_\_ or \_\_\_\_\_ it be \_\_\_\_\_ shutdown?

\_\_\_\_\_ some \_\_\_\_\_ accommodate \_\_\_\_\_ tapwater?

Is \_\_\_\_\_ necessary \_\_\_\_\_ off all access to \_\_\_\_\_ temporarily \_\_\_\_\_ not?

Is it necessary to \_\_\_\_\_ the \_\_\_\_\_ supply \_\_\_\_\_ repairs \_\_\_\_\_ still \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ tap \_\_\_\_\_ some repairs?

Is it \_\_\_\_\_ to \_\_\_\_\_ entire \_\_\_\_\_ while \_\_\_\_\_ address \_\_\_\_\_ fix these problems, or \_\_\_\_\_ use some tapwater \_\_\_\_\_?

Can some \_\_\_\_\_?

\_\_\_\_\_ have to stop \_\_\_\_\_ supply completely \_\_\_\_\_ or \_\_\_\_\_ we use some tapwater \_\_\_\_\_ repairs?

\_\_\_\_\_ don't know if \_\_\_\_\_ have \_\_\_\_\_ off our \_\_\_\_\_ or \_\_\_\_\_ can \_\_\_\_\_ use tap water.

\_\_\_\_\_ there room for \_\_\_\_\_ use of \_\_\_\_\_ fixing?

\_\_\_\_\_ it \_\_\_\_\_ for partial \_\_\_\_\_ to run \_\_\_\_\_ be maintained while \_\_\_\_\_ being \_\_\_\_\_?

Is there a \_\_\_\_\_ us to close our entire \_\_\_\_\_ and \_\_\_\_\_ these \_\_\_\_\_ or can \_\_\_\_\_ some \_\_\_\_\_

Will \_\_\_\_\_ shutdown \_\_\_\_\_ be needed for repair?

Will \_\_\_\_\_ need \_\_\_\_\_ completely to fix the \_\_\_\_\_?

\_\_\_\_\_ it compulsory to shut \_\_\_\_\_ for \_\_\_\_\_ issues?

\_\_\_\_\_ repairing means no \_\_\_\_\_ or \_\_\_\_\_ some taps \_\_\_\_\_?

Should we \_\_\_\_\_ to \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ complete shut-down of \_\_\_\_\_ water \_\_\_\_\_ to fix the \_\_\_\_\_?

\_\_\_\_\_ running taps an \_\_\_\_\_ repairs?

Can \_\_\_\_\_ water \_\_\_\_\_ be \_\_\_\_\_ we need \_\_\_\_\_ fix it?

Is it \_\_\_\_\_ keep \_\_\_\_\_ repairs?

Is a \_\_\_\_\_ shutdown \_\_\_\_\_ our \_\_\_\_\_ service \_\_\_\_\_ proper \_\_\_\_\_ are there opportunities \_\_\_\_\_ continued access \_\_\_\_\_ repairs \_\_\_\_\_?

Will some tapwater \_\_\_\_\_ used \_\_\_\_\_ repairs \_\_\_\_\_ will \_\_\_\_\_ cut?

\_\_\_\_\_ we use \_\_\_\_\_ during the repairs without completely \_\_\_\_\_?

Do you \_\_\_\_\_ a \_\_\_\_\_ water \_\_\_\_\_ is \_\_\_\_\_ fixing \_\_\_\_\_?

\_\_\_\_\_ required \_\_\_\_\_ all access \_\_\_\_\_ our water source temporarily?

Will it \_\_\_\_\_ our supply \_\_\_\_\_ issues?

\_\_\_\_\_ service required for proper \_\_\_\_\_ or are there opportunities for continued \_\_\_\_\_ with \_\_\_\_\_ underway?

\_\_\_\_\_ cut off our \_\_\_\_\_ can we still use our \_\_\_\_\_ water?

\_\_\_\_\_ we \_\_\_\_\_ cut \_\_\_\_\_ our \_\_\_\_\_ completely or \_\_\_\_\_ we \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ tap water?

Is it \_\_\_\_\_ tapwater to \_\_\_\_\_ while necessary repairs \_\_\_\_\_ being made?

Can \_\_\_\_\_ keep using \_\_\_\_\_ occur?

Is it possible \_\_\_\_\_ repair \_\_\_\_\_ supply without \_\_\_\_\_ cutting off \_\_\_\_\_?

Will \_\_\_\_\_ cut off the supply \_\_\_\_\_ these \_\_\_\_\_?

Should a \_\_\_\_\_ water shutdown be \_\_\_\_\_?

Can we \_\_\_\_\_ using \_\_\_\_\_ of water \_\_\_\_\_ the \_\_\_\_\_?

Will we \_\_\_\_\_ stop \_\_\_\_\_ completely \_\_\_\_\_ be able \_\_\_\_\_ use some tap \_\_\_\_\_ during the \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ tapwater \_\_\_\_\_ fixing?

Should a complete \_\_\_\_\_ be required \_\_\_\_\_?

Is it \_\_\_\_\_ down the water \_\_\_\_\_ issues?

Will we have \_\_\_\_\_ supply entirely or will \_\_\_\_\_ use tap water \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ be completely disconnected \_\_\_\_\_ fix the problems?

\_\_\_\_\_ necessary \_\_\_\_\_ stop \_\_\_\_\_ supply?

\_\_\_\_\_ the water supply \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ tap water still usable?

Is it necessary to \_\_\_\_\_ to \_\_\_\_\_ issues?

Is it necessary \_\_\_\_\_ stop the water \_\_\_\_\_ repairs, or \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ need \_\_\_\_\_ completely \_\_\_\_\_ we fix the problems?

\_\_\_\_\_ we still \_\_\_\_\_ during the \_\_\_\_\_?

\_\_\_\_\_ there room \_\_\_\_\_ small amount \_\_\_\_\_ usage \_\_\_\_\_ fixing or supply \_\_\_\_\_?

While \_\_\_\_\_ repairs, can't \_\_\_\_\_ get \_\_\_\_\_ running \_\_\_\_\_?

Is there \_\_\_\_\_ close \_\_\_\_\_ entire supply while we address \_\_\_\_\_ problems, \_\_\_\_\_ can \_\_\_\_\_ a small amount \_\_\_\_\_ throughout

Is there \_\_\_\_\_ small \_\_\_\_\_ tap water usage \_\_\_\_\_ fixing?

\_\_\_\_\_ possible to \_\_\_\_\_ running \_\_\_\_\_ repairs?

Will we \_\_\_\_\_ cut \_\_\_\_\_ our \_\_\_\_\_ completely \_\_\_\_\_ we \_\_\_\_\_ use our \_\_\_\_\_ during \_\_\_\_\_?

Is \_\_\_\_\_ complete shutdown of \_\_\_\_\_ service required for \_\_\_\_\_ or are \_\_\_\_\_ opportunities \_\_\_\_\_ needed \_\_\_\_\_ underway?

Can \_\_\_\_\_ tap \_\_\_\_\_ during the repairs \_\_\_\_\_ our \_\_\_\_\_ supply \_\_\_\_\_ completely \_\_\_\_\_ off?

When fixing, is \_\_\_\_\_ okay \_\_\_\_\_?

Is it necessary to shut \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ we use \_\_\_\_\_ repairs?

\_\_\_\_\_ there \_\_\_\_\_ water during \_\_\_\_\_?

\_\_\_\_\_ tap water during \_\_\_\_\_ if we \_\_\_\_\_ to \_\_\_\_\_ cut off the \_\_\_\_\_?

Is a complete shutdown of \_\_\_\_\_ water \_\_\_\_\_ there \_\_\_\_\_ for continued \_\_\_\_\_ fixes underway?

Will we need \_\_\_\_\_ cut \_\_\_\_\_ supply \_\_\_\_\_ fix \_\_\_\_\_?

Repairs can be \_\_\_\_\_ cutting off \_\_\_\_\_ allowing us \_\_\_\_\_ some \_\_\_\_\_ water during \_\_\_\_\_ process.

Will you \_\_\_\_\_ supply \_\_\_\_\_ while you \_\_\_\_\_?

\_\_\_\_\_ stop our \_\_\_\_\_ supply entirely \_\_\_\_\_ or is our tap \_\_\_\_\_ usable?  
 Will we \_\_\_\_\_ cut \_\_\_\_\_ our supply completely \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ to use \_\_\_\_\_ tap \_\_\_\_\_?  
 Should \_\_\_\_\_ water shutdown \_\_\_\_\_ for \_\_\_\_\_ issues?  
 Will \_\_\_\_\_ have limited \_\_\_\_\_ to running \_\_\_\_\_ while \_\_\_\_\_ repairs are \_\_\_\_\_ made, or \_\_\_\_\_ have \_\_\_\_\_ water supply?  
 Is \_\_\_\_\_ to \_\_\_\_\_ the water \_\_\_\_\_ completely for \_\_\_\_\_ some \_\_\_\_\_ still usable?  
 Will \_\_\_\_\_ still \_\_\_\_\_ running \_\_\_\_\_ some \_\_\_\_\_ during \_\_\_\_\_ mess?  
 Is \_\_\_\_\_ have some \_\_\_\_\_ tapwater during \_\_\_\_\_?  
 \_\_\_\_\_ to stop our water supply \_\_\_\_\_ for \_\_\_\_\_ some \_\_\_\_\_ still usable?  
 During \_\_\_\_\_ alternate arrangement \_\_\_\_\_ made so that \_\_\_\_\_ access \_\_\_\_\_ tapwater \_\_\_\_\_?  
 Do we need \_\_\_\_\_ turn off \_\_\_\_\_ to \_\_\_\_\_ source \_\_\_\_\_ to \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ entirely for repairs?  
 \_\_\_\_\_ want to know \_\_\_\_\_ it's \_\_\_\_\_ keep \_\_\_\_\_ access \_\_\_\_\_ running \_\_\_\_\_ while \_\_\_\_\_ it.  
 Will \_\_\_\_\_ be \_\_\_\_\_ supply of \_\_\_\_\_ part of the fix \_\_\_\_\_?  
 Should \_\_\_\_\_ cut \_\_\_\_\_ the supply \_\_\_\_\_ tapwater \_\_\_\_\_ issues?  
 Can \_\_\_\_\_ use tapwater \_\_\_\_\_ we \_\_\_\_\_?  
 \_\_\_\_\_ room \_\_\_\_\_ a little tapwater \_\_\_\_\_ during \_\_\_\_\_ fix?  
 \_\_\_\_\_ water continue flowing despite the \_\_\_\_\_?  
 Can \_\_\_\_\_ access \_\_\_\_\_ tap water \_\_\_\_\_ these \_\_\_\_\_ or will it take \_\_\_\_\_ complete shutdown \_\_\_\_\_ our \_\_\_\_\_ supply?  
 \_\_\_\_\_ continue using \_\_\_\_\_ water \_\_\_\_\_ repairs?  
 \_\_\_\_\_ some tapwater \_\_\_\_\_ repair if \_\_\_\_\_ is a \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ supply?  
 Can we use tapwater \_\_\_\_\_ issues, or can we \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ during repairs?  
 \_\_\_\_\_ possible \_\_\_\_\_ keep \_\_\_\_\_ to \_\_\_\_\_ while doing necessary repair \_\_\_\_\_?  
 \_\_\_\_\_ we still have some \_\_\_\_\_?  
 Will we have limited access to \_\_\_\_\_ while \_\_\_\_\_ fix \_\_\_\_\_ we \_\_\_\_\_ complete \_\_\_\_\_ the water supply?  
 Can \_\_\_\_\_ while we \_\_\_\_\_ issues, or do \_\_\_\_\_ need \_\_\_\_\_ the supply?  
 \_\_\_\_\_ have \_\_\_\_\_ our supply completely or can we \_\_\_\_\_ some tapwater \_\_\_\_\_?  
 During \_\_\_\_\_ can we still \_\_\_\_\_?  
 \_\_\_\_\_ alternate arrangement \_\_\_\_\_ made during \_\_\_\_\_ so \_\_\_\_\_ partial access \_\_\_\_\_ tapwater \_\_\_\_\_ retained?  
 \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ continue \_\_\_\_\_ use \_\_\_\_\_?  
 Will we have \_\_\_\_\_ water while \_\_\_\_\_ will \_\_\_\_\_ have a complete shut down \_\_\_\_\_ water supply?  
 \_\_\_\_\_ alternate arrangement \_\_\_\_\_ repair work so \_\_\_\_\_ some access \_\_\_\_\_ is retained?  
 \_\_\_\_\_ tapwater usage \_\_\_\_\_ while we \_\_\_\_\_?  
 Is \_\_\_\_\_ room for \_\_\_\_\_ tap water \_\_\_\_\_ fix?  
 Is \_\_\_\_\_ necessary to close \_\_\_\_\_ entire \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ and fix \_\_\_\_\_ can \_\_\_\_\_ some \_\_\_\_\_ water throughout the \_\_\_\_\_  
 Despite the \_\_\_\_\_ tap water \_\_\_\_\_ flow?  
 \_\_\_\_\_ necessary \_\_\_\_\_ the water \_\_\_\_\_ for \_\_\_\_\_ is some running tap water \_\_\_\_\_ usable?  
 \_\_\_\_\_ have limited \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ while we \_\_\_\_\_ these issues, or \_\_\_\_\_ have a complete shut \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ still use \_\_\_\_\_ repairs.  
 \_\_\_\_\_ to \_\_\_\_\_ a water shut \_\_\_\_\_ while we fix \_\_\_\_\_?  
 Repairs can \_\_\_\_\_ off \_\_\_\_\_ water supply, \_\_\_\_\_ can \_\_\_\_\_ some tap water?  
 Is \_\_\_\_\_ possible for \_\_\_\_\_ water to \_\_\_\_\_ used during \_\_\_\_\_?  
 \_\_\_\_\_ way \_\_\_\_\_ keep partial \_\_\_\_\_ to tap water \_\_\_\_\_ necessary repairs?  
 \_\_\_\_\_ close our entire supply, \_\_\_\_\_ some tap water during the repair?  
 \_\_\_\_\_ be necessary to \_\_\_\_\_ to fix the \_\_\_\_\_?  
 \_\_\_\_\_ we use \_\_\_\_\_ or \_\_\_\_\_ we have to cut \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ have limited access to \_\_\_\_\_ these issues or will \_\_\_\_\_ a \_\_\_\_\_ shut-down of our water \_\_\_\_\_?  
 Will we have to \_\_\_\_\_ flow \_\_\_\_\_ solve \_\_\_\_\_?



Will \_\_\_\_\_ to \_\_\_\_\_ off our \_\_\_\_\_ or can we still \_\_\_\_\_ our running \_\_\_\_\_ ?

Repairs may be \_\_\_\_\_ be done \_\_\_\_\_ off \_\_\_\_\_ water \_\_\_\_\_ .

\_\_\_\_\_ we have \_\_\_\_\_ stop the supply \_\_\_\_\_ can \_\_\_\_\_ during repairs?

\_\_\_\_\_ the water \_\_\_\_\_ if we \_\_\_\_\_ the issues?

\_\_\_\_\_ it \_\_\_\_\_ repair our \_\_\_\_\_ supply \_\_\_\_\_ cutting \_\_\_\_\_ it?

\_\_\_\_\_ don't know if \_\_\_\_\_ complete \_\_\_\_\_ of \_\_\_\_\_ is required for proper \_\_\_\_\_ if \_\_\_\_\_ opportunities \_\_\_\_\_ continued access

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ little tap water \_\_\_\_\_ when \_\_\_\_\_ ?

Will we need \_\_\_\_\_ the \_\_\_\_\_ completely, or \_\_\_\_\_ we \_\_\_\_\_ repairs?

\_\_\_\_\_ take a \_\_\_\_\_ of our \_\_\_\_\_ system to fix \_\_\_\_\_ ?

\_\_\_\_\_ it necessary to \_\_\_\_\_ all water \_\_\_\_\_ issues completely?

\_\_\_\_\_ repairs \_\_\_\_\_ tap \_\_\_\_\_ use?

Is \_\_\_\_\_ stop the \_\_\_\_\_ completely for repairs \_\_\_\_\_ is the \_\_\_\_\_ usable?

Are \_\_\_\_\_ going to have \_\_\_\_\_ supply completely \_\_\_\_\_ can \_\_\_\_\_ the tap water?

\_\_\_\_\_ complete \_\_\_\_\_ of the \_\_\_\_\_ be \_\_\_\_\_ for repairing?

\_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ repairs?

\_\_\_\_\_ use tap \_\_\_\_\_ to \_\_\_\_\_ supply \_\_\_\_\_ ?

Will we \_\_\_\_\_ to stop the supply \_\_\_\_\_ as \_\_\_\_\_ or can some \_\_\_\_\_ ?

Can \_\_\_\_\_ use of \_\_\_\_\_ ?

\_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ while repairs are \_\_\_\_\_ ?

Should \_\_\_\_\_ water supply \_\_\_\_\_ disconnected \_\_\_\_\_ fix \_\_\_\_\_ problems?

Can \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_ flowing?

\_\_\_\_\_ we \_\_\_\_\_ to cut \_\_\_\_\_ the \_\_\_\_\_ supply?

\_\_\_\_\_ a requirement to \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ issues?

\_\_\_\_\_ we need \_\_\_\_\_ halt \_\_\_\_\_ flow as we \_\_\_\_\_ the \_\_\_\_\_ ?

\_\_\_\_\_ to \_\_\_\_\_ some \_\_\_\_\_ when fixing?

\_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ repairs are \_\_\_\_\_ made?

Will we \_\_\_\_\_ to cut \_\_\_\_\_ our supply \_\_\_\_\_ or \_\_\_\_\_ we still \_\_\_\_\_ repairs?

\_\_\_\_\_ it \_\_\_\_\_ a complete \_\_\_\_\_ of the \_\_\_\_\_ service \_\_\_\_\_ there \_\_\_\_\_ for continued \_\_\_\_\_ ?

\_\_\_\_\_ we \_\_\_\_\_ to stop \_\_\_\_\_ supply \_\_\_\_\_ we be \_\_\_\_\_ to \_\_\_\_\_ tapwater?

Can \_\_\_\_\_ me \_\_\_\_\_ way to use \_\_\_\_\_ water \_\_\_\_\_ supply \_\_\_\_\_ ?

Is a complete \_\_\_\_\_ shutdown \_\_\_\_\_ ?

Is it possible \_\_\_\_\_ keep \_\_\_\_\_ access \_\_\_\_\_ running tapwater \_\_\_\_\_ it?

\_\_\_\_\_ be done without \_\_\_\_\_ off our water supply, \_\_\_\_\_ to \_\_\_\_\_ tapwater \_\_\_\_\_ the process.

\_\_\_\_\_ we \_\_\_\_\_ cut \_\_\_\_\_ the water supply \_\_\_\_\_ tapwater?

\_\_\_\_\_ it make sense \_\_\_\_\_ stop the water \_\_\_\_\_ completely for \_\_\_\_\_ or \_\_\_\_\_ tapwater \_\_\_\_\_ ?

\_\_\_\_\_ it necessary \_\_\_\_\_ off the supply \_\_\_\_\_ we \_\_\_\_\_ issues?

Can \_\_\_\_\_ continue \_\_\_\_\_ use tapwater \_\_\_\_\_ ?

Do we \_\_\_\_\_ to cut \_\_\_\_\_ our \_\_\_\_\_ completely, \_\_\_\_\_ we \_\_\_\_\_ use \_\_\_\_\_ water?

\_\_\_\_\_ it \_\_\_\_\_ to keep running tap \_\_\_\_\_ ?

Is the \_\_\_\_\_ supply \_\_\_\_\_ off completely by \_\_\_\_\_ repairs?

\_\_\_\_\_ possible to \_\_\_\_\_ tapwater on \_\_\_\_\_ repairs?

Will we \_\_\_\_\_ to \_\_\_\_\_ completely to fix \_\_\_\_\_ ?

Is \_\_\_\_\_ necessary \_\_\_\_\_ close our entire \_\_\_\_\_ in order to address \_\_\_\_\_ these \_\_\_\_\_ we \_\_\_\_\_ some tapwater \_\_\_\_\_ ?

\_\_\_\_\_ keep \_\_\_\_\_ access to \_\_\_\_\_ while doing the necessary repairs?

Will \_\_\_\_\_ repairs \_\_\_\_\_ the water \_\_\_\_\_ off completely?

\_\_\_\_\_ it necessary to \_\_\_\_\_ water supply entirely \_\_\_\_\_ or is \_\_\_\_\_ still \_\_\_\_\_ ?

\_\_\_\_\_ it going \_\_\_\_\_ full-on \_\_\_\_\_ or some good ol' tap \_\_\_\_\_ ?

\_\_\_\_\_ a complete shutdown \_\_\_\_\_ our \_\_\_\_\_ service \_\_\_\_\_ maintenance, or are \_\_\_\_\_ opportunities \_\_\_\_\_ access with necessary \_\_\_\_\_ underway?

Will \_\_\_\_\_ complete \_\_\_\_\_ down of \_\_\_\_\_ system be required \_\_\_\_\_?

Despite \_\_\_\_\_ tapwater still be flowing?

Will \_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_ able to \_\_\_\_\_ tap \_\_\_\_\_ during repairs?

\_\_\_\_\_ it possible to \_\_\_\_\_ the tap water \_\_\_\_\_?

\_\_\_\_\_ tapwater flow \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ off the supply \_\_\_\_\_ when we fix \_\_\_\_\_?

Is \_\_\_\_\_ an option \_\_\_\_\_ crucial \_\_\_\_\_?

\_\_\_\_\_ be a need to cut our \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ running tapwater while carrying out repair \_\_\_\_\_?

Is \_\_\_\_\_ a way to \_\_\_\_\_ tap \_\_\_\_\_ fixing \_\_\_\_\_?

\_\_\_\_\_ keep on \_\_\_\_\_ tapwater during \_\_\_\_\_?

\_\_\_\_\_ it possible to keep \_\_\_\_\_ repairs.

\_\_\_\_\_ we \_\_\_\_\_ use tapwater \_\_\_\_\_ or will \_\_\_\_\_ to \_\_\_\_\_ supply completely?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to be stopped?

\_\_\_\_\_ fixes, \_\_\_\_\_ taps an option?

Is \_\_\_\_\_ possible to keep \_\_\_\_\_ are occurring?

Will we \_\_\_\_\_ to stop \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ supply totally \_\_\_\_\_ fix the issues?

Will \_\_\_\_\_ have \_\_\_\_\_ to running tapwater \_\_\_\_\_ we have \_\_\_\_\_ complete \_\_\_\_\_ our \_\_\_\_\_ supply?

\_\_\_\_\_ alternate arrangement \_\_\_\_\_ during \_\_\_\_\_ work \_\_\_\_\_ allow partial access \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ have limited \_\_\_\_\_ to \_\_\_\_\_ tapwater \_\_\_\_\_ we \_\_\_\_\_ these \_\_\_\_\_ we shut down \_\_\_\_\_ water supply?

Will a \_\_\_\_\_ shutdown \_\_\_\_\_ water \_\_\_\_\_ necessary to repair \_\_\_\_\_?

Will we need \_\_\_\_\_ cut off \_\_\_\_\_ or will we \_\_\_\_\_ to \_\_\_\_\_ tapwater during \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ running tapwater \_\_\_\_\_ shutting \_\_\_\_\_?

\_\_\_\_\_ we have limited \_\_\_\_\_ to running tapwater \_\_\_\_\_ we fix \_\_\_\_\_ issues \_\_\_\_\_ we have a \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ some parts \_\_\_\_\_ the system \_\_\_\_\_ providing \_\_\_\_\_ use during \_\_\_\_\_?

Will we \_\_\_\_\_ to \_\_\_\_\_ supply \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ tap water during \_\_\_\_\_?

Will a \_\_\_\_\_ of the water \_\_\_\_\_ be \_\_\_\_\_ problem?

\_\_\_\_\_ we have \_\_\_\_\_ to \_\_\_\_\_ we fix these \_\_\_\_\_ or can we \_\_\_\_\_ complete \_\_\_\_\_ of the \_\_\_\_\_ supply?

\_\_\_\_\_ still use \_\_\_\_\_?

Is \_\_\_\_\_ necessary for the \_\_\_\_\_ to be halted \_\_\_\_\_?

We \_\_\_\_\_ know \_\_\_\_\_ room \_\_\_\_\_ little \_\_\_\_\_ water usage \_\_\_\_\_ fixing.

\_\_\_\_\_ able to use tap \_\_\_\_\_ or will we have \_\_\_\_\_ cut \_\_\_\_\_ supply \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ use \_\_\_\_\_ running \_\_\_\_\_ water along with \_\_\_\_\_?

Does \_\_\_\_\_ turned off \_\_\_\_\_ access \_\_\_\_\_ water source temporarily \_\_\_\_\_ fix \_\_\_\_\_ issues?

\_\_\_\_\_ we \_\_\_\_\_ limited \_\_\_\_\_ to \_\_\_\_\_ tapwater while \_\_\_\_\_ are \_\_\_\_\_ made, \_\_\_\_\_ we need a complete shutdown \_\_\_\_\_ water \_\_\_\_\_?

Do we \_\_\_\_\_ off \_\_\_\_\_ supply \_\_\_\_\_ fix the issues?

Can \_\_\_\_\_ use tap \_\_\_\_\_ during the process of \_\_\_\_\_ cutting \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ still \_\_\_\_\_?

Will we \_\_\_\_\_ limited access to \_\_\_\_\_ tapwater \_\_\_\_\_ fix \_\_\_\_\_ have a \_\_\_\_\_ shutdown of \_\_\_\_\_ water supply?

\_\_\_\_\_ can \_\_\_\_\_ keep running \_\_\_\_\_?

\_\_\_\_\_ to completely stop \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ shut down of our water \_\_\_\_\_ to \_\_\_\_\_ problem?

Do \_\_\_\_\_ need to cut our \_\_\_\_\_ or \_\_\_\_\_ still \_\_\_\_\_ water?

Is it \_\_\_\_\_ to make repairs without \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ run taps \_\_\_\_\_ critical \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ full-on water \_\_\_\_\_ or \_\_\_\_\_ good \_\_\_\_\_ tap H2O?

Will the water \_\_\_\_\_ have \_\_\_\_\_ be disconnected \_\_\_\_\_ we \_\_\_\_\_?

Can \_\_\_\_\_ tap \_\_\_\_\_ some repairs?

\_\_\_\_\_ we continue to \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the supply entirely, \_\_\_\_\_ able \_\_\_\_\_ use tapwater during repairs?

Do we \_\_\_\_\_ for these fixes?

\_\_\_\_\_ there room for a \_\_\_\_\_ usage \_\_\_\_\_?

\_\_\_\_\_ repairs, can some \_\_\_\_\_ keep flowing?

\_\_\_\_\_ it possible \_\_\_\_\_ partial \_\_\_\_\_ tapwater \_\_\_\_\_ maintained \_\_\_\_\_ necessary repairs are performed?

\_\_\_\_\_ a \_\_\_\_\_ to close \_\_\_\_\_ supply \_\_\_\_\_ fix these problems, \_\_\_\_\_ can we use some \_\_\_\_\_ during \_\_\_\_\_ repair

\_\_\_\_\_ it still possible for \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ we \_\_\_\_\_ issues, \_\_\_\_\_ should we \_\_\_\_\_ the supply?

Will \_\_\_\_\_ complete \_\_\_\_\_ of \_\_\_\_\_ system be \_\_\_\_\_ for \_\_\_\_\_?

Can \_\_\_\_\_ used \_\_\_\_\_ we fix these \_\_\_\_\_ should \_\_\_\_\_ off our supply \_\_\_\_\_?

Is there \_\_\_\_\_ a \_\_\_\_\_ water usage \_\_\_\_\_ the \_\_\_\_\_?

Can we make repairs \_\_\_\_\_ off our \_\_\_\_\_?

Would we be \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ everything?

Will \_\_\_\_\_ need \_\_\_\_\_ stop \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_ issues or can we \_\_\_\_\_ tap \_\_\_\_\_ during repairs?

\_\_\_\_\_ necessary to stop \_\_\_\_\_ supply?

\_\_\_\_\_ we \_\_\_\_\_ limited access to \_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ shutdown of \_\_\_\_\_ water supply?

\_\_\_\_\_ need to \_\_\_\_\_ off our water \_\_\_\_\_ order to \_\_\_\_\_ these \_\_\_\_\_?

\_\_\_\_\_ supply be cut \_\_\_\_\_ or \_\_\_\_\_ some tap water be \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ required \_\_\_\_\_ order to fix issues?

\_\_\_\_\_ the water \_\_\_\_\_ repairs?

Is there a way \_\_\_\_\_ keep \_\_\_\_\_ tapwater \_\_\_\_\_ repairs \_\_\_\_\_?

Is \_\_\_\_\_ complete \_\_\_\_\_ the \_\_\_\_\_ service, or \_\_\_\_\_ there opportunities for continued \_\_\_\_\_?

\_\_\_\_\_ can we \_\_\_\_\_ the tapwater?

\_\_\_\_\_ we have limited \_\_\_\_\_ to \_\_\_\_\_ while we \_\_\_\_\_ have a \_\_\_\_\_ shut down of our \_\_\_\_\_ supply?

Can we \_\_\_\_\_ during repairs?

Should \_\_\_\_\_ water \_\_\_\_\_ supply issues?

\_\_\_\_\_ possible \_\_\_\_\_ fixes \_\_\_\_\_ turn off all \_\_\_\_\_ completely?

Is \_\_\_\_\_ to shut off \_\_\_\_\_ to \_\_\_\_\_ water source \_\_\_\_\_?

\_\_\_\_\_ we have to cut \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ water for repairs?

Is it \_\_\_\_\_ to \_\_\_\_\_ limited \_\_\_\_\_ while we fix \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ tapwater \_\_\_\_\_ used \_\_\_\_\_ repairs?

Should we \_\_\_\_\_ off \_\_\_\_\_ we \_\_\_\_\_ these problems \_\_\_\_\_ still use tapwater?

\_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ repairs?

Do \_\_\_\_\_ mean no \_\_\_\_\_ can taps \_\_\_\_\_?

Is there room for a \_\_\_\_\_ use \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ any tapwater \_\_\_\_\_ while \_\_\_\_\_ things?

Can \_\_\_\_\_ running \_\_\_\_\_ use?

\_\_\_\_\_ need \_\_\_\_\_ our \_\_\_\_\_ completely or will we still \_\_\_\_\_ tapwater during \_\_\_\_\_?

Will we \_\_\_\_\_ limited \_\_\_\_\_ to tap water while we fix \_\_\_\_\_ have a \_\_\_\_\_ shut \_\_\_\_\_ of \_\_\_\_\_?

During the repairs \_\_\_\_\_ use \_\_\_\_\_ water?

\_\_\_\_\_ we have limited access \_\_\_\_\_ water \_\_\_\_\_ the repairs are \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ partial access to running tapwater while \_\_\_\_\_ work?

\_\_\_\_\_ we \_\_\_\_\_ cut \_\_\_\_\_ supply entirely to fix \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ tap water \_\_\_\_\_ issues or \_\_\_\_\_ off the supply?

Is there \_\_\_\_\_ need \_\_\_\_\_ close our \_\_\_\_\_ while we \_\_\_\_\_ and \_\_\_\_\_ problems \_\_\_\_\_ we use \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ make an alternate arrangement \_\_\_\_\_ repair \_\_\_\_\_ so \_\_\_\_\_ access to \_\_\_\_\_ remains?

\_\_\_\_\_ running tapwater still be used, \_\_\_\_\_ supply completely?

Will \_\_\_\_\_ limited \_\_\_\_\_ running \_\_\_\_\_ are being \_\_\_\_\_ or will \_\_\_\_\_ have a \_\_\_\_\_ shutdown of our water \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ keep running tap \_\_\_\_\_ happen?

Will \_\_\_\_\_ need \_\_\_\_\_ supply completely or \_\_\_\_\_ still \_\_\_\_\_ water during repairs?

Is \_\_\_\_\_ to \_\_\_\_\_ taps an \_\_\_\_\_ during \_\_\_\_\_ fixes?

Will \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ completely as \_\_\_\_\_ fix \_\_\_\_\_ issues \_\_\_\_\_ can we \_\_\_\_\_ tap water?

Is the water \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ these problems?

During repairs, \_\_\_\_\_ some tapwater?

\_\_\_\_\_ we still use \_\_\_\_\_ tapwater \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ our supply \_\_\_\_\_?

\_\_\_\_\_ it necessary to \_\_\_\_\_ access to our \_\_\_\_\_ while?

\_\_\_\_\_ there \_\_\_\_\_ our entire \_\_\_\_\_ we \_\_\_\_\_ and fix the problems \_\_\_\_\_ can \_\_\_\_\_ use some tap \_\_\_\_\_ during \_\_\_\_\_ repairs?

\_\_\_\_\_ the \_\_\_\_\_ supply \_\_\_\_\_ disconnected \_\_\_\_\_ when we fix \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ limited access \_\_\_\_\_ running tapwater if \_\_\_\_\_ shut down \_\_\_\_\_ supply \_\_\_\_\_ repairs?

\_\_\_\_\_ solve these issues, is \_\_\_\_\_ to \_\_\_\_\_ all water \_\_\_\_\_?

\_\_\_\_\_ limited access to \_\_\_\_\_ we fix \_\_\_\_\_ issues or will \_\_\_\_\_ complete shutdown \_\_\_\_\_ our water supply?

Is there \_\_\_\_\_ need \_\_\_\_\_ close our \_\_\_\_\_ and \_\_\_\_\_ these problems \_\_\_\_\_ can we use some tap \_\_\_\_\_ repairs?

\_\_\_\_\_ need to \_\_\_\_\_ our \_\_\_\_\_ completely \_\_\_\_\_ the issues?

Can \_\_\_\_\_ arrangement \_\_\_\_\_ so \_\_\_\_\_ access to tapwater is \_\_\_\_\_ during repairs?

\_\_\_\_\_ to cut \_\_\_\_\_ our \_\_\_\_\_ completely \_\_\_\_\_ are we able to \_\_\_\_\_ running \_\_\_\_\_?

\_\_\_\_\_ cutting our \_\_\_\_\_ are \_\_\_\_\_ fix \_\_\_\_\_ issues?

\_\_\_\_\_ mean \_\_\_\_\_ water, or \_\_\_\_\_ still \_\_\_\_\_?

Can \_\_\_\_\_ without completely shutting \_\_\_\_\_ the \_\_\_\_\_ supply?

Will \_\_\_\_\_ take \_\_\_\_\_ our \_\_\_\_\_ system to \_\_\_\_\_ the problem?

Is it possible \_\_\_\_\_ certain sections \_\_\_\_\_ the \_\_\_\_\_ tap \_\_\_\_\_ use during \_\_\_\_\_?

When addressing these \_\_\_\_\_ can \_\_\_\_\_ arrangement be \_\_\_\_\_ that partial access \_\_\_\_\_?

Is \_\_\_\_\_ to use \_\_\_\_\_ or should \_\_\_\_\_ cut off \_\_\_\_\_ supply?

Does \_\_\_\_\_ our water source in order \_\_\_\_\_ fix the issues?

\_\_\_\_\_ it \_\_\_\_\_ running tapwater \_\_\_\_\_ repairs.

Will \_\_\_\_\_ have \_\_\_\_\_ to running \_\_\_\_\_ while we \_\_\_\_\_ issues, \_\_\_\_\_ will we \_\_\_\_\_ complete shutdown \_\_\_\_\_ our water \_\_\_\_\_?

Is \_\_\_\_\_ possible to make another \_\_\_\_\_ during \_\_\_\_\_ work so \_\_\_\_\_ partial \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ tap water during repairs?

\_\_\_\_\_ it be \_\_\_\_\_ cut \_\_\_\_\_ supply \_\_\_\_\_ to fix the \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ be cut completely or can \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ complete water shutdown have \_\_\_\_\_ fixing issues?

\_\_\_\_\_ to turn off \_\_\_\_\_ access to \_\_\_\_\_ water \_\_\_\_\_ temporarily \_\_\_\_\_ these issues?

Can we \_\_\_\_\_ the \_\_\_\_\_ during \_\_\_\_\_?

Is it \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ issues or \_\_\_\_\_ cut \_\_\_\_\_ supply?

\_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ to use some tap \_\_\_\_\_ during repairs?

\_\_\_\_\_ we keep \_\_\_\_\_ water \_\_\_\_\_ repairs?

\_\_\_\_\_ can we \_\_\_\_\_ have \_\_\_\_\_ water?

Is it \_\_\_\_\_ to \_\_\_\_\_ entire supply \_\_\_\_\_ we \_\_\_\_\_ can \_\_\_\_\_ use a \_\_\_\_\_ amount of tap water?

\_\_\_\_\_ it \_\_\_\_\_ some \_\_\_\_\_ to be used \_\_\_\_\_ or not?

\_\_\_\_\_ to turn \_\_\_\_\_ access to our \_\_\_\_\_ in order \_\_\_\_\_ fix \_\_\_\_\_ issues?

Will \_\_\_\_\_ shut down of \_\_\_\_\_ system \_\_\_\_\_ needed \_\_\_\_\_ repair?

\_\_\_\_\_ solve these \_\_\_\_\_ are we required to \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ water \_\_\_\_\_ during \_\_\_\_\_?

Can we still use \_\_\_\_\_ while \_\_\_\_\_ problems?

\_\_\_\_\_ complete shutdown of our water service \_\_\_\_\_ for \_\_\_\_\_ are \_\_\_\_\_ continued \_\_\_\_\_ while needed?

\_\_\_\_\_ it possible \_\_\_\_\_ partial \_\_\_\_\_ to \_\_\_\_\_ while doing \_\_\_\_\_ repair work?

\_\_\_\_\_ it \_\_\_\_\_ sense \_\_\_\_\_ stop \_\_\_\_\_ water supply \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ some \_\_\_\_\_ tapwater still \_\_\_\_\_?

\_\_\_\_\_ it need to be turned \_\_\_\_\_ water \_\_\_\_\_ for a \_\_\_\_\_ fix these issues?

We \_\_\_\_\_ know if a complete \_\_\_\_\_ of the water service \_\_\_\_\_ proper \_\_\_\_\_ or \_\_\_\_\_ there \_\_\_\_\_ opportunities \_\_\_\_\_ access \_\_\_\_\_

Is there a \_\_\_\_ to \_\_\_\_ the supply?

\_\_\_\_ supply \_\_\_\_ disconnected completely \_\_\_\_ these repairs?

\_\_\_\_ it be necessary \_\_\_\_ supply entirely \_\_\_\_ fix \_\_\_\_ issues?

\_\_\_\_ some of the \_\_\_\_ despite the \_\_\_\_?

\_\_\_\_ full-on water shutdown or some good \_\_\_\_ H2O?

\_\_\_\_ we continue to \_\_\_\_ some running \_\_\_\_?

\_\_\_\_ we need \_\_\_\_ stop all \_\_\_\_ to solve \_\_\_\_?

\_\_\_\_ tapwater keep flowing despite \_\_\_\_?

Can we \_\_\_\_ access \_\_\_\_ running water \_\_\_\_ fix \_\_\_\_ issues, \_\_\_\_ can \_\_\_\_ a complete shutdown \_\_\_\_ the \_\_\_\_ supply?

\_\_\_\_ to \_\_\_\_ off \_\_\_\_ completely to fix the issues?

\_\_\_\_ we \_\_\_\_ to use tapwater \_\_\_\_ we fix \_\_\_\_?

\_\_\_\_ some taps keep \_\_\_\_ repair \_\_\_\_?

\_\_\_\_ need \_\_\_\_ cut \_\_\_\_ completely \_\_\_\_ fix the issues?

\_\_\_\_ stop the supply \_\_\_\_ fix the problem?

Can \_\_\_\_ have \_\_\_\_ to \_\_\_\_ tapwater \_\_\_\_ the \_\_\_\_ being made?

\_\_\_\_ need to \_\_\_\_ the \_\_\_\_ completely, \_\_\_\_ we use some \_\_\_\_?

Will \_\_\_\_ cut \_\_\_\_ supply \_\_\_\_ to fix \_\_\_\_ issues?

Can \_\_\_\_ limited access to \_\_\_\_ tap \_\_\_\_ we fix \_\_\_\_ or can \_\_\_\_ have a complete \_\_\_\_ of \_\_\_\_?

Is it necessary to close \_\_\_\_ supply \_\_\_\_ address and \_\_\_\_ these \_\_\_\_ should \_\_\_\_ use \_\_\_\_ amount of \_\_\_\_?

\_\_\_\_ complete shutdown of \_\_\_\_ water \_\_\_\_ for proper maintenance, or \_\_\_\_ opportunity \_\_\_\_ continued access?

\_\_\_\_ still have \_\_\_\_ water during repairs?

During \_\_\_\_ might \_\_\_\_ be \_\_\_\_ keep running \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ an alternate arrangement \_\_\_\_ partial \_\_\_\_ to \_\_\_\_ remains while \_\_\_\_ these \_\_\_\_?

\_\_\_\_ arrangement \_\_\_\_ made \_\_\_\_ so \_\_\_\_ partial access to tapwater remains?

\_\_\_\_ issues \_\_\_\_ fixed enough to allow \_\_\_\_ to \_\_\_\_ water \_\_\_\_?

\_\_\_\_ water continue to \_\_\_\_?

\_\_\_\_ can \_\_\_\_ use \_\_\_\_ while fixing \_\_\_\_?

\_\_\_\_ alternate arrangement be \_\_\_\_ so that \_\_\_\_ to \_\_\_\_ is \_\_\_\_ available \_\_\_\_ addressing the \_\_\_\_?

Do we need \_\_\_\_ the \_\_\_\_ fixes?

\_\_\_\_ tapwater while \_\_\_\_ supply issues?

Will \_\_\_\_ need \_\_\_\_ cut our supply \_\_\_\_ or \_\_\_\_ we \_\_\_\_ during repairs?

Will the \_\_\_\_ the \_\_\_\_ to be \_\_\_\_ off?

Is it \_\_\_\_ completely \_\_\_\_ off the supply \_\_\_\_ to address \_\_\_\_?

Will \_\_\_\_ have limited \_\_\_\_ water \_\_\_\_ we \_\_\_\_ these issues or will \_\_\_\_ need to shut down \_\_\_\_?

\_\_\_\_ tap \_\_\_\_ be \_\_\_\_ repairs?

\_\_\_\_ it require turning off \_\_\_\_ to \_\_\_\_ source \_\_\_\_ to \_\_\_\_ these issues?

Is it okay \_\_\_\_ tapwater \_\_\_\_?

\_\_\_\_ we \_\_\_\_ tap \_\_\_\_ on \_\_\_\_?

Is a \_\_\_\_ shut down of \_\_\_\_ water \_\_\_\_ for \_\_\_\_ opportunities for \_\_\_\_ access?

When addressing these \_\_\_\_ an \_\_\_\_ made so \_\_\_\_ partial \_\_\_\_ the tapwater \_\_\_\_?

Are we able to \_\_\_\_ water \_\_\_\_ problems \_\_\_\_ fixed?

\_\_\_\_ there \_\_\_\_ need \_\_\_\_ close our \_\_\_\_ addressing and fixing these problems \_\_\_\_ can \_\_\_\_ use \_\_\_\_ tapwater throughout \_\_\_\_?

\_\_\_\_ the water \_\_\_\_ disconnected \_\_\_\_ we fix \_\_\_\_ problems?

Is \_\_\_\_ keep \_\_\_\_ running water while doing \_\_\_\_ work?

Are we allowed to \_\_\_\_ while \_\_\_\_ everything?

\_\_\_\_ water \_\_\_\_ disconnected \_\_\_\_ if \_\_\_\_ fix this problem?

\_\_\_\_ necessary to completely \_\_\_\_ off the supply \_\_\_\_ these \_\_\_\_?

Will \_\_\_\_ supply \_\_\_\_ or \_\_\_\_ tapwater \_\_\_\_ be used?

Is \_\_\_\_ keep partial access to \_\_\_\_ water while \_\_\_\_ work?

Is \_\_\_\_\_ possible for \_\_\_\_\_ alternate \_\_\_\_\_ to be \_\_\_\_\_ during \_\_\_\_\_ keep partial \_\_\_\_\_?  
 \_\_\_\_\_ we have \_\_\_\_\_ completely as we fix these \_\_\_\_\_ or can we \_\_\_\_\_ some \_\_\_\_\_?

Will the \_\_\_\_\_ supply \_\_\_\_\_?

Can \_\_\_\_\_ keep using \_\_\_\_\_ repairs \_\_\_\_\_ happening?  
 \_\_\_\_\_ it \_\_\_\_\_ use the \_\_\_\_\_ repairs?

Should \_\_\_\_\_ supply be \_\_\_\_\_ must fix these problems?  
 \_\_\_\_\_ slashed completely to \_\_\_\_\_ the issues?  
 \_\_\_\_\_ can \_\_\_\_\_ without completely \_\_\_\_\_ off \_\_\_\_\_ supply, \_\_\_\_\_ can \_\_\_\_\_ use some tap water \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ cut off the \_\_\_\_\_ order to \_\_\_\_\_ issues?  
 \_\_\_\_\_ some \_\_\_\_\_ to flow?

Is it necessary to stop \_\_\_\_\_ supply completely \_\_\_\_\_ is \_\_\_\_\_ during this time?

While \_\_\_\_\_ fix \_\_\_\_\_ we allowed \_\_\_\_\_ tap water?

Repairs \_\_\_\_\_ no \_\_\_\_\_ or \_\_\_\_\_ may still work.  
 \_\_\_\_\_ complete \_\_\_\_\_ water service required \_\_\_\_\_ maintenance, \_\_\_\_\_ are \_\_\_\_\_ opportunities \_\_\_\_\_ continued access?

Is \_\_\_\_\_ for partial access to \_\_\_\_\_ be maintained \_\_\_\_\_ repairs?

Will \_\_\_\_\_ water supply be \_\_\_\_\_ repairs?  
 \_\_\_\_\_ flow \_\_\_\_\_ possible \_\_\_\_\_ repairs?  
 \_\_\_\_\_ necessary to \_\_\_\_\_ our water supply \_\_\_\_\_ for \_\_\_\_\_ tap water still usable \_\_\_\_\_ time?

Are we \_\_\_\_\_ to \_\_\_\_\_ a full-on water \_\_\_\_\_ H2O?  
 \_\_\_\_\_ we \_\_\_\_\_ on repairs?

Will \_\_\_\_\_ supply be disconnected if \_\_\_\_\_ are \_\_\_\_\_?

Will \_\_\_\_\_ have \_\_\_\_\_ our \_\_\_\_\_ to fix \_\_\_\_\_ issues?

Are \_\_\_\_\_ going \_\_\_\_\_ have to cut off \_\_\_\_\_ supply \_\_\_\_\_ can \_\_\_\_\_ still \_\_\_\_\_?

Is \_\_\_\_\_ for a \_\_\_\_\_ of \_\_\_\_\_ use during \_\_\_\_\_ fixing \_\_\_\_\_?  
 \_\_\_\_\_ tapwater be \_\_\_\_\_ during \_\_\_\_\_?

Can we use some tap \_\_\_\_\_ repairs \_\_\_\_\_ completely \_\_\_\_\_ off the water \_\_\_\_\_?  
 \_\_\_\_\_ canAccommodate some running \_\_\_\_\_

Will we \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ can we still use \_\_\_\_\_?  
 \_\_\_\_\_ know if \_\_\_\_\_ use \_\_\_\_\_ water while we fix \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ tapwater \_\_\_\_\_ as we fix?  
 \_\_\_\_\_ it possible \_\_\_\_\_ done without cutting \_\_\_\_\_ water?

Can we still \_\_\_\_\_ tapwater \_\_\_\_\_ have to \_\_\_\_\_ off \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to run \_\_\_\_\_ tap \_\_\_\_\_ during critical \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to cut our \_\_\_\_\_ completely \_\_\_\_\_ Issues?

Should \_\_\_\_\_ off \_\_\_\_\_ supply completely \_\_\_\_\_ we fix these \_\_\_\_\_ or \_\_\_\_\_ still use \_\_\_\_\_ water?

Can \_\_\_\_\_ tapwater \_\_\_\_\_ be \_\_\_\_\_ while we \_\_\_\_\_ our \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ tap \_\_\_\_\_ while fixing supply \_\_\_\_\_?

Is \_\_\_\_\_ use tapwater \_\_\_\_\_ we fix \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ repair, \_\_\_\_\_ tap \_\_\_\_\_ continue to flow?

Should \_\_\_\_\_ be disconnected completely \_\_\_\_\_?

Can \_\_\_\_\_ continue \_\_\_\_\_ tapwater for use while repairs \_\_\_\_\_ made?  
 \_\_\_\_\_ tap \_\_\_\_\_ allowed while \_\_\_\_\_ fix \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ cutting \_\_\_\_\_ our water?

Will we have to \_\_\_\_\_ all \_\_\_\_\_ as \_\_\_\_\_ problems?  
 \_\_\_\_\_ some \_\_\_\_\_ despite \_\_\_\_\_ repair needs?  
 \_\_\_\_\_ an \_\_\_\_\_ during critical \_\_\_\_\_ needed?  
 \_\_\_\_\_ you have \_\_\_\_\_ to use \_\_\_\_\_ while \_\_\_\_\_ supplies?

Do we need to turn \_\_\_\_\_ in order to \_\_\_\_\_ issues?  
 \_\_\_\_\_ use \_\_\_\_\_ to \_\_\_\_\_ issues or do we have \_\_\_\_\_ supply?  
 \_\_\_\_\_ it possible \_\_\_\_\_ to running \_\_\_\_\_ to be maintained while the \_\_\_\_\_ shut off?

\_\_\_\_\_ we \_\_\_\_\_ we need to close our entire supply?

\_\_\_\_\_ the \_\_\_\_\_ while repairs are being made?

Can we have \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ repairs are being done, \_\_\_\_\_ can \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ supply?

Does \_\_\_\_\_ mean no \_\_\_\_\_ the taps \_\_\_\_\_ run?

Is \_\_\_\_\_ room for \_\_\_\_\_ little \_\_\_\_\_ during \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ supply cuts?

Is \_\_\_\_\_ need to close the \_\_\_\_\_ supply \_\_\_\_\_ order to \_\_\_\_\_ the problems, or can we \_\_\_\_\_ tap

For fixing \_\_\_\_\_ water \_\_\_\_\_ be mandatory?

\_\_\_\_\_ for partial access \_\_\_\_\_ running tap water to \_\_\_\_\_ maintained while \_\_\_\_\_ entire \_\_\_\_\_ supply \_\_\_\_\_?

Can \_\_\_\_\_ alternate \_\_\_\_\_ made \_\_\_\_\_ so that partial \_\_\_\_\_ tapwater remains?

Is a \_\_\_\_\_ water \_\_\_\_\_ for \_\_\_\_\_?

Do \_\_\_\_\_ mean no \_\_\_\_\_ are \_\_\_\_\_ taps still \_\_\_\_\_?

During \_\_\_\_\_ an option?

Will \_\_\_\_\_ have limited access \_\_\_\_\_ or will we have \_\_\_\_\_ shut \_\_\_\_\_ our water supply?

\_\_\_\_\_ there room for a \_\_\_\_\_ water \_\_\_\_\_ during fix?

\_\_\_\_\_ to \_\_\_\_\_ the supply \_\_\_\_\_ or can \_\_\_\_\_ use some tapwater \_\_\_\_\_?

\_\_\_\_\_ a complete \_\_\_\_\_ the water system \_\_\_\_\_ for \_\_\_\_\_?

Can \_\_\_\_\_ access to running tapwater \_\_\_\_\_ fix \_\_\_\_\_ issues, or will \_\_\_\_\_ complete shutdown of the \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ conduct repairs without \_\_\_\_\_ cutting \_\_\_\_\_ water \_\_\_\_\_?

Will we \_\_\_\_\_ limited access to running \_\_\_\_\_ while \_\_\_\_\_ fix \_\_\_\_\_ we have a complete shutdown \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ keep \_\_\_\_\_ running tap \_\_\_\_\_ while undertaking \_\_\_\_\_ repair work?

\_\_\_\_\_ water be used \_\_\_\_\_ will the supply \_\_\_\_\_ completely cut?

Is it \_\_\_\_\_ access \_\_\_\_\_ water \_\_\_\_\_ temporarily in \_\_\_\_\_ to fix \_\_\_\_\_ issues?

Will \_\_\_\_\_ supply completely or can \_\_\_\_\_ still use \_\_\_\_\_ tapwater \_\_\_\_\_ repairs?

\_\_\_\_\_ it necessary \_\_\_\_\_ for repairs \_\_\_\_\_ is it \_\_\_\_\_ possible to get \_\_\_\_\_ tap water?

\_\_\_\_\_ we have \_\_\_\_\_ to \_\_\_\_\_ if we have to shut down \_\_\_\_\_?

Is \_\_\_\_\_ complete shut-down of the \_\_\_\_\_ for proper \_\_\_\_\_ are \_\_\_\_\_ for continued \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ service to \_\_\_\_\_ shut \_\_\_\_\_ maintenance, or \_\_\_\_\_ opportunities for continued access?

\_\_\_\_\_ need \_\_\_\_\_ cut off our \_\_\_\_\_ or can \_\_\_\_\_ use the \_\_\_\_\_?

\_\_\_\_\_ taps an option \_\_\_\_\_ fixes \_\_\_\_\_?

\_\_\_\_\_ possible to keep \_\_\_\_\_ tap \_\_\_\_\_ repairs \_\_\_\_\_ occurring?

\_\_\_\_\_ a small amount of \_\_\_\_\_ usage during \_\_\_\_\_ fix?

\_\_\_\_\_ necessary to \_\_\_\_\_ supply completely for \_\_\_\_\_ some still usable?

Can \_\_\_\_\_ still get \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ running \_\_\_\_\_ water while doing some repair \_\_\_\_\_?

Can \_\_\_\_\_ flow \_\_\_\_\_ repairs?

Will \_\_\_\_\_ need \_\_\_\_\_ turn off all \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ while to fix \_\_\_\_\_?

Are \_\_\_\_\_ taps \_\_\_\_\_ option during \_\_\_\_\_?

\_\_\_\_\_ repair \_\_\_\_\_ without cutting off our \_\_\_\_\_?

Can \_\_\_\_\_ during repairs?

Is it necessary to stop \_\_\_\_\_ for \_\_\_\_\_ is \_\_\_\_\_ usable during this time?

Can some tap \_\_\_\_\_ be \_\_\_\_\_ while \_\_\_\_\_ supply \_\_\_\_\_?

Would the \_\_\_\_\_ process cause us \_\_\_\_\_?

Will we need to stop \_\_\_\_\_ entirely, \_\_\_\_\_ can we \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ the water during the repairs?

Can repairs \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ during repairs?

\_\_\_\_\_ we \_\_\_\_\_ any tapwater usage \_\_\_\_\_ we \_\_\_\_\_?

\_\_\_\_\_ it's time for repairs, \_\_\_\_\_ little \_\_\_\_\_ come \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ we be able \_\_\_\_\_ some \_\_\_\_\_ tapwater during \_\_\_\_\_ or will \_\_\_\_\_ have to \_\_\_\_\_ completely?

\_\_\_\_\_ we \_\_\_\_\_ to use tap \_\_\_\_\_ we fix \_\_\_\_\_?

Will \_\_\_\_ water \_\_\_\_ completely \_\_\_\_ we fix our \_\_\_\_?

\_\_\_\_ running tapwater still \_\_\_\_ used \_\_\_\_ our \_\_\_\_ should we cut \_\_\_\_ our \_\_\_\_ completely?

\_\_\_\_ some \_\_\_\_ accommodate \_\_\_\_ water \_\_\_\_?

Is it \_\_\_\_ tapwater during the \_\_\_\_.

\_\_\_\_ be \_\_\_\_ completely if we fix \_\_\_\_ problems?

\_\_\_\_ have limited access to running tapwater \_\_\_\_ we fix \_\_\_\_ or \_\_\_\_ have \_\_\_\_ down \_\_\_\_ supply?

Is \_\_\_\_ to keep \_\_\_\_ to \_\_\_\_ while \_\_\_\_ necessary repairs?

Can \_\_\_\_ tapwater while repairs are being made, or can we \_\_\_\_ shut-down \_\_\_\_ the water \_\_\_\_

\_\_\_\_ there enough \_\_\_\_ for a \_\_\_\_ tapwater usage \_\_\_\_?

Will \_\_\_\_ cause water \_\_\_\_ to be completely \_\_\_\_?

Can \_\_\_\_ have limited access to \_\_\_\_ tapwater while \_\_\_\_ shut \_\_\_\_ for \_\_\_\_?

\_\_\_\_ make sense \_\_\_\_ water supply completely for repairs \_\_\_\_ tap water \_\_\_\_?

\_\_\_\_ it \_\_\_\_ stop the water \_\_\_\_ entirely, or \_\_\_\_ water still \_\_\_\_?

Is it \_\_\_\_ to keep partial access \_\_\_\_ tap \_\_\_\_ while \_\_\_\_?

\_\_\_\_ to stop our \_\_\_\_ supply completely \_\_\_\_ repairs or \_\_\_\_ still usable?

\_\_\_\_ it necessary to stop \_\_\_\_ water supply \_\_\_\_ for \_\_\_\_ or \_\_\_\_ water \_\_\_\_?

\_\_\_\_ we \_\_\_\_ to shut down the water \_\_\_\_ for proper \_\_\_\_ or \_\_\_\_ opportunities \_\_\_\_?

Is \_\_\_\_ a need \_\_\_\_ close our \_\_\_\_ supply \_\_\_\_ order \_\_\_\_ and \_\_\_\_ the problems, or can we \_\_\_\_ limited \_\_\_\_

Is \_\_\_\_ okay to \_\_\_\_ fixing issues \_\_\_\_ we cut off \_\_\_\_ supply?

We don't know \_\_\_\_ to cut \_\_\_\_ our supply \_\_\_\_ or \_\_\_\_ use \_\_\_\_.

Is \_\_\_\_ possible \_\_\_\_ to accommodate some \_\_\_\_ use?

\_\_\_\_ permissible \_\_\_\_ use any tapwater while we \_\_\_\_?

Can \_\_\_\_ continue \_\_\_\_ flow?

Do \_\_\_\_ completely stop \_\_\_\_ supply?

\_\_\_\_ some \_\_\_\_ the system \_\_\_\_ provide tapwater \_\_\_\_ during repairs?

\_\_\_\_ make \_\_\_\_ to \_\_\_\_ supply entirely \_\_\_\_ or is it still \_\_\_\_ to use tap \_\_\_\_?

\_\_\_\_ we use \_\_\_\_ fixing \_\_\_\_?

\_\_\_\_ water supply may be \_\_\_\_ problems \_\_\_\_ fixed.

Does repairs \_\_\_\_ tapwater \_\_\_\_?

\_\_\_\_ we \_\_\_\_ to \_\_\_\_ our \_\_\_\_ to fix the \_\_\_\_?

Despite \_\_\_\_ issues, \_\_\_\_ some tap \_\_\_\_?

Is \_\_\_\_ way \_\_\_\_ use \_\_\_\_ fixing problems?

\_\_\_\_ the water supply \_\_\_\_ disconnected \_\_\_\_ these \_\_\_\_?

Is a complete \_\_\_\_ required \_\_\_\_ maintenance \_\_\_\_ is there \_\_\_\_ continued access?

\_\_\_\_ the water supply be disconnected completely \_\_\_\_ we \_\_\_\_?

\_\_\_\_ the water \_\_\_\_ fixing issues?

Can we \_\_\_\_ while \_\_\_\_ issues are fixed?

Can repairs \_\_\_\_ without cutting \_\_\_\_ supply?

Will \_\_\_\_ need \_\_\_\_ our supply completely \_\_\_\_ still \_\_\_\_ able \_\_\_\_ use tap \_\_\_\_ during repairs?

Will we \_\_\_\_ cutting our supply \_\_\_\_ issues?

Is it \_\_\_\_ for the \_\_\_\_ to \_\_\_\_?

Will we need to stop \_\_\_\_ supply \_\_\_\_ as \_\_\_\_ fix \_\_\_\_ can we \_\_\_\_?

\_\_\_\_ cut off the \_\_\_\_ or \_\_\_\_ tap \_\_\_\_ fix issues?

We \_\_\_\_ a complete \_\_\_\_ of our water \_\_\_\_ for proper maintenance or \_\_\_\_ there \_\_\_\_ opportunities \_\_\_\_

continued \_\_\_\_ fixes

\_\_\_\_ some \_\_\_\_ the water still \_\_\_\_ despite \_\_\_\_ repairs?

Is \_\_\_\_ permissible for \_\_\_\_ tapwater while \_\_\_\_ fix \_\_\_\_?

\_\_\_\_ we \_\_\_\_ off the supply or can we \_\_\_\_?

Is it \_\_\_\_ to stop \_\_\_\_ supply \_\_\_\_ repairs or \_\_\_\_ tap \_\_\_\_ still \_\_\_\_ during the \_\_\_\_?

\_\_\_\_ necessary to abolish \_\_\_\_ service \_\_\_\_ resolve \_\_\_\_?

\_\_\_\_ repairs \_\_\_\_ tap \_\_\_\_ use?



\_\_\_\_\_ have \_\_\_\_\_ cut \_\_\_\_\_ our supply \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ the tap water?  
 \_\_\_\_\_ we still receive \_\_\_\_\_?  
 \_\_\_\_\_ tapwater still be \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ a complete water shut-off \_\_\_\_\_?  
 Is a \_\_\_\_\_ water \_\_\_\_\_ mandatory \_\_\_\_\_ to \_\_\_\_\_ issues?  
 Will some tap water \_\_\_\_\_ during \_\_\_\_\_?  
 Will \_\_\_\_\_ to stop \_\_\_\_\_ entirely \_\_\_\_\_ use \_\_\_\_\_ tap water during \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ work so that \_\_\_\_\_ access to tapwater remains?  
 Can \_\_\_\_\_ use the \_\_\_\_\_ during the \_\_\_\_\_?  
 Is \_\_\_\_\_ a way \_\_\_\_\_ use \_\_\_\_\_ supply problems?  
 \_\_\_\_\_ it necessary to \_\_\_\_\_ supply \_\_\_\_\_ repairs or is \_\_\_\_\_ tap \_\_\_\_\_ usable?  
 \_\_\_\_\_ water \_\_\_\_\_ be disconnected if \_\_\_\_\_ fix \_\_\_\_\_ problems?  
 Is \_\_\_\_\_ keep partial \_\_\_\_\_ tapwater \_\_\_\_\_ working on repairs?  
 Will we have \_\_\_\_\_ our \_\_\_\_\_ will we still \_\_\_\_\_ running tapwater \_\_\_\_\_ repairs?  
 Can certain \_\_\_\_\_ the \_\_\_\_\_ continue to provide \_\_\_\_\_ water \_\_\_\_\_ use \_\_\_\_\_ made?  
 Will \_\_\_\_\_ be completely \_\_\_\_\_ or \_\_\_\_\_ water be used?  
 \_\_\_\_\_ need \_\_\_\_\_ the supply entirely, \_\_\_\_\_ we be able to use \_\_\_\_\_ during \_\_\_\_\_?  
 During \_\_\_\_\_ can \_\_\_\_\_ the tapwater?  
 \_\_\_\_\_ way to use \_\_\_\_\_ repairing issues?  
 Is it necessary to \_\_\_\_\_ supply \_\_\_\_\_ fix \_\_\_\_\_?  
 \_\_\_\_\_ to use tapwater \_\_\_\_\_ we fix \_\_\_\_\_?  
 Without \_\_\_\_\_ completely, is \_\_\_\_\_ possible \_\_\_\_\_ running tap \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ water system \_\_\_\_\_ to repair it?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ the water \_\_\_\_\_ completely for repairs, \_\_\_\_\_ is \_\_\_\_\_ still \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ repairs \_\_\_\_\_ accommodate \_\_\_\_\_ tap water use?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ us \_\_\_\_\_ keep \_\_\_\_\_ water?  
 Will \_\_\_\_\_ our supply \_\_\_\_\_ solve \_\_\_\_\_ issues?  
 Will \_\_\_\_\_ have \_\_\_\_\_ stop all \_\_\_\_\_ flow \_\_\_\_\_ these issues?  
 \_\_\_\_\_ tap \_\_\_\_\_ be used \_\_\_\_\_ repairs?  
 Is it \_\_\_\_\_ access \_\_\_\_\_ to \_\_\_\_\_ maintained \_\_\_\_\_ repairs are being undertaken?  
 \_\_\_\_\_ use some tap \_\_\_\_\_ during the \_\_\_\_\_ if the \_\_\_\_\_ off?  
 \_\_\_\_\_ some taps \_\_\_\_\_?  
 \_\_\_\_\_ abolishing \_\_\_\_\_ necessary \_\_\_\_\_ resolve concerns?  
 How \_\_\_\_\_ tapwater while \_\_\_\_\_ issues?  
 Is \_\_\_\_\_ complete \_\_\_\_\_ our water service required for \_\_\_\_\_ are there \_\_\_\_\_ for continued \_\_\_\_\_?  
 \_\_\_\_\_ to cut off our supply completely or \_\_\_\_\_ running tap water \_\_\_\_\_ repairs?  
 Is it necessary \_\_\_\_\_ water \_\_\_\_\_ completely for \_\_\_\_\_ tap water still usable during \_\_\_\_\_?  
 Do \_\_\_\_\_ completely cut off the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ to fix it?  
 \_\_\_\_\_ we \_\_\_\_\_ water \_\_\_\_\_ we \_\_\_\_\_ things, or \_\_\_\_\_ we cut \_\_\_\_\_ supply?  
 \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ repairs?  
 Will tapwater still be \_\_\_\_\_ repairs or \_\_\_\_\_ the \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ stop our \_\_\_\_\_ supply \_\_\_\_\_ repairs, \_\_\_\_\_ tapwater \_\_\_\_\_ usable?  
 Do \_\_\_\_\_ completely cut off \_\_\_\_\_ or \_\_\_\_\_ use the tap water?  
 We \_\_\_\_\_ a \_\_\_\_\_ shutdown of \_\_\_\_\_ water \_\_\_\_\_ necessary for \_\_\_\_\_ or \_\_\_\_\_ there are opportunities for \_\_\_\_\_ access  
 with \_\_\_\_\_  
 \_\_\_\_\_ have to cut \_\_\_\_\_ entirely \_\_\_\_\_ the issues?  
 Is \_\_\_\_\_ enough room for \_\_\_\_\_ tapwater \_\_\_\_\_ repairs?  
 \_\_\_\_\_ supply \_\_\_\_\_ if we need to \_\_\_\_\_ the problems?  
 \_\_\_\_\_ possible \_\_\_\_\_ partial access to running \_\_\_\_\_ water \_\_\_\_\_ repairs are \_\_\_\_\_?  
 \_\_\_\_\_ still \_\_\_\_\_ tapwater \_\_\_\_\_ repairs?

\_\_\_\_\_ mean \_\_\_\_\_ water, or taps \_\_\_\_\_ work.

Is it necessary \_\_\_\_\_ stop our \_\_\_\_\_ entirely for repairs \_\_\_\_\_ is tap \_\_\_\_\_ still \_\_\_\_\_?

Will we \_\_\_\_\_ to cut \_\_\_\_\_ supply completely \_\_\_\_\_ can we \_\_\_\_\_ running \_\_\_\_\_?

Is there \_\_\_\_\_ to close our \_\_\_\_\_ while we \_\_\_\_\_ these problems or \_\_\_\_\_ a \_\_\_\_\_ amount \_\_\_\_\_?

Will \_\_\_\_\_ our \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ issues?

Is \_\_\_\_\_ to use \_\_\_\_\_ while \_\_\_\_\_?

Will \_\_\_\_\_ shutdown of \_\_\_\_\_ water system \_\_\_\_\_ needed \_\_\_\_\_?

Is there room \_\_\_\_\_ little tap \_\_\_\_\_ repairs?

\_\_\_\_\_ the \_\_\_\_\_ or can some \_\_\_\_\_ water still \_\_\_\_\_ used?

\_\_\_\_\_ the \_\_\_\_\_ water supply?

Is it possible \_\_\_\_\_ access \_\_\_\_\_ running tap \_\_\_\_\_ while carrying out \_\_\_\_\_?

While fixing supply \_\_\_\_\_ tapwater?

We \_\_\_\_\_ complete shutdown of our \_\_\_\_\_ service is \_\_\_\_\_ proper maintenance, or if there are \_\_\_\_\_

During \_\_\_\_\_ can \_\_\_\_\_ get \_\_\_\_\_?

\_\_\_\_\_ we need \_\_\_\_\_ lot of \_\_\_\_\_ cuts \_\_\_\_\_ can we \_\_\_\_\_ a \_\_\_\_\_?

Is it necessary \_\_\_\_\_ the water \_\_\_\_\_ completely, or \_\_\_\_\_ tap \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ cut off the \_\_\_\_\_ correct \_\_\_\_\_ issues?

\_\_\_\_\_ repairs, \_\_\_\_\_ it \_\_\_\_\_ running tapwater?

Is it \_\_\_\_\_ to \_\_\_\_\_ off all access to \_\_\_\_\_?

Can \_\_\_\_\_ limited access to running tapwater \_\_\_\_\_ are \_\_\_\_\_ done, \_\_\_\_\_ a complete shutdown of our \_\_\_\_\_?

Can the repairs \_\_\_\_\_?

Does anyone \_\_\_\_\_ use \_\_\_\_\_ while repairing supply \_\_\_\_\_?

Would \_\_\_\_\_ be possible to \_\_\_\_\_ water \_\_\_\_\_ repairs?

Is a complete \_\_\_\_\_ of our \_\_\_\_\_ service \_\_\_\_\_ for \_\_\_\_\_ maintenance or \_\_\_\_\_ there are opportunities \_\_\_\_\_ underway?

Will \_\_\_\_\_ to cut off our supply \_\_\_\_\_ can \_\_\_\_\_ use \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ completely or \_\_\_\_\_ tapwater be \_\_\_\_\_ during repairs?

\_\_\_\_\_ if we need to \_\_\_\_\_ our supply completely \_\_\_\_\_ if \_\_\_\_\_ can still \_\_\_\_\_ tap \_\_\_\_\_.

\_\_\_\_\_ be necessary to cut the \_\_\_\_\_ to fix \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ our supply completely or can \_\_\_\_\_ tap water during \_\_\_\_\_?

Is \_\_\_\_\_ to cut off the supply \_\_\_\_\_ to fix \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ tap water while \_\_\_\_\_ issues?

Is \_\_\_\_\_ a \_\_\_\_\_ to close \_\_\_\_\_ supply in order \_\_\_\_\_ fix \_\_\_\_\_ problems, or can we \_\_\_\_\_ throughout \_\_\_\_\_

\_\_\_\_\_ take a complete shut \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ repair?

\_\_\_\_\_ a complete shutdown \_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

Can \_\_\_\_\_ a \_\_\_\_\_ amount of water \_\_\_\_\_ taps \_\_\_\_\_ repairs?

Can we \_\_\_\_\_ limited \_\_\_\_\_ to running tapwater \_\_\_\_\_ fix \_\_\_\_\_ issues, or will \_\_\_\_\_ a complete \_\_\_\_\_ supply?

Can we use tapwater \_\_\_\_\_ we \_\_\_\_\_ issues \_\_\_\_\_ should \_\_\_\_\_ cut \_\_\_\_\_?

Is a \_\_\_\_\_ shutdown \_\_\_\_\_ water service \_\_\_\_\_ there opportunities \_\_\_\_\_ access with necessary repairs \_\_\_\_\_?

\_\_\_\_\_ the repairs, \_\_\_\_\_ use tap water?

\_\_\_\_\_ necessary for \_\_\_\_\_ of \_\_\_\_\_ water service, or is \_\_\_\_\_ for \_\_\_\_\_ access?

\_\_\_\_\_ water supply be disconnected \_\_\_\_\_ we \_\_\_\_\_ problems?

\_\_\_\_\_ to \_\_\_\_\_ alternate \_\_\_\_\_ during repair work \_\_\_\_\_ that partial access \_\_\_\_\_ tapwater \_\_\_\_\_?

Will we have to \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_?

Will we \_\_\_\_\_ to \_\_\_\_\_ completely or will \_\_\_\_\_ be able to \_\_\_\_\_ repairs?

Can the water \_\_\_\_\_ disconnected \_\_\_\_\_ when \_\_\_\_\_ fix \_\_\_\_\_?

During repairs \_\_\_\_\_ always \_\_\_\_\_ water?

Will a \_\_\_\_\_ the water system \_\_\_\_\_ required \_\_\_\_\_?

Can \_\_\_\_\_ limited amount of running \_\_\_\_\_ used \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ completely cutting off \_\_\_\_\_ water supplies?

Is it possible for partial \_\_\_\_\_ to \_\_\_\_\_ repair \_\_\_\_\_ is done?

\_\_\_\_\_ certain \_\_\_\_\_ system continue \_\_\_\_\_ provide tapwater while \_\_\_\_\_ are being \_\_\_\_\_?

Can we \_\_\_\_\_ during \_\_\_\_\_?

During repairs can \_\_\_\_\_ using \_\_\_\_\_ limited \_\_\_\_\_ water?

\_\_\_\_\_ room for a little \_\_\_\_\_ water \_\_\_\_\_ during \_\_\_\_\_?

Is \_\_\_\_\_ possible for \_\_\_\_\_ to \_\_\_\_\_ to be maintained \_\_\_\_\_ repairs \_\_\_\_\_ made?

Will \_\_\_\_\_ tap \_\_\_\_\_ during \_\_\_\_\_ or can \_\_\_\_\_ still be used?

\_\_\_\_\_ we have to cut off our supply completely \_\_\_\_\_ still \_\_\_\_\_?

When you fix \_\_\_\_\_ have \_\_\_\_\_?

Will some tap water \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ cut completely?

\_\_\_\_\_ it necessary to \_\_\_\_\_ off \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ stopped for repairs, \_\_\_\_\_ come out tap?

\_\_\_\_\_ cut our \_\_\_\_\_ entirely \_\_\_\_\_ you fix \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ tapwater while \_\_\_\_\_ are \_\_\_\_\_ performed?

Is \_\_\_\_\_ need to close \_\_\_\_\_ entire \_\_\_\_\_ these \_\_\_\_\_ or \_\_\_\_\_ we use a small amount \_\_\_\_\_ water?

\_\_\_\_\_ it possible \_\_\_\_\_ access to running tap \_\_\_\_\_ the pipes?

Will \_\_\_\_\_ complete shutdown of \_\_\_\_\_ water system \_\_\_\_\_?

\_\_\_\_\_ repairs, \_\_\_\_\_ we \_\_\_\_\_ tapwater?

Will \_\_\_\_\_ be some good ol' \_\_\_\_\_ or \_\_\_\_\_ be \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ cut off \_\_\_\_\_ supply \_\_\_\_\_ or can \_\_\_\_\_ still use the \_\_\_\_\_ the \_\_\_\_\_?

Do we \_\_\_\_\_ access to our \_\_\_\_\_ fix these issues?

\_\_\_\_\_ necessary to shut \_\_\_\_\_ the \_\_\_\_\_ during \_\_\_\_\_ work?

\_\_\_\_\_ water supply severed \_\_\_\_\_ if \_\_\_\_\_ fix these \_\_\_\_\_?

Can running \_\_\_\_\_ be used \_\_\_\_\_ we fix \_\_\_\_\_?

Will \_\_\_\_\_ down of our \_\_\_\_\_ be required \_\_\_\_\_ it?

\_\_\_\_\_ mean no water \_\_\_\_\_ can some \_\_\_\_\_?

How \_\_\_\_\_ I use \_\_\_\_\_ supplies?

Is \_\_\_\_\_ off the \_\_\_\_\_ completely to \_\_\_\_\_ the issues?

\_\_\_\_\_ some \_\_\_\_\_ water still \_\_\_\_\_ available \_\_\_\_\_?

Will the \_\_\_\_\_ be \_\_\_\_\_ or \_\_\_\_\_ tapwater still be \_\_\_\_\_?

Can we \_\_\_\_\_ while \_\_\_\_\_ issues?

Is \_\_\_\_\_ to \_\_\_\_\_ while our problems are fixed?

\_\_\_\_\_ we use the \_\_\_\_\_ while we \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ tap \_\_\_\_\_ while we \_\_\_\_\_ the issues?

Is \_\_\_\_\_ necessity to stop the supply \_\_\_\_\_?

\_\_\_\_\_ still \_\_\_\_\_ to \_\_\_\_\_ tapwater during repairs?

\_\_\_\_\_ our \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ the issues?

\_\_\_\_\_ a complete \_\_\_\_\_ to \_\_\_\_\_ issues?

\_\_\_\_\_ possible to keep \_\_\_\_\_ tap \_\_\_\_\_ flowing during \_\_\_\_\_?

\_\_\_\_\_ fixing \_\_\_\_\_ a \_\_\_\_\_ water shut \_\_\_\_\_ mandatory?

Should \_\_\_\_\_ cut \_\_\_\_\_ our \_\_\_\_\_ we fix these \_\_\_\_\_ or \_\_\_\_\_ still \_\_\_\_\_ tap water?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ supply entirely \_\_\_\_\_ we fix these issues \_\_\_\_\_ use \_\_\_\_\_?

\_\_\_\_\_ don't know if \_\_\_\_\_ complete shutdown \_\_\_\_\_ water \_\_\_\_\_ for \_\_\_\_\_ maintenance, \_\_\_\_\_ there are opportunities for continued \_\_\_\_\_.

\_\_\_\_\_ we use some tapwater \_\_\_\_\_ repairs without \_\_\_\_\_ off \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to cut off \_\_\_\_\_ a while?

\_\_\_\_\_ we have limited \_\_\_\_\_ to \_\_\_\_\_ tap water if we \_\_\_\_\_ down \_\_\_\_\_ for repairs?

\_\_\_\_\_ some tapwater \_\_\_\_\_ during \_\_\_\_\_ will we have \_\_\_\_\_ stop \_\_\_\_\_ supply \_\_\_\_\_?

Can \_\_\_\_\_ little \_\_\_\_\_ come \_\_\_\_\_ when the tap \_\_\_\_\_?

Can we still \_\_\_\_\_ tap \_\_\_\_\_ repairs?

Will the \_\_\_\_\_ supply be \_\_\_\_\_ completely \_\_\_\_\_ can \_\_\_\_\_ be \_\_\_\_\_?

Is it necessary \_\_\_\_\_ off the \_\_\_\_\_ in \_\_\_\_\_ the issues?

Is it a \_\_\_\_\_ to \_\_\_\_\_ water supply completely \_\_\_\_\_ repairs \_\_\_\_\_ tap \_\_\_\_\_?

Is \_\_\_\_\_ complete water \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ repairs while \_\_\_\_\_ partial access \_\_\_\_\_ the \_\_\_\_\_ water?

Can \_\_\_\_\_ using \_\_\_\_\_ tapwater?

Is it allowed \_\_\_\_\_ us \_\_\_\_\_ water while \_\_\_\_\_ everything?

\_\_\_\_\_ to \_\_\_\_\_ running tapwater \_\_\_\_\_ repairs take place?

\_\_\_\_\_ repairs mean no water, \_\_\_\_\_ some taps \_\_\_\_\_?

Will we need \_\_\_\_\_ completely \_\_\_\_\_ we use \_\_\_\_\_ tap water \_\_\_\_\_ repairs?

\_\_\_\_\_ we need to \_\_\_\_\_ entirely, or \_\_\_\_\_ some tap water?

\_\_\_\_\_ it possible to keep \_\_\_\_\_ tap \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ to perform repairs without cutting \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ repairs to \_\_\_\_\_ done \_\_\_\_\_ cutting off \_\_\_\_\_ supply?

\_\_\_\_\_ possible to \_\_\_\_\_ access to \_\_\_\_\_ tapwater \_\_\_\_\_ taking \_\_\_\_\_ of repairs?

How \_\_\_\_\_ accommodate \_\_\_\_\_ tapwater \_\_\_\_\_?

Is \_\_\_\_\_ possible to keep \_\_\_\_\_ water without \_\_\_\_\_ shutting \_\_\_\_\_?

\_\_\_\_\_ tapwater be used \_\_\_\_\_ or will \_\_\_\_\_ supply \_\_\_\_\_ cut completely?

\_\_\_\_\_ we need \_\_\_\_\_ completely or \_\_\_\_\_ we be able \_\_\_\_\_ some tapwater?

Is \_\_\_\_\_ a \_\_\_\_\_ to close \_\_\_\_\_ supply in \_\_\_\_\_ address \_\_\_\_\_ fix these problems \_\_\_\_\_ tap water throughout \_\_\_\_\_ repair

Is it \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ supply \_\_\_\_\_ or is it \_\_\_\_\_ use tap water?

\_\_\_\_\_ cutting our supply \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ for a \_\_\_\_\_ usage \_\_\_\_\_ repair?

\_\_\_\_\_ have to cut \_\_\_\_\_ our \_\_\_\_\_ or \_\_\_\_\_ be able to use the \_\_\_\_\_ water?

\_\_\_\_\_ keep running water \_\_\_\_\_ the repairs?

\_\_\_\_\_ we \_\_\_\_\_ from taps?

\_\_\_\_\_ complete water \_\_\_\_\_ fix issues?

We \_\_\_\_\_ know \_\_\_\_\_ we need \_\_\_\_\_ close \_\_\_\_\_ entire supply \_\_\_\_\_ we need \_\_\_\_\_ some tapwater during \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ limited \_\_\_\_\_ to running \_\_\_\_\_ repairs are being made or \_\_\_\_\_ a \_\_\_\_\_ our water supply?

Will \_\_\_\_\_ be \_\_\_\_\_ down the water system, \_\_\_\_\_ us \_\_\_\_\_ running \_\_\_\_\_?

Is it \_\_\_\_\_ a \_\_\_\_\_ or some good \_\_\_\_\_ H<sub>2</sub>O?

\_\_\_\_\_ we fix \_\_\_\_\_ will \_\_\_\_\_ water supply \_\_\_\_\_ disconnected?

Will we \_\_\_\_\_ to cut \_\_\_\_\_ our supply \_\_\_\_\_ or will \_\_\_\_\_ still \_\_\_\_\_ some \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ necessary to \_\_\_\_\_ cut off \_\_\_\_\_ supply if we want \_\_\_\_\_?

\_\_\_\_\_ room \_\_\_\_\_ a little \_\_\_\_\_ use while \_\_\_\_\_ fix?

Is \_\_\_\_\_ for \_\_\_\_\_ while we \_\_\_\_\_ everything?

\_\_\_\_\_ necessary for \_\_\_\_\_ water \_\_\_\_\_ process \_\_\_\_\_ cease \_\_\_\_\_ flow source?

\_\_\_\_\_ necessary to disconnect \_\_\_\_\_ supply \_\_\_\_\_ addressing the concerns?

\_\_\_\_\_ we still \_\_\_\_\_ during repairs?

\_\_\_\_\_ we need \_\_\_\_\_ turn off \_\_\_\_\_ the water \_\_\_\_\_ fix the issues?

Is it necessary \_\_\_\_\_ all water \_\_\_\_\_ fix the \_\_\_\_\_?

Is there \_\_\_\_\_ need to \_\_\_\_\_ our entire \_\_\_\_\_ address \_\_\_\_\_ fix these \_\_\_\_\_ we use \_\_\_\_\_ small \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ all access to \_\_\_\_\_ temporarily to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ we fix issues \_\_\_\_\_ we stop the supply?

Can \_\_\_\_\_ limited \_\_\_\_\_ tap water \_\_\_\_\_ the repairs are being made, or can \_\_\_\_\_ have \_\_\_\_\_ complete \_\_\_\_\_ water \_\_\_\_\_?

Will \_\_\_\_\_ tapwater \_\_\_\_\_ while we fix everything?

\_\_\_\_\_ it \_\_\_\_\_ use tap \_\_\_\_\_ we fix everything?

\_\_\_\_\_ it \_\_\_\_\_ to use \_\_\_\_\_ for \_\_\_\_\_?

Do we need to cut \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_?

Is \_\_\_\_\_ complete water shutdown \_\_\_\_\_?

\_\_\_\_\_ need to stop \_\_\_\_\_ completely or will \_\_\_\_\_ able \_\_\_\_\_ tap water during repairs?

\_\_\_\_\_ repairs result in a \_\_\_\_\_ of water \_\_\_\_\_?

Is it \_\_\_\_\_ our \_\_\_\_\_ supply while \_\_\_\_\_ fix \_\_\_\_\_ or should we use \_\_\_\_\_ tap \_\_\_\_\_ the repairs?

Are \_\_\_\_\_ allowed to use \_\_\_\_\_ water \_\_\_\_\_ fix \_\_\_\_\_?

Will we \_\_\_\_\_ to \_\_\_\_\_ supply \_\_\_\_\_ we \_\_\_\_\_ the tap water during repairs?

\_\_\_\_\_ we still use tapwater \_\_\_\_\_ we \_\_\_\_\_ cut off \_\_\_\_\_?

Is \_\_\_\_\_ service \_\_\_\_\_ for proper \_\_\_\_\_ or \_\_\_\_\_ there \_\_\_\_\_ for continued access \_\_\_\_\_ necessary fixes underway?

We don't know if \_\_\_\_\_ a \_\_\_\_\_ of our water \_\_\_\_\_ for continued access.

\_\_\_\_\_ the \_\_\_\_\_ disconnected completely to fix these \_\_\_\_\_?

\_\_\_\_\_ supply \_\_\_\_\_ disconnected completely \_\_\_\_\_ need \_\_\_\_\_ fix these problems?

Can an \_\_\_\_\_ repair work to allow \_\_\_\_\_ to the tap \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ use some tapwater \_\_\_\_\_?

\_\_\_\_\_ can we use \_\_\_\_\_ water \_\_\_\_\_ extent?

Will the repairs \_\_\_\_\_ cut \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ repairs?

\_\_\_\_\_ you \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ in supply of tapwater \_\_\_\_\_ part of \_\_\_\_\_?

\_\_\_\_\_ shut-off mandatory \_\_\_\_\_ fixing issues?

\_\_\_\_\_ water \_\_\_\_\_ be disconnected \_\_\_\_\_ we \_\_\_\_\_ to fix \_\_\_\_\_ problems?

Can \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ repair \_\_\_\_\_ if we \_\_\_\_\_ completely \_\_\_\_\_ off our water supply?

\_\_\_\_\_ an alternate arrangement be \_\_\_\_\_ work \_\_\_\_\_ that partial access \_\_\_\_\_ water \_\_\_\_\_ addressing these \_\_\_\_\_?

\_\_\_\_\_ a complete \_\_\_\_\_ of our \_\_\_\_\_ service required for \_\_\_\_\_ maintenance \_\_\_\_\_ is \_\_\_\_\_ opportunities \_\_\_\_\_ access with \_\_\_\_\_?

Is there \_\_\_\_\_ need \_\_\_\_\_ our \_\_\_\_\_ supply while \_\_\_\_\_ and \_\_\_\_\_ these problems, \_\_\_\_\_ a small \_\_\_\_\_ tap water during

\_\_\_\_\_ a \_\_\_\_\_ shutdown \_\_\_\_\_ be required for repairing?

\_\_\_\_\_ be cut completely or \_\_\_\_\_ still be \_\_\_\_\_ during repairs?

\_\_\_\_\_ allow for running tap \_\_\_\_\_?

Will cutting our \_\_\_\_\_ to fix \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ to shut \_\_\_\_\_ all our \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ complete \_\_\_\_\_ water system to repair it?

\_\_\_\_\_ we need to \_\_\_\_\_ water \_\_\_\_\_ repairs?

\_\_\_\_\_ it \_\_\_\_\_ to close our \_\_\_\_\_ supply while we address and \_\_\_\_\_ we use some tap \_\_\_\_\_?

Will \_\_\_\_\_ need \_\_\_\_\_ the supply \_\_\_\_\_ we be able to \_\_\_\_\_ during the repairs?

\_\_\_\_\_ it \_\_\_\_\_ use \_\_\_\_\_ taps during the \_\_\_\_\_ if we address the \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to cut \_\_\_\_\_ supply completely \_\_\_\_\_ we \_\_\_\_\_ running \_\_\_\_\_ during repairs?

\_\_\_\_\_ it \_\_\_\_\_ to close our entire supply \_\_\_\_\_ to address \_\_\_\_\_ fix these \_\_\_\_\_ or \_\_\_\_\_ some \_\_\_\_\_?