

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Construction and development applications
<b>Inquiry Sub-Category</b>	New Connection Requests
<b>Description</b>	Customers inquire about the process and requirements for obtaining a new water or wastewater connection for their construction or development projects.
<b>Data Size</b>	5,046 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ we need \_\_\_\_\_ applications \_\_\_\_\_ each \_\_\_\_\_ a building complex \_\_\_\_\_ utilities connection?

Is \_\_\_\_\_ necessary to apply \_\_\_\_\_ for the building complex \_\_\_\_\_ own \_\_\_\_\_?

Do you \_\_\_\_\_ residential \_\_\_\_\_ should apply \_\_\_\_\_ to get \_\_\_\_\_ hookups?

If a \_\_\_\_\_ own \_\_\_\_\_ residential units, should there \_\_\_\_\_ separate \_\_\_\_\_?

If every \_\_\_\_\_ its \_\_\_\_\_ utilities connection, \_\_\_\_\_ we need \_\_\_\_\_ multiple \_\_\_\_\_?

\_\_\_\_\_ we need \_\_\_\_\_ for separate applications \_\_\_\_\_ the residential \_\_\_\_\_ their \_\_\_\_\_ connection?

\_\_\_\_\_ every \_\_\_\_\_ the \_\_\_\_\_ requires its own \_\_\_\_\_ we need a \_\_\_\_\_ of applications?

Do housing units \_\_\_\_\_ the building complex \_\_\_\_\_ own \_\_\_\_\_?

If every \_\_\_\_\_ unit \_\_\_\_\_ the building requires their \_\_\_\_\_ need \_\_\_\_\_ applications?

Is \_\_\_\_\_ application \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_ the building \_\_\_\_\_ to have \_\_\_\_\_ own \_\_\_\_\_ connection?

If \_\_\_\_\_ units \_\_\_\_\_ complex need their \_\_\_\_\_ utilities \_\_\_\_\_ a \_\_\_\_\_ application is \_\_\_\_\_.

Is there \_\_\_\_\_ individual \_\_\_\_\_ every residential \_\_\_\_\_ in the building?

Is \_\_\_\_\_ necessary \_\_\_\_\_ for utilities connection for \_\_\_\_\_ residential unit \_\_\_\_\_ the \_\_\_\_\_?

Do we \_\_\_\_\_ for the \_\_\_\_\_ units' \_\_\_\_\_ connection if they \_\_\_\_\_?

\_\_\_\_\_ each residential \_\_\_\_\_ to submit \_\_\_\_\_ for their own \_\_\_\_\_ connections?

Do we need to apply for \_\_\_\_\_ one \_\_\_\_\_ for \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_?

Do the residential units \_\_\_\_\_ the building \_\_\_\_\_ need \_\_\_\_\_?

Is \_\_\_\_\_ residential unit \_\_\_\_\_ apply individually to get \_\_\_\_\_ own utilities \_\_\_\_\_?

Have \_\_\_\_\_ to \_\_\_\_\_ separate applications for \_\_\_\_\_ of \_\_\_\_\_ housing \_\_\_\_\_?

\_\_\_\_\_ need to apply separately \_\_\_\_\_ residential \_\_\_\_\_ have their \_\_\_\_\_ connections?

Do we \_\_\_\_\_ separate \_\_\_\_\_ own utilities \_\_\_\_\_ for each Residential Unit?

If utilities \_\_\_\_\_ required in every residential, \_\_\_\_\_ having \_\_\_\_\_?

Should a \_\_\_\_\_ application \_\_\_\_\_ created for \_\_\_\_\_ of \_\_\_\_\_ building complex \_\_\_\_\_ their own utilities \_\_\_\_\_?

\_\_\_\_\_ don't \_\_\_\_\_ if \_\_\_\_\_ is worth \_\_\_\_\_ multiple applications if utilities \_\_\_\_\_ required \_\_\_\_\_.

Do we have to \_\_\_\_\_ for \_\_\_\_\_ separate utilities \_\_\_\_\_ residential units \_\_\_\_\_?

\_\_\_\_\_ separate \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ building complex need their \_\_\_\_\_ utilities \_\_\_\_\_?

Does the residential \_\_\_\_\_ building \_\_\_\_\_ own utilities \_\_\_\_\_ or separately?

\_\_\_\_\_ separate utilities applications \_\_\_\_\_ in a building complex?

If \_\_\_\_\_ residents need their own \_\_\_\_\_ connections, \_\_\_\_\_ individually \_\_\_\_\_ to \_\_\_\_\_ complex?  
 Is individual \_\_\_\_\_ every residential \_\_\_\_\_?  
 \_\_\_\_\_ we need to \_\_\_\_\_ many applications \_\_\_\_\_ every unit in \_\_\_\_\_ building \_\_\_\_\_?  
 Is it \_\_\_\_\_ separate \_\_\_\_\_ applications \_\_\_\_\_ every \_\_\_\_\_ in \_\_\_\_\_ building?  
 Should \_\_\_\_\_ application \_\_\_\_\_ made \_\_\_\_\_ the residential \_\_\_\_\_ of \_\_\_\_\_ building complex \_\_\_\_\_ their \_\_\_\_\_ utilities connection?  
 Do \_\_\_\_\_ need to apply \_\_\_\_\_ complex separately if \_\_\_\_\_ need \_\_\_\_\_ own \_\_\_\_\_?  
 Is it \_\_\_\_\_ apply \_\_\_\_\_ applications if \_\_\_\_\_ unit has its \_\_\_\_\_?  
 \_\_\_\_\_ we need to \_\_\_\_\_ for \_\_\_\_\_ need \_\_\_\_\_ connection?  
 \_\_\_\_\_ need \_\_\_\_\_ if the building requires its \_\_\_\_\_ utilities \_\_\_\_\_ every \_\_\_\_\_?  
 \_\_\_\_\_ applications be \_\_\_\_\_ for \_\_\_\_\_ building complexes' resident \_\_\_\_\_?  
 Is \_\_\_\_\_ for each residence to \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ we need to submit individual requests \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ utilities applications \_\_\_\_\_ to \_\_\_\_\_ each unit in a \_\_\_\_\_?  
 Do we need to \_\_\_\_\_ to the \_\_\_\_\_ complex \_\_\_\_\_ who need \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ utilities connection for \_\_\_\_\_ Residential unit?  
 Should residents \_\_\_\_\_ to fill \_\_\_\_\_ application forms \_\_\_\_\_ connections in their \_\_\_\_\_?  
 If \_\_\_\_\_ its own \_\_\_\_\_ residential \_\_\_\_\_ we need \_\_\_\_\_ applications.  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ for a separate utilities \_\_\_\_\_ the residential \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ separate applications if a \_\_\_\_\_ requires \_\_\_\_\_ utility \_\_\_\_\_ for each residential \_\_\_\_\_?  
 Do \_\_\_\_\_ need \_\_\_\_\_ for the building \_\_\_\_\_ for \_\_\_\_\_ residents \_\_\_\_\_ their own utilities \_\_\_\_\_?  
 \_\_\_\_\_ each residential \_\_\_\_\_ requires its \_\_\_\_\_ utilities connection, do \_\_\_\_\_?  
 Do we \_\_\_\_\_ submit \_\_\_\_\_ utilities \_\_\_\_\_ each housing \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ separate applications for \_\_\_\_\_ every \_\_\_\_\_ unit?  
 Do we need to \_\_\_\_\_ multiple applications for \_\_\_\_\_ the building \_\_\_\_\_ has \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ separate applications \_\_\_\_\_ building \_\_\_\_\_ its residential units  
 \_\_\_\_\_ we \_\_\_\_\_ apply \_\_\_\_\_ more than \_\_\_\_\_ connection for \_\_\_\_\_ in the building complex?  
 Is \_\_\_\_\_ necessary to \_\_\_\_\_ for \_\_\_\_\_ to receive \_\_\_\_\_ own \_\_\_\_\_ connection?  
 \_\_\_\_\_ need to \_\_\_\_\_ different applications if \_\_\_\_\_ residential \_\_\_\_\_ of the building \_\_\_\_\_ to \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ we need \_\_\_\_\_ applications \_\_\_\_\_ every \_\_\_\_\_ the \_\_\_\_\_ requires their \_\_\_\_\_ utilities connection?  
 \_\_\_\_\_ need to \_\_\_\_\_ different \_\_\_\_\_ if residential units \_\_\_\_\_ the building \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ for each residence \_\_\_\_\_ receive their own \_\_\_\_\_ connection?  
 Can there \_\_\_\_\_ separate \_\_\_\_\_ each \_\_\_\_\_ to \_\_\_\_\_ their \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ have to \_\_\_\_\_ separately for each \_\_\_\_\_ that requires utilities \_\_\_\_\_?  
 Do we need \_\_\_\_\_ apply many \_\_\_\_\_ each \_\_\_\_\_ its own \_\_\_\_\_ connection?  
 \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_ complex need individual utilities \_\_\_\_\_?  
 Do \_\_\_\_\_ applications \_\_\_\_\_ a residential building requires \_\_\_\_\_ own \_\_\_\_\_?  
 \_\_\_\_\_ in \_\_\_\_\_ requires \_\_\_\_\_ own utilities connection, do \_\_\_\_\_ need more \_\_\_\_\_ one application?  
 Is there \_\_\_\_\_ need \_\_\_\_\_ separate \_\_\_\_\_ if \_\_\_\_\_ building \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ applications \_\_\_\_\_ building requires \_\_\_\_\_ separate utilities \_\_\_\_\_ each Residential unit?  
 \_\_\_\_\_ to the building complex \_\_\_\_\_ residents \_\_\_\_\_ need their own \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary to have \_\_\_\_\_ applications \_\_\_\_\_ each residential \_\_\_\_\_?  
 \_\_\_\_\_ to apply for the \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ the complex separately?  
 Is there \_\_\_\_\_ applications for \_\_\_\_\_ unit to \_\_\_\_\_ connected?  
 If the \_\_\_\_\_ of the \_\_\_\_\_ complex need \_\_\_\_\_ own utilities connection, do \_\_\_\_\_?  
 Is there \_\_\_\_\_ need for \_\_\_\_\_ utilities applications for \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ individual \_\_\_\_\_ services in \_\_\_\_\_ dwelling of the \_\_\_\_\_ complex?  
 \_\_\_\_\_ units in the building complex \_\_\_\_\_ connections' enroll \_\_\_\_\_?  
 Can there \_\_\_\_\_ separate applications for utilities \_\_\_\_\_?  
 \_\_\_\_\_ residential \_\_\_\_\_ of the \_\_\_\_\_ own \_\_\_\_\_ connection, do we apply \_\_\_\_\_ different applications?  
 When \_\_\_\_\_ in our \_\_\_\_\_ utility services, do \_\_\_\_\_ need separate \_\_\_\_\_?

\_\_\_\_ we \_\_\_\_ to apply for different applications if the \_\_\_\_ needed their \_\_\_\_ connection?  
 \_\_\_\_ building \_\_\_\_ own utilities connection for each \_\_\_\_ unit, \_\_\_\_ be \_\_\_\_ applications?  
 Do we \_\_\_\_ to \_\_\_\_ there are residential \_\_\_\_ that need \_\_\_\_ utilities connection?  
 \_\_\_\_ we \_\_\_\_ forms for utility connections in \_\_\_\_ unit?  
 \_\_\_\_ it have \_\_\_\_ separate \_\_\_\_ utilities connection \_\_\_\_ every \_\_\_\_ unit?  
 Do we \_\_\_\_ apply \_\_\_\_ connection in \_\_\_\_ residential \_\_\_\_ of \_\_\_\_ complex?  
 \_\_\_\_ units of the \_\_\_\_ would need to apply \_\_\_\_ own \_\_\_\_ connection \_\_\_\_.  
 \_\_\_\_ every \_\_\_\_ unit \_\_\_\_ the building requires \_\_\_\_ utilities \_\_\_\_ will \_\_\_\_ multiple applications?  
 Is \_\_\_\_ true \_\_\_\_ each \_\_\_\_ unit needs \_\_\_\_ separately \_\_\_\_ get their \_\_\_\_ hookups?  
 If \_\_\_\_ unit \_\_\_\_ a \_\_\_\_ its own \_\_\_\_ connection, do we \_\_\_\_ more \_\_\_\_ application?  
 \_\_\_\_ some residents \_\_\_\_ their \_\_\_\_ utilities \_\_\_\_ can \_\_\_\_ apply individually \_\_\_\_ building \_\_\_\_?  
 Do we \_\_\_\_ to \_\_\_\_ individually \_\_\_\_ some residents \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ need for separate applications for \_\_\_\_ units' \_\_\_\_ connections?  
 \_\_\_\_ it necessary \_\_\_\_ all \_\_\_\_ a \_\_\_\_ complex to have separate \_\_\_\_?  
 If some \_\_\_\_ their own utilities connections, \_\_\_\_ we \_\_\_\_ them \_\_\_\_?  
 \_\_\_\_ every residential \_\_\_\_ requires its own utilities connection, do we \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to apply \_\_\_\_ the \_\_\_\_ the complex to \_\_\_\_ their own \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ single apartment \_\_\_\_ building complex \_\_\_\_ its own utility \_\_\_\_?  
 Do \_\_\_\_ to \_\_\_\_ to \_\_\_\_ complex \_\_\_\_ residents \_\_\_\_ their own utilities connections?  
 \_\_\_\_ separate \_\_\_\_ for utilities in each \_\_\_\_?  
 Does each \_\_\_\_ unit's \_\_\_\_ separate \_\_\_\_?  
 Do \_\_\_\_ apply to \_\_\_\_ complex individually \_\_\_\_ who \_\_\_\_ their own utilities \_\_\_\_?  
 Is there any need \_\_\_\_ separate \_\_\_\_ in \_\_\_\_ housing \_\_\_\_?  
 Is \_\_\_\_ to \_\_\_\_ the building complex \_\_\_\_ for every \_\_\_\_ that \_\_\_\_ utilities \_\_\_\_?  
 Is there \_\_\_\_ for separate \_\_\_\_ for each \_\_\_\_ utilities?  
 Do we \_\_\_\_ building \_\_\_\_ own \_\_\_\_ connection for every Residential Unit?  
 Should there be a \_\_\_\_ for \_\_\_\_ connection?  
 \_\_\_\_ it \_\_\_\_ good \_\_\_\_ unit \_\_\_\_ separately to get their own utility \_\_\_\_ hooked up?  
 Does \_\_\_\_ housing unit need \_\_\_\_ applications \_\_\_\_?  
 If there \_\_\_\_ utilities connections required \_\_\_\_ every \_\_\_\_ we don't \_\_\_\_ it is \_\_\_\_ applications.  
 \_\_\_\_ have \_\_\_\_ for multiple applications if \_\_\_\_ residential units of the building complex \_\_\_\_?  
 Do \_\_\_\_ more \_\_\_\_ application \_\_\_\_ every unit in the \_\_\_\_ needs \_\_\_\_ utilities connection?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ to apply for \_\_\_\_ building complex \_\_\_\_ for \_\_\_\_ that requires \_\_\_\_?  
 "Do we need \_\_\_\_ building requires \_\_\_\_ connection \_\_\_\_ each \_\_\_\_ unit?"  
 If \_\_\_\_ units of the building \_\_\_\_ own utilities \_\_\_\_ have to apply \_\_\_\_?  
 Would a separate \_\_\_\_ for \_\_\_\_ utility connection?  
 \_\_\_\_ a building requires its \_\_\_\_ for \_\_\_\_ residential unit, we \_\_\_\_.  
 Does a separate \_\_\_\_ to \_\_\_\_ made \_\_\_\_ building complex to have \_\_\_\_ own utilities connection?  
 \_\_\_\_ it required \_\_\_\_ applications \_\_\_\_ utilities connection per \_\_\_\_ unit?  
 \_\_\_\_ the residential units of \_\_\_\_ separate \_\_\_\_ for utilities?  
 Do we need \_\_\_\_ individually \_\_\_\_ the \_\_\_\_ complex \_\_\_\_ who need their \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ it necessary \_\_\_\_ separate applications for utilities \_\_\_\_ unit?  
 \_\_\_\_ every residential unit \_\_\_\_ the \_\_\_\_ requires \_\_\_\_ connection, do we need to \_\_\_\_ applications?  
 Are the residential \_\_\_\_ building \_\_\_\_ needs their \_\_\_\_ utilities \_\_\_\_?  
 Does \_\_\_\_ individual utility connections?  
 \_\_\_\_ every \_\_\_\_ in the building \_\_\_\_ required \_\_\_\_ individual utilities \_\_\_\_?  
 Do \_\_\_\_ applications if there \_\_\_\_ a need \_\_\_\_ for residential \_\_\_\_?  
 \_\_\_\_ separate \_\_\_\_ for each \_\_\_\_ to \_\_\_\_ its own utility \_\_\_\_?  
 \_\_\_\_ the residential \_\_\_\_ of the building \_\_\_\_ in \_\_\_\_ utilities connection?  
 \_\_\_\_ wonder if we \_\_\_\_ forms for \_\_\_\_ in each building \_\_\_\_.

Is \_\_\_\_\_ separate applications \_\_\_\_\_ utilities \_\_\_\_\_ for every \_\_\_\_\_ unit \_\_\_\_\_ the \_\_\_\_\_ complex?  
 \_\_\_\_\_ it necessary for \_\_\_\_\_ a building \_\_\_\_\_ separate \_\_\_\_\_ applications?  
 \_\_\_\_\_ units of the \_\_\_\_\_ complex \_\_\_\_\_ own utilities \_\_\_\_\_ a separate application needs \_\_\_\_\_ created  
 Do we \_\_\_\_\_ when \_\_\_\_\_ building requires its \_\_\_\_\_ connection \_\_\_\_\_ each \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ need \_\_\_\_\_ application for \_\_\_\_\_ residential \_\_\_\_\_ in \_\_\_\_\_ building complex that needs its \_\_\_\_\_ utilities  
 If every \_\_\_\_\_ unit \_\_\_\_\_ the building \_\_\_\_\_ its own utility \_\_\_\_\_ multiple \_\_\_\_\_?  
 \_\_\_\_\_ unit \_\_\_\_\_ the building complex \_\_\_\_\_ its \_\_\_\_\_ utilities \_\_\_\_\_ do we need \_\_\_\_\_?  
 Should \_\_\_\_\_ separate \_\_\_\_\_ housing units' \_\_\_\_\_ connections?  
 \_\_\_\_\_ separate applications \_\_\_\_\_ for each \_\_\_\_\_ get \_\_\_\_\_ utilities connection?  
 \_\_\_\_\_ need for separate \_\_\_\_\_ a building requires its own utilities \_\_\_\_\_ for \_\_\_\_\_?  
 If some residents need their \_\_\_\_\_ utilities \_\_\_\_\_ apply \_\_\_\_\_ complex \_\_\_\_\_?  
 If each residential \_\_\_\_\_ requires \_\_\_\_\_ own utilities \_\_\_\_\_ should \_\_\_\_\_?  
 Do we \_\_\_\_\_ apply for the \_\_\_\_\_ connection separately \_\_\_\_\_?  
 Are separate applications \_\_\_\_\_ each residence \_\_\_\_\_ their \_\_\_\_\_ utilities \_\_\_\_\_?  
 Do \_\_\_\_\_ multiple applications \_\_\_\_\_ requires its own \_\_\_\_\_ connection?  
 \_\_\_\_\_ need \_\_\_\_\_ apply \_\_\_\_\_ if \_\_\_\_\_ residents need their \_\_\_\_\_ connection?  
 Do we \_\_\_\_\_ for \_\_\_\_\_ applications if \_\_\_\_\_ residential units needs \_\_\_\_\_ connection?  
 \_\_\_\_\_ application \_\_\_\_\_ to be made \_\_\_\_\_ the residential \_\_\_\_\_ building \_\_\_\_\_ have their own \_\_\_\_\_ connection?  
 \_\_\_\_\_ for different \_\_\_\_\_ if \_\_\_\_\_ units of the building complex \_\_\_\_\_ their \_\_\_\_\_ utilities connection.  
 If every unit \_\_\_\_\_ their \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ multiple applications?  
 Are you telling me \_\_\_\_\_ get their own utilities?  
 Is \_\_\_\_\_ to \_\_\_\_\_ applications for utilities \_\_\_\_\_ residential unit?  
 Is it necessary \_\_\_\_\_ for each residential \_\_\_\_\_ that requires \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ there a requirement to have \_\_\_\_\_ applications \_\_\_\_\_ unit?  
 Is \_\_\_\_\_ necessary to submit \_\_\_\_\_ utility \_\_\_\_\_ every \_\_\_\_\_ of \_\_\_\_\_ building complex?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ different \_\_\_\_\_ for the \_\_\_\_\_ the building \_\_\_\_\_ if \_\_\_\_\_ need \_\_\_\_\_ utilities connection?  
 Is \_\_\_\_\_ for every unit \_\_\_\_\_ complex to \_\_\_\_\_ separate utilities \_\_\_\_\_?  
 Do the residential \_\_\_\_\_ of \_\_\_\_\_ building complex \_\_\_\_\_ utilities?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ building complex \_\_\_\_\_ connection does a \_\_\_\_\_ need to be made.  
 Do we need \_\_\_\_\_ other applications \_\_\_\_\_ residential \_\_\_\_\_ own utilities connection?  
 \_\_\_\_\_ apply \_\_\_\_\_ application for every \_\_\_\_\_ in the building \_\_\_\_\_ needs its \_\_\_\_\_ utilities \_\_\_\_\_?  
 Do \_\_\_\_\_ applications if \_\_\_\_\_ building \_\_\_\_\_ its own \_\_\_\_\_ for each \_\_\_\_\_?  
 Do we \_\_\_\_\_ to apply \_\_\_\_\_ need their own \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ separately for \_\_\_\_\_ residential units \_\_\_\_\_ complex \_\_\_\_\_ have their \_\_\_\_\_ connection?  
 \_\_\_\_\_ all \_\_\_\_\_ be \_\_\_\_\_ fill out separate \_\_\_\_\_ connections in \_\_\_\_\_ units?  
 Is \_\_\_\_\_ a \_\_\_\_\_ application needed \_\_\_\_\_ each unit \_\_\_\_\_ have \_\_\_\_\_?  
 Should \_\_\_\_\_ made for the residential \_\_\_\_\_ if \_\_\_\_\_ their \_\_\_\_\_ utilities connection?  
 Is it \_\_\_\_\_ us \_\_\_\_\_ apply for the \_\_\_\_\_ individually \_\_\_\_\_ some \_\_\_\_\_ need their own \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ have \_\_\_\_\_ utilities connection in each residential \_\_\_\_\_?  
 Do we \_\_\_\_\_ building \_\_\_\_\_ hookups for its residences?  
 Do we need to \_\_\_\_\_ to \_\_\_\_\_ building complex \_\_\_\_\_ if \_\_\_\_\_ residents \_\_\_\_\_?  
 \_\_\_\_\_ requirement for separate \_\_\_\_\_ for \_\_\_\_\_ housing \_\_\_\_\_ utility connections?  
 Do \_\_\_\_\_ to \_\_\_\_\_ a separate utilities connection \_\_\_\_\_ units of \_\_\_\_\_ complex?  
 Do we need \_\_\_\_\_ different applications if \_\_\_\_\_ own \_\_\_\_\_ connection?  
 \_\_\_\_\_ to \_\_\_\_\_ utilities for the \_\_\_\_\_ units of the \_\_\_\_\_ complex?  
 \_\_\_\_\_ it \_\_\_\_\_ to process individual \_\_\_\_\_ utilities \_\_\_\_\_ buildings' \_\_\_\_\_ units?  
 \_\_\_\_\_ the residential \_\_\_\_\_ complex \_\_\_\_\_ own \_\_\_\_\_ connection, will we need \_\_\_\_\_ apply \_\_\_\_\_ different applications?  
 Do we have to \_\_\_\_\_ for \_\_\_\_\_ own \_\_\_\_\_ connection?  
 \_\_\_\_\_ some residents need \_\_\_\_\_ connections, \_\_\_\_\_ we apply \_\_\_\_\_ the building \_\_\_\_\_?  
 If \_\_\_\_\_ unit in a building complex requires \_\_\_\_\_ separate applications?

It is not \_\_\_\_ if a \_\_\_\_ worth having \_\_\_\_ applications \_\_\_\_ there \_\_\_\_ connections required \_\_\_\_\_.  
 If some \_\_\_\_ need \_\_\_\_ own utilities \_\_\_\_ we need \_\_\_\_ individually?  
 We \_\_\_\_ to \_\_\_\_ if \_\_\_\_ units \_\_\_\_ the building complex need \_\_\_\_ own \_\_\_\_\_.  
 \_\_\_\_ need for separate \_\_\_\_ hookups in a building?  
 \_\_\_\_ every unit \_\_\_\_ building requires its \_\_\_\_ utilities \_\_\_\_ do \_\_\_\_ need \_\_\_\_ apply \_\_\_\_ one application?  
 Is \_\_\_\_ have \_\_\_\_ applications for the \_\_\_\_ connection \_\_\_\_ units?  
 Is a separate \_\_\_\_ for \_\_\_\_ utility \_\_\_\_?  
 \_\_\_\_ don't know if \_\_\_\_ building \_\_\_\_ worth \_\_\_\_ multiple applications \_\_\_\_ there \_\_\_\_ every house.  
 \_\_\_\_ to apply \_\_\_\_ utilities \_\_\_\_ the residential units of the \_\_\_\_ complex?  
 \_\_\_\_ it necessary \_\_\_\_ utilities connections \_\_\_\_ unit in \_\_\_\_ building?  
 \_\_\_\_ every unit \_\_\_\_ building has its \_\_\_\_ do \_\_\_\_ need to \_\_\_\_ multiple \_\_\_\_?  
 Is there a need \_\_\_\_ multiple \_\_\_\_ if \_\_\_\_ a \_\_\_\_ in \_\_\_\_?  
 Is it true that each residential \_\_\_\_ needs \_\_\_\_ for \_\_\_\_?  
 Do we \_\_\_\_ to \_\_\_\_ to the \_\_\_\_ complex \_\_\_\_ for \_\_\_\_ who \_\_\_\_ connections?  
 Do we need to \_\_\_\_ to \_\_\_\_ if \_\_\_\_ need \_\_\_\_ own \_\_\_\_ connections?  
 If \_\_\_\_ unit \_\_\_\_ building complex requires its \_\_\_\_ utilities \_\_\_\_ need more \_\_\_\_ one \_\_\_\_?  
 Do we need \_\_\_\_ the separate \_\_\_\_ connection for \_\_\_\_ residential \_\_\_\_ in \_\_\_\_?  
 Do \_\_\_\_ need \_\_\_\_ applications if \_\_\_\_ needs hookups for \_\_\_\_?  
 Is \_\_\_\_ necessary \_\_\_\_ each residence to \_\_\_\_ their \_\_\_\_?  
 Are \_\_\_\_ each residence \_\_\_\_ have their own \_\_\_\_ connection?  
 Is \_\_\_\_ need for \_\_\_\_ utilities \_\_\_\_ in a \_\_\_\_ complex?  
 If the \_\_\_\_ units need \_\_\_\_ connection does a \_\_\_\_ to be \_\_\_\_?  
 \_\_\_\_ need to \_\_\_\_ the \_\_\_\_ complex \_\_\_\_ residents who \_\_\_\_ their \_\_\_\_ utilities connections?  
 In every \_\_\_\_ complex, should \_\_\_\_ submit individual \_\_\_\_ for utility \_\_\_\_?  
 \_\_\_\_ have separate applications for the utilities connection \_\_\_\_ residential \_\_\_\_?  
 Does a separate \_\_\_\_ be \_\_\_\_ for \_\_\_\_ residential \_\_\_\_ of \_\_\_\_ building \_\_\_\_ have their \_\_\_\_ utilities \_\_\_\_?  
 Is \_\_\_\_ application required \_\_\_\_ resident's \_\_\_\_ connection?  
 \_\_\_\_ separate application \_\_\_\_ to \_\_\_\_ if the \_\_\_\_ units \_\_\_\_ own utilities connection?  
 \_\_\_\_ the residential units \_\_\_\_ complex \_\_\_\_ own utilities \_\_\_\_ a separate \_\_\_\_ needs \_\_\_\_ be \_\_\_\_  
 Is there \_\_\_\_ need \_\_\_\_ separate applications for \_\_\_\_ utility \_\_\_\_?  
 Is \_\_\_\_ for \_\_\_\_ housing \_\_\_\_ have separate \_\_\_\_ for their utility \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ residential \_\_\_\_ of the building \_\_\_\_ to \_\_\_\_ their own utilities \_\_\_\_?  
 \_\_\_\_ need to apply individually for the building \_\_\_\_ people \_\_\_\_ own \_\_\_\_?  
 Do we \_\_\_\_ to apply to \_\_\_\_ complex \_\_\_\_ residents need \_\_\_\_ utilities \_\_\_\_?  
 Do \_\_\_\_ have to apply for different \_\_\_\_ the \_\_\_\_ their own utilities connection.  
 \_\_\_\_ it \_\_\_\_ separate applications if \_\_\_\_ the building complex \_\_\_\_ their own utilities \_\_\_\_?  
 Do \_\_\_\_ applications \_\_\_\_ units that need their \_\_\_\_ utilities \_\_\_\_?  
 Are \_\_\_\_ residential \_\_\_\_ building \_\_\_\_ needed \_\_\_\_ have their own utilities \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ apply \_\_\_\_ for \_\_\_\_ that requires \_\_\_\_ connection?  
 Should \_\_\_\_ every unit in the building \_\_\_\_ its own \_\_\_\_ connection?  
 \_\_\_\_ application necessary \_\_\_\_ the \_\_\_\_ units of \_\_\_\_ to have \_\_\_\_ own utilities connection?  
 \_\_\_\_ a building requires its \_\_\_\_ hookups \_\_\_\_ its \_\_\_\_ there be \_\_\_\_?  
 \_\_\_\_ there separate applications required for \_\_\_\_ residence \_\_\_\_ get \_\_\_\_?  
 Are \_\_\_\_ separate applications \_\_\_\_ to have \_\_\_\_ connected?  
 \_\_\_\_ building \_\_\_\_ utilities connection \_\_\_\_ each unit, should \_\_\_\_ be \_\_\_\_ applications?  
 \_\_\_\_ to \_\_\_\_ for \_\_\_\_ applications if the \_\_\_\_ units \_\_\_\_ the building need their own \_\_\_\_?  
 \_\_\_\_ there separate applications needed \_\_\_\_ their own utilities \_\_\_\_?  
 Do \_\_\_\_ need separate \_\_\_\_ for each apartment \_\_\_\_ its \_\_\_\_ utility \_\_\_\_?  
 \_\_\_\_ residential \_\_\_\_ the building complex \_\_\_\_ their own \_\_\_\_ connection \_\_\_\_ they \_\_\_\_ separately?  
 If there \_\_\_\_ utilities connections needed \_\_\_\_ residential \_\_\_\_ know \_\_\_\_ worth having \_\_\_\_ applications.

\_\_\_\_ it necessary for \_\_\_\_ residential \_\_\_\_ building complex to have \_\_\_\_ ?  
 Do \_\_\_\_ need separate \_\_\_\_ building requires \_\_\_\_ utilities \_\_\_\_ for \_\_\_\_ unit?  
 \_\_\_\_ we \_\_\_\_ applications if \_\_\_\_ building \_\_\_\_ its own utilities \_\_\_\_ for each \_\_\_\_ ?  
 If the \_\_\_\_ need \_\_\_\_ connection \_\_\_\_ a separate application \_\_\_\_ be created.  
 \_\_\_\_ we \_\_\_\_ apply to \_\_\_\_ building complex individually \_\_\_\_ have \_\_\_\_ utilities connections?  
 \_\_\_\_ every unit needs \_\_\_\_ own utilities \_\_\_\_ we \_\_\_\_ multiple \_\_\_\_ ?  
 \_\_\_\_ unit in the \_\_\_\_ requires its \_\_\_\_ utilities \_\_\_\_ are \_\_\_\_ required to apply more \_\_\_\_ ?  
 Is it true \_\_\_\_ unit needs to apply \_\_\_\_ their own \_\_\_\_ ?  
 Should we apply \_\_\_\_ for \_\_\_\_ every \_\_\_\_ ?  
 \_\_\_\_ we \_\_\_\_ apply \_\_\_\_ the \_\_\_\_ complex \_\_\_\_ each unit that needs \_\_\_\_ connection?  
 \_\_\_\_ need \_\_\_\_ apply individually to \_\_\_\_ complex \_\_\_\_ residents have \_\_\_\_ own \_\_\_\_ connections?  
 \_\_\_\_ have \_\_\_\_ out separate \_\_\_\_ utility \_\_\_\_ in building units?  
 \_\_\_\_ there is \_\_\_\_ connection in \_\_\_\_ we need \_\_\_\_ applications?  
 Do we \_\_\_\_ to the building \_\_\_\_ individually if some \_\_\_\_ need their own \_\_\_\_ ?  
 \_\_\_\_ apply \_\_\_\_ applications when \_\_\_\_ residential units \_\_\_\_ the building complex need their own \_\_\_\_ ?  
 Should we use multiple \_\_\_\_ every \_\_\_\_ unit \_\_\_\_ utilities \_\_\_\_ ?  
 If \_\_\_\_ of the \_\_\_\_ need their own \_\_\_\_ connection, \_\_\_\_ a \_\_\_\_ be made?  
 Do \_\_\_\_ need \_\_\_\_ for a separate \_\_\_\_ connection \_\_\_\_ the residential \_\_\_\_ building?  
 \_\_\_\_ unit \_\_\_\_ its \_\_\_\_ utilities connection, do we need \_\_\_\_ ?  
 Does a \_\_\_\_ be made for the \_\_\_\_ the building \_\_\_\_ that need their own \_\_\_\_ ?  
 Do we \_\_\_\_ different \_\_\_\_ a \_\_\_\_ requires its \_\_\_\_ ?  
 Is there \_\_\_\_ for separate \_\_\_\_ for \_\_\_\_ their own utilities \_\_\_\_ ?  
 If the \_\_\_\_ units of \_\_\_\_ complex \_\_\_\_ their \_\_\_\_ utilities \_\_\_\_ are \_\_\_\_ separate \_\_\_\_ ?  
 \_\_\_\_ there a \_\_\_\_ for \_\_\_\_ forms \_\_\_\_ connecting utilities in \_\_\_\_ ?  
 Do \_\_\_\_ need \_\_\_\_ apply \_\_\_\_ different applications \_\_\_\_ residential \_\_\_\_ their \_\_\_\_ utilities connection?  
 \_\_\_\_ a need for \_\_\_\_ than \_\_\_\_ for every \_\_\_\_ in a \_\_\_\_ that has its \_\_\_\_ ?  
 Do a \_\_\_\_ need \_\_\_\_ be \_\_\_\_ for \_\_\_\_ units \_\_\_\_ they need their own \_\_\_\_ ?  
 Is it \_\_\_\_ separate applications \_\_\_\_ residential unit requires \_\_\_\_ connection?  
 Is \_\_\_\_ applications if the \_\_\_\_ units \_\_\_\_ their own utilities \_\_\_\_ ?  
 Do \_\_\_\_ need \_\_\_\_ applications \_\_\_\_ each \_\_\_\_ to \_\_\_\_ their own \_\_\_\_ ?  
 Are \_\_\_\_ separate applications \_\_\_\_ connection per \_\_\_\_ unit \_\_\_\_ building?  
 \_\_\_\_ need separate \_\_\_\_ if \_\_\_\_ requires hookups for \_\_\_\_ units?  
 If \_\_\_\_ residential \_\_\_\_ the building \_\_\_\_ need their \_\_\_\_ utilities \_\_\_\_ should apply \_\_\_\_ it \_\_\_\_ .  
 \_\_\_\_ the \_\_\_\_ of the building complex \_\_\_\_ their own \_\_\_\_ to apply?  
 \_\_\_\_ there a \_\_\_\_ for more than \_\_\_\_ for every residential \_\_\_\_ in a \_\_\_\_ complex \_\_\_\_ needs \_\_\_\_ ?  
 Do we \_\_\_\_ to \_\_\_\_ the building complex \_\_\_\_ if there \_\_\_\_ a \_\_\_\_ connection?  
 If \_\_\_\_ of the building \_\_\_\_ need \_\_\_\_ own utilities \_\_\_\_ do \_\_\_\_ need to \_\_\_\_ than \_\_\_\_ application?  
 If \_\_\_\_ unit \_\_\_\_ the building has its own utilities \_\_\_\_ applications?  
 Do \_\_\_\_ connections need \_\_\_\_ for \_\_\_\_ residential unit?  
 Do \_\_\_\_ need \_\_\_\_ apply for the utilities connection \_\_\_\_ residential \_\_\_\_ the \_\_\_\_ ?  
 Are \_\_\_\_ telling me \_\_\_\_ each \_\_\_\_ unit needs to \_\_\_\_ for \_\_\_\_ utility \_\_\_\_ ?  
 Do \_\_\_\_ the building need \_\_\_\_ utility connections \_\_\_\_ ?  
 \_\_\_\_ residential unit requires \_\_\_\_ own \_\_\_\_ a need for \_\_\_\_ applications?  
 \_\_\_\_ think \_\_\_\_ every residential \_\_\_\_ should apply separately to \_\_\_\_ own \_\_\_\_ up?  
 \_\_\_\_ we \_\_\_\_ apply to the \_\_\_\_ complex separately \_\_\_\_ each \_\_\_\_ utilities?  
 Is \_\_\_\_ to apply \_\_\_\_ for each \_\_\_\_ to \_\_\_\_ own \_\_\_\_ connection?  
 Do housing units in \_\_\_\_ need \_\_\_\_ unique utility \_\_\_\_ ?  
 \_\_\_\_ we need to \_\_\_\_ if \_\_\_\_ residential units \_\_\_\_ the \_\_\_\_ complex \_\_\_\_ their own \_\_\_\_ connection?  
 If some \_\_\_\_ their \_\_\_\_ utilities connection, do we \_\_\_\_ the building \_\_\_\_ ?  
 Do \_\_\_\_ need \_\_\_\_ apply for the utilities connection \_\_\_\_ residential \_\_\_\_ building \_\_\_\_ ?

Does \_\_\_\_\_ residential units of \_\_\_\_\_ separate applications \_\_\_\_\_ utilities?  
 \_\_\_\_\_ we need to apply \_\_\_\_\_ the \_\_\_\_\_ requires its own utilities \_\_\_\_\_?

Is \_\_\_\_\_ required \_\_\_\_\_ each residence \_\_\_\_\_ their own \_\_\_\_\_ connection?  
 \_\_\_\_\_ we need \_\_\_\_\_ apply \_\_\_\_\_ for \_\_\_\_\_ building complex \_\_\_\_\_ have their own utilities?

Should we submit \_\_\_\_\_ services \_\_\_\_\_ each dwelling \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it possible to fill \_\_\_\_\_ separate \_\_\_\_\_ unit's unique \_\_\_\_\_ connections?

Is \_\_\_\_\_ a requirement \_\_\_\_\_ separate utilities \_\_\_\_\_ building \_\_\_\_\_?  
 \_\_\_\_\_ separate \_\_\_\_\_ applications for every unit \_\_\_\_\_ a building \_\_\_\_\_?  
 \_\_\_\_\_ the residential units of \_\_\_\_\_ building \_\_\_\_\_ need \_\_\_\_\_ own utilities \_\_\_\_\_ for it separately.

Do we need \_\_\_\_\_ apply \_\_\_\_\_ different applications if \_\_\_\_\_ of \_\_\_\_\_ building needs \_\_\_\_\_ connection?  
 Is there \_\_\_\_\_ for housing units \_\_\_\_\_ have \_\_\_\_\_ utility connections?  
 \_\_\_\_\_ a building need separate applications \_\_\_\_\_ it requires \_\_\_\_\_ residential \_\_\_\_\_?  
 \_\_\_\_\_ housing \_\_\_\_\_ the building complex \_\_\_\_\_ unique \_\_\_\_\_ connections' \_\_\_\_\_?  
 \_\_\_\_\_ required for each \_\_\_\_\_ to have their \_\_\_\_\_ applications for \_\_\_\_\_?  
 \_\_\_\_\_ to apply for \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ the \_\_\_\_\_ complex \_\_\_\_\_ their own utilities connection?

If the \_\_\_\_\_ units \_\_\_\_\_ their \_\_\_\_\_ to apply for it?  
 \_\_\_\_\_ of the \_\_\_\_\_ complex \_\_\_\_\_ their own \_\_\_\_\_ connection does \_\_\_\_\_ application have \_\_\_\_\_ be made?  
 \_\_\_\_\_ it \_\_\_\_\_ each \_\_\_\_\_ unit should \_\_\_\_\_ to get their \_\_\_\_\_ utilities \_\_\_\_\_ up?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ residential \_\_\_\_\_ application for their own utilities \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ applications \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ own utilities \_\_\_\_\_ everyResidential \_\_\_\_\_?  
 Can \_\_\_\_\_ be \_\_\_\_\_ each \_\_\_\_\_ utility connections?  
 \_\_\_\_\_ every \_\_\_\_\_ building requires its \_\_\_\_\_ utilities \_\_\_\_\_ do we \_\_\_\_\_ to apply \_\_\_\_\_?

Are we required \_\_\_\_\_ seperate \_\_\_\_\_ for \_\_\_\_\_ housing unit?  
 Is \_\_\_\_\_ needed for \_\_\_\_\_ residence to receive \_\_\_\_\_ utilities \_\_\_\_\_?  
 If \_\_\_\_\_ residents \_\_\_\_\_ their own \_\_\_\_\_ connection, \_\_\_\_\_ to apply \_\_\_\_\_ the \_\_\_\_\_ individually.  
 \_\_\_\_\_ separate \_\_\_\_\_ for housing units' \_\_\_\_\_?

Is it necessary \_\_\_\_\_ unit \_\_\_\_\_ the building \_\_\_\_\_ to have an \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ applications for every unit in \_\_\_\_\_ building \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to apply for \_\_\_\_\_ applications \_\_\_\_\_ residential \_\_\_\_\_ building complex only need \_\_\_\_\_ own \_\_\_\_\_ connection?

Do we \_\_\_\_\_ separate \_\_\_\_\_ in \_\_\_\_\_ building \_\_\_\_\_ it requires \_\_\_\_\_ own utilities \_\_\_\_\_?  
 Does every residential \_\_\_\_\_ connections?  
 \_\_\_\_\_ we \_\_\_\_\_ multiple applications if there \_\_\_\_\_ in \_\_\_\_\_ Residential Unit?  
 \_\_\_\_\_ every unit \_\_\_\_\_ building \_\_\_\_\_ a \_\_\_\_\_ connection, \_\_\_\_\_ need \_\_\_\_\_ apply multiple applications?  
 \_\_\_\_\_ every \_\_\_\_\_ unit in the \_\_\_\_\_ its \_\_\_\_\_ connection, do we need \_\_\_\_\_ one application?

Do \_\_\_\_\_ applications \_\_\_\_\_ a \_\_\_\_\_ its \_\_\_\_\_ utilities \_\_\_\_\_ for each residential unit  
 There \_\_\_\_\_ a need \_\_\_\_\_ one \_\_\_\_\_ residential \_\_\_\_\_ a building that needs \_\_\_\_\_ own utilities.  
 Do we \_\_\_\_\_ to \_\_\_\_\_ individually for some residents who need \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ you suggesting that the \_\_\_\_\_ to get their \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ to submit separate \_\_\_\_\_ for utilities of \_\_\_\_\_ unit?  
 \_\_\_\_\_ you think \_\_\_\_\_ residential \_\_\_\_\_ should \_\_\_\_\_ get \_\_\_\_\_ utility stuff hooked up?  
 \_\_\_\_\_ every \_\_\_\_\_ own utilities connection, do \_\_\_\_\_ need to \_\_\_\_\_ applications?

If \_\_\_\_\_ units need their own \_\_\_\_\_ are \_\_\_\_\_ separate \_\_\_\_\_?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ apply separately for each residence \_\_\_\_\_ connection?  
 \_\_\_\_\_ we \_\_\_\_\_ building complex separately \_\_\_\_\_ need their own utilities \_\_\_\_\_?  
 Do \_\_\_\_\_ applications \_\_\_\_\_ needs \_\_\_\_\_ own \_\_\_\_\_ connection for each unit in \_\_\_\_\_ building?  
 Do \_\_\_\_\_ fill \_\_\_\_\_ forms for building units \_\_\_\_\_ require \_\_\_\_\_?  
 Do we \_\_\_\_\_ to \_\_\_\_\_ separately to \_\_\_\_\_ building complex \_\_\_\_\_ requires \_\_\_\_\_ connection?  
 \_\_\_\_\_ it \_\_\_\_\_ to apply multiple \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ requires its \_\_\_\_\_ connection?  
 \_\_\_\_\_ for multiple \_\_\_\_\_ if each residential \_\_\_\_\_ its own \_\_\_\_\_ connection?  
 Do we \_\_\_\_\_ to apply \_\_\_\_\_ different applications if the \_\_\_\_\_ the building \_\_\_\_\_ utilities \_\_\_\_\_?

Is \_\_\_\_\_ necessary for each \_\_\_\_\_ a building \_\_\_\_\_ to have \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ apply to \_\_\_\_\_ building \_\_\_\_\_ separately for units \_\_\_\_\_ connection?

Is it necessary \_\_\_\_\_ each residential unit in a \_\_\_\_\_ utilities \_\_\_\_\_ ?

Is \_\_\_\_\_ a separate \_\_\_\_\_ for each \_\_\_\_\_ utility \_\_\_\_\_ ?

Do \_\_\_\_\_ need to apply separately \_\_\_\_\_ residential \_\_\_\_\_ in \_\_\_\_\_ complex to \_\_\_\_\_ utilities connection?

\_\_\_\_\_ a building \_\_\_\_\_ its \_\_\_\_\_ units, do we need to \_\_\_\_\_ ?

Is \_\_\_\_\_ for separate applications \_\_\_\_\_ utilities \_\_\_\_\_ housing unit?

\_\_\_\_\_ it \_\_\_\_\_ to apply \_\_\_\_\_ units in the \_\_\_\_\_ complex need their own \_\_\_\_\_ connection?

\_\_\_\_\_ residential units \_\_\_\_\_ the building \_\_\_\_\_ need \_\_\_\_\_ utilities connection \_\_\_\_\_ to \_\_\_\_\_ for it separately?

\_\_\_\_\_ building complex \_\_\_\_\_ utilities \_\_\_\_\_ for each \_\_\_\_\_ unit?

Do \_\_\_\_\_ need to \_\_\_\_\_ for more than \_\_\_\_\_ in the residential \_\_\_\_\_ of \_\_\_\_\_ ?

Do \_\_\_\_\_ need to apply for \_\_\_\_\_ if \_\_\_\_\_ of the \_\_\_\_\_ need their own \_\_\_\_\_ ?

If each \_\_\_\_\_ unit \_\_\_\_\_ its own utilities connection, do \_\_\_\_\_ ?

\_\_\_\_\_ units need \_\_\_\_\_ apply \_\_\_\_\_ their own utilities connection \_\_\_\_\_ ?

\_\_\_\_\_ separate utilities applications for \_\_\_\_\_ unit in \_\_\_\_\_ ?

\_\_\_\_\_ need \_\_\_\_\_ a \_\_\_\_\_ its own utilities connection for each \_\_\_\_\_ ?

Are \_\_\_\_\_ applications needed \_\_\_\_\_ to \_\_\_\_\_ their own \_\_\_\_\_ connection?

Are the \_\_\_\_\_ units \_\_\_\_\_ the building \_\_\_\_\_ apply \_\_\_\_\_ have \_\_\_\_\_ own utilities \_\_\_\_\_ ?

Do we \_\_\_\_\_ to the \_\_\_\_\_ complex \_\_\_\_\_ if \_\_\_\_\_ their own utilities \_\_\_\_\_ ?

Are individual utilities \_\_\_\_\_ necessary \_\_\_\_\_ unit in \_\_\_\_\_ ?

\_\_\_\_\_ to \_\_\_\_\_ multiple \_\_\_\_\_ every \_\_\_\_\_ the building requires its own utilities \_\_\_\_\_ ?

Do we need \_\_\_\_\_ residential unit \_\_\_\_\_ requires its own \_\_\_\_\_ ?

Is \_\_\_\_\_ necessary to apply \_\_\_\_\_ utilities connection for \_\_\_\_\_ of \_\_\_\_\_ complex?

\_\_\_\_\_ application need \_\_\_\_\_ be \_\_\_\_\_ connect the residential \_\_\_\_\_ the \_\_\_\_\_ complex to the utilities?

\_\_\_\_\_ we need \_\_\_\_\_ if \_\_\_\_\_ Utilities \_\_\_\_\_ present in \_\_\_\_\_ residential unit?

\_\_\_\_\_ fill \_\_\_\_\_ for the unique utility \_\_\_\_\_ of each \_\_\_\_\_ unit?

\_\_\_\_\_ the building complex need their \_\_\_\_\_ utilities \_\_\_\_\_ should we \_\_\_\_\_ for different \_\_\_\_\_ ?

\_\_\_\_\_ there a need \_\_\_\_\_ separate utilities \_\_\_\_\_ unit \_\_\_\_\_ complex?

Is \_\_\_\_\_ a \_\_\_\_\_ applications \_\_\_\_\_ residential \_\_\_\_\_ that need their \_\_\_\_\_ utilities \_\_\_\_\_ ?

Do a \_\_\_\_\_ application need \_\_\_\_\_ made \_\_\_\_\_ residential units of the \_\_\_\_\_ their own \_\_\_\_\_ ?

Do \_\_\_\_\_ need \_\_\_\_\_ apply \_\_\_\_\_ the utilities for \_\_\_\_\_ of the \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ connection for each residential unit?

\_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ for utility \_\_\_\_\_ in \_\_\_\_\_ building?

Is there \_\_\_\_\_ separate \_\_\_\_\_ for each \_\_\_\_\_ utilities connected?

\_\_\_\_\_ there \_\_\_\_\_ necessity \_\_\_\_\_ individual utility \_\_\_\_\_ every residential \_\_\_\_\_ ?

\_\_\_\_\_ we \_\_\_\_\_ to apply for utilities \_\_\_\_\_ connected \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_ building \_\_\_\_\_ ?

Do \_\_\_\_\_ a building need their own \_\_\_\_\_ ?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ building complex \_\_\_\_\_ the \_\_\_\_\_ that need utilities connection?

If \_\_\_\_\_ requires \_\_\_\_\_ own \_\_\_\_\_ for its residential \_\_\_\_\_ need separate \_\_\_\_\_ .

\_\_\_\_\_ in the \_\_\_\_\_ to apply for their own \_\_\_\_\_ connection?

\_\_\_\_\_ do not \_\_\_\_\_ if a \_\_\_\_\_ is \_\_\_\_\_ having \_\_\_\_\_ if there are \_\_\_\_\_ required in \_\_\_\_\_ .

Do \_\_\_\_\_ to apply \_\_\_\_\_ the \_\_\_\_\_ every unit \_\_\_\_\_ requires utilities?

Is there \_\_\_\_\_ need for \_\_\_\_\_ building \_\_\_\_\_ to have their \_\_\_\_\_ utilities \_\_\_\_\_ ?

Is \_\_\_\_\_ applications necessary for \_\_\_\_\_ receive \_\_\_\_\_ own \_\_\_\_\_ connection?

\_\_\_\_\_ every residential unit \_\_\_\_\_ the building \_\_\_\_\_ own \_\_\_\_\_ do \_\_\_\_\_ more than one \_\_\_\_\_ ?

Do there \_\_\_\_\_ be separate \_\_\_\_\_ connections \_\_\_\_\_ units?

Should \_\_\_\_\_ building complex individually \_\_\_\_\_ people \_\_\_\_\_ their own utilities \_\_\_\_\_ ?

\_\_\_\_\_ we need \_\_\_\_\_ apply for \_\_\_\_\_ applications if the residential \_\_\_\_\_ the complex \_\_\_\_\_ own \_\_\_\_\_ ?

\_\_\_\_\_ we have to \_\_\_\_\_ out \_\_\_\_\_ forms for \_\_\_\_\_ connections \_\_\_\_\_ building \_\_\_\_\_ ?

Does \_\_\_\_\_ separate application need \_\_\_\_\_ residential units \_\_\_\_\_ their \_\_\_\_\_ utilities connection?



Are \_\_\_\_\_ saying \_\_\_\_\_ each residential \_\_\_\_\_ should apply for \_\_\_\_\_ hookups \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ utilities applications \_\_\_\_\_ unit?

Is \_\_\_\_\_ necessary for separate applications if a \_\_\_\_\_ requires \_\_\_\_\_?  
 \_\_\_\_\_ applications required for \_\_\_\_\_ to have \_\_\_\_\_ connected?  
 \_\_\_\_\_ we need to \_\_\_\_\_ building complex if some \_\_\_\_\_ own utilities?

If \_\_\_\_\_ building requires its own \_\_\_\_\_ connection for \_\_\_\_\_ unit, \_\_\_\_\_ we \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ apply multiple \_\_\_\_\_ if \_\_\_\_\_ in \_\_\_\_\_ require their \_\_\_\_\_ utilities connection?  
 \_\_\_\_\_ required to have \_\_\_\_\_ utilities connection \_\_\_\_\_ residential units?  
 \_\_\_\_\_ we need to apply for \_\_\_\_\_ if the \_\_\_\_\_ units \_\_\_\_\_ building want \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ applications if \_\_\_\_\_ own utilities connection for each individual \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ each \_\_\_\_\_ this \_\_\_\_\_ complex needs its own \_\_\_\_\_ connection?  
 \_\_\_\_\_ necessity \_\_\_\_\_ utilities applications for every \_\_\_\_\_ in a \_\_\_\_\_?

Is it necessary \_\_\_\_\_ every \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ applications?

Is \_\_\_\_\_ any \_\_\_\_\_ for multiple applications \_\_\_\_\_ every \_\_\_\_\_ in \_\_\_\_\_ its own \_\_\_\_\_ connection?  
 \_\_\_\_\_ separate application required \_\_\_\_\_ to have \_\_\_\_\_ utility connection?

Is there \_\_\_\_\_ need for \_\_\_\_\_ applications \_\_\_\_\_ unit \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ utilities connections required \_\_\_\_\_ is a \_\_\_\_\_ worth having \_\_\_\_\_?

We \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ complex \_\_\_\_\_ residents need their own utilities \_\_\_\_\_.  
 \_\_\_\_\_ separate \_\_\_\_\_ need to be \_\_\_\_\_ if the residential units \_\_\_\_\_ the \_\_\_\_\_ complex need \_\_\_\_\_.

Do we \_\_\_\_\_ apply \_\_\_\_\_ the \_\_\_\_\_ unit's own \_\_\_\_\_ separately?

Is there \_\_\_\_\_ for multiple \_\_\_\_\_ if every \_\_\_\_\_ its own \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ for more than one \_\_\_\_\_ residential units \_\_\_\_\_ building \_\_\_\_\_?  
 \_\_\_\_\_ we have to \_\_\_\_\_ a building \_\_\_\_\_ each \_\_\_\_\_ that requires \_\_\_\_\_ connection?

Do we \_\_\_\_\_ individual requests for \_\_\_\_\_ of the building complex?

Does a \_\_\_\_\_ be \_\_\_\_\_ for residential \_\_\_\_\_ if they \_\_\_\_\_ own \_\_\_\_\_ connection?

Do we \_\_\_\_\_ separate applications, \_\_\_\_\_ building requires its \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_?  
 \_\_\_\_\_ separate \_\_\_\_\_ needed \_\_\_\_\_ each \_\_\_\_\_ connections?

Is there \_\_\_\_\_ need \_\_\_\_\_ multiple \_\_\_\_\_ every residential \_\_\_\_\_ in the building complex requires \_\_\_\_\_?  
 \_\_\_\_\_ necessary for each \_\_\_\_\_ to \_\_\_\_\_ own utilities connection?

Is it necessary for residents of \_\_\_\_\_ building \_\_\_\_\_ individually \_\_\_\_\_ own \_\_\_\_\_?

Should we \_\_\_\_\_ requests for utility \_\_\_\_\_ in \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ applications for utilities \_\_\_\_\_ per residential \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to apply \_\_\_\_\_ the utilities \_\_\_\_\_ residential \_\_\_\_\_ in \_\_\_\_\_ building \_\_\_\_\_?

If the residential units of \_\_\_\_\_ building complex \_\_\_\_\_ connection \_\_\_\_\_ separately, \_\_\_\_\_?

Do \_\_\_\_\_ apply for the utilities separately for \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ building complex individually for \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ unit in the \_\_\_\_\_ needs \_\_\_\_\_ own \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ multiple applications?  
 \_\_\_\_\_ every building \_\_\_\_\_ own utilities connection, \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ than \_\_\_\_\_ application?

Do \_\_\_\_\_ to apply for the \_\_\_\_\_ to \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_ separately?

Is \_\_\_\_\_ in \_\_\_\_\_ building \_\_\_\_\_ in need \_\_\_\_\_ their \_\_\_\_\_ utilities connection?  
 \_\_\_\_\_ we need \_\_\_\_\_ apply separately for each \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ be separate applications \_\_\_\_\_ unit to \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ apply individually for \_\_\_\_\_ to \_\_\_\_\_ own \_\_\_\_\_ connections?  
 \_\_\_\_\_ there \_\_\_\_\_ application for \_\_\_\_\_ residential unit in \_\_\_\_\_ building complex that needs \_\_\_\_\_ own utilities.  
 \_\_\_\_\_ its own hookups, \_\_\_\_\_ we \_\_\_\_\_ separate applications?  
 \_\_\_\_\_ to \_\_\_\_\_ the residential units' utilities connection \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to apply multiple \_\_\_\_\_ if every unit in \_\_\_\_\_ building \_\_\_\_\_ own \_\_\_\_\_?

Does every \_\_\_\_\_ a \_\_\_\_\_ complex need \_\_\_\_\_ utilities \_\_\_\_\_?

Should \_\_\_\_\_ apply \_\_\_\_\_ to the \_\_\_\_\_ who need \_\_\_\_\_ utilities connections?

If residential \_\_\_\_\_ of the building complex need \_\_\_\_\_ a \_\_\_\_\_ needs \_\_\_\_\_ be \_\_\_\_\_

\_\_\_\_\_ every unit \_\_\_\_\_ the building to have separate \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ all housing units' \_\_\_\_\_ connections?

If \_\_\_\_\_ building complex \_\_\_\_\_ their \_\_\_\_\_ utilities connection do \_\_\_\_\_ for different applications?

\_\_\_\_\_ we need to apply for \_\_\_\_\_ applications if \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_ need \_\_\_\_\_ utilities connection?

Is it necessary to \_\_\_\_\_ applications \_\_\_\_\_ a \_\_\_\_\_ connection \_\_\_\_\_ every \_\_\_\_\_?

\_\_\_\_\_ application \_\_\_\_\_ to be made for \_\_\_\_\_ residential \_\_\_\_\_ of the building \_\_\_\_\_ have \_\_\_\_\_ utilities \_\_\_\_\_?

Does a separate application \_\_\_\_\_ to be made \_\_\_\_\_ building \_\_\_\_\_ need their own \_\_\_\_\_?

Do we \_\_\_\_\_ multiple \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ connection in every residential \_\_\_\_\_?

If \_\_\_\_\_ of \_\_\_\_\_ complex need their \_\_\_\_\_ utilities connection \_\_\_\_\_ to apply for \_\_\_\_\_ applications?

\_\_\_\_\_ a separate application \_\_\_\_\_ be \_\_\_\_\_ each \_\_\_\_\_ connection?

Should we apply \_\_\_\_\_ separately \_\_\_\_\_ each unit \_\_\_\_\_ utilities connection?

\_\_\_\_\_ we need to \_\_\_\_\_ for a utilities \_\_\_\_\_ of \_\_\_\_\_ building \_\_\_\_\_?

Should \_\_\_\_\_ individual requests for utility \_\_\_\_\_ each \_\_\_\_\_ the building \_\_\_\_\_?

Does each residential \_\_\_\_\_ utilities \_\_\_\_\_?

\_\_\_\_\_ unit in \_\_\_\_\_ need separate utilities \_\_\_\_\_?

\_\_\_\_\_ we need to \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_ connection?

Do \_\_\_\_\_ be separate \_\_\_\_\_ for each unit to \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ fill \_\_\_\_\_ forms for each \_\_\_\_\_ unit that requires \_\_\_\_\_ connections?

Do we \_\_\_\_\_ to \_\_\_\_\_ the building complex \_\_\_\_\_ some people \_\_\_\_\_ own \_\_\_\_\_?

Is \_\_\_\_\_ to submit \_\_\_\_\_ for \_\_\_\_\_ unit's utilities?

Is \_\_\_\_\_ a \_\_\_\_\_ application for \_\_\_\_\_ in \_\_\_\_\_ place?

Is \_\_\_\_\_ need for separate \_\_\_\_\_ for each residence \_\_\_\_\_ their \_\_\_\_\_?

Are there separate applications required for \_\_\_\_\_?

We \_\_\_\_\_ know \_\_\_\_\_ building is worth having \_\_\_\_\_ applications, if \_\_\_\_\_ are utilities \_\_\_\_\_ residential.

Do \_\_\_\_\_ to apply individually to \_\_\_\_\_ if \_\_\_\_\_ need \_\_\_\_\_ own utilities \_\_\_\_\_?

\_\_\_\_\_ know if \_\_\_\_\_ worth having \_\_\_\_\_ if utilities are \_\_\_\_\_ in \_\_\_\_\_ house.

Is it \_\_\_\_\_ us \_\_\_\_\_ separate \_\_\_\_\_ the \_\_\_\_\_ units need their \_\_\_\_\_ utilities \_\_\_\_\_?

If some residents need their \_\_\_\_\_ utilities connections, \_\_\_\_\_ need \_\_\_\_\_ to \_\_\_\_\_?

The \_\_\_\_\_ units of the building \_\_\_\_\_ application for \_\_\_\_\_ utilities.

\_\_\_\_\_ me that \_\_\_\_\_ residential \_\_\_\_\_ need \_\_\_\_\_ apply separately to get \_\_\_\_\_ own utility \_\_\_\_\_ hooked \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ utilities \_\_\_\_\_ building is it worth having multiple \_\_\_\_\_?

\_\_\_\_\_ fill out \_\_\_\_\_ for \_\_\_\_\_ unique utility connections \_\_\_\_\_ each \_\_\_\_\_ unit?

When \_\_\_\_\_ requires \_\_\_\_\_ own \_\_\_\_\_ do we \_\_\_\_\_ separate \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ applications for utilities \_\_\_\_\_ per \_\_\_\_\_ unit?

\_\_\_\_\_ every \_\_\_\_\_ unit \_\_\_\_\_ the \_\_\_\_\_ complex needs \_\_\_\_\_ utilities connection, \_\_\_\_\_ we \_\_\_\_\_ applications?

Do \_\_\_\_\_ need \_\_\_\_\_ to the building complex \_\_\_\_\_ for \_\_\_\_\_ who need their \_\_\_\_\_?

\_\_\_\_\_ needed for \_\_\_\_\_ residence to receive \_\_\_\_\_ own \_\_\_\_\_ connection?

We \_\_\_\_\_ if a building is \_\_\_\_\_ having multiple \_\_\_\_\_ there are utilities \_\_\_\_\_ home.

\_\_\_\_\_ need separate applications \_\_\_\_\_ building \_\_\_\_\_ hookups for \_\_\_\_\_?

\_\_\_\_\_ building \_\_\_\_\_ a \_\_\_\_\_ utilities connection \_\_\_\_\_ residential unit, do \_\_\_\_\_ need separate \_\_\_\_\_?

Is there \_\_\_\_\_ for each \_\_\_\_\_ to \_\_\_\_\_?

Is it \_\_\_\_\_ that each \_\_\_\_\_ apply separately \_\_\_\_\_ own \_\_\_\_\_ hooked up?

Do \_\_\_\_\_ have to \_\_\_\_\_ building complex \_\_\_\_\_ people \_\_\_\_\_ their own utilities \_\_\_\_\_?

Do we have to \_\_\_\_\_ different \_\_\_\_\_ the building \_\_\_\_\_ residential \_\_\_\_\_ their own \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ applications for \_\_\_\_\_ to \_\_\_\_\_ their \_\_\_\_\_ utilities connection?

Do we apply for different \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ their \_\_\_\_\_ connection?

\_\_\_\_\_ building \_\_\_\_\_ its own \_\_\_\_\_ for each \_\_\_\_\_ in \_\_\_\_\_ we need \_\_\_\_\_ applications.

\_\_\_\_\_ application necessary \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ the building complex to \_\_\_\_\_ their own \_\_\_\_\_?

If \_\_\_\_\_ the building complex need \_\_\_\_\_ does \_\_\_\_\_ separate application need to be \_\_\_\_\_?

\_\_\_\_\_ be necessary for \_\_\_\_\_ dwelling within the \_\_\_\_\_ compound \_\_\_\_\_ have an \_\_\_\_\_?

Should the residential \_\_\_\_\_ of the building complex \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ applications if each \_\_\_\_\_ requires \_\_\_\_\_ own utilities connection?

Do \_\_\_\_\_ utility connection applications?

\_\_\_\_\_ some \_\_\_\_\_ need their own utilities connections, \_\_\_\_\_ need to apply \_\_\_\_\_.

Is \_\_\_\_\_ apply for a utilities \_\_\_\_\_ the residential units \_\_\_\_\_ building \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ the building complex if some residents need \_\_\_\_\_ connections?

Do we need \_\_\_\_\_ apply \_\_\_\_\_ units \_\_\_\_\_ complex \_\_\_\_\_ own utilities connection

Are there separate applications \_\_\_\_\_ utilities \_\_\_\_\_ residential \_\_\_\_\_?

Do you think it \_\_\_\_\_ have \_\_\_\_\_ applications \_\_\_\_\_ utilities \_\_\_\_\_ per \_\_\_\_\_?

Is separate applications \_\_\_\_\_ for \_\_\_\_\_ receive \_\_\_\_\_ own utilities \_\_\_\_\_?

Do \_\_\_\_\_ need to \_\_\_\_\_ building complex \_\_\_\_\_ for \_\_\_\_\_ people who need \_\_\_\_\_ utilities \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ utilities \_\_\_\_\_ for every \_\_\_\_\_ in \_\_\_\_\_ building complex?

Is it necessary \_\_\_\_\_ unit \_\_\_\_\_ a building \_\_\_\_\_ to \_\_\_\_\_ applications?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_ that requires \_\_\_\_\_ own utilities connection?

if \_\_\_\_\_ of the \_\_\_\_\_ complex need their \_\_\_\_\_ separate application need \_\_\_\_\_ be created

Do \_\_\_\_\_ fill out different forms \_\_\_\_\_ for each \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ complex separately for each \_\_\_\_\_ requires a utilities connection?

Do housing \_\_\_\_\_ the building complex need \_\_\_\_\_?

\_\_\_\_\_ it necessary for \_\_\_\_\_ units in the \_\_\_\_\_ have individual \_\_\_\_\_?

\_\_\_\_\_ there a need for \_\_\_\_\_ if \_\_\_\_\_ requires \_\_\_\_\_ residential units?

\_\_\_\_\_ building complex need separate utilities \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ have separate \_\_\_\_\_ a building \_\_\_\_\_ for \_\_\_\_\_ residential units?

Do \_\_\_\_\_ separate applications if \_\_\_\_\_ its \_\_\_\_\_ hookups \_\_\_\_\_ its residential \_\_\_\_\_?

We need \_\_\_\_\_ apply for \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ the building complex need \_\_\_\_\_ own \_\_\_\_\_.

\_\_\_\_\_ residential unit in \_\_\_\_\_ building requires its \_\_\_\_\_ utilities connection, \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ apply for \_\_\_\_\_ in each housing \_\_\_\_\_?

Does \_\_\_\_\_ separate \_\_\_\_\_ be \_\_\_\_\_ if the \_\_\_\_\_ units \_\_\_\_\_ their \_\_\_\_\_ utilities connection?

\_\_\_\_\_ need to \_\_\_\_\_ the building \_\_\_\_\_ individually \_\_\_\_\_ people \_\_\_\_\_ their own utilities \_\_\_\_\_?

If \_\_\_\_\_ building needs its \_\_\_\_\_ for \_\_\_\_\_ do \_\_\_\_\_ separate applications?

\_\_\_\_\_ we \_\_\_\_\_ to apply \_\_\_\_\_ the \_\_\_\_\_ individually \_\_\_\_\_ residents \_\_\_\_\_ their own utilities \_\_\_\_\_?

\_\_\_\_\_ the housing \_\_\_\_\_ in the building \_\_\_\_\_ need \_\_\_\_\_ applications?

\_\_\_\_\_ residential units of \_\_\_\_\_ complex required \_\_\_\_\_ for \_\_\_\_\_ own utilities connection?

Is it required \_\_\_\_\_ have separate \_\_\_\_\_ connection \_\_\_\_\_ residential \_\_\_\_\_?

\_\_\_\_\_ a building \_\_\_\_\_ are \_\_\_\_\_ applications \_\_\_\_\_ for \_\_\_\_\_ unit?

Do \_\_\_\_\_ need \_\_\_\_\_ utility connections for \_\_\_\_\_?

Is there \_\_\_\_\_ need \_\_\_\_\_ utilities in \_\_\_\_\_ housingunit?

Is there a need \_\_\_\_\_ separate applications \_\_\_\_\_ residential units of the building \_\_\_\_\_?

\_\_\_\_\_ a separate application need \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_ their \_\_\_\_\_ utilities \_\_\_\_\_?

We \_\_\_\_\_ applications if \_\_\_\_\_ requires its own \_\_\_\_\_ connection \_\_\_\_\_ each \_\_\_\_\_.

Does a \_\_\_\_\_ have \_\_\_\_\_ the residential units if they \_\_\_\_\_ their \_\_\_\_\_ utilities \_\_\_\_\_?

We \_\_\_\_\_ if a \_\_\_\_\_ having \_\_\_\_\_ applications if \_\_\_\_\_ are \_\_\_\_\_ in every \_\_\_\_\_ home.

Do we need \_\_\_\_\_ applications \_\_\_\_\_ a \_\_\_\_\_ hookups \_\_\_\_\_ units?

Can there \_\_\_\_\_ for utilities connection per \_\_\_\_\_ unit in \_\_\_\_\_?

Do each \_\_\_\_\_ applications \_\_\_\_\_ their \_\_\_\_\_ utilities connection?

\_\_\_\_\_ necessary \_\_\_\_\_ each \_\_\_\_\_ in \_\_\_\_\_ to have \_\_\_\_\_ own personal utility services?

Is \_\_\_\_\_ for \_\_\_\_\_ residential unit in the building \_\_\_\_\_ have \_\_\_\_\_?

Do \_\_\_\_\_ need separate \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ hookups for \_\_\_\_\_?

\_\_\_\_\_ the building complex need to apply \_\_\_\_\_ for \_\_\_\_\_ own \_\_\_\_\_ connection?

Is there \_\_\_\_\_ for separate \_\_\_\_\_ units need \_\_\_\_\_ utilities connection?

\_\_\_\_\_ to \_\_\_\_\_ different \_\_\_\_\_ Residential units \_\_\_\_\_ their own utilities connection?

Should individual \_\_\_\_\_ for \_\_\_\_\_ building complexes' \_\_\_\_\_ units?

Do we need \_\_\_\_\_ applications \_\_\_\_\_ its own \_\_\_\_\_ for \_\_\_\_\_ units.

\_\_\_\_\_ the \_\_\_\_\_ units of the building \_\_\_\_\_ needs \_\_\_\_\_ utilities \_\_\_\_\_?

Are \_\_\_\_\_ that the \_\_\_\_\_ units \_\_\_\_\_ get their own \_\_\_\_\_ hooked up?

Is a separate application necessary \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ need \_\_\_\_\_ utilities \_\_\_\_\_?

\_\_\_\_\_ each residency's utility \_\_\_\_\_ a separate \_\_\_\_\_?

\_\_\_\_\_ units \_\_\_\_\_ separate utilities \_\_\_\_\_?

Do we need to \_\_\_\_\_ for the utilities \_\_\_\_\_ building \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ if a building \_\_\_\_\_ its \_\_\_\_\_ utilities \_\_\_\_\_ for \_\_\_\_\_ unit?

Are you telling me that each \_\_\_\_\_ should apply separately \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ to apply \_\_\_\_\_ utilities connection \_\_\_\_\_ for \_\_\_\_\_ residential units \_\_\_\_\_ the \_\_\_\_\_ complex?

\_\_\_\_\_ residential \_\_\_\_\_ need to apply for different applications \_\_\_\_\_ they need \_\_\_\_\_ own \_\_\_\_\_ connection?

\_\_\_\_\_ need \_\_\_\_\_ each residential \_\_\_\_\_ they need their \_\_\_\_\_ utilities connection?

\_\_\_\_\_ unit in the \_\_\_\_\_ needs \_\_\_\_\_ utilities connection, do we \_\_\_\_\_ applications?

Is it \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ utility connections \_\_\_\_\_ building unit?

Is it needed for \_\_\_\_\_ units of \_\_\_\_\_ to have \_\_\_\_\_ connection?

\_\_\_\_\_ we \_\_\_\_\_ apply for \_\_\_\_\_ if \_\_\_\_\_ the building complex need their \_\_\_\_\_ utilities connection?

\_\_\_\_\_ every \_\_\_\_\_ the building requires a utilities \_\_\_\_\_ do \_\_\_\_\_ apply \_\_\_\_\_ applications?

Do we \_\_\_\_\_ out \_\_\_\_\_ forms \_\_\_\_\_ unique \_\_\_\_\_ connections \_\_\_\_\_ building \_\_\_\_\_?

Are there \_\_\_\_\_ applications \_\_\_\_\_ to \_\_\_\_\_ their utilities connection?

\_\_\_\_\_ we \_\_\_\_\_ forms \_\_\_\_\_ the unique utility \_\_\_\_\_ for each \_\_\_\_\_ unit?

Is every unit \_\_\_\_\_ a \_\_\_\_\_ complex \_\_\_\_\_ to \_\_\_\_\_ applications?

Should \_\_\_\_\_ apply for different \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ complex need their own \_\_\_\_\_?

\_\_\_\_\_ question of \_\_\_\_\_ the residential units of \_\_\_\_\_ building \_\_\_\_\_ their own utilities connection.

Do we \_\_\_\_\_ to apply \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ units of \_\_\_\_\_ complex?

If every \_\_\_\_\_ unit \_\_\_\_\_ building requires \_\_\_\_\_ connection, is \_\_\_\_\_ any \_\_\_\_\_ for multiple \_\_\_\_\_?

\_\_\_\_\_ residents \_\_\_\_\_ their own utilities \_\_\_\_\_ need to \_\_\_\_\_ the building complex?

Do \_\_\_\_\_ forms \_\_\_\_\_ unique utility connections on each building \_\_\_\_\_?

Do \_\_\_\_\_ for \_\_\_\_\_ applications if the residential \_\_\_\_\_ of the building complex \_\_\_\_\_ own \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ us to apply \_\_\_\_\_ if every \_\_\_\_\_ utilities connection?

If a \_\_\_\_\_ requires \_\_\_\_\_ utilities \_\_\_\_\_ unit, \_\_\_\_\_ we need separate \_\_\_\_\_.

If \_\_\_\_\_ residents \_\_\_\_\_ utilities \_\_\_\_\_ should we \_\_\_\_\_ the building \_\_\_\_\_ separately?

Is it \_\_\_\_\_ separate applications \_\_\_\_\_ utilities connection \_\_\_\_\_ residential \_\_\_\_\_ building complex?

Are the residential units \_\_\_\_\_ complex \_\_\_\_\_ for \_\_\_\_\_ utilities connection?

Do \_\_\_\_\_ need \_\_\_\_\_ apply to the \_\_\_\_\_ complex \_\_\_\_\_ requires utilities connection

We \_\_\_\_\_ know if a \_\_\_\_\_ worth having \_\_\_\_\_ applications if \_\_\_\_\_ are \_\_\_\_\_ in \_\_\_\_\_.

Do we \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ units in the building complex?

Do you think that \_\_\_\_\_ should apply \_\_\_\_\_ their \_\_\_\_\_ utility \_\_\_\_\_?

\_\_\_\_\_ have to apply \_\_\_\_\_ their own \_\_\_\_\_ connections?

\_\_\_\_\_ residential \_\_\_\_\_ in the building \_\_\_\_\_ its \_\_\_\_\_ do we need other \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ for utilities \_\_\_\_\_ each housing unit?

Do housing \_\_\_\_\_ within the building complex \_\_\_\_\_?

\_\_\_\_\_ we submit individual requests \_\_\_\_\_ for \_\_\_\_\_ the building complex?

Should every residential \_\_\_\_\_ in the \_\_\_\_\_ have its \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ connections \_\_\_\_\_ for every residential \_\_\_\_\_?

\_\_\_\_\_ we need to \_\_\_\_\_ to the complex \_\_\_\_\_ each \_\_\_\_\_ connection?

Do we have \_\_\_\_\_ the \_\_\_\_\_ each unit that \_\_\_\_\_ utilities connection?

\_\_\_\_\_ units of the building complex \_\_\_\_\_ apply \_\_\_\_\_ own utilities connections \_\_\_\_\_?

\_\_\_\_\_ some residents \_\_\_\_\_ own \_\_\_\_\_ connection do \_\_\_\_\_ need \_\_\_\_\_ individually?

Do \_\_\_\_\_ applications if the \_\_\_\_\_ requires \_\_\_\_\_ own hookups for \_\_\_\_\_?

\_\_\_\_\_ units of the building complex \_\_\_\_\_ then a \_\_\_\_\_ application need to \_\_\_\_\_ created.  
 \_\_\_\_\_ residential unit should apply \_\_\_\_\_ own utility hookups separately?  
 \_\_\_\_\_ residential unit in a \_\_\_\_\_ needs its \_\_\_\_\_ utilities \_\_\_\_\_ we \_\_\_\_\_ applications?  
 Do \_\_\_\_\_ housing \_\_\_\_\_ in the building complex \_\_\_\_\_ utility \_\_\_\_\_?  
 Are we \_\_\_\_\_ out separate \_\_\_\_\_ for \_\_\_\_\_ connections \_\_\_\_\_ building unit?  
 \_\_\_\_\_ you want separate \_\_\_\_\_ for \_\_\_\_\_ residence's \_\_\_\_\_?  
 \_\_\_\_\_ we have to \_\_\_\_\_ for \_\_\_\_\_ applications if \_\_\_\_\_ of \_\_\_\_\_ complex need their own \_\_\_\_\_?  
 Is \_\_\_\_\_ utilities \_\_\_\_\_ unit in a building?  
 \_\_\_\_\_ necessary for \_\_\_\_\_ building complex to \_\_\_\_\_ own utilities connection?  
 "Do \_\_\_\_\_ multiple \_\_\_\_\_ if \_\_\_\_\_ a Utilities connection in \_\_\_\_\_ residential \_\_\_\_\_  
 \_\_\_\_\_ utilities \_\_\_\_\_ necessary \_\_\_\_\_ each \_\_\_\_\_ unit in the \_\_\_\_\_ complex?  
 Do we \_\_\_\_\_ if \_\_\_\_\_ has its own \_\_\_\_\_ each \_\_\_\_\_ unit?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ unit in a \_\_\_\_\_ to have \_\_\_\_\_?  
 \_\_\_\_\_ units \_\_\_\_\_ building complex need \_\_\_\_\_ own utilities connection do we need \_\_\_\_\_ for \_\_\_\_\_?  
 If \_\_\_\_\_ units of the building \_\_\_\_\_ connection, does it \_\_\_\_\_ sense to apply \_\_\_\_\_ different \_\_\_\_\_?  
 \_\_\_\_\_ we have \_\_\_\_\_ for the building complex \_\_\_\_\_ every unit \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ application for \_\_\_\_\_ residential \_\_\_\_\_ in a building complex \_\_\_\_\_ needs \_\_\_\_\_ own utilities?  
 Do \_\_\_\_\_ think \_\_\_\_\_ needs to apply separately to \_\_\_\_\_ stuff \_\_\_\_\_ up?  
 \_\_\_\_\_ they need separate \_\_\_\_\_ for \_\_\_\_\_ residence's \_\_\_\_\_?  
 \_\_\_\_\_ units \_\_\_\_\_ the building complex \_\_\_\_\_ their \_\_\_\_\_ utility \_\_\_\_\_ applications?  
 \_\_\_\_\_ the residential units \_\_\_\_\_ the \_\_\_\_\_ need their \_\_\_\_\_ connection \_\_\_\_\_ we need to \_\_\_\_\_ applications?  
 Do \_\_\_\_\_ need \_\_\_\_\_ a \_\_\_\_\_ requires hookups for its \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ requests for utility \_\_\_\_\_ in \_\_\_\_\_ house?  
 \_\_\_\_\_ there \_\_\_\_\_ applications \_\_\_\_\_ each residence \_\_\_\_\_ receive utilities \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ own utilities connection \_\_\_\_\_ each Residential unit, \_\_\_\_\_ separate applications \_\_\_\_\_?  
 Is the \_\_\_\_\_ separate applications essential \_\_\_\_\_ utility \_\_\_\_\_?  
 Do we \_\_\_\_\_ apply for \_\_\_\_\_ residential units \_\_\_\_\_ the \_\_\_\_\_ connection?  
 Do \_\_\_\_\_ utility connections \_\_\_\_\_ used for \_\_\_\_\_ residential \_\_\_\_\_?  
 Is \_\_\_\_\_ different \_\_\_\_\_ for \_\_\_\_\_ connection for each residential \_\_\_\_\_?  
 \_\_\_\_\_ for each unit to have utilities?  
 \_\_\_\_\_ not know \_\_\_\_\_ worth \_\_\_\_\_ multiple \_\_\_\_\_ if \_\_\_\_\_ are utilities connections required \_\_\_\_\_ every house.  
 \_\_\_\_\_ we \_\_\_\_\_ requests for \_\_\_\_\_ every dwelling \_\_\_\_\_ the \_\_\_\_\_ complex?  
 Are \_\_\_\_\_ required to apply \_\_\_\_\_ if \_\_\_\_\_ in \_\_\_\_\_ building \_\_\_\_\_ its \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ within the building complex \_\_\_\_\_ utility connections' applications?  
 Are you saying \_\_\_\_\_ separately \_\_\_\_\_ get their \_\_\_\_\_ utility \_\_\_\_\_ hooked up?  
 \_\_\_\_\_ we need \_\_\_\_\_ for utilities for the \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ separate applications \_\_\_\_\_ utilities connection \_\_\_\_\_ residential \_\_\_\_\_ in the \_\_\_\_\_?  
 Should \_\_\_\_\_ to the building complex \_\_\_\_\_ residents who \_\_\_\_\_ utilities \_\_\_\_\_?  
 Should we apply \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_ connection?  
 Is \_\_\_\_\_ a \_\_\_\_\_ for every residential unit?  
 Should \_\_\_\_\_ apply to \_\_\_\_\_ if \_\_\_\_\_ residents \_\_\_\_\_ their own utilities \_\_\_\_\_?  
 \_\_\_\_\_ a building requires its own utilities \_\_\_\_\_ Residential \_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ need for \_\_\_\_\_ connections \_\_\_\_\_ every \_\_\_\_\_ unit?  
 \_\_\_\_\_ we need separate \_\_\_\_\_ if a building \_\_\_\_\_ its \_\_\_\_\_ its \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ utilities connections for the residential \_\_\_\_\_ the \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ unit \_\_\_\_\_ have its own \_\_\_\_\_ connection \_\_\_\_\_?  
 Is it true \_\_\_\_\_ each residential \_\_\_\_\_ needs to \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ hookups for \_\_\_\_\_ units, \_\_\_\_\_ we need \_\_\_\_\_ applications?  
 If \_\_\_\_\_ residential \_\_\_\_\_ the building complex \_\_\_\_\_ utilities connection, do \_\_\_\_\_ apply?  
 \_\_\_\_\_ there \_\_\_\_\_ need for multiple applications if there is \_\_\_\_\_ every \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ for different \_\_\_\_\_ if \_\_\_\_\_ residential units in \_\_\_\_\_ want their \_\_\_\_\_ utilities \_\_\_\_\_?  
\_\_\_\_\_ some \_\_\_\_\_ utilities \_\_\_\_\_ need to apply separately to the \_\_\_\_\_ complex?  
If \_\_\_\_\_ utilities \_\_\_\_\_ in every residential \_\_\_\_\_ do not \_\_\_\_\_ if it's \_\_\_\_\_ multiple applications.  
\_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ their \_\_\_\_\_ connection does a \_\_\_\_\_ application \_\_\_\_\_ to be created?  
\_\_\_\_\_ units of the \_\_\_\_\_ need \_\_\_\_\_ applications for utilities?  
\_\_\_\_\_ hookups for its residential units, should \_\_\_\_\_ applications?  
\_\_\_\_\_ you think each \_\_\_\_\_ unit \_\_\_\_\_ apply separately to \_\_\_\_\_ their \_\_\_\_\_ utility \_\_\_\_\_?  
Do we \_\_\_\_\_ submit \_\_\_\_\_ for utility services \_\_\_\_\_ house?  
\_\_\_\_\_ the residential \_\_\_\_\_ building \_\_\_\_\_ need \_\_\_\_\_ own utilities connection, does a separate application \_\_\_\_\_?  
Are \_\_\_\_\_ to apply multiple applications \_\_\_\_\_ unit \_\_\_\_\_ own \_\_\_\_\_ connection?  
\_\_\_\_\_ residents be \_\_\_\_\_ fill \_\_\_\_\_ separate application forms \_\_\_\_\_ connections in \_\_\_\_\_?  
Is \_\_\_\_\_ in a building complex \_\_\_\_\_ utilities applications?  
\_\_\_\_\_ we need to \_\_\_\_\_ for different \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_ need their \_\_\_\_\_ utilities \_\_\_\_\_?  
\_\_\_\_\_ who need utilities \_\_\_\_\_ their \_\_\_\_\_ required \_\_\_\_\_ fill out unique \_\_\_\_\_ forms?  
\_\_\_\_\_ necessary for \_\_\_\_\_ a complex to \_\_\_\_\_ separate \_\_\_\_\_ applications?  
Does \_\_\_\_\_ separate applications for utilities connection \_\_\_\_\_?  
Does each residence need \_\_\_\_\_ their \_\_\_\_\_ connection?  
\_\_\_\_\_ the residential units \_\_\_\_\_ the \_\_\_\_\_ complex need \_\_\_\_\_ own \_\_\_\_\_ connection, can \_\_\_\_\_ for \_\_\_\_\_?  
Do housing units in \_\_\_\_\_ need \_\_\_\_\_ connections' \_\_\_\_\_?  
\_\_\_\_\_ need to \_\_\_\_\_ separate for each residence's \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ that residential units should apply \_\_\_\_\_ get their \_\_\_\_\_?  
Do we \_\_\_\_\_ applications if \_\_\_\_\_ building \_\_\_\_\_ its own \_\_\_\_\_ unit?  
Do we \_\_\_\_\_ the \_\_\_\_\_ units of \_\_\_\_\_ building complex \_\_\_\_\_ utilities connection?  
Do \_\_\_\_\_ multiple applications if we \_\_\_\_\_ connection \_\_\_\_\_ every residential \_\_\_\_\_?  
Is there a \_\_\_\_\_ separate applications \_\_\_\_\_ connection \_\_\_\_\_ units?  
\_\_\_\_\_ we apply \_\_\_\_\_ the \_\_\_\_\_ individually for \_\_\_\_\_ with \_\_\_\_\_ own utilities \_\_\_\_\_?  
Do housing \_\_\_\_\_ in \_\_\_\_\_ their \_\_\_\_\_ utility connections?  
\_\_\_\_\_ it \_\_\_\_\_ apply \_\_\_\_\_ in different housing units?  
\_\_\_\_\_ we \_\_\_\_\_ to apply multiple \_\_\_\_\_ every unit requires \_\_\_\_\_ connection?  
\_\_\_\_\_ necessary \_\_\_\_\_ each apartment \_\_\_\_\_ to \_\_\_\_\_ its own utility services?  
\_\_\_\_\_ need separate applications for \_\_\_\_\_ connections?  
Do we \_\_\_\_\_ to \_\_\_\_\_ if some \_\_\_\_\_ utilities connections?  
Do we \_\_\_\_\_ to apply \_\_\_\_\_ individually for \_\_\_\_\_ need their own \_\_\_\_\_?  
If every residential \_\_\_\_\_ in \_\_\_\_\_ building complex \_\_\_\_\_ connection, \_\_\_\_\_ we need \_\_\_\_\_?  
Do \_\_\_\_\_ to apply \_\_\_\_\_ units \_\_\_\_\_ complex \_\_\_\_\_ own their own utilities connection?  
If each residential unit requires \_\_\_\_\_ do we \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ units in the \_\_\_\_\_ need \_\_\_\_\_ connections' \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ need for more \_\_\_\_\_ application for \_\_\_\_\_ in a \_\_\_\_\_ complex that \_\_\_\_\_ its own \_\_\_\_\_?  
\_\_\_\_\_ to apply \_\_\_\_\_ the utilities connection \_\_\_\_\_ for \_\_\_\_\_ units \_\_\_\_\_ the building \_\_\_\_\_?  
Is \_\_\_\_\_ a \_\_\_\_\_ units \_\_\_\_\_ the building \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ connections?  
\_\_\_\_\_ there are utilities \_\_\_\_\_ building, \_\_\_\_\_ know if \_\_\_\_\_ worth having more than one \_\_\_\_\_.  
\_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ one \_\_\_\_\_ for each \_\_\_\_\_ unit in a building complex \_\_\_\_\_ its own \_\_\_\_\_.  
Are \_\_\_\_\_ saying that each \_\_\_\_\_ unit \_\_\_\_\_ apply \_\_\_\_\_ to get \_\_\_\_\_ utility \_\_\_\_\_ up?  
\_\_\_\_\_ the residential units of \_\_\_\_\_ complex need \_\_\_\_\_ own \_\_\_\_\_ a \_\_\_\_\_ application \_\_\_\_\_ be made?  
Do \_\_\_\_\_ applications \_\_\_\_\_ the \_\_\_\_\_ requires its own utilities \_\_\_\_\_ unit?  
Do we \_\_\_\_\_ separate \_\_\_\_\_ if \_\_\_\_\_ building requires \_\_\_\_\_ hookups for \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ need \_\_\_\_\_ own \_\_\_\_\_ connection, \_\_\_\_\_ we have \_\_\_\_\_ apply for different \_\_\_\_\_?  
If the \_\_\_\_\_ the building \_\_\_\_\_ their own utilities connection, do we \_\_\_\_\_ for \_\_\_\_\_?  
\_\_\_\_\_ of the \_\_\_\_\_ own utilities connection, a separate \_\_\_\_\_ needs to be \_\_\_\_\_  
\_\_\_\_\_ to apply for \_\_\_\_\_ than \_\_\_\_\_ utilities \_\_\_\_\_ for \_\_\_\_\_ in the building complex?

Are we \_\_\_\_ to \_\_\_\_ to \_\_\_\_ building \_\_\_\_ separately \_\_\_\_ unit that \_\_\_\_?

Is it \_\_\_\_ for utility \_\_\_\_ residential unit?

Are \_\_\_\_ separate applications \_\_\_\_ receive their \_\_\_\_ utilities connection?

\_\_\_\_ residential \_\_\_\_ of \_\_\_\_ complex need their own utilities \_\_\_\_ we need \_\_\_\_ separate \_\_\_\_?

Do \_\_\_\_ have to apply for \_\_\_\_ residential \_\_\_\_ of the \_\_\_\_ need their own \_\_\_\_?

\_\_\_\_ need to \_\_\_\_ individually \_\_\_\_ the building \_\_\_\_ for residents \_\_\_\_ their own \_\_\_\_?

Do the residential \_\_\_\_ the \_\_\_\_ complex need to \_\_\_\_ for \_\_\_\_ own \_\_\_\_?

Does \_\_\_\_ separate \_\_\_\_ be \_\_\_\_ the residential \_\_\_\_ of \_\_\_\_ building if they need their \_\_\_\_ utilities \_\_\_\_?

\_\_\_\_ there separate \_\_\_\_ home \_\_\_\_ receive \_\_\_\_ utilities connection?

\_\_\_\_ we need \_\_\_\_ if a \_\_\_\_ hookups \_\_\_\_ residential units?

Do we \_\_\_\_ to \_\_\_\_ of each housing \_\_\_\_?

Do \_\_\_\_ need \_\_\_\_ apply for a \_\_\_\_ applications if \_\_\_\_ residential units \_\_\_\_ their \_\_\_\_ utilities connection?

If the residential units of \_\_\_\_ building complex need \_\_\_\_ own \_\_\_\_ to \_\_\_\_?

\_\_\_\_ units \_\_\_\_ the building complex need \_\_\_\_ utilities connection a \_\_\_\_ application \_\_\_\_ created

Do \_\_\_\_ separate applications \_\_\_\_ building \_\_\_\_ a \_\_\_\_ connection \_\_\_\_ every residential \_\_\_\_?

If the \_\_\_\_ units \_\_\_\_ the \_\_\_\_ complex \_\_\_\_ own utilities connection, do we need \_\_\_\_?

\_\_\_\_ residential \_\_\_\_ need their \_\_\_\_ utilities connection, \_\_\_\_ have to \_\_\_\_?

\_\_\_\_ necessary \_\_\_\_ apply \_\_\_\_ the \_\_\_\_ connection for the residential \_\_\_\_ of \_\_\_\_ separately?

Do the residential units \_\_\_\_ the \_\_\_\_ their \_\_\_\_ utilities \_\_\_\_?

\_\_\_\_ necessary for each \_\_\_\_ unit \_\_\_\_ have \_\_\_\_ own application \_\_\_\_ connection?

\_\_\_\_ saying \_\_\_\_ unit should \_\_\_\_ to get their \_\_\_\_ utility stuff?

If \_\_\_\_ residential unit \_\_\_\_ requires its own utilities connection, should \_\_\_\_ application?

Do \_\_\_\_ within the building complex \_\_\_\_ connections?

Do we have to apply for \_\_\_\_ if \_\_\_\_ need \_\_\_\_ connection?

Do we \_\_\_\_ applications \_\_\_\_ a \_\_\_\_ has its own utilities \_\_\_\_?

Should \_\_\_\_ individually to the building \_\_\_\_ need \_\_\_\_ own utilities \_\_\_\_?

There \_\_\_\_ a \_\_\_\_ the \_\_\_\_ the building \_\_\_\_ need \_\_\_\_ own utilities connection.

Is there a \_\_\_\_ for \_\_\_\_ applications \_\_\_\_ each residential \_\_\_\_?

Should residents \_\_\_\_ need \_\_\_\_ connections \_\_\_\_ be \_\_\_\_ to fill out separate \_\_\_\_?

Is \_\_\_\_ each unit \_\_\_\_ building complex to have separate \_\_\_\_?

If the \_\_\_\_ building complex \_\_\_\_ utilities \_\_\_\_ does a \_\_\_\_ have to be made?

Do we need \_\_\_\_ for \_\_\_\_ that requires \_\_\_\_?

\_\_\_\_ the \_\_\_\_ units \_\_\_\_ the building \_\_\_\_ utilities connection, \_\_\_\_ there separate \_\_\_\_?

\_\_\_\_ the residential units \_\_\_\_ the building \_\_\_\_ their \_\_\_\_ utilities \_\_\_\_ a \_\_\_\_ need \_\_\_\_ be created

Does the \_\_\_\_ complex have to \_\_\_\_ separately \_\_\_\_ unit \_\_\_\_ requires \_\_\_\_?

Do \_\_\_\_ need to \_\_\_\_ building complex for \_\_\_\_ need \_\_\_\_ own utilities \_\_\_\_?

\_\_\_\_ separate application \_\_\_\_ resident's utility connection \_\_\_\_ required?

Do \_\_\_\_ need to apply to \_\_\_\_ complex \_\_\_\_ residents who need \_\_\_\_?

Do we \_\_\_\_ to \_\_\_\_ residential \_\_\_\_ own utilities connection?

\_\_\_\_ every \_\_\_\_ in the \_\_\_\_ requires \_\_\_\_ utilities connection, \_\_\_\_ we need \_\_\_\_ apply \_\_\_\_?

Is there \_\_\_\_ apply \_\_\_\_ building complex \_\_\_\_ each unit \_\_\_\_ utilities connection?

Is \_\_\_\_ separate application \_\_\_\_ to be made \_\_\_\_ the residential \_\_\_\_ building complex to \_\_\_\_ own \_\_\_\_ connection?

If \_\_\_\_ building requires \_\_\_\_ for its \_\_\_\_ units, do we \_\_\_\_.

If \_\_\_\_ residents need their \_\_\_\_ we need to \_\_\_\_ the \_\_\_\_ individually?

Should every \_\_\_\_ in \_\_\_\_ building \_\_\_\_ individual \_\_\_\_ connections?

\_\_\_\_ we \_\_\_\_ requests \_\_\_\_ utility services \_\_\_\_ house of the building \_\_\_\_?

Does \_\_\_\_ make \_\_\_\_ to apply \_\_\_\_ complex \_\_\_\_ each unit that \_\_\_\_ connection?

Should a \_\_\_\_ application be \_\_\_\_ units \_\_\_\_ the building \_\_\_\_ that \_\_\_\_ own utilities connection?

\_\_\_\_ need to \_\_\_\_ multiple applications \_\_\_\_ every \_\_\_\_ unit \_\_\_\_ the building requires \_\_\_\_ utilities \_\_\_\_?

\_\_\_\_ separate requests for utilities \_\_\_\_ for \_\_\_\_ units \_\_\_\_ our \_\_\_\_?

\_\_\_\_ every \_\_\_\_ utility \_\_\_\_ a separate application \_\_\_\_?  
 Should housing units \_\_\_\_ separate \_\_\_\_ utility \_\_\_\_?  
 Is there \_\_\_\_ applications for \_\_\_\_ every housing unit?  
 In building \_\_\_\_ resident units, \_\_\_\_ applications \_\_\_\_ utilities?  
 If \_\_\_\_ units of the \_\_\_\_ complex \_\_\_\_ connection, is a separate \_\_\_\_?  
 Do we \_\_\_\_ more \_\_\_\_ one application if \_\_\_\_ unit in \_\_\_\_ requires their \_\_\_\_ connection?  
 \_\_\_\_ we need to \_\_\_\_ a \_\_\_\_ complex separately \_\_\_\_ unit that \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to apply \_\_\_\_ building complex individually if \_\_\_\_ residents need their \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ know if \_\_\_\_ building \_\_\_\_ worth having multiple \_\_\_\_ if there \_\_\_\_ connections in \_\_\_\_ building  
 \_\_\_\_ to \_\_\_\_ individually for some \_\_\_\_ to have their \_\_\_\_ utilities \_\_\_\_?  
 Do we \_\_\_\_ to \_\_\_\_ the building \_\_\_\_ if some \_\_\_\_ their \_\_\_\_ connection?  
 Should we \_\_\_\_ individual applications for \_\_\_\_ in the \_\_\_\_?  
 If \_\_\_\_ residential units \_\_\_\_ connection \_\_\_\_ a separate application need to \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ multiple \_\_\_\_ if we have a \_\_\_\_ every \_\_\_\_?  
 Is \_\_\_\_ building complex required to \_\_\_\_ for utilities connection \_\_\_\_?  
 A separate application needs to \_\_\_\_ if \_\_\_\_ residential units \_\_\_\_ building \_\_\_\_ have their \_\_\_\_.  
 Is \_\_\_\_ for utilities \_\_\_\_ housing unit?  
 Do we need separate \_\_\_\_ processes \_\_\_\_ apartments \_\_\_\_ own \_\_\_\_?  
 Should \_\_\_\_ submit \_\_\_\_ to get \_\_\_\_ in \_\_\_\_ dwelling?  
 \_\_\_\_ for \_\_\_\_ to apply for a \_\_\_\_ for the residential units \_\_\_\_ the \_\_\_\_?  
 Do housing units \_\_\_\_ unique utility connections' applications?  
 Is \_\_\_\_ need for separate \_\_\_\_ each housing \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ of the building \_\_\_\_ might \_\_\_\_ to apply \_\_\_\_ their own \_\_\_\_ connection \_\_\_\_.  
 Should \_\_\_\_ individual requests \_\_\_\_ utilities \_\_\_\_ every \_\_\_\_ of \_\_\_\_ complex?  
 Should we submit \_\_\_\_ applications \_\_\_\_ utilities \_\_\_\_ housing \_\_\_\_?  
 \_\_\_\_ applications needed \_\_\_\_ each \_\_\_\_ connections?  
 Should \_\_\_\_ required to \_\_\_\_ applications for utilities \_\_\_\_ their units?  
 \_\_\_\_ we need \_\_\_\_ apply to \_\_\_\_ building \_\_\_\_ individually \_\_\_\_ who \_\_\_\_ own \_\_\_\_ connections?  
 Are there separate \_\_\_\_ each unit \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to the building complex \_\_\_\_ when \_\_\_\_ own utilities connection?  
 \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ to get their \_\_\_\_ connection?  
 Is there \_\_\_\_ individual \_\_\_\_ connections \_\_\_\_ every residential \_\_\_\_ the \_\_\_\_ complex?  
 \_\_\_\_ complexes have \_\_\_\_ units \_\_\_\_ should \_\_\_\_ process individual \_\_\_\_ for \_\_\_\_?  
 Do \_\_\_\_ need \_\_\_\_ applications \_\_\_\_ a building \_\_\_\_ hookups?  
 Is \_\_\_\_ residential units \_\_\_\_ building \_\_\_\_ to apply for their \_\_\_\_ utilities connection \_\_\_\_?  
 \_\_\_\_ a separate \_\_\_\_ the residential units \_\_\_\_ their own \_\_\_\_ connection need \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ have separate \_\_\_\_ connection per residential unit \_\_\_\_ a \_\_\_\_?  
 Do we \_\_\_\_ separate applications if \_\_\_\_ building \_\_\_\_ connection \_\_\_\_ Residential unit?  
 Do \_\_\_\_ need \_\_\_\_ applications \_\_\_\_ a \_\_\_\_ needs \_\_\_\_ own \_\_\_\_ connection \_\_\_\_ every \_\_\_\_ unit?  
 If there \_\_\_\_ utilities connections required in \_\_\_\_ residential \_\_\_\_ don't \_\_\_\_ if \_\_\_\_ is worth \_\_\_\_.  
 \_\_\_\_ need to \_\_\_\_ connection separately for \_\_\_\_ unit?  
 \_\_\_\_ the building complex's \_\_\_\_ need to \_\_\_\_ for their \_\_\_\_?  
 \_\_\_\_ units \_\_\_\_ the complex \_\_\_\_ their \_\_\_\_ connections' applications?  
 \_\_\_\_ need their \_\_\_\_ utilities connections, \_\_\_\_ we \_\_\_\_ to apply \_\_\_\_ the building \_\_\_\_ individually?  
 \_\_\_\_ about separate applications \_\_\_\_ utility \_\_\_\_?  
 Do \_\_\_\_ applications \_\_\_\_ building requires \_\_\_\_ for its residential \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ the residential \_\_\_\_ of the building complex's \_\_\_\_ connection?  
 Do \_\_\_\_ that each residential unit \_\_\_\_ to \_\_\_\_ own \_\_\_\_ hooked up?  
 \_\_\_\_ it \_\_\_\_ each \_\_\_\_ in \_\_\_\_ complex to \_\_\_\_ utilities applications?  
 Is \_\_\_\_ one \_\_\_\_ for every residential unit \_\_\_\_ a building that needs \_\_\_\_ utilities.



\_\_\_\_\_ separate applications needed \_\_\_\_\_ to have \_\_\_\_\_ connected?  
 \_\_\_\_\_ necessary for \_\_\_\_\_ to have \_\_\_\_\_ for their \_\_\_\_\_ connection?  
 \_\_\_\_\_ separate applications for the utilities \_\_\_\_\_ housing \_\_\_\_\_?  
 \_\_\_\_\_ separate utilities applications for every \_\_\_\_\_ building \_\_\_\_\_?  
 Is \_\_\_\_\_ required \_\_\_\_\_ each \_\_\_\_\_ have a separate \_\_\_\_\_ for \_\_\_\_\_ connection?  
 \_\_\_\_\_ necessary \_\_\_\_\_ apply for different \_\_\_\_\_ if the residential \_\_\_\_\_ of the building need \_\_\_\_\_?  
 \_\_\_\_\_ to apply individually for \_\_\_\_\_ in \_\_\_\_\_ complex?  
 Do we have \_\_\_\_\_ apply for \_\_\_\_\_ for \_\_\_\_\_ units of \_\_\_\_\_ complex?  
 Is it \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ applications \_\_\_\_\_ utilities \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ applications \_\_\_\_\_ each \_\_\_\_\_ utility connections?  
 If the \_\_\_\_\_ units of \_\_\_\_\_ building need \_\_\_\_\_ connection \_\_\_\_\_ separate \_\_\_\_\_ need \_\_\_\_\_ created  
 \_\_\_\_\_ there \_\_\_\_\_ applications for \_\_\_\_\_ residence \_\_\_\_\_ their own \_\_\_\_\_ connection?  
 \_\_\_\_\_ residential units \_\_\_\_\_ a \_\_\_\_\_ need \_\_\_\_\_ own utilities connection, do \_\_\_\_\_ need \_\_\_\_\_?  
 Is a \_\_\_\_\_ each unit \_\_\_\_\_ utilities connected?  
 Will \_\_\_\_\_ application be required \_\_\_\_\_ every \_\_\_\_\_ connection?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ unit \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ utilities \_\_\_\_\_?  
 \_\_\_\_\_ need to apply \_\_\_\_\_ residents with their own \_\_\_\_\_?  
 \_\_\_\_\_ residential unit in the building complex \_\_\_\_\_ its \_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_?  
 \_\_\_\_\_ to apply \_\_\_\_\_ each unit individually \_\_\_\_\_ connection?  
 If \_\_\_\_\_ the \_\_\_\_\_ need their own utilities connection, \_\_\_\_\_ separate application need \_\_\_\_\_.  
 \_\_\_\_\_ there any need for \_\_\_\_\_ applications \_\_\_\_\_ each \_\_\_\_\_ unit?  
 If a building \_\_\_\_\_ its \_\_\_\_\_ for each \_\_\_\_\_ unit, \_\_\_\_\_ we need \_\_\_\_\_?  
 \_\_\_\_\_ we fill out separate \_\_\_\_\_ for each \_\_\_\_\_?  
 \_\_\_\_\_ there any need for separate \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ own \_\_\_\_\_?  
 \_\_\_\_\_ we need \_\_\_\_\_ apply to \_\_\_\_\_ for \_\_\_\_\_ residents \_\_\_\_\_ need their own utilities \_\_\_\_\_?  
 If \_\_\_\_\_ are utilities \_\_\_\_\_ required in \_\_\_\_\_ residential building, \_\_\_\_\_ don't \_\_\_\_\_ building is \_\_\_\_\_ applications.  
 \_\_\_\_\_ complex's \_\_\_\_\_ units need their own utilities connection, do we \_\_\_\_\_ apply \_\_\_\_\_?  
 Do \_\_\_\_\_ need \_\_\_\_\_ apply \_\_\_\_\_ the utilities connection \_\_\_\_\_ units of \_\_\_\_\_ building \_\_\_\_\_?  
 \_\_\_\_\_ be separate applications \_\_\_\_\_ all housing \_\_\_\_\_ utility \_\_\_\_\_?  
 \_\_\_\_\_ we need \_\_\_\_\_ units to have their own \_\_\_\_\_ connections?  
 Is \_\_\_\_\_ separate application \_\_\_\_\_ for \_\_\_\_\_ housing \_\_\_\_\_ utility \_\_\_\_\_?  
 Do you \_\_\_\_\_ for each \_\_\_\_\_ unit?  
 \_\_\_\_\_ it necessary for individual \_\_\_\_\_ residential unit?  
 If a \_\_\_\_\_ requires \_\_\_\_\_ hookups \_\_\_\_\_ its homes, \_\_\_\_\_ need \_\_\_\_\_ applications?  
 \_\_\_\_\_ there \_\_\_\_\_ applications for \_\_\_\_\_ in each \_\_\_\_\_ place?  
 If the residential \_\_\_\_\_ the \_\_\_\_\_ need their own utilities \_\_\_\_\_ to separate \_\_\_\_\_?  
 If a building requires \_\_\_\_\_ own \_\_\_\_\_ for each \_\_\_\_\_ applications.  
 \_\_\_\_\_ need multiple \_\_\_\_\_ there is a \_\_\_\_\_ connection in \_\_\_\_\_ residential \_\_\_\_\_?  
 If \_\_\_\_\_ residential units \_\_\_\_\_ the \_\_\_\_\_ own utilities \_\_\_\_\_ then \_\_\_\_\_ needs to be created.  
 Do we need separate \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ units?  
 \_\_\_\_\_ there a \_\_\_\_\_ for separate \_\_\_\_\_ utilities connections \_\_\_\_\_ each \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ multiple applications \_\_\_\_\_ every \_\_\_\_\_ its own utilities \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ to the \_\_\_\_\_ residents need their \_\_\_\_\_ utilities connection?  
 Do \_\_\_\_\_ building requires its \_\_\_\_\_ hookups in its residential \_\_\_\_\_?  
 \_\_\_\_\_ requirement \_\_\_\_\_ separate \_\_\_\_\_ for housing \_\_\_\_\_ utility connections?  
 Do we need \_\_\_\_\_ apply individually to \_\_\_\_\_ some residents \_\_\_\_\_ their \_\_\_\_\_?  
 If \_\_\_\_\_ residential \_\_\_\_\_ of the \_\_\_\_\_ need their own utilities \_\_\_\_\_ applications?  
 We don't \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ if there are utilities connections \_\_\_\_\_ residential house.  
 There are \_\_\_\_\_ every residential so we don't \_\_\_\_\_ a \_\_\_\_\_ is \_\_\_\_\_ multiple applications  
 Do \_\_\_\_\_ need to \_\_\_\_\_ applications if \_\_\_\_\_ in \_\_\_\_\_ building requires its \_\_\_\_\_?

Is there a need \_\_\_\_ individual \_\_\_\_ for \_\_\_\_ unit \_\_\_\_ complex?  
 \_\_\_\_ residential \_\_\_\_ of the \_\_\_\_ their own \_\_\_\_ connection, do we \_\_\_\_ to \_\_\_\_ for \_\_\_\_?

Is there \_\_\_\_ necessity \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ unit in \_\_\_\_?  
 \_\_\_\_ the residential \_\_\_\_ complex need \_\_\_\_ own utilities connection \_\_\_\_?  
 \_\_\_\_ building \_\_\_\_ own utilities connection \_\_\_\_ residential unit, \_\_\_\_ we need \_\_\_\_ applications?

Should \_\_\_\_ fill \_\_\_\_ separate \_\_\_\_ connections of \_\_\_\_ building unit?  
 Is the \_\_\_\_ units of \_\_\_\_ building \_\_\_\_ separate \_\_\_\_ for \_\_\_\_?  
 Is \_\_\_\_ housing units' \_\_\_\_ connections?

Do we \_\_\_\_ separate \_\_\_\_ if \_\_\_\_ building requires its own \_\_\_\_ each \_\_\_\_?  
 \_\_\_\_ we need to \_\_\_\_ the \_\_\_\_ for residents that \_\_\_\_ their \_\_\_\_ connections?

If there \_\_\_\_ connections \_\_\_\_ in every residential \_\_\_\_ we \_\_\_\_ if a \_\_\_\_ multiple applications.  
 \_\_\_\_ we fill out \_\_\_\_ unique \_\_\_\_ connections in \_\_\_\_ units?  
 \_\_\_\_ the \_\_\_\_ complex separately for each unit that requires utilities \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ utilities \_\_\_\_ do \_\_\_\_ need \_\_\_\_ apply to the \_\_\_\_ complex individually?  
 \_\_\_\_ there \_\_\_\_ need for \_\_\_\_ applications \_\_\_\_ a \_\_\_\_ requires its \_\_\_\_ utilities \_\_\_\_ each \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to \_\_\_\_ building complex \_\_\_\_ for \_\_\_\_ that require utilities \_\_\_\_?  
 \_\_\_\_ need to apply \_\_\_\_ the building complex \_\_\_\_ who \_\_\_\_ own utilities \_\_\_\_?  
 \_\_\_\_ every resident's utility connection is necessary?

Do \_\_\_\_ separate \_\_\_\_ if \_\_\_\_ building has \_\_\_\_ own \_\_\_\_ for \_\_\_\_ units?  
 Is the \_\_\_\_ needs \_\_\_\_ connections for every \_\_\_\_?  
 The residential \_\_\_\_ of \_\_\_\_ need a separate \_\_\_\_ to \_\_\_\_ to the \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ apply to \_\_\_\_ complex \_\_\_\_ unit that requires utilities?

If \_\_\_\_ unit in \_\_\_\_ building \_\_\_\_ connection, do we need to \_\_\_\_ one application?  
 Do we \_\_\_\_ to apply \_\_\_\_ the \_\_\_\_ for the residential \_\_\_\_ the \_\_\_\_?  
 Is \_\_\_\_ to \_\_\_\_ for \_\_\_\_ applications if \_\_\_\_ residential \_\_\_\_ of \_\_\_\_ building complex \_\_\_\_ their \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ have \_\_\_\_ apply \_\_\_\_ the \_\_\_\_ units' utilities connection?

Is \_\_\_\_ necessary to have separate applications \_\_\_\_ own \_\_\_\_ connection?  
 Do we \_\_\_\_ separate \_\_\_\_ unit has its own \_\_\_\_?  
 \_\_\_\_ every unit in \_\_\_\_ building \_\_\_\_ its own \_\_\_\_ need to \_\_\_\_ applications.  
 \_\_\_\_ the residential units \_\_\_\_ building \_\_\_\_ required \_\_\_\_ own utilities connection?

Are \_\_\_\_ suggesting that \_\_\_\_ residential unit \_\_\_\_ to \_\_\_\_ their \_\_\_\_ hooked \_\_\_\_?  
 Are there \_\_\_\_ applications \_\_\_\_ each \_\_\_\_ to \_\_\_\_ utilities \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ need \_\_\_\_ building \_\_\_\_ separately for each \_\_\_\_ requires utilities connection?  
 \_\_\_\_ units within \_\_\_\_ complex \_\_\_\_ unique \_\_\_\_ connections' applications?

Are \_\_\_\_ apply \_\_\_\_ the \_\_\_\_ complex individually \_\_\_\_ residents \_\_\_\_ their \_\_\_\_ utilities connections?  
 \_\_\_\_ necessary to apply for the \_\_\_\_ complex \_\_\_\_ unit that \_\_\_\_ utilities \_\_\_\_?  
 Do \_\_\_\_ need \_\_\_\_ applications \_\_\_\_ each \_\_\_\_ connection?

Is \_\_\_\_ a \_\_\_\_ for more \_\_\_\_ one application \_\_\_\_ every residential unit \_\_\_\_ a \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ for separate \_\_\_\_ if \_\_\_\_ building requires its own \_\_\_\_ each \_\_\_\_ unit?

If a \_\_\_\_ requires their \_\_\_\_ for \_\_\_\_ residential units, \_\_\_\_ need \_\_\_\_?  
 If \_\_\_\_ building complex need their \_\_\_\_ utilities connection, \_\_\_\_ we need to \_\_\_\_ applications.  
 Do we \_\_\_\_ different applications \_\_\_\_ the residential \_\_\_\_ in the \_\_\_\_ their own \_\_\_\_ connection?

Are there \_\_\_\_ utilities \_\_\_\_ residential unit?  
 \_\_\_\_ a separate \_\_\_\_ process \_\_\_\_ for each residency's \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ apply \_\_\_\_ some \_\_\_\_ want their own \_\_\_\_ connections?  
 \_\_\_\_ in every dwelling \_\_\_\_ complex, should we submit individual \_\_\_\_?  
 \_\_\_\_ building complex demands its \_\_\_\_ utility services, \_\_\_\_ we \_\_\_\_ application processes?  
 \_\_\_\_ residential units of the \_\_\_\_ their own utilities connection, do \_\_\_\_ for \_\_\_\_?

Does \_\_\_\_ separate application need to \_\_\_\_ for the residential \_\_\_\_ the building \_\_\_\_ own \_\_\_\_?  
 If \_\_\_\_ residential units \_\_\_\_ the \_\_\_\_ need \_\_\_\_ connection, do we \_\_\_\_ to \_\_\_\_ for \_\_\_\_ applications.

Do \_\_\_\_\_ units need \_\_\_\_\_ connections?

Should \_\_\_\_\_ for different \_\_\_\_\_ the residential units \_\_\_\_\_ the building \_\_\_\_\_ they \_\_\_\_\_ their own \_\_\_\_\_?

Is a \_\_\_\_\_ required \_\_\_\_\_ residential \_\_\_\_\_ need their \_\_\_\_\_ connection?

\_\_\_\_\_ there any \_\_\_\_\_ separate \_\_\_\_\_ a \_\_\_\_\_ requires \_\_\_\_\_ own hookups \_\_\_\_\_ its \_\_\_\_\_ units?

\_\_\_\_\_ any need for \_\_\_\_\_ if every residential unit \_\_\_\_\_ utilities \_\_\_\_\_?

Do we need \_\_\_\_\_ applications \_\_\_\_\_ a \_\_\_\_\_ its \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ apply individually \_\_\_\_\_ building complex \_\_\_\_\_ residents with their own \_\_\_\_\_?

\_\_\_\_\_ some residents \_\_\_\_\_ their \_\_\_\_\_ we need \_\_\_\_\_ apply individually for the \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ apply \_\_\_\_\_ the \_\_\_\_\_ for each unit that requires utilities \_\_\_\_\_?

\_\_\_\_\_ separate applications needed for \_\_\_\_\_ utility connections?

If \_\_\_\_\_ residential units \_\_\_\_\_ the \_\_\_\_\_ complex need \_\_\_\_\_ utilities connection, \_\_\_\_\_ applications \_\_\_\_\_ that?

Do we need \_\_\_\_\_ to \_\_\_\_\_ building \_\_\_\_\_ for residents \_\_\_\_\_ need \_\_\_\_\_ utilities \_\_\_\_\_?

\_\_\_\_\_ we need to \_\_\_\_\_ the \_\_\_\_\_ complex individually, \_\_\_\_\_ own utilities connection?

\_\_\_\_\_ units \_\_\_\_\_ need their own utilities \_\_\_\_\_ do we \_\_\_\_\_ to apply?

\_\_\_\_\_ think a separate \_\_\_\_\_ is needed for \_\_\_\_\_ connection?

Do \_\_\_\_\_ applications \_\_\_\_\_ the building requires \_\_\_\_\_ connection for every \_\_\_\_\_ unit?

\_\_\_\_\_ we process \_\_\_\_\_ applications \_\_\_\_\_ utilities in \_\_\_\_\_ units?

\_\_\_\_\_ units \_\_\_\_\_ the building complex need their own utilities \_\_\_\_\_ they \_\_\_\_\_.

Do \_\_\_\_\_ need \_\_\_\_\_ applications \_\_\_\_\_ requires it's \_\_\_\_\_ utilities \_\_\_\_\_ for \_\_\_\_\_ units?

We don't \_\_\_\_\_ a \_\_\_\_\_ having \_\_\_\_\_ if utilities are \_\_\_\_\_ in \_\_\_\_\_ home.

Do \_\_\_\_\_ to apply \_\_\_\_\_ than \_\_\_\_\_ thing if \_\_\_\_\_ of \_\_\_\_\_ complex need \_\_\_\_\_ own utilities connection?

\_\_\_\_\_ you saying \_\_\_\_\_ unit needs to \_\_\_\_\_ individually \_\_\_\_\_ own utility stuff \_\_\_\_\_ up?

If \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_ building need \_\_\_\_\_ own utilities \_\_\_\_\_ does a \_\_\_\_\_ need \_\_\_\_\_ created.

\_\_\_\_\_ have \_\_\_\_\_ separate forms \_\_\_\_\_ utility connections \_\_\_\_\_ each building?

\_\_\_\_\_ have \_\_\_\_\_ submit \_\_\_\_\_ the utilities \_\_\_\_\_ each housing unit?

Are you saying that each \_\_\_\_\_ unit \_\_\_\_\_ to \_\_\_\_\_ their own \_\_\_\_\_?

Should \_\_\_\_\_ submit \_\_\_\_\_ applications \_\_\_\_\_ utility \_\_\_\_\_ in \_\_\_\_\_ dwelling \_\_\_\_\_ the \_\_\_\_\_ complex?

\_\_\_\_\_ some \_\_\_\_\_ connections, we need to \_\_\_\_\_ to the building complex.

\_\_\_\_\_ apply individually for \_\_\_\_\_ residents to \_\_\_\_\_ their own \_\_\_\_\_ connection?

\_\_\_\_\_ we need separate applications if \_\_\_\_\_ its own \_\_\_\_\_ for \_\_\_\_\_ Residential \_\_\_\_\_?

\_\_\_\_\_ residential units \_\_\_\_\_ the \_\_\_\_\_ complex \_\_\_\_\_ their own \_\_\_\_\_ connection, \_\_\_\_\_ to apply \_\_\_\_\_ different applications?

\_\_\_\_\_ individual \_\_\_\_\_ connections \_\_\_\_\_ each residential \_\_\_\_\_?

Do utility connections \_\_\_\_\_ be separate \_\_\_\_\_ unit?

Should individual \_\_\_\_\_ submitted for \_\_\_\_\_ dwelling \_\_\_\_\_ the building complex?

\_\_\_\_\_ individual \_\_\_\_\_ be \_\_\_\_\_ for every residential unit \_\_\_\_\_ building \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ individual utilities connections for every \_\_\_\_\_?

\_\_\_\_\_ know if a building \_\_\_\_\_ applications if the \_\_\_\_\_ are \_\_\_\_\_ in every residential \_\_\_\_\_.

Is there \_\_\_\_\_ separate \_\_\_\_\_ the \_\_\_\_\_ units \_\_\_\_\_ building complex?

If there are utilities connections \_\_\_\_\_ in \_\_\_\_\_ residential \_\_\_\_\_ if it's \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ applications \_\_\_\_\_ each home \_\_\_\_\_ receive \_\_\_\_\_ own \_\_\_\_\_ connection?

\_\_\_\_\_ there \_\_\_\_\_ need for separate \_\_\_\_\_ applications \_\_\_\_\_ each \_\_\_\_\_ building complex?

\_\_\_\_\_ every residential unit \_\_\_\_\_ the \_\_\_\_\_ complex \_\_\_\_\_ utilities connections?

\_\_\_\_\_ have to \_\_\_\_\_ out \_\_\_\_\_ forms for utility connections \_\_\_\_\_ building \_\_\_\_\_?

We need to apply \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_ building complex if \_\_\_\_\_ utilities connection.

\_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ complex need their own \_\_\_\_\_ to apply \_\_\_\_\_.

\_\_\_\_\_ need to submit \_\_\_\_\_ applications for \_\_\_\_\_ housing unit?

\_\_\_\_\_ you \_\_\_\_\_ separate applications \_\_\_\_\_ home's utility \_\_\_\_\_?

Does a separate \_\_\_\_\_ a \_\_\_\_\_ to be \_\_\_\_\_ the residential \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ to the complex individually \_\_\_\_\_ some \_\_\_\_\_ need \_\_\_\_\_ own \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ for unique utility \_\_\_\_\_ the building \_\_\_\_\_?

Is \_\_\_\_\_ possible to fill \_\_\_\_\_ connections in each \_\_\_\_\_ unit?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ for the \_\_\_\_\_ housing unit?  
 \_\_\_\_\_ need separate applications \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ utilities \_\_\_\_\_ each unit?  
 If \_\_\_\_\_ residential \_\_\_\_\_ a utilities \_\_\_\_\_ do we need \_\_\_\_\_?  
 \_\_\_\_\_ it require \_\_\_\_\_ for \_\_\_\_\_ connection \_\_\_\_\_ each residential \_\_\_\_\_ in \_\_\_\_\_ building \_\_\_\_\_?  
 Do \_\_\_\_\_ need to apply for \_\_\_\_\_ if \_\_\_\_\_ require \_\_\_\_\_?  
 \_\_\_\_\_ there any need \_\_\_\_\_ separate \_\_\_\_\_ if \_\_\_\_\_ need their \_\_\_\_\_ connection?  
 Does \_\_\_\_\_ separate applications \_\_\_\_\_ their own \_\_\_\_\_ connection?  
 Does a \_\_\_\_\_ application \_\_\_\_\_ be \_\_\_\_\_ units \_\_\_\_\_ the building complex \_\_\_\_\_ own utilities connection?  
 \_\_\_\_\_ to apply multiple applications \_\_\_\_\_ unit in \_\_\_\_\_ building \_\_\_\_\_ a utilities \_\_\_\_\_?  
 \_\_\_\_\_ units in \_\_\_\_\_ building \_\_\_\_\_ need different utility \_\_\_\_\_?  
 If the residential \_\_\_\_\_ of the building \_\_\_\_\_ their \_\_\_\_\_ utilities connection, \_\_\_\_\_ apply \_\_\_\_\_?  
 Do \_\_\_\_\_ apply \_\_\_\_\_ complex separately \_\_\_\_\_ each unit that requires \_\_\_\_\_?  
 If \_\_\_\_\_ residential \_\_\_\_\_ building \_\_\_\_\_ own utilities \_\_\_\_\_ a separate \_\_\_\_\_ has to be created  
 If \_\_\_\_\_ units \_\_\_\_\_ the \_\_\_\_\_ complex need \_\_\_\_\_ own \_\_\_\_\_ connection then a \_\_\_\_\_ to \_\_\_\_\_ created.  
 Is it necessary \_\_\_\_\_ have separate \_\_\_\_\_ to every \_\_\_\_\_?  
 \_\_\_\_\_ residents \_\_\_\_\_ own utilities connection, do we \_\_\_\_\_ apply to \_\_\_\_\_ complex \_\_\_\_\_.  
 Is there \_\_\_\_\_ for separate applications \_\_\_\_\_ each housing \_\_\_\_\_?  
 Do we \_\_\_\_\_ the building complex \_\_\_\_\_ if some residents \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ submitted for \_\_\_\_\_ each dwelling of the building \_\_\_\_\_?  
 \_\_\_\_\_ unit in \_\_\_\_\_ its own \_\_\_\_\_ connection, \_\_\_\_\_ we \_\_\_\_\_ to apply more than one \_\_\_\_\_?  
 \_\_\_\_\_ need to apply \_\_\_\_\_ the \_\_\_\_\_ connection for \_\_\_\_\_ in \_\_\_\_\_ building complex?  
 Do \_\_\_\_\_ need \_\_\_\_\_ applications \_\_\_\_\_ building requires \_\_\_\_\_ own utilities \_\_\_\_\_ Residential unit?  
 \_\_\_\_\_ for separate \_\_\_\_\_ for housing units' utility \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ applications if \_\_\_\_\_ requires a utilities connection for \_\_\_\_\_?  
 If every \_\_\_\_\_ the building \_\_\_\_\_ utilities \_\_\_\_\_ need \_\_\_\_\_ apply multiple applications?  
 \_\_\_\_\_ individual \_\_\_\_\_ for \_\_\_\_\_ services in every building?  
 Do \_\_\_\_\_ to apply \_\_\_\_\_ that \_\_\_\_\_ their own \_\_\_\_\_ connections?  
 \_\_\_\_\_ have to be \_\_\_\_\_ for the \_\_\_\_\_ units of the \_\_\_\_\_ have \_\_\_\_\_ own utilities connection?  
 Are \_\_\_\_\_ of the building \_\_\_\_\_ need to have \_\_\_\_\_ connection?  
 Are there \_\_\_\_\_ applications \_\_\_\_\_ connection?  
 Are \_\_\_\_\_ necessary for housing \_\_\_\_\_?  
 Do \_\_\_\_\_ fill \_\_\_\_\_ for \_\_\_\_\_ utility connections \_\_\_\_\_ each building \_\_\_\_\_?  
 \_\_\_\_\_ a separate application need to \_\_\_\_\_ made for \_\_\_\_\_ residential \_\_\_\_\_ building \_\_\_\_\_ get \_\_\_\_\_ own utilities \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ need their own utilities \_\_\_\_\_ can \_\_\_\_\_ apply \_\_\_\_\_ complex \_\_\_\_\_?  
 Do we need to apply \_\_\_\_\_ each unit \_\_\_\_\_?  
 \_\_\_\_\_ a separate application is \_\_\_\_\_ every resident's \_\_\_\_\_ connection?  
 Are \_\_\_\_\_ applications \_\_\_\_\_ for \_\_\_\_\_ connections?  
 If \_\_\_\_\_ residents need \_\_\_\_\_ own \_\_\_\_\_ we \_\_\_\_\_ individually to \_\_\_\_\_ complex?  
 If \_\_\_\_\_ building \_\_\_\_\_ its own utilities connection \_\_\_\_\_ unit, \_\_\_\_\_ we \_\_\_\_\_?  
 For \_\_\_\_\_ unit in \_\_\_\_\_ building \_\_\_\_\_ are \_\_\_\_\_ utilities \_\_\_\_\_?  
 Are you \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ apply separately \_\_\_\_\_ their own \_\_\_\_\_ up?  
 \_\_\_\_\_ there \_\_\_\_\_ for utility connections \_\_\_\_\_ each \_\_\_\_\_?  
 \_\_\_\_\_ separate applications necessary for each \_\_\_\_\_ get \_\_\_\_\_ utilities \_\_\_\_\_?  
 Should we apply \_\_\_\_\_ one \_\_\_\_\_ for \_\_\_\_\_ building \_\_\_\_\_ requires its own utilities \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ multiple applications \_\_\_\_\_ each unit requires \_\_\_\_\_ connection?  
 \_\_\_\_\_ need to apply individually \_\_\_\_\_ the building \_\_\_\_\_ some \_\_\_\_\_ their \_\_\_\_\_ connection?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ forms \_\_\_\_\_ utility \_\_\_\_\_ in \_\_\_\_\_ unit?  
 Is \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ applications \_\_\_\_\_ requires hookups for \_\_\_\_\_ residential \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ units of \_\_\_\_\_ building complex to \_\_\_\_\_ for different applications \_\_\_\_\_ need \_\_\_\_\_ utilities connection?

\_\_\_\_\_ residential units of the building complex need \_\_\_\_\_ for \_\_\_\_\_ own \_\_\_\_\_?

Do \_\_\_\_\_ to apply \_\_\_\_\_ the \_\_\_\_\_ separately for \_\_\_\_\_ units?

\_\_\_\_\_ individual \_\_\_\_\_ necessary \_\_\_\_\_ every \_\_\_\_\_ unit \_\_\_\_\_ a building?

If \_\_\_\_\_ residential \_\_\_\_\_ need \_\_\_\_\_ utilities connection \_\_\_\_\_ need \_\_\_\_\_ apply?

\_\_\_\_\_ necessary for \_\_\_\_\_ housing \_\_\_\_\_ to have separate \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ within \_\_\_\_\_ building complex need different \_\_\_\_\_ applications?

\_\_\_\_\_ necessary for each home to have separate \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ apply \_\_\_\_\_ one \_\_\_\_\_ for \_\_\_\_\_ unit \_\_\_\_\_ building \_\_\_\_\_ requires its own utilities connection?

Is individual utilities \_\_\_\_\_ necessary for every \_\_\_\_\_?

\_\_\_\_\_ need separate \_\_\_\_\_ if \_\_\_\_\_ building \_\_\_\_\_ own utilities connection for \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ separate applications if a \_\_\_\_\_ requires its own \_\_\_\_\_ connection \_\_\_\_\_ the \_\_\_\_\_?

Are \_\_\_\_\_ that each \_\_\_\_\_ unit should apply \_\_\_\_\_ to \_\_\_\_\_ their \_\_\_\_\_ hooked up?

Is there a \_\_\_\_\_ utilities required \_\_\_\_\_ each \_\_\_\_\_?

Do we \_\_\_\_\_ separate applications for \_\_\_\_\_ they \_\_\_\_\_ their \_\_\_\_\_ utilities \_\_\_\_\_?

Is it necessary for each \_\_\_\_\_ building complex \_\_\_\_\_?

If \_\_\_\_\_ need \_\_\_\_\_ utilities, \_\_\_\_\_ need to apply to \_\_\_\_\_ building complex \_\_\_\_\_?

Do \_\_\_\_\_ need to \_\_\_\_\_ for \_\_\_\_\_ for the \_\_\_\_\_ of the \_\_\_\_\_ separately?

Is \_\_\_\_\_ possible that \_\_\_\_\_ residential \_\_\_\_\_ of \_\_\_\_\_ complex \_\_\_\_\_ their own \_\_\_\_\_?

\_\_\_\_\_ it necessary for each \_\_\_\_\_ to \_\_\_\_\_ separate \_\_\_\_\_ get their \_\_\_\_\_?

\_\_\_\_\_ own utilities connection, \_\_\_\_\_ we need to apply to \_\_\_\_\_ individually?

If every unit \_\_\_\_\_ building needs \_\_\_\_\_ apply multiple applications?

\_\_\_\_\_ units in the building complex required \_\_\_\_\_ have their \_\_\_\_\_?