

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	Information regarding scheduled maintenance
<b>Inquiry Sub-Category</b>	Outage notification
<b>Description</b>	Customers seeking information about planned power cuts or outages in their area. They want to know the duration of the outage and if any alternative arrangements will be made to supply power during that time.
<b>Data Size</b>	5,120 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

We do \_\_\_\_ foresee any \_\_\_\_ caused by regular \_\_\_\_ impacting \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
\_\_\_\_ \_\_\_\_ electricity despite \_\_\_\_ maintenance.  
\_\_\_\_ will \_\_\_\_ be \_\_\_\_ routine upkeep.  
There \_\_\_\_ be any disruptions to \_\_\_\_ \_\_\_\_ by \_\_\_\_ maintenances.  
Regular \_\_\_\_ won't \_\_\_\_ services \_\_\_\_ .  
Will there \_\_\_\_ electrical \_\_\_\_ as a result \_\_\_\_ maintenance \_\_\_\_ ?  
\_\_\_\_ \_\_\_\_ to affect electricity from routine \_\_\_\_ .  
There \_\_\_\_ expected \_\_\_\_ upkeep affecting electricity.  
No problems \_\_\_\_ inspections \_\_\_\_ hamper \_\_\_\_ provision.  
Electric \_\_\_\_ reliability is \_\_\_\_ to \_\_\_\_ be affected \_\_\_\_ regular \_\_\_\_ \_\_\_\_ .  
There are no \_\_\_\_ caused \_\_\_\_ of \_\_\_\_ maintenance.  
\_\_\_\_ regular maintenances \_\_\_\_ disrupt \_\_\_\_ services, \_\_\_\_ ?  
There \_\_\_\_ plans for \_\_\_\_ affect electrical services.  
\_\_\_\_ electric \_\_\_\_ should not be \_\_\_\_ scheduled \_\_\_\_ .  
\_\_\_\_ \_\_\_\_ electrical service disruptions \_\_\_\_ the foreseeable future.  
There \_\_\_\_ no plans \_\_\_\_ the \_\_\_\_ electrical service disruptions \_\_\_\_ regular \_\_\_\_ maintenance.  
Electricity should not \_\_\_\_ by \_\_\_\_ .  
Will \_\_\_\_ any \_\_\_\_ the \_\_\_\_ supply \_\_\_\_ the coming \_\_\_\_ or months \_\_\_\_ regular maintenance work?  
\_\_\_\_ will \_\_\_\_ disruptions caused in the \_\_\_\_ regular \_\_\_\_ .  
Electricity \_\_\_\_ not \_\_\_\_ affected \_\_\_\_ work \_\_\_\_ .  
\_\_\_\_ should \_\_\_\_ affected by scheduled \_\_\_\_ .  
No one \_\_\_\_ from \_\_\_\_ .  
Maintenances \_\_\_\_ not \_\_\_\_ electrical \_\_\_\_ disruptions \_\_\_\_ foreseeable future.  
\_\_\_\_ aren't any problems \_\_\_\_ electrical \_\_\_\_ .  
\_\_\_\_ electrical \_\_\_\_ not \_\_\_\_ by maintenances anytime soon.  
There will \_\_\_\_ from \_\_\_\_ upkeep affecting \_\_\_\_ .  
\_\_\_\_ from \_\_\_\_ maintenance \_\_\_\_ not \_\_\_\_ .  
There \_\_\_\_ of electrical services \_\_\_\_ disrupted during \_\_\_\_ .

\_\_\_\_\_ maintenances should not \_\_\_\_\_ services.

Will \_\_\_\_\_ see \_\_\_\_\_ service interruption \_\_\_\_\_ a \_\_\_\_\_ scheduled maintenance?

No \_\_\_\_\_ problems from \_\_\_\_\_.

There are \_\_\_\_\_ worries \_\_\_\_\_ issues \_\_\_\_\_ in the \_\_\_\_\_.

Currently, \_\_\_\_\_ maintenance are unforeseen?

Can \_\_\_\_\_ maintenance to not \_\_\_\_\_ soon?

No regular maintenances will \_\_\_\_\_?

There \_\_\_\_\_ electrical service \_\_\_\_\_ in \_\_\_\_\_ future.

Electricity \_\_\_\_\_ not \_\_\_\_\_ by \_\_\_\_\_ check-ups \_\_\_\_\_ future.

We don't anticipate disruptions \_\_\_\_\_ to \_\_\_\_\_ maintenances.

\_\_\_\_\_ are \_\_\_\_\_ chances of \_\_\_\_\_ service \_\_\_\_\_.

Electric \_\_\_\_\_ won't be \_\_\_\_\_ frequent \_\_\_\_\_.

There are \_\_\_\_\_ plans \_\_\_\_\_ the moment \_\_\_\_\_ electrical service maintenances \_\_\_\_\_ electrical service \_\_\_\_\_ soon.

\_\_\_\_\_ services will \_\_\_\_\_ be \_\_\_\_\_ regular \_\_\_\_\_.

There \_\_\_\_\_ plans \_\_\_\_\_ regular electrical \_\_\_\_\_ to cause \_\_\_\_\_ in the near \_\_\_\_\_.

There \_\_\_\_\_ be any problems \_\_\_\_\_ by \_\_\_\_\_ inspections that \_\_\_\_\_.

\_\_\_\_\_ regular \_\_\_\_\_ will affect electrical \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ no disruptions \_\_\_\_\_ result of \_\_\_\_\_ maintenances \_\_\_\_\_ future.

We do \_\_\_\_\_ disruptions \_\_\_\_\_ regular maintenances.

There will be no \_\_\_\_\_ in \_\_\_\_\_ regular \_\_\_\_\_.

It is expected that \_\_\_\_\_ service \_\_\_\_\_ not be affected \_\_\_\_\_.

\_\_\_\_\_ supply \_\_\_\_\_ because of \_\_\_\_\_ servicing.

\_\_\_\_\_ little \_\_\_\_\_ to electrical services.

There won't \_\_\_\_\_ troubles \_\_\_\_\_.

The service \_\_\_\_\_ affected by \_\_\_\_\_ upkeep next \_\_\_\_\_.

\_\_\_\_\_ maintenances \_\_\_\_\_ in the \_\_\_\_\_ future.

Well, \_\_\_\_\_ won't \_\_\_\_\_ soon by \_\_\_\_\_ maintenance.

There won't \_\_\_\_\_ any \_\_\_\_\_ because of \_\_\_\_\_ maintenance.

Look \_\_\_\_\_ due \_\_\_\_\_ routine maintenance.

There \_\_\_\_\_ no \_\_\_\_\_ to \_\_\_\_\_ service.

\_\_\_\_\_ about \_\_\_\_\_ impacts \_\_\_\_\_ routine maintenance on electrical \_\_\_\_\_.

Regular \_\_\_\_\_ cause \_\_\_\_\_ disruptions in the near \_\_\_\_\_

Chances of \_\_\_\_\_ very small.

There won't \_\_\_\_\_ any \_\_\_\_\_ services \_\_\_\_\_.

Do \_\_\_\_\_ anticipate any \_\_\_\_\_ soon?

Power \_\_\_\_\_ regular maintenance.

\_\_\_\_\_ will \_\_\_\_\_ be disrupted by \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ an impact on electric \_\_\_\_\_ the near future.

\_\_\_\_\_ will come \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ shouldn't \_\_\_\_\_ the \_\_\_\_\_ supply

\_\_\_\_\_ regular maintenances \_\_\_\_\_ no \_\_\_\_\_ on electrical \_\_\_\_\_.

The electrical \_\_\_\_\_ not \_\_\_\_\_ disrupted \_\_\_\_\_ regular \_\_\_\_\_.

It's \_\_\_\_\_ that \_\_\_\_\_ upkeep \_\_\_\_\_ electricity.

It \_\_\_\_\_ disrupt \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ be disrupted.

\_\_\_\_\_ round is \_\_\_\_\_ to \_\_\_\_\_ electric service.

\_\_\_\_\_ will \_\_\_\_\_ no power \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ electrical services will \_\_\_\_\_ disrupted due \_\_\_\_\_ maintenances \_\_\_\_\_.

\_\_\_\_\_ will affect electrical \_\_\_\_\_.

\_\_\_\_\_ to expect uninterrupted electricity despite \_\_\_\_\_ activities.

\_\_\_\_\_ isn't \_\_\_\_\_ to scheduled servicing.

There should \_\_\_\_\_ disruptions in \_\_\_\_\_.

Power \_\_\_\_\_ be interrupted due \_\_\_\_\_.

No \_\_\_\_\_ from regular \_\_\_\_\_.

\_\_\_\_\_ electric supply \_\_\_\_\_ be disrupted \_\_\_\_\_ the scheduled \_\_\_\_\_.

The electric service is \_\_\_\_\_ expected \_\_\_\_\_ suffer \_\_\_\_\_.

There is no plan \_\_\_\_\_ cause \_\_\_\_\_ disruptions \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ problems \_\_\_\_\_ expected \_\_\_\_\_ regular maintenances.

\_\_\_\_\_ will be \_\_\_\_\_ disruptions in electrical \_\_\_\_\_ due \_\_\_\_\_.

Can \_\_\_\_\_ assume that \_\_\_\_\_ electricals soon?

There \_\_\_\_\_ no electrical service disruptions because \_\_\_\_\_ routine \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ servicing \_\_\_\_\_ a disruption to \_\_\_\_\_ supply.

\_\_\_\_\_ won't \_\_\_\_\_ that will disrupt electrical \_\_\_\_\_.

\_\_\_\_\_ by \_\_\_\_\_ is not likely?

Will electric \_\_\_\_\_ have disruptions due \_\_\_\_\_?

\_\_\_\_\_ by standard \_\_\_\_\_ not likely.

\_\_\_\_\_ service is not \_\_\_\_\_ be \_\_\_\_\_ round.

\_\_\_\_\_ services \_\_\_\_\_ suffer because \_\_\_\_\_ upkeep.

\_\_\_\_\_ any \_\_\_\_\_ regular maintenances \_\_\_\_\_ electrical services.

\_\_\_\_\_ no \_\_\_\_\_ maintenances will \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ likely \_\_\_\_\_ regular \_\_\_\_\_ sideline will \_\_\_\_\_ icular servicing.

\_\_\_\_\_ maintenance \_\_\_\_\_ disrupt electrical \_\_\_\_\_.

There should \_\_\_\_\_ electricity by routine maintenance \_\_\_\_\_.

There \_\_\_\_\_ disruptions caused by \_\_\_\_\_ maintenance \_\_\_\_\_ the foreseeable \_\_\_\_\_.

There \_\_\_\_\_ plans \_\_\_\_\_ regular \_\_\_\_\_ service maintenances to \_\_\_\_\_ will impact \_\_\_\_\_ the foreseeable future.

The frequent \_\_\_\_\_ electric \_\_\_\_\_ soon.

There will \_\_\_\_\_ disruptions in \_\_\_\_\_.

Don't \_\_\_\_\_ problems \_\_\_\_\_ regular \_\_\_\_\_.

Next round \_\_\_\_\_ maintenance \_\_\_\_\_ to affect electric \_\_\_\_\_.

There will \_\_\_\_\_ no power \_\_\_\_\_.

\_\_\_\_\_ reliability is not \_\_\_\_\_ to \_\_\_\_\_ affected \_\_\_\_\_ round.

There \_\_\_\_\_ no \_\_\_\_\_ the moment to disrupt \_\_\_\_\_ service \_\_\_\_\_ near \_\_\_\_\_.

See \_\_\_\_\_ due \_\_\_\_\_ maintenance.

We \_\_\_\_\_ that \_\_\_\_\_ maintenance won't \_\_\_\_\_ soon.

\_\_\_\_\_ no power disruptions.

\_\_\_\_\_ be \_\_\_\_\_ disturbances caused \_\_\_\_\_ inspections \_\_\_\_\_ affect energy provision.

Not \_\_\_\_\_ will \_\_\_\_\_ electrical \_\_\_\_\_ in \_\_\_\_\_ future.

There are no \_\_\_\_\_ will \_\_\_\_\_ about \_\_\_\_\_ a result \_\_\_\_\_.

\_\_\_\_\_ Services \_\_\_\_\_ be \_\_\_\_\_ by regular maintenances in the \_\_\_\_\_.

There will \_\_\_\_\_ be \_\_\_\_\_ caused by \_\_\_\_\_ maintenances \_\_\_\_\_ the \_\_\_\_\_.

Electric Services won't be \_\_\_\_\_ by \_\_\_\_\_ the \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ disruptions \_\_\_\_\_ by \_\_\_\_\_ maintenances \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ electrical service \_\_\_\_\_ because \_\_\_\_\_ maintenances \_\_\_\_\_.

There won't \_\_\_\_\_ service disruptions due \_\_\_\_\_ anytime \_\_\_\_\_.

There won't be \_\_\_\_\_ disruptions \_\_\_\_\_.

\_\_\_\_\_ chances of \_\_\_\_\_ services \_\_\_\_\_ disrupted \_\_\_\_\_.

\_\_\_\_\_ regular \_\_\_\_\_ should \_\_\_\_\_ electrical services.

No \_\_\_\_\_ regular \_\_\_\_\_ should \_\_\_\_\_ electrical \_\_\_\_\_

\_\_\_\_\_ be electrical service disruptions caused \_\_\_\_\_.

\_\_\_\_\_ be problems \_\_\_\_\_ maintenances, correct.

There \_\_\_\_ be no \_\_\_\_ \_\_\_\_ disruptions \_\_\_\_ time \_\_\_\_.

Electricity will \_\_\_\_ \_\_\_\_ from \_\_\_\_ upkeep.

\_\_\_\_ are \_\_\_\_ for electric \_\_\_\_ to \_\_\_\_ disrupted \_\_\_\_ regular maintenance.

\_\_\_\_ power services will \_\_\_\_ \_\_\_\_ because of \_\_\_\_.

Will electric services \_\_\_\_ due \_\_\_\_ routine maintenance \_\_\_\_ near \_\_\_\_?

\_\_\_\_ don't \_\_\_\_ disruptions to electrical \_\_\_\_ to regular \_\_\_\_.

\_\_\_\_ \_\_\_\_ affected by frequent \_\_\_\_ soon?

We \_\_\_\_ anticipate electrical service \_\_\_\_ \_\_\_\_ regular \_\_\_\_.

There will \_\_\_\_ power \_\_\_\_ to \_\_\_\_

\_\_\_\_ service disrupted due \_\_\_\_ maintenance any time \_\_\_\_?

\_\_\_\_ services \_\_\_\_ be affected \_\_\_\_ regular \_\_\_\_ a long \_\_\_\_.

No \_\_\_\_ by regular checks will \_\_\_\_ energy \_\_\_\_.

\_\_\_\_ will be no \_\_\_\_ from \_\_\_\_.

\_\_\_\_ will \_\_\_\_ no disruptions \_\_\_\_ regular maintenance \_\_\_\_ the near \_\_\_\_.

Can you assure us \_\_\_\_ no \_\_\_\_ due \_\_\_\_ the near future?

There \_\_\_\_ any \_\_\_\_ of electrical \_\_\_\_ due to \_\_\_\_.

\_\_\_\_ assume \_\_\_\_ won't interrupt electricals.

\_\_\_\_ are no \_\_\_\_ to cause \_\_\_\_ disruptions \_\_\_\_ maintenance at the \_\_\_\_.

Well, electrical \_\_\_\_ be disrupted \_\_\_\_.

Right, frequent \_\_\_\_ won't affect \_\_\_\_.

\_\_\_\_ not be \_\_\_\_ by regular \_\_\_\_.

\_\_\_\_ disruptions that will occur \_\_\_\_ future because \_\_\_\_ regular \_\_\_\_.

\_\_\_\_ won't \_\_\_\_ the \_\_\_\_.

\_\_\_\_ not \_\_\_\_ affected \_\_\_\_ frequent maintenance.

\_\_\_\_ services won't be \_\_\_\_ frequent \_\_\_\_

\_\_\_\_ are \_\_\_\_ plans at the moment \_\_\_\_ electrical service maintenances \_\_\_\_ disruptions \_\_\_\_.

Sure, \_\_\_\_ electrical services soon.

\_\_\_\_ caused \_\_\_\_ regular \_\_\_\_ will hamper energy \_\_\_\_ anytime.

\_\_\_\_ Services will not be affected \_\_\_\_ regular \_\_\_\_ soon.

\_\_\_\_ shouldn't be \_\_\_\_ maintenance \_\_\_\_.

Yes, electric services will \_\_\_\_ frequent \_\_\_\_.

There are no \_\_\_\_ electric \_\_\_\_ affected \_\_\_\_ regular maintenances.

\_\_\_\_ service will \_\_\_\_ impacted \_\_\_\_ regular \_\_\_\_ next round.

It isn't \_\_\_\_ standard check-ups in the \_\_\_\_.

There \_\_\_\_ disruptions \_\_\_\_ electrical services from regular \_\_\_\_.

\_\_\_\_ from regular \_\_\_\_ will not \_\_\_\_.

\_\_\_\_ upcoming electrical \_\_\_\_ maintenances.

\_\_\_\_ are \_\_\_\_ plans for \_\_\_\_ service maintenances to \_\_\_\_ that \_\_\_\_ electrical service \_\_\_\_ the \_\_\_\_.

\_\_\_\_ maintenances \_\_\_\_ cause \_\_\_\_ disruptions.

There \_\_\_\_ electrical service \_\_\_\_ routine maintenance in \_\_\_\_ near future?

\_\_\_\_ disruptions of \_\_\_\_ happen soon.

There \_\_\_\_ no \_\_\_\_ of electrical services \_\_\_\_.

There \_\_\_\_ no \_\_\_\_ to \_\_\_\_ electrical \_\_\_\_ to regular \_\_\_\_ maintenance \_\_\_\_ the moment.

\_\_\_\_ be unaffected by routine \_\_\_\_.

No \_\_\_\_ work should \_\_\_\_.

There \_\_\_\_ yet with \_\_\_\_ maintenance

\_\_\_\_ services \_\_\_\_ be affected \_\_\_\_ upcoming \_\_\_\_.

\_\_\_\_ no plans \_\_\_\_ services to be \_\_\_\_ by regular \_\_\_\_.

Power services \_\_\_\_ be \_\_\_\_ maintenance.

Will there be no electrical \_\_\_\_ disruptions \_\_\_\_ to \_\_\_\_ few \_\_\_\_?

electrical services \_\_\_\_ not \_\_\_\_ by \_\_\_\_.  
 Electric services \_\_\_\_ affected \_\_\_\_ frequent \_\_\_\_  
 Maintenance will \_\_\_\_ affect \_\_\_\_ round.  
 \_\_\_\_ won't \_\_\_\_ to power services \_\_\_\_ to \_\_\_\_.  
 \_\_\_\_ would be no \_\_\_\_ from \_\_\_\_ electricity.  
 No should expect \_\_\_\_.  
 \_\_\_\_ is \_\_\_\_ plans \_\_\_\_ regular \_\_\_\_ have an \_\_\_\_ on \_\_\_\_ Services.  
 \_\_\_\_ plan for regular \_\_\_\_ service \_\_\_\_ cause \_\_\_\_ that will impact \_\_\_\_ service in \_\_\_\_ near \_\_\_\_.  
 \_\_\_\_ be no problems \_\_\_\_ that will hamper energy \_\_\_\_.  
 \_\_\_\_ will not \_\_\_\_ of electrical services \_\_\_\_ by regular \_\_\_\_.  
 \_\_\_\_ not be \_\_\_\_ by \_\_\_\_ soon.  
 Are there \_\_\_\_ interruptions \_\_\_\_ regular maintenance \_\_\_\_ it \_\_\_\_ the \_\_\_\_?  
 The \_\_\_\_ being disrupted \_\_\_\_ very low.  
 \_\_\_\_ chance \_\_\_\_ electrical services \_\_\_\_ disrupted amid regular \_\_\_\_.  
 Will \_\_\_\_ affected by \_\_\_\_ in the \_\_\_\_ future?  
 There \_\_\_\_ maintenances \_\_\_\_ electric services in the future.  
 There will \_\_\_\_ electrical \_\_\_\_ disruptions due \_\_\_\_.  
 There \_\_\_\_ no disruptions \_\_\_\_ regular \_\_\_\_ electrical services.  
 Problems \_\_\_\_ regular \_\_\_\_ be anticipated.  
 No \_\_\_\_ maintenances \_\_\_\_ the electrical \_\_\_\_.  
 Electricity \_\_\_\_ be affected \_\_\_\_.  
 \_\_\_\_ won't disrupt electrical \_\_\_\_.  
 There \_\_\_\_ no plans \_\_\_\_ for electrical service \_\_\_\_ because \_\_\_\_ service maintenances.  
 There will \_\_\_\_ power services.  
 There \_\_\_\_ disruptions of electrical services \_\_\_\_ maintenance \_\_\_\_.  
 I believe \_\_\_\_ will \_\_\_\_ electrical \_\_\_\_.  
 \_\_\_\_ should not \_\_\_\_ by regular \_\_\_\_.  
 Electric \_\_\_\_ is expected to be \_\_\_\_ by \_\_\_\_.  
 \_\_\_\_ services \_\_\_\_ soon due \_\_\_\_ regular maintenance?  
 \_\_\_\_ maintenances don't affect \_\_\_\_.  
 \_\_\_\_ routine maintenance \_\_\_\_ electricity?  
 We \_\_\_\_ believe there \_\_\_\_ any \_\_\_\_ caused \_\_\_\_ regular \_\_\_\_.  
 \_\_\_\_ shouldn't be affected by \_\_\_\_ the near \_\_\_\_.  
 \_\_\_\_ services wont \_\_\_\_ by regular \_\_\_\_.  
 \_\_\_\_ be able \_\_\_\_ expect uninterrupted electricity \_\_\_\_ are \_\_\_\_ activities nearby.  
 \_\_\_\_ wont \_\_\_\_ by regular upkeep.  
 We don't \_\_\_\_ electrical \_\_\_\_ caused by \_\_\_\_.  
 Regular \_\_\_\_ electrical services.  
 The electric \_\_\_\_ won't be \_\_\_\_ next round.  
 The electrical \_\_\_\_ should not \_\_\_\_ affected \_\_\_\_ maintenances.  
 There is \_\_\_\_ plan for \_\_\_\_ maintenances \_\_\_\_ electric Services \_\_\_\_ near future.  
 \_\_\_\_ services won't be \_\_\_\_.  
 Don't \_\_\_\_ problems \_\_\_\_ regular \_\_\_\_.  
 There \_\_\_\_ no upcoming \_\_\_\_ maintenance \_\_\_\_ affect electrical \_\_\_\_.  
 There \_\_\_\_ not \_\_\_\_ disruptions caused \_\_\_\_ maintenances \_\_\_\_ the \_\_\_\_.  
 Electricity \_\_\_\_ be \_\_\_\_ routine \_\_\_\_.  
 \_\_\_\_ be no \_\_\_\_ that will disrupt electrical \_\_\_\_.  
 \_\_\_\_ services won't be affected \_\_\_\_.  
 Electric service \_\_\_\_ be \_\_\_\_ regular \_\_\_\_.  
 Electric service reliability isn't \_\_\_\_ be \_\_\_\_ by \_\_\_\_.

\_\_\_\_ regular \_\_\_\_ will disrupt \_\_\_\_ right?  
 \_\_\_\_ regular maintenances \_\_\_\_ disrupt electrical \_\_\_\_ .  
 There will \_\_\_\_ no disruptions \_\_\_\_ .  
 \_\_\_\_ services \_\_\_\_ get affected \_\_\_\_ regular \_\_\_\_ .  
 \_\_\_\_ will not \_\_\_\_ disrupted by \_\_\_\_ .  
 There will \_\_\_\_ no disruptions \_\_\_\_ services \_\_\_\_ maintenance.  
 There are expected \_\_\_\_ be \_\_\_\_ routine upkeep \_\_\_\_ .  
 Electric \_\_\_\_ affected by frequent \_\_\_\_ soon, \_\_\_\_ ?  
 Chances \_\_\_\_ electrical \_\_\_\_ disruptions \_\_\_\_ .  
 Is electric \_\_\_\_ disrupted \_\_\_\_ maintenance \_\_\_\_ time \_\_\_\_ ?  
 \_\_\_\_ should be \_\_\_\_ affecting electrical services.  
 Will electric \_\_\_\_ be disrupted \_\_\_\_ to \_\_\_\_ near \_\_\_\_ ?  
 \_\_\_\_ going to be \_\_\_\_ regular upkeep.  
 \_\_\_\_ don't \_\_\_\_ in electrical services due \_\_\_\_ regular \_\_\_\_ .  
 There are no plans for \_\_\_\_ electrical service \_\_\_\_ near future.  
 There wont be \_\_\_\_ caused by regular \_\_\_\_ .  
 There are \_\_\_\_ expected \_\_\_\_ from \_\_\_\_ .  
 There are no \_\_\_\_ about \_\_\_\_ services \_\_\_\_ near \_\_\_\_ .  
 There \_\_\_\_ be problems with \_\_\_\_ maintenance.  
 \_\_\_\_ regular \_\_\_\_ will affect electrical \_\_\_\_ in the \_\_\_\_ .  
 \_\_\_\_ disrupt electrical services in \_\_\_\_ future, right?  
 The \_\_\_\_ service will not \_\_\_\_ affected \_\_\_\_ round.  
 Is it \_\_\_\_ assume that \_\_\_\_ won't \_\_\_\_ electricals \_\_\_\_ ?  
 Predicted: no \_\_\_\_ caused \_\_\_\_ regular checks \_\_\_\_ provision.  
 \_\_\_\_ no \_\_\_\_ currently \_\_\_\_ regular \_\_\_\_ service \_\_\_\_ to cause \_\_\_\_ disruptions in the \_\_\_\_ .  
 There aren't \_\_\_\_ electrical \_\_\_\_ to cause \_\_\_\_ the near \_\_\_\_ .  
 There \_\_\_\_ no plans for electrical \_\_\_\_ be \_\_\_\_ by \_\_\_\_ .  
 \_\_\_\_ not disrupt \_\_\_\_ services.  
 \_\_\_\_ expect \_\_\_\_ from \_\_\_\_ correct.  
 Next \_\_\_\_ not \_\_\_\_ electric service.  
 There \_\_\_\_ no plans for \_\_\_\_ service \_\_\_\_ affected by \_\_\_\_ .  
 \_\_\_\_ you anticipate \_\_\_\_ due \_\_\_\_ regular maintenance in the \_\_\_\_ ?  
 There will be \_\_\_\_ of electrical \_\_\_\_ .  
 No \_\_\_\_ about impact \_\_\_\_ maintenance \_\_\_\_ services.  
 \_\_\_\_ caused by regular \_\_\_\_ will \_\_\_\_ energy \_\_\_\_ anytime.  
 There shouldn't \_\_\_\_ issues \_\_\_\_ supply.  
 There \_\_\_\_ no plan \_\_\_\_ services to \_\_\_\_ impacted by \_\_\_\_ .  
 The \_\_\_\_ not \_\_\_\_ by \_\_\_\_ in the near future.  
 \_\_\_\_ no \_\_\_\_ with electrical \_\_\_\_ .  
 \_\_\_\_ shouldn't be \_\_\_\_ by \_\_\_\_ .  
 \_\_\_\_ power services will not \_\_\_\_ interrupted \_\_\_\_ .  
 There shouldn't \_\_\_\_ with electrical \_\_\_\_ .  
 \_\_\_\_ supply won't be disrupted \_\_\_\_ .  
 \_\_\_\_ should not \_\_\_\_ by \_\_\_\_ right now.  
 \_\_\_\_ be \_\_\_\_ disruptions caused due \_\_\_\_ maintenances.  
 Reliability of \_\_\_\_ is not expected \_\_\_\_ affected \_\_\_\_ regular \_\_\_\_ .  
 Electrical disruptions \_\_\_\_ .  
 \_\_\_\_ services \_\_\_\_ not \_\_\_\_ frequent maintenance.  
 \_\_\_\_ be \_\_\_\_ electricity despite scheduled \_\_\_\_ activities nearby.  
 \_\_\_\_ are \_\_\_\_ plans for \_\_\_\_ services to \_\_\_\_ regular maintenance.

There are no \_\_\_\_\_ for electrical service maintenances to cause \_\_\_\_\_ service \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ are no plans \_\_\_\_\_ moment \_\_\_\_\_ service disruptions for \_\_\_\_\_ maintenance.

The \_\_\_\_\_ is \_\_\_\_\_ to not \_\_\_\_\_ affected \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ of routine maintenance on electrical \_\_\_\_\_.

For \_\_\_\_\_ while, power services \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_.

There are \_\_\_\_\_ to \_\_\_\_\_ electrical service \_\_\_\_\_ of \_\_\_\_\_ service \_\_\_\_\_ at \_\_\_\_\_ moment.

\_\_\_\_\_ maintenances will disrupt electrical \_\_\_\_\_ in \_\_\_\_\_ near \_\_\_\_\_.

There are \_\_\_\_\_ plans \_\_\_\_\_ maintenances to \_\_\_\_\_ on \_\_\_\_\_ services \_\_\_\_\_ foreseeable future.

There are no \_\_\_\_\_ the near future.

There \_\_\_\_\_ no \_\_\_\_\_ of \_\_\_\_\_ services \_\_\_\_\_ by \_\_\_\_\_ maintenances.

\_\_\_\_\_ there any chances \_\_\_\_\_ in the \_\_\_\_\_ weeks \_\_\_\_\_ months due to \_\_\_\_\_ work?

There \_\_\_\_\_ be \_\_\_\_\_ upcoming \_\_\_\_\_ maintenances \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ for regular \_\_\_\_\_ to impact \_\_\_\_\_ soon.

This \_\_\_\_\_ not \_\_\_\_\_ from \_\_\_\_\_ electricity.

\_\_\_\_\_ expect trouble \_\_\_\_\_ regular \_\_\_\_\_.

Regular maintenances should \_\_\_\_\_ electrical \_\_\_\_\_.

No, \_\_\_\_\_ disrupt electrical \_\_\_\_\_.

There are \_\_\_\_\_ will come \_\_\_\_\_ regular \_\_\_\_\_.

The electric services \_\_\_\_\_ be \_\_\_\_\_ maintenance.

Regular \_\_\_\_\_ the electrical services.

\_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ due to routine maintenance \_\_\_\_\_ the near future?

There \_\_\_\_\_ no \_\_\_\_\_ with \_\_\_\_\_ services due \_\_\_\_\_ maintenance.

Next round, electric service will \_\_\_\_\_ be \_\_\_\_\_.

electrical services \_\_\_\_\_ affected by \_\_\_\_\_

It \_\_\_\_\_ regular \_\_\_\_\_ affecting ircular servicing.

There is \_\_\_\_\_ plan \_\_\_\_\_ maintenances \_\_\_\_\_ an impact \_\_\_\_\_ services.

You don't \_\_\_\_\_ regular \_\_\_\_\_.

There \_\_\_\_\_ no \_\_\_\_\_ from regular \_\_\_\_\_.

There \_\_\_\_\_ to \_\_\_\_\_ regular maintenances \_\_\_\_\_ electrical services.

There \_\_\_\_\_ no plans \_\_\_\_\_ electrical service \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ the moment.

\_\_\_\_\_ any issues with \_\_\_\_\_ services \_\_\_\_\_ the near \_\_\_\_\_.

There are no \_\_\_\_\_ regular \_\_\_\_\_ affect \_\_\_\_\_ services.

electrical \_\_\_\_\_ not be impacted \_\_\_\_\_.

\_\_\_\_\_ will be no \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ services will \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_

Power \_\_\_\_\_ won't be negatively \_\_\_\_\_.

Will \_\_\_\_\_ cause \_\_\_\_\_ service \_\_\_\_\_ soon?

There will be \_\_\_\_\_ related \_\_\_\_\_ maintenances in \_\_\_\_\_ future.

\_\_\_\_\_ no \_\_\_\_\_ disruptions from \_\_\_\_\_ upkeep affecting \_\_\_\_\_.

\_\_\_\_\_ upcoming \_\_\_\_\_ maintenances that \_\_\_\_\_ affect electrical \_\_\_\_\_ now.

\_\_\_\_\_ in power \_\_\_\_\_ anticipated.

Power services \_\_\_\_\_ affected by \_\_\_\_\_ upkeep.

Next \_\_\_\_\_ affect electric service.

Do \_\_\_\_\_ be any electrical system \_\_\_\_\_ soon?

The \_\_\_\_\_ service \_\_\_\_\_ be \_\_\_\_\_ maintenance soon.

\_\_\_\_\_ no regular \_\_\_\_\_ services?

\_\_\_\_\_ won't \_\_\_\_\_ to power services \_\_\_\_\_ to maintenance.

\_\_\_\_\_ are no \_\_\_\_\_ for electric \_\_\_\_\_ be affected \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ troubles \_\_\_\_\_ regular maintenances.

There are \_\_\_\_\_ regular electrical \_\_\_\_\_ maintenances \_\_\_\_\_ disruptions \_\_\_\_\_ affect \_\_\_\_\_ very soon.

\_\_\_\_ there be any electrical \_\_\_\_ problems caused \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ servicing shouldn't affect \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 Do we anticipate \_\_\_\_ \_\_\_\_ \_\_\_\_ soon?  
 We can \_\_\_\_ \_\_\_\_ \_\_\_\_ will not \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 No \_\_\_\_ service \_\_\_\_ \_\_\_\_ \_\_\_\_ caused by regular \_\_\_\_ anytime \_\_\_\_ .  
 \_\_\_\_ services be affected by \_\_\_\_ maintenance any \_\_\_\_ \_\_\_\_ ?  
 There \_\_\_\_ not \_\_\_\_ \_\_\_\_ electrical service disruptions \_\_\_\_ \_\_\_\_ \_\_\_\_ maintenance.  
 \_\_\_\_ \_\_\_\_ affect electrical \_\_\_\_ \_\_\_\_ .  
 There \_\_\_\_ been no \_\_\_\_ \_\_\_\_ electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 There's \_\_\_\_ \_\_\_\_ \_\_\_\_ electrical services being \_\_\_\_ \_\_\_\_ due to \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ unlikely \_\_\_\_ regular repairs will \_\_\_\_ the \_\_\_\_ servicing.  
 \_\_\_\_ \_\_\_\_ due \_\_\_\_ regular \_\_\_\_ will hamper energy \_\_\_\_ \_\_\_\_ .  
 There \_\_\_\_ \_\_\_\_ plans for electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ by maintenance.  
 There are \_\_\_\_ \_\_\_\_ \_\_\_\_ electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ by maintenances.  
 \_\_\_\_ \_\_\_\_ to expect trouble \_\_\_\_ \_\_\_\_ maintenances.  
 \_\_\_\_ \_\_\_\_ no \_\_\_\_ to disrupt \_\_\_\_ service \_\_\_\_ \_\_\_\_ \_\_\_\_ future \_\_\_\_ of \_\_\_\_ electrical service maintenances.  
 Will \_\_\_\_ \_\_\_\_ have \_\_\_\_ \_\_\_\_ \_\_\_\_ to routine maintenance?  
 There \_\_\_\_ \_\_\_\_ \_\_\_\_ disruptions caused \_\_\_\_ regular \_\_\_\_ anytime soon.  
 There will \_\_\_\_ no \_\_\_\_ \_\_\_\_ will \_\_\_\_ due to \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 Sure, \_\_\_\_ services \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ by maintenance.  
 Will \_\_\_\_ \_\_\_\_ \_\_\_\_ disruptions for routine maintenance \_\_\_\_ time \_\_\_\_ ?  
 There \_\_\_\_ \_\_\_\_ plans for \_\_\_\_ electrical \_\_\_\_ maintenances to disrupt \_\_\_\_ service \_\_\_\_ \_\_\_\_ \_\_\_\_ future.  
 \_\_\_\_ \_\_\_\_ maintenance \_\_\_\_ affect electric \_\_\_\_ \_\_\_\_ soon.  
 \_\_\_\_ electrical services will \_\_\_\_ \_\_\_\_ disrupted \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ no plans to cause \_\_\_\_ service \_\_\_\_ because \_\_\_\_ regular \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ can \_\_\_\_ that normal \_\_\_\_ won't \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ will \_\_\_\_ no electrical service disruptions \_\_\_\_ \_\_\_\_ regular \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ electric service \_\_\_\_ \_\_\_\_ to \_\_\_\_ unaffected \_\_\_\_ regular upkeep.  
 \_\_\_\_ isn't \_\_\_\_ that \_\_\_\_ upkeep \_\_\_\_ affect \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ will cause \_\_\_\_ disruptions \_\_\_\_ electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 There are no \_\_\_\_ \_\_\_\_ regular electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ service \_\_\_\_ in \_\_\_\_ near future.  
 Well, \_\_\_\_ \_\_\_\_ disruptions to electrical services \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ going to be no \_\_\_\_ \_\_\_\_ \_\_\_\_ due \_\_\_\_ routine maintenance \_\_\_\_ the near \_\_\_\_ ?  
 No \_\_\_\_ \_\_\_\_ \_\_\_\_ services \_\_\_\_ expected.  
 \_\_\_\_ doesn't \_\_\_\_ electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 Right, \_\_\_\_ won't affect \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ any \_\_\_\_ service disruptions in \_\_\_\_ near future \_\_\_\_ to \_\_\_\_ maintenance?  
 \_\_\_\_ \_\_\_\_ services \_\_\_\_ be \_\_\_\_ due to \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 Power \_\_\_\_ \_\_\_\_ \_\_\_\_ be \_\_\_\_ by periodic \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ maintenance will \_\_\_\_ \_\_\_\_ power services \_\_\_\_ a long \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ service will not \_\_\_\_ \_\_\_\_ \_\_\_\_ by \_\_\_\_ next round.  
 The electric \_\_\_\_ should \_\_\_\_ be \_\_\_\_ by \_\_\_\_ scheduled \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 We \_\_\_\_ not expect electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ be disrupted \_\_\_\_ \_\_\_\_ regular \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ electrical services will \_\_\_\_ disrupted during \_\_\_\_ maintenances.  
 \_\_\_\_ \_\_\_\_ by regular maintenances will \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ won't \_\_\_\_ electrical \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ will \_\_\_\_ \_\_\_\_ \_\_\_\_ impact \_\_\_\_ power services.  
 \_\_\_\_ will \_\_\_\_ \_\_\_\_ power disruptions \_\_\_\_ by \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 \_\_\_\_ services \_\_\_\_ \_\_\_\_ be \_\_\_\_ by frequent maintenance \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 Maintenance \_\_\_\_ \_\_\_\_ \_\_\_\_ services.



\_\_\_\_\_ are \_\_\_\_\_ disruptions that will \_\_\_\_\_ of \_\_\_\_\_ maintenance.

Do \_\_\_\_\_ to see \_\_\_\_\_ system issues \_\_\_\_\_?

\_\_\_\_\_ reliability is not \_\_\_\_\_ to \_\_\_\_\_ by regular \_\_\_\_\_.

There \_\_\_\_\_ chances of disruptions \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ icular servicing is \_\_\_\_\_ likely to \_\_\_\_\_ affected \_\_\_\_\_ \_\_\_\_\_ sideline.

Any \_\_\_\_\_ maintenances \_\_\_\_\_ not \_\_\_\_\_ electrical \_\_\_\_\_.

There \_\_\_\_\_ no \_\_\_\_\_ electrical \_\_\_\_\_ caused by \_\_\_\_\_ maintenances.

Is \_\_\_\_\_ maintenance \_\_\_\_\_ interrupt electricals soon?

Electricity should \_\_\_\_\_ be \_\_\_\_\_ maintenance \_\_\_\_\_?

There are \_\_\_\_\_ will \_\_\_\_\_ electrical services \_\_\_\_\_ soon.

\_\_\_\_\_ be disrupted \_\_\_\_\_ maintenance.

\_\_\_\_\_ any disruptions that \_\_\_\_\_ from regular \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ regular \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ electric Services \_\_\_\_\_ the near future.

No \_\_\_\_\_ maintenances will \_\_\_\_\_ electrical \_\_\_\_\_ the \_\_\_\_\_?

Maintenance \_\_\_\_\_ affect \_\_\_\_\_.

Electricity should \_\_\_\_\_ affected \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ services won't \_\_\_\_\_ by frequent maintenance.

\_\_\_\_\_ disruptions to \_\_\_\_\_ services \_\_\_\_\_ low.

\_\_\_\_\_ not be \_\_\_\_\_ soon \_\_\_\_\_ maintenance.

No \_\_\_\_\_ any impact \_\_\_\_\_ in the \_\_\_\_\_ future.

\_\_\_\_\_ of \_\_\_\_\_ services being disrupted \_\_\_\_\_.

\_\_\_\_\_ are no \_\_\_\_\_ services to be affected \_\_\_\_\_.

Are \_\_\_\_\_ no interruptions from regular \_\_\_\_\_ comes to \_\_\_\_\_?

We \_\_\_\_\_ anticipate \_\_\_\_\_ electrical \_\_\_\_\_ because of \_\_\_\_\_ maintenances.

\_\_\_\_\_ be certain that \_\_\_\_\_ maintenance won't interrupt \_\_\_\_\_?

Do \_\_\_\_\_ anticipate \_\_\_\_\_ electrical \_\_\_\_\_ interruptions \_\_\_\_\_ to \_\_\_\_\_ maintenance?

\_\_\_\_\_ services won't be \_\_\_\_\_ frequent \_\_\_\_\_.

Scheduled \_\_\_\_\_ not interrupt \_\_\_\_\_ electric \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ electrical services.

\_\_\_\_\_ are \_\_\_\_\_ will occur \_\_\_\_\_ a result of \_\_\_\_\_ maintenances.

\_\_\_\_\_ electric services \_\_\_\_\_ not be affected \_\_\_\_\_ maintenance.

There \_\_\_\_\_ be any impact \_\_\_\_\_ services \_\_\_\_\_ while.

There are no plans for electrical \_\_\_\_\_ maintenances \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ won't be \_\_\_\_\_ regular \_\_\_\_\_ in the near \_\_\_\_\_.

Yes, \_\_\_\_\_ will disrupt electrical \_\_\_\_\_.

Electric \_\_\_\_\_ is \_\_\_\_\_ not be \_\_\_\_\_ regular upkeep.

Will electrical services \_\_\_\_\_ soon because \_\_\_\_\_?

\_\_\_\_\_ plans for regular \_\_\_\_\_ maintenance \_\_\_\_\_ cause disruptions \_\_\_\_\_ electrical service in the future.

\_\_\_\_\_ will be \_\_\_\_\_ interruptions from routine \_\_\_\_\_?

Upcoming \_\_\_\_\_ not \_\_\_\_\_ electrical services \_\_\_\_\_.

Electric \_\_\_\_\_ will not be affected \_\_\_\_\_ maintenance \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ no disruptions \_\_\_\_\_ by \_\_\_\_\_ maintenances \_\_\_\_\_ the future.

\_\_\_\_\_ no \_\_\_\_\_ troubles \_\_\_\_\_ maintenances.

\_\_\_\_\_ do not expect \_\_\_\_\_ service \_\_\_\_\_ due \_\_\_\_\_ regular \_\_\_\_\_.

electric \_\_\_\_\_ by frequent maintenance \_\_\_\_\_

\_\_\_\_\_ maintenances to disrupt \_\_\_\_\_ services.

Regular \_\_\_\_\_ will \_\_\_\_\_ services.

Electric \_\_\_\_\_ will not \_\_\_\_\_ frequent \_\_\_\_\_ someday.

\_\_\_\_\_ is \_\_\_\_\_ of electrical \_\_\_\_\_ disrupted.

\_\_\_\_\_ shouldn't interrupt \_\_\_\_\_ supply

\_\_\_\_\_ regular maintenance will \_\_\_\_\_.

No \_\_\_\_\_ maintenance \_\_\_\_\_ services.

No \_\_\_\_\_ should \_\_\_\_\_ service.

There \_\_\_\_\_ plans to \_\_\_\_\_ service disruptions \_\_\_\_\_ a result \_\_\_\_\_ service maintenance.

\_\_\_\_\_ maintenance won't interrupt \_\_\_\_\_.

\_\_\_\_\_ problems from regular \_\_\_\_\_.

Next round \_\_\_\_\_ not expected to be \_\_\_\_\_ upkeep.

Electric \_\_\_\_\_ will \_\_\_\_\_ disrupted by \_\_\_\_\_.

Recent \_\_\_\_\_ not affect \_\_\_\_\_ services.

\_\_\_\_\_ expect disruptions \_\_\_\_\_ services due to regular \_\_\_\_\_.

There will \_\_\_\_\_ disruptions \_\_\_\_\_ regular inspections that affect \_\_\_\_\_.

No \_\_\_\_\_ from regular \_\_\_\_\_.

\_\_\_\_\_ maintenances \_\_\_\_\_ not cause \_\_\_\_\_.

\_\_\_\_\_ services face \_\_\_\_\_ due \_\_\_\_\_ in \_\_\_\_\_ near future?

\_\_\_\_\_ no \_\_\_\_\_ from regular \_\_\_\_\_.

There will not \_\_\_\_\_ will \_\_\_\_\_ caused by regular \_\_\_\_\_.

\_\_\_\_\_ plans \_\_\_\_\_ maintenances that will impact electrical \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ in \_\_\_\_\_ services.

\_\_\_\_\_ will \_\_\_\_\_ cause electrical services \_\_\_\_\_ disrupted \_\_\_\_\_.

Will \_\_\_\_\_ any electrical \_\_\_\_\_ to routine \_\_\_\_\_ in the \_\_\_\_\_ future?

\_\_\_\_\_ expect electricity \_\_\_\_\_ be \_\_\_\_\_ routine maintenance \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ service disruptions \_\_\_\_\_ to maintenances.

No \_\_\_\_\_ by regular inspections will have \_\_\_\_\_ provision.

Will \_\_\_\_\_ services \_\_\_\_\_ disrupted by \_\_\_\_\_ maintenance \_\_\_\_\_ now?

\_\_\_\_\_ electrical \_\_\_\_\_ will \_\_\_\_\_ be disrupted \_\_\_\_\_ maintenances soon.

Will electric \_\_\_\_\_ face \_\_\_\_\_ because \_\_\_\_\_ routine \_\_\_\_\_?

There will be no issues \_\_\_\_\_ the \_\_\_\_\_.

We \_\_\_\_\_ electrical service \_\_\_\_\_ caused by \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ electrical service \_\_\_\_\_ caused by maintenances \_\_\_\_\_.

Maintenance \_\_\_\_\_ not \_\_\_\_\_ in power \_\_\_\_\_.

Upcoming \_\_\_\_\_ should not \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ not be affected \_\_\_\_\_.

Predicted: no problems \_\_\_\_\_ by \_\_\_\_\_ affect \_\_\_\_\_ provision.

\_\_\_\_\_ no plans for \_\_\_\_\_ service maintenances to cause \_\_\_\_\_ future.

We \_\_\_\_\_ anticipate electrical services \_\_\_\_\_ disrupted \_\_\_\_\_ maintenances.

\_\_\_\_\_ be \_\_\_\_\_ by regularity.

\_\_\_\_\_ be any disruptions \_\_\_\_\_ in the near \_\_\_\_\_.

\_\_\_\_\_ assume that \_\_\_\_\_ maintenance \_\_\_\_\_ electricals soon?

\_\_\_\_\_ repairs \_\_\_\_\_ affect \_\_\_\_\_ services.

\_\_\_\_\_ are no plans \_\_\_\_\_ regular electrical service maintenances \_\_\_\_\_ the \_\_\_\_\_.

No upcoming \_\_\_\_\_ should affect \_\_\_\_\_.

\_\_\_\_\_ service downtime \_\_\_\_\_ affected \_\_\_\_\_ round.

\_\_\_\_\_ not disrupt \_\_\_\_\_ electric supply.

\_\_\_\_\_ problems from \_\_\_\_\_

Next round is not expected \_\_\_\_\_ service \_\_\_\_\_.

Maintenance \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ don't anticipate \_\_\_\_\_ service disruptions caused \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ not \_\_\_\_\_ affected by \_\_\_\_\_ maintenance soon.

regular \_\_\_\_\_ will \_\_\_\_\_ any disruptions \_\_\_\_\_ the near \_\_\_\_\_.

There are \_\_\_\_\_ for regular \_\_\_\_\_ to \_\_\_\_\_ effect \_\_\_\_\_ services.

\_\_\_\_\_ shouldn't \_\_\_\_\_ electric supply.

Do \_\_\_\_\_ will be electrical service \_\_\_\_\_ to \_\_\_\_\_ soon?

Do \_\_\_\_\_ know \_\_\_\_\_ won't interrupt electricals \_\_\_\_\_?

Scheduled \_\_\_\_\_ disrupt \_\_\_\_\_ supply.

There \_\_\_\_\_ plans \_\_\_\_\_ cause electrical \_\_\_\_\_ disruptions for \_\_\_\_\_ maintenances at \_\_\_\_\_.

There \_\_\_\_\_ plans \_\_\_\_\_ regular maintenances affect \_\_\_\_\_ Services.

Power \_\_\_\_\_ by regular \_\_\_\_\_.

There \_\_\_\_\_ no plans \_\_\_\_\_ service maintenances \_\_\_\_\_ cause disruptions \_\_\_\_\_ will \_\_\_\_\_ electrical \_\_\_\_\_ in the very \_\_\_\_\_.

There \_\_\_\_\_ no \_\_\_\_\_ by \_\_\_\_\_ inspections and \_\_\_\_\_ provision will be \_\_\_\_\_.

\_\_\_\_\_ shouldn't be affected \_\_\_\_\_.

\_\_\_\_\_ will be \_\_\_\_\_ service \_\_\_\_\_ due \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ due to \_\_\_\_\_ maintenances.

No regular \_\_\_\_\_ will \_\_\_\_\_ electrical services \_\_\_\_\_ soon.

The \_\_\_\_\_ supply should \_\_\_\_\_ be disrupted \_\_\_\_\_ a \_\_\_\_\_ servicing.

\_\_\_\_\_ be \_\_\_\_\_ service disruptions due \_\_\_\_\_ regular maintenance.

There \_\_\_\_\_ slim \_\_\_\_\_ of electrical \_\_\_\_\_ being \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ plans \_\_\_\_\_ to cause disruptions \_\_\_\_\_ will \_\_\_\_\_ electrical service \_\_\_\_\_ the very near future.

\_\_\_\_\_ be \_\_\_\_\_ interruptions affecting \_\_\_\_\_.

There \_\_\_\_\_ very \_\_\_\_\_ of disruptions to \_\_\_\_\_.

electrical \_\_\_\_\_ won't \_\_\_\_\_ disrupted \_\_\_\_\_ right?

\_\_\_\_\_ for electrical service maintenance to \_\_\_\_\_ disruptions \_\_\_\_\_ the foreseeable \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ by routine maintenance.

\_\_\_\_\_ won't be \_\_\_\_\_ in \_\_\_\_\_ near \_\_\_\_\_ of regular maintenances.

\_\_\_\_\_ aren't any plans for \_\_\_\_\_ electrical \_\_\_\_\_ disruptions \_\_\_\_\_ the foreseeable \_\_\_\_\_.

\_\_\_\_\_ no plans at the \_\_\_\_\_ electrical service \_\_\_\_\_ to \_\_\_\_\_ disruptions that \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ no plans to \_\_\_\_\_ electrical service \_\_\_\_\_ in \_\_\_\_\_ near \_\_\_\_\_.

There \_\_\_\_\_ no plans for \_\_\_\_\_ to be \_\_\_\_\_ moment.

There are no \_\_\_\_\_ for \_\_\_\_\_ to affect \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ from \_\_\_\_\_ maintenances.

There \_\_\_\_\_ predicted troubles \_\_\_\_\_ regular \_\_\_\_\_.

Well, no \_\_\_\_\_ will \_\_\_\_\_ soon.

No expected interruptions \_\_\_\_\_ electricity?

There will \_\_\_\_\_ no \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ about \_\_\_\_\_ services \_\_\_\_\_ impacts \_\_\_\_\_ routine maintenance \_\_\_\_\_ the future.

\_\_\_\_\_ electric services face disruptions \_\_\_\_\_ the \_\_\_\_\_ because \_\_\_\_\_ routine \_\_\_\_\_?

There won't \_\_\_\_\_ disruptions caused \_\_\_\_\_ regular \_\_\_\_\_ in \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ we expect \_\_\_\_\_ to \_\_\_\_\_ power failures \_\_\_\_\_?

Do \_\_\_\_\_ think \_\_\_\_\_ no \_\_\_\_\_ service disruptions \_\_\_\_\_ routine \_\_\_\_\_ in the future?

There \_\_\_\_\_ no disruptions that \_\_\_\_\_ be caused in \_\_\_\_\_.

\_\_\_\_\_ problems from \_\_\_\_\_ maintenances.

Electric \_\_\_\_\_ be \_\_\_\_\_ to scheduled \_\_\_\_\_.

\_\_\_\_\_ there be \_\_\_\_\_ in the future due \_\_\_\_\_ routine \_\_\_\_\_?

We should assume \_\_\_\_\_ electricals.

No worries \_\_\_\_\_ impacts from \_\_\_\_\_ maintenance in the \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ will \_\_\_\_\_ services soon.

\_\_\_\_\_ won't \_\_\_\_\_ disruptions caused \_\_\_\_\_ in the near future

\_\_\_\_\_ are expected from \_\_\_\_\_.

Maintenance won't \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ any disruptions \_\_\_\_\_ electrical \_\_\_\_\_.

Electric \_\_\_\_\_ won't be \_\_\_\_\_ frequent \_\_\_\_\_.

The electric \_\_\_\_\_ disrupted \_\_\_\_\_ planned servicing.  
 \_\_\_\_\_ will \_\_\_\_\_ service reliability.  
 \_\_\_\_\_ services \_\_\_\_\_ be disrupted soon.  
 There \_\_\_\_\_ chances \_\_\_\_\_ services being \_\_\_\_\_.  
 The \_\_\_\_\_ services \_\_\_\_\_ not \_\_\_\_\_ affected \_\_\_\_\_ maintenance soon.  
 Repairs \_\_\_\_\_ electric supply.  
 The \_\_\_\_\_ will not be \_\_\_\_\_ by \_\_\_\_\_ maintenances, \_\_\_\_\_?  
 \_\_\_\_\_ will no \_\_\_\_\_ in \_\_\_\_\_.  
 \_\_\_\_\_ will not be \_\_\_\_\_ right?  
 \_\_\_\_\_ should \_\_\_\_\_ be \_\_\_\_\_ maintenance now.  
 \_\_\_\_\_ supply \_\_\_\_\_ by scheduled service.  
 Maintenance won't \_\_\_\_\_ effect \_\_\_\_\_ services.  
 It is \_\_\_\_\_ that regular \_\_\_\_\_ sideline will \_\_\_\_\_.  
 \_\_\_\_\_ upcoming \_\_\_\_\_ not affect electrical \_\_\_\_\_.  
 \_\_\_\_\_ are no \_\_\_\_\_ routine upkeep.  
 Power services wont \_\_\_\_\_ to \_\_\_\_\_.  
 There \_\_\_\_\_ problems \_\_\_\_\_ regular \_\_\_\_\_ that will affect energy \_\_\_\_\_ anytime.  
 \_\_\_\_\_ not affect \_\_\_\_\_ services.  
 We don't \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ maintenance.  
 \_\_\_\_\_ maintenances shouldn't affect \_\_\_\_\_.  
 There \_\_\_\_\_ to power \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ due \_\_\_\_\_ routine maintenance in the \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ service \_\_\_\_\_ due to routine maintenance \_\_\_\_\_ the near future?  
 \_\_\_\_\_ not be \_\_\_\_\_ problems from \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ maintenance next round.  
 There are \_\_\_\_\_ plans for \_\_\_\_\_ maintenance \_\_\_\_\_ service disruptions \_\_\_\_\_ the near \_\_\_\_\_.  
 Electric service \_\_\_\_\_ by maintenance \_\_\_\_\_ round.  
 \_\_\_\_\_ disrupt \_\_\_\_\_ service.  
 \_\_\_\_\_ should not \_\_\_\_\_ disrupted due \_\_\_\_\_ scheduled \_\_\_\_\_.  
 \_\_\_\_\_ disrupt electrical services soon.  
 Electric \_\_\_\_\_ be affected \_\_\_\_\_ upcoming \_\_\_\_\_.  
 There \_\_\_\_\_ be no \_\_\_\_\_ by \_\_\_\_\_ that will \_\_\_\_\_ provision.  
 \_\_\_\_\_ are no \_\_\_\_\_ conduct \_\_\_\_\_ electrical \_\_\_\_\_ maintenances that will \_\_\_\_\_ disruptions in \_\_\_\_\_.  
 \_\_\_\_\_ of \_\_\_\_\_ being \_\_\_\_\_ are slim.  
 There will \_\_\_\_\_ because \_\_\_\_\_ maintenance in the near \_\_\_\_\_.  
 There \_\_\_\_\_ no plans to \_\_\_\_\_ maintenances \_\_\_\_\_ services.  
 \_\_\_\_\_ maintenances \_\_\_\_\_ affect electrical services.  
 The \_\_\_\_\_ services \_\_\_\_\_ not \_\_\_\_\_ by \_\_\_\_\_ maintenances.  
 Will we see \_\_\_\_\_ service interruptions \_\_\_\_\_ a \_\_\_\_\_ maintenance \_\_\_\_\_?  
 The power services \_\_\_\_\_ not be \_\_\_\_\_.  
 \_\_\_\_\_ be disruptions \_\_\_\_\_ services.  
 \_\_\_\_\_ will \_\_\_\_\_ caused \_\_\_\_\_ maintenances in the near future  
 Routine maintenance \_\_\_\_\_.  
 It \_\_\_\_\_ services.  
 Yes, frequent \_\_\_\_\_ won't \_\_\_\_\_.  
 No \_\_\_\_\_ from \_\_\_\_\_ will \_\_\_\_\_ energy \_\_\_\_\_.  
 \_\_\_\_\_ no expected interruptions from routine \_\_\_\_\_ that \_\_\_\_\_.  
 Regular \_\_\_\_\_ shouldn't \_\_\_\_\_ services.  
 There will \_\_\_\_\_ no disruptions \_\_\_\_\_ electrical \_\_\_\_\_ regular \_\_\_\_\_.  
 \_\_\_\_\_ regular maintenances will not happen \_\_\_\_\_.

\_\_\_\_\_ service shouldn't \_\_\_\_\_ by regular upkeep \_\_\_\_\_ round.

\_\_\_\_\_ don't expect \_\_\_\_\_ from \_\_\_\_\_.

No \_\_\_\_\_ electrical \_\_\_\_\_ will be \_\_\_\_\_ by \_\_\_\_\_ soon.

\_\_\_\_\_ will not be disrupted \_\_\_\_\_?

\_\_\_\_\_ not \_\_\_\_\_ any \_\_\_\_\_ to electrical services \_\_\_\_\_ regular maintenance.

\_\_\_\_\_ do \_\_\_\_\_ expect troubles from \_\_\_\_\_.

\_\_\_\_\_ caused by regular \_\_\_\_\_ affect energy provision.

\_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ maintenance.

There \_\_\_\_\_ no \_\_\_\_\_ for regular \_\_\_\_\_ have \_\_\_\_\_ impact \_\_\_\_\_ electric service.

There won't \_\_\_\_\_ any \_\_\_\_\_ caused by regular \_\_\_\_\_.

There \_\_\_\_\_ be no \_\_\_\_\_ by \_\_\_\_\_ that \_\_\_\_\_ hamper energy \_\_\_\_\_.

There \_\_\_\_\_ no plan \_\_\_\_\_ maintenances \_\_\_\_\_ disruptions that will impact electrical service \_\_\_\_\_.

\_\_\_\_\_ will not \_\_\_\_\_ any disruptions \_\_\_\_\_ the near \_\_\_\_\_ regular \_\_\_\_\_.

No disruptions caused by regular \_\_\_\_\_ hamper \_\_\_\_\_.

electrical disruptions due \_\_\_\_\_ maintenance \_\_\_\_\_?

Will any \_\_\_\_\_ with the provision \_\_\_\_\_ reliable power in \_\_\_\_\_?

There won't be \_\_\_\_\_ services \_\_\_\_\_ regular maintenance.

Regular \_\_\_\_\_ not cause \_\_\_\_\_.

Regular \_\_\_\_\_ affect \_\_\_\_\_ power services.

\_\_\_\_\_ Services are \_\_\_\_\_ going to \_\_\_\_\_ regular maintenances in \_\_\_\_\_ future.

It \_\_\_\_\_ affect electric \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ caused by \_\_\_\_\_ inspections will affect \_\_\_\_\_.

There \_\_\_\_\_ be no disruptions \_\_\_\_\_ caused \_\_\_\_\_ maintenances.

\_\_\_\_\_ electrical \_\_\_\_\_ will \_\_\_\_\_ disrupted \_\_\_\_\_ to maintenances \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ electrical services.

\_\_\_\_\_ no electrical service \_\_\_\_\_ due to routine \_\_\_\_\_?

Power \_\_\_\_\_ will \_\_\_\_\_ by regular \_\_\_\_\_.

\_\_\_\_\_ electrical \_\_\_\_\_ not \_\_\_\_\_ affected by any \_\_\_\_\_ regular \_\_\_\_\_.

There will \_\_\_\_\_ power service \_\_\_\_\_ to maintenance.

There are no plans \_\_\_\_\_ moment \_\_\_\_\_ disruptions due \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ maintenances shouldn't affect electrical \_\_\_\_\_.

There \_\_\_\_\_ disruptions \_\_\_\_\_ the near future due \_\_\_\_\_ maintenances.

\_\_\_\_\_ will be no disruptions that \_\_\_\_\_ regular \_\_\_\_\_.

Maintenances \_\_\_\_\_ cause \_\_\_\_\_ disruptions.

\_\_\_\_\_ will \_\_\_\_\_ disruption caused by \_\_\_\_\_ maintenances in \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ are no \_\_\_\_\_ for \_\_\_\_\_ maintenances impacting \_\_\_\_\_.

Recent \_\_\_\_\_ affect \_\_\_\_\_ services.

The \_\_\_\_\_ will not be \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ be trouble \_\_\_\_\_ maintenances.

No \_\_\_\_\_ regular maintenances \_\_\_\_\_ affect \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ electrical service \_\_\_\_\_ due \_\_\_\_\_ maintenance \_\_\_\_\_ the foreseeable \_\_\_\_\_.

Will \_\_\_\_\_ services \_\_\_\_\_ to maintenance \_\_\_\_\_ time soon?

Electric \_\_\_\_\_ will \_\_\_\_\_ by repairs.

\_\_\_\_\_ it \_\_\_\_\_ that normal \_\_\_\_\_ interrupt electricals shortly?

\_\_\_\_\_ will be \_\_\_\_\_ electrical \_\_\_\_\_ disruptions due \_\_\_\_\_ routine maintenance \_\_\_\_\_ future.

Maintenance \_\_\_\_\_ not \_\_\_\_\_ service.

There \_\_\_\_\_ caused \_\_\_\_\_ maintenances in the future.

They won't \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ impacted by \_\_\_\_\_ for a long time.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ caused by the \_\_\_\_\_.

\_\_\_\_\_ there be electrical service \_\_\_\_\_ soon \_\_\_\_\_ result \_\_\_\_\_ scheduled \_\_\_\_\_?  
 \_\_\_\_\_ will cause no \_\_\_\_\_.  
 \_\_\_\_\_ electric service reliability \_\_\_\_\_ not \_\_\_\_\_ be \_\_\_\_\_ regular upkeep.  
 Power \_\_\_\_\_ are not expected \_\_\_\_\_.  
 We \_\_\_\_\_ not \_\_\_\_\_ there will be \_\_\_\_\_ by \_\_\_\_\_ maintenances.  
 No \_\_\_\_\_ impact of routine \_\_\_\_\_ on \_\_\_\_\_.  
 Do we \_\_\_\_\_ interrupt \_\_\_\_\_ soon?  
 There \_\_\_\_\_ regular maintenance to affect \_\_\_\_\_ in the near \_\_\_\_\_.  
 \_\_\_\_\_ are no plans for electrical service \_\_\_\_\_ cause \_\_\_\_\_ impact service \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ disruptions \_\_\_\_\_ a \_\_\_\_\_ of regular maintenances.  
 Electric supplies \_\_\_\_\_ be \_\_\_\_\_ scheduled \_\_\_\_\_.  
 \_\_\_\_\_ won't be any disruptions \_\_\_\_\_ the future.  
 \_\_\_\_\_ services \_\_\_\_\_ not \_\_\_\_\_ by regular \_\_\_\_\_.  
 \_\_\_\_\_ expect \_\_\_\_\_ regular maintenance.  
 \_\_\_\_\_ are no expected \_\_\_\_\_.  
 No \_\_\_\_\_ from \_\_\_\_\_ maintenance.  
 There \_\_\_\_\_ be \_\_\_\_\_ electrical services \_\_\_\_\_ the near \_\_\_\_\_.  
 Scheduled servicing \_\_\_\_\_ disrupt \_\_\_\_\_ electric \_\_\_\_\_.  
 There \_\_\_\_\_ plans \_\_\_\_\_ electrical \_\_\_\_\_ maintenance to cause disruptions \_\_\_\_\_ at the moment.  
 There are \_\_\_\_\_ the \_\_\_\_\_ maintenance on electrical services.  
 \_\_\_\_\_ should \_\_\_\_\_ no upcoming \_\_\_\_\_ that affect \_\_\_\_\_.  
 Upcoming \_\_\_\_\_ will \_\_\_\_\_ affect \_\_\_\_\_ now.  
 \_\_\_\_\_ are \_\_\_\_\_ scheduled \_\_\_\_\_ should \_\_\_\_\_ electrical services.  
 Power \_\_\_\_\_ be \_\_\_\_\_ by regular \_\_\_\_\_.  
 You \_\_\_\_\_ that there \_\_\_\_\_ no electrical service \_\_\_\_\_ due \_\_\_\_\_ maintenance.  
 There will not \_\_\_\_\_ any disruptions \_\_\_\_\_ the \_\_\_\_\_ future.  
 Don't \_\_\_\_\_ regular maintenances.  
 \_\_\_\_\_ Services will \_\_\_\_\_ be \_\_\_\_\_ by regular \_\_\_\_\_ near future.  
 \_\_\_\_\_ be \_\_\_\_\_ disruptions \_\_\_\_\_ regular maintenances \_\_\_\_\_ the future.  
 There are \_\_\_\_\_ disruptions from \_\_\_\_\_ upkeep \_\_\_\_\_?  
 Will \_\_\_\_\_ have disruptions in the \_\_\_\_\_ future due \_\_\_\_\_?  
 \_\_\_\_\_ no plans to \_\_\_\_\_ electrical \_\_\_\_\_ in \_\_\_\_\_ future.  
 \_\_\_\_\_ won't be affected by \_\_\_\_\_ maintenance \_\_\_\_\_ round.  
 \_\_\_\_\_ are \_\_\_\_\_ from routine \_\_\_\_\_ affecting electricity.  
 There are \_\_\_\_\_ for regular maintenances to \_\_\_\_\_ electric \_\_\_\_\_.  
 You \_\_\_\_\_ from \_\_\_\_\_ maintenances.  
 \_\_\_\_\_ service disruptions \_\_\_\_\_ expected \_\_\_\_\_ to \_\_\_\_\_.  
 electrical services \_\_\_\_\_ by any upcoming \_\_\_\_\_.  
 There are no \_\_\_\_\_ disruptions \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ by routine maintenance \_\_\_\_\_.  
 \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ any impact on \_\_\_\_\_ services.  
 Right, \_\_\_\_\_ won't be \_\_\_\_\_ maintenance.  
 \_\_\_\_\_ will \_\_\_\_\_ no power service \_\_\_\_\_ maintenance.  
 There \_\_\_\_\_ electrical \_\_\_\_\_ routine upkeep.  
 \_\_\_\_\_ to power services because of maintenance.  
 There are \_\_\_\_\_ predicted \_\_\_\_\_ from \_\_\_\_\_ electricity.  
 \_\_\_\_\_ maintenances will \_\_\_\_\_ the \_\_\_\_\_ services.  
 We don't expect \_\_\_\_\_ to be \_\_\_\_\_ regular \_\_\_\_\_.  
 There \_\_\_\_\_ not be disruptions \_\_\_\_\_ power \_\_\_\_\_ maintenance.  
 \_\_\_\_\_ be \_\_\_\_\_ impacts \_\_\_\_\_ routine maintenance \_\_\_\_\_ the \_\_\_\_\_ future.

\_\_\_\_\_ services won't \_\_\_\_\_ disrupted \_\_\_\_\_ maintenance.

\_\_\_\_\_ shouldn't \_\_\_\_\_ affected by \_\_\_\_\_ soon.

No \_\_\_\_\_ issues \_\_\_\_\_ services in the near \_\_\_\_\_.

\_\_\_\_\_ shouldn't be affected \_\_\_\_\_ routine \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_ worries \_\_\_\_\_ the future \_\_\_\_\_ of routine maintenance \_\_\_\_\_.

\_\_\_\_\_ should not be affected \_\_\_\_\_.

\_\_\_\_\_ there be no \_\_\_\_\_ to routine maintenance in \_\_\_\_\_?

There \_\_\_\_\_ be problems caused \_\_\_\_\_ hamper energy \_\_\_\_\_.

\_\_\_\_\_ shouldn't be \_\_\_\_\_ by \_\_\_\_\_ maintenances.

There \_\_\_\_\_ issues regarding \_\_\_\_\_ routine \_\_\_\_\_ in the \_\_\_\_\_ future.

\_\_\_\_\_ not \_\_\_\_\_ disrupted by regular \_\_\_\_\_.

\_\_\_\_\_ for electrical services \_\_\_\_\_ be impacted by \_\_\_\_\_.

Upcoming maintenances \_\_\_\_\_ electrical service \_\_\_\_\_.

\_\_\_\_\_ disturbances caused \_\_\_\_\_ regular inspections \_\_\_\_\_ affect energy \_\_\_\_\_.

\_\_\_\_\_ be no disruptions that will \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ electric supply \_\_\_\_\_ not be disrupted \_\_\_\_\_ of \_\_\_\_\_.

There will be \_\_\_\_\_ disruptions \_\_\_\_\_ regular maintenances in \_\_\_\_\_.

\_\_\_\_\_ will be \_\_\_\_\_ problems caused by \_\_\_\_\_ inspections \_\_\_\_\_ energy \_\_\_\_\_.

No electrical \_\_\_\_\_ by maintenances.

\_\_\_\_\_ no \_\_\_\_\_ for regular \_\_\_\_\_ impact electrical service.

\_\_\_\_\_ services \_\_\_\_\_ be \_\_\_\_\_ regular \_\_\_\_\_ for a while.

Maintenance \_\_\_\_\_ cause \_\_\_\_\_ disruptions.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ the future due to \_\_\_\_\_.

electrical services will not be \_\_\_\_\_ anytime \_\_\_\_\_.

\_\_\_\_\_ will be \_\_\_\_\_ disruptions caused by \_\_\_\_\_ will hamper \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ be disrupted by \_\_\_\_\_.

There won't be \_\_\_\_\_ electrical \_\_\_\_\_ caused \_\_\_\_\_ maintenances \_\_\_\_\_.

Regular \_\_\_\_\_ won't \_\_\_\_\_ the future.

\_\_\_\_\_ services should \_\_\_\_\_ affected by \_\_\_\_\_.

There won't \_\_\_\_\_ regular \_\_\_\_\_ disrupt \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ service \_\_\_\_\_ due to maintenances soon.

Electric services \_\_\_\_\_ be \_\_\_\_\_ frequent \_\_\_\_\_ soon.

\_\_\_\_\_ no plans \_\_\_\_\_ to cause \_\_\_\_\_ that \_\_\_\_\_ impact service in the \_\_\_\_\_ future.

No \_\_\_\_\_ from \_\_\_\_\_ maintenance.

\_\_\_\_\_ regular \_\_\_\_\_ will \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ be no \_\_\_\_\_ disruptions due \_\_\_\_\_ maintenance any \_\_\_\_\_ soon.

\_\_\_\_\_ shouldn't be \_\_\_\_\_ routine \_\_\_\_\_

Electric \_\_\_\_\_ affected \_\_\_\_\_ maintenance soon.

\_\_\_\_\_ electrical service \_\_\_\_\_ cause disruptions in the near future.

There \_\_\_\_\_ regular \_\_\_\_\_ to \_\_\_\_\_ electrical \_\_\_\_\_ any time soon.

The electrical \_\_\_\_\_ will not \_\_\_\_\_ disrupted \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ affected by \_\_\_\_\_ maintenances in \_\_\_\_\_ near \_\_\_\_\_.

Electricity should \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ the near \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ maintenance in the near future.

Any upcoming \_\_\_\_\_ not affect \_\_\_\_\_.

Electric \_\_\_\_\_ won't be \_\_\_\_\_.

Power \_\_\_\_\_ won't \_\_\_\_\_ affected by \_\_\_\_\_ upkeep for \_\_\_\_\_.

There are no plans at \_\_\_\_\_ for \_\_\_\_\_ maintenances \_\_\_\_\_ electrical \_\_\_\_\_ disruptions.

It is \_\_\_\_\_ likely that \_\_\_\_\_ repairs \_\_\_\_\_ ical \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ services disruptions.

No \_\_\_\_\_ troubles \_\_\_\_\_ maintenances

Is it \_\_\_\_\_ that normal \_\_\_\_\_ interrupt \_\_\_\_\_?

\_\_\_\_\_ scheduled \_\_\_\_\_ interfere \_\_\_\_\_ the provision of reliable \_\_\_\_\_ anytime \_\_\_\_\_?

Electricity impacts by \_\_\_\_\_ are \_\_\_\_\_.

There will not \_\_\_\_\_ disruptions \_\_\_\_\_ due to regular \_\_\_\_\_.

\_\_\_\_\_ from \_\_\_\_\_ maintenances \_\_\_\_\_ not \_\_\_\_\_.

\_\_\_\_\_ are not any disruptions \_\_\_\_\_ by \_\_\_\_\_ maintenances.

Scheduled servicing won't \_\_\_\_\_.

\_\_\_\_\_ regular maintenance \_\_\_\_\_ expected.

There \_\_\_\_\_ plans \_\_\_\_\_ maintenances \_\_\_\_\_ disruptions that affect electrical service \_\_\_\_\_ soon.

Electricity will \_\_\_\_\_ routine \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ electrical \_\_\_\_\_ any time soon.

\_\_\_\_\_ scheduled, \_\_\_\_\_ maintenances interfere with the \_\_\_\_\_ reliable \_\_\_\_\_ soon?

There \_\_\_\_\_ for electrical \_\_\_\_\_ disruptions \_\_\_\_\_ happen soon.

There \_\_\_\_\_ hardly any \_\_\_\_\_ of disruptions \_\_\_\_\_.

\_\_\_\_\_ disruptions to \_\_\_\_\_ are \_\_\_\_\_ slim.

There \_\_\_\_\_ not \_\_\_\_\_ regular maintenance in \_\_\_\_\_ near future.

No \_\_\_\_\_ affect electrical \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ electric \_\_\_\_\_ to \_\_\_\_\_ impacted by regular maintenances.

There will \_\_\_\_\_ no electrical \_\_\_\_\_ by \_\_\_\_\_ anytime \_\_\_\_\_.

The \_\_\_\_\_ maintenances should \_\_\_\_\_ the \_\_\_\_\_.

There are \_\_\_\_\_ at \_\_\_\_\_ service disruptions as \_\_\_\_\_ result \_\_\_\_\_ regular service maintenances.

\_\_\_\_\_ are \_\_\_\_\_ upcoming \_\_\_\_\_ will affect electrical \_\_\_\_\_.

\_\_\_\_\_ from regular maintenances.

\_\_\_\_\_ are \_\_\_\_\_ disruptions \_\_\_\_\_ will be \_\_\_\_\_ regular maintenance

\_\_\_\_\_ it \_\_\_\_\_ that maintenance \_\_\_\_\_ interrupt \_\_\_\_\_?

Electric \_\_\_\_\_ by \_\_\_\_\_ maintenance Soon.

\_\_\_\_\_ there going to be \_\_\_\_\_ disruptions due to routine \_\_\_\_\_?

\_\_\_\_\_ electric supply can't \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ of electrical services \_\_\_\_\_ maintenance.

There is no plan \_\_\_\_\_ regular \_\_\_\_\_ electrical \_\_\_\_\_.

There \_\_\_\_\_ no issues \_\_\_\_\_ services \_\_\_\_\_ the \_\_\_\_\_.

Electricity should \_\_\_\_\_ be \_\_\_\_\_ maintenance \_\_\_\_\_ time soon.

\_\_\_\_\_ reliability of \_\_\_\_\_ service is not \_\_\_\_\_ to \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ electric services be \_\_\_\_\_ to \_\_\_\_\_ anytime soon?

Electric service reliability \_\_\_\_\_ to \_\_\_\_\_ affected \_\_\_\_\_ regular upkeep \_\_\_\_\_.

\_\_\_\_\_ won't be \_\_\_\_\_ by \_\_\_\_\_ maintenance.

\_\_\_\_\_ will not \_\_\_\_\_ electric services \_\_\_\_\_.

\_\_\_\_\_ shouldn't \_\_\_\_\_ by \_\_\_\_\_ maintenance in the \_\_\_\_\_ term.

Power \_\_\_\_\_ experience disruptions \_\_\_\_\_ maintenance.

\_\_\_\_\_ frequent maintenance will not \_\_\_\_\_.

Electric \_\_\_\_\_ not \_\_\_\_\_ by regular \_\_\_\_\_.

It \_\_\_\_\_ not \_\_\_\_\_ soon.

Electricity isn't \_\_\_\_\_ maintenance \_\_\_\_\_.

\_\_\_\_\_ electric \_\_\_\_\_ be \_\_\_\_\_ by scheduled \_\_\_\_\_.

\_\_\_\_\_ services should \_\_\_\_\_ be \_\_\_\_\_ regular \_\_\_\_\_.

There \_\_\_\_\_ no chance \_\_\_\_\_ electrical \_\_\_\_\_ disruptions \_\_\_\_\_ regular \_\_\_\_\_.

Maintenances will not \_\_\_\_\_ services soon.

Maintenance \_\_\_\_\_ expected \_\_\_\_\_ affect \_\_\_\_\_.

\_\_\_\_\_ regarding \_\_\_\_\_ from routine \_\_\_\_\_ in the \_\_\_\_\_ future.



There will be no \_\_\_\_\_ a \_\_\_\_\_ maintenances in \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ are no disruptions \_\_\_\_\_ come \_\_\_\_\_ to regular \_\_\_\_\_.

\_\_\_\_\_ regular \_\_\_\_\_ to \_\_\_\_\_ electrical services.

\_\_\_\_\_ maintenance will not \_\_\_\_\_.

There \_\_\_\_\_ plans for regular maintenances \_\_\_\_\_ affect \_\_\_\_\_ services in \_\_\_\_\_.

We don't \_\_\_\_\_ disruptions \_\_\_\_\_ regular maintenances.

There \_\_\_\_\_ no \_\_\_\_\_ currently \_\_\_\_\_ regular \_\_\_\_\_ maintenances \_\_\_\_\_ cause disruptions that impact \_\_\_\_\_ soon.

The \_\_\_\_\_ Services \_\_\_\_\_ be \_\_\_\_\_ regular \_\_\_\_\_ in the near \_\_\_\_\_.

There \_\_\_\_\_ regular electrical \_\_\_\_\_ maintenances \_\_\_\_\_ cause disruptions \_\_\_\_\_ near term.

\_\_\_\_\_ plans \_\_\_\_\_ regular \_\_\_\_\_ service maintenances to cause \_\_\_\_\_ electrical service.

\_\_\_\_\_ won't \_\_\_\_\_ service disruptions \_\_\_\_\_ regular maintenances \_\_\_\_\_ soon.

Maintenance will not \_\_\_\_\_?

\_\_\_\_\_ service will not \_\_\_\_\_ regular \_\_\_\_\_ next round.

We \_\_\_\_\_ assume that \_\_\_\_\_ not interrupt \_\_\_\_\_.

Current \_\_\_\_\_ services \_\_\_\_\_ not \_\_\_\_\_ affected by upcoming \_\_\_\_\_.

Regular \_\_\_\_\_ will \_\_\_\_\_ electrical \_\_\_\_\_ the future.

\_\_\_\_\_ will not \_\_\_\_\_ any \_\_\_\_\_ by \_\_\_\_\_ maintenances.

Don't expect \_\_\_\_\_ to \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ maintenances \_\_\_\_\_ not have an \_\_\_\_\_ services.

\_\_\_\_\_ be \_\_\_\_\_ by regular maintenance.

We don't anticipate \_\_\_\_\_ because of regular \_\_\_\_\_.

\_\_\_\_\_ maintenance will not \_\_\_\_\_ services.

Expect no \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ won't get \_\_\_\_\_ frequent maintenance.

There \_\_\_\_\_ disruptions \_\_\_\_\_ by regular maintenances \_\_\_\_\_ foreseeable future.

For \_\_\_\_\_ power services won't \_\_\_\_\_ affected by \_\_\_\_\_.

\_\_\_\_\_ is no plan \_\_\_\_\_ services to \_\_\_\_\_ regular maintenance.

\_\_\_\_\_ plans to have regular \_\_\_\_\_ services soon.

\_\_\_\_\_ shouldn't be \_\_\_\_\_ maintenance.

Electric \_\_\_\_\_ be affected soon due \_\_\_\_\_ maintenance.

\_\_\_\_\_ no \_\_\_\_\_ for regular \_\_\_\_\_ service \_\_\_\_\_ to \_\_\_\_\_ disruptions that \_\_\_\_\_ electrical \_\_\_\_\_ in the near \_\_\_\_\_.

\_\_\_\_\_ should \_\_\_\_\_ no \_\_\_\_\_ from routine \_\_\_\_\_ electricity.

\_\_\_\_\_ will not be \_\_\_\_\_ by regular \_\_\_\_\_ next \_\_\_\_\_.

Do \_\_\_\_\_ service \_\_\_\_\_ due to maintenance?

Electric services \_\_\_\_\_ not \_\_\_\_\_ affected \_\_\_\_\_ frequent maintenance \_\_\_\_\_.

\_\_\_\_\_ expect \_\_\_\_\_ to be affected by regular \_\_\_\_\_.

\_\_\_\_\_ will be \_\_\_\_\_ problems caused \_\_\_\_\_.

electrical services \_\_\_\_\_ disrupted by \_\_\_\_\_

There \_\_\_\_\_ be \_\_\_\_\_ in the \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ disruptions \_\_\_\_\_ electrical service in the \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ affected by \_\_\_\_\_ maintenance soon.

\_\_\_\_\_ Services \_\_\_\_\_ not \_\_\_\_\_ by regular \_\_\_\_\_ any \_\_\_\_\_ in \_\_\_\_\_ future.

\_\_\_\_\_ are currently no issues \_\_\_\_\_.

\_\_\_\_\_ service disruptions \_\_\_\_\_ very slim.

There \_\_\_\_\_ interruptions \_\_\_\_\_ routine \_\_\_\_\_ affecting electricity?

There \_\_\_\_\_ no electrical \_\_\_\_\_ disruptions \_\_\_\_\_ the foreseeable \_\_\_\_\_.

Don't expect \_\_\_\_\_ electrical services \_\_\_\_\_.

Are \_\_\_\_\_ electrical service \_\_\_\_\_ during routine maintenance in the \_\_\_\_\_?

\_\_\_\_\_ ever \_\_\_\_\_ service \_\_\_\_\_ a result of \_\_\_\_\_ maintenance activities?

\_\_\_\_\_ no expected \_\_\_\_\_ from \_\_\_\_\_ upkeep \_\_\_\_\_ electricity?

Electricity should not be \_\_\_\_\_ by \_\_\_\_\_ this \_\_\_\_\_.

\_\_\_\_\_ affect electric services.

\_\_\_\_\_ won't be \_\_\_\_\_ disruptions \_\_\_\_\_ electrical \_\_\_\_\_ because of \_\_\_\_\_.

Will \_\_\_\_\_ be \_\_\_\_\_ to routine maintenance \_\_\_\_\_ the near term?

\_\_\_\_\_ electrical system disruptions due to \_\_\_\_\_ maintenances?

\_\_\_\_\_ won't interrupt the electricals soon?

electrical \_\_\_\_\_ will not \_\_\_\_\_ by upcoming \_\_\_\_\_.

\_\_\_\_\_ will be caused by regular \_\_\_\_\_ future.

\_\_\_\_\_ won't be any \_\_\_\_\_ from \_\_\_\_\_ upkeep affecting \_\_\_\_\_.

The upcoming \_\_\_\_\_ services.

\_\_\_\_\_ won't \_\_\_\_\_ service \_\_\_\_\_.

\_\_\_\_\_ regular \_\_\_\_\_ should \_\_\_\_\_ affect electrical \_\_\_\_\_ the moment.

There are no worries about the impact \_\_\_\_\_.

There will \_\_\_\_\_ any disruptions \_\_\_\_\_ electrical \_\_\_\_\_ of \_\_\_\_\_ maintenances.

\_\_\_\_\_ won't be any troubles \_\_\_\_\_.

Maintenance \_\_\_\_\_ not \_\_\_\_\_ services.

\_\_\_\_\_ round electric \_\_\_\_\_ will \_\_\_\_\_ affected \_\_\_\_\_ regular maintenance.

Power \_\_\_\_\_ be \_\_\_\_\_ regularly maintaining.

Correct, \_\_\_\_\_ disrupt \_\_\_\_\_ services soon.

\_\_\_\_\_ maintenances are not \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ frequent maintenance in the near \_\_\_\_\_.

There are no \_\_\_\_\_ to \_\_\_\_\_ by \_\_\_\_\_ maintenances.

\_\_\_\_\_ believe there \_\_\_\_\_ be electrical service interruptions \_\_\_\_\_ maintenance \_\_\_\_\_?

\_\_\_\_\_ not \_\_\_\_\_ by upcoming regular maintenances.

Is it \_\_\_\_\_ that \_\_\_\_\_ will \_\_\_\_\_ shortly?

Is it safe to \_\_\_\_\_ electricals soon?

\_\_\_\_\_ no \_\_\_\_\_ for \_\_\_\_\_ service maintenances \_\_\_\_\_ cause any \_\_\_\_\_ in \_\_\_\_\_ future.

Do \_\_\_\_\_ to affect electrical services.

There will \_\_\_\_\_ be \_\_\_\_\_ caused \_\_\_\_\_ regular \_\_\_\_\_.

We don't \_\_\_\_\_ if \_\_\_\_\_ electrical \_\_\_\_\_ disruptions caused by \_\_\_\_\_ maintenances.

\_\_\_\_\_ we expect to \_\_\_\_\_ electrical system \_\_\_\_\_?

\_\_\_\_\_ services won't \_\_\_\_\_ regular upkeep.

\_\_\_\_\_ services won't \_\_\_\_\_ soon \_\_\_\_\_ maintenance.

There are \_\_\_\_\_ by regular inspections that \_\_\_\_\_ energy \_\_\_\_\_.

\_\_\_\_\_ expected \_\_\_\_\_ the electricity?

At the \_\_\_\_\_ are \_\_\_\_\_ electrical service maintenances to \_\_\_\_\_ the future.

Electric \_\_\_\_\_ will not be \_\_\_\_\_ by \_\_\_\_\_ soon.

Don't \_\_\_\_\_ upcoming \_\_\_\_\_ electrical services.

\_\_\_\_\_ will \_\_\_\_\_ no \_\_\_\_\_ by regular \_\_\_\_\_ that will hamper \_\_\_\_\_ anytime.

\_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ disruptions \_\_\_\_\_ to regular maintenances \_\_\_\_\_ soon.

\_\_\_\_\_ will be no \_\_\_\_\_ regular \_\_\_\_\_ in \_\_\_\_\_ future.

\_\_\_\_\_ of electrical service disruptions due to \_\_\_\_\_.

\_\_\_\_\_ no \_\_\_\_\_ scheduled \_\_\_\_\_ to \_\_\_\_\_ the electric supply.

\_\_\_\_\_ will not be \_\_\_\_\_ by regular \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ any disruptions \_\_\_\_\_ services \_\_\_\_\_ regular maintenances.

\_\_\_\_\_ electrical services \_\_\_\_\_ be \_\_\_\_\_ soon.

\_\_\_\_\_ not be \_\_\_\_\_ by \_\_\_\_\_ maintenance \_\_\_\_\_.

Is \_\_\_\_\_ of \_\_\_\_\_ disruptions in \_\_\_\_\_ coming weeks \_\_\_\_\_ months because of \_\_\_\_\_ work?

There are \_\_\_\_\_ regular maintenance to have \_\_\_\_\_ on \_\_\_\_\_.

\_\_\_\_\_ we ever \_\_\_\_\_ electrical service \_\_\_\_\_ due \_\_\_\_\_ scheduled \_\_\_\_\_?

\_\_\_\_\_ don't anticipate \_\_\_\_\_ disruptions \_\_\_\_\_ electrical \_\_\_\_\_ due \_\_\_\_\_ maintenance.

\_\_\_\_\_ service \_\_\_\_\_ will \_\_\_\_\_ issue next round.

\_\_\_\_\_ disruptions \_\_\_\_\_ electrical \_\_\_\_\_ will \_\_\_\_\_ soon.

\_\_\_\_\_ no electrical service disruptions \_\_\_\_\_ to maintenance.

\_\_\_\_\_ are \_\_\_\_\_ plans for regular \_\_\_\_\_ electric services \_\_\_\_\_ the near \_\_\_\_\_.

\_\_\_\_\_ won't \_\_\_\_\_ any problems \_\_\_\_\_ regular \_\_\_\_\_.

No worries of \_\_\_\_\_ routine \_\_\_\_\_ in \_\_\_\_\_ future.

\_\_\_\_\_ won't affect power \_\_\_\_\_ while.

\_\_\_\_\_ won't be \_\_\_\_\_ by maintenance.

\_\_\_\_\_ power services disruptions due \_\_\_\_\_ maintenance.

Will electric services \_\_\_\_\_ due \_\_\_\_\_ maintenance any \_\_\_\_\_?

There are no plans \_\_\_\_\_ regular maintenance \_\_\_\_\_ impact on \_\_\_\_\_.

\_\_\_\_\_ anticipate any \_\_\_\_\_ caused \_\_\_\_\_ maintenances.

\_\_\_\_\_ should not expect service \_\_\_\_\_.

We \_\_\_\_\_ services to \_\_\_\_\_ disrupted by regular \_\_\_\_\_.

\_\_\_\_\_ services \_\_\_\_\_ not likely \_\_\_\_\_ be \_\_\_\_\_ frequent maintenance.

The electric \_\_\_\_\_ should \_\_\_\_\_ be \_\_\_\_\_ next round.

\_\_\_\_\_ interrupt \_\_\_\_\_ service.

Will \_\_\_\_\_ be no \_\_\_\_\_ due \_\_\_\_\_ maintenance \_\_\_\_\_ the \_\_\_\_\_ future?

There are \_\_\_\_\_ to \_\_\_\_\_ chances \_\_\_\_\_ services \_\_\_\_\_ disrupted.

There \_\_\_\_\_ any \_\_\_\_\_ for regular maintenance \_\_\_\_\_ electrical \_\_\_\_\_.

There \_\_\_\_\_ for \_\_\_\_\_ to have an \_\_\_\_\_ electric Services \_\_\_\_\_ near future.

\_\_\_\_\_ shouldn't \_\_\_\_\_ troubles \_\_\_\_\_ maintenances.

\_\_\_\_\_ be \_\_\_\_\_ disruptions in \_\_\_\_\_ services.

\_\_\_\_\_ of electrical \_\_\_\_\_ disruptions amid \_\_\_\_\_ maintenances.

Electric \_\_\_\_\_ won't \_\_\_\_\_ affected \_\_\_\_\_ maintenance \_\_\_\_\_ the future.

There are no \_\_\_\_\_ services regarding \_\_\_\_\_ from \_\_\_\_\_.

They \_\_\_\_\_ affect electric \_\_\_\_\_.

\_\_\_\_\_ not affect \_\_\_\_\_ services at all.

Power services won't \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ not \_\_\_\_\_ from \_\_\_\_\_ maintenances.

\_\_\_\_\_ services \_\_\_\_\_ be disrupted by \_\_\_\_\_.

Will \_\_\_\_\_ service disruptions happen \_\_\_\_\_ as \_\_\_\_\_ of \_\_\_\_\_?

Electric services \_\_\_\_\_ not be \_\_\_\_\_?

Power \_\_\_\_\_ be \_\_\_\_\_ upkeep.

\_\_\_\_\_ service \_\_\_\_\_ is \_\_\_\_\_ not be affected by \_\_\_\_\_.

Will there be \_\_\_\_\_ electrical \_\_\_\_\_ interruptions \_\_\_\_\_ maintenance?

\_\_\_\_\_ cause no \_\_\_\_\_ power services.

Regular maintenances \_\_\_\_\_ disruptions in the \_\_\_\_\_.

electrical service \_\_\_\_\_ not \_\_\_\_\_ upcoming \_\_\_\_\_

Electric \_\_\_\_\_ will be \_\_\_\_\_ maintenance.

\_\_\_\_\_ Services \_\_\_\_\_ not be affected \_\_\_\_\_ regular maintenances \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ disruptions caused by maintenances \_\_\_\_\_ the future.

\_\_\_\_\_ are no \_\_\_\_\_ cause electrical \_\_\_\_\_ during regular \_\_\_\_\_ maintenances.

\_\_\_\_\_ no expect \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ maintenances will disrupt electrical \_\_\_\_\_.

\_\_\_\_\_ will be no electrical \_\_\_\_\_ disruptions \_\_\_\_\_ anytime \_\_\_\_\_.

\_\_\_\_\_ no issues caused \_\_\_\_\_ inspections that \_\_\_\_\_ affect \_\_\_\_\_ provision.

There are \_\_\_\_\_ have regular \_\_\_\_\_ affect electric \_\_\_\_\_.

The \_\_\_\_\_ not be \_\_\_\_\_ by scheduled servicing.

Electric \_\_\_\_ downtime \_\_\_\_ to be \_\_\_\_ by regular \_\_\_\_.

\_\_\_\_ plans \_\_\_\_ regular \_\_\_\_ maintenances \_\_\_\_ cause \_\_\_\_ service disruptions in the near \_\_\_\_.

\_\_\_\_ be disrupted due \_\_\_\_ maintenance any time \_\_\_\_?

\_\_\_\_ maintenances will \_\_\_\_ electrical services, \_\_\_\_?

There will \_\_\_\_ electrical \_\_\_\_ disruptions \_\_\_\_ to \_\_\_\_

No problems \_\_\_\_ be expected \_\_\_\_.

\_\_\_\_ is not expected to be \_\_\_\_ next round.

\_\_\_\_ there be no \_\_\_\_ disruptions \_\_\_\_ routine \_\_\_\_ in \_\_\_\_ near \_\_\_\_?

\_\_\_\_ be \_\_\_\_ disruptions to \_\_\_\_ power \_\_\_\_.

Electric service reliability is \_\_\_\_ regular upkeep \_\_\_\_ round.

Power \_\_\_\_ won't \_\_\_\_ affected \_\_\_\_ maintaining.

There \_\_\_\_ no \_\_\_\_ regular maintenances, \_\_\_\_.

\_\_\_\_ be \_\_\_\_ by repairs

There \_\_\_\_ plans \_\_\_\_ service maintenance \_\_\_\_ cause disruptions that \_\_\_\_ anytime soon.

\_\_\_\_ not disrupt \_\_\_\_ electrical services.

\_\_\_\_ disruptions that will \_\_\_\_ regular maintenances.

There won't \_\_\_\_ from \_\_\_\_ in the near \_\_\_\_.

We \_\_\_\_ caused by regular \_\_\_\_.

\_\_\_\_ round \_\_\_\_ electric \_\_\_\_ not expected to \_\_\_\_ by regular \_\_\_\_.

\_\_\_\_ no \_\_\_\_ to have regular \_\_\_\_ maintenances cause \_\_\_\_ in \_\_\_\_ future.

\_\_\_\_ of electrical \_\_\_\_ will occur \_\_\_\_.

Things won't \_\_\_\_ services \_\_\_\_.

\_\_\_\_ upkeep \_\_\_\_ services for long.

Electricity interruptions are \_\_\_\_ from \_\_\_\_.

\_\_\_\_ electric supply will not \_\_\_\_ disrupted \_\_\_\_ to \_\_\_\_.

\_\_\_\_ maintenances \_\_\_\_ not \_\_\_\_ right now.

It \_\_\_\_ not likely \_\_\_\_ repairs \_\_\_\_ affect \_\_\_\_ service.

\_\_\_\_ like electricity \_\_\_\_ be impacted \_\_\_\_ check-ups.

\_\_\_\_ shouldn't affect \_\_\_\_ services.

\_\_\_\_ be no \_\_\_\_ service disruptions caused by \_\_\_\_ soon.

Will \_\_\_\_ services experience \_\_\_\_ due \_\_\_\_ maintenance \_\_\_\_ soon?

Power \_\_\_\_ won't be affected \_\_\_\_.

Power \_\_\_\_ will not be \_\_\_\_.

\_\_\_\_ won't be \_\_\_\_ soon.

A \_\_\_\_ shouldn't interrupt the \_\_\_\_.

\_\_\_\_ round electric \_\_\_\_ be \_\_\_\_ by \_\_\_\_ upkeep.

\_\_\_\_ electric \_\_\_\_ shouldn't \_\_\_\_ disrupted \_\_\_\_ Scheduled \_\_\_\_.

Power services will not \_\_\_\_.

There \_\_\_\_ routine maintenance affecting electricity.

\_\_\_\_ service service will \_\_\_\_ affected \_\_\_\_ regular \_\_\_\_.

\_\_\_\_ the \_\_\_\_ there won't be \_\_\_\_ by regular maintenances.

Will \_\_\_\_ services be disrupted \_\_\_\_?

\_\_\_\_ be no \_\_\_\_ by \_\_\_\_ maintenance in the foreseeable \_\_\_\_.

There \_\_\_\_ no \_\_\_\_ for \_\_\_\_ repairs to cause \_\_\_\_ in the \_\_\_\_.

Electricity will \_\_\_\_ unaffected \_\_\_\_ maintenance \_\_\_\_.

Don't \_\_\_\_ electricity \_\_\_\_ be \_\_\_\_ routine \_\_\_\_ soon?

\_\_\_\_ assume \_\_\_\_ normal maintenance \_\_\_\_ interrupt the \_\_\_\_.

Upcoming \_\_\_\_ affect \_\_\_\_ services.

\_\_\_\_ no plans for regular \_\_\_\_ affect electric \_\_\_\_ in \_\_\_\_.

\_\_\_\_ shouldn't be a \_\_\_\_ supply.

There \_\_\_\_\_ maintenances to cause disruptions that \_\_\_\_\_ the near future.  
\_\_\_\_\_ maintenance will not \_\_\_\_\_.

There \_\_\_\_\_ any disruptions in \_\_\_\_\_ to maintenance.  
\_\_\_\_\_ think electric services won't be \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ shouldn't \_\_\_\_\_ with the \_\_\_\_\_ supply.  
\_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ any time in \_\_\_\_\_ near future.

There \_\_\_\_\_ plans for \_\_\_\_\_ maintenances to affect \_\_\_\_\_.

\_\_\_\_\_ electrical \_\_\_\_\_ be disrupted by regular maintenances.  
\_\_\_\_\_ services be disrupted \_\_\_\_\_ maintenance \_\_\_\_\_?

Scheduled \_\_\_\_\_ not interrupt the \_\_\_\_\_.

\_\_\_\_\_ disrupted due to maintenance

There \_\_\_\_\_ no \_\_\_\_\_ will be \_\_\_\_\_ by regular maintenance \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ are no plans for regular electrical \_\_\_\_\_ maintenances to \_\_\_\_\_ service \_\_\_\_\_.

\_\_\_\_\_ are no \_\_\_\_\_ electrical service maintenances \_\_\_\_\_ cause electrical service \_\_\_\_\_.

There \_\_\_\_\_ not \_\_\_\_\_ service disruptions \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ impact power services \_\_\_\_\_ a \_\_\_\_\_.

We \_\_\_\_\_ won't be \_\_\_\_\_ soon.

\_\_\_\_\_ will not \_\_\_\_\_ disruptions caused \_\_\_\_\_ regular \_\_\_\_\_.

\_\_\_\_\_ face \_\_\_\_\_ because \_\_\_\_\_ maintenance soon?

Electric \_\_\_\_\_ expected to \_\_\_\_\_ affected \_\_\_\_\_ regular upkeep.

Next round \_\_\_\_\_ electric \_\_\_\_\_ to \_\_\_\_\_ affected \_\_\_\_\_ regular upkeep.

electrical service \_\_\_\_\_ by repairs