

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Service interruption and outage reports
<b>Inquiry Sub-Category</b>	Emergency Shut-off
<b>Description</b>	Customers request assistance or guidance on emergency shut-off procedures in case of leaks, pipe breaks, or other water-related emergencies occurring within their premises.
<b>Data Size</b>	8,826 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

In \_\_\_\_\_ emergency, what is the procedure \_\_\_\_\_ turning \_\_\_\_\_ the \_\_\_\_\_ my \_\_\_\_\_?

How \_\_\_\_\_ turn off \_\_\_\_\_ if an \_\_\_\_\_ happened?

Should \_\_\_\_\_ be turned \_\_\_\_\_ of an emergency?

\_\_\_\_\_ faced \_\_\_\_\_ an unforeseen \_\_\_\_\_ what procedure is \_\_\_\_\_ to turn off \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ the \_\_\_\_\_ inside \_\_\_\_\_ point if \_\_\_\_\_ is \_\_\_\_\_ crisis?

How \_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ indoor \_\_\_\_\_ in an \_\_\_\_\_?

When the indoor main valve \_\_\_\_\_ what is the \_\_\_\_\_?

How would I turn off that \_\_\_\_\_?

Should my \_\_\_\_\_ be deactivating in \_\_\_\_\_ urgent situation?

What should \_\_\_\_\_ done \_\_\_\_\_ of an emergency shutting \_\_\_\_\_ primary \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ turn off the \_\_\_\_\_ main \_\_\_\_\_ an \_\_\_\_\_?

How \_\_\_\_\_ that valve \_\_\_\_\_ there's an emergency?

In an \_\_\_\_\_ steps should \_\_\_\_\_ take \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ main \_\_\_\_\_?

During \_\_\_\_\_ emergency, what is \_\_\_\_\_ procedure \_\_\_\_\_ the primary \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ what should I \_\_\_\_\_ the indoor main \_\_\_\_\_?

During \_\_\_\_\_ is there \_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ inside main \_\_\_\_\_?

When there \_\_\_\_\_ crisis, \_\_\_\_\_ I turn off \_\_\_\_\_ inside \_\_\_\_\_ my property?

\_\_\_\_\_ emergency \_\_\_\_\_ what steps do I need \_\_\_\_\_ to \_\_\_\_\_ main valve?

How do I shut off my \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ shutting \_\_\_\_\_ an \_\_\_\_\_ main valve?

There's \_\_\_\_\_ process to \_\_\_\_\_ the main \_\_\_\_\_ property.

Should \_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_ case \_\_\_\_\_ emergency?

When faced with \_\_\_\_\_ urgent situation, \_\_\_\_\_ water valve \_\_\_\_\_?

How \_\_\_\_\_ main valve if \_\_\_\_\_ have an \_\_\_\_\_?

What is \_\_\_\_\_ protocol \_\_\_\_\_ disabling \_\_\_\_\_ if there's an \_\_\_\_\_?

I \_\_\_\_\_ know \_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ main valve in my \_\_\_\_\_ during \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ off the main \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ emergency?

\_\_\_\_\_ there is an \_\_\_\_\_ steps should I \_\_\_\_\_ to shut down \_\_\_\_\_ valve \_\_\_\_\_?

If all hell breaks \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ shut off a \_\_\_\_\_ during \_\_\_\_\_ emergency?  
 \_\_\_\_\_ emergency, is it possible \_\_\_\_\_ off \_\_\_\_\_ outlet?  
 \_\_\_\_\_ have an \_\_\_\_\_ what do \_\_\_\_\_ with my \_\_\_\_\_ valve?  
 \_\_\_\_\_ process to shut \_\_\_\_\_ the main \_\_\_\_\_ in \_\_\_\_\_ property?  
 How is \_\_\_\_\_ process for turning off \_\_\_\_\_ valve \_\_\_\_\_?  
 \_\_\_\_\_ case of \_\_\_\_\_ emergency, \_\_\_\_\_ of shutting \_\_\_\_\_ valve on my property?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ main valve \_\_\_\_\_ the event of \_\_\_\_\_?  
 \_\_\_\_\_ the protocol for \_\_\_\_\_ main valve \_\_\_\_\_ place \_\_\_\_\_ business?  
 How do \_\_\_\_\_ main valve \_\_\_\_\_ emergencies?  
 \_\_\_\_\_ possible to quickly turn \_\_\_\_\_ internal \_\_\_\_\_ valve?  
 \_\_\_\_\_ there \_\_\_\_\_ crisis, \_\_\_\_\_ can \_\_\_\_\_ turn off the main \_\_\_\_\_ control \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ turn \_\_\_\_\_ primary valve during an emergency?  
 \_\_\_\_\_ I \_\_\_\_\_ the main valve \_\_\_\_\_ during \_\_\_\_\_?  
 What \_\_\_\_\_ done to turn \_\_\_\_\_ central \_\_\_\_\_ cases of \_\_\_\_\_?  
 Which steps should I \_\_\_\_\_ quickly \_\_\_\_\_ down \_\_\_\_\_ valve \_\_\_\_\_?  
 What \_\_\_\_\_ an \_\_\_\_\_ turn off \_\_\_\_\_ central valve indoors?  
 \_\_\_\_\_ steps \_\_\_\_\_ the \_\_\_\_\_ of an emergency to shut \_\_\_\_\_ the \_\_\_\_\_ valve in my \_\_\_\_\_?  
 \_\_\_\_\_ how can I \_\_\_\_\_ turn off the indoor \_\_\_\_\_?  
 How can \_\_\_\_\_ turn off \_\_\_\_\_ indoor \_\_\_\_\_ valve \_\_\_\_\_ emergency \_\_\_\_\_?  
 Is there \_\_\_\_\_ procedure \_\_\_\_\_ main \_\_\_\_\_ down in \_\_\_\_\_?  
 \_\_\_\_\_ does it take \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ main \_\_\_\_\_?  
 What is \_\_\_\_\_ procedure for turning \_\_\_\_\_?  
 If \_\_\_\_\_ main valve goes off \_\_\_\_\_ my \_\_\_\_\_ do?  
 \_\_\_\_\_ are we \_\_\_\_\_ turn \_\_\_\_\_ the internal \_\_\_\_\_ quickly?  
 \_\_\_\_\_ need \_\_\_\_\_ how \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ my home during emergencies.  
 What do I \_\_\_\_\_ do \_\_\_\_\_ the \_\_\_\_\_ an \_\_\_\_\_ to shut \_\_\_\_\_ main \_\_\_\_\_?  
 How can \_\_\_\_\_ the primary \_\_\_\_\_?  
 There \_\_\_\_\_ a procedure \_\_\_\_\_ down \_\_\_\_\_ indoor \_\_\_\_\_ there is a \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ turn off \_\_\_\_\_ indoor \_\_\_\_\_ mechanism if \_\_\_\_\_ is \_\_\_\_\_ crisis?  
 \_\_\_\_\_ valve \_\_\_\_\_ crisis, what \_\_\_\_\_ the procedure \_\_\_\_\_ for shutting it \_\_\_\_\_?  
 \_\_\_\_\_ an emergency \_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ main \_\_\_\_\_ on my property?  
 How do you \_\_\_\_\_ a primary \_\_\_\_\_ during \_\_\_\_\_?  
 Should \_\_\_\_\_ turn off \_\_\_\_\_ main \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ can be \_\_\_\_\_ to turn off \_\_\_\_\_ internal \_\_\_\_\_?  
 During an emergency, \_\_\_\_\_ the \_\_\_\_\_ the premises' \_\_\_\_\_ valve?  
 During an emergency, \_\_\_\_\_ the process to \_\_\_\_\_?  
 \_\_\_\_\_ done \_\_\_\_\_ turn off \_\_\_\_\_ premises \_\_\_\_\_ valve \_\_\_\_\_ an emergency?  
 How \_\_\_\_\_ I turn \_\_\_\_\_ is an emergency?  
 \_\_\_\_\_ what is the \_\_\_\_\_ for ending \_\_\_\_\_ indoor \_\_\_\_\_ valve?  
 \_\_\_\_\_ need to \_\_\_\_\_ how \_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_ in my home \_\_\_\_\_.  
 I need \_\_\_\_\_ kill \_\_\_\_\_ when all \_\_\_\_\_ can you \_\_\_\_\_ me \_\_\_\_\_ to do?  
 \_\_\_\_\_ to \_\_\_\_\_ off premises \_\_\_\_\_ valve.  
 How do \_\_\_\_\_ the main valve \_\_\_\_\_ the property \_\_\_\_\_ emergency?  
 How \_\_\_\_\_ I \_\_\_\_\_ it came to an emergency?  
 What is the \_\_\_\_\_ to \_\_\_\_\_ valve \_\_\_\_\_ property?  
 How \_\_\_\_\_ quickly turn \_\_\_\_\_ internal system?  
 Can you \_\_\_\_\_ how \_\_\_\_\_ switch \_\_\_\_\_ the \_\_\_\_\_ system during \_\_\_\_\_?  
 How \_\_\_\_\_ we \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ on-site \_\_\_\_\_ how do I \_\_\_\_\_ the primary internal \_\_\_\_\_?

\_\_\_\_\_ to know \_\_\_\_\_ to \_\_\_\_\_ off my property's \_\_\_\_\_ needed.

I am \_\_\_\_\_ how \_\_\_\_\_ shut \_\_\_\_\_ valve \_\_\_\_\_ an emergency.

What \_\_\_\_\_ be \_\_\_\_\_ in case \_\_\_\_\_ emergency \_\_\_\_\_ the primary \_\_\_\_\_?

I \_\_\_\_\_ like to \_\_\_\_\_ how to \_\_\_\_\_ down the \_\_\_\_\_ my home \_\_\_\_\_.

Mainline \_\_\_\_\_ for \_\_\_\_\_ incidents within \_\_\_\_\_?

\_\_\_\_\_ an indoor \_\_\_\_\_ is in \_\_\_\_\_ the procedure?

I \_\_\_\_\_ understand the \_\_\_\_\_ off \_\_\_\_\_ valve in my \_\_\_\_\_ during emergencies.

Is \_\_\_\_\_ a protocol for \_\_\_\_\_ the \_\_\_\_\_ during \_\_\_\_\_ emergency?

\_\_\_\_\_ we \_\_\_\_\_ an \_\_\_\_\_ was the \_\_\_\_\_ shut \_\_\_\_\_ that main valve?

\_\_\_\_\_ of an \_\_\_\_\_ what should \_\_\_\_\_ to shut off \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ process \_\_\_\_\_ shutting the main \_\_\_\_\_ off?

\_\_\_\_\_ steps \_\_\_\_\_ take to shut down \_\_\_\_\_ main \_\_\_\_\_ of \_\_\_\_\_ emergency?

\_\_\_\_\_ I \_\_\_\_\_ my main \_\_\_\_\_ in case of \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ house?

\_\_\_\_\_ happen \_\_\_\_\_ primary \_\_\_\_\_ is shut down during \_\_\_\_\_ emergency?

\_\_\_\_\_ is the process \_\_\_\_\_ shutting down \_\_\_\_\_ main \_\_\_\_\_ on the property \_\_\_\_\_?

\_\_\_\_\_ urgent \_\_\_\_\_ main valve shutdown \_\_\_\_\_?

\_\_\_\_\_ a way to \_\_\_\_\_ off the \_\_\_\_\_ when \_\_\_\_\_ need it?

How \_\_\_\_\_ switch \_\_\_\_\_ internal \_\_\_\_\_ when emergencies happen?

\_\_\_\_\_ of emergency, what should \_\_\_\_\_ shut \_\_\_\_\_ main valve on my \_\_\_\_\_?

emergency \_\_\_\_\_ shut off the \_\_\_\_\_

\_\_\_\_\_ know \_\_\_\_\_ steps to \_\_\_\_\_ when \_\_\_\_\_ need to kill \_\_\_\_\_ valve.

How will I \_\_\_\_\_ the \_\_\_\_\_ inside control point \_\_\_\_\_ crisis?

I would like to \_\_\_\_\_ for shutting \_\_\_\_\_ the \_\_\_\_\_ inside \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ the central valve in emergencies?

\_\_\_\_\_ can I easily stop \_\_\_\_\_ main valve \_\_\_\_\_?

\_\_\_\_\_ the protocol for \_\_\_\_\_ the \_\_\_\_\_ valve in \_\_\_\_\_?

I \_\_\_\_\_ know \_\_\_\_\_ off \_\_\_\_\_ primary \_\_\_\_\_ system during emergencies.

\_\_\_\_\_ would \_\_\_\_\_ turn off \_\_\_\_\_ valve if there's \_\_\_\_\_?

\_\_\_\_\_ would I \_\_\_\_\_ that \_\_\_\_\_ if \_\_\_\_\_ a crisis?

\_\_\_\_\_ is \_\_\_\_\_ process for \_\_\_\_\_ down \_\_\_\_\_ main valve on \_\_\_\_\_ property if \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ shut off my indoor \_\_\_\_\_ valve \_\_\_\_\_?

How \_\_\_\_\_ I shut \_\_\_\_\_ main valve \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_?

What \_\_\_\_\_ procedure \_\_\_\_\_ shut off the \_\_\_\_\_ in my \_\_\_\_\_?

Is \_\_\_\_\_ a particular \_\_\_\_\_ the main valve during \_\_\_\_\_?

If \_\_\_\_\_ unforeseen \_\_\_\_\_ should \_\_\_\_\_ procedure be \_\_\_\_\_ the indoor control mechanism?

What is the \_\_\_\_\_ for disabling the \_\_\_\_\_ place \_\_\_\_\_ business?

How \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ emergency?

I would like to \_\_\_\_\_ how \_\_\_\_\_ off \_\_\_\_\_ property's \_\_\_\_\_ necessary.

\_\_\_\_\_ do I \_\_\_\_\_ do to \_\_\_\_\_ off the main \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_?

What action \_\_\_\_\_ be \_\_\_\_\_ emergencies \_\_\_\_\_ off the \_\_\_\_\_ valve?

\_\_\_\_\_ main valve \_\_\_\_\_ in an emergency?

When \_\_\_\_\_ with an \_\_\_\_\_ how \_\_\_\_\_ I switch off \_\_\_\_\_ valve?

What \_\_\_\_\_ should I \_\_\_\_\_ order \_\_\_\_\_ down the \_\_\_\_\_ valve \_\_\_\_\_ premises?

\_\_\_\_\_ is an emergency, would \_\_\_\_\_ be wise \_\_\_\_\_ cut \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ should I take to shut off \_\_\_\_\_?

When it's \_\_\_\_\_ crisis, is \_\_\_\_\_ procedure \_\_\_\_\_ the \_\_\_\_\_ main valve?

Which measures \_\_\_\_\_ be used to quickly \_\_\_\_\_ down \_\_\_\_\_?

\_\_\_\_\_ arises, \_\_\_\_\_ do \_\_\_\_\_ shut \_\_\_\_\_ my main valve?

How can \_\_\_\_\_ valve \_\_\_\_\_ off?

Which measures \_\_\_\_\_ shut the \_\_\_\_\_ valve down quickly?  
 \_\_\_\_\_ should be \_\_\_\_\_ to turn off the \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ to switch off \_\_\_\_\_ central \_\_\_\_\_ indoors when necessary?  
 How would \_\_\_\_\_ turn \_\_\_\_\_ in the \_\_\_\_\_ of an \_\_\_\_\_?  
 How \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ emergency situation?  
 What \_\_\_\_\_ I do in \_\_\_\_\_ switch \_\_\_\_\_ main \_\_\_\_\_ in the \_\_\_\_\_?  
 \_\_\_\_\_ emergency, what is \_\_\_\_\_ procedure for \_\_\_\_\_ the \_\_\_\_\_ valve?  
 \_\_\_\_\_ should be \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ main valve?  
 \_\_\_\_\_ a \_\_\_\_\_ should I turn \_\_\_\_\_ main valve \_\_\_\_\_?  
 In emergency \_\_\_\_\_ I \_\_\_\_\_ down the main \_\_\_\_\_?  
 I \_\_\_\_\_ how to \_\_\_\_\_ there is an emergency.  
 How \_\_\_\_\_ I shut off \_\_\_\_\_ when there \_\_\_\_\_ emergencies?  
 What is the \_\_\_\_\_ for disabling the \_\_\_\_\_ place of \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ don't know \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ control point if there is \_\_\_\_\_.  
 What \_\_\_\_\_ be done \_\_\_\_\_ the central \_\_\_\_\_ off \_\_\_\_\_?  
 \_\_\_\_\_ can I remove \_\_\_\_\_ indoor \_\_\_\_\_ in \_\_\_\_\_?  
 Is \_\_\_\_\_ a procedure for \_\_\_\_\_ valve in \_\_\_\_\_ an emergency?  
 How would \_\_\_\_\_ the main valve \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ take to \_\_\_\_\_ off \_\_\_\_\_ primary valve?  
 \_\_\_\_\_ it's a crisis, \_\_\_\_\_ be \_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ main valve?  
 I need to kill \_\_\_\_\_ if \_\_\_\_\_ can \_\_\_\_\_ me what to \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ crisis, what is the process to turn off \_\_\_\_\_?  
 \_\_\_\_\_ taken to turn \_\_\_\_\_ main valve off?  
 Can I \_\_\_\_\_ if there is \_\_\_\_\_ emergency?  
 \_\_\_\_\_ is the \_\_\_\_\_ of turning \_\_\_\_\_ the \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ with \_\_\_\_\_ how \_\_\_\_\_ I turn off \_\_\_\_\_ main water valve \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ possible to turn off the \_\_\_\_\_ in an \_\_\_\_\_?  
 What needs \_\_\_\_\_ done to \_\_\_\_\_ off \_\_\_\_\_ main valve \_\_\_\_\_?  
 \_\_\_\_\_ I shut off \_\_\_\_\_ valve \_\_\_\_\_ there \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ there is an \_\_\_\_\_ what \_\_\_\_\_ process for \_\_\_\_\_ the \_\_\_\_\_?  
 In \_\_\_\_\_ of an emergency, what is the procedure \_\_\_\_\_?  
 What's the \_\_\_\_\_ for \_\_\_\_\_ main \_\_\_\_\_ inside when \_\_\_\_\_ emergency?  
 During \_\_\_\_\_ could \_\_\_\_\_ explain the procedure \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_?  
 How \_\_\_\_\_ we \_\_\_\_\_ off the \_\_\_\_\_ valve \_\_\_\_\_?  
 \_\_\_\_\_ case of an emergency \_\_\_\_\_ the \_\_\_\_\_ should \_\_\_\_\_ done?  
 \_\_\_\_\_ an \_\_\_\_\_ what \_\_\_\_\_ procedure \_\_\_\_\_ turning off \_\_\_\_\_ main valve?  
 \_\_\_\_\_ had \_\_\_\_\_ procedure would \_\_\_\_\_ used \_\_\_\_\_ shut down \_\_\_\_\_ main valve?  
 \_\_\_\_\_ we got \_\_\_\_\_ emergency, how do \_\_\_\_\_ shut down \_\_\_\_\_?  
 I \_\_\_\_\_ the \_\_\_\_\_ for shutting \_\_\_\_\_ valve during emergencies.  
 Is \_\_\_\_\_ shut \_\_\_\_\_ indoor main \_\_\_\_\_ during emergencies?  
 \_\_\_\_\_ can I \_\_\_\_\_ shut \_\_\_\_\_ main \_\_\_\_\_ in my premises \_\_\_\_\_ the event \_\_\_\_\_ an \_\_\_\_\_?  
 What's \_\_\_\_\_ the main valve?  
 Can you \_\_\_\_\_ tell \_\_\_\_\_ what \_\_\_\_\_ I have to \_\_\_\_\_ the main \_\_\_\_\_?  
 \_\_\_\_\_ would \_\_\_\_\_ turn \_\_\_\_\_ that valve \_\_\_\_\_ an emergency?  
 How \_\_\_\_\_ off the main \_\_\_\_\_ there's an \_\_\_\_\_?  
 How \_\_\_\_\_ the main \_\_\_\_\_ an \_\_\_\_\_?  
 If faced \_\_\_\_\_ crisis, \_\_\_\_\_ is \_\_\_\_\_ process \_\_\_\_\_ indoor control mechanism?  
 How do \_\_\_\_\_ stop \_\_\_\_\_ main \_\_\_\_\_ from \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ to shut \_\_\_\_\_ indoor main valve?  
 What \_\_\_\_\_ be done to \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ how do \_\_\_\_\_ down that main \_\_\_\_\_?

\_\_\_\_\_ emergencies \_\_\_\_\_ how do \_\_\_\_\_ indoor main valve?

\_\_\_\_\_ should I turn \_\_\_\_\_ there is a crisis?

How \_\_\_\_\_ I shut off \_\_\_\_\_ main valve \_\_\_\_\_?

If \_\_\_\_\_ is an emergency \_\_\_\_\_ turn off \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ disabling \_\_\_\_\_ internal \_\_\_\_\_ valve \_\_\_\_\_ an emergency?

\_\_\_\_\_ can \_\_\_\_\_ done \_\_\_\_\_ the \_\_\_\_\_ main valve off \_\_\_\_\_?

What's the procedure \_\_\_\_\_ off \_\_\_\_\_ if there \_\_\_\_\_ a crisis?

What's the procedure \_\_\_\_\_ the primary valve \_\_\_\_\_?

If \_\_\_\_\_ an emergency, how \_\_\_\_\_ cut off \_\_\_\_\_?

Should \_\_\_\_\_ off \_\_\_\_\_ main valve \_\_\_\_\_ a \_\_\_\_\_?

What are the steps \_\_\_\_\_ to shut down \_\_\_\_\_ in the \_\_\_\_\_ an emergency?

When it's a crisis, \_\_\_\_\_ procedure \_\_\_\_\_ shutting down \_\_\_\_\_ valve?

\_\_\_\_\_ there \_\_\_\_\_ procedure \_\_\_\_\_ down the main \_\_\_\_\_ in case \_\_\_\_\_ emergency?

When \_\_\_\_\_ an \_\_\_\_\_ situation, how would I turn \_\_\_\_\_?

If we \_\_\_\_\_ an \_\_\_\_\_ what \_\_\_\_\_ procedure \_\_\_\_\_ down \_\_\_\_\_ main valve?

If \_\_\_\_\_ an emergency, how about cutting \_\_\_\_\_?

What needs \_\_\_\_\_ be done to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ should be taken \_\_\_\_\_ quickly shut \_\_\_\_\_ main valve?

How to \_\_\_\_\_ main \_\_\_\_\_ during \_\_\_\_\_ emergencies?

I \_\_\_\_\_ shut \_\_\_\_\_ my main valve in the \_\_\_\_\_ an \_\_\_\_\_.

Is there a \_\_\_\_\_ off my property's \_\_\_\_\_ needed?

What \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ internal main valve?

When \_\_\_\_\_ an \_\_\_\_\_ I do \_\_\_\_\_ get \_\_\_\_\_ main valve disconnected?

When the indoor \_\_\_\_\_ trouble \_\_\_\_\_ is \_\_\_\_\_ procedure?

Is there \_\_\_\_\_ for \_\_\_\_\_ down the \_\_\_\_\_ valve during \_\_\_\_\_?

How \_\_\_\_\_ I shut \_\_\_\_\_ primary \_\_\_\_\_ in \_\_\_\_\_?

If \_\_\_\_\_ shutting down \_\_\_\_\_ primary \_\_\_\_\_ what should be done?

When the indoor \_\_\_\_\_ valve is \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there is an emergency, \_\_\_\_\_ can \_\_\_\_\_ main outlet?

\_\_\_\_\_ to shut \_\_\_\_\_ main valve in the event of \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_ during \_\_\_\_\_ emergency?

What actions have to be taken \_\_\_\_\_ an emergency \_\_\_\_\_?

\_\_\_\_\_ an indoor \_\_\_\_\_ valve \_\_\_\_\_ in trouble, \_\_\_\_\_ should \_\_\_\_\_ procedure \_\_\_\_\_?

\_\_\_\_\_ the main \_\_\_\_\_ were \_\_\_\_\_ be turned \_\_\_\_\_ should \_\_\_\_\_ do?

\_\_\_\_\_ do if there is \_\_\_\_\_ that necessitates \_\_\_\_\_ down \_\_\_\_\_ main \_\_\_\_\_?

how would \_\_\_\_\_ off that \_\_\_\_\_ was an \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ stop \_\_\_\_\_ main valve \_\_\_\_\_ my property \_\_\_\_\_?

\_\_\_\_\_ the precise \_\_\_\_\_ to turn \_\_\_\_\_ the \_\_\_\_\_ control \_\_\_\_\_ when \_\_\_\_\_ with \_\_\_\_\_ crisis?

What \_\_\_\_\_ procedure \_\_\_\_\_ turn off \_\_\_\_\_ control \_\_\_\_\_ if \_\_\_\_\_ face an \_\_\_\_\_ crisis?

\_\_\_\_\_ an emergency, how do I \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ scenario involving \_\_\_\_\_ main \_\_\_\_\_ shutdown \_\_\_\_\_?

What is the process \_\_\_\_\_ shutting \_\_\_\_\_ valve on \_\_\_\_\_ property \_\_\_\_\_ arises?

What steps \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ my property?

\_\_\_\_\_ there a \_\_\_\_\_ shutting the \_\_\_\_\_ valve \_\_\_\_\_ an emergency?

Is it possible to turn off \_\_\_\_\_ mechanism \_\_\_\_\_ there \_\_\_\_\_?

Can \_\_\_\_\_ show \_\_\_\_\_ how \_\_\_\_\_ off \_\_\_\_\_ property's central \_\_\_\_\_ when I need \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ the main valve when \_\_\_\_\_ you \_\_\_\_\_ what to \_\_\_\_\_?

What \_\_\_\_\_ to switch off the \_\_\_\_\_ main valve?

How \_\_\_\_\_ off \_\_\_\_\_ primary valve?

\_\_\_\_\_ the procedure in \_\_\_\_\_ of \_\_\_\_\_ turning off the \_\_\_\_\_ valve?  
\_\_\_\_\_ I go \_\_\_\_\_ disabling \_\_\_\_\_ indoor system's \_\_\_\_\_ to \_\_\_\_\_ emergencies?  
\_\_\_\_\_ I easily \_\_\_\_\_ off the main valve?  
\_\_\_\_\_ do I shut down \_\_\_\_\_ ?  
\_\_\_\_\_ should the \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ indoor control \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ crisis?  
In emergencies, what \_\_\_\_\_ must \_\_\_\_\_ the central valve?  
What steps should \_\_\_\_\_ if \_\_\_\_\_ have \_\_\_\_\_ down \_\_\_\_\_ valve?  
How \_\_\_\_\_ the main valve?  
\_\_\_\_\_ you \_\_\_\_\_ advice for deactivating the \_\_\_\_\_ isolator in \_\_\_\_\_ of \_\_\_\_\_ ?  
When \_\_\_\_\_ emergency, \_\_\_\_\_ the protocol for disabling the \_\_\_\_\_ valve \_\_\_\_\_ ?  
\_\_\_\_\_ I quickly \_\_\_\_\_ off the primary \_\_\_\_\_ system \_\_\_\_\_ an \_\_\_\_\_ ?  
Can there \_\_\_\_\_ shutting down \_\_\_\_\_ indoor main \_\_\_\_\_ ?  
\_\_\_\_\_ is \_\_\_\_\_ protocol \_\_\_\_\_ disabling the \_\_\_\_\_ at \_\_\_\_\_ of business in \_\_\_\_\_ emergency?  
\_\_\_\_\_ you tell \_\_\_\_\_ how I \_\_\_\_\_ off the \_\_\_\_\_ something \_\_\_\_\_ wrong?  
\_\_\_\_\_ should be \_\_\_\_\_ off the central valve?  
\_\_\_\_\_ emergency, \_\_\_\_\_ should I \_\_\_\_\_ to \_\_\_\_\_ the main valve?  
Will there be \_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_ valve?  
\_\_\_\_\_ there a way to \_\_\_\_\_ off \_\_\_\_\_ water \_\_\_\_\_ faced with \_\_\_\_\_ situation?  
Is it \_\_\_\_\_ to \_\_\_\_\_ off the \_\_\_\_\_ in \_\_\_\_\_ in \_\_\_\_\_ of an \_\_\_\_\_ ?  
How \_\_\_\_\_ disabling my internal primary \_\_\_\_\_ situations?  
How are \_\_\_\_\_ supposed to \_\_\_\_\_ off \_\_\_\_\_ there's \_\_\_\_\_ emergency?  
In \_\_\_\_\_ I shut down the \_\_\_\_\_ ?  
What \_\_\_\_\_ done \_\_\_\_\_ turn off the \_\_\_\_\_ main \_\_\_\_\_ ?  
\_\_\_\_\_ am I supposed to \_\_\_\_\_ my \_\_\_\_\_ valve in \_\_\_\_\_ ?  
I \_\_\_\_\_ to shut \_\_\_\_\_ the main valve \_\_\_\_\_ strikes.  
What actions have \_\_\_\_\_ be taken \_\_\_\_\_ turn off \_\_\_\_\_ an \_\_\_\_\_ ?  
If something hits the \_\_\_\_\_ what's \_\_\_\_\_ deal \_\_\_\_\_ valve?  
If there was an emergency, what \_\_\_\_\_ be for \_\_\_\_\_ ?  
What can I do \_\_\_\_\_ shut \_\_\_\_\_ main \_\_\_\_\_ ?  
\_\_\_\_\_ is the protocol for \_\_\_\_\_ valve \_\_\_\_\_ my premises \_\_\_\_\_ an \_\_\_\_\_ ?  
\_\_\_\_\_ a procedure \_\_\_\_\_ shutting \_\_\_\_\_ the inside main \_\_\_\_\_ emergencies?  
What is the \_\_\_\_\_ for shutting \_\_\_\_\_ if I have \_\_\_\_\_ ?  
\_\_\_\_\_ a way \_\_\_\_\_ the inside main \_\_\_\_\_ down \_\_\_\_\_ an \_\_\_\_\_ ?  
\_\_\_\_\_ be done \_\_\_\_\_ off the \_\_\_\_\_ valve in \_\_\_\_\_ emergency?  
Emergency \_\_\_\_\_ Should \_\_\_\_\_ valve \_\_\_\_\_ turned \_\_\_\_\_ ?  
Is \_\_\_\_\_ procedure \_\_\_\_\_ shut \_\_\_\_\_ inside main valve \_\_\_\_\_ an \_\_\_\_\_ ?  
What is \_\_\_\_\_ process \_\_\_\_\_ turning off \_\_\_\_\_ control \_\_\_\_\_ if \_\_\_\_\_ crisis?  
\_\_\_\_\_ there a \_\_\_\_\_ to shut \_\_\_\_\_ the \_\_\_\_\_ valve?  
What is the procedure for disabling the \_\_\_\_\_ a potential \_\_\_\_\_ ?  
What is \_\_\_\_\_ of shutting \_\_\_\_\_ valve in \_\_\_\_\_ property?  
How \_\_\_\_\_ I turn off \_\_\_\_\_ was an \_\_\_\_\_ ?  
\_\_\_\_\_ is \_\_\_\_\_ procedure \_\_\_\_\_ disabling the \_\_\_\_\_ there is a \_\_\_\_\_ emergency?  
\_\_\_\_\_ there \_\_\_\_\_ specific procedure for shutting \_\_\_\_\_ main \_\_\_\_\_ emergencies?  
\_\_\_\_\_ the \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve in my property?  
Which measures \_\_\_\_\_ be \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_ main \_\_\_\_\_ ?  
\_\_\_\_\_ I stop \_\_\_\_\_ from working in emergencies?  
How can \_\_\_\_\_ the \_\_\_\_\_ valve on \_\_\_\_\_ property?  
What \_\_\_\_\_ should \_\_\_\_\_ take \_\_\_\_\_ I need \_\_\_\_\_ switch off the \_\_\_\_\_ ?  
\_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ for shutting \_\_\_\_\_ main valve \_\_\_\_\_ my \_\_\_\_\_ .  
Emergency \_\_\_\_\_ Steps to turn off the \_\_\_\_\_ .

\_\_\_\_\_ y'all tell me what to \_\_\_\_\_ when everything goes wrong \_\_\_\_\_ valve?

During an emergency, what is \_\_\_\_\_ off \_\_\_\_\_ primary \_\_\_\_\_?

If \_\_\_\_\_ what's \_\_\_\_\_ for shutting down \_\_\_\_\_ main valve?

Is \_\_\_\_\_ possible to switch \_\_\_\_\_ my \_\_\_\_\_ needed suddenly?

Can you tell \_\_\_\_\_ what \_\_\_\_\_ wrong \_\_\_\_\_ have to kill \_\_\_\_\_ main valve?

\_\_\_\_\_ am I supposed to \_\_\_\_\_ the main \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ you have \_\_\_\_\_ specific procedure for \_\_\_\_\_ inside main \_\_\_\_\_?

In case of \_\_\_\_\_ emergency what \_\_\_\_\_ the procedure for \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ turn \_\_\_\_\_ the main \_\_\_\_\_ my home?

\_\_\_\_\_ are the \_\_\_\_\_ I should \_\_\_\_\_ to \_\_\_\_\_ main valve?

How do \_\_\_\_\_ the main valve \_\_\_\_\_ emergency?

\_\_\_\_\_ should I turn \_\_\_\_\_ the valve \_\_\_\_\_ emergency?

How \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ valve in \_\_\_\_\_ emergency?

Can \_\_\_\_\_ me a \_\_\_\_\_ to \_\_\_\_\_ off my \_\_\_\_\_ central control \_\_\_\_\_ I \_\_\_\_\_?

What \_\_\_\_\_ I \_\_\_\_\_ to turn \_\_\_\_\_ valve?

If stuff hits \_\_\_\_\_ fan, what \_\_\_\_\_ deal \_\_\_\_\_ main \_\_\_\_\_?

How should \_\_\_\_\_ shut down \_\_\_\_\_?

Instructions \_\_\_\_\_ as the \_\_\_\_\_ internal \_\_\_\_\_ progress is \_\_\_\_\_.

When \_\_\_\_\_ loose \_\_\_\_\_ to kill my main \_\_\_\_\_ should \_\_\_\_\_ do?

\_\_\_\_\_ my \_\_\_\_\_ off in \_\_\_\_\_ emergency?

What's \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ valve indoors \_\_\_\_\_ of an \_\_\_\_\_?

Procedure \_\_\_\_\_ shutting \_\_\_\_\_ the indoor \_\_\_\_\_ valve \_\_\_\_\_ a \_\_\_\_\_?

If \_\_\_\_\_ emergency, \_\_\_\_\_ follow to shut off \_\_\_\_\_ main valve?

How \_\_\_\_\_ off \_\_\_\_\_ main valve during \_\_\_\_\_ crisis?

Is \_\_\_\_\_ shut \_\_\_\_\_ that \_\_\_\_\_ valve in an \_\_\_\_\_?

Emergency \_\_\_\_\_ shut off \_\_\_\_\_ valve.

What \_\_\_\_\_ do to \_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_?

\_\_\_\_\_ we had an emergency, \_\_\_\_\_ we \_\_\_\_\_ to shut \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ want to know \_\_\_\_\_ my \_\_\_\_\_ valve during emergencies.

What's \_\_\_\_\_ to shut \_\_\_\_\_ the main \_\_\_\_\_ house?

\_\_\_\_\_ shut \_\_\_\_\_ my main \_\_\_\_\_ in the event of \_\_\_\_\_?

There \_\_\_\_\_ an \_\_\_\_\_ how to \_\_\_\_\_ the main \_\_\_\_\_?

\_\_\_\_\_ please; \_\_\_\_\_ internal \_\_\_\_\_ progress urgent.

\_\_\_\_\_ should be used \_\_\_\_\_ shut down the \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ do I switch \_\_\_\_\_ my \_\_\_\_\_ central control \_\_\_\_\_ need \_\_\_\_\_?

If \_\_\_\_\_ arises, what steps do \_\_\_\_\_ to shut \_\_\_\_\_ main \_\_\_\_\_?

If \_\_\_\_\_ emergency, \_\_\_\_\_ there be \_\_\_\_\_ cutting off the \_\_\_\_\_ outlet?

Should I follow a \_\_\_\_\_ shut off \_\_\_\_\_ in \_\_\_\_\_ emergency?

\_\_\_\_\_ you do \_\_\_\_\_ shut \_\_\_\_\_ valve in emergencies?

\_\_\_\_\_ be done to turn off \_\_\_\_\_ primary \_\_\_\_\_ there is \_\_\_\_\_?

What is \_\_\_\_\_ for \_\_\_\_\_ down the \_\_\_\_\_ if \_\_\_\_\_ it?

What's \_\_\_\_\_ procedure \_\_\_\_\_ main valve \_\_\_\_\_?

\_\_\_\_\_ for turning off the \_\_\_\_\_ valve \_\_\_\_\_ there's \_\_\_\_\_ emergency?

How \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ place?

If there is \_\_\_\_\_ how \_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_?

How \_\_\_\_\_ I \_\_\_\_\_ my main \_\_\_\_\_?

Can \_\_\_\_\_ the \_\_\_\_\_ for shutting off the \_\_\_\_\_ in my \_\_\_\_\_ during \_\_\_\_\_?

What \_\_\_\_\_ do I need \_\_\_\_\_ event \_\_\_\_\_ an emergency \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve?

When \_\_\_\_\_ are \_\_\_\_\_ do \_\_\_\_\_ shut \_\_\_\_\_ main valve?

\_\_\_\_\_ do \_\_\_\_\_ the premises \_\_\_\_\_ valve during \_\_\_\_\_ emergency?

\_\_\_\_\_ I \_\_\_\_\_ if the valve \_\_\_\_\_ place \_\_\_\_\_ off?  
 When the \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ what should \_\_\_\_\_?  
 \_\_\_\_\_ trouble, what happens \_\_\_\_\_ indoor main \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ main valve in an \_\_\_\_\_?  
 What \_\_\_\_\_ to \_\_\_\_\_ the primary \_\_\_\_\_ in an emergency?  
 Is \_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ home?  
 \_\_\_\_\_ would like to know \_\_\_\_\_ for \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ home during \_\_\_\_\_.  
 How'd \_\_\_\_\_ turn \_\_\_\_\_ an emergency happens?  
 What is \_\_\_\_\_ turning off \_\_\_\_\_ when there is an \_\_\_\_\_?  
 \_\_\_\_\_ I shut \_\_\_\_\_ my \_\_\_\_\_ during an emergency  
 \_\_\_\_\_ shut off \_\_\_\_\_ valve in \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ best \_\_\_\_\_ to turn off the main \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ what would we \_\_\_\_\_ shut down the main \_\_\_\_\_?  
 \_\_\_\_\_ on \_\_\_\_\_ property should \_\_\_\_\_ shut off.  
 \_\_\_\_\_ do \_\_\_\_\_ stop my \_\_\_\_\_ in case \_\_\_\_\_ emergency?  
 How can you turn \_\_\_\_\_ an emergency?  
 What's \_\_\_\_\_ process \_\_\_\_\_ shutting off \_\_\_\_\_ valve \_\_\_\_\_ emergency?  
 What's \_\_\_\_\_ procedure \_\_\_\_\_ disabling the \_\_\_\_\_ valve \_\_\_\_\_ place \_\_\_\_\_ business?  
 \_\_\_\_\_ steps should I take if I \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ premises?  
 What \_\_\_\_\_ of turning \_\_\_\_\_ the primary valve inside \_\_\_\_\_?  
 How \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ off the premises main \_\_\_\_\_ during \_\_\_\_\_ crisis?  
 What should \_\_\_\_\_ the event of an \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_?  
 Is it \_\_\_\_\_ to turn off \_\_\_\_\_ valve \_\_\_\_\_ my premises \_\_\_\_\_?  
 \_\_\_\_\_ am I \_\_\_\_\_ off that \_\_\_\_\_ if \_\_\_\_\_ is an \_\_\_\_\_?  
 When there are \_\_\_\_\_ do \_\_\_\_\_ shut \_\_\_\_\_ main \_\_\_\_\_?  
 What is the process \_\_\_\_\_ turning \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ I turn \_\_\_\_\_ main \_\_\_\_\_ in emergency situations?  
 How \_\_\_\_\_ turn \_\_\_\_\_ the premises \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ steps \_\_\_\_\_ I need \_\_\_\_\_ to \_\_\_\_\_ down the main \_\_\_\_\_ in the event of \_\_\_\_\_ emergency?  
 \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ during an \_\_\_\_\_?  
 An urgent \_\_\_\_\_ the \_\_\_\_\_ shutdown \_\_\_\_\_?  
 In case of \_\_\_\_\_ emergency, \_\_\_\_\_ protocol \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ valve on \_\_\_\_\_?  
 When \_\_\_\_\_ main \_\_\_\_\_ immediately \_\_\_\_\_ all hell breaks loose, what \_\_\_\_\_ do?  
 Can I \_\_\_\_\_ off \_\_\_\_\_ during \_\_\_\_\_?  
 I \_\_\_\_\_ for \_\_\_\_\_ main valve \_\_\_\_\_ my home during \_\_\_\_\_.  
 \_\_\_\_\_ there is \_\_\_\_\_ what \_\_\_\_\_ should \_\_\_\_\_ to shut off \_\_\_\_\_ valve?  
 What steps are taken \_\_\_\_\_ turn \_\_\_\_\_ quickly?  
 What should \_\_\_\_\_ do if my \_\_\_\_\_ valve \_\_\_\_\_?  
 In \_\_\_\_\_ I shut \_\_\_\_\_ main valve?  
 What do I \_\_\_\_\_ to \_\_\_\_\_ to shut \_\_\_\_\_?  
 When \_\_\_\_\_ trouble, what is the procedure \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ what \_\_\_\_\_ I \_\_\_\_\_ get \_\_\_\_\_ main valve disconnected?  
 Should I \_\_\_\_\_ the \_\_\_\_\_ my property if the crisis \_\_\_\_\_?  
 If \_\_\_\_\_ crisis, what is the procedure to \_\_\_\_\_ principal \_\_\_\_\_ control \_\_\_\_\_?  
 If we \_\_\_\_\_ an \_\_\_\_\_ what is \_\_\_\_\_ shut down that \_\_\_\_\_?  
 What should I do when \_\_\_\_\_ goes \_\_\_\_\_ have \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ I use in \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ main valve?  
 \_\_\_\_\_ turn that valve off \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ indoor main valve is \_\_\_\_\_ trouble?



\_\_\_\_\_ I supposed \_\_\_\_\_ shut my \_\_\_\_\_ off during an \_\_\_\_\_?  
 How \_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ emergencies?  
 \_\_\_\_\_ there \_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_ valve during a \_\_\_\_\_?  
 When an \_\_\_\_\_ trouble, what should be \_\_\_\_\_?  
 \_\_\_\_\_ should \_\_\_\_\_ about disabling \_\_\_\_\_ system's gateway \_\_\_\_\_ emergencies?  
 How can \_\_\_\_\_ shut \_\_\_\_\_ in an emergency?  
 \_\_\_\_\_ the central valve \_\_\_\_\_ in an emergency?  
 What steps \_\_\_\_\_ I \_\_\_\_\_ switch off the \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ the procedure \_\_\_\_\_ disabling \_\_\_\_\_ main \_\_\_\_\_ inside \_\_\_\_\_ emergency?  
 What can be done to turn \_\_\_\_\_ central \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ facing \_\_\_\_\_ situation, how should \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ valve?  
 When \_\_\_\_\_ a \_\_\_\_\_ to shut \_\_\_\_\_ the indoor \_\_\_\_\_?  
 Can \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ control point \_\_\_\_\_ there is \_\_\_\_\_?  
 I \_\_\_\_\_ about shutting \_\_\_\_\_ main \_\_\_\_\_ inside my home \_\_\_\_\_ emergency.  
 \_\_\_\_\_ should an \_\_\_\_\_ terminated when in trouble?  
 \_\_\_\_\_ I take \_\_\_\_\_ I need \_\_\_\_\_ kill my main \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ switch \_\_\_\_\_ property's central \_\_\_\_\_ indoors, \_\_\_\_\_ you tell me the \_\_\_\_\_?  
 \_\_\_\_\_ I have an emergency, \_\_\_\_\_ I do \_\_\_\_\_ shut \_\_\_\_\_ valve?  
 \_\_\_\_\_ you \_\_\_\_\_ a protocol \_\_\_\_\_ cutting \_\_\_\_\_ the main outlet \_\_\_\_\_?  
 \_\_\_\_\_ procedure for \_\_\_\_\_ down indoor main \_\_\_\_\_ a crisis?  
 \_\_\_\_\_ do I \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ when \_\_\_\_\_ crisis occurs?  
 \_\_\_\_\_ steps are \_\_\_\_\_ to quickly \_\_\_\_\_ the \_\_\_\_\_ main \_\_\_\_\_?  
 How \_\_\_\_\_ off the \_\_\_\_\_ during a crisis.  
 What \_\_\_\_\_ the \_\_\_\_\_ to cut \_\_\_\_\_ the indoor \_\_\_\_\_?  
 What \_\_\_\_\_ the best way \_\_\_\_\_ valve in an \_\_\_\_\_?  
 \_\_\_\_\_ is the process for \_\_\_\_\_ main valve \_\_\_\_\_ an \_\_\_\_\_?  
 How does \_\_\_\_\_ the \_\_\_\_\_ go?  
 \_\_\_\_\_ you \_\_\_\_\_ me the \_\_\_\_\_ off my property's central control \_\_\_\_\_?  
 Can I turn \_\_\_\_\_ the \_\_\_\_\_ an emergency?  
 How \_\_\_\_\_ you \_\_\_\_\_ valve \_\_\_\_\_ there was an \_\_\_\_\_?  
 If \_\_\_\_\_ an emergency, \_\_\_\_\_ I turn off \_\_\_\_\_?  
 I'd \_\_\_\_\_ to \_\_\_\_\_ switch off my \_\_\_\_\_ central control \_\_\_\_\_ when \_\_\_\_\_.  
 What \_\_\_\_\_ it \_\_\_\_\_ off the \_\_\_\_\_ main valve \_\_\_\_\_ an \_\_\_\_\_?  
 What \_\_\_\_\_ do to \_\_\_\_\_ down \_\_\_\_\_ main \_\_\_\_\_ quickly?  
 If \_\_\_\_\_ arises, \_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ down \_\_\_\_\_ main \_\_\_\_\_ on \_\_\_\_\_ property?  
 In emergency \_\_\_\_\_ must \_\_\_\_\_ done to \_\_\_\_\_ off the \_\_\_\_\_?  
 What \_\_\_\_\_ the procedure \_\_\_\_\_ disabling the main \_\_\_\_\_ inside \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ way to turn \_\_\_\_\_ the internal main \_\_\_\_\_?  
 I need \_\_\_\_\_ off the \_\_\_\_\_ inside my home during \_\_\_\_\_.  
 \_\_\_\_\_ with \_\_\_\_\_ urgent situation, how \_\_\_\_\_ I switch \_\_\_\_\_ the \_\_\_\_\_ valve?  
 What \_\_\_\_\_ the procedure \_\_\_\_\_ down \_\_\_\_\_ valve if we \_\_\_\_\_?  
 \_\_\_\_\_ can I shut \_\_\_\_\_ the \_\_\_\_\_?  
 What is \_\_\_\_\_ procedure of \_\_\_\_\_ off \_\_\_\_\_ if there is \_\_\_\_\_?  
 Emergency \_\_\_\_\_ Turn \_\_\_\_\_ the main \_\_\_\_\_ in \_\_\_\_\_?  
 What \_\_\_\_\_ should I \_\_\_\_\_ to shut \_\_\_\_\_ valve?  
 \_\_\_\_\_ can \_\_\_\_\_ do to stop the \_\_\_\_\_ circumstances?  
 \_\_\_\_\_ a \_\_\_\_\_ the procedure \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_ main valve?  
 Is it \_\_\_\_\_ to turn \_\_\_\_\_ my main \_\_\_\_\_ faced with \_\_\_\_\_?  
 I'm not \_\_\_\_\_ I \_\_\_\_\_ to kill my main \_\_\_\_\_ quickly.  
 how do I \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ emergency?

Should I \_\_\_\_\_ main \_\_\_\_\_ an emergency?

During on-site \_\_\_\_\_ do I \_\_\_\_\_ the \_\_\_\_\_ system?

What do \_\_\_\_\_ the water in \_\_\_\_\_ house?

\_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_ will \_\_\_\_\_ need \_\_\_\_\_ do \_\_\_\_\_ shut down \_\_\_\_\_ valve?

\_\_\_\_\_ I need to switch \_\_\_\_\_ you give me a \_\_\_\_\_?

What \_\_\_\_\_ the premises' primary valve \_\_\_\_\_ an emergency?

\_\_\_\_\_ do \_\_\_\_\_ turn off my main \_\_\_\_\_ to?

\_\_\_\_\_ I \_\_\_\_\_ switch off the indoor main \_\_\_\_\_?

When \_\_\_\_\_ main valve \_\_\_\_\_ malfunctioning, \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ down?

How should I \_\_\_\_\_ the main \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ emergency, \_\_\_\_\_ can \_\_\_\_\_ do to turn \_\_\_\_\_ the main \_\_\_\_\_?

In \_\_\_\_\_ emergency \_\_\_\_\_ shut \_\_\_\_\_ that main valve?

What \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve in \_\_\_\_\_ of an emergency?

\_\_\_\_\_ switch off \_\_\_\_\_ central control when I need it?

\_\_\_\_\_ things \_\_\_\_\_ the fan, \_\_\_\_\_ the deal with \_\_\_\_\_ off \_\_\_\_\_ valve?

\_\_\_\_\_ there \_\_\_\_\_ specific procedure \_\_\_\_\_ shutting \_\_\_\_\_ main \_\_\_\_\_ down?

How do you \_\_\_\_\_ off \_\_\_\_\_ primary \_\_\_\_\_?

\_\_\_\_\_ off \_\_\_\_\_ valve?

How do I proceed \_\_\_\_\_ turning \_\_\_\_\_ inside \_\_\_\_\_ there \_\_\_\_\_ a crisis?

\_\_\_\_\_ should I \_\_\_\_\_ main valve in \_\_\_\_\_ emergency?

If \_\_\_\_\_ an emergency \_\_\_\_\_ shutting down the \_\_\_\_\_ what \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ the \_\_\_\_\_ of shutting off \_\_\_\_\_ valve \_\_\_\_\_ home during emergencies.

When in trouble, what \_\_\_\_\_ procedure \_\_\_\_\_ down \_\_\_\_\_ valve?

\_\_\_\_\_ faced with \_\_\_\_\_ situation, how \_\_\_\_\_ I turn \_\_\_\_\_ main water \_\_\_\_\_?

How can \_\_\_\_\_ indoor \_\_\_\_\_ valve \_\_\_\_\_ disabled in \_\_\_\_\_?

\_\_\_\_\_ on! Turn \_\_\_\_\_ indoors?

What actions \_\_\_\_\_ taken \_\_\_\_\_ emergency \_\_\_\_\_ turn off \_\_\_\_\_ central \_\_\_\_\_?

\_\_\_\_\_ measures should \_\_\_\_\_ used \_\_\_\_\_ rapidly \_\_\_\_\_ down \_\_\_\_\_ indoor \_\_\_\_\_ valve?

\_\_\_\_\_ do \_\_\_\_\_ get \_\_\_\_\_ valve to shut \_\_\_\_\_ an emergency?

I \_\_\_\_\_ to do if I \_\_\_\_\_ turn \_\_\_\_\_ the main \_\_\_\_\_.

\_\_\_\_\_ I turn \_\_\_\_\_ main \_\_\_\_\_ if \_\_\_\_\_ have a crisis?

In an \_\_\_\_\_ can \_\_\_\_\_ the main \_\_\_\_\_?

What is the \_\_\_\_\_ main valve \_\_\_\_\_ house?

When \_\_\_\_\_ an emergency, what \_\_\_\_\_ I need to do \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ would like to know how to \_\_\_\_\_ main \_\_\_\_\_ during emergencies.

How should \_\_\_\_\_ shut down \_\_\_\_\_ so quickly?

Instructions \_\_\_\_\_ the \_\_\_\_\_ pipe shutoff \_\_\_\_\_.

When \_\_\_\_\_ is the procedure for shutting \_\_\_\_\_ the \_\_\_\_\_?

I need to \_\_\_\_\_ how \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ home \_\_\_\_\_ an emergency.

How \_\_\_\_\_ I get rid \_\_\_\_\_ main \_\_\_\_\_ point if \_\_\_\_\_ crisis?

\_\_\_\_\_ should \_\_\_\_\_ do in an \_\_\_\_\_ to \_\_\_\_\_ indoor main valve?

The \_\_\_\_\_ on-site should \_\_\_\_\_ shut down in \_\_\_\_\_ an \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ what to do \_\_\_\_\_ go awry and I \_\_\_\_\_ kill \_\_\_\_\_ main \_\_\_\_\_?

How'd I turn \_\_\_\_\_ if I \_\_\_\_\_?

\_\_\_\_\_ process for shutting off \_\_\_\_\_?

\_\_\_\_\_ can we shut \_\_\_\_\_ primary \_\_\_\_\_ in \_\_\_\_\_?

What \_\_\_\_\_ happen \_\_\_\_\_ the \_\_\_\_\_ shut \_\_\_\_\_ in an emergency?

\_\_\_\_\_ an emergency, what \_\_\_\_\_ I do \_\_\_\_\_ shut \_\_\_\_\_ off?

\_\_\_\_\_ it possible \_\_\_\_\_ shut \_\_\_\_\_ the primary valve \_\_\_\_\_.

\_\_\_\_\_ would \_\_\_\_\_ stop \_\_\_\_\_ valve thing if there \_\_\_\_\_?

In an emergency, what \_\_\_\_ I \_\_\_\_ shut down \_\_\_\_ main \_\_\_\_?  
\_\_\_\_ might \_\_\_\_ shut \_\_\_\_ primary \_\_\_\_ in emergencies?  
\_\_\_\_ process for shutting \_\_\_\_ the main \_\_\_\_ if I \_\_\_\_ emergency?  
In \_\_\_\_ an emergency, what is the procedure \_\_\_\_ disabling \_\_\_\_?  
What \_\_\_\_ need \_\_\_\_ take in the event \_\_\_\_ an \_\_\_\_ shut \_\_\_\_ the \_\_\_\_ valve?  
I need \_\_\_\_ off \_\_\_\_ main valve \_\_\_\_ my home in \_\_\_\_.  
In \_\_\_\_ emergency, \_\_\_\_ do you turn \_\_\_\_ the \_\_\_\_?  
An \_\_\_\_ regarding the main \_\_\_\_?  
If faced \_\_\_\_ crisis, \_\_\_\_ procedure is \_\_\_\_ indoor control mechanism?  
What can be \_\_\_\_ to turn off \_\_\_\_?  
\_\_\_\_ primary valve on-site \_\_\_\_ shut down \_\_\_\_ emergency?  
In \_\_\_\_ an \_\_\_\_ is used to \_\_\_\_ off the main \_\_\_\_?  
How can I quickly switch \_\_\_\_ internal system \_\_\_\_ an \_\_\_\_?  
How \_\_\_\_ I \_\_\_\_ my \_\_\_\_ in emergencies?  
In \_\_\_\_ emergency, what must \_\_\_\_ to \_\_\_\_ valve inside?  
When the \_\_\_\_ valve is \_\_\_\_ how \_\_\_\_ down?  
\_\_\_\_ what should be done to \_\_\_\_ off \_\_\_\_ valve?  
How \_\_\_\_ I supposed \_\_\_\_ the primary internal \_\_\_\_ during \_\_\_\_?  
How can \_\_\_\_ turn \_\_\_\_ the main \_\_\_\_ during \_\_\_\_?  
How \_\_\_\_ I \_\_\_\_ the main \_\_\_\_ working during \_\_\_\_?  
\_\_\_\_ protocol \_\_\_\_ disabling the main \_\_\_\_ inside?  
\_\_\_\_ there \_\_\_\_ emergency to \_\_\_\_ off \_\_\_\_ main \_\_\_\_ should I do?  
\_\_\_\_ should I \_\_\_\_ in \_\_\_\_ emergency to \_\_\_\_ valve off?  
If there \_\_\_\_ emergency, what \_\_\_\_ the steps \_\_\_\_ to \_\_\_\_ shut \_\_\_\_ the \_\_\_\_ valve?  
How would \_\_\_\_ off my \_\_\_\_ in \_\_\_\_ emergency?  
\_\_\_\_ do I switch \_\_\_\_ the \_\_\_\_ during \_\_\_\_?  
How \_\_\_\_ shut \_\_\_\_ the main valve \_\_\_\_ there \_\_\_\_.  
What should \_\_\_\_ procedure \_\_\_\_ turning off the \_\_\_\_ mechanism \_\_\_\_ an \_\_\_\_ crisis?  
In an \_\_\_\_ what \_\_\_\_ we \_\_\_\_ turn off \_\_\_\_ valve?  
\_\_\_\_ you give me a \_\_\_\_ for \_\_\_\_ off \_\_\_\_ central \_\_\_\_ when \_\_\_\_?  
What \_\_\_\_ be \_\_\_\_ regards to shutting down \_\_\_\_?  
\_\_\_\_ there was \_\_\_\_ emergency \_\_\_\_ turn off \_\_\_\_ main valve, \_\_\_\_ I \_\_\_\_?  
What \_\_\_\_ the process \_\_\_\_ primary valve \_\_\_\_ during an \_\_\_\_?  
What's the \_\_\_\_ for \_\_\_\_ the main \_\_\_\_ inside \_\_\_\_ potential \_\_\_\_?  
\_\_\_\_ when \_\_\_\_ primary valve is turned off?  
What actions must \_\_\_\_ taken \_\_\_\_ turn \_\_\_\_ central \_\_\_\_ emergency?  
What \_\_\_\_ down the main valve \_\_\_\_ my \_\_\_\_ event of an emergency?  
\_\_\_\_ are the \_\_\_\_ I \_\_\_\_ take to shut off \_\_\_\_ main \_\_\_\_ an emergency?  
Is that valve \_\_\_\_ turned \_\_\_\_ there \_\_\_\_ an emergency?  
\_\_\_\_ it's a \_\_\_\_ for shutting \_\_\_\_ the indoor \_\_\_\_ valve?  
\_\_\_\_ an emergency arises, what is \_\_\_\_ procedure \_\_\_\_ shutting \_\_\_\_ main \_\_\_\_ property?  
\_\_\_\_ like to \_\_\_\_ how to shut \_\_\_\_ main \_\_\_\_ an emergency.  
\_\_\_\_ are \_\_\_\_ steps taken to \_\_\_\_ main valve?  
When \_\_\_\_ indoor \_\_\_\_ valve \_\_\_\_ crisis, \_\_\_\_ be the \_\_\_\_ for shutting it \_\_\_\_?  
\_\_\_\_ am I \_\_\_\_ to turn \_\_\_\_ the valve \_\_\_\_ an \_\_\_\_?  
\_\_\_\_ there \_\_\_\_ trouble \_\_\_\_ indoor \_\_\_\_ valve, what's the \_\_\_\_?  
Can \_\_\_\_ what I \_\_\_\_ do when things go \_\_\_\_ and \_\_\_\_ kill \_\_\_\_ main valve?  
Should \_\_\_\_ close the \_\_\_\_ my \_\_\_\_ in \_\_\_\_ event of \_\_\_\_ emergency?  
\_\_\_\_ trouble, what \_\_\_\_ the procedure to \_\_\_\_ the \_\_\_\_ valve?  
How should \_\_\_\_ proceed with \_\_\_\_ off \_\_\_\_ point?

\_\_\_\_\_ should I turn \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ ?

I need to \_\_\_\_\_ the main \_\_\_\_\_ but \_\_\_\_\_ you tell me what \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ emergency, what should \_\_\_\_\_ do \_\_\_\_\_ the main \_\_\_\_\_ my premises?

I \_\_\_\_\_ question about \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ during emergencies.

\_\_\_\_\_ the protocol for disabling the main valve indoors \_\_\_\_\_ ?

Which \_\_\_\_\_ needed \_\_\_\_\_ quickly \_\_\_\_\_ the \_\_\_\_\_ main valve?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ down the \_\_\_\_\_ valve when \_\_\_\_\_ arises?

I \_\_\_\_\_ to \_\_\_\_\_ the indoor \_\_\_\_\_ valve \_\_\_\_\_ an \_\_\_\_\_.

Which \_\_\_\_\_ should be \_\_\_\_\_ for shutting \_\_\_\_\_ inside?

Can \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ main valve?

\_\_\_\_\_ there's an emergency, what \_\_\_\_\_ do with \_\_\_\_\_ ?

\_\_\_\_\_ off the \_\_\_\_\_ ?

\_\_\_\_\_ you shut down \_\_\_\_\_ valve \_\_\_\_\_ property \_\_\_\_\_ event of an emergency?

\_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ valve in \_\_\_\_\_ place?

\_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_ the \_\_\_\_\_ case of an emergency?

Can you tell \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ when all goes wrong, \_\_\_\_\_ the \_\_\_\_\_ valve?

Is \_\_\_\_\_ to switch off the \_\_\_\_\_ during emergencies?

Which steps \_\_\_\_\_ I \_\_\_\_\_ shut \_\_\_\_\_ indoor \_\_\_\_\_ down?

\_\_\_\_\_ do \_\_\_\_\_ shut off my \_\_\_\_\_ valve when \_\_\_\_\_ is \_\_\_\_\_ ?

What should \_\_\_\_\_ to turn off \_\_\_\_\_ valve \_\_\_\_\_ an \_\_\_\_\_ ?

Instructions please \_\_\_\_\_ internal \_\_\_\_\_ shutoff \_\_\_\_\_ is \_\_\_\_\_.

Can you show \_\_\_\_\_ off my \_\_\_\_\_ control indoors when \_\_\_\_\_ ?

\_\_\_\_\_ of an emergency, \_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ my \_\_\_\_\_ ?

Do I have \_\_\_\_\_ turn \_\_\_\_\_ if there is \_\_\_\_\_ ?

\_\_\_\_\_ measures should I \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ valve quickly?

\_\_\_\_\_ is \_\_\_\_\_ for shutting down the inside \_\_\_\_\_ valve.

\_\_\_\_\_ the \_\_\_\_\_ premise's principal \_\_\_\_\_ in case \_\_\_\_\_ an emergency?

\_\_\_\_\_ is the \_\_\_\_\_ turn off \_\_\_\_\_ main \_\_\_\_\_ in an \_\_\_\_\_ ?

\_\_\_\_\_ steps \_\_\_\_\_ I take to quickly \_\_\_\_\_ the \_\_\_\_\_ valve?

\_\_\_\_\_ to \_\_\_\_\_ how \_\_\_\_\_ shut \_\_\_\_\_ main valve \_\_\_\_\_ home during an emergency.

How do I \_\_\_\_\_ off \_\_\_\_\_ system \_\_\_\_\_ goes off?

Can \_\_\_\_\_ turn \_\_\_\_\_ valve in an \_\_\_\_\_ ?

\_\_\_\_\_ with an urgent \_\_\_\_\_ I turn \_\_\_\_\_ the \_\_\_\_\_ on my house?

\_\_\_\_\_ is the \_\_\_\_\_ for disabling \_\_\_\_\_ indoors in \_\_\_\_\_ event of \_\_\_\_\_ ?

What \_\_\_\_\_ must \_\_\_\_\_ to \_\_\_\_\_ the central \_\_\_\_\_ during emergencies?

During \_\_\_\_\_ can be \_\_\_\_\_ to \_\_\_\_\_ off the primary \_\_\_\_\_ ?

\_\_\_\_\_ a protocol for \_\_\_\_\_ main valve \_\_\_\_\_ the event of \_\_\_\_\_ ?

\_\_\_\_\_ had \_\_\_\_\_ what would \_\_\_\_\_ procedure \_\_\_\_\_ for \_\_\_\_\_ down the \_\_\_\_\_ valve?

What \_\_\_\_\_ be done \_\_\_\_\_ turn \_\_\_\_\_ valve during \_\_\_\_\_ ?

\_\_\_\_\_ shut down the main valve \_\_\_\_\_ property \_\_\_\_\_ case of an \_\_\_\_\_ ?

\_\_\_\_\_ a \_\_\_\_\_ for shutting down \_\_\_\_\_ during emergencies?

\_\_\_\_\_ do I \_\_\_\_\_ off my \_\_\_\_\_ valve in case \_\_\_\_\_ ?

If \_\_\_\_\_ emergency happens, \_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ ?

\_\_\_\_\_ arises, should there \_\_\_\_\_ procedure for \_\_\_\_\_ the indoor main \_\_\_\_\_ ?

Do \_\_\_\_\_ the steps \_\_\_\_\_ disabling my internal \_\_\_\_\_ ?

What is the \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ at my place \_\_\_\_\_ an \_\_\_\_\_ ?

How \_\_\_\_\_ off my \_\_\_\_\_ main \_\_\_\_\_ ?

\_\_\_\_\_ what procedure \_\_\_\_\_ used to shut down the \_\_\_\_\_ main \_\_\_\_\_ ?

What is \_\_\_\_\_ recommended \_\_\_\_\_ for deactivating \_\_\_\_\_ facility's \_\_\_\_\_ in the \_\_\_\_\_ urgent \_\_\_\_\_ ?

\_\_\_\_\_ to \_\_\_\_\_ my main valve in \_\_\_\_\_ ?

\_\_\_\_\_ to know how to turn \_\_\_\_\_ main valve \_\_\_\_\_.

\_\_\_\_\_ case of \_\_\_\_\_ I do to \_\_\_\_\_ main valve on \_\_\_\_\_ property?

\_\_\_\_\_ you tell \_\_\_\_\_ how \_\_\_\_\_ switch \_\_\_\_\_ central control when \_\_\_\_\_ need it \_\_\_\_\_?

\_\_\_\_\_ procedure \_\_\_\_\_ shutting \_\_\_\_\_ the main valve \_\_\_\_\_ case \_\_\_\_\_ emergency?

Should I \_\_\_\_\_ the \_\_\_\_\_ place \_\_\_\_\_ bad \_\_\_\_\_ happen?

Shutting \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ procedure for \_\_\_\_\_ down the \_\_\_\_\_ valve during \_\_\_\_\_ emergency?

What steps \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ the central \_\_\_\_\_?

\_\_\_\_\_ urgent scenario \_\_\_\_\_ main valve shutdown \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ any way \_\_\_\_\_ shut off my \_\_\_\_\_?

How \_\_\_\_\_ steps taken to \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ shutting \_\_\_\_\_ inside main \_\_\_\_\_ in an emergency?

\_\_\_\_\_ I \_\_\_\_\_ indoor main valve \_\_\_\_\_ an emergency?

\_\_\_\_\_ with turning off the \_\_\_\_\_ inside \_\_\_\_\_ point if there \_\_\_\_\_ a \_\_\_\_\_?

How \_\_\_\_\_ I switch off the \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ in trouble, \_\_\_\_\_ the \_\_\_\_\_ the main valve?

\_\_\_\_\_ how \_\_\_\_\_ shut off \_\_\_\_\_ valve?

\_\_\_\_\_ I \_\_\_\_\_ an \_\_\_\_\_ how do \_\_\_\_\_ off \_\_\_\_\_ main valve?

Is there a \_\_\_\_\_ premises main \_\_\_\_\_ in \_\_\_\_\_ emergency?

What's \_\_\_\_\_ deal with \_\_\_\_\_ my \_\_\_\_\_?

If we \_\_\_\_\_ an emergency, \_\_\_\_\_ shut \_\_\_\_\_ the main \_\_\_\_\_?

What's \_\_\_\_\_ turn off \_\_\_\_\_ inside during an emergency?

There's a procedure \_\_\_\_\_ shutting down \_\_\_\_\_ valve \_\_\_\_\_ a \_\_\_\_\_.

Can \_\_\_\_\_ tell me how to \_\_\_\_\_ off \_\_\_\_\_?

\_\_\_\_\_ do you \_\_\_\_\_ primary valve \_\_\_\_\_ an emergency?

\_\_\_\_\_ I \_\_\_\_\_ a protocol to shut \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ emergency?

What steps should I \_\_\_\_\_ in \_\_\_\_\_ event \_\_\_\_\_ an \_\_\_\_\_ to shut \_\_\_\_\_ main valve \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ for shutting off the \_\_\_\_\_ valve \_\_\_\_\_ home \_\_\_\_\_ emergencies.

an urgent \_\_\_\_\_ main valve \_\_\_\_\_?

\_\_\_\_\_ process to shut \_\_\_\_\_ valve?

\_\_\_\_\_ should I \_\_\_\_\_ need to kill \_\_\_\_\_ main \_\_\_\_\_?

How should \_\_\_\_\_ switch off my \_\_\_\_\_ control \_\_\_\_\_ it's \_\_\_\_\_?

What should be \_\_\_\_\_ in \_\_\_\_\_ a \_\_\_\_\_ down \_\_\_\_\_ primary valve?

\_\_\_\_\_ I shut \_\_\_\_\_ the \_\_\_\_\_ in the house?

The \_\_\_\_\_ on the premises \_\_\_\_\_ off \_\_\_\_\_ crises.

Is \_\_\_\_\_ a \_\_\_\_\_ down the inside \_\_\_\_\_ valve \_\_\_\_\_ there \_\_\_\_\_ emergency?

\_\_\_\_\_ of an explanation \_\_\_\_\_ shutting \_\_\_\_\_ the \_\_\_\_\_ valve inside my home \_\_\_\_\_.

\_\_\_\_\_ must \_\_\_\_\_ to turn off the central valve \_\_\_\_\_ emergency?

Can you tell \_\_\_\_\_ how to \_\_\_\_\_ indoors when \_\_\_\_\_ be?

Is \_\_\_\_\_ to turn off \_\_\_\_\_ main inside control \_\_\_\_\_ at \_\_\_\_\_ crisis?

What \_\_\_\_\_ procedure \_\_\_\_\_ the main \_\_\_\_\_ if \_\_\_\_\_ need to?

When \_\_\_\_\_ an \_\_\_\_\_ how would I \_\_\_\_\_ off \_\_\_\_\_ water valve.

\_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ off \_\_\_\_\_ water \_\_\_\_\_ my property?

When \_\_\_\_\_ an unforeseen crisis, \_\_\_\_\_ is \_\_\_\_\_ procedure to turn \_\_\_\_\_ indoor \_\_\_\_\_?

\_\_\_\_\_ there is a \_\_\_\_\_ what do I do \_\_\_\_\_ off \_\_\_\_\_?

\_\_\_\_\_ everything \_\_\_\_\_ I \_\_\_\_\_ to kill \_\_\_\_\_ main valve, \_\_\_\_\_ you \_\_\_\_\_ me what \_\_\_\_\_ have to \_\_\_\_\_?

When \_\_\_\_\_ a crisis, \_\_\_\_\_ to \_\_\_\_\_ indoor \_\_\_\_\_ valve?

What \_\_\_\_\_ procedure for shutting down the main \_\_\_\_\_?

\_\_\_\_\_ there is an emergency, how \_\_\_\_\_ you cut \_\_\_\_\_?

\_\_\_\_\_ I do \_\_\_\_\_ main \_\_\_\_\_ on my \_\_\_\_\_ goes off \_\_\_\_\_ emergency?

How \_\_\_\_\_ close \_\_\_\_\_ valve during \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ the \_\_\_\_\_ turn off \_\_\_\_\_ indoor control mechanism in the \_\_\_\_\_?

What should \_\_\_\_\_ if \_\_\_\_\_ emergency regarding shutting \_\_\_\_\_ valve?

\_\_\_\_\_ need to shut down the \_\_\_\_\_ what \_\_\_\_\_ the process?

What is the \_\_\_\_\_ main valve of \_\_\_\_\_ property?

If \_\_\_\_\_ how should the \_\_\_\_\_ outlet \_\_\_\_\_ cut \_\_\_\_\_?

Can I turn \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ there is an \_\_\_\_\_ situation?

How do I \_\_\_\_\_ off the \_\_\_\_\_ in \_\_\_\_\_?

How can \_\_\_\_\_ quickly turn off \_\_\_\_\_ internal \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ steps \_\_\_\_\_ I \_\_\_\_\_ to immediately \_\_\_\_\_ the indoor \_\_\_\_\_ valve?

What \_\_\_\_\_ I \_\_\_\_\_ if it \_\_\_\_\_ necessary \_\_\_\_\_ the main \_\_\_\_\_?

To \_\_\_\_\_ off the \_\_\_\_\_ in \_\_\_\_\_ what \_\_\_\_\_ the process?

\_\_\_\_\_ situation, \_\_\_\_\_ to \_\_\_\_\_ off main \_\_\_\_\_.

What is \_\_\_\_\_ step-by-step \_\_\_\_\_ down \_\_\_\_\_ main \_\_\_\_\_ if there \_\_\_\_\_ an \_\_\_\_\_?

In emergencies, \_\_\_\_\_ can be \_\_\_\_\_ turn the \_\_\_\_\_?

What \_\_\_\_\_ to shut off \_\_\_\_\_ valve?

\_\_\_\_\_ should I do if \_\_\_\_\_ an \_\_\_\_\_ have a main \_\_\_\_\_?

What is the \_\_\_\_\_ for shutting \_\_\_\_\_ the main \_\_\_\_\_ a \_\_\_\_\_?

Should I \_\_\_\_\_ main \_\_\_\_\_ indoors \_\_\_\_\_ a potential \_\_\_\_\_?

\_\_\_\_\_ procedure for \_\_\_\_\_ valve at my premises \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ do you \_\_\_\_\_ the primary valve \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ main valve inside my \_\_\_\_\_?

What \_\_\_\_\_ be done \_\_\_\_\_ was an emergency where \_\_\_\_\_ shut \_\_\_\_\_?

What \_\_\_\_\_ to \_\_\_\_\_ off the \_\_\_\_\_ inside my property?

\_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ valve in \_\_\_\_\_ if there's \_\_\_\_\_ emergency?

Emergency on, \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ what can \_\_\_\_\_ done to \_\_\_\_\_ off the \_\_\_\_\_ inside?

Is \_\_\_\_\_ to \_\_\_\_\_ down the \_\_\_\_\_ if we \_\_\_\_\_ it?

\_\_\_\_\_ an emergency, what's \_\_\_\_\_ process \_\_\_\_\_ off \_\_\_\_\_ valve?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ off my \_\_\_\_\_ in an \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ that need \_\_\_\_\_ be taken to turn \_\_\_\_\_ main \_\_\_\_\_?

Is it possible to shut \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ there any protocol \_\_\_\_\_ off the \_\_\_\_\_ an emergency?

How \_\_\_\_\_ I \_\_\_\_\_ main valve \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ process \_\_\_\_\_ the primary valve \_\_\_\_\_ is an emergency?

\_\_\_\_\_ best \_\_\_\_\_ to switch off \_\_\_\_\_ indoor main \_\_\_\_\_?

What should be done regarding shutting \_\_\_\_\_ in \_\_\_\_\_ emergency?

In an emergency, what \_\_\_\_\_ to \_\_\_\_\_ central valve \_\_\_\_\_?

What \_\_\_\_\_ to \_\_\_\_\_ done \_\_\_\_\_ an \_\_\_\_\_ off \_\_\_\_\_ central valve?

\_\_\_\_\_ an emergency, what \_\_\_\_\_ I do \_\_\_\_\_ switch \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ the indoor \_\_\_\_\_ valve is \_\_\_\_\_ trouble, what \_\_\_\_\_ the \_\_\_\_\_ uninstall \_\_\_\_\_?

\_\_\_\_\_ I turn \_\_\_\_\_ valve if there was \_\_\_\_\_?

There are \_\_\_\_\_ involved in \_\_\_\_\_ internal primary \_\_\_\_\_ emergency.

\_\_\_\_\_ on! could you \_\_\_\_\_ indoor main \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ disabling \_\_\_\_\_ main \_\_\_\_\_ my premises \_\_\_\_\_ potential emergency?

\_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ the major \_\_\_\_\_?

Emergency \_\_\_\_\_ to shut \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ building.

What \_\_\_\_\_ the procedure for shutting \_\_\_\_\_ the \_\_\_\_\_ need \_\_\_\_\_?

What \_\_\_\_\_ off the main \_\_\_\_\_ property?

\_\_\_\_\_ ourselves an emergency, what \_\_\_\_\_ procedure to shut \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ main valve \_\_\_\_\_ in \_\_\_\_\_ what's the \_\_\_\_\_ end \_\_\_\_\_?  
 What's \_\_\_\_\_ for disabling the main \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of an emergency, \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ main valve?  
 \_\_\_\_\_ an emergency, what steps should \_\_\_\_\_ take to \_\_\_\_\_ main \_\_\_\_\_?  
 How \_\_\_\_\_ you turn off \_\_\_\_\_ valve in \_\_\_\_\_?  
 \_\_\_\_\_ steps \_\_\_\_\_ to be \_\_\_\_\_ to turn off \_\_\_\_\_ main \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ way \_\_\_\_\_ off the indoor main valve \_\_\_\_\_?  
 I need \_\_\_\_\_ the \_\_\_\_\_ for shutting off \_\_\_\_\_ main \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ do I disabling \_\_\_\_\_ valve during \_\_\_\_\_ emergency.  
 How \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ the event of \_\_\_\_\_?  
 \_\_\_\_\_ measures should \_\_\_\_\_ shut the \_\_\_\_\_ valve \_\_\_\_\_ quickly?  
 \_\_\_\_\_ on! \_\_\_\_\_ main valve inside?  
 What \_\_\_\_\_ the \_\_\_\_\_ for shutting \_\_\_\_\_ the main valve \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ shut \_\_\_\_\_ the main valve within \_\_\_\_\_?  
 \_\_\_\_\_ an emergency, do \_\_\_\_\_ recommend cutting \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ is the procedure \_\_\_\_\_ the indoor \_\_\_\_\_ off if \_\_\_\_\_ is \_\_\_\_\_ unforeseen \_\_\_\_\_?  
 \_\_\_\_\_ that main valve \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ shut \_\_\_\_\_ valve in \_\_\_\_\_ emergency situation?  
 What would \_\_\_\_\_ turn \_\_\_\_\_ the indoor control \_\_\_\_\_ there \_\_\_\_\_ a crisis?  
 Is \_\_\_\_\_ to shut \_\_\_\_\_ main \_\_\_\_\_ in emergencies?  
 \_\_\_\_\_ must \_\_\_\_\_ done \_\_\_\_\_ emergency \_\_\_\_\_ off the central valve \_\_\_\_\_?  
 \_\_\_\_\_ measures should \_\_\_\_\_ to shut down the \_\_\_\_\_ valve \_\_\_\_\_?  
 How \_\_\_\_\_ turn \_\_\_\_\_ the indoor control mechanism \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ I stop the \_\_\_\_\_ house during emergencies?  
 What \_\_\_\_\_ the procedure for \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ property?  
 Do you \_\_\_\_\_ how \_\_\_\_\_ the main valve in \_\_\_\_\_?  
 What is the \_\_\_\_\_ off the premises' \_\_\_\_\_ valve \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ an urgent situation to switch \_\_\_\_\_ the \_\_\_\_\_ valve?  
 \_\_\_\_\_ turn off \_\_\_\_\_ case of an emergency?  
 \_\_\_\_\_ there is \_\_\_\_\_ how \_\_\_\_\_ shut off the \_\_\_\_\_ valve \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ inside control point at \_\_\_\_\_ when \_\_\_\_\_ is a crisis?  
 \_\_\_\_\_ know \_\_\_\_\_ to \_\_\_\_\_ my main valve \_\_\_\_\_ during \_\_\_\_\_.  
 How do \_\_\_\_\_ off the \_\_\_\_\_ there is an \_\_\_\_\_?  
 \_\_\_\_\_ me \_\_\_\_\_ I can \_\_\_\_\_ my \_\_\_\_\_ central control indoors when \_\_\_\_\_ it?  
 \_\_\_\_\_ want to know \_\_\_\_\_ to shut \_\_\_\_\_ valve \_\_\_\_\_ my home \_\_\_\_\_ emergencies.  
 During \_\_\_\_\_ shut off my \_\_\_\_\_ valve?  
 \_\_\_\_\_ how to shut \_\_\_\_\_ valve in \_\_\_\_\_ emergency situation.  
 \_\_\_\_\_ an \_\_\_\_\_ it possible to \_\_\_\_\_ off the \_\_\_\_\_ valve?  
 \_\_\_\_\_ it \_\_\_\_\_ turn off \_\_\_\_\_ main inside \_\_\_\_\_ my \_\_\_\_\_ in the \_\_\_\_\_ of a crisis?  
 Is there \_\_\_\_\_ to shut off \_\_\_\_\_?  
 I want \_\_\_\_\_ how to \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_.  
 \_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_ turning off my \_\_\_\_\_ central \_\_\_\_\_ indoors.  
 Can \_\_\_\_\_ off \_\_\_\_\_ valve in \_\_\_\_\_ house?  
 Can you \_\_\_\_\_ tell me the \_\_\_\_\_ valve \_\_\_\_\_ my home?  
 If there is \_\_\_\_\_ emergency, how \_\_\_\_\_ shut \_\_\_\_\_ my \_\_\_\_\_?  
 In \_\_\_\_\_ what steps are taken \_\_\_\_\_ off \_\_\_\_\_?  
 \_\_\_\_\_ alert! steps \_\_\_\_\_ turn off \_\_\_\_\_ valve \_\_\_\_\_.  
 \_\_\_\_\_ case of \_\_\_\_\_ emergency, what \_\_\_\_\_ be done to shut \_\_\_\_\_?  
 \_\_\_\_\_ there was an \_\_\_\_\_ what \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ valve?  
 If there \_\_\_\_\_ an emergency, \_\_\_\_\_ should \_\_\_\_\_ the \_\_\_\_\_ valve disconnected?

\_\_\_\_\_ the \_\_\_\_\_ disabling the \_\_\_\_\_ inside if there is \_\_\_\_\_ emergency?

What is \_\_\_\_\_ process \_\_\_\_\_ shutting the \_\_\_\_\_ there is an \_\_\_\_\_?

\_\_\_\_\_ the premises' \_\_\_\_\_ valve be \_\_\_\_\_ off in \_\_\_\_\_?

What \_\_\_\_\_ procedure to end \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ ourselves \_\_\_\_\_ what \_\_\_\_\_ is used \_\_\_\_\_ the main valve?

Cut \_\_\_\_\_ outlet if there \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ off \_\_\_\_\_ primary valve indoors during an emergency?

How \_\_\_\_\_ a \_\_\_\_\_ main \_\_\_\_\_ be \_\_\_\_\_ during a \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ protocol \_\_\_\_\_ disabling \_\_\_\_\_ main \_\_\_\_\_ in a \_\_\_\_\_ emergency?

How \_\_\_\_\_ valve be turned off when \_\_\_\_\_ a \_\_\_\_\_?

How \_\_\_\_\_ shut \_\_\_\_\_ a \_\_\_\_\_ in an \_\_\_\_\_.

How \_\_\_\_\_ I \_\_\_\_\_ down the indoor main \_\_\_\_\_?

\_\_\_\_\_ should I do to have \_\_\_\_\_ main valve disconnected?

How \_\_\_\_\_ main \_\_\_\_\_ building \_\_\_\_\_ turned off \_\_\_\_\_ a crisis?

What is \_\_\_\_\_ for shutting \_\_\_\_\_ the main \_\_\_\_\_ emergency?

How \_\_\_\_\_ turn \_\_\_\_\_ during an emergency?

How \_\_\_\_\_ I \_\_\_\_\_ off \_\_\_\_\_ main valve in an \_\_\_\_\_?

\_\_\_\_\_ the protocol for \_\_\_\_\_ the \_\_\_\_\_ indoors?

\_\_\_\_\_ would I turn off \_\_\_\_\_ valve \_\_\_\_\_ to?

Is there \_\_\_\_\_ process \_\_\_\_\_ the main \_\_\_\_\_ in \_\_\_\_\_ emergency?

\_\_\_\_\_ valve \_\_\_\_\_ emergencies \_\_\_\_\_ a question.

How \_\_\_\_\_ turn \_\_\_\_\_ main \_\_\_\_\_ point if there's \_\_\_\_\_ crisis?

\_\_\_\_\_ there is an \_\_\_\_\_ what is the \_\_\_\_\_ cut \_\_\_\_\_ outlet?

During \_\_\_\_\_ emergency, \_\_\_\_\_ process \_\_\_\_\_ off the valve indoors?

What is \_\_\_\_\_ process for \_\_\_\_\_ the main \_\_\_\_\_ an emergency?

I need to \_\_\_\_\_ the main \_\_\_\_\_ things go wrong, can you \_\_\_\_\_ need \_\_\_\_\_?

\_\_\_\_\_ is the procedure when \_\_\_\_\_ valve \_\_\_\_\_ malfunctioning?

\_\_\_\_\_ emergency, \_\_\_\_\_ for \_\_\_\_\_ off the main outlet?

If \_\_\_\_\_ were \_\_\_\_\_ have an \_\_\_\_\_ what is \_\_\_\_\_ to shut \_\_\_\_\_ the \_\_\_\_\_?

What's the \_\_\_\_\_ to \_\_\_\_\_ down the main \_\_\_\_\_ an \_\_\_\_\_?

In \_\_\_\_\_ of an \_\_\_\_\_ what's the procedure \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ should be the procedure \_\_\_\_\_ the indoor \_\_\_\_\_?

\_\_\_\_\_ the process for shutting \_\_\_\_\_ main \_\_\_\_\_ the property?

\_\_\_\_\_ emergencies, is \_\_\_\_\_ specific procedure for \_\_\_\_\_ inside \_\_\_\_\_ valve?

\_\_\_\_\_ emergency how do \_\_\_\_\_ off \_\_\_\_\_ primary \_\_\_\_\_ inside?

\_\_\_\_\_ hell \_\_\_\_\_ loose \_\_\_\_\_ I \_\_\_\_\_ my main valve, \_\_\_\_\_ should I follow?

If \_\_\_\_\_ occurs, how would \_\_\_\_\_ off that \_\_\_\_\_?

I don't \_\_\_\_\_ to \_\_\_\_\_ off the \_\_\_\_\_ an emergency.

In an \_\_\_\_\_ is \_\_\_\_\_ for disabling the \_\_\_\_\_ valve \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ for disabling the \_\_\_\_\_ valve \_\_\_\_\_ in \_\_\_\_\_ case of an \_\_\_\_\_?

I don't \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ valve in my \_\_\_\_\_.

\_\_\_\_\_ I do when \_\_\_\_\_ go \_\_\_\_\_ and I \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ do \_\_\_\_\_ the main valve \_\_\_\_\_ house \_\_\_\_\_ off?

\_\_\_\_\_ can I turn off \_\_\_\_\_ main valve \_\_\_\_\_?

There is a procedure \_\_\_\_\_ indoor main valve if \_\_\_\_\_.

\_\_\_\_\_ for disabling the \_\_\_\_\_ valve \_\_\_\_\_ of an emergency?

When there is an emergency, \_\_\_\_\_ steps involved \_\_\_\_\_ disabling \_\_\_\_\_.

\_\_\_\_\_ had an emergency, \_\_\_\_\_ procedure \_\_\_\_\_ shut down the \_\_\_\_\_ valve?

\_\_\_\_\_ there \_\_\_\_\_ process for \_\_\_\_\_ down the main \_\_\_\_\_ property?

\_\_\_\_\_ down the \_\_\_\_\_ valve in my house?



Shut down \_\_\_\_\_ emergencies?

\_\_\_\_\_ I \_\_\_\_\_ turn \_\_\_\_\_ the main valve in \_\_\_\_\_ house, \_\_\_\_\_ I \_\_\_\_\_?

I \_\_\_\_\_ kill \_\_\_\_\_ goes awry, \_\_\_\_\_ you \_\_\_\_\_ me what to do?

I \_\_\_\_\_ know how \_\_\_\_\_ off the main \_\_\_\_\_ an \_\_\_\_\_.

In \_\_\_\_\_ emergency, what should be \_\_\_\_\_ shut \_\_\_\_\_ valve?

I \_\_\_\_\_ I \_\_\_\_\_ shut \_\_\_\_\_ my main \_\_\_\_\_ during an \_\_\_\_\_.

\_\_\_\_\_ must be \_\_\_\_\_ turn \_\_\_\_\_ the central \_\_\_\_\_ indoors \_\_\_\_\_ emergency?

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ the main \_\_\_\_\_ indoors \_\_\_\_\_ emergency?

\_\_\_\_\_ to \_\_\_\_\_ the main valve on my property?

\_\_\_\_\_ is \_\_\_\_\_ what should I \_\_\_\_\_ to shut \_\_\_\_\_ main valve?

\_\_\_\_\_ is the \_\_\_\_\_ to switch off \_\_\_\_\_ valve \_\_\_\_\_ urgent situation?

\_\_\_\_\_ I \_\_\_\_\_ off the main control point \_\_\_\_\_ a \_\_\_\_\_?

I \_\_\_\_\_ know how \_\_\_\_\_ shut \_\_\_\_\_ my \_\_\_\_\_ valve \_\_\_\_\_ emergency.

\_\_\_\_\_ the \_\_\_\_\_ down \_\_\_\_\_ main valve on my \_\_\_\_\_ in \_\_\_\_\_ an emergency?

\_\_\_\_\_ the indoor main \_\_\_\_\_ is \_\_\_\_\_ the procedure \_\_\_\_\_ shut \_\_\_\_\_ down?

When \_\_\_\_\_ to shut off my \_\_\_\_\_ how do \_\_\_\_\_?

Which \_\_\_\_\_ I \_\_\_\_\_ shut down \_\_\_\_\_ main valve \_\_\_\_\_ the house?

\_\_\_\_\_ the indoor \_\_\_\_\_ is \_\_\_\_\_ what should \_\_\_\_\_ do?

\_\_\_\_\_ main valve is in trouble \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ it?

\_\_\_\_\_ can I \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ emergency?

Can I turn off the \_\_\_\_\_ if \_\_\_\_\_ is a crisis?

\_\_\_\_\_ if we \_\_\_\_\_ shut \_\_\_\_\_ the \_\_\_\_\_ valve?

In \_\_\_\_\_ urgent \_\_\_\_\_ should I take \_\_\_\_\_ switch \_\_\_\_\_ the main \_\_\_\_\_?

Can \_\_\_\_\_ the \_\_\_\_\_ for shutting \_\_\_\_\_ the main \_\_\_\_\_?

\_\_\_\_\_ want to know \_\_\_\_\_ my property's \_\_\_\_\_ when I \_\_\_\_\_ it.

\_\_\_\_\_ crisis, how \_\_\_\_\_ I turn \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ it possible to turn \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ a \_\_\_\_\_?

What does \_\_\_\_\_ turn off \_\_\_\_\_ main valve?

Should \_\_\_\_\_ main valve in \_\_\_\_\_ in an emergency?

How \_\_\_\_\_ I \_\_\_\_\_ that \_\_\_\_\_ if the \_\_\_\_\_ came?

\_\_\_\_\_ would \_\_\_\_\_ the \_\_\_\_\_ shutting off the main valve in my home \_\_\_\_\_.

\_\_\_\_\_ hell breaks loose \_\_\_\_\_ need to \_\_\_\_\_ my \_\_\_\_\_ do I do?

When all hell \_\_\_\_\_ loose \_\_\_\_\_ main valve right away, what \_\_\_\_\_ I \_\_\_\_\_?

How would \_\_\_\_\_ turn \_\_\_\_\_ the valve if \_\_\_\_\_?

\_\_\_\_\_ the process to turn \_\_\_\_\_ main \_\_\_\_\_ an \_\_\_\_\_?

How to shut \_\_\_\_\_ valve \_\_\_\_\_

\_\_\_\_\_ emergencies, how do \_\_\_\_\_ my \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for shutting down the \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ procedure for turning \_\_\_\_\_ the \_\_\_\_\_ valve if there \_\_\_\_\_?

How \_\_\_\_\_ down \_\_\_\_\_ in an \_\_\_\_\_?

In \_\_\_\_\_ of an \_\_\_\_\_ what \_\_\_\_\_ shut off the main valve \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ indoor main valve?

What's \_\_\_\_\_ procedure for \_\_\_\_\_ valve if \_\_\_\_\_ is an \_\_\_\_\_?

\_\_\_\_\_ you shut down \_\_\_\_\_ valve \_\_\_\_\_ emergencies?

\_\_\_\_\_ something \_\_\_\_\_ fan, what \_\_\_\_\_ I \_\_\_\_\_ shutting off my \_\_\_\_\_ valve?

What \_\_\_\_\_ be \_\_\_\_\_ in an emergency to \_\_\_\_\_ central \_\_\_\_\_?

How \_\_\_\_\_ stop the tap immediately \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ turn off \_\_\_\_\_ internal \_\_\_\_\_ in the event \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ measures should I take to \_\_\_\_\_ down \_\_\_\_\_ valve?

\_\_\_\_\_ I stop \_\_\_\_\_ in an emergency?

I need to know \_\_\_\_\_ main valve \_\_\_\_\_ emergencies.  
 \_\_\_\_\_ emergency \_\_\_\_\_ can I \_\_\_\_\_ the main valve?  
 \_\_\_\_\_ an emergencies, what \_\_\_\_\_ turn off the \_\_\_\_\_ valve?  
 \_\_\_\_\_ can I \_\_\_\_\_ off the primary \_\_\_\_\_ when \_\_\_\_\_ emergencies \_\_\_\_\_?  
 \_\_\_\_\_ do you \_\_\_\_\_ the internal main \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ procedure \_\_\_\_\_ the indoor \_\_\_\_\_ valve?  
 \_\_\_\_\_ way to turn off the main \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ we get \_\_\_\_\_ what \_\_\_\_\_ we do \_\_\_\_\_ the \_\_\_\_\_ valve?  
 \_\_\_\_\_ a \_\_\_\_\_ about \_\_\_\_\_ inside main valve \_\_\_\_\_ emergencies.  
 In \_\_\_\_\_ an emergency \_\_\_\_\_ shut off the \_\_\_\_\_ valve \_\_\_\_\_ my \_\_\_\_\_?  
 Should \_\_\_\_\_ shut \_\_\_\_\_ off?  
 \_\_\_\_\_ do I \_\_\_\_\_ internal primary \_\_\_\_\_ in \_\_\_\_\_ emergency?  
 \_\_\_\_\_ there was \_\_\_\_\_ emergency, \_\_\_\_\_ do to shut down \_\_\_\_\_ valve?  
 \_\_\_\_\_ of \_\_\_\_\_ emergency, what should \_\_\_\_\_ do about the \_\_\_\_\_?  
 how \_\_\_\_\_ turn \_\_\_\_\_ main valve in \_\_\_\_\_ emergency?  
 \_\_\_\_\_ do \_\_\_\_\_ the main \_\_\_\_\_ off \_\_\_\_\_ an emergency?  
 Should I \_\_\_\_\_ my facility's primary \_\_\_\_\_ of an \_\_\_\_\_?  
 When \_\_\_\_\_ a crisis, \_\_\_\_\_ for shutting down the \_\_\_\_\_ valve?  
 \_\_\_\_\_ what \_\_\_\_\_ I do \_\_\_\_\_ kill my main valve?  
 \_\_\_\_\_ shut \_\_\_\_\_ main \_\_\_\_\_ off in emergencies?  
 Can \_\_\_\_\_ me what \_\_\_\_\_ have to do when \_\_\_\_\_ go \_\_\_\_\_ kill the main \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ to do \_\_\_\_\_ shut the \_\_\_\_\_ off?  
 \_\_\_\_\_ procedure is used \_\_\_\_\_ turn \_\_\_\_\_ mechanism \_\_\_\_\_ there is an \_\_\_\_\_ crisis?  
 \_\_\_\_\_ is \_\_\_\_\_ procedure to \_\_\_\_\_ the main indoor \_\_\_\_\_ mechanism \_\_\_\_\_ faced \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ is the protocol for disabling the main \_\_\_\_\_?  
 What should be \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ event \_\_\_\_\_ an \_\_\_\_\_?  
 How should \_\_\_\_\_ switch off \_\_\_\_\_ property's \_\_\_\_\_ when I \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ is the process to turn \_\_\_\_\_ indoors?  
 If \_\_\_\_\_ an \_\_\_\_\_ to turn \_\_\_\_\_ what should I \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ ourselves an emergency, what \_\_\_\_\_ should we \_\_\_\_\_ down the \_\_\_\_\_?  
 How \_\_\_\_\_ I turn off the \_\_\_\_\_?  
 When \_\_\_\_\_ go awry \_\_\_\_\_ I need \_\_\_\_\_ valve, can \_\_\_\_\_ tell me \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ is the procedure \_\_\_\_\_ main \_\_\_\_\_ indoors in case \_\_\_\_\_ emergency?  
 When faced \_\_\_\_\_ an urgent \_\_\_\_\_ would \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ can the \_\_\_\_\_ valve be turned off \_\_\_\_\_?  
 If \_\_\_\_\_ is an emergency how do \_\_\_\_\_ my \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ do you have a procedure \_\_\_\_\_ cutting off \_\_\_\_\_?  
 Procedure for shutting \_\_\_\_\_ main \_\_\_\_\_ crisis?  
 During an \_\_\_\_\_ you \_\_\_\_\_ to turn off the \_\_\_\_\_?  
 What happens \_\_\_\_\_ emergency \_\_\_\_\_ premises' \_\_\_\_\_ valve is \_\_\_\_\_ off?  
 \_\_\_\_\_ the indoor main valve is \_\_\_\_\_ to \_\_\_\_\_ it?  
 \_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ valve if \_\_\_\_\_ ourselves an emergency?  
 How do \_\_\_\_\_ stop \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ emergency \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ what should \_\_\_\_\_ the \_\_\_\_\_ shutting down the \_\_\_\_\_ valve?  
 I \_\_\_\_\_ kill \_\_\_\_\_ valve \_\_\_\_\_ go \_\_\_\_\_ can you tell \_\_\_\_\_ what to \_\_\_\_\_?  
 I \_\_\_\_\_ to \_\_\_\_\_ procedure \_\_\_\_\_ shutting off \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ home.  
 How can \_\_\_\_\_ stop \_\_\_\_\_ during \_\_\_\_\_?  
 If there \_\_\_\_\_ crisis, \_\_\_\_\_ get \_\_\_\_\_ main \_\_\_\_\_ point turned off?  
 \_\_\_\_\_ there \_\_\_\_\_ procedure for \_\_\_\_\_ down \_\_\_\_\_ valve \_\_\_\_\_ is an emergency?  
 How \_\_\_\_\_ off the primary internal system \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ for shutting down the \_\_\_\_\_ ?  
 Can \_\_\_\_\_ me \_\_\_\_\_ to \_\_\_\_\_ things go wrong \_\_\_\_\_ I need to kill the \_\_\_\_\_ ?  
 How \_\_\_\_\_ disabled the indoor main \_\_\_\_\_ an \_\_\_\_\_ ?  
 \_\_\_\_\_ off the \_\_\_\_\_ valve \_\_\_\_\_ a emergency?  
 During on-site \_\_\_\_\_ do I quickly \_\_\_\_\_ the \_\_\_\_\_ system?  
 Should a \_\_\_\_\_ in case of \_\_\_\_\_ emergency?  
 If \_\_\_\_\_ an \_\_\_\_\_ what is \_\_\_\_\_ for \_\_\_\_\_ my main valve?  
 \_\_\_\_\_ process \_\_\_\_\_ turning off \_\_\_\_\_ main valve?  
 \_\_\_\_\_ do I stop \_\_\_\_\_ tap \_\_\_\_\_ ?  
 If there was \_\_\_\_\_ what \_\_\_\_\_ I follow to \_\_\_\_\_ main \_\_\_\_\_ ?  
 When \_\_\_\_\_ with \_\_\_\_\_ emergency, how would \_\_\_\_\_ off \_\_\_\_\_ water valve in \_\_\_\_\_ ?  
 Can \_\_\_\_\_ show \_\_\_\_\_ how \_\_\_\_\_ switch off \_\_\_\_\_ central \_\_\_\_\_ indoors?  
 What's \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ ?  
 \_\_\_\_\_ shut off the primary valve in \_\_\_\_\_ emergency?  
 How \_\_\_\_\_ shut off \_\_\_\_\_ valve \_\_\_\_\_ emergencies.  
 Should I \_\_\_\_\_ to shut \_\_\_\_\_ main \_\_\_\_\_ case \_\_\_\_\_ an emergency?  
 Is there a way to \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ ?  
 \_\_\_\_\_ don't know \_\_\_\_\_ to \_\_\_\_\_ my main \_\_\_\_\_ emergencies.  
 \_\_\_\_\_ want to know how \_\_\_\_\_ property's central control \_\_\_\_\_ when \_\_\_\_\_ need \_\_\_\_\_.  
 What \_\_\_\_\_ take to \_\_\_\_\_ off \_\_\_\_\_ valve \_\_\_\_\_ an emergency?  
 Which \_\_\_\_\_ should be \_\_\_\_\_ for shutting down the \_\_\_\_\_ ?  
 \_\_\_\_\_ if the primary \_\_\_\_\_ on-site is shut \_\_\_\_\_ an \_\_\_\_\_ ?  
 \_\_\_\_\_ can \_\_\_\_\_ shut off the \_\_\_\_\_ valve \_\_\_\_\_ ?  
 In \_\_\_\_\_ event of an emergency, what \_\_\_\_\_ do in \_\_\_\_\_ valve?  
 \_\_\_\_\_ is the process \_\_\_\_\_ turning \_\_\_\_\_ the main \_\_\_\_\_ emergency?  
 \_\_\_\_\_ have a question about disabling \_\_\_\_\_ valve \_\_\_\_\_ emergency.  
 \_\_\_\_\_ the procedure to turn \_\_\_\_\_ off if there is \_\_\_\_\_ ?  
 I want \_\_\_\_\_ know how to \_\_\_\_\_ off \_\_\_\_\_ central \_\_\_\_\_.  
 \_\_\_\_\_ do \_\_\_\_\_ turn off \_\_\_\_\_ valve \_\_\_\_\_ there is an \_\_\_\_\_ ?  
 \_\_\_\_\_ there a \_\_\_\_\_ for cutting off \_\_\_\_\_ main \_\_\_\_\_ event of \_\_\_\_\_ ?  
 \_\_\_\_\_ on! Turn \_\_\_\_\_ indoors \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ what I need to do \_\_\_\_\_ everything \_\_\_\_\_ wrong \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ valve?  
 What \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ if we \_\_\_\_\_ it?  
 \_\_\_\_\_ is the best way \_\_\_\_\_ off \_\_\_\_\_ main \_\_\_\_\_ property in \_\_\_\_\_ emergency?  
 In \_\_\_\_\_ emergency, \_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ the main valve \_\_\_\_\_ ?  
 \_\_\_\_\_ was \_\_\_\_\_ emergency, what \_\_\_\_\_ be the \_\_\_\_\_ to \_\_\_\_\_ main valve?  
 Is there \_\_\_\_\_ specific way \_\_\_\_\_ the main valve \_\_\_\_\_ ?  
 \_\_\_\_\_ I need \_\_\_\_\_ to \_\_\_\_\_ down \_\_\_\_\_ main valve during \_\_\_\_\_ emergency?  
 \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ process \_\_\_\_\_ shut off the \_\_\_\_\_ ?  
 What measures \_\_\_\_\_ I \_\_\_\_\_ shut \_\_\_\_\_ the indoor \_\_\_\_\_ ?  
 When \_\_\_\_\_ is \_\_\_\_\_ the indoor \_\_\_\_\_ valve be shut \_\_\_\_\_ ?  
 In \_\_\_\_\_ of an emergency, \_\_\_\_\_ protocol \_\_\_\_\_ I \_\_\_\_\_ to shut \_\_\_\_\_ ?  
 Should \_\_\_\_\_ premises' main valve \_\_\_\_\_ off \_\_\_\_\_ crisis?  
 In \_\_\_\_\_ of an emergency, what \_\_\_\_\_ do I \_\_\_\_\_ the main valve?  
 \_\_\_\_\_ would like \_\_\_\_\_ know the protocol \_\_\_\_\_ turning off my \_\_\_\_\_.  
 What \_\_\_\_\_ procedure \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ control \_\_\_\_\_ when faced with \_\_\_\_\_ ?  
 What should \_\_\_\_\_ be \_\_\_\_\_ control \_\_\_\_\_ in the \_\_\_\_\_ of a crisis?  
 What should \_\_\_\_\_ do to \_\_\_\_\_ down \_\_\_\_\_ main \_\_\_\_\_ an emergency?  
 \_\_\_\_\_ there is \_\_\_\_\_ emergency, what \_\_\_\_\_ do about \_\_\_\_\_ at \_\_\_\_\_ place of \_\_\_\_\_ ?  
 \_\_\_\_\_ what \_\_\_\_\_ my main \_\_\_\_\_ needs to be killed.

What should be \_\_\_\_\_ turn off \_\_\_\_\_ central \_\_\_\_\_ emergencies?  
 \_\_\_\_\_ procedure for \_\_\_\_\_ down \_\_\_\_\_ indoor \_\_\_\_\_ valve in crisis?  
 \_\_\_\_\_ should \_\_\_\_\_ down \_\_\_\_\_ main valve on my property in the \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ for turning \_\_\_\_\_ main \_\_\_\_\_ there is an \_\_\_\_\_?  
 What \_\_\_\_\_ I \_\_\_\_\_ to switch off the \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ way to shut off \_\_\_\_\_ my property?  
 How can I \_\_\_\_\_ off the primary \_\_\_\_\_?  
 \_\_\_\_\_ would \_\_\_\_\_ off the valve \_\_\_\_\_ happens?  
 \_\_\_\_\_ do \_\_\_\_\_ main valve down?  
 \_\_\_\_\_ main valve \_\_\_\_\_ shut down in the event \_\_\_\_\_ emergency.  
 \_\_\_\_\_ emergency, what should I \_\_\_\_\_ to shut \_\_\_\_\_ valve?  
 \_\_\_\_\_ I take care \_\_\_\_\_ indoor \_\_\_\_\_ valve in an \_\_\_\_\_?  
 \_\_\_\_\_ I turn off the main inside control \_\_\_\_\_ at \_\_\_\_\_ crisis?  
 \_\_\_\_\_ I do \_\_\_\_\_ stop \_\_\_\_\_ water in my \_\_\_\_\_?  
 In emergency \_\_\_\_\_ how can \_\_\_\_\_ turn \_\_\_\_\_ main \_\_\_\_\_?  
 If emergency bites \_\_\_\_\_ how do \_\_\_\_\_ shut the main \_\_\_\_\_?  
 \_\_\_\_\_ done in \_\_\_\_\_ to turn \_\_\_\_\_ the \_\_\_\_\_ valve?  
 \_\_\_\_\_ there is an \_\_\_\_\_ with my \_\_\_\_\_ what should \_\_\_\_\_?  
 How could \_\_\_\_\_ turn \_\_\_\_\_ valve \_\_\_\_\_ there was \_\_\_\_\_?  
 How \_\_\_\_\_ off \_\_\_\_\_ main water \_\_\_\_\_ I \_\_\_\_\_ facing an urgent \_\_\_\_\_?  
 In emergencies, \_\_\_\_\_ actions \_\_\_\_\_ be taken to \_\_\_\_\_ the \_\_\_\_\_?  
 Should the \_\_\_\_\_ valve \_\_\_\_\_ turned \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to quickly shut \_\_\_\_\_ primary internal system \_\_\_\_\_?  
 If \_\_\_\_\_ is \_\_\_\_\_ best way \_\_\_\_\_ cut \_\_\_\_\_ the main outlet?  
 Should \_\_\_\_\_ off the main inside control \_\_\_\_\_ my property \_\_\_\_\_ crisis?  
 \_\_\_\_\_ can \_\_\_\_\_ the \_\_\_\_\_ main valve?  
 \_\_\_\_\_ you \_\_\_\_\_ me how \_\_\_\_\_ can \_\_\_\_\_ off \_\_\_\_\_ control indoors?  
 During \_\_\_\_\_ process \_\_\_\_\_ turn \_\_\_\_\_ the primary valve?  
 \_\_\_\_\_ there any way \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ an emergency?  
 Should I \_\_\_\_\_ off \_\_\_\_\_ inside control point if \_\_\_\_\_?  
 \_\_\_\_\_ case \_\_\_\_\_ emergency, what \_\_\_\_\_ the procedure to shut down \_\_\_\_\_?  
 \_\_\_\_\_ confronted with \_\_\_\_\_ situation, \_\_\_\_\_ would \_\_\_\_\_ turn \_\_\_\_\_ my main \_\_\_\_\_ valve?  
 How do I turn \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ be done \_\_\_\_\_ event of \_\_\_\_\_ to \_\_\_\_\_ down the primary \_\_\_\_\_?  
 \_\_\_\_\_ I turn off the primary internal \_\_\_\_\_ an \_\_\_\_\_?  
 How \_\_\_\_\_ I turn \_\_\_\_\_ main \_\_\_\_\_ control \_\_\_\_\_ a \_\_\_\_\_ occurs?  
 \_\_\_\_\_ should I do \_\_\_\_\_ there is \_\_\_\_\_ with \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ can I \_\_\_\_\_ off \_\_\_\_\_ indoors \_\_\_\_\_ I need it?  
 \_\_\_\_\_ I \_\_\_\_\_ off my \_\_\_\_\_ valve if \_\_\_\_\_ emergency?  
 \_\_\_\_\_ I disconnected the \_\_\_\_\_ at \_\_\_\_\_ premises if \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ done when the \_\_\_\_\_ valve \_\_\_\_\_ turned \_\_\_\_\_ an emergency?  
 How \_\_\_\_\_ off \_\_\_\_\_ main inside control point \_\_\_\_\_ my \_\_\_\_\_ of \_\_\_\_\_ crisis?  
 \_\_\_\_\_ is \_\_\_\_\_ disabling \_\_\_\_\_ main valve \_\_\_\_\_ there is an \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ valve indoors in the \_\_\_\_\_ of an \_\_\_\_\_?  
 \_\_\_\_\_ do I \_\_\_\_\_ main valve?  
 Should \_\_\_\_\_ turn \_\_\_\_\_ main \_\_\_\_\_ control point if \_\_\_\_\_ arises?  
 \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_ down \_\_\_\_\_ main valve \_\_\_\_\_ something happens?  
 \_\_\_\_\_ everything goes wrong and I \_\_\_\_\_ kill \_\_\_\_\_ main \_\_\_\_\_ you \_\_\_\_\_ what \_\_\_\_\_ should do?  
 \_\_\_\_\_ should \_\_\_\_\_ procedure be for \_\_\_\_\_ main \_\_\_\_\_ in \_\_\_\_\_ of an \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ switch off \_\_\_\_\_ primary \_\_\_\_\_ system?

\_\_\_\_\_ arises, \_\_\_\_\_ is the \_\_\_\_\_ for shutting \_\_\_\_\_ the main \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ to cut \_\_\_\_\_ in an emergency?

\_\_\_\_\_ methods \_\_\_\_\_ I \_\_\_\_\_ to quickly shut \_\_\_\_\_ indoor \_\_\_\_\_ valve?

Can you \_\_\_\_\_ I \_\_\_\_\_ switch off my \_\_\_\_\_ control indoors \_\_\_\_\_?

\_\_\_\_\_ can you \_\_\_\_\_ turn \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ an emergency?

\_\_\_\_\_ for shutting down the \_\_\_\_\_ valve indoors?

How'd I \_\_\_\_\_ that valve if \_\_\_\_\_?

\_\_\_\_\_ do I shut off \_\_\_\_\_ in \_\_\_\_\_ situations?

If \_\_\_\_\_ have \_\_\_\_\_ emergency, how \_\_\_\_\_ turn off \_\_\_\_\_?

\_\_\_\_\_ the main valve when \_\_\_\_\_ goes awry, \_\_\_\_\_ you \_\_\_\_\_ me what to \_\_\_\_\_?

\_\_\_\_\_ the procedure to \_\_\_\_\_ the main \_\_\_\_\_ emergency?

If I \_\_\_\_\_ turn \_\_\_\_\_ the main \_\_\_\_\_ what \_\_\_\_\_ I \_\_\_\_\_?

In an \_\_\_\_\_ need to \_\_\_\_\_ indoor main \_\_\_\_\_.

\_\_\_\_\_ should \_\_\_\_\_ to shut \_\_\_\_\_ the \_\_\_\_\_ valve in the \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ in case \_\_\_\_\_ emergency to shut \_\_\_\_\_ main valve?

Do you \_\_\_\_\_ for turning off \_\_\_\_\_ in \_\_\_\_\_ emergency?

How \_\_\_\_\_ shut \_\_\_\_\_ valve \_\_\_\_\_ there's an emergency?

In \_\_\_\_\_ how \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ from working?

I \_\_\_\_\_ like to understand \_\_\_\_\_ procedure \_\_\_\_\_ off the \_\_\_\_\_ valve in \_\_\_\_\_.

What should \_\_\_\_\_ when \_\_\_\_\_ need \_\_\_\_\_ my \_\_\_\_\_ valve immediately?

What steps should I take if \_\_\_\_\_ need \_\_\_\_\_?

\_\_\_\_\_ there was an \_\_\_\_\_ should \_\_\_\_\_ main \_\_\_\_\_ be \_\_\_\_\_ off?