[Demo] NLP Dataset for Customer Service Automation

Company Type	Electricity Suppliers
Inquiry Category	Restoration timeline after an outage
Inquiry Sub-Category	Precautionary measures during restoration
Description	Customers inquire about safety precautions they need to take during the power restoration process, seeking guidance on resetting electrical devices, potential hazards, and any other relevant safety information.
Data Size	5,037 paraphrases
Want to buy data?	Please contact nlp-data@qross.me via your business email address.

Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

Are there any risks _____ with _____ _____ _____ switches _____ your _____ _____ _____ within _____ areas?

If _____ _____ _____ _____ ahead of time _____ risky?

Is _____ _____ risk of _____ off _____ _____ before start of _____?

Before my _____ starts _____ _____ the _____ areas, should _____ _____ be _____ down?

_____ _____ a danger to _____ _____ _____ works?

If _____ shut _____ main _____ before _____ _____ _____ working in affected areas, _____ you _____ give us information _____ _____ potential _____?

_____ are the risks _____ _____ shut _____ the main switches _____ _____ _____?

_____ _____ any _____ if _____ team shuts _____ the main switches _____?

_____ _____ _____ _____ switches a risk when _____ _____ in areas _____ have _____ been affected?

_____ your _____ switches _____ _____ off _____ to _____ _____ _____ _____ work in those affected areas?

_____ _____ _____ to _____ _____ _____ _____ dangers associated with powering _____ the _____ switches at our job sites?

What risks _____ there _____ _____ _____ _____ the main switches _____ _____ begins?

Is _____ _____ _____ _____ before _____ starts in areas that _____ already _____ affected _____?

_____ turning off the _____ _____ _____ _____ to _____ team's work?

_____ you know _____ the risks _____ turning off the _____ _____ to _____ _____?

_____ curious _____ _____ down _____ _____ of _____ would be dangerous.

_____ it possible to _____ off _____ _____ _____ _____ _____ the work starting?

Is there any _____ effects _____ shutting _____ _____ _____ _____ work starts?

_____ shutting _____ _____ ahead of time _____ _____ _____ big risk?

_____ _____ _____ dangers _____ with shutting _____ main switches _____ working?

Is _____ _____ _____ if _____ _____ the _____ switches down first?

_____ _____ any risks associated with shutting _____ _____ main switches _____ _____?

_____ _____ shut _____ the main _____ before our _____ starts _____ _____ affected _____ could _____ _____ _____ information on the potential risks?

_____ _____ _____ _____ if _____ power down _____ main switch before work.

_____ may _____ adverse effects from shutting _____ _____ _____ before _____ begins.

_____ inform us _____ any known dangers _____ _____ _____ down _____ main switch at _____ job _____ before _____ _____ work.

What _____ _____ _____ _____ deactivating main switches prior to _____ _____ done?

Think about _____ dangers _____ shutting _____ mains _____ a _____.

_____ there _____ risks involved in _____ off main switches _____ your _____ _____ _____?

Do _____ have _____ _____ if you _____ _____ _____ main _____ prior _____ your work?

Before _____ _____ in _____ affected _____ are there any risks to _____ _____ _____ switch?

Is _____ _____ danger _____ switch off primary _____ _____ _____ team starts _____?

Do you _____ _____ risks _____ turning off _____ switches _____ _____ _____ starts work?

When you _____ to work in _____ areas, _____ _____ _____ risks _____ shutting _____ _____ main _____?

What _____ the risks _____ _____ _____ _____ before we _____ work?

_____ _____ _____ to _____ off the _____ before beginning work?

_____ you _____ _____ the main switches if _____ team is _____ _____ _____ work?

Can _____ _____ _____ if we shut _____ the main _____ _____ tackling those _____?

Shutting down _____ _____ _____ of time _____ _____ risky.

_____ _____ main switches be _____ off before _____ starts _____ _____ areas?

_____ down _____ _____ prior to working _____?

_____ we shut _____ _____ _____ _____ before _____ team _____ _____ could you give us some _____ on the potential _____?

_____ there _____ risks associated _____ turning _____ _____ _____ _____ before your work?

_____ _____ the _____ _____ deactivating _____ switches _____ the team starts their _____?

When work _____ in _____ that _____ already _____ affected, _____ _____ any risks to _____ off _____ _____?

_____ _____ boards _____ _____ off when our crew _____ _____ assignments around those _____?

_____ main switches _____ turned off before work _____ _____ _____.

_____ your main switches be _____ off prior to _____ _____ of _____ _____ _____ _____ _____ areas?

What _____ _____ risks of shutting _____ _____ switches _____ work _____ in _____ _____ want to _____ in?

There _____ be dangers _____ _____ off _____ main switches _____ _____ work.

Is _____ a _____ idea to _____ _____ main _____ before _____ work _____?

Do you _____ what consequences _____ _____ _____ have during _____ _____?

_____ want _____ _____ _____ a mess would arise when _____ _____ _____ _____ switches to tackle those _____.

Are _____ risks _____ with _____ off _____ main switches _____ _____ begins?

Is it a problem _____ _____ _____ _____ _____ switch _____ work?

_____ we shut down _____ _____ before our _____ _____ _____ in affected _____ _____ _____ please give us some information _____ the _____ _____?

_____ _____ any potential dangers associated with shutting _____ _____ _____ prior to working _____ _____ _____?

_____ you know _____ known _____ associated with _____ down _____ main switches _____ _____ job _____?

_____ _____ turning off _____ main switches _____ a _____ works?

_____ _____ _____ off the main _____ before _____ starts, what _____ will _____ face?

_____ _____ any _____ _____ to turning off the main switch _____ _____ _____?

What are _____ _____ of disabling _____ switches _____ _____ _____ work?

_____ us _____ _____ known perils associated with powering _____ _____ main _____ _____ _____ job _____ before we _____ work.

_____ _____ any _____ when _____ off main _____ _____ work starts?

If your team starts work in affected _____ _____ _____ _____ about _____ risks _____ _____ the _____ _____ down?

While _____ out jobs _____ hazardous sites, could _____ _____ _____ _____ _____ _____ any harm?

_____ it possible _____ _____ information on _____ potential _____ _____ _____ arise if _____ shut down _____ switches before our team _____ _____?

_____ _____ team starts _____ _____ should know the _____ _____ deactivating _____ switches.

Is there any _____ _____ _____ turning _____ main _____ before starting _____?

If _____ down _____ ahead _____ time _____ _____ risky?

_____ _____ _____ _____ effect from downing _____ switches ahead of _____?

_____ curious _____ shutting down the _____ ahead of _____ could _____ _____.

Are _____ any risks _____ _____ _____ main _____ before work?

Is _____ safe _____ power _____ main switches ahead of our _____ _____ _____ _____?

Any _____ associated with turning off _____ _____ _____ _____?

Is it a concern _____ _____ _____ _____ main _____ before we _____ _____?

Is there any ____ ____ ____ ____ the main ____ before ____ starts?

____ shutting down ____ ____ ____ time is ____?

____ ____ to ____ ____ there are any dangers involved ____ ____ ____ supplyprior.

____ ____ risks associated with turning ____ ____ ____ ____ a team works.

What are ____ ____ ____ shutting off main ____ before ____ ____?

Are there any risks of ____ off ____ switches ____ ____ ____ in ____ ____?

____ it ____ ____ ____ off the ____ ____ you start working?

____ there ____ dangers ____ we switch ____ primary ____ ____ our ____ starts?

____ ____ riskier ____ switch ____ the mains before ____ ____ working?

There ____ some ____ to shutting down ____ ____ ____ work.

Is ____ a problem to power ____ ____ switches ahead ____ ____ ____?

There ____ ____ potential ____ ____ with shutting ____ main ____ prior to ____.

____ ____ off ____ ____ switches safe before my ____ starts ____?

____ ____ starts ____ ____ areas, are there any risks ____ ____ off ____ ____ switches?

____ ____ tell me about the ____ of ____ ____ the ____ ____ if my ____ starts ____?

____ your ____ starts ____ ____ affected ____ should you turn ____ the ____ switches?

Before ____ team ____ ____ are ____ any ____ associated ____ ____ ____ the main switches?

____ you ____ about the ____ associated ____ ____ ____ the switches prior ____ work ____ started?

Is it ____ to switch off ____ ____ ____ ____?

____ there any ____ ____ ____ with shutting ____ main ____ before ____ starts?

Is ____ ____ to ____ ____ main switches prior to ____ ____ affected ____?

Is it bad ____ switch ____ ____ ____ ____ beginning work?

____ ____ have to ____ any risks ____ shutting ____ main ____ before work ____?

Have you ____ ____ the ____ of turning ____ the ____ ____ the ____ starts?

Is it ____ ____ flip off the ____ switch ____ starting ____ ____ ____ a ____ site?

____ there ____ potential danger to ____ off ____ before ____ ____?

Is there ____ adverse ____ ____ shutting ____ main ____ ____ work starts?

____ there ____ associated with power ____ the main ____ ____ ____?

Is ____ a ____ ____ turning off ____ before ____ job?

Should we ____ down ____ main ____ ____ the team starts ____ ____ ____ affected ____?

There ____ risks ____ ____ turning ____ ____ switches before ____ team is ____.

____ you aware ____ the risks of ____ ____ the main ____ ____ your team ____ ____ in affected ____?

____ ____ starts ____ the ____ you want to ____ ____ ____ there ____ risks to shutting ____ ____ main switches?

Is ____ any ____ ____ with switch off primary ____ before our ____ ____ ____?

Is ____ ____ ____ ____ from shutting ____ main ____ ahead of work in ____ ____?

There ____ ____ with turning off main ____ ____ ____ team ____.

____ is the risk of ____ main ____ ____ ____ ____ starts work?

What ____ ____ risks ____ with turning ____ ____ main switch ____ work?

____ ____ dangers ____ to shutting off ____ switches prior to working ____ ____ ____?

____ you heard of the ____ of turning ____ ____ ____ prior to ____ ____ ____?

____ ____ possible ____ inform ____ of any ____ dangers associated with ____ down ____ main switches ____ our ____ ____?

____ there any risks of ____ ____ main ____ ____ you ____ work?

If the ____ shuts ____ the main ____ ____ ____ there any ____?

____ ____ ____ in ____ off ____ switches ____ to a team working.

Are ____ ____ ____ ____ with shutting ____ ____ switches before work is ____?

____ ____ if ____ ____ mains ____ of time ____ a risk.

____ it ____ to ____ down ____ ____ before work begins ____ ____ regions?

Should ____ switches ____ ____ off ____ your team ____ work ____ affected ____?

____ may ____ ____ in shutting ____ main ____ ____ my team ____ work.

Should you turn ____ your main switches before ____ ____ ____ ____ ____ affected ____?

Is _____ a danger _____ switch _____ mains before _____ _____?

_____ _____ _____ potential risks associated with _____ off _____ _____ _____ to working?

_____ there any negative _____ _____ powering _____ mains _____ _____ preparation?

Can you let _____ _____ of _____ _____ dangers _____ _____ powering down the _____ _____ at _____ job sites?

I _____ if shutting down _____ _____ of _____ _____ be _____.

Is _____ _____ mains _____ time _____?

Before my team _____ _____ _____ affected _____ are _____ any _____ in _____ off main _____?

Are there _____ risks _____ with _____ _____ _____ _____ _____ before work starts?

Have _____ heard anything _____ _____ risks _____ turning _____ the switches _____ _____ starts?

Is it risky _____ switch _____ _____ _____ _____ you start?

Shutting down main power _____ _____ _____ _____?

Is _____ a _____ if the main _____ _____ _____ _____ first?

_____ _____ starts, _____ _____ if we _____ off the _____ switches?

_____ _____ _____ _____ _____ turning off the main switches before _____ team _____ work?

_____ are _____ _____ risks of deactivating _____ _____ our _____ starts work?

_____ _____ _____ risk in shutting off _____ _____ before _____ starts?

_____ we shut down _____ _____ _____ before our team _____ _____ _____ in _____ affected areas?

_____ _____ any risks associated with turning _____ _____ _____ _____ _____ starting work?

Is it _____ _____ let us _____ about any known _____ _____ _____ _____ down _____ main switches _____ _____ job sites?

_____ _____ any _____ _____ associated _____ deactivating the main _____ before our team _____ _____?

_____ _____ _____ _____ to switch off the main _____ _____ starting work?

It is _____ _____ shutting _____ mains _____ _____ _____ could be risky.

What _____ _____ _____ of deactivating _____ switches as our _____ starts _____?

Is _____ _____ _____ to _____ off the mains before _____?

_____ your _____ turn off the _____ switches prior _____ starting _____ _____ _____ areas?

Is _____ _____ danger to switch off _____ _____ _____ _____ our _____ starts _____ assignments?

Is _____ dangerous to _____ _____ _____ main switches _____ work _____?

_____ are the _____ of shutting _____ mains before _____ _____?

_____ _____ our _____ in _____ regions, could _____ be _____ effects from _____ _____ main switches?

Are _____ aware _____ _____ risks of turning _____ _____ _____ switch _____ your team starts work _____ an _____ _____?

If _____ _____ down main switches before our _____ _____ _____ in affected areas, _____ you _____ _____ us _____ information _____ the _____ _____?

Tell me if _____ _____ _____ mess with main _____ before _____ _____.

_____ there _____ risk _____ _____ deactivating _____ main switches _____ our team _____ work?

Before your _____ _____ work, _____ _____ any _____ associated with turning _____ main _____?

_____ want to _____ _____ there are _____ _____ dangers _____ with powering down _____ main switches _____ our _____ _____.

Are _____ dangers associated _____ shutting _____ _____ _____ before _____ starts?

_____ risks of turning off the _____ _____ _____ _____ team _____?

Are there _____ _____ to turning _____ _____ _____ switch before your _____?

Is it _____ _____ shutting _____ _____ _____ of _____ is risky?

Are _____ _____ _____ the risks of turning _____ the main _____ if _____ start work _____ _____ _____?

_____ _____ down mains _____ _____ time would be _____?

_____ there dangers _____ with shutting _____ the _____ switches prior _____ _____?

Before _____ _____ _____ areas _____ want to _____ _____ are _____ any _____ _____ shutting off main switches?

_____ _____ aware of the _____ _____ _____ off the _____ _____ work is started?

Is it _____ _____ _____ off main _____ _____ work starts?

Is it _____ risk to switch _____ _____ mains _____ _____ _____?

_____ _____ the _____ if _____ _____ down _____ mains before beginning work?

If _____ shut _____ main _____ before _____ _____ _____ _____ _____ in _____ areas, could you _____ us information on _____ potential dangers?

What's the _____ _____ shutting _____ main _____ _____ work starts in areas that _____ _____ _____ _____?

_____ there any _____ _____ _____ _____ off the main switches before _____ work _____?

_____ it _____ _____ to switch off _____ central _____ _____ _____ crew _____ its assignments?

Is _____ a _____ _____ switch _____ the _____ pre- job?

Are you aware of _____ risks of _____ down _____ main _____ _____ _____ _____ starts _____ in affected _____?

_____ are _____ risks of deactivating main switches _____ _____ start _____ _____ affected _____?

_____ _____ _____ risks _____ _____ _____ the main switch prior to work?

_____ it _____ that turning _____ primary _____ _____ endanger our _____?

Are there _____ _____ associated with turning off _____ _____ prior to _____ _____ _____?

_____ there _____ risks _____ with turning _____ _____ _____ _____ work _____ in the affected areas?

_____ am wondering _____ there are _____ _____ in _____ _____ main _____ before my team _____ _____.

_____ _____ down the mains _____ advance _____?

Are _____ _____ risks of turning _____ _____ _____ _____ prior to _____ work?

Do _____ think powering _____ mains _____ cause _____ _____ _____ preparation?

_____ there _____ _____ if _____ shut _____ main switches before _____ starts?

Is it _____ problem to _____ off _____ main _____ before _____ _____ _____ in affected _____?

_____ are the risk of _____ _____ _____ before _____ _____ work?

_____ my team _____ work _____ _____ affected _____ are _____ any risks in _____ off _____ _____?

Is _____ possible to shut _____ main switches _____ _____ _____ _____?

_____ turning off _____ _____ switches _____ the _____ of work _____?

Please inform _____ of any _____ _____ _____ with powering down _____ main switches at our job _____ _____ _____ _____ _____.

Are there dangers associated _____ shutting _____ main _____ _____ you _____ in _____ _____?

_____ we _____ down main _____ before our team _____ _____ _____ _____ _____ areas, could _____ give us information on _____ potential _____?

If _____ shut down _____ main _____ before our _____ starts _____ in the affected areas, _____ _____ _____ _____ _____ the potential _____?

_____ there _____ dangers _____ _____ switch off _____ _____ before a team _____ work?

_____ there _____ risk _____ shutting _____ main switches before _____ _____?

Are there potential risks associated _____ _____ _____ _____ _____ prior _____ work?

If _____ _____ _____ _____ would be risky?

If _____ team shuts _____ _____ _____ down _____ is there _____ danger?

When _____ crew _____ its _____ around _____ _____ _____ _____ _____ the central boards present _____ threats?

_____ there any risks if _____ _____ off _____ main _____ before the _____ _____?

_____ _____ risks with _____ off main _____ before _____ starts?

What are _____ _____ of _____ main _____ _____ our _____ starts.

_____ are the risks _____ shutting _____ main _____ before _____ _____ starts _____?

If our _____ _____ down _____ switches _____ _____ there _____ dangers?

There may be potential dangers _____ with _____ off _____ _____ _____ _____ _____.

_____ _____ off primary switches _____ _____ to our team's _____?

_____ _____ _____ bad _____ to switch off _____ _____ _____ the job is done?

_____ you let us know _____ _____ are any _____ _____ associated _____ powering _____ _____ main _____ at the job _____?

Is _____ safe _____ turn off _____ _____ switch prior _____ your work _____ _____ _____ areas?

Before your _____ starts _____ _____ there any _____ of _____ _____ the main _____?

_____ _____ _____ any risks _____ with turning _____ the _____ switches before _____ work?

_____ it _____ to _____ _____ the _____ before starting _____ job?

What are the _____ _____ deactivating the main switches _____ _____ _____ _____ _____?

_____ _____ a risk in shutting off _____ _____ before my _____ _____ _____?

What _____ the _____ _____ _____ turning off the main _____ before you _____ _____?

If _____ team shuts down _____ main switches _____ is _____ _____ _____?

_____ it _____ to switch off _____ mains _____ _____ work?

Is there _____ _____ _____ _____ power down _____ main switch _____ work?

Before my team starts _____ in the _____ areas _____ _____ _____ _____ _____ _____ switches?

Is _____ safe _____ _____ off the central boards _____ our _____ begins _____ _____ _____ _____ parts?

_____ it be _____ to _____ _____ mains ahead _____ time?

Is there any danger if ____ ____ ____ ____ ____ ____ first?

____ ____ down mains ____ ____ risky?

Wondering ____ shutting down ____ ahead of time ____ ____ ____ .

Is there any ____ ____ shutting off main ____ ____ ____ begins ____ ____ that have already ____ ____ ?

____ could ____ an ____ ____ from shutting ____ main ____ before work ____ .

____ it risky ____ switch ____ ____ ____ starting work.

____ it ____ to turn off ____ switches before ____ ____ ____ ?

____ is a possibility of ____ ____ ____ switches ____ work ____ in areas ____ ____ already ____ affected.

____ there a ____ of turning ____ ____ ____ ____ the job starts?

Is ____ ____ to turn ____ the main switches ____ we ____ ____ ?

Are ____ any ____ ____ with ____ ____ the main switch ____ work?

Could ____ team's work ____ ____ danger ____ ____ turned off the ____ ____ ?

Is it ____ to ____ ____ the ____ before ____ ?

____ ____ any risk associated ____ ____ ____ main ____ before our team begins ____ ?

____ ____ our ____ in impacted regions, ____ ____ ____ any ____ effects ____ shutting down ____ main switches?

Before my ____ ____ ____ in ____ ____ areas, how ____ is shutting off ____ ____ switches?

Is ____ ____ problem to ____ ____ the ____ switches before work ____ ?

Are ____ any risks ____ ____ ____ off main ____ ____ working ____ affected areas?

Please inform ____ of ____ known risks associated with ____ ____ ____ ____ switches at ____ job sites ____ ____ ____ work.

Are there any ____ ____ ____ disabling the main switches ____ ____ ____ starts ____ ?

____ might be risks in ____ ____ the main ____ before ____ ____ starts ____ .

There ____ be ____ if main switches ____ ____ ____ before ____ .

While ____ out jobs at ____ sites, ____ flipping off ____ master ____ ____ ____ ____ ?

Is ____ a danger if ____ shut ____ ____ ____ ____ first?

____ the ____ starts ____ ____ ____ the ____ risks of deactivating main ____ ?

____ ____ ____ to switch ____ ____ ____ switches before starting work?

____ ____ any risks ____ shutting ____ the ____ ____ before work ____ ____ your area?

Before my ____ ____ work in the ____ ____ ____ there ____ ____ ____ ____ off main switches?

Are ____ aware of the ____ ____ ____ turning off the ____ prior to ____ ____ ____ in the ____ ____ ?

You might be able to ____ ____ ____ ____ ____ ____ ____ with powering down ____ main switches ____ our job ____ .

____ there ____ risks of ____ ____ main ____ ____ work begins?

Is ____ a problem ____ power down ____ switches ____ ____ our ____ ____ impacted ____ ?

If shutting ____ ____ ____ ____ time could be ____ ?

____ ____ ____ main switch before work ____ be ____ hazard.

Is main ____ ____ ____ ____ risk?

If we ____ ____ ____ main ____ before work ____ what ____ ____ risks?

____ it ____ ____ ____ the central ____ off when ____ crew ____ its assignments?

Are ____ any ____ problems with shutting ____ main switches before ____ ____ ____ ____ ?

We might ____ risks ____ we ____ off ____ switches ____ ____ starts.

____ risks ____ ____ switch off ____ main switches before ____ ____ ?

____ we ____ ____ ____ ____ switches before ____ ____ ____ work in affected ____ could you please ____ us about the ____ dangers?

____ ____ ____ of the risks ____ ____ ____ the switches prior to ____ ____ started?

Are there ____ ____ of turning off ____ switches ____ ____ ____ ____ done?

Can ____ ____ ____ ____ are any ____ ____ with deactivating the main ____ before ____ ____ work?

Is it possible to shut ____ main switches ____ ____ ____ ____ ____ ____ ____ already ____ affected?

____ main switches ____ shut ____ before ____ begins in areas ____ have ____ ____ ____ ?

Do you have ____ risks if you shut ____ ____ ____ switches ____ ____ ____ ?

Should ____ turn ____ your ____ ____ prior to ____ ____ of the work ____ the ____ ____ ?

Thoughts on the ____ ____ shutting ____ ____ before ____ job?

____ you aware of ____ ____ associated ____ ____ off the ____ before ____ is ____ ?

_____ we _____ down _____ switches before our _____ _____ _____ in the _____ area?

Before _____ _____ _____ work _____ _____ turn off the _____ switches?

_____ _____ _____ mains ahead of _____ _____ risky?

_____ _____ dangerous _____ _____ down main switches _____ work?

Do _____ have _____ _____ _____ you _____ off _____ main switches before work _____?

_____ it a _____ to switch _____ _____ before _____ work?

Can _____ flip _____ safely _____ _____ work _____ those areas?

Is it a _____ _____ turn off the _____ _____ before _____ _____?

_____ _____ _____ to _____ off _____ central boards when _____ crew starts its _____?

Is _____ dangerous to switch _____ the _____ _____ you _____ your _____?

_____ _____ _____ _____ the main switch _____ _____ work in _____ affected areas, _____ there _____ risks?

Have there any _____ _____ _____ _____ off _____ main switch before _____?

_____ _____ a danger of _____ _____ the _____ _____ a job?

_____ _____ _____ _____ down mains _____ of time is safe.

Is _____ _____ _____ switch off _____ _____ boards _____ _____ crew begins to work _____ those _____?

What are the _____ _____ _____ _____ mains _____ work _____ done?

_____ turning _____ _____ switches a _____ _____ we start working?

_____ there _____ risks _____ with deactivating _____ main _____ _____ _____ is done?

_____ _____ of _____ known _____ _____ with powering down _____ main _____ at _____ _____ sites _____ we start work?

Is _____ a _____ to switch _____ _____ _____ boards when _____ crew starts _____ those _____?

Is _____ _____ danger _____ _____ off the mains _____ _____ job?

_____ are _____ _____ _____ of deactivating _____ switches before our _____ starts _____?

What _____ the _____ _____ _____ off _____ switches before you _____ work?

_____ you heard about the _____ _____ _____ down _____ main switch _____ your team _____ work _____ affected _____?

Wondering if _____ _____ mains _____ of _____ could _____ risky?

_____ it _____ _____ switch _____ _____ main switches _____ work starts?

_____ there _____ _____ if _____ switches are turned _____ _____ work?

_____ _____ _____ _____ the _____ switches _____ our _____ starts working _____ affected areas, could _____ please tell us about _____ _____ hazard?

_____ _____ any _____ associated with turning _____ _____ switches _____ start _____ work?

Are there _____ potential dangers related _____ _____ _____ main switches before _____ _____ _____?

_____ _____ team starts work _____ _____ affected _____ are _____ any _____ of shutting _____ main _____?

Is _____ possible to _____ _____ _____ _____ known risks _____ _____ powering _____ the main _____ at _____ job sites?

Are _____ _____ _____ _____ off main switches _____ _____ working _____ affected areas?

_____ _____ any _____ associated with shutting off _____ _____ _____ _____ working _____ affected areas?

_____ _____ possible to switch off main _____ _____ beginning _____?

_____ work starts _____ _____ _____ _____ _____ been _____ are there any risks with shutting _____ main _____?

The _____ of turning _____ the _____ _____ before a team _____ _____?

What are _____ risks _____ with _____ main _____ _____ we start _____?

Can _____ mess _____ if _____ _____ _____ _____ switches _____ tackling those spots?

Any risks if the _____ _____ _____ _____ _____ before work?

Is _____ _____ _____ _____ switch _____ _____ circuits before our team begins _____?

_____ there _____ _____ with main switches turned _____ before _____?

If shutting _____ _____ mains _____ _____ time _____ be a _____?

If _____ _____ off _____ _____ before work _____ any risks?

_____ risks _____ _____ _____ _____ main _____ before a team works?

Do there _____ _____ _____ any risks _____ _____ off main _____ before work _____?

_____ starting out _____ _____ hazardous _____ _____ _____ off the _____ switch cause _____ problems?

_____ _____ _____ risk of _____ off the mains before _____ _____?

_____ work begins in areas that _____ _____ been affected, _____ main _____ _____ _____ _____?

_____ there have _____ be any _____ _____ shutting _____ _____ switches _____ work starts?

Are _____ any risks _____ _____ off _____ _____ _____ prior to work?

_____ _____ any _____ _____ turning _____ _____ main switches before work starts?

What _____ _____ risks of _____ main switches _____ _____ _____ starts working?

_____ _____ _____ risk to switch _____ the mains _____ you start _____?

_____ there _____ associated with _____ off main _____ _____ _____ work?

_____ _____ any danger in shutting off _____ _____ before _____ _____?

Is _____ possible _____ a mess could _____ when we shut _____ _____ switches _____ _____ _____ _____?

Are there _____ _____ if _____ _____ down _____ main switches before _____ _____?

_____ _____ _____ _____ the _____ _____ to tackle the _____ could there be a _____?

Are there _____ _____ of shutting _____ main _____ prior _____ working _____ affected _____?

_____ _____ _____ concerned _____ turning off _____ main _____ when we start _____?

_____ _____ _____ _____ consequences from powering off mains during _____ _____ work?

Is it safe _____ _____ switchboard _____ _____ _____ zones?

If you switch off main _____ _____ _____ _____ _____ drawbacks?

_____ _____ dangerous to switch off the mains _____ _____ _____?

Does it _____ _____ to _____ _____ _____ main switches before _____ work _____ _____ those areas?

_____ you _____ off the _____ _____ before your _____ _____ _____ are there _____ risks?

Is _____ a _____ _____ off mains _____?

_____ there _____ risk of _____ off _____ _____ switches before _____ starts?

_____ _____ _____ _____ shutting off _____ switches before the work _____.

_____ _____ team starts work _____ the _____ _____ _____ risks _____ there in shutting _____ _____ switches?

Is it linked _____ _____ off main _____ _____ to _____ in _____ _____?

_____ _____ possible _____ shut off _____ _____ before work starts in _____ that have _____ _____?

_____ _____ _____ danger to switch off _____ _____ _____ our team begins _____?

_____ _____ to know if there _____ _____ _____ _____ with _____ down the _____ _____ at our job sites.

_____ _____ switches be _____ _____ _____ the start _____ the work?

Is _____ _____ risk in shutting _____ the _____ _____ before my team _____ _____?

Are _____ any risks _____ you turn _____ the _____ switch before _____ work _____ _____ _____ _____?

Have you _____ of _____ risks _____ turning off _____ _____ before _____ _____?

_____ are _____ risks if the mains _____ shut _____ _____ _____ starts?

_____ there _____ problem when _____ _____ off _____ main switches to _____ _____ spots?

Is _____ a _____ _____ switch off _____ _____ switch before starting _____?

_____ _____ any risks if _____ shut off the main _____ before _____ _____ _____?

Are _____ any risks _____ with _____ _____ main switches _____ _____ _____ starting?

There _____ risks associated _____ _____ off _____ switches _____ _____ working _____ affected areas.

Is _____ _____ _____ effect from shutting down the _____ switches _____ _____ our _____?

Do there _____ to be any _____ of _____ off _____ switches _____ _____ _____?

_____ you _____ _____ the main _____ prior to _____ work _____ _____ areas?

Are _____ _____ associated _____ _____ _____ the _____ switch before _____ in the affected _____?

_____ _____ _____ down main switches before _____ team starts working, _____ _____ _____ us some information _____ the _____ _____?

Is there _____ chance _____ _____ _____ being switched off _____ the _____?

_____ _____ the _____ _____ _____ you work risky?

_____ it dangerous _____ switch _____ the _____ before _____ begins?

If we shut down _____ _____ _____ _____ our _____ _____ _____ _____ affected areas, _____ you give _____ some _____ _____ the potential dangers?

Is _____ possible _____ shut off _____ switches _____ my _____ starts _____?

Are _____ any risks _____ shutting off main _____ _____ _____ _____ _____ areas?

There _____ _____ _____ turning _____ mains before _____ job.

Are _____ _____ _____ of _____ off _____ main _____ before work starts?

_____ think _____ _____ down _____ power _____ working is risky?

_____ you work _____ the _____ _____ _____ _____ any risks _____ turning off _____ main switch?

What _____ the dangers _____ deactivating _____ _____ _____ to _____ _____ starting work?

_____ the _____ _____ be _____ _____ before you _____ in the affected _____?

When _____ _____ is about to start _____ can you _____ _____ _____ _____ switches?

If _____ team _____ down _____ main _____ first, _____ there _____ danger?

Is _____ risky _____ shut off _____ _____ before _____ work?

Should we be _____ _____ any _____ _____ _____ with powering _____ the main _____ _____ our _____ sites?

_____ a mess arise _____ we _____ _____ _____ main _____ to tackle those _____?

Is _____ off the main _____ a risk _____ _____ want _____ _____ _____ certain _____?

There _____ potential _____ of switching _____ mains _____ _____ job.

_____ it safe _____ switch _____ _____ _____ boards when _____ crew _____ starting _____ assignments?

Let us _____ if there _____ _____ known dangers _____ with _____ down _____ _____ _____ at _____ sites.

_____ _____ the _____ of _____ main switches before our team _____ _____?

If _____ _____ down the main switches _____ our _____ _____ work, _____ _____ _____ us about the potential _____ that _____ _____?

_____ _____ _____ risks of _____ down mains before _____ starts?

_____ _____ safe to _____ off _____ pre-job?

If _____ _____ _____ _____ switches _____ our team _____ work, _____ you _____ us information on the potential _____?

_____ our team shuts _____ _____ _____ _____ first, could there _____ danger?

_____ _____ _____ _____ the risks of _____ _____ the main switch _____ _____ team goes _____ work in _____ areas?

What _____ _____ _____ _____ mains are powered down before _____ _____?

What are the _____ of shutting _____ _____ main switches _____ _____ _____ _____ working?

Is _____ _____ _____ when you _____ outmain supplyprior _____?

_____ _____ the _____ dangers of shutting off the _____ before _____ _____.

_____ _____ _____ at risk if main switches _____ _____ work _____?

_____ _____ _____ danger to switch _____ _____ mains before _____ job?

The risks _____ _____ off _____ main switches _____ _____?

If we shut down _____ main _____ _____ _____ _____ starts _____ in _____ _____ _____ you _____ us information _____ the potential risks?

_____ shutting down _____ mains _____ time _____ _____?

_____ my team starts _____ _____ the _____ areas, do I _____ _____ _____ off _____ _____ switches?

_____ _____ _____ to switch _____ mains before you _____ work?

_____ _____ risks _____ _____ off the main _____ _____ my team starts _____?

Are there _____ _____ _____ with turning off _____ _____ switches _____ _____ start?

Do you _____ any risks _____ _____ turning off _____ _____ before _____ team _____ _____?

_____ _____ team shuts _____ the _____ _____ first, is there _____ threat?

What do we know _____ _____ _____ of deactivating _____ switches _____ _____ _____ work?

Ahead of work in impacted regions, _____ there _____ any _____ _____ _____ _____ _____?

The _____ _____ _____ off _____ switches _____ to work?

_____ _____ _____ of _____ risks associated with turning off _____ switches _____ _____ starts?

Before my _____ _____ work in _____ _____ areas, _____ _____ shut _____ the _____ switches?

_____ _____ any risks in _____ _____ _____ switches before work _____ in _____ _____ _____ already been affected?

_____ _____ a problem _____ _____ _____ main switches ahead _____ _____ in impacted regions?

_____ you think shutting down _____ ahead of _____ _____ _____?

Should _____ main _____ be turned off _____ _____ _____ of _____ work?

_____ _____ any risks _____ with _____ off _____ switches before _____ team starts _____?

Is it a _____ _____ _____ _____ _____ main switches before _____?

Is it _____ risky to _____ off _____ _____ before _____ _____?

_____ _____ team turn off the main _____ _____ they _____ _____ _____ affected areas?

_____ might be dangers _____ _____ power down _____ _____ _____ pre-work.

_____ it a risk _____ _____ off the _____ switch before _____ _____?

_____ there _____ mess _____ _____ shut off the main _____ _____ tackling _____ spots?

_____ _____ any _____ if _____ shut down _____ switches first?

_____ it possible _____ turning _____ the _____ _____ could _____ our team?

Are there any risks _____ turning _____ main _____ _____ you _____ _____?

_____ _____ _____ risks _____ we switch _____ the main switches before _____ _____.

_____ _____ shut down _____ switches before our _____ _____ work _____ _____ areas, could _____ _____ us information _____ _____ possible dangers?

_____ you _____ _____ _____ risks _____ _____ off the switches _____ work starts in the _____ _____?

If you want _____ _____ _____ _____ areas, are there any risks _____ _____ _____ main _____?

Should _____ turn _____ _____ main switches _____ work starts _____ _____ _____ areas?

There may be _____ _____ _____ shutting _____ main _____ _____ _____ _____ in affected areas.

Before _____ team works, are _____ _____ of _____ off _____ _____?

Please _____ us know _____ _____ known _____ _____ with powering down _____ main switches _____ _____ job sites _____ _____ begin _____.

Is it _____ _____ shutting off main _____ prior _____ _____ _____ affected _____?

_____ you _____ if _____ _____ any risks associated _____ _____ _____ _____ switches _____ our team starts work?

_____ _____ _____ _____ _____ main _____ are turned off before work?

Were _____ _____ _____ associated _____ _____ off the main switch _____ _____ work?

_____ it _____ to _____ _____ the main switches _____ to the _____ of _____ _____?

Is _____ a danger of _____ _____ _____ _____ job?

_____ it _____ risk to _____ off _____ mains _____ work _____?

_____ _____ be an adverse _____ _____ _____ down _____ switches ahead _____ work.

Before my _____ _____ work, _____ _____ have _____ risks in shutting _____ main _____?

Is it _____ _____ switch _____ the primary _____ _____ to _____ team _____ work?

_____ beginning out _____ _____ hazardous _____ _____ flipping _____ the master switch _____ harm?

There _____ _____ _____ of _____ off _____ switches before working _____ affected _____.

Before my team starts _____ in the _____ _____ any _____ _____ _____ off _____ _____?

What _____ _____ risks in shutting _____ the _____ _____ _____ _____ team starts work?

Is _____ risky _____ _____ _____ the mains before you _____ _____?

_____ there any _____ _____ related to _____ off _____ switches prior _____ _____?

_____ we _____ _____ the _____ switches before our team starts work, could you _____ _____ us _____ _____ _____ _____?

_____ there _____ _____ _____ shutting off the _____ switches before _____ team _____ work?

Is it _____ _____ _____ to _____ off _____ _____ work starts?

Is _____ down the _____ _____ of time _____ _____ all?

_____ _____ shut down _____ switches before _____ _____ starts work in _____ _____ could you _____ us _____ _____ dangers _____ may arise?

What _____ _____ risks _____ _____ switches before _____ start work?

_____ you aware of the _____ _____ _____ turning _____ the switches _____ _____ _____ started?

_____ _____ a concern _____ _____ _____ the main switches before we _____ _____?

_____ there a _____ _____ _____ off _____ _____ switches before the team starts _____?

_____ _____ any _____ _____ the team shuts _____ the main switches _____?

Are there any dangers _____ _____ _____ _____ switches before _____ _____ work?

Is it _____ _____ _____ off main _____ _____ _____ start working _____ affected areas?

_____ your main _____ be turned off prior to _____ of _____ _____ _____ _____ _____?

Shutting _____ _____ power before _____ risky, _____ _____?

There _____ _____ dangers _____ disabling central _____ before _____ starts.

_____ _____ _____ risks _____ with _____ _____ the main switches before work _____?

_____ _____ _____ dangers linked to _____ the main switches before our _____ _____ _____?

_____ _____ shut _____ _____ switches _____ our _____ starts working in affected areas, could _____ please _____ us _____ _____ _____ potential dangers?

Are _____ aware of _____ risks _____ turning _____ the switches _____ _____ _____ in _____ affected _____?

_____ you think _____ a problem _____ _____ _____ mains during work _____?

Should the main switches be _____ _____ _____ _____ _____ start of _____ _____ the affected _____?

Is _____ _____ to _____ off _____ _____ _____ while starting _____ jobs at _____ sites.

If _____ shut down the main _____ _____ _____ team _____ _____ in affected areas, _____ you _____ us _____ _____ potential _____?

_____ _____ dangerous _____ _____ off _____ circuits _____ our team _____ their work?

_____ on potential _____ of shutting _____ mains before _____ _____?

_____ you let us know _____ known dangers associated _____ _____ _____ _____ main _____ at _____ _____ sites?

Do _____ know any dangers _____ _____ _____ power _____ _____ begins?

Should _____ turn off the _____ switch prior _____ _____ _____ _____ _____ areas?

Before _____ team _____ work, _____ risks _____ _____ _____ main switches?

_____ starting work _____ _____ switch off _____ main _____?

Can _____ team turn _____ the main switches _____ _____ _____ work _____ _____ areas?

_____ shutting _____ the _____ switch _____ _____ dangerous?

_____ the _____ switches be _____ off before _____ starts _____ the _____ _____?

Shutting off _____ _____ _____ to _____ _____ _____ areas can be dangerous.

_____ _____ a _____ _____ _____ off main switches before _____ team _____ work?

Is _____ safe to _____ off the _____ _____ _____ job?

Is _____ any danger _____ _____ _____ _____ switches down first?

_____ _____ a _____ idea _____ switch _____ mains pre-job?

_____ we shut down _____ _____ before our _____ starts _____ in affected areas, could _____ _____ _____ _____ about _____ potential _____ issues?

Is _____ an adverse _____ from powering _____ main _____ _____ _____ work?

_____ are risks in _____ _____ the main _____ _____ a _____ works.

Are _____ _____ if you shut _____ _____ _____ before work _____?

Is _____ _____ _____ turning off primary _____ could _____ our _____ work?

_____ it _____ _____ _____ switch off _____ circuits before _____ team _____ tasks?

Before _____ _____ starts work, _____ there any _____ to _____ _____ _____ main switches?

Is there _____ _____ _____ the team _____ _____ the main switches _____?

Think about _____ _____ dangers _____ _____ _____ _____ before a job.

Should _____ _____ switches _____ _____ _____ _____ the start _____ the _____ in those areas?

_____ my _____ starts work in _____ _____ any risks _____ _____ _____ main switches?

Do you _____ the _____ _____ _____ _____ safety concerns _____ _____ _____ _____ switchboards before starting operations?

_____ there _____ risk _____ _____ shut down _____ main switches _____?

Is it possible that a _____ _____ _____ when _____ _____ _____ _____ switches to _____ those _____?

Have _____ heard _____ _____ _____ of turning _____ the switches _____ work _____ in _____ affected _____?

_____ there dangers associated with _____ off the _____ switches _____ _____ _____?

Are _____ any _____ _____ you _____ off main _____ before work _____?

There _____ some dangers _____ _____ central power before _____ _____.

If _____ shut off _____ switches _____ _____ _____ are there _____ risks?

_____ there any dangers _____ _____ turning _____ the _____ switch before _____ in the _____ _____?

_____ _____ _____ can you switch _____ the _____ switches?

How risky is it _____ _____ _____ _____ mains _____ _____ work?

Shutting _____ _____ _____ _____ working in _____ areas _____ a potential hazard.

What _____ _____ _____ _____ disabling main _____ before _____ start work?

_____ there any danger _____ _____ _____ the main switches _____ _____?

_____ there _____ _____ _____ associated with deactivating _____ _____ switches before the _____ _____ work?

Are _____ _____ potential dangers linked _____ shutting _____ main switches _____ _____ _____?

Are _____ any _____ _____ _____ off main _____ before work _____ in areas _____ _____ already been _____?

_____ _____ know _____ risks _____ _____ _____ the main _____ _____ your team starts work _____ affected areas?

_____ there _____ associated with shutting _____ _____ switches _____ to _____ in _____?

_____ _____ _____ _____ associated with turning off the _____ switch _____ _____ team starts _____?

Do you _____ _____ there _____ dangers _____ _____ off _____ main switches?

_____ on _____ dangers _____ switch off _____ _____ a job?

Is it a _____ to _____ off _____ _____ _____ _____ the work _____?

_____ you _____ any risks _____ _____ off _____ main _____ before your team _____ _____?

_____ the work starts can _____ _____ off _____ _____ switch?

_____ _____ the risks _____ turning off _____ _____ before work _____?

Are you _____ of _____ _____ of _____ _____ the switches _____ to work _____?

Is _____ a _____ _____ _____ _____ off _____ _____ before we _____ working in affected areas?

Is _____ possible to _____ _____ when _____ outmain _____?

Do _____ think shutting down _____ before time _____ _____ _____?

Is _____ down _____ _____ before _____ risky?

_____ you know about _____ risks _____ _____ _____ the _____ switch prior _____ _____ work?

What _____ the potential _____ _____ deactivating main switches _____ _____ our _____ _____ work?

Before _____ _____ starts work, _____ are _____ risks _____ shutting _____ the main _____?

_____ tell _____ of any _____ dangers associated _____ powering down _____ main _____ _____ our _____ _____ _____ we start work.

_____ it _____ _____ shut down main _____ prior to _____ _____?

_____ _____ switches be _____ _____ prior to work being done _____ the _____ _____?

_____ you _____ _____ the risk of _____ _____ _____ main switch _____ your _____ _____ work _____ an affected area?

Before _____ _____ _____ areas _____ _____ been _____ are there _____ risks of shutting _____ main _____?

_____ _____ let _____ _____ if there are _____ dangers _____ with powering down _____ _____ _____ at our job _____.

Is _____ a problem _____ _____ _____ _____ _____ switches before start _____ work?

Do _____ _____ any _____ _____ _____ turning off the main _____ _____ you work?

If _____ down _____ _____ _____ _____ time could be risky?

_____ _____ potential risks _____ _____ off _____ _____ switches before my team _____ work.

_____ are potential _____ related to shutting _____ _____ _____ prior _____ work.

There _____ be dangers if _____ _____ off _____ main switches _____ _____.

_____ we _____ _____ _____ main _____ _____ work begins, _____ there any risks?

Before _____ _____ start work, can we _____ off _____ _____ _____?

There _____ _____ _____ _____ off the main switches _____ the work _____ _____.

_____ there _____ _____ effects _____ _____ down main switches ahead _____ work?

_____ work _____ in _____ _____ have _____ _____ affected, is _____ any risk of shutting off _____ _____?

Before starting work _____ _____ _____ _____ the _____?

Before _____ team starts _____ _____ _____ _____ _____ should _____ shut off main switches?

There might be _____ if you _____ down the _____ _____ _____ _____.

Is it _____ _____ main _____ _____ be turned off _____ _____?

_____ _____ team _____ risk _____ they shut _____ the main _____ first?

There _____ potential _____ _____ you _____ off _____ _____ switches prior to _____.

Do _____ _____ _____ risky it _____ _____ turn down _____ _____ switch _____ _____ team starts work?

There are _____ _____ _____ turning off _____ main _____ before _____ team _____.

_____ _____ _____ to _____ off _____ switches _____ to working _____ affected areas?

_____ _____ the risks _____ with switch _____ _____ working?

When _____ shut off _____ main switches _____ _____ _____ _____ _____ there be a _____?

_____ you able _____ let _____ know _____ _____ known dangers associated _____ _____ _____ _____ main switches _____ our job sites?

_____ shutting _____ mains _____ the time _____ right _____ be _____?

_____ we be aware of any _____ _____ associated _____ powering _____ the main switches _____ _____ _____ _____?

_____ are _____ risks of _____ off _____ _____ switch before _____ work _____ the _____ areas?

_____ it safe _____ _____ down mains _____ _____ work in affected _____?

Are _____ _____ risks _____ with _____ _____ _____ main _____ before you _____ in the affected _____?

Are _____ _____ associated _____ _____ _____ main _____ _____ working in affected areas?

What _____ the risks of _____ main _____ _____ _____ is _____?

_____ there any _____ _____ _____ down main switches _____ work _____?

_____ if _____ down mains ahead of _____ could _____ _____.

Can you tell _____ if there _____ any risks _____ _____ _____ _____ switches before _____ _____?

_____ _____ any dangers associated with _____ _____ _____ _____ primary _____ before our team starts _____?

____ the mains are ____ ____ ____ work, ____ ____ the risks?

Are ____ dangers ____ ____ ____ ____ switches before work?

____ it safe to ____ ____ mains ____ ____ time?

____ ____ ____ ____ work ____ an ____ area, are you ____ of the risks ____ turning ____ the main ____?

____ ____ ____ starts work in affected areas, ____ ____ ____ ____ ____ risks ____ turning down the main switch?

Is there ____ ____ ____ shutting ____ main ____ ____ to work?

If ____ shut down ____ switches before ____ ____ starts ____ in ____ ____ could ____ give ____ ____ ____ ____ dangers that may arise?

____ ____ a danger ____ ____ off ____ ____ before ____ team starts work?

Is it ____ risk if ____ ____ off main switches ____ ____ ____?

Is ____ safe ____ flip off ____ ____ switch ____ ____ out ____ hazardous sites?

There ____ ____ ____ with ____ ____ off ____ ____ circuits before ____ team starts work.

Should ____ main ____ be turned ____ prior to ____ ____ of the work ____ ____ ____?

Could a mess ____ when ____ ____ ____ ____ ____ ____ tackle those spots?

Should ____ ____ off ____ main switch ____ your work ____ ____ affected ____?

____ there any risks associated with ____ ____ ____ ____ switches ____ ____ ____ starts work?

Are you ____ of the risks ____ ____ turning off the ____ ____ ____ work ____ ____?

Inform us of any known dangers ____ ____ powering down ____ ____ ____ ____ ____ sites, ____ we start ____.

If you shut off the ____ ____ before ____ work ____ are ____ ____ ____?

____ ____ ____ in ____ ____ have ____ been ____ are there dangers to ____ off ____ switches?

____ ____ have risks ____ we switch off ____ ____ switches ____ ____ starts.

____ ____ heard ____ the ____ of turning down ____ main switch ____ ____ ____ ____ team start work?

____ ____ dangerous to turn ____ the ____ switches before ____ ____?

____ ____ ____ risks associated with turning off the ____ ____ ____ ____ starts work?

____ there ____ risks ____ with ____ off ____ ____ switch before you ____?

____ it safe to ____ power ____ before ____ ____?

____ ____ ____ ____ know if there are ____ dangers ____ ____ powering ____ ____ main switches at ____ job sites?

If ____ shut ____ the main switches ____ our ____ starts work, ____ ____ tell us ____ ____ possible ____?

Is ____ riskier to ____ off ____ ____ ____ work starts?

____ we ____ down the main ____ before our team starts ____ ____ you please ____ ____ ____ ____ ____ dangers?

Should main ____ be shut off ____ ____ ____ ____ areas that ____ already ____ ____?

Is ____ a risk ____ ____ off main switches ____ ____ ____ ____ work?

____ need to ____ ____ ____ are any ____ ____ associated with powering down ____ ____ ____ at our ____ site.

____ are ____ dangers linked to ____ off ____ switches prior ____ ____.

Do you have ____ ____ ____ turning off ____ switches ____ ____ ____ starts work?

____ ____ ____ ____ ____ if ____ are any known ____ associated with powering down the main ____ at ____ job ____?

What ____ the ____ ____ ____ main switches before work ____?

Is ____ a potential hazard that may ____ ____ ____ ____ down main ____ ____ our ____ ____ working?

There are ____ dangers ____ ____ shutting off main switches ____ ____ ____.

____ want to know ____ there ____ any ____ dangers associated with ____ ____ ____ main switches ____ ____ job ____.

Is shutting ____ ____ ____ switches ____ risk if ____ want ____ ____ in some ____?

____ ____ ____ of any known ____ associated with powering down ____ ____ ____ ____ our job ____ ____ we start work?

____ ____ ____ ____ the main switches before ____ team starts ____ ____ affected areas, ____ ____ tell me ____ the ____ dangers?

What ____ the ____ ____ shutting down ____ switches ____ work?

____ there ____ risks of ____ off main switches before ____ ____ in ____ that ____ ____ been ____?

Before ____ ____ starts ____ in the ____ ____ should I ____ down ____ ____ switches?

____ there ____ an ____ effect on ____ ____ if ____ had to ____ ____ main switches?

____ curious ____ ____ down ____ ahead of time ____ ____ riskier.

Shutting ____ main switches ____ work ____ ____ areas ____ ____ ____ been affected ____ a risk.

____ ____ team works, ____ risks ____ ____ in turning ____ the ____ switches?

____ you heard ____ ____ risks ____ turning off ____ switches before ____ is ____?

_____ it possible _____ inform _____ of any _____ _____ _____ with _____ down the _____ _____ at job sites?

Is there any _____ _____ _____ off mains before _____ _____?

If _____ team shuts down the main _____ _____ will _____ _____ _____?

Is it _____ _____ _____ turn _____ _____ switches before we _____ work?

If we _____ _____ main switches _____ _____ team starts work in affected areas, _____ _____ _____ _____ _____ _____ potential risks?

There is a _____ _____ _____ _____ _____ switches _____ _____ _____ in _____ that have already been affected.

_____ my _____ _____ _____ _____ _____ _____ areas, should I _____ off the main switch?

Is _____ possible _____ _____ off _____ _____ before a job?

_____ there _____ risks _____ _____ _____ off main switches _____ _____ in areas?

If shutting _____ _____ ahead _____ time could be _____ _____ _____.

_____ _____ potential dangers _____ _____ off _____ mains _____ _____ job is done.

_____ _____ want to work in _____ certain area, are there _____ risks _____ _____ _____ _____ main _____?

Have you _____ about the risks _____ _____ off _____ _____ _____ work is started _____ _____ _____ areas?

_____ we _____ work within _____ zones, _____ _____ the risks of _____ _____ switches?

If we shut _____ _____ main switches _____ _____ team _____ _____ could _____ give us _____ about _____ potential _____?

Are _____ _____ to turning _____ the _____ _____ _____ your work?

_____ _____ be dangers _____ shutting _____ the main _____ _____ work.

Is it _____ _____ _____ off main switches _____ work _____?

_____ about _____ dangers of switching off _____ before _____ _____.

_____ shutting off main switches _____ _____ if _____ _____ _____ _____ in those areas?

Any _____ of _____ _____ _____ before work _____ in impacted _____?

_____ your work in _____ _____ _____ are there any risks to turn _____ _____ _____ _____?

_____ _____ dangers _____ _____ _____ off main _____ prior to work?

Should _____ main switches be turned off _____ _____ _____ _____ _____ _____ areas?

_____ _____ _____ risks in shutting off _____ _____ before my team _____ _____?

_____ there _____ _____ _____ from shutting down the main _____ ahead _____ _____?

Have you heard about the risks _____ turning off _____ _____ _____ _____ _____ _____?

_____ are possible dangers _____ _____ off mains _____ a _____.

Before my _____ _____ _____ in _____ affected areas, _____ _____ off _____ main _____ safe?

_____ we _____ down _____ _____ before our _____ _____ _____ _____ you _____ us about the potential dangers?

Before the team _____ _____ there risks _____ _____ turning _____ _____ switches?

Please let us know _____ any _____ dangers _____ with powering _____ _____ _____ switches at _____ _____ _____.

Is _____ safe _____ flip _____ _____ _____ switch while beginning out jobs _____ _____ _____?

Is _____ bad to _____ _____ main switches _____ _____ starts?

When our _____ _____ _____ _____ around those parts, would it _____ _____ threats if _____ _____ _____ _____ central boards?

You _____ _____ us _____ any _____ dangers _____ _____ powering down the main _____ _____ the job _____.

_____ _____ any _____ associated _____ turning off _____ main _____ before _____ _____ starts work?

_____ down _____ power _____ you _____ risky?

_____ it _____ _____ flip off the master switch _____ starting _____ _____ hazardous _____?

_____ _____ dangers _____ you _____ down the _____ switch before you _____?

_____ it a danger _____ _____ off primary circuits _____ _____ team _____ _____?

Before my team _____ work _____ _____ affected _____ _____ _____ _____ risk in _____ off main _____?

_____ you shut _____ the main switches before _____ starts _____ _____ _____ want _____ work _____?

Is _____ _____ the _____ _____ _____ time safe?

Are _____ any _____ _____ _____ off main switches _____ work _____?

When _____ _____ _____ _____ _____ around those parts, would _____ be any threats _____ the _____ _____ were _____ off?

_____ could be dangers _____ shutting down _____ _____ _____ _____ work.

Is it _____ _____ you _____ _____ _____ _____ _____ when _____ off _____ switchboards before starting operations?

_____ it _____ to switch _____ mains _____ you _____?

Do _____ know of _____ risks _____ with _____ off the _____ _____ prior _____ _____?

Are ____ ____ ____ ____ turning off the main ____ ____ work?

____ ____ ____ off ____ my team ____ work, are there ____?

Is ____ a risk ____ ____ ____ main switches before ____ starts in ____ ____ have ____ ____ affected?

____ ____ any risks associated with deactivating ____ ____ switches ____ ____ is ____?

There may ____ adverse effects from ____ down ____ ____ ____ ____ starts.

Will ____ be ____ ____ consequences if ____ ____ ____ mains during work ____?

If ____ shut ____ ____ ____ ____ before ____ team ____ to work in affected ____ could you ____ us ____ the potential ____?

____ there ____ ____ of shutting ____ ____ switches before work ____ in affected ____?

____ there dangers to ____ ____ ____ switches prior ____ ____ in affected ____?

Before our ____ starts ____ ____ regions, ____ ____ be ____ ____ effects ____ shutting down ____ switches?

____ there ____ ____ to ____ off ____ main switch before ____ work?

____ it possible ____ inform us of any known dangers ____ ____ ____ down ____ ____ ____ ____ ____ job site?

I'm ____ ____ there are ____ risks ____ ____ off the main ____ ____ my team ____ ____.

____ are dangers in ____ ____ ____ ____ work.

Have ____ heard ____ ____ risk ____ turning down ____ main ____ ____ your ____ starts ____ in affected areas?

____ are ____ risks of ____ ____ mains before ____ begins?

If the main switches ____ ____ ____ ____ ____ there ____ risk?

Should the ____ ____ ____ turned off prior ____ the ____ ____ ____ work in ____ areas?

Is ____ a risk ____ ____ ____ ____ switches ____ to work?

What are the risks ____ ____ ____ ____ ____ prior to ____ team starting ____?

____ ____ ____ about the risks of ____ off the ____ ____ to ____ happening?

____ it ____ ____ to switch off the ____ boards when ____ ____ ____ ____ assignments?

There are risks ____ turning ____ ____ switches ____ a ____ ____.

____ there ____ danger to switch ____ ____ ____?

____ you ____ shutting ____ ____ mains ahead of time ____ be ____?

Is ____ ____ ____ ahead of ____ really ____?

____ it possible to ____ ____ ____ ____ a job?

____ it ____ bad ____ ____ flip off ____ ____ switch while starting out ____ ____ sites?

____ we ____ ____ safely before we ____ ____ in ____ areas?

____ there ____ risks of turning ____ main ____ before ____?

____ ____ any danger ____ ____ power down ____ main switch before ____?

____ ____ think it's ____ good idea to ____ off ____ ____ switches ____ the work ____?

____ it ____ ____ to ____ off mains pre- ____?

____ ____ wise to ____ off mains before ____ ____?

Do ____ ____ about the ____ ____ turning off the ____ before work ____ ____ the ____?

I was wondering if ____ down ____ ____ ____ time ____ ____.

What are the ____ associated ____ ____ down ____ ____ work ____?

Are ____ ____ of the ____ of ____ off the ____ ____ to ____ ____ initiated ____ the affected areas?

____ there ____ ____ consequences ____ power off ____ during work ____?

Do you ____ ____ ____ ____ ____ ____ off ____ switches prior to work ____ started?

____ it ____ ____ ____ ____ off main switches ____ we begin work?

____ ____ any risks associated with turning off the ____ ____ ____ ____?

____ it safe to turn ____ ____ switches ____ work ____?

Is it ____ ____ idea to ____ off ____ ____ ____ job?

____ ____ ____ ____ ____ ____ ____ before our team ____ work in affected ____ could ____ give ____ ____ about the potential dangers?

Can ____ tell me ____ there ____ ____ risks associated with disabling ____ ____ ____ ____ we start ____?

____ ____ risks of the mains being ____ off ____ ____.

While ____ ____ with hazardous jobs, could flipping ____ ____ master ____ ____ ____ harm?

____ ____ ____ ____ the main ____ before our team ____ work ____ the ____ areas, could you tell ____ about the ____ ____?

If ____ ____ mains ____ of time ____ be very ____?

Is ____ ____ ____ ____ ____ turn ____ main ____ before we work in ____ areas?

____ ____ ____ starts work, are there any ____ in ____ ____ main ____?

What ____ the risks associated ____ ____ ____ ____ before work ____?

What ____ ____ ____ of shutting down main ____ before ____ ____ starts?

What are ____ potential ____ ____ deactivating ____ switches ____ ____ starts?

____ it ____ to switch off ____ circuits prior ____ our ____ ____ ____?

____ there any ____ ____ from shutting down main ____ ____ of ____?

____ ____ ____ down main ____ ____ our ____ begins work in affected ____ ____ you give ____ information on the ____ ____?

____ ____ any ____ to ____ off main switches before ____ starts ____ areas ____ have ____ been ____?

Is ____ ____ ____ of ____ down the main ____ ____ you start ____ in affected ____?

____ ____ to ____ ____ hazardous sites, could ____ ____ the master switch ____ any ____?

Could you let us know if ____ are ____ dangers ____ ____ ____ down ____ main ____ ____ our ____ ____?

____ work ____ ____ areas ____ have already been ____ ____ ____ shut off the ____ switches?

____ risks of ____ ____ switches ____ to ____ team ____ work ____ unknown.

____ there a danger ____ ____ ____ mains ____ a job?

____ work starts in areas that ____ ____ been ____ are ____ ____ risks in ____ ____ the ____ switches?

____ ____ risks with turning ____ the ____ switches ____ a ____ works.

____ there ____ ____ ____ shutting off the ____ switches ____ the ____ begins?

Do you ____ ____ ____ if you ____ ____ ____ main switch prior ____ work?

Is it ____ to ____ down ____ ____ ____ ahead of work in ____ ____?

____ ____ ____ ____ shutting down the ____ ahead of time ____ be ____?

Can ____ main ____ be ____ off ____ work ____?

There ____ possible dangers ____ ____ ____ mains before ____ job.

____ risks of turning off ____ ____ ____ ____ to work?

Do ____ know ____ ____ risks ____ with ____ off the switches ____ to ____ ____ started?

____ there ____ ____ linked to ____ ____ main switches prior ____ work?

____ ____ ____ risk in ____ ____ ____ ____ switches before the team works?

Are ____ risks ____ shutting ____ ____ switches ____ work?

Is ____ safe ____ ____ off ____ main ____ before work ____?

____ it a good idea ____ ____ off ____ ____ switches before ____ work ____?

Should the ____ ____ be ____ off ____ ____ ____ start ____ the work?

____ ____ any ____ associated ____ ____ ____ off of primary circuits ____ ____ team starts work?

____ ____ starts ____ ____ ____ ____ to work ____ are there any risks to shutting off ____ ____?

Is it ____ to switch ____ ____ before ____ ____?

____ ____ down mains ____ it's time could ____ ____?

Is it ____ to turn ____ the main ____ ____ ____ ____?

Should ____ ____ down the main ____ ____ ____ team starts ____ ____ the ____ area?

Are ____ any ____ associated ____ ____ ____ the ____ ____ before your team ____ work?

What ____ ____ risks if ____ ____ off the ____ switches before ____ ____?

____ may ____ dangers ____ you ____ ____ ____ switches before work.

____ ____ safe ____ flip ____ ____ ____ switch ____ starting a ____ at hazardous sites?

____ ____ curious ____ shutting down mains ahead of ____ ____ be ____.

____ we ____ down main switches before our ____ ____ ____ ____ affected areas, could you ____ ____ about ____ potential ____?

____ shutting down ____ main switch expose ____ ____ ____?

____ ____ power down ____ main ____ ahead of ____ work in the ____ ____?

____ ____ ____ ____ the main switches ____ our team ____ working in affected areas, could ____ ____ us information ____ ____ ____ dangers?

____ ____ ____ to switch off the mains ____ ____ work?

How risky ____ ____ ____ power down ____ before ____ ____ in affected ____?

Is it a problem ____ switch ____ ____ ____ ____ our team ____ ____?

____ starting work, are ____ ____ ____ to switch ____ the main ____?

____ ____ team ____ working in ____ ____ what are the ____ of ____ main ____?

Is ____ an adverse effect ____ ____ ____ main switches ____ of ____ ____?

Is there a risk ____ ____ ____ ____ main switches ____ your ____ ____ work?

____ you ____ to work in certain ____ ____ ____ ____ risks of ____ ____ the ____ switches?

Is there ____ danger ____ ____ down the main ____ ____?

What are ____ ____ of powering down ____ ____ work ____?

What are ____ risks of shutting off main switches ____ ____ ____ in ____ ____ ____ ____ ____?

Are there ____ ____ associated ____ turning off ____ ____ switch ____ ____ start your ____?

____ ____ the risks ____ ____ main switches ____ we start work ____ affected ____?

Is ____ ____ concern to turn off main ____ before ____ ____ ____?

If we ____ ____ the ____ ____ ____ our ____ starts working ____ affected areas, ____ you ____ us ____ information ____ the ____ dangers?

Is turning off ____ switches a ____ to ____ ____ on ____ ____ ____?

Is ____ ____ to switch ____ ____ switches ____ starting work?

What ____ are ____ with ____ off main ____ ____ your team ____ ____?

____ there ____ risks ____ we switch ____ the main ____ before ____ ____?

Before ____ ____ ____ work ____ the affected ____ ____ ____ the risks of shutting off ____ main ____?

Is ____ any risk ____ turning ____ the main ____ ____ work ____?

____ ____ ____ ____ ____ we switch off primary circuits before ____ ____ starts work?

Is it ____ ____ ____ ____ the ____ switches before ____ team ____ work?

____ we shut ____ main switches before ____ team ____ ____ ____ in affected areas, ____ ____ tell us about ____ ____ ____?

The risks ____ ____ main switches before ____ ____ ____ work are ____.

____ we shut down main ____ ____ ____ team starts ____ ____ ____ ____ could you please tell ____ about any ____ ____?

____ ____ ____ to ____ off main ____ prior to work?

____ there any ____ ____ ____ switch off ____ main ____ before ____ begins?

____ ____ shut off the ____ ____ before ____ ____ spots, could ____ mess arise?

____ ____ start working in affected areas ____ I ____ concerned ____ ____ ____ ____ switches?

Can a mess ____ ____ we shut ____ the ____ switches ____ ____ the ____?

____ there ____ ____ ____ shutting off main ____ ____ my ____ starts working?

____ ____ if shutting ____ ____ mains ahead of time ____ ____.

There ____ be ____ effects from ____ down ____ ____ ____ work starts.

Are there any ____ ____ to ____ off ____ ____ ____ to working?

Do you ____ it's ____ to turn off ____ ____ ____ before ____ work ____?

Are ____ any dangers ____ ____ shutting ____ main ____ before working ____ ____ areas?

____ ____ ____ off the ____ switches ____ work ____ are there ____ risks?

If ____ ____ are turned ____ ____ ____ there will be ____.

____ there any ____ ____ ____ ____ ____ the main switches prior to starting ____?

____ ____ ____ ____ the ____ ____ turning down ____ main switch if your team begins ____ in ____ areas?

____ it ____ to ____ off ____ circuits before ____ team starts ____?

____ there ____ ____ ____ with ____ off ____ switches before ____ in affected areas?

____ you turn ____ ____ ____ switches ____ ____ ____ start of work in those ____?

____ there ____ dangers ____ ____ turning ____ main switches before ____ ____ starts work?

If we ____ down main switches ____ our ____ ____ work in ____ areas, ____ ____ ____ tell ____ about ____ ____ risks?

Is it ____ ____ ____ off the ____ ____ ____ to work?

Are there ____ ____ ____ ____ off the main switches ____ to ____?

Are ____ any ____ ____ you turn ____ the ____ ____ ____ you start?

____ ____ any ____ ____ ____ ____ off the switches before work starts?

We would like ____ know ____ ____ are any known dangers ____ ____ powering down ____ ____ ____ at ____ job ____.

Are there ____ risks ____ turning ____ the main ____ ____ work ____ ____ ____ areas?

Are ____ ____ known dangers ____ ____ powering ____ ____ main switches at ____ job sites ____ we ____ work?

____ ____ ____ ____ to ____ off the main switches before beginning ____?

Is ____ ____ ____ ____ ____ mains before time could ____ risky?

____ it ____ to ____ ____ ____ mains ____ starting your job?

Is it ____ ____ ____ down main power before ____ ____?

If we switch off ____ ____ ____ before ____ ____ ____ risks would we ____?

Do ____ think it's ____ ____ ____ ____ turnoff your ____ ____ before ____ work starts?

Are ____ dangers to ____ ____ main ____ before work ____?

____ ____ shut down the ____ switches ____ our team ____ ____ ____ affected ____ could ____ tell us about the ____ ____?

Are ____ ____ possible dangers associated with ____ ____ main ____ ____ ____ in ____ areas?

____ ____ ____ risks of disabling ____ power ____ work ____ in ____ zones?

____ ____ team ____ work, ____ there ____ ____ of ____ off main switches?

____ ____ shut off ____ ____ ____ before ____ starts in ____ ____ are there any risks?

____ we shut down ____ switches before our team starts ____ ____ ____ ____ could ____ ____ tell ____ about ____ potential ____?

____ there ____ adverse ____ ____ shutting down ____ switches before work ____?

Should we ____ down the ____ ____ ____ ____ team starts ____ ____ affected areas?

Is it ____ to turn off ____ ____ ____ before ____?

Are there any ____ in ____ off main ____ before ____ ____ ____?

____ we start work in affected ____ ____ are ____ ____ ____ deactivating ____ switches?

____ there be ____ ____ on our ____ if we power ____ ____ ____ switches?

If we shut down ____ ____ switches ____ our team ____ work ____ ____ affected ____ could you ____ ____ us about ____ ____ ____?

If ____ ____ ____ main switches before ____ begins, ____ risks ____ there?

____ our team shuts ____ ____ ____ switches first, is ____ a ____?

____ you shut ____ ____ ____ switches before ____ begins, ____ there any ____?

I ____ curious if ____ down ____ ahead ____ time ____ be ____.

Do you ____ ____ is ____ ____ idea ____ ____ off ____ main switches ____ work begins?

____ wonder if shutting down mains ____ ____ ____ is ____?

____ there any risks ____ ____ off the ____ ____ before ____ ____ starts?

Any risks associated ____ ____ off ____ main ____ ____ work?

Can ____ let us ____ if ____ are any known ____ associated with ____ down the main ____ ____ ____ ____ ____?

What ____ the ____ ____ you power down ____ ____ work ____?

____ it ____ ____ ____ ____ turn off the main ____ before we start ____?

Are ____ ____ ____ with shutting ____ main ____ ____ work starts?

If ____ ____ mains ____ ____ time would be ____?

There ____ ____ risks if ____ ____ switches ____ turned off before ____.

If ____ ____ switches are turned ____ before ____ what are ____ ____?

If ____ shut ____ main switches before our team ____ work in ____ ____ ____ you please ____ us ____ ____ ____?

____ it ____ ____ ____ ____ to be turned off prior ____ work?

Will ____ be negative ____ if you ____ off ____ ____ work ____?

Are ____ ____ associated ____ shutting off ____ switches before ____?

____ ____ safe to ____ off mains ____ work ____.

____ shutting off ____ ____ ____ a risk if ____ ____ to work in ____ ____?

____ we flip ____ ____ before ____ start ____ ____ those areas?

The risks ____ ____ ____ switches ____ a ____ is working?

Is it ____ ____ power down ____ main ____ ____?

____ ____ ____ ____ to shutting off ____ switches before working?

____ are the risks ____ ____ main switches ____ a team ____ ____?

Are there any ____ to ____ ____ ____ ____ ____ work begins?

____ ____ possible ____ outline ____ safety concerns when turning ____ ____ ____ before we ____ operations in affected ____?

Is ____ ____ that ____ off the ____ ____ could ____ a threat ____ our ____?

Are ____ any ____ associated with ____ ____ main switches prior ____ ____?

Shutting ____ ____ power ____ ____ is risky?

____ ____ ____jobs at hazardous ____ ____ ____ off the master switch ____ ____ problems?

If ____ shut off the ____ ____ before ____ ____ are ____ any ____?

____ ____ starts ____ ____ that have already been ____ are ____ any ____ ____ shutting ____ main switches?

____ ____ ____ possible dangers of ____ off ____ mains ____ a job.

Do ____ ____ ____ the ____ ____ ____ ____ off the switches prior ____ work being done?

What are ____ ____ ____ ____ ____ switches before our work ____?

____ ____ ____ associated with ____ off the ____ switch before your ____?

____ ____ shut ____ main ____ before our team starts ____ ____ you tell us ____ the ____ ____?

If you want ____ work in certain ____ ____ ____ ____ off ____ main ____?

____ ____ ____ ____ ____ risks of ____ off the ____ before work is started?

____ it a ____ to ____ off main ____ before ____ ____?

Is there ____ chance ____ ____ mess ____ we shut ____ ____ main ____ to tackle ____ ____?

____ work ____ ____ ____ ____ have already been affected, ____ there any ____ ____ ____ off switches?

____ ____ the ____ risks of ____ main switches before ____ ____ starts ____?

While ____ ____ ____ ____ hazardous sites could ____ be ____ effects from flipping off ____ ____ ____.

____ ____ ____ ____ the affected areas, are ____ any risks ____ with ____ ____ the main ____?

If ____ ____ shuts ____ the main ____ ____ are there any ____?

Is it ____ to ____ ____ ____ ____ switch before they start ____?

____ there any risks if ____ ____ ____ main ____ before work ____?

____ it safe ____ ____ ____ the central boards ____ our ____ begins ____ work?

Is it a ____ to turn ____ ____ ____ ____ ____ work?

____ your ____ ____ ____ turned off prior ____ ____ start ____ ____ in those areas?

____ we ____ ____ the main ____ ____ ____ there any danger?

What are ____ ____ ____ ____ main ____ before we start ____?

What are ____ ____ ____ disabling ____ switches prior to ____ team ____ ____?

Is it ____ ____ ____ ____ ____ the ____ switches ____ our work starts?

____ there any ____ associated ____ turning ____ ____ main ____ ____ to work?

____ you aware of the risks ____ with turning ____ ____ ____ ____ ____ being started?

If ____ shut down the main ____ ____ our team ____ ____ in the ____ ____ ____ ____ tell us about ____ potential ____?

____ ____ ____ of ____ risks associated with ____ off ____ switches prior to work ____ ____?

____ may ____ dangers if ____ power down ____ ____ ____ pre-work.

____ am curious if shutting ____ ____ ahead ____ time ____ ____.

If ____ shut ____ ____ main ____ before ____ ____ starts working in ____ areas, could ____ ____ ____ us information ____ the ____ dangers?

____ it safe to ____ off ____ master ____ while ____ ____ work at ____ ____?

If we shut down the main ____ ____ ____ ____ be ____ ____?

____ of work ____ ____ impacted ____ ____ ____ be any ____ effects from ____ ____ main switches?

____ ____ any risks associated ____ turning off the ____ ____ before you ____ ____?

____ ____ wise to turn off your ____ switches before ____ ____ ____?

We'd like ____ ____ if ____ ____ any known ____ ____ with ____ ____ the main switches at our ____ ____.

Is ____ ____ risk ____ ____ the mains off ahead ____ ____?

____ it safe ____ ____ off ____ ____ ____ work starts ____ ____ that have already ____ affected?

____ ____ ____ risks about ____ off main switches ____ work starts in ____ that have ____ ____ ____?

____ ____ ____ is it ____ ____ switch off mains?

____ ____ shut ____ ____ switches ____ our team starts work ____ ____ ____ could you give ____ ____ information ____ the potential dangers?

____ are risks in ____ off ____ ____ ____ before ____ work begins.

____ may be ____ ____ ____ off the main switches ____ my ____ starts ____.

What ____ ____ risks ____ ____ ____ switches before we ____ working?

Is ____ risky ____ switch off ____ circuits ____ ____ ____ team ____ work?

Is ____ a risk if ____ ____ are ____ ____ before ____?

____ ____ ____ off the main ____ to tackle ____ ____ could a mess ____?

____ ____ possible ____ ____ ____ off primary electrical sources ____ work areas?

____ are ____ risks of ____ off ____ ____ switches ____ the ____ works?

____ beginning out ____ at ____ sites, ____ flipping ____ ____ ____ switch have ____ effects?

Are ____ any dangers ____ with ____ ____ ____ switches prior to ____?

Do ____ ____ ____ the ____ ____ turning off the ____ before work is ____?

Can you tell me about the ____ of ____ ____ the main ____ ____ ____ ____ ____?

Can ____ main ____ ____ shut off ____ ____ work begins?

Is ____ ____ ____ to ____ ____ ____ before you start work?

Before ____ ____ ____ work in ____ affected ____ any ____ of ____ off ____ main switches?

Should your ____ ____ be ____ off prior ____ work ____ ____ ____ those areas?

____ ____ off main ____ ____ the start of work ____?

____ my team ____ ____ do ____ ____ any risks ____ ____ ____ the main switches?

What are ____ ____ of powering down ____ ____ starting ____?

Can ____ ____ us know if ____ are ____ known dangers ____ with powering ____ the ____ ____ ____ ____ sites?

____ ____ a risk ____ switch off ____ primary ____ ____ ____ our team ____ work?

____ ____ the ____ of deactivating ____ switches prior to ____ ____?

Are there any ____ effects ____ shutting down ____ ____ ____ work ____?

What ____ ____ risks of deactivating ____ switches before our ____ ____ ____?

The main switches ____ ____ ____ off before ____ team ____.

Should main ____ ____ ____ off ____ work ____ in ____ that have ____ affected?

Before we start working in affected ____ ____ ____ be concerned ____ ____ ____ ____ main ____?

Is it a ____ if ____ switch off ____ ____ switches ____ ____ ____?

We may ____ ____ ____ we switch off ____ ____ ____ before ____ begins.

____ ____ the risks of shutting ____ main switches prior to ____ ____ ____ ____?

____ ____ ____ ____ main switches ____ our team arrives in ____ areas?

There are ____ ____ ____ ____ the ____ ____ before a team is ____.

There ____ any perils of disabling central ____ ____ ____ ____?

There are ____ ____ of disabling central power ____ ____ ____.

Is it riskier ____ switch ____ main switches ____ ____ ____?

____ ____ down mains ____ of ____ ____ be dangerous?

Have ____ heard ____ the risks ____ ____ off the ____ before ____ ____ started?

____ ____ ____ work, could you tell us ____ ____ ____ ____ ____ powering down the ____ switches at ____ job sites?

Do you know ____ ____ ____ ____ ____ turning ____ the switches before work ____?

Is shutting down ____ ____ ahead ____ time ____ ____?

Do you think ____ ____ ____ a ____ idea to ____ ____ your ____ switches ____ ____ starts?

It ____ be ____ ____ switch ____ mains ____ starting work.

Is there ____ ____ of shutting ____ ____ ____ ____ work starts?

Please ____ ____ know if there ____ any dangers ____ with ____ down ____ main ____ at ____ job ____.

Are there any risks ____ shutting ____ ____ ____ ____ before work ____?

Are ____ ____ ____ to ____ ____ the main ____ prior ____ your work?

Please ____ ____ ____ any known ____ associated with powering down ____ ____ ____ ____ the ____ sites.

Is there ____ ____ in ____ ____ the main ____ ____ ____ team starts work?

Should ____ be informed of any known dangers ____ ____ powering ____ the main ____ ____ ____ ____ ____?

____ our ____ begins ____ assignments ____ ____ ____ would switching off the ____ ____ present ____ threats?

Is ____ a ____ ____ the team ____ down the ____ ____ first?

There are ____ ____ of shutting ____ ____ before a ____.

____ there ____ associated with ____ ____ ____ switches prior ____ working in affected ____?

Is ____ a ____ ofswitching off ____ before ____ ____?

____ ____ possible ____ outline ____ safety concerns ____ turning off ____ switchboards before ____ ____?

____ ____ ____ risks of ____ ____ ____ main switches before ____ team starts work?

____ ____ ____ risks if main ____ ____ turned off?

There could be risks ____ the ____ ____ are ____ ____ ____ work.

____ it ____ hazard ____ switch off primary ____ ____ to ____ ____ starting work?

____ you think it ____ a ____ ____ to ____ ____ your ____ ____ prior to the start ____ the ____?

Please ____ us ____ ____ ____ ____ associated ____ powering ____ ____ main ____ at our job sites.

____ ____ potential ____ associated ____ shutting ____ main ____ before working.

It ____ ____ ____ shutting ____ ____ ____ ahead of ____ would be risky.

____ we shut ____ main switches ____ our ____ ____ working, ____ you please ____ ____ ____ the potential dangers?

Shutting ____ the main power ____ work ____ risky, ____ ____?

____ ____ the ____ ____ turning off the mains ____ ____ job.

Is there ____ ____ of ____ off ____ ____?

Is ____ a ____ ____ ____ off ____ pre-job?

Is ____ ____ ____ ____ ____ the mains ____ going to work?

Do you ____ of ____ ____ ____ shutting off ____ ____ before work ____?

____ it dangerous to ____ ____ ____ works?

Is ____ related to ____ ____ main switches ____ ____ work ____ ____ areas?

____ ____ heard ____ ____ ____ of turning ____ the ____ before work is done ____ ____ affected areas?

____ there ____ risks if ____ ____ off main ____ before ____ starts?

____ ____ ____ ____ of switches off mains ____?

____ you think ____ ____ dangers ____ ____ ____ the main switches?

If we shut down main switches before ____ ____ ____ ____ in ____ ____ ____ ____ ____ ____ us about ____ potential danger?

____ we shut ____ ____ ____ switch ____ the work begins?

Are there ____ ____ ____ with ____ off main switches ____ your ____ ____?

____ it a ____ ____ turn ____ ____ ____ prior to work?

____ is ____ if ____ down mains ____ of time ____ be ____.