

## [Demo] NLP Dataset for Customer Service Automation

|                             |   |
|-----------------------------|---|
| <b>Company Type</b>         | Electricity Suppliers   |
| <b>Inquiry Category</b>     | New service connection requests   |
| <b>Inquiry Sub-Category</b> | Construction and infrastructure requirements  |
| <b>Description</b>          | Customers inquire about the infrastructure needed to connect their property to the electricity grid, such as the need for new poles, transformers, or underground cables, and the responsibilities of both the customer and the electricity provider. |
| <b>Data Size</b>            | 8,910 paraphrases   |
| <b>Want to buy data?</b>    | Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.  |

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_\_ upgrades \_\_\_\_\_ deemed essential by engineers after inspection \_\_\_\_\_ us \_\_\_\_\_ beforehand?  
\_\_\_\_\_ engineers tell \_\_\_\_\_ it will cost \_\_\_\_\_ transformer \_\_\_\_\_?  
If \_\_\_\_\_ need \_\_\_\_\_ replace transformers \_\_\_\_\_ would they notify \_\_\_\_\_ about \_\_\_\_\_?  
\_\_\_\_\_ us the price \_\_\_\_\_ a transformer \_\_\_\_\_?  
Engineers \_\_\_\_\_ the need \_\_\_\_\_ and \_\_\_\_\_ we have advance \_\_\_\_\_ expenses?  
\_\_\_\_\_ say the \_\_\_\_\_ must be \_\_\_\_\_ can you \_\_\_\_\_ a \_\_\_\_\_ on the \_\_\_\_\_?  
Will \_\_\_\_\_ price be told \_\_\_\_\_ according \_\_\_\_\_ engineers?  
Will you let \_\_\_\_\_ the \_\_\_\_\_ transformer upgrade if \_\_\_\_\_?  
Are we made aware of \_\_\_\_\_ expenses \_\_\_\_\_ essential \_\_\_\_\_?  
Is \_\_\_\_\_ necessary for engineers \_\_\_\_\_ costs \_\_\_\_\_ upgrade transformers?  
\_\_\_\_\_ we \_\_\_\_\_ of \_\_\_\_\_ of essential transformer \_\_\_\_\_ approved \_\_\_\_\_ engineers?  
If transformer \_\_\_\_\_ considered vital by \_\_\_\_\_ get \_\_\_\_\_ notice?  
Are \_\_\_\_\_ made \_\_\_\_\_ of the \_\_\_\_\_ of the \_\_\_\_\_?  
Are \_\_\_\_\_ informed of the costs \_\_\_\_\_ we go \_\_\_\_\_?  
Will you tell \_\_\_\_\_ about \_\_\_\_\_ upgrade?  
If \_\_\_\_\_ transformers need to \_\_\_\_\_ an idea of the price?  
\_\_\_\_\_ we have \_\_\_\_\_ up on \_\_\_\_\_ much \_\_\_\_\_ from your engineers \_\_\_\_\_?  
Are \_\_\_\_\_ made aware \_\_\_\_\_ before essential transformer \_\_\_\_\_?  
When \_\_\_\_\_ evaluate the need \_\_\_\_\_ transformer replacements, \_\_\_\_\_ information \_\_\_\_\_ expenses?  
Will engineers tell \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?  
Will you \_\_\_\_\_ us \_\_\_\_\_ transformer \_\_\_\_\_?  
\_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ involved before a \_\_\_\_\_ upgrade?  
\_\_\_\_\_ engineers let \_\_\_\_\_ about \_\_\_\_\_ costs \_\_\_\_\_ the \_\_\_\_\_ is upgraded?  
Can we expect \_\_\_\_\_ up on \_\_\_\_\_ transformer \_\_\_\_\_ when we \_\_\_\_\_ from \_\_\_\_\_?  
\_\_\_\_\_ they \_\_\_\_\_ us about \_\_\_\_\_ in \_\_\_\_\_ transformer \_\_\_\_\_ essential?  
\_\_\_\_\_ in advance of any \_\_\_\_\_ upgrade costs?  
\_\_\_\_\_ transformer upgrade \_\_\_\_\_ told \_\_\_\_\_ us \_\_\_\_\_?  
Would the \_\_\_\_\_ about \_\_\_\_\_ costs \_\_\_\_\_ they \_\_\_\_\_ the transformer?

Will there \_\_\_\_ a notification \_\_\_\_ of \_\_\_\_ necessary \_\_\_\_ \_\_\_\_ ?

\_\_\_\_ evaluation, would engineers \_\_\_\_ expected expenditure \_\_\_\_ transformer \_\_\_\_ ?

\_\_\_\_ we given \_\_\_\_ estimate \_\_\_\_ before \_\_\_\_ transformers need to be \_\_\_\_ ?

When \_\_\_\_ have to upgrade \_\_\_\_ you \_\_\_\_ cost \_\_\_\_ ?

Will \_\_\_\_ tell \_\_\_\_ costs when \_\_\_\_ are required?

If \_\_\_\_ upgrades \_\_\_\_ should \_\_\_\_ tell the cost \_\_\_\_ ?

\_\_\_\_ get \_\_\_\_ notice \_\_\_\_ upgrade costs?

\_\_\_\_ you \_\_\_\_ me \_\_\_\_ prices \_\_\_\_ transformer upgrades?

Will engineers \_\_\_\_ us about transformer \_\_\_\_ ?

If transformers are deemed \_\_\_\_ let \_\_\_\_ costs?

\_\_\_\_ transformer upgrade costs \_\_\_\_ advance?

\_\_\_\_ transformer \_\_\_\_ needed, \_\_\_\_ us about associated costs?

Can we expect a \_\_\_\_ up \_\_\_\_ the \_\_\_\_ costs \_\_\_\_ ?

Will \_\_\_\_ us about the \_\_\_\_ if \_\_\_\_ transformer upgrade \_\_\_\_ ?

If \_\_\_\_ upgrades are \_\_\_\_ inform us?

\_\_\_\_ there going to \_\_\_\_ a heads-up \_\_\_\_ the \_\_\_\_ for \_\_\_\_ transformer \_\_\_\_ ?

\_\_\_\_ of the \_\_\_\_ before proceeding with essential \_\_\_\_ ?

\_\_\_\_ case of essential transformer \_\_\_\_ will \_\_\_\_ inform us \_\_\_\_ costs?

Will \_\_\_\_ inform \_\_\_\_ costs of transformer \_\_\_\_ they happen?

If the transformers \_\_\_\_ deemed \_\_\_\_ would the \_\_\_\_ inform \_\_\_\_ ?

\_\_\_\_ the \_\_\_\_ upgrade costs are deemed \_\_\_\_ us?

Will we \_\_\_\_ told in \_\_\_\_ how \_\_\_\_ it \_\_\_\_ upgrades?

Will \_\_\_\_ us know \_\_\_\_ costs \_\_\_\_ the upgrade?

\_\_\_\_ the engineers inform \_\_\_\_ upgrade \_\_\_\_ ?

Will \_\_\_\_ pre- \_\_\_\_ us \_\_\_\_ costs if \_\_\_\_ upgrades \_\_\_\_ required?

\_\_\_\_ a \_\_\_\_ repaired, do \_\_\_\_ tell how much it will \_\_\_\_ ?

\_\_\_\_ they \_\_\_\_ know the cost \_\_\_\_ transformer upgrades \_\_\_\_ ?

\_\_\_\_ engineers decided \_\_\_\_ the \_\_\_\_ based \_\_\_\_ would they inform \_\_\_\_ of their \_\_\_\_ ?

Will \_\_\_\_ the \_\_\_\_ our transformers?

Will we \_\_\_\_ estimate of \_\_\_\_ the \_\_\_\_ are fixed?

Will engineers \_\_\_\_ us \_\_\_\_ the \_\_\_\_ needs to \_\_\_\_ ?

\_\_\_\_ upgrades are deemed necessary \_\_\_\_ will they \_\_\_\_ about \_\_\_\_ costs?

\_\_\_\_ to be upgraded \_\_\_\_ going \_\_\_\_ find \_\_\_\_ about the charges \_\_\_\_ advance?

\_\_\_\_ the \_\_\_\_ us about \_\_\_\_ costs for transformer \_\_\_\_ ?

If \_\_\_\_ costs \_\_\_\_ are \_\_\_\_ vital by engineers, \_\_\_\_ we \_\_\_\_ prior \_\_\_\_ ?

\_\_\_\_ they tell us about \_\_\_\_ with \_\_\_\_ upgrades?

Can \_\_\_\_ expect \_\_\_\_ know the \_\_\_\_ transformer improvements?

\_\_\_\_ the engineers \_\_\_\_ about the \_\_\_\_ costs?

Will \_\_\_\_ about the anticipated \_\_\_\_ for \_\_\_\_ upgrades?

\_\_\_\_ informed in advance about \_\_\_\_ costs \_\_\_\_ replacements?

Will \_\_\_\_ on pricing happen \_\_\_\_ the \_\_\_\_ if \_\_\_\_ decide that updates \_\_\_\_ ?

If \_\_\_\_ we \_\_\_\_ about expenses \_\_\_\_ proceeding \_\_\_\_ upgrades?

When \_\_\_\_ evaluate \_\_\_\_ need \_\_\_\_ transformer \_\_\_\_ know the expenses?

If they \_\_\_\_ replace transformers based on inspection, \_\_\_\_ the engineers \_\_\_\_ ?

\_\_\_\_ prior cost information if \_\_\_\_ decide \_\_\_\_ transformer?

If the \_\_\_\_ be essential, \_\_\_\_ inform us about \_\_\_\_ ?

\_\_\_\_ upgrades are \_\_\_\_ during inspection, do \_\_\_\_ inform \_\_\_\_ expenses?

\_\_\_\_ inform \_\_\_\_ about \_\_\_\_ if transformer upgrades are deemed essential?

Will \_\_\_\_ told in \_\_\_\_ of the \_\_\_\_ for \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ to be notified of \_\_\_\_ before proceeding with \_\_\_\_ ?

\_\_\_\_\_ need \_\_\_\_\_ upgrades do we \_\_\_\_\_ advance information about expenses?  
 Are we \_\_\_\_\_ advance \_\_\_\_\_ the \_\_\_\_\_ upgrade's \_\_\_\_\_?  
 \_\_\_\_\_ these \_\_\_\_\_ need \_\_\_\_\_ can you \_\_\_\_\_ a heads up \_\_\_\_\_ the price?  
 If essential \_\_\_\_\_ happen, \_\_\_\_\_ us \_\_\_\_\_ associated costs upfront?  
 \_\_\_\_\_ us about \_\_\_\_\_ before \_\_\_\_\_ transformer upgrade is \_\_\_\_\_ the engineers?  
 \_\_\_\_\_ the \_\_\_\_\_ to be upgraded, can \_\_\_\_\_ tell us the \_\_\_\_\_ tags?  
 \_\_\_\_\_ we \_\_\_\_\_ a heads-up on \_\_\_\_\_ costs for \_\_\_\_\_ transformer \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ know how \_\_\_\_\_ will \_\_\_\_\_ before the \_\_\_\_\_ repair?  
 \_\_\_\_\_ say that \_\_\_\_\_ transformers must \_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ heads up on \_\_\_\_\_ price?  
 Y'all \_\_\_\_\_ inform us of the \_\_\_\_\_ to \_\_\_\_\_?  
 Is \_\_\_\_\_ for engineers to \_\_\_\_\_ expenditures on transformer \_\_\_\_\_?  
 \_\_\_\_\_ your engineers \_\_\_\_\_ upgrades \_\_\_\_\_ will you let \_\_\_\_\_ the costs?  
 When engineers evaluate the need \_\_\_\_\_ transformer upgrades, \_\_\_\_\_ expenses?  
 \_\_\_\_\_ inform \_\_\_\_\_ about their \_\_\_\_\_ if they \_\_\_\_\_ to \_\_\_\_\_ the transformers?  
 If the \_\_\_\_\_ upgrade \_\_\_\_\_ the \_\_\_\_\_ are expenses notified \_\_\_\_\_ the \_\_\_\_\_?  
 Will we be \_\_\_\_\_ about \_\_\_\_\_ transformers?  
 \_\_\_\_\_ engineers \_\_\_\_\_ us of associated expenses when \_\_\_\_\_ transformer \_\_\_\_\_?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ costs before \_\_\_\_\_ proceed \_\_\_\_\_ transformer revisions?  
 When transformer \_\_\_\_\_ are \_\_\_\_\_ essential by \_\_\_\_\_ inform \_\_\_\_\_ about \_\_\_\_\_ costs?  
 Is \_\_\_\_\_ advance \_\_\_\_\_ given \_\_\_\_\_ the need \_\_\_\_\_ transformer upgrades?  
 Can we \_\_\_\_\_ heads \_\_\_\_\_ on transformer upgrade \_\_\_\_\_ visit?  
 If \_\_\_\_\_ the transformers \_\_\_\_\_ you \_\_\_\_\_ us about the price?  
 \_\_\_\_\_ told \_\_\_\_\_ the costs before \_\_\_\_\_ transformer revisions?  
 Are we informed in \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ engineers let \_\_\_\_\_ know \_\_\_\_\_ transformer \_\_\_\_\_ necessary?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ engineers \_\_\_\_\_ about \_\_\_\_\_ they upgrade transformer?  
 Are we \_\_\_\_\_ aware \_\_\_\_\_ expenses \_\_\_\_\_ transformer upgrades in \_\_\_\_\_?  
 \_\_\_\_\_ we made \_\_\_\_\_ of \_\_\_\_\_ prior \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ the expenses before \_\_\_\_\_ essential transformer \_\_\_\_\_?  
 \_\_\_\_\_ they \_\_\_\_\_ us know \_\_\_\_\_ costs \_\_\_\_\_ is a transformer \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ advance about the \_\_\_\_\_ transformer upgrade?  
 \_\_\_\_\_ we get a \_\_\_\_\_ estimate before \_\_\_\_\_?  
 Have engineers told us \_\_\_\_\_ transformer \_\_\_\_\_ are determined?  
 Are we \_\_\_\_\_ advance \_\_\_\_\_ before proceeding with \_\_\_\_\_ revisions?  
 \_\_\_\_\_ tell us about \_\_\_\_\_ upfront costs \_\_\_\_\_ to transformers.  
 Do we \_\_\_\_\_ the expenses before \_\_\_\_\_ with the \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ much it would cost \_\_\_\_\_ upgrade \_\_\_\_\_ transformers?  
 Do \_\_\_\_\_ tell us \_\_\_\_\_ advance of \_\_\_\_\_ upgrades \_\_\_\_\_ deemed \_\_\_\_\_?  
 Do you have to \_\_\_\_\_ a heads \_\_\_\_\_ on \_\_\_\_\_ upgrade \_\_\_\_\_ us?  
 Tell \_\_\_\_\_ the \_\_\_\_\_ transformer upgrades in advance, \_\_\_\_\_?  
 If transformer \_\_\_\_\_ are \_\_\_\_\_ engineers, do we get notice \_\_\_\_\_?  
 \_\_\_\_\_ possible to get a \_\_\_\_\_ on anticipated \_\_\_\_\_ upgrades?  
 Will \_\_\_\_\_ engineers \_\_\_\_\_ us know if \_\_\_\_\_ upgrades \_\_\_\_\_?  
 Will \_\_\_\_\_ a warning from \_\_\_\_\_ engineers before the \_\_\_\_\_?  
 When transformer repairments are \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ cost?  
 If engineers \_\_\_\_\_ these \_\_\_\_\_ be upgraded, \_\_\_\_\_ you \_\_\_\_\_ about \_\_\_\_\_ price \_\_\_\_\_?  
 \_\_\_\_\_ transformer \_\_\_\_\_ essential, will engineers inform us \_\_\_\_\_ advance?  
 Will \_\_\_\_\_ us \_\_\_\_\_ about essential \_\_\_\_\_ upgrades \_\_\_\_\_ associated costs in \_\_\_\_\_?  
 Do \_\_\_\_\_ have a \_\_\_\_\_ estimate \_\_\_\_\_ transformer upgrades?  
 \_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ up on \_\_\_\_\_ much transformer \_\_\_\_\_ engineers could \_\_\_\_\_ us?

Will engineers \_\_\_\_\_ the \_\_\_\_\_ costs \_\_\_\_\_ transformer upgrades?

Will they let \_\_\_\_\_ know the \_\_\_\_\_ if \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ before the transformer \_\_\_\_\_ are recommended?

Would \_\_\_\_\_ engineers \_\_\_\_\_ if they \_\_\_\_\_ to replace transformers?

Can you \_\_\_\_\_ us \_\_\_\_\_ cost \_\_\_\_\_ upgrade?

Will \_\_\_\_\_ us \_\_\_\_\_ about \_\_\_\_\_ prices prior to \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ engineers inform \_\_\_\_\_ about \_\_\_\_\_ associated expenses \_\_\_\_\_ important \_\_\_\_\_ determined?

If \_\_\_\_\_ upgrades are required, \_\_\_\_\_ us \_\_\_\_\_ costs?

\_\_\_\_\_ the transformer upgrade costs \_\_\_\_\_ inform us?

\_\_\_\_\_ the engineers \_\_\_\_\_ replace \_\_\_\_\_ based on inspection, would \_\_\_\_\_ about their \_\_\_\_\_?

Will you \_\_\_\_\_ know in advance \_\_\_\_\_ necessary \_\_\_\_\_ upgrade \_\_\_\_\_?

\_\_\_\_\_ let us \_\_\_\_\_ time how \_\_\_\_\_ it will \_\_\_\_\_ for \_\_\_\_\_ upgrades?

\_\_\_\_\_ upgrade transformers, \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_?

\_\_\_\_\_ let \_\_\_\_\_ know the \_\_\_\_\_ of transformer \_\_\_\_\_?

When \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ upgrades, \_\_\_\_\_ we given advance \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ is necessary, \_\_\_\_\_ there be \_\_\_\_\_ notification of associated \_\_\_\_\_?

Will engineers \_\_\_\_\_ us \_\_\_\_\_ anticipated \_\_\_\_\_?

Are \_\_\_\_\_ of the expenses \_\_\_\_\_ to essential \_\_\_\_\_?

\_\_\_\_\_ you going to give \_\_\_\_\_ if \_\_\_\_\_ decides \_\_\_\_\_ a transformer upgrade?

\_\_\_\_\_ we need \_\_\_\_\_ are you going to \_\_\_\_\_ us \_\_\_\_\_ heads up?

If \_\_\_\_\_ decide to replace \_\_\_\_\_ based \_\_\_\_\_ inspection, would \_\_\_\_\_ notify \_\_\_\_\_ about \_\_\_\_\_?

Engineers would have \_\_\_\_\_ tell us \_\_\_\_\_ we \_\_\_\_\_.

\_\_\_\_\_ necessary for us to \_\_\_\_\_ aware of expenses \_\_\_\_\_ with \_\_\_\_\_ inspection?

If \_\_\_\_\_ necessary transformer \_\_\_\_\_ do we \_\_\_\_\_ prior \_\_\_\_\_ information?

\_\_\_\_\_ about \_\_\_\_\_ associated costs \_\_\_\_\_ transformer upgrades are necessary?

Is \_\_\_\_\_ notification from the engineers before \_\_\_\_\_ to \_\_\_\_\_?

Do \_\_\_\_\_ the \_\_\_\_\_ know by \_\_\_\_\_ time \_\_\_\_\_ transformers \_\_\_\_\_ to upgrade?

Will the engineers \_\_\_\_\_ if they \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ you allow us \_\_\_\_\_ prior \_\_\_\_\_ the transformer upgrade?

\_\_\_\_\_ us \_\_\_\_\_ transformer upgrade costs \_\_\_\_\_ event!

Will \_\_\_\_\_ upgrade expenses \_\_\_\_\_ transformers after inspection?

\_\_\_\_\_ we know \_\_\_\_\_ about the \_\_\_\_\_ transformer upgrade?

\_\_\_\_\_ we \_\_\_\_\_ in advance \_\_\_\_\_ transformer \_\_\_\_\_ costs?

Will they \_\_\_\_\_ costs are for \_\_\_\_\_ improvements?

\_\_\_\_\_ they let us \_\_\_\_\_ will cost to \_\_\_\_\_ transformer?

\_\_\_\_\_ let us \_\_\_\_\_ costs if engineers \_\_\_\_\_ are necessary?

Will \_\_\_\_\_ give \_\_\_\_\_ of \_\_\_\_\_ transformer upgrades?

Will they \_\_\_\_\_ know the costs \_\_\_\_\_ are needed?

So, \_\_\_\_\_ inform \_\_\_\_\_ expenses prior to transformer \_\_\_\_\_?

\_\_\_\_\_ tell us \_\_\_\_\_ costs of \_\_\_\_\_ upgrades \_\_\_\_\_ advance.

Will \_\_\_\_\_ be \_\_\_\_\_ transformer \_\_\_\_\_ necessary?

\_\_\_\_\_ recommend \_\_\_\_\_ transformer \_\_\_\_\_ can we expect a \_\_\_\_\_ on \_\_\_\_\_ expected \_\_\_\_\_?

\_\_\_\_\_ inform us about expenses \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ engineers tell \_\_\_\_\_ the \_\_\_\_\_ costs?

\_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ before \_\_\_\_\_ upgrade?

\_\_\_\_\_ us the \_\_\_\_\_ transformer upgrade?

If transformer \_\_\_\_\_ are \_\_\_\_\_ they \_\_\_\_\_ what the costs \_\_\_\_\_?

Are \_\_\_\_\_ aware of the \_\_\_\_\_ the essential transformer revisions?

If they \_\_\_\_\_ need transformer upgrades, \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ up?

Are \_\_\_\_\_ in advance about \_\_\_\_\_ transformer \_\_\_\_\_?

If your \_\_\_\_\_ recommend \_\_\_\_\_ we \_\_\_\_\_ heads \_\_\_\_\_ on the cost?  
 \_\_\_\_\_ we be told \_\_\_\_\_ advance about \_\_\_\_\_ transformer \_\_\_\_\_?  
 Will \_\_\_\_\_ engineers \_\_\_\_\_ about associated costs \_\_\_\_\_ transformer \_\_\_\_\_ are \_\_\_\_\_?  
 Should \_\_\_\_\_ upgrade costs \_\_\_\_\_ reported \_\_\_\_\_ us \_\_\_\_\_ engineers?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ the engineer recommends transformer improvements?  
 Will you let \_\_\_\_\_ if \_\_\_\_\_ necessary to \_\_\_\_\_ the \_\_\_\_\_?  
 Should transformer \_\_\_\_\_ to us?  
 Should \_\_\_\_\_ be \_\_\_\_\_ about \_\_\_\_\_ upgrade costs if they \_\_\_\_\_?  
 Do \_\_\_\_\_ have a \_\_\_\_\_ on \_\_\_\_\_ the transformer upgrade might \_\_\_\_\_?  
 \_\_\_\_\_ transformer upgrade \_\_\_\_\_ are vital to \_\_\_\_\_ do we \_\_\_\_\_?  
 \_\_\_\_\_ we told \_\_\_\_\_ prior to the \_\_\_\_\_ revisions?  
 Will \_\_\_\_\_ us \_\_\_\_\_ in advance the \_\_\_\_\_ transformer \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_ can we expect \_\_\_\_\_ costs?  
 Is \_\_\_\_\_ that you will \_\_\_\_\_ me \_\_\_\_\_ prices prior \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ transformer \_\_\_\_\_ costs?  
 \_\_\_\_\_ the engineers tell us \_\_\_\_\_ price \_\_\_\_\_ transformers need \_\_\_\_\_?  
 Will \_\_\_\_\_ how much \_\_\_\_\_ costs to \_\_\_\_\_ transformers?  
 \_\_\_\_\_ made \_\_\_\_\_ expenses involved before \_\_\_\_\_ transformer upgrade?  
 Should we \_\_\_\_\_ told \_\_\_\_\_ associated \_\_\_\_\_ transformer \_\_\_\_\_ necessary?  
 Will they \_\_\_\_\_ about costs \_\_\_\_\_ transformer \_\_\_\_\_ are considered \_\_\_\_\_?  
 \_\_\_\_\_ engineers tell us \_\_\_\_\_ anticipated \_\_\_\_\_ expenses \_\_\_\_\_?  
 Do we \_\_\_\_\_ prepared for how \_\_\_\_\_ transformer upgrades \_\_\_\_\_ might cost \_\_\_\_\_?  
 When \_\_\_\_\_ transformer upgrades, is there information \_\_\_\_\_ expenses?  
 Will \_\_\_\_\_ engineers tell us \_\_\_\_\_ our \_\_\_\_\_ upgrade?  
 \_\_\_\_\_ be informed \_\_\_\_\_ advance about the \_\_\_\_\_ upgrades?  
 Would \_\_\_\_\_ engineers inform \_\_\_\_\_ the expenses if they \_\_\_\_\_ replace \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ find \_\_\_\_\_ about charges before \_\_\_\_\_ transformer \_\_\_\_\_ upgraded?  
 \_\_\_\_\_ there be \_\_\_\_\_ transformer prices from the \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ it will cost to upgrade the \_\_\_\_\_?  
 \_\_\_\_\_ essential transformer upgrades, will you \_\_\_\_\_ of their \_\_\_\_\_ upfront?  
 \_\_\_\_\_ tell \_\_\_\_\_ the price \_\_\_\_\_ the \_\_\_\_\_ upgrade?  
 Are we \_\_\_\_\_ about the \_\_\_\_\_ before \_\_\_\_\_ with \_\_\_\_\_ transformer \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ to upgrade \_\_\_\_\_ after \_\_\_\_\_ can \_\_\_\_\_ a heads up on \_\_\_\_\_ costs?  
 \_\_\_\_\_ engineers consider the need \_\_\_\_\_ transformer \_\_\_\_\_ we \_\_\_\_\_ advance \_\_\_\_\_ about \_\_\_\_\_?  
 Will \_\_\_\_\_ tell us \_\_\_\_\_ costs if transformer \_\_\_\_\_?  
 Will \_\_\_\_\_ of potential transformer repairs?  
 \_\_\_\_\_ of the \_\_\_\_\_ costs for transformer upgrades \_\_\_\_\_ advance?  
 \_\_\_\_\_ we \_\_\_\_\_ on the \_\_\_\_\_ costs for transformer \_\_\_\_\_?  
 \_\_\_\_\_ us in advance the \_\_\_\_\_ for \_\_\_\_\_ essential.  
 \_\_\_\_\_ would have \_\_\_\_\_ tell us about costs \_\_\_\_\_ upgrade.  
 \_\_\_\_\_ you tell us \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ inform us \_\_\_\_\_ expenses if important \_\_\_\_\_ upgrades \_\_\_\_\_ determined?  
 Engineers \_\_\_\_\_ about costs \_\_\_\_\_ upgrading \_\_\_\_\_.  
 If \_\_\_\_\_ to upgrade \_\_\_\_\_ transformer \_\_\_\_\_ inspection, \_\_\_\_\_ we \_\_\_\_\_ about \_\_\_\_\_ expenses?  
 Will \_\_\_\_\_ us \_\_\_\_\_ much \_\_\_\_\_ cost \_\_\_\_\_ upgrade the transformer?  
 \_\_\_\_\_ engineers \_\_\_\_\_ price \_\_\_\_\_ our transformers?  
 \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ how much \_\_\_\_\_ upgrade the transformers?  
 \_\_\_\_\_ tell us when \_\_\_\_\_ upgrade costs \_\_\_\_\_?  
 Do \_\_\_\_\_ about the \_\_\_\_\_ before \_\_\_\_\_ essential \_\_\_\_\_ upgrade?  
 If the \_\_\_\_\_ are \_\_\_\_\_ would engineers \_\_\_\_\_ us \_\_\_\_\_?

\_\_\_\_ we \_\_\_\_ associated \_\_\_\_ if \_\_\_\_ upgrades are required?  
 \_\_\_\_ for the \_\_\_\_ to \_\_\_\_ us about \_\_\_\_ expenditure on transformer \_\_\_\_?  
 Will engineers let us \_\_\_\_ the \_\_\_\_ upgrading?  
 When \_\_\_\_ evaluate \_\_\_\_ need for \_\_\_\_ upgrade, \_\_\_\_ they \_\_\_\_ on expenses?  
 \_\_\_\_ you provide \_\_\_\_ with the \_\_\_\_ of \_\_\_\_ transformer \_\_\_\_?  
 \_\_\_\_ for engineers to \_\_\_\_ us \_\_\_\_ on transformer upgrades after evaluation?  
 Will \_\_\_\_ us \_\_\_\_ when transformer upgrades are necessary?  
 \_\_\_\_ you intend to \_\_\_\_ heads-up if they \_\_\_\_ the transformer?  
 If \_\_\_\_ engineer decides we \_\_\_\_ transformer upgrades, \_\_\_\_ to give \_\_\_\_ heads-up?  
 \_\_\_\_ tell us \_\_\_\_ the costs \_\_\_\_ in advance?  
 Is \_\_\_\_ information given to us when \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ engineers \_\_\_\_ these transformers \_\_\_\_ can \_\_\_\_ let us know \_\_\_\_ price?  
 Is there a \_\_\_\_ engineers deem \_\_\_\_ transformer \_\_\_\_?  
 If the transformer upgrade \_\_\_\_ are expenses \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ us know if it's \_\_\_\_ to upgrade \_\_\_\_ transformer?  
 If \_\_\_\_ say the \_\_\_\_ to \_\_\_\_ us a heads up about \_\_\_\_ price?  
 \_\_\_\_ cost \_\_\_\_ the transformer upgrade?  
 Are we \_\_\_\_ aware \_\_\_\_ the costs \_\_\_\_ revisions?  
 Will \_\_\_\_ inform us \_\_\_\_ the transformer \_\_\_\_ upfront?  
 Will you \_\_\_\_ know how \_\_\_\_ cost to upgrade \_\_\_\_?  
 Should \_\_\_\_ pre- \_\_\_\_ us \_\_\_\_ expected \_\_\_\_ transformer upgrades?  
 \_\_\_\_ will let \_\_\_\_ expenses prior to \_\_\_\_ transformer repairs?  
 Should \_\_\_\_ notified \_\_\_\_ proceed with \_\_\_\_ required \_\_\_\_ upgrades?  
 Can we \_\_\_\_ a heads up \_\_\_\_ if required \_\_\_\_ engineers?  
 Will \_\_\_\_ inform us in \_\_\_\_ costs?  
 \_\_\_\_ be informed \_\_\_\_ advance \_\_\_\_ anticipated \_\_\_\_ upgrade costs?  
 \_\_\_\_ to us in advance?  
 \_\_\_\_ you \_\_\_\_ in the \_\_\_\_ of transformer upgrade \_\_\_\_?  
 \_\_\_\_ decide \_\_\_\_ transformer improvements are necessary, \_\_\_\_ they \_\_\_\_ the costs?  
 Can we \_\_\_\_ to \_\_\_\_ costs before \_\_\_\_ recommended?  
 Are \_\_\_\_ going \_\_\_\_ give us a heads-up \_\_\_\_ decides \_\_\_\_ upgrade \_\_\_\_?  
 If \_\_\_\_ upgrades \_\_\_\_ will engineers \_\_\_\_ about associated costs?  
 If engineers deem \_\_\_\_ transformer \_\_\_\_ inspection, \_\_\_\_ we \_\_\_\_ prior \_\_\_\_?  
 By \_\_\_\_ the transformers must \_\_\_\_ a \_\_\_\_ do \_\_\_\_ know \_\_\_\_ cost \_\_\_\_?  
 \_\_\_\_ we know what \_\_\_\_ are \_\_\_\_ essential \_\_\_\_ upgrades?  
 Will \_\_\_\_ associated costs \_\_\_\_ if \_\_\_\_ upgrade to transformers is necessitated?  
 Are we \_\_\_\_ of \_\_\_\_ essential \_\_\_\_?  
 Will \_\_\_\_ let \_\_\_\_ in \_\_\_\_ about the \_\_\_\_ costs?  
 \_\_\_\_ the \_\_\_\_ us \_\_\_\_ of our transformer upgrade?  
 Will you \_\_\_\_ know how \_\_\_\_ it \_\_\_\_ to \_\_\_\_ transformer?  
 \_\_\_\_ we're \_\_\_\_ to \_\_\_\_ prior to the \_\_\_\_ repairs?  
 If costs \_\_\_\_ transformer \_\_\_\_ vital \_\_\_\_ engineers, do \_\_\_\_ prior notice?  
 \_\_\_\_ a \_\_\_\_ needs to be repaired, \_\_\_\_ how \_\_\_\_ costs?  
 \_\_\_\_ informed of the \_\_\_\_ price on \_\_\_\_ that \_\_\_\_ important to \_\_\_\_?  
 Before transformer \_\_\_\_ are \_\_\_\_ essential by engineers, will \_\_\_\_?  
 \_\_\_\_ engineers \_\_\_\_ us \_\_\_\_ of \_\_\_\_ upgrade of our \_\_\_\_?  
 When engineers \_\_\_\_ for transformer upgrades, \_\_\_\_ given an \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ we told of \_\_\_\_ expected \_\_\_\_ transformer \_\_\_\_ that \_\_\_\_ important?  
 \_\_\_\_ engineers \_\_\_\_ us \_\_\_\_ transformer upgrade?  
 \_\_\_\_ they decide we need \_\_\_\_ transformer upgrade, \_\_\_\_ you \_\_\_\_ us \_\_\_\_?

\_\_\_\_\_ advance \_\_\_\_\_ the transformer upgrade expenses?

Will \_\_\_\_\_ let us know \_\_\_\_\_ cost \_\_\_\_\_ decide to upgrade \_\_\_\_\_?

\_\_\_\_\_ during \_\_\_\_\_ inspectors \_\_\_\_\_ of any charges for transformer \_\_\_\_\_?

Do \_\_\_\_\_ know in \_\_\_\_\_ expenses \_\_\_\_\_ upgrades approved by \_\_\_\_\_?

Are we \_\_\_\_\_ about the costs \_\_\_\_\_ we \_\_\_\_\_ revisions?

\_\_\_\_\_ replacing \_\_\_\_\_ like electrical transformers?

Will engineers \_\_\_\_\_ us \_\_\_\_\_ of \_\_\_\_\_ upgrades?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ us \_\_\_\_\_ expenses before \_\_\_\_\_ transformer repairs?

Do \_\_\_\_\_ tell cost \_\_\_\_\_ the transformers \_\_\_\_\_ upgrade?

If \_\_\_\_\_ need to \_\_\_\_\_ transformers \_\_\_\_\_ on \_\_\_\_\_ would they \_\_\_\_\_ us \_\_\_\_\_ expenses?

\_\_\_\_\_ we \_\_\_\_\_ told \_\_\_\_\_ how much it will \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ the costs \_\_\_\_\_ the \_\_\_\_\_ is necessary?

\_\_\_\_\_ they \_\_\_\_\_ of the costs \_\_\_\_\_ transformer upgrades \_\_\_\_\_ advance?

\_\_\_\_\_ us about costs for \_\_\_\_\_.

\_\_\_\_\_ there be \_\_\_\_\_ notification \_\_\_\_\_ engineers \_\_\_\_\_ of the upgrade \_\_\_\_\_?

Will we be \_\_\_\_\_ if \_\_\_\_\_ necessary?

If engineers \_\_\_\_\_ transformer \_\_\_\_\_ be \_\_\_\_\_ can \_\_\_\_\_ the price?

Will engineers \_\_\_\_\_ us \_\_\_\_\_ associated \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ advance \_\_\_\_\_ on \_\_\_\_\_ engineers evaluate the need \_\_\_\_\_ transformer \_\_\_\_\_?

Do \_\_\_\_\_ inform \_\_\_\_\_ advance \_\_\_\_\_ upgrade charges \_\_\_\_\_ vital during assessment?

Will \_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ advance and \_\_\_\_\_ it's \_\_\_\_\_ for transformer \_\_\_\_\_?

Shouldn't engineers tell \_\_\_\_\_ public \_\_\_\_\_ costs for \_\_\_\_\_ to the \_\_\_\_\_?

\_\_\_\_\_ say \_\_\_\_\_ transformers must be upgraded, \_\_\_\_\_ tell us how \_\_\_\_\_ it \_\_\_\_\_?

Engineers \_\_\_\_\_ to \_\_\_\_\_ us about their \_\_\_\_\_ they upgrade \_\_\_\_\_.

Will \_\_\_\_\_ be provided up \_\_\_\_\_ upgrade to transformers?

If an \_\_\_\_\_ determined \_\_\_\_\_ inspection, \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ associated expenses?

If \_\_\_\_\_ transformer \_\_\_\_\_ are deemed \_\_\_\_\_ engineers \_\_\_\_\_ us?

Is it \_\_\_\_\_ about expected expenditure \_\_\_\_\_ upgrades \_\_\_\_\_ evaluation?

Is \_\_\_\_\_ communicate \_\_\_\_\_ upgrades costs based \_\_\_\_\_ engineer recommendations?

Will \_\_\_\_\_ us \_\_\_\_\_ before a transformer \_\_\_\_\_ essential by engineers?

\_\_\_\_\_ proceeding with \_\_\_\_\_ revisions, are \_\_\_\_\_ told about \_\_\_\_\_?

\_\_\_\_\_ the engineers tell us about \_\_\_\_\_ they had \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ much transformer upgrades will cost \_\_\_\_\_?

In the event \_\_\_\_\_ upgrades, \_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ costs?

\_\_\_\_\_ tell \_\_\_\_\_ how \_\_\_\_\_ a transformer \_\_\_\_\_ will cost?

Will our \_\_\_\_\_ tell us \_\_\_\_\_ our transformer \_\_\_\_\_?

If \_\_\_\_\_ say \_\_\_\_\_ need to be \_\_\_\_\_ can \_\_\_\_\_ up about the price?

\_\_\_\_\_ should inform us of \_\_\_\_\_ upfront \_\_\_\_\_ for required \_\_\_\_\_.

\_\_\_\_\_ we expect a \_\_\_\_\_ transformer \_\_\_\_\_ costs?

Will \_\_\_\_\_ be a notification \_\_\_\_\_ the engineers \_\_\_\_\_ before \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ of essential \_\_\_\_\_ upgrades in advance?

\_\_\_\_\_ you going \_\_\_\_\_ know \_\_\_\_\_ cost of \_\_\_\_\_ upgrades?

Can we \_\_\_\_\_ on \_\_\_\_\_ expected transformer upgrade \_\_\_\_\_?

Will you \_\_\_\_\_ us know \_\_\_\_\_ the \_\_\_\_\_ upgrade \_\_\_\_\_?

Would the engineers \_\_\_\_\_ their \_\_\_\_\_ had \_\_\_\_\_ replace transformers?

\_\_\_\_\_ you let us \_\_\_\_\_ cost \_\_\_\_\_ transformer \_\_\_\_\_?

If the transformers were deemed \_\_\_\_\_ about \_\_\_\_\_ first?

Will \_\_\_\_\_ the price \_\_\_\_\_ transformers needUpgrading?

Can \_\_\_\_\_ tell the \_\_\_\_\_ the \_\_\_\_\_ upgrades based on \_\_\_\_\_ recommendations?

Do \_\_\_\_\_ get \_\_\_\_\_ of \_\_\_\_\_ costs if \_\_\_\_\_ transformer needs \_\_\_\_\_?

\_\_\_\_\_ transformer upgrades \_\_\_\_\_ needed, will \_\_\_\_\_ ?  
 Should we be told \_\_\_\_\_ upgrade \_\_\_\_\_ ?  
 Will engineers \_\_\_\_\_ us \_\_\_\_\_ the \_\_\_\_\_ transformer upgrades are \_\_\_\_\_ ?  
 Will \_\_\_\_\_ know \_\_\_\_\_ the transformer upgrade \_\_\_\_\_ necessary?  
 \_\_\_\_\_ engineers say \_\_\_\_\_ transformers \_\_\_\_\_ be \_\_\_\_\_ give \_\_\_\_\_ heads up about the prices?  
 \_\_\_\_\_ know ahead of \_\_\_\_\_ it \_\_\_\_\_ cost for transformer \_\_\_\_\_ ?  
 \_\_\_\_\_ engineers deem \_\_\_\_\_ necessary, can we \_\_\_\_\_ heads \_\_\_\_\_ about \_\_\_\_\_ transformer \_\_\_\_\_ costs?  
 \_\_\_\_\_ we \_\_\_\_\_ ahead \_\_\_\_\_ about the \_\_\_\_\_ of \_\_\_\_\_ revisions?  
 Will \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ about transformer \_\_\_\_\_ costs \_\_\_\_\_ ?  
 \_\_\_\_\_ let \_\_\_\_\_ know about \_\_\_\_\_ transformer \_\_\_\_\_ their associated \_\_\_\_\_ before \_\_\_\_\_ happen?  
 Do we get cost \_\_\_\_\_ transformer \_\_\_\_\_ are \_\_\_\_\_ ?  
 Would the \_\_\_\_\_ tell \_\_\_\_\_ on transformer upgrade?  
 \_\_\_\_\_ experts \_\_\_\_\_ pricing before proceeding with \_\_\_\_\_ ?  
 \_\_\_\_\_ give us \_\_\_\_\_ of potential transformer \_\_\_\_\_ ?  
 Is notification \_\_\_\_\_ costs \_\_\_\_\_ when \_\_\_\_\_ upgrade to transformers \_\_\_\_\_ needed?  
 Will \_\_\_\_\_ notify us if \_\_\_\_\_ upgrade the \_\_\_\_\_ ?  
 If need \_\_\_\_\_ engineers tell how much \_\_\_\_\_ will \_\_\_\_\_ ?  
 \_\_\_\_\_ we be told in \_\_\_\_\_ any necessary \_\_\_\_\_ ?  
 Will the engineers \_\_\_\_\_ transformer upgrade \_\_\_\_\_ in \_\_\_\_\_ ?  
 \_\_\_\_\_ during \_\_\_\_\_ do inspectors inform \_\_\_\_\_ advance of transformer \_\_\_\_\_ ?  
 \_\_\_\_\_ engineers \_\_\_\_\_ they need to replace \_\_\_\_\_ would we know about \_\_\_\_\_ ?  
 \_\_\_\_\_ upgrade transformers, would \_\_\_\_\_ us about \_\_\_\_\_ ?  
 \_\_\_\_\_ informed about the \_\_\_\_\_ prior \_\_\_\_\_ essential transformer repairs?  
 By \_\_\_\_\_ time \_\_\_\_\_ must upgrade a \_\_\_\_\_ cost details?  
 Will \_\_\_\_\_ us \_\_\_\_\_ price \_\_\_\_\_ our \_\_\_\_\_ to be upgraded?  
 Will you \_\_\_\_\_ in \_\_\_\_\_ what the costs will be \_\_\_\_\_ ?  
 \_\_\_\_\_ would \_\_\_\_\_ to know \_\_\_\_\_ to \_\_\_\_\_ transformer upgrade.  
 \_\_\_\_\_ they \_\_\_\_\_ know the cost \_\_\_\_\_ to \_\_\_\_\_ the transformer?  
 \_\_\_\_\_ know \_\_\_\_\_ before the transformer upgrade?  
 \_\_\_\_\_ us \_\_\_\_\_ the \_\_\_\_\_ associated costs \_\_\_\_\_ the upgrade?  
 \_\_\_\_\_ we \_\_\_\_\_ aware \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ before \_\_\_\_\_ are \_\_\_\_\_ by engineers?  
 Will \_\_\_\_\_ pricing \_\_\_\_\_ before progressing \_\_\_\_\_ the transformational \_\_\_\_\_ if \_\_\_\_\_ decide that \_\_\_\_\_ essential?  
 If \_\_\_\_\_ tell us \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ upgrades \_\_\_\_\_ .  
 When transformer \_\_\_\_\_ are \_\_\_\_\_ necessary \_\_\_\_\_ can we \_\_\_\_\_ heads up on the \_\_\_\_\_ ?  
 Will \_\_\_\_\_ about \_\_\_\_\_ if transformer upgrades \_\_\_\_\_ essential?  
 \_\_\_\_\_ inform us about the expenses prior \_\_\_\_\_ transformer \_\_\_\_\_ ?  
 By the time the transformers must \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ they \_\_\_\_\_ know \_\_\_\_\_ the costs associated \_\_\_\_\_ transformer improvements?  
 If the engineers decided \_\_\_\_\_ based on \_\_\_\_\_ they tell \_\_\_\_\_ the \_\_\_\_\_ ?  
 If \_\_\_\_\_ transformers must \_\_\_\_\_ upgraded, \_\_\_\_\_ you \_\_\_\_\_ us the \_\_\_\_\_ ?  
 \_\_\_\_\_ let \_\_\_\_\_ know the \_\_\_\_\_ transformers need \_\_\_\_\_ be upgraded?  
 \_\_\_\_\_ discussion on pricing happen \_\_\_\_\_ enhancement, if experts decide that \_\_\_\_\_ crucial?  
 If \_\_\_\_\_ say \_\_\_\_\_ be \_\_\_\_\_ can you \_\_\_\_\_ about the price \_\_\_\_\_ ?  
 Are you \_\_\_\_\_ to \_\_\_\_\_ us know \_\_\_\_\_ they \_\_\_\_\_ need \_\_\_\_\_ upgrade?  
 \_\_\_\_\_ it \_\_\_\_\_ the costs \_\_\_\_\_ transformer \_\_\_\_\_ based \_\_\_\_\_ engineer recommendations?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ the engineers \_\_\_\_\_ notify \_\_\_\_\_ expenses \_\_\_\_\_ they needed \_\_\_\_\_ transformers?  
 \_\_\_\_\_ engineers \_\_\_\_\_ transformer upgrades are \_\_\_\_\_ ?  
 Will \_\_\_\_\_ us \_\_\_\_\_ upgrades are required?  
 Do \_\_\_\_\_ know about the expenses \_\_\_\_\_ go \_\_\_\_\_ transformer \_\_\_\_\_ ?  
 Will \_\_\_\_\_ discussion \_\_\_\_\_ pricing \_\_\_\_\_ the \_\_\_\_\_ if \_\_\_\_\_ decide \_\_\_\_\_ updates are important?



\_\_\_\_ important \_\_\_\_ upgrades \_\_\_\_ determined \_\_\_\_ engineers tell us about \_\_\_\_ expenses?  
 \_\_\_\_ we \_\_\_\_ of the \_\_\_\_ of \_\_\_\_ upgrades before they \_\_\_\_?  
 When engineers \_\_\_\_ the \_\_\_\_ upgrade, are we \_\_\_\_ advance \_\_\_\_ expenses?  
 Will \_\_\_\_ discussion \_\_\_\_ pricing \_\_\_\_ progressing \_\_\_\_ the \_\_\_\_ enhancement, if \_\_\_\_ decide \_\_\_\_ crucial?  
 \_\_\_\_ a \_\_\_\_ on \_\_\_\_ anticipated costs will be for \_\_\_\_ transformer \_\_\_\_?  
 \_\_\_\_ of essential transformer upgrade, \_\_\_\_ you \_\_\_\_ their costs upfront?  
 Will there be a notification \_\_\_\_ the \_\_\_\_ upgrade \_\_\_\_ the \_\_\_\_?  
 Will engineers \_\_\_\_ us \_\_\_\_ advance \_\_\_\_ costs?  
 Will engineers \_\_\_\_ us about associated \_\_\_\_ necessary?  
 \_\_\_\_ any \_\_\_\_ transformer \_\_\_\_ let me know the \_\_\_\_?  
 If the transformer \_\_\_\_ is considered vital by engineers, \_\_\_\_ we \_\_\_\_?  
 \_\_\_\_ given prior cost information \_\_\_\_ decide \_\_\_\_ upgrade the \_\_\_\_?  
 \_\_\_\_ let \_\_\_\_ the costs of transformer \_\_\_\_?  
 Will \_\_\_\_ discussion on pricing \_\_\_\_ the \_\_\_\_ enhancement, \_\_\_\_ decide \_\_\_\_ are crucial.  
 \_\_\_\_ made aware of \_\_\_\_ before \_\_\_\_ transformer upgrades?  
 Should your engineers determine \_\_\_\_ are \_\_\_\_ will \_\_\_\_ know the \_\_\_\_?  
 Will \_\_\_\_ costs \_\_\_\_ transformer upgrade is deemed essential?  
 \_\_\_\_ the \_\_\_\_ upgrade costs \_\_\_\_ deemed \_\_\_\_ engineers inform \_\_\_\_?  
 Will \_\_\_\_ be \_\_\_\_ advance \_\_\_\_ any costs for \_\_\_\_?  
 If \_\_\_\_ transformer upgrade is \_\_\_\_ by \_\_\_\_ receive prior \_\_\_\_?  
 \_\_\_\_ engineers \_\_\_\_ transformer \_\_\_\_ necessary, do \_\_\_\_ have \_\_\_\_ cost \_\_\_\_?  
 Will \_\_\_\_ us about costs \_\_\_\_ upgrade \_\_\_\_ by engineers?  
 \_\_\_\_ deem transformer upgrades necessary, \_\_\_\_ cost info?  
 \_\_\_\_ for us \_\_\_\_ be informed \_\_\_\_ expenses before we go \_\_\_\_ any \_\_\_\_ transformer \_\_\_\_?  
 \_\_\_\_ you give us \_\_\_\_ of \_\_\_\_ upgrade?  
 \_\_\_\_ you \_\_\_\_ how \_\_\_\_ a potential \_\_\_\_ will cost?  
 Will \_\_\_\_ tell us about \_\_\_\_ if the \_\_\_\_ necessary?  
 \_\_\_\_ be informed \_\_\_\_ the costs for \_\_\_\_ improvements?  
 \_\_\_\_ let \_\_\_\_ advance the costs \_\_\_\_ transformer upgrade?  
 \_\_\_\_ we get \_\_\_\_ the \_\_\_\_ is upgraded?  
 If \_\_\_\_ were deemed essential, \_\_\_\_ inform \_\_\_\_ of \_\_\_\_ costs?  
 Will there be \_\_\_\_ notification in \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ would engineers \_\_\_\_ about \_\_\_\_ on transformer upgrades?  
 \_\_\_\_ the engineers inform \_\_\_\_ if they \_\_\_\_ transformers \_\_\_\_ on \_\_\_\_?  
 Tell us \_\_\_\_ transformer upgrade \_\_\_\_ before \_\_\_\_.  
 \_\_\_\_ engineers inform us \_\_\_\_ costs \_\_\_\_ a transformer \_\_\_\_ is \_\_\_\_?  
 Will \_\_\_\_ discuss \_\_\_\_ before progressing \_\_\_\_ enhancement if they \_\_\_\_ that \_\_\_\_ important?  
 \_\_\_\_ been \_\_\_\_ if crucial \_\_\_\_ to \_\_\_\_ require payments?  
 If \_\_\_\_ upgrades \_\_\_\_ determined during \_\_\_\_ engineers inform \_\_\_\_ associated \_\_\_\_?  
 If \_\_\_\_ say \_\_\_\_ transformers must be upgraded \_\_\_\_ give \_\_\_\_ heads \_\_\_\_?  
 Will \_\_\_\_ the prices \_\_\_\_ to \_\_\_\_ transformer upgrade?  
 Is \_\_\_\_ possible \_\_\_\_ engineering \_\_\_\_ us about estimated \_\_\_\_ expenditures for required \_\_\_\_?  
 Tell \_\_\_\_ about \_\_\_\_ before \_\_\_\_ event.  
 Do we know about \_\_\_\_ with \_\_\_\_ upgrades?  
 \_\_\_\_ inform \_\_\_\_ about \_\_\_\_ of transformer upgrades before \_\_\_\_ inspection?  
 Will \_\_\_\_ be informed about \_\_\_\_ if \_\_\_\_ upgrades \_\_\_\_ necessary?  
 \_\_\_\_ we be \_\_\_\_ of \_\_\_\_ expenses of \_\_\_\_ approved by \_\_\_\_?  
 \_\_\_\_ that engineers \_\_\_\_ inform \_\_\_\_ about costs \_\_\_\_ upgrading transformer?  
 \_\_\_\_ they \_\_\_\_ us know about \_\_\_\_ upgrade \_\_\_\_?  
 Will \_\_\_\_ inform us \_\_\_\_ the \_\_\_\_ upgrade costs \_\_\_\_?

Will \_\_\_\_\_ how much it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ engineers evaluate \_\_\_\_\_ need for transformer \_\_\_\_\_ advance information on \_\_\_\_\_?

Do \_\_\_\_\_ transformer replacements come \_\_\_\_\_ a \_\_\_\_\_?

Will \_\_\_\_\_ inform \_\_\_\_\_ of \_\_\_\_\_ anticipated costs \_\_\_\_\_ the \_\_\_\_\_ upgrade?

\_\_\_\_\_ transformer upgrade costs \_\_\_\_\_ by \_\_\_\_\_?

Do alert about \_\_\_\_\_ with a price \_\_\_\_\_?

If \_\_\_\_\_ transformer upgrade is \_\_\_\_\_ by engineers, are \_\_\_\_\_?

\_\_\_\_\_ critical \_\_\_\_\_ to transformers require \_\_\_\_\_ are \_\_\_\_\_ before?

\_\_\_\_\_ the engineers \_\_\_\_\_ a transformer \_\_\_\_\_ is needed?

\_\_\_\_\_ about pricing occur \_\_\_\_\_ progressing \_\_\_\_\_ the \_\_\_\_\_ if experts decide \_\_\_\_\_ are crucial?

\_\_\_\_\_ give \_\_\_\_\_ a heads up \_\_\_\_\_ the \_\_\_\_\_ prices?

\_\_\_\_\_ we be \_\_\_\_\_ in \_\_\_\_\_ of the \_\_\_\_\_ transformer \_\_\_\_\_?

If transformer \_\_\_\_\_ necessary, will \_\_\_\_\_ tell \_\_\_\_\_ about \_\_\_\_\_ associated \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ up \_\_\_\_\_ the transformer \_\_\_\_\_ could cost us?

\_\_\_\_\_ necessary, are \_\_\_\_\_ told about \_\_\_\_\_ expenses \_\_\_\_\_ we proceed with \_\_\_\_\_?

Will we be \_\_\_\_\_ in advance \_\_\_\_\_ for transformer \_\_\_\_\_?

Will \_\_\_\_\_ about \_\_\_\_\_ before the transformer upgrade \_\_\_\_\_ necessary?

\_\_\_\_\_ they \_\_\_\_\_ are you going \_\_\_\_\_ give us a heads \_\_\_\_\_?

\_\_\_\_\_ costs are \_\_\_\_\_ will engineers tell \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ it's essential, \_\_\_\_\_ us \_\_\_\_\_ transformer \_\_\_\_\_.

\_\_\_\_\_ essential transformer \_\_\_\_\_ we informed about \_\_\_\_\_?

\_\_\_\_\_ transformer upgrade \_\_\_\_\_ be given to \_\_\_\_\_ inspection?

Is it necessary \_\_\_\_\_ engineers \_\_\_\_\_ the \_\_\_\_\_ expenditures \_\_\_\_\_ transformer upgrades?

\_\_\_\_\_ important \_\_\_\_\_ upgrades are determined \_\_\_\_\_ inspection, \_\_\_\_\_ engineers inform us \_\_\_\_\_?

Can \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ costs for essential transformer \_\_\_\_\_?

\_\_\_\_\_ us \_\_\_\_\_ advance \_\_\_\_\_ for \_\_\_\_\_ upgrades.

If \_\_\_\_\_ deem \_\_\_\_\_ necessary to \_\_\_\_\_ expect a \_\_\_\_\_ up on costs?

If \_\_\_\_\_ transformers is \_\_\_\_\_ will \_\_\_\_\_ associated \_\_\_\_\_ be \_\_\_\_\_ up front?

By the \_\_\_\_\_ the \_\_\_\_\_ thingy, do \_\_\_\_\_ tell cost \_\_\_\_\_?

Can \_\_\_\_\_ expect a heads-up on \_\_\_\_\_?

If engineers \_\_\_\_\_ transformer upgrades are \_\_\_\_\_ they \_\_\_\_\_ us \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ of costs before \_\_\_\_\_ proceed \_\_\_\_\_ revisions?

Will \_\_\_\_\_ us \_\_\_\_\_ heads-up if they \_\_\_\_\_ transformer upgrades?

\_\_\_\_\_ us \_\_\_\_\_ before we upgrade transformers.

\_\_\_\_\_ transformers \_\_\_\_\_ deemed essential, would engineers \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ upgrade costs if necessary.

Do inspectors \_\_\_\_\_ advance \_\_\_\_\_ any charges \_\_\_\_\_ transformer \_\_\_\_\_ the \_\_\_\_\_ deemed vital?

Will \_\_\_\_\_ inform \_\_\_\_\_ they need \_\_\_\_\_ upgrade \_\_\_\_\_ transformer?

\_\_\_\_\_ you \_\_\_\_\_ the associated costs of transformer \_\_\_\_\_?

\_\_\_\_\_ engineers inform us \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_ required?

\_\_\_\_\_ ok \_\_\_\_\_ engineers to \_\_\_\_\_ about costs before \_\_\_\_\_ transformers?

If \_\_\_\_\_ engineer decides \_\_\_\_\_ costly transformer upgrades, \_\_\_\_\_ to give \_\_\_\_\_ a \_\_\_\_\_?

Will the \_\_\_\_\_ the \_\_\_\_\_ costs \_\_\_\_\_ transformer upgrades?

If \_\_\_\_\_ decide transformer upgrades are \_\_\_\_\_ they \_\_\_\_\_ costs?

\_\_\_\_\_ let us know \_\_\_\_\_ costs to upgrade our \_\_\_\_\_?

\_\_\_\_\_ y'all \_\_\_\_\_ to tell us about \_\_\_\_\_ transformer repairs?

\_\_\_\_\_ engineers \_\_\_\_\_ upgrades, do \_\_\_\_\_ get prior \_\_\_\_\_ info?

\_\_\_\_\_ it's time for \_\_\_\_\_ upgrade \_\_\_\_\_ do you \_\_\_\_\_ cost \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ tell \_\_\_\_\_ the costs of \_\_\_\_\_ upgrades based \_\_\_\_\_ engineer \_\_\_\_\_?

\_\_\_\_\_ associated costs \_\_\_\_\_ when an upgrade to transformers \_\_\_\_\_ necessary?

\_\_\_\_ we \_\_\_\_ expected \_\_\_\_ on \_\_\_\_ upgrades?  
 \_\_\_\_ engineers decide to \_\_\_\_ based \_\_\_\_ we know \_\_\_\_ expenses?  
 Is it \_\_\_\_ cost \_\_\_\_ before engineers recommend \_\_\_\_?  
 Will \_\_\_\_ us \_\_\_\_ the transformer upgrade costs \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ know costs before the \_\_\_\_?  
 Can \_\_\_\_ expect \_\_\_\_ heads-up \_\_\_\_ anticipated \_\_\_\_ for essential \_\_\_\_ upgrades?  
 \_\_\_\_ these transformers \_\_\_\_ be upgraded, can \_\_\_\_ us the \_\_\_\_ tags?  
 Do you \_\_\_\_ cost \_\_\_\_ when \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ engineering \_\_\_\_ inform us \_\_\_\_ expenditures for transformer \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ heads-up on \_\_\_\_ anticipated costs \_\_\_\_ transformer \_\_\_\_?  
 Engineers should tell \_\_\_\_ up-front expenses \_\_\_\_ required \_\_\_\_ to \_\_\_\_ inspected.  
 Will \_\_\_\_ us about \_\_\_\_ associated \_\_\_\_ in \_\_\_\_ event \_\_\_\_ essential \_\_\_\_ upgrades?  
 \_\_\_\_ us of estimated upfront expenditures \_\_\_\_ on transformers.  
 Are we \_\_\_\_ of \_\_\_\_ transformer upgrade expenses \_\_\_\_ are \_\_\_\_?  
 y'all \_\_\_\_ us about \_\_\_\_ prior \_\_\_\_ any \_\_\_\_ repairs?  
 Can \_\_\_\_ expect a \_\_\_\_ expected \_\_\_\_ for \_\_\_\_ upgrades recommended by \_\_\_\_?  
 \_\_\_\_ engineers tell you how \_\_\_\_ cost before \_\_\_\_ fix the \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ us a \_\_\_\_ if \_\_\_\_ decide that \_\_\_\_ need expensive transformer \_\_\_\_?  
 If \_\_\_\_ transformer \_\_\_\_ determined, \_\_\_\_ engineers inform us \_\_\_\_ expenses?  
 Can \_\_\_\_ expect a \_\_\_\_ up on the transformer \_\_\_\_ them necessary?  
 \_\_\_\_ we \_\_\_\_ told in \_\_\_\_ the costs for \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ upgrade costs if \_\_\_\_ are \_\_\_\_?  
 Will \_\_\_\_ tell us \_\_\_\_ for \_\_\_\_ transformer \_\_\_\_?  
 \_\_\_\_ willing to \_\_\_\_ us \_\_\_\_ of transformer upgrade?  
 \_\_\_\_ we \_\_\_\_ advance about \_\_\_\_ the transformer upgrades?  
 \_\_\_\_ need to fix \_\_\_\_ do \_\_\_\_ have an \_\_\_\_ costs?  
 \_\_\_\_ us in advance \_\_\_\_ the \_\_\_\_ are \_\_\_\_ transformer \_\_\_\_.  
 \_\_\_\_ be informed \_\_\_\_ the \_\_\_\_ any transformer repairs?  
 Will engineers \_\_\_\_ if \_\_\_\_ transformer needs to \_\_\_\_?  
 If it's \_\_\_\_ tell us \_\_\_\_ transformer upgrade \_\_\_\_.  
 \_\_\_\_ let us know what \_\_\_\_ costs \_\_\_\_ transformer \_\_\_\_?  
 \_\_\_\_ engineers tell \_\_\_\_ expenses after inspecting the \_\_\_\_?  
 Should we \_\_\_\_ aware \_\_\_\_ the \_\_\_\_ upgrade \_\_\_\_?  
 Can \_\_\_\_ the costs \_\_\_\_ transformer improvements are \_\_\_\_?  
 Should we \_\_\_\_ a \_\_\_\_ decide \_\_\_\_ upgrade \_\_\_\_ transformer?  
 \_\_\_\_ transformer \_\_\_\_ necessary, will \_\_\_\_ tell \_\_\_\_?  
 Are \_\_\_\_ of the expected \_\_\_\_ transformer upgrades \_\_\_\_ vital?  
 If your engineers \_\_\_\_ upgrades necessary, \_\_\_\_ we \_\_\_\_ the costs?  
 \_\_\_\_ engineers \_\_\_\_ associated costs if \_\_\_\_ upgrades are necessary?  
 Will \_\_\_\_ us know \_\_\_\_ if \_\_\_\_ decide to \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ a \_\_\_\_ on the costs \_\_\_\_ upgrade \_\_\_\_ deem it necessary?  
 \_\_\_\_ the engineers need \_\_\_\_ replace transformers based \_\_\_\_ they \_\_\_\_ expenses?  
 \_\_\_\_ we \_\_\_\_ the costs for \_\_\_\_ upgrade \_\_\_\_ by the engineers?  
 Are you \_\_\_\_ to \_\_\_\_ us about the \_\_\_\_ before \_\_\_\_?  
 \_\_\_\_ transformer \_\_\_\_ tell you how \_\_\_\_ it will cost?  
 \_\_\_\_ let us know in \_\_\_\_ it will \_\_\_\_ to \_\_\_\_ transformer?  
 \_\_\_\_ it necessary \_\_\_\_ us about costs before Upgrading \_\_\_\_?  
 \_\_\_\_ deem a necessary \_\_\_\_ upgrade \_\_\_\_ we get \_\_\_\_ information?  
 \_\_\_\_ decide transformer \_\_\_\_ are necessary, \_\_\_\_ let us \_\_\_\_ costs?  
 Will \_\_\_\_ us \_\_\_\_ associated \_\_\_\_ if transformer upgrades \_\_\_\_?

Do \_\_\_\_\_ need to \_\_\_\_\_ of how much transformer \_\_\_\_\_ engineers will \_\_\_\_\_?

Should \_\_\_\_\_ on \_\_\_\_\_ upgrade costs?

\_\_\_\_\_ it possible \_\_\_\_\_ engineers would inform \_\_\_\_\_ costs before \_\_\_\_\_?

\_\_\_\_\_ they tell us \_\_\_\_\_ advance about \_\_\_\_\_ upgrade \_\_\_\_\_?

Will we \_\_\_\_\_ heads-up on the \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ y'all \_\_\_\_\_ us about \_\_\_\_\_ to any transformer repairs?

\_\_\_\_\_ transformer upgrade, would \_\_\_\_\_ be \_\_\_\_\_?

Do \_\_\_\_\_ you \_\_\_\_\_ much \_\_\_\_\_ cost for \_\_\_\_\_ repairs?

\_\_\_\_\_ you tell us \_\_\_\_\_ of \_\_\_\_\_ transformer \_\_\_\_\_?

Before \_\_\_\_\_ do \_\_\_\_\_ get prior \_\_\_\_\_?

Inform \_\_\_\_\_ advance \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ upgrade.

When important \_\_\_\_\_ are determined during inspection, do engineers \_\_\_\_\_?

Will \_\_\_\_\_ let us \_\_\_\_\_ about \_\_\_\_\_ upgrades \_\_\_\_\_ associated \_\_\_\_\_?

\_\_\_\_\_ us know the \_\_\_\_\_ of \_\_\_\_\_ upgrades \_\_\_\_\_ we need \_\_\_\_\_?

Will \_\_\_\_\_ in \_\_\_\_\_ about the \_\_\_\_\_ for \_\_\_\_\_ upgrades?

Will \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_ are needed?

Do \_\_\_\_\_ how much it will \_\_\_\_\_ before \_\_\_\_\_ repaired?

\_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ potential costs of transformer \_\_\_\_\_ recommendations?

\_\_\_\_\_ a heads-up \_\_\_\_\_ the \_\_\_\_\_ costs for \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ experts \_\_\_\_\_ pricing before moving to \_\_\_\_\_?

Before \_\_\_\_\_ repairs, do \_\_\_\_\_ tell how \_\_\_\_\_?

If transformer upgrades are deemed \_\_\_\_\_ engineers, \_\_\_\_\_ going \_\_\_\_\_?

Inform \_\_\_\_\_ about \_\_\_\_\_ to any essential \_\_\_\_\_ repairs?

Do engineers \_\_\_\_\_ cost before \_\_\_\_\_?

Would the \_\_\_\_\_ us know about \_\_\_\_\_ if they \_\_\_\_\_ replace \_\_\_\_\_?

\_\_\_\_\_ engineers \_\_\_\_\_ know if they need to \_\_\_\_\_ the \_\_\_\_\_?

The \_\_\_\_\_ team might want \_\_\_\_\_ us before they \_\_\_\_\_.

If your engineers \_\_\_\_\_ transformer, can we \_\_\_\_\_ heads up of \_\_\_\_\_?

\_\_\_\_\_ inform us \_\_\_\_\_ transformer \_\_\_\_\_ before the inspection?

\_\_\_\_\_ we \_\_\_\_\_ aware of the costs before \_\_\_\_\_ go ahead \_\_\_\_\_?

Do engineers \_\_\_\_\_ costs before we go \_\_\_\_\_ essential \_\_\_\_\_ revisions?

Before \_\_\_\_\_ transformer upgrades do \_\_\_\_\_ know \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ will be \_\_\_\_\_ advance \_\_\_\_\_ necessary?

Can \_\_\_\_\_ tell us \_\_\_\_\_ transformer \_\_\_\_\_ advance?

\_\_\_\_\_ we have to \_\_\_\_\_ aware of how much \_\_\_\_\_ from \_\_\_\_\_ cost \_\_\_\_\_?

When \_\_\_\_\_ evaluate the \_\_\_\_\_ for \_\_\_\_\_ upgrades, \_\_\_\_\_ any \_\_\_\_\_ on expenses?

Can we \_\_\_\_\_ up \_\_\_\_\_ the \_\_\_\_\_ upgrade \_\_\_\_\_ after inspection?

In \_\_\_\_\_ of a transformer upgrade, \_\_\_\_\_ inform us \_\_\_\_\_ costs?

If the engineers \_\_\_\_\_ to \_\_\_\_\_ on \_\_\_\_\_ inform us about the \_\_\_\_\_?

\_\_\_\_\_ any transformer \_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ the expenses?

Will you let us know if \_\_\_\_\_?

Do \_\_\_\_\_ know about the \_\_\_\_\_ before we \_\_\_\_\_ ahead \_\_\_\_\_ upgrade?

\_\_\_\_\_ the \_\_\_\_\_ deemed essential, would engineers inform \_\_\_\_\_?

Should \_\_\_\_\_ prior \_\_\_\_\_ transformer upgrade \_\_\_\_\_?

If transformer upgrades are \_\_\_\_\_ during \_\_\_\_\_ do engineers \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ transformer upgrade costs \_\_\_\_\_ it is necessary?

\_\_\_\_\_ us the cost \_\_\_\_\_ improvements?

\_\_\_\_\_ wonder \_\_\_\_\_ professionals \_\_\_\_\_ of the estimated upfront expenditures \_\_\_\_\_ transformer \_\_\_\_\_.

\_\_\_\_\_ engineers \_\_\_\_\_ transformer upgrade costs?

\_\_\_\_\_ recommend transformer upgrades, \_\_\_\_\_ need a cost \_\_\_\_\_?

Will \_\_\_\_\_ discussion \_\_\_\_\_ occur \_\_\_\_\_ the transformational \_\_\_\_\_ experts decide \_\_\_\_\_ updates \_\_\_\_\_ essential?  
 \_\_\_\_\_ us \_\_\_\_\_ much it cost to upgrade \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ before transformer upgrades?  
 Can we \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ costs if \_\_\_\_\_ engineers deem \_\_\_\_\_ necessary?  
 \_\_\_\_\_ we \_\_\_\_\_ prior cost \_\_\_\_\_ engineers deem necessary \_\_\_\_\_?  
 Could \_\_\_\_\_ tell the public \_\_\_\_\_ costs of \_\_\_\_\_?  
 Will they tell \_\_\_\_\_ the \_\_\_\_\_ if \_\_\_\_\_ updating?  
 Before engineers \_\_\_\_\_ transformer \_\_\_\_\_ get \_\_\_\_\_ cost estimate?  
 If the engineers \_\_\_\_\_ it \_\_\_\_\_ a heads \_\_\_\_\_ transformer \_\_\_\_\_ costs?  
 Before \_\_\_\_\_ transformer \_\_\_\_\_ of the expenses?  
 \_\_\_\_\_ a \_\_\_\_\_ is deemed essential, \_\_\_\_\_ engineers \_\_\_\_\_ us \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ from \_\_\_\_\_ engineers about the transformer upgrade \_\_\_\_\_?  
 If \_\_\_\_\_ upgrade \_\_\_\_\_ considered \_\_\_\_\_ by engineers, do \_\_\_\_\_ get \_\_\_\_\_ of \_\_\_\_\_?  
 Will \_\_\_\_\_ notification from the \_\_\_\_\_ transformer \_\_\_\_\_ before \_\_\_\_\_ inspection?  
 \_\_\_\_\_ heads up \_\_\_\_\_ upgrade costs if your \_\_\_\_\_ decide \_\_\_\_\_ do so?  
 \_\_\_\_\_ let us know \_\_\_\_\_ advance \_\_\_\_\_ much it \_\_\_\_\_ the transformer?  
 \_\_\_\_\_ are \_\_\_\_\_ to inform \_\_\_\_\_ the expenses prior \_\_\_\_\_ transformer \_\_\_\_\_?  
 If \_\_\_\_\_ engineers needed \_\_\_\_\_ replace \_\_\_\_\_ on inspection, \_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ expenses?  
 If \_\_\_\_\_ transformer was \_\_\_\_\_ would engineers \_\_\_\_\_ us \_\_\_\_\_ the \_\_\_\_\_?  
 In the \_\_\_\_\_ of essential transformer \_\_\_\_\_ will \_\_\_\_\_ inform \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ let us know \_\_\_\_\_ upgrade costs are \_\_\_\_\_?  
 \_\_\_\_\_ us \_\_\_\_\_ advance \_\_\_\_\_ transformer upgrade charges \_\_\_\_\_ deemed vital?  
 Will \_\_\_\_\_ us \_\_\_\_\_ price \_\_\_\_\_ transformers need upgrading  
 Is \_\_\_\_\_ you will let \_\_\_\_\_ know \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_?  
 When engineers evaluate \_\_\_\_\_ need for \_\_\_\_\_ upgrades, \_\_\_\_\_ we \_\_\_\_\_ about \_\_\_\_\_?  
 \_\_\_\_\_ let us \_\_\_\_\_ about \_\_\_\_\_ transformer \_\_\_\_\_ their \_\_\_\_\_ costs upfront?  
 If important \_\_\_\_\_ do engineers inform \_\_\_\_\_ of the \_\_\_\_\_?  
 Can we expect \_\_\_\_\_ heads-up \_\_\_\_\_ anticipated costs \_\_\_\_\_?  
 \_\_\_\_\_ engineers \_\_\_\_\_ the transformers \_\_\_\_\_ be \_\_\_\_\_ us a heads up about the \_\_\_\_\_?  
 Will they \_\_\_\_\_ heads up \_\_\_\_\_ the transformer \_\_\_\_\_?  
 \_\_\_\_\_ to communicate \_\_\_\_\_ costs of \_\_\_\_\_ upgrade based on recommendations \_\_\_\_\_?  
 \_\_\_\_\_ information \_\_\_\_\_ the \_\_\_\_\_ involved \_\_\_\_\_ essential transformer upgrades?  
 \_\_\_\_\_ after evaluation, \_\_\_\_\_ engineers inform \_\_\_\_\_ expenditure \_\_\_\_\_ transformer upgrades?  
 \_\_\_\_\_ are \_\_\_\_\_ during inspection, do engineers inform \_\_\_\_\_ of \_\_\_\_\_ associated \_\_\_\_\_?  
 \_\_\_\_\_ they let us know in \_\_\_\_\_ what the \_\_\_\_\_?  
 \_\_\_\_\_ know about the expenses if \_\_\_\_\_ replace the transformers?  
 \_\_\_\_\_ it necessary for \_\_\_\_\_ be notified about \_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ transformer upgrades?  
 When \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_ are we given any \_\_\_\_\_ regarding \_\_\_\_\_?  
 Can \_\_\_\_\_ to know \_\_\_\_\_ costs before \_\_\_\_\_ a \_\_\_\_\_?  
 Does inspectors inform \_\_\_\_\_ advance of \_\_\_\_\_ transformer \_\_\_\_\_ if \_\_\_\_\_?  
 \_\_\_\_\_ giving \_\_\_\_\_ a heads \_\_\_\_\_ if they \_\_\_\_\_ to upgrade our \_\_\_\_\_?  
 If \_\_\_\_\_ determine \_\_\_\_\_ upgrades \_\_\_\_\_ will you tell \_\_\_\_\_ the costs?  
 \_\_\_\_\_ transformer upgrades \_\_\_\_\_ necessary, \_\_\_\_\_ engineers communicate the cost \_\_\_\_\_?  
 Is \_\_\_\_\_ expenditure \_\_\_\_\_ transformer upgrades \_\_\_\_\_ after evaluation?  
 Will you \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_?  
 \_\_\_\_\_ in \_\_\_\_\_ the costs before we proceed \_\_\_\_\_ transformer revisions?  
 \_\_\_\_\_ tell \_\_\_\_\_ how much it \_\_\_\_\_ cost \_\_\_\_\_ transformer repairments?  
 If \_\_\_\_\_ to transformers \_\_\_\_\_ will \_\_\_\_\_ costs \_\_\_\_\_ provided up front?  
 Will \_\_\_\_\_ let us \_\_\_\_\_ transformer repairs \_\_\_\_\_?  
 Are \_\_\_\_\_ going to give us \_\_\_\_\_ when they \_\_\_\_\_ transformer?

\_\_\_\_\_ you inform \_\_\_\_\_ when the \_\_\_\_\_ need \_\_\_\_\_ upgrade?

\_\_\_\_\_ transformer \_\_\_\_\_ necessary, \_\_\_\_\_ warn us?

Are we \_\_\_\_\_ the costs \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_?

Will \_\_\_\_\_ tell us \_\_\_\_\_ expected \_\_\_\_\_ transformers \_\_\_\_\_ inspection?

Are \_\_\_\_\_ to get a \_\_\_\_\_ engineers \_\_\_\_\_ transformer upgrades?

Engineers might \_\_\_\_\_ we get a cost \_\_\_\_\_?

\_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ costs in advance, \_\_\_\_\_ we \_\_\_\_\_ transformer?

Is it possible \_\_\_\_\_ engineers \_\_\_\_\_ tell us \_\_\_\_\_?

\_\_\_\_\_ transformer \_\_\_\_\_ are made, do we \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ before the \_\_\_\_\_ enhancement, if \_\_\_\_\_ decide \_\_\_\_\_ are important?

Do engineers \_\_\_\_\_ how much \_\_\_\_\_ will cost before \_\_\_\_\_?

Could \_\_\_\_\_ let the \_\_\_\_\_ the \_\_\_\_\_ upgrades \_\_\_\_\_ on engineer recommendations?

\_\_\_\_\_ we expect a \_\_\_\_\_ on \_\_\_\_\_ upgrade \_\_\_\_\_ if our \_\_\_\_\_ it?

\_\_\_\_\_ engineers let us know \_\_\_\_\_ it costs \_\_\_\_\_ upgrade \_\_\_\_\_?

\_\_\_\_\_ let \_\_\_\_\_ costs \_\_\_\_\_ advance in \_\_\_\_\_ we \_\_\_\_\_ to upgrade the transformer?

Is there \_\_\_\_\_ cost for \_\_\_\_\_ if \_\_\_\_\_ deem \_\_\_\_\_ necessary?

\_\_\_\_\_ going \_\_\_\_\_ let \_\_\_\_\_ the costs \_\_\_\_\_ transformer upgrade?

Are you going \_\_\_\_\_ us \_\_\_\_\_ decide we \_\_\_\_\_ transformer \_\_\_\_\_?

Will \_\_\_\_\_ tell us the \_\_\_\_\_ upgrade?

Can \_\_\_\_\_ a heads up on the \_\_\_\_\_ costs \_\_\_\_\_ decide it's \_\_\_\_\_?

\_\_\_\_\_ transformer \_\_\_\_\_ are determined, \_\_\_\_\_ engineers inform us \_\_\_\_\_?

\_\_\_\_\_ the engineer \_\_\_\_\_ we \_\_\_\_\_ transformer upgrades, \_\_\_\_\_ going to \_\_\_\_\_ us \_\_\_\_\_ up?

Will \_\_\_\_\_ on pricing \_\_\_\_\_ transformational enhancement when experts \_\_\_\_\_ crucial?

Will you let \_\_\_\_\_ know \_\_\_\_\_ if we need to \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ engineers let us \_\_\_\_\_ about \_\_\_\_\_ associated \_\_\_\_\_ transformer upgrades \_\_\_\_\_?

Tell us about \_\_\_\_\_ costs of \_\_\_\_\_!

Will \_\_\_\_\_ upgrade \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ aware \_\_\_\_\_ the expenses \_\_\_\_\_ essential transformer \_\_\_\_\_?

Notification \_\_\_\_\_ associated costs \_\_\_\_\_ be provided \_\_\_\_\_ to \_\_\_\_\_ be necessary?

Do engineers tell \_\_\_\_\_ much \_\_\_\_\_ will cost \_\_\_\_\_ you \_\_\_\_\_?

Will \_\_\_\_\_ us \_\_\_\_\_ associated costs if \_\_\_\_\_ is \_\_\_\_\_?

Will \_\_\_\_\_ engineers tell \_\_\_\_\_ about \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ the engineers let us \_\_\_\_\_ much \_\_\_\_\_ costs?

Will you \_\_\_\_\_ us \_\_\_\_\_ heads \_\_\_\_\_ if \_\_\_\_\_ decide \_\_\_\_\_ upgrade \_\_\_\_\_?

Will \_\_\_\_\_ inform \_\_\_\_\_ about anticipated \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ they \_\_\_\_\_ we \_\_\_\_\_ transformer \_\_\_\_\_ are \_\_\_\_\_ going \_\_\_\_\_ give \_\_\_\_\_ a heads-up?

Do \_\_\_\_\_ get an estimate \_\_\_\_\_ the \_\_\_\_\_ we need \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ up on \_\_\_\_\_ much \_\_\_\_\_ cost to upgrade \_\_\_\_\_?

\_\_\_\_\_ discuss prices \_\_\_\_\_ with the \_\_\_\_\_ enhancement?

Will they inform \_\_\_\_\_ the \_\_\_\_\_ transformer \_\_\_\_\_?

If \_\_\_\_\_ need upgrading, are \_\_\_\_\_ out about the \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ you notify \_\_\_\_\_ in \_\_\_\_\_ event of \_\_\_\_\_ transformer \_\_\_\_\_?

Do we know in \_\_\_\_\_ the \_\_\_\_\_ upgrades \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ the transformer needs \_\_\_\_\_ do we \_\_\_\_\_ an estimate of \_\_\_\_\_?

Can \_\_\_\_\_ give us \_\_\_\_\_ on the costs of \_\_\_\_\_?

\_\_\_\_\_ tell us \_\_\_\_\_ the associated costs if \_\_\_\_\_ transformer \_\_\_\_\_?

Engineers \_\_\_\_\_ recommend \_\_\_\_\_ upgrades, \_\_\_\_\_ do \_\_\_\_\_ a \_\_\_\_\_ estimate?

Will \_\_\_\_\_ discussion \_\_\_\_\_ before \_\_\_\_\_ to the transformational enhancement, \_\_\_\_\_ experts decide that \_\_\_\_\_?

Can \_\_\_\_\_ a heads-up \_\_\_\_\_ anticipated \_\_\_\_\_ essential transformer upgrades \_\_\_\_\_ engineers?

\_\_\_\_\_ us \_\_\_\_\_ idea of the costs \_\_\_\_\_ transformer \_\_\_\_\_?

If \_\_\_\_\_ engineers decide \_\_\_\_\_ replace the transformers \_\_\_\_\_ would \_\_\_\_\_ us \_\_\_\_\_ their expenses?  
\_\_\_\_\_ possible that engineering professionals give \_\_\_\_\_ upfront \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_?  
\_\_\_\_\_ are going to inform \_\_\_\_\_ the expenses \_\_\_\_\_ repairs?  
Is \_\_\_\_\_ heads-up \_\_\_\_\_ the anticipated \_\_\_\_\_ transformer \_\_\_\_\_ recommendations?  
Before \_\_\_\_\_ upgrades, \_\_\_\_\_ know \_\_\_\_\_ the expenses?  
\_\_\_\_\_ tell us the \_\_\_\_\_ of \_\_\_\_\_ upgrades if they're \_\_\_\_\_?  
By that \_\_\_\_\_ transformers \_\_\_\_\_ upgrade a \_\_\_\_\_ telling \_\_\_\_\_ details?  
Will you give us \_\_\_\_\_ upgrade?  
Is it possible to expect \_\_\_\_\_ to \_\_\_\_\_ improvements?  
\_\_\_\_\_ you how \_\_\_\_\_ it \_\_\_\_\_ a transformer needs repair?  
\_\_\_\_\_ we \_\_\_\_\_ informed in \_\_\_\_\_ costs \_\_\_\_\_ transformer changes?  
If transformer \_\_\_\_\_ costs \_\_\_\_\_ deemed \_\_\_\_\_ should \_\_\_\_\_ us?  
\_\_\_\_\_ let us know \_\_\_\_\_ costs \_\_\_\_\_ the \_\_\_\_\_ is required?  
If \_\_\_\_\_ please \_\_\_\_\_ us about \_\_\_\_\_.  
Are \_\_\_\_\_ going \_\_\_\_\_ let us know \_\_\_\_\_ costs?  
Can we expect \_\_\_\_\_ on the \_\_\_\_\_ upgrade \_\_\_\_\_ the inspection?  
\_\_\_\_\_ the \_\_\_\_\_ decide to \_\_\_\_\_ transformer \_\_\_\_\_ inspection, \_\_\_\_\_ they \_\_\_\_\_ about the expenses?  
\_\_\_\_\_ us know the transformer upgrade costs \_\_\_\_\_ engineers \_\_\_\_\_ necessary?  
\_\_\_\_\_ case \_\_\_\_\_ are deemed essential, \_\_\_\_\_ they \_\_\_\_\_ about costs?  
\_\_\_\_\_ upgrades are determined \_\_\_\_\_ inspection \_\_\_\_\_ notify \_\_\_\_\_ of associated \_\_\_\_\_?  
If the \_\_\_\_\_ feel they need to \_\_\_\_\_ based \_\_\_\_\_ they \_\_\_\_\_?  
\_\_\_\_\_ have \_\_\_\_\_ inform us \_\_\_\_\_ the costs \_\_\_\_\_ they upgrade \_\_\_\_\_.  
\_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ involved \_\_\_\_\_ the transformer upgrade?  
\_\_\_\_\_ engineers \_\_\_\_\_ transformers need to be \_\_\_\_\_ you \_\_\_\_\_ us about \_\_\_\_\_ tags?  
Will we know \_\_\_\_\_ the \_\_\_\_\_ upgrades?  
If the engineers feel \_\_\_\_\_ replace \_\_\_\_\_ tell us about expenses?  
\_\_\_\_\_ discussion on pricing \_\_\_\_\_ the \_\_\_\_\_ enhancement \_\_\_\_\_ that updates are critical?  
Are \_\_\_\_\_ a \_\_\_\_\_ when they decide we need transformer \_\_\_\_\_?  
If your engineers \_\_\_\_\_ it necessary, can we \_\_\_\_\_ of \_\_\_\_\_ upgrade?  
\_\_\_\_\_ transformer \_\_\_\_\_ us what the price \_\_\_\_\_?  
\_\_\_\_\_ engineers evaluate \_\_\_\_\_ need \_\_\_\_\_ transformer upgrades, \_\_\_\_\_ we \_\_\_\_\_ expenses?  
\_\_\_\_\_ tell you how \_\_\_\_\_ will cost before the \_\_\_\_\_?  
Will there \_\_\_\_\_ notification from the engineers \_\_\_\_\_ necessary \_\_\_\_\_ to \_\_\_\_\_?  
\_\_\_\_\_ give us \_\_\_\_\_ heads up about \_\_\_\_\_ for \_\_\_\_\_ upgraded transformers?  
If \_\_\_\_\_ vital by engineers, do we \_\_\_\_\_ prior \_\_\_\_\_ of the \_\_\_\_\_?  
\_\_\_\_\_ inform \_\_\_\_\_ the \_\_\_\_\_ upfront costs for improvements to \_\_\_\_\_.  
\_\_\_\_\_ engineer decides to \_\_\_\_\_ the transformer, will \_\_\_\_\_ give \_\_\_\_\_ a \_\_\_\_\_?  
Will you \_\_\_\_\_ us the \_\_\_\_\_ of \_\_\_\_\_?  
\_\_\_\_\_ engineers \_\_\_\_\_ about \_\_\_\_\_ costs if \_\_\_\_\_ needed to replace \_\_\_\_\_?  
\_\_\_\_\_ notification \_\_\_\_\_ be \_\_\_\_\_ front if an upgrade to \_\_\_\_\_ is \_\_\_\_\_?  
\_\_\_\_\_ you tell us \_\_\_\_\_ transformer \_\_\_\_\_?  
\_\_\_\_\_ there be \_\_\_\_\_ warning from \_\_\_\_\_ engineers \_\_\_\_\_ to \_\_\_\_\_ transformers?  
\_\_\_\_\_ engineers \_\_\_\_\_ communicate the \_\_\_\_\_ of transformer upgrades, should \_\_\_\_\_?  
\_\_\_\_\_ to know costs \_\_\_\_\_ to engineer-recommended \_\_\_\_\_ improvements?  
\_\_\_\_\_ engineers say these \_\_\_\_\_ need to \_\_\_\_\_ can \_\_\_\_\_ a \_\_\_\_\_ up about the \_\_\_\_\_?  
If the engineers say \_\_\_\_\_ upgraded, \_\_\_\_\_ you \_\_\_\_\_ us a \_\_\_\_\_ up \_\_\_\_\_ the \_\_\_\_\_ tags?  
In \_\_\_\_\_ upgrade transformers, \_\_\_\_\_ engineers \_\_\_\_\_ about costs?  
Do we get an \_\_\_\_\_ of \_\_\_\_\_ prior \_\_\_\_\_ transformer \_\_\_\_\_?  
\_\_\_\_\_ let us know \_\_\_\_\_ a transformer \_\_\_\_\_ is \_\_\_\_\_?  
If important transformer \_\_\_\_\_ during inspection, do \_\_\_\_\_ about associated \_\_\_\_\_?

\_\_\_\_\_ your engineers \_\_\_\_\_ transformer \_\_\_\_\_ is \_\_\_\_\_ you \_\_\_\_\_ know the cost?

If \_\_\_\_\_ deem that \_\_\_\_\_ are \_\_\_\_\_ do we \_\_\_\_\_ information?

Do we \_\_\_\_\_ the costs \_\_\_\_\_ transformer upgrades \_\_\_\_\_ done?

Do you tell cost \_\_\_\_\_ be upgraded?

Will engineers \_\_\_\_\_ us know the \_\_\_\_\_ transformers \_\_\_\_\_?

Will \_\_\_\_\_ announced in advance?

Are you going to \_\_\_\_\_ a \_\_\_\_\_ up \_\_\_\_\_ they \_\_\_\_\_ decision \_\_\_\_\_ upgrades?

\_\_\_\_\_ you will \_\_\_\_\_ me know the \_\_\_\_\_ transformer upgrade?

\_\_\_\_\_ our \_\_\_\_\_ upgraded, will they \_\_\_\_\_ us the price?

\_\_\_\_\_ we aware \_\_\_\_\_ when it \_\_\_\_\_ to essential transformer \_\_\_\_\_?

Will you \_\_\_\_\_ cost \_\_\_\_\_ repairs?

Do they \_\_\_\_\_ us \_\_\_\_\_ advance \_\_\_\_\_ charges for \_\_\_\_\_?

Will \_\_\_\_\_ let \_\_\_\_\_ of \_\_\_\_\_ transformer upgrade \_\_\_\_\_ advance?

Will \_\_\_\_\_ tell us about \_\_\_\_\_ costs \_\_\_\_\_ advance?

\_\_\_\_\_ engineers \_\_\_\_\_ transformer upgrade expenses?

Will \_\_\_\_\_ tell \_\_\_\_\_ cost \_\_\_\_\_ transformer upgrades?

\_\_\_\_\_ expect a \_\_\_\_\_ up \_\_\_\_\_ transformer \_\_\_\_\_ costs \_\_\_\_\_ your engineers \_\_\_\_\_ inspected \_\_\_\_\_ transformer?

\_\_\_\_\_ the transformer was \_\_\_\_\_ would engineers let us \_\_\_\_\_?

\_\_\_\_\_ know about \_\_\_\_\_ before we \_\_\_\_\_ with transformer \_\_\_\_\_?

Will \_\_\_\_\_ let us know \_\_\_\_\_ in \_\_\_\_\_ so \_\_\_\_\_ the transformer \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ regarding \_\_\_\_\_ before the \_\_\_\_\_ upgrade?

Tell \_\_\_\_\_ the \_\_\_\_\_ upgrade costs are necessary.

\_\_\_\_\_ we \_\_\_\_\_ the costs \_\_\_\_\_ essential \_\_\_\_\_ upgrades?

Are we supposed \_\_\_\_\_ much transformer upgrades from your \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ notice of transformer \_\_\_\_\_ costs \_\_\_\_\_ they \_\_\_\_\_?

\_\_\_\_\_ tell us about \_\_\_\_\_ upgrade \_\_\_\_\_?

Will engineers \_\_\_\_\_ know \_\_\_\_\_ the associated \_\_\_\_\_ the \_\_\_\_\_ upgrade is \_\_\_\_\_?

So, \_\_\_\_\_ us of \_\_\_\_\_ expenses \_\_\_\_\_ to \_\_\_\_\_ transformer repairs?

Will you inform us about \_\_\_\_\_ transformer \_\_\_\_\_?

If \_\_\_\_\_ transformer \_\_\_\_\_ would \_\_\_\_\_ let us \_\_\_\_\_ about \_\_\_\_\_ costs?

\_\_\_\_\_ you let us \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ costs?

\_\_\_\_\_ us the \_\_\_\_\_ of the transformer upgrade?

If \_\_\_\_\_ transformer \_\_\_\_\_ to engineers, \_\_\_\_\_ we get prior notice \_\_\_\_\_?

\_\_\_\_\_ we be informed in \_\_\_\_\_ the costs \_\_\_\_\_ transformer \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to know the \_\_\_\_\_ before \_\_\_\_\_ improvements?

When \_\_\_\_\_ the need \_\_\_\_\_ transformer upgrades, are \_\_\_\_\_ given advanced \_\_\_\_\_?

\_\_\_\_\_ would engineers inform \_\_\_\_\_ expected \_\_\_\_\_ on transformer upgrades?

\_\_\_\_\_ inform \_\_\_\_\_ of \_\_\_\_\_ costs in advance?

Are we informed about \_\_\_\_\_ before \_\_\_\_\_ essential transformer \_\_\_\_\_?

Will \_\_\_\_\_ inform us \_\_\_\_\_ transformer \_\_\_\_\_ costs \_\_\_\_\_ necessary?

If \_\_\_\_\_ by \_\_\_\_\_ we \_\_\_\_\_ about \_\_\_\_\_ before \_\_\_\_\_ ahead with \_\_\_\_\_ upgrades?

\_\_\_\_\_ upgraded, will they tell us the price?

Are \_\_\_\_\_ about the \_\_\_\_\_ before essential transformer \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ the costs if transformer \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ they inform \_\_\_\_\_ in \_\_\_\_\_ about \_\_\_\_\_ upgrade \_\_\_\_\_?

\_\_\_\_\_ engineers decide \_\_\_\_\_ necessary, \_\_\_\_\_ tell us the costs?

\_\_\_\_\_ we \_\_\_\_\_ to upgrade \_\_\_\_\_ will \_\_\_\_\_ us the price?

Would \_\_\_\_\_ us \_\_\_\_\_ the expected \_\_\_\_\_ on \_\_\_\_\_ upgrade?

\_\_\_\_\_ engineers \_\_\_\_\_ how much \_\_\_\_\_ cost before \_\_\_\_\_ repairs?

\_\_\_\_\_ you \_\_\_\_\_ us a \_\_\_\_\_ about \_\_\_\_\_ price \_\_\_\_\_ for \_\_\_\_\_ transformer upgrade?



\_\_\_\_ we \_\_\_\_ a \_\_\_\_ up on transformer \_\_\_\_ your engineers \_\_\_\_ to \_\_\_\_ ?  
 \_\_\_\_ engineers \_\_\_\_ us about \_\_\_\_ transformer upgrades \_\_\_\_ necessary?  
 Are we \_\_\_\_ prior \_\_\_\_ information if \_\_\_\_ transformer \_\_\_\_ ?  
 \_\_\_\_ they \_\_\_\_ the costs before \_\_\_\_ transformer \_\_\_\_ is \_\_\_\_ essential?  
 \_\_\_\_ inform \_\_\_\_ of the transformer upgrade's \_\_\_\_ ?  
 Do engineers \_\_\_\_ cost if \_\_\_\_ is \_\_\_\_ for transformer repairs?  
 Shouldn't \_\_\_\_ tell \_\_\_\_ about up-front expenses \_\_\_\_ updates \_\_\_\_ transformers?  
 \_\_\_\_ there be \_\_\_\_ notification from \_\_\_\_ to transformers?  
 If \_\_\_\_ after inspection, do we have \_\_\_\_ information?  
 Are \_\_\_\_ the expenses \_\_\_\_ transformer upgrade?  
 Can you give us \_\_\_\_ the \_\_\_\_ upgrade if necessary?  
 \_\_\_\_ case \_\_\_\_ necessary, will they \_\_\_\_ us about \_\_\_\_ ?  
 \_\_\_\_ transformer \_\_\_\_ be \_\_\_\_ if necessary?  
 \_\_\_\_ upgrades are necessary, will engineers inform \_\_\_\_ associated \_\_\_\_ ?  
 If the engineers deem \_\_\_\_ the transformer, \_\_\_\_ we expect a \_\_\_\_ on \_\_\_\_ ?  
 \_\_\_\_ engineers \_\_\_\_ us \_\_\_\_ transformers need \_\_\_\_ ?  
 Will they \_\_\_\_ us \_\_\_\_ the \_\_\_\_ the inspection if \_\_\_\_ upgrades \_\_\_\_ ?  
 Will there \_\_\_\_ heads-up on the \_\_\_\_ costs \_\_\_\_ upgrades?  
 Should transformer \_\_\_\_ costs \_\_\_\_ notified \_\_\_\_ ?  
 If \_\_\_\_ necessary, will \_\_\_\_ us know costs?  
 Will they \_\_\_\_ the costs if \_\_\_\_ to \_\_\_\_ ?  
 Before we proceed \_\_\_\_ revisions, are \_\_\_\_ costs?  
 Engineering professionals should \_\_\_\_ upfront \_\_\_\_ for \_\_\_\_ improvements.  
 Is \_\_\_\_ gonna be \_\_\_\_ advance \_\_\_\_ needUpgrading?  
 \_\_\_\_ inform \_\_\_\_ if transformer improvements \_\_\_\_ ?  
 \_\_\_\_ the transformer \_\_\_\_ costs \_\_\_\_ explained \_\_\_\_ us \_\_\_\_ inspection?  
 Is this information \_\_\_\_ evaluate \_\_\_\_ transformer upgrades?  
 Will \_\_\_\_ us \_\_\_\_ expenses for \_\_\_\_ ?  
 \_\_\_\_ engineers \_\_\_\_ are necessary, \_\_\_\_ they let us know \_\_\_\_ costs?  
 Can \_\_\_\_ expect \_\_\_\_ the \_\_\_\_ improvements are recommended?  
 If engineers say \_\_\_\_ to \_\_\_\_ can you give us \_\_\_\_ the price?  
 Do engineers \_\_\_\_ you \_\_\_\_ much it \_\_\_\_ transformer needs \_\_\_\_ ?  
 \_\_\_\_ engineers tell us about \_\_\_\_ expenses after \_\_\_\_ ?  
 If they \_\_\_\_ we \_\_\_\_ costly \_\_\_\_ are \_\_\_\_ to \_\_\_\_ us know?  
 \_\_\_\_ a discussion on pricing happen \_\_\_\_ experts decide \_\_\_\_ updates \_\_\_\_ vital?  
 \_\_\_\_ let \_\_\_\_ know if there \_\_\_\_ for \_\_\_\_ upgrades?  
 \_\_\_\_ we know \_\_\_\_ the expenses \_\_\_\_ we \_\_\_\_ with the \_\_\_\_ upgrades?  
 Can we expect \_\_\_\_ up on the \_\_\_\_ costs \_\_\_\_ it \_\_\_\_ ?  
 Will engineers inform us \_\_\_\_ ?  
 When \_\_\_\_ for transformer upgrades, \_\_\_\_ we receive \_\_\_\_ about expenses?  
 Will \_\_\_\_ tell \_\_\_\_ transformer \_\_\_\_ advance?  
 \_\_\_\_ we \_\_\_\_ to know \_\_\_\_ time the anticipated \_\_\_\_ essential \_\_\_\_ upgrades?  
 \_\_\_\_ transformer upgrades \_\_\_\_ tell \_\_\_\_ about associated costs?  
 \_\_\_\_ inform us \_\_\_\_ costs \_\_\_\_ a transformer upgrade is \_\_\_\_ ?  
 \_\_\_\_ are \_\_\_\_ during inspection \_\_\_\_ engineers notify \_\_\_\_ about \_\_\_\_ expenses?  
 Would the \_\_\_\_ tell us about \_\_\_\_ if they \_\_\_\_ the \_\_\_\_ ?  
 Can \_\_\_\_ a heads-up \_\_\_\_ anticipated \_\_\_\_ essential transformer \_\_\_\_ ?  
 If \_\_\_\_ these \_\_\_\_ to \_\_\_\_ upgraded, how much \_\_\_\_ cost?  
 Will \_\_\_\_ know \_\_\_\_ costs in advance before \_\_\_\_ upgrade?  
 Will they \_\_\_\_ it costs to \_\_\_\_ the \_\_\_\_ ?

Will \_\_\_\_ tell us \_\_\_\_ costs \_\_\_\_ is upgraded?

Are you \_\_\_\_ know if \_\_\_\_ we need a \_\_\_\_ upgrade?

Will \_\_\_\_ let us \_\_\_\_ of \_\_\_\_ costs in \_\_\_\_?

\_\_\_\_ these \_\_\_\_ need to be \_\_\_\_ you \_\_\_\_ us a \_\_\_\_ up about \_\_\_\_ costs?

\_\_\_\_ they \_\_\_\_ heads \_\_\_\_ about \_\_\_\_ costs of transformer upgrades?

\_\_\_\_ a heads-up \_\_\_\_ costs \_\_\_\_ engineers recommend essential transformer \_\_\_\_?

Can you \_\_\_\_ us a heads \_\_\_\_ costs?

Will engineers let \_\_\_\_ know \_\_\_\_ are \_\_\_\_?

\_\_\_\_ a heads \_\_\_\_ on \_\_\_\_ upgrade \_\_\_\_ if the engineers \_\_\_\_ to do \_\_\_\_?

Will \_\_\_\_ be a \_\_\_\_ from \_\_\_\_ it's necessary \_\_\_\_ transformers?

\_\_\_\_ to \_\_\_\_ about the charges \_\_\_\_ the \_\_\_\_ to be upgraded?

Will \_\_\_\_ engineers tell \_\_\_\_ the \_\_\_\_ for transformer \_\_\_\_?

\_\_\_\_ engineers inform the public \_\_\_\_?

If \_\_\_\_ that \_\_\_\_ upgrades are necessary, can we \_\_\_\_ on \_\_\_\_ costs?

Are we told \_\_\_\_ costs \_\_\_\_ we \_\_\_\_ ahead with \_\_\_\_ revisions?

Will \_\_\_\_ inform \_\_\_\_ about the associated \_\_\_\_ before transformer \_\_\_\_?

Do \_\_\_\_ in advance \_\_\_\_ the \_\_\_\_ transformer \_\_\_\_ will cost?

\_\_\_\_ we be \_\_\_\_ in advance of \_\_\_\_ anticipated \_\_\_\_?

Do \_\_\_\_ if there is a \_\_\_\_ upgrade?

If \_\_\_\_ transformer needs \_\_\_\_ upgraded, will they \_\_\_\_ the \_\_\_\_?

Will \_\_\_\_ the cost \_\_\_\_ transformer \_\_\_\_?

Was it \_\_\_\_ communicate the potential \_\_\_\_ upgrades based \_\_\_\_ recommendations?

\_\_\_\_ give \_\_\_\_ a \_\_\_\_ how much \_\_\_\_ will \_\_\_\_ to upgrade these transformers?

If \_\_\_\_ do we get prior notice of the \_\_\_\_?

Will \_\_\_\_ let us \_\_\_\_ the \_\_\_\_ if engineers \_\_\_\_ are \_\_\_\_?

Engineering \_\_\_\_ inform \_\_\_\_ the estimated upfront \_\_\_\_ for \_\_\_\_ to \_\_\_\_.

\_\_\_\_ inform \_\_\_\_ the \_\_\_\_ associated with transformer upgrade?

Will \_\_\_\_ us of \_\_\_\_ upgrade costs \_\_\_\_ advance?

If transformer \_\_\_\_ costs are \_\_\_\_ will engineers \_\_\_\_ us of \_\_\_\_?

Will you give \_\_\_\_ of the \_\_\_\_?

Are we told \_\_\_\_ pricing \_\_\_\_ upgrades that \_\_\_\_ important \_\_\_\_ experts?

\_\_\_\_ tell us about \_\_\_\_ of \_\_\_\_ to transformers?

Will you tell \_\_\_\_ advance how \_\_\_\_ cost \_\_\_\_ the transformer?

\_\_\_\_ we have \_\_\_\_ upgrade our \_\_\_\_ informed about expenses?

\_\_\_\_ inform us \_\_\_\_ the cost before the \_\_\_\_ upgrade \_\_\_\_?

Will \_\_\_\_ us know \_\_\_\_ transformer upgrades are \_\_\_\_?

If engineers deem \_\_\_\_ necessary, do \_\_\_\_ cost?

\_\_\_\_ have \_\_\_\_ heads up \_\_\_\_ how \_\_\_\_ transformer \_\_\_\_ from your engineers \_\_\_\_ us?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ costs \_\_\_\_ to the engineer-recommended \_\_\_\_ improvements?

\_\_\_\_ we have \_\_\_\_ up \_\_\_\_ the \_\_\_\_ costs if your engineers \_\_\_\_ it \_\_\_\_?

\_\_\_\_ they \_\_\_\_ know about transformer \_\_\_\_ advance?

Do we \_\_\_\_ before a \_\_\_\_ upgrade?

If \_\_\_\_ deemed \_\_\_\_ would \_\_\_\_ tell \_\_\_\_ the costs?

Is it possible \_\_\_\_ the prices before the \_\_\_\_ upgrade?

\_\_\_\_ transformer \_\_\_\_ but do we \_\_\_\_ cost estimate \_\_\_\_ then?

\_\_\_\_ they \_\_\_\_ before the \_\_\_\_ is deemed essential by engineers?

\_\_\_\_ we \_\_\_\_ aware \_\_\_\_ prior to making essential transformer \_\_\_\_?

Can \_\_\_\_ to \_\_\_\_ about \_\_\_\_ prior to \_\_\_\_ transformer \_\_\_\_?

\_\_\_\_ engineers \_\_\_\_ the \_\_\_\_ cost \_\_\_\_ it's necessary?

Is \_\_\_\_ of \_\_\_\_ costs provided up \_\_\_\_ if an \_\_\_\_ to \_\_\_\_?

Should engineers \_\_\_\_ us \_\_\_\_ important transformer \_\_\_\_ are determined during \_\_\_\_?

\_\_\_\_ the transformer \_\_\_\_ necessary, can \_\_\_\_ expect a heads \_\_\_\_ the costs?

\_\_\_\_ be \_\_\_\_ about transformer \_\_\_\_ costs in \_\_\_\_?

Are we \_\_\_\_ costs before proceeding \_\_\_\_?

\_\_\_\_ engineers \_\_\_\_ know \_\_\_\_ transformer \_\_\_\_ expenses after inspection?

Is it \_\_\_\_ for us \_\_\_\_ notified \_\_\_\_ expenses before \_\_\_\_ with required \_\_\_\_?

Will \_\_\_\_ in advance how \_\_\_\_ it will \_\_\_\_ to upgrade \_\_\_\_?

Will you \_\_\_\_ us know the \_\_\_\_ transformer \_\_\_\_ necessary?

\_\_\_\_ need for \_\_\_\_ upgrades \_\_\_\_ do \_\_\_\_ get advance \_\_\_\_ on expenses?

\_\_\_\_ the engineers let \_\_\_\_ know \_\_\_\_ the associated \_\_\_\_ if \_\_\_\_ upgrade \_\_\_\_?

\_\_\_\_ engineers \_\_\_\_ transformer \_\_\_\_ am \_\_\_\_ given advance information about expenses?

\_\_\_\_ recommend \_\_\_\_ upgrades, do \_\_\_\_ get a \_\_\_\_ estimate \_\_\_\_?

Can \_\_\_\_ a \_\_\_\_ the \_\_\_\_ upgrade costs?

\_\_\_\_ engineers need to \_\_\_\_ transformers based on inspection, \_\_\_\_ they inform \_\_\_\_?

\_\_\_\_ expect a heads \_\_\_\_ on \_\_\_\_ costs \_\_\_\_ essential \_\_\_\_ upgrades recommended \_\_\_\_ engineers?

\_\_\_\_ need to fix transformers, \_\_\_\_ get an \_\_\_\_?

If \_\_\_\_ costs \_\_\_\_ transformer \_\_\_\_ are considered \_\_\_\_ by engineers, \_\_\_\_ we \_\_\_\_?

\_\_\_\_ engineers \_\_\_\_ us \_\_\_\_ upgrade \_\_\_\_ transformers after inspection?

If important transformer upgrades \_\_\_\_ during inspection, \_\_\_\_ us \_\_\_\_ expenses?

\_\_\_\_ deem necessary \_\_\_\_ upgrades \_\_\_\_ inspecting, do we \_\_\_\_ information?

\_\_\_\_ they \_\_\_\_ we \_\_\_\_ transformer \_\_\_\_ will you give \_\_\_\_ a \_\_\_\_ about \_\_\_\_?

If \_\_\_\_ upgrades are \_\_\_\_ by \_\_\_\_ we get prior \_\_\_\_ information?

When \_\_\_\_ evaluate the \_\_\_\_ transformer upgrades, are they \_\_\_\_ expenses?

Will \_\_\_\_ engineers \_\_\_\_ us \_\_\_\_ our transformers?

\_\_\_\_ for engineers to tell us \_\_\_\_ expected expenditures \_\_\_\_?

\_\_\_\_ known in \_\_\_\_ about the expenses \_\_\_\_ essential \_\_\_\_?

Engineering professionals \_\_\_\_ inform us \_\_\_\_ the estimated \_\_\_\_ improvements \_\_\_\_ transformers.

\_\_\_\_ we informed in \_\_\_\_ costs of essential \_\_\_\_?

\_\_\_\_ you \_\_\_\_ up on \_\_\_\_ much the transformer upgrade will \_\_\_\_?

If they \_\_\_\_ to upgrade \_\_\_\_ you \_\_\_\_ to give \_\_\_\_ a \_\_\_\_?

Can we expect a \_\_\_\_ essential transformer upgrades?

\_\_\_\_ transformer upgrade \_\_\_\_ informed \_\_\_\_ in advance?

Will you \_\_\_\_ the \_\_\_\_ a \_\_\_\_ upgrade?

\_\_\_\_ tell us \_\_\_\_ if it's necessary for \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ in advance of the \_\_\_\_ essential transformer \_\_\_\_?

Are we warned of \_\_\_\_ proceeding \_\_\_\_ essential \_\_\_\_?

Will \_\_\_\_ inform \_\_\_\_ about \_\_\_\_ if \_\_\_\_ upgrades \_\_\_\_ deemed necessary?

\_\_\_\_ us know \_\_\_\_ costs \_\_\_\_ the transformer \_\_\_\_ be upgraded?

\_\_\_\_ you \_\_\_\_ know in \_\_\_\_ how much \_\_\_\_ will cost for \_\_\_\_?

Will they \_\_\_\_ us \_\_\_\_ it \_\_\_\_ upgrade the transformer?

\_\_\_\_ costs are essential, should \_\_\_\_ us know?

\_\_\_\_ have to inform us \_\_\_\_ the expected expenditure \_\_\_\_.

Y'all will inform us \_\_\_\_ expenses before \_\_\_\_?

Will engineers tell \_\_\_\_ the \_\_\_\_

\_\_\_\_ we \_\_\_\_ informed \_\_\_\_ of the anticipated \_\_\_\_ costs?

Should \_\_\_\_ of \_\_\_\_ costs \_\_\_\_ up \_\_\_\_ if an upgrade \_\_\_\_ is \_\_\_\_?

\_\_\_\_ we \_\_\_\_ know the costs \_\_\_\_ transformer improvements?

\_\_\_\_ they inform us about \_\_\_\_ costs \_\_\_\_ inspection?

\_\_\_\_ upgrade \_\_\_\_ be communicated to \_\_\_\_ in \_\_\_\_?

Will you let \_\_\_\_ transformer \_\_\_\_ costs \_\_\_\_?

Will \_\_\_\_\_ us \_\_\_\_\_ a \_\_\_\_\_ upgrade \_\_\_\_\_ necessary?

Will \_\_\_\_\_ informed \_\_\_\_\_ anticipated transformer \_\_\_\_\_ in \_\_\_\_\_?

If \_\_\_\_\_ us about \_\_\_\_\_ upgrade \_\_\_\_\_ advance!

Are \_\_\_\_\_ aware \_\_\_\_\_ costs \_\_\_\_\_ transformer \_\_\_\_\_ before they \_\_\_\_\_?

Will engineers \_\_\_\_\_ costs before \_\_\_\_\_ upgrade \_\_\_\_\_ transformer?

\_\_\_\_\_ find \_\_\_\_\_ the charges before \_\_\_\_\_ transformer is upgraded?

\_\_\_\_\_ you let \_\_\_\_\_ the prices \_\_\_\_\_ transformer upgrade?

Will notification \_\_\_\_\_ associated \_\_\_\_\_ given up \_\_\_\_\_ when \_\_\_\_\_ to transformers \_\_\_\_\_?

Are we told \_\_\_\_\_ advance of the \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ up \_\_\_\_\_ upgrade costs if it's necessary?

Will they \_\_\_\_\_ us \_\_\_\_\_ transformer \_\_\_\_\_ costs before \_\_\_\_\_?

Do engineers tell \_\_\_\_\_ it \_\_\_\_\_ cost \_\_\_\_\_ need \_\_\_\_\_ repair?

\_\_\_\_\_ the \_\_\_\_\_ let us \_\_\_\_\_ transformer \_\_\_\_\_ are needed?

Is \_\_\_\_\_ possible to \_\_\_\_\_ costs of \_\_\_\_\_ based on the \_\_\_\_\_?

Can \_\_\_\_\_ expect a \_\_\_\_\_ on \_\_\_\_\_ if \_\_\_\_\_ deem it necessary?

\_\_\_\_\_ upgrades, should \_\_\_\_\_ be aware of \_\_\_\_\_ expenses?

\_\_\_\_\_ we informed \_\_\_\_\_ advance about \_\_\_\_\_ costs of \_\_\_\_\_ essential \_\_\_\_\_?

Are \_\_\_\_\_ going \_\_\_\_\_ about charges \_\_\_\_\_ need \_\_\_\_\_ be upgraded?

\_\_\_\_\_ the engineers \_\_\_\_\_ what the \_\_\_\_\_ our transformers?

\_\_\_\_\_ the engineers decide to \_\_\_\_\_ the \_\_\_\_\_ based \_\_\_\_\_ inspection, \_\_\_\_\_ they \_\_\_\_\_ the \_\_\_\_\_?

Are you \_\_\_\_\_ let us know \_\_\_\_\_ decide we \_\_\_\_\_ expensive \_\_\_\_\_?

\_\_\_\_\_ necessary for \_\_\_\_\_ to \_\_\_\_\_ costs before \_\_\_\_\_ upgrade transformers?

\_\_\_\_\_ improvements \_\_\_\_\_ we \_\_\_\_\_ of costs?

\_\_\_\_\_ get \_\_\_\_\_ transformer upgrade costs?

Should we \_\_\_\_\_ transformer upgrade costs \_\_\_\_\_ it's \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ told the price \_\_\_\_\_ transformers \_\_\_\_\_ to \_\_\_\_\_ upgraded?

Will \_\_\_\_\_ price \_\_\_\_\_ told \_\_\_\_\_ need \_\_\_\_\_ upgrade our \_\_\_\_\_?

Will \_\_\_\_\_ us about \_\_\_\_\_ improvements are necessary?

Can we \_\_\_\_\_ a \_\_\_\_\_ up \_\_\_\_\_ the transformer upgrade \_\_\_\_\_ after \_\_\_\_\_?

Will \_\_\_\_\_ us \_\_\_\_\_ the event of transformer \_\_\_\_\_ associated \_\_\_\_\_?

\_\_\_\_\_ know the prices for \_\_\_\_\_ transformer upgrades?

\_\_\_\_\_ evaluate need \_\_\_\_\_ upgrades, \_\_\_\_\_ given advance information on \_\_\_\_\_?

Are \_\_\_\_\_ informed in \_\_\_\_\_ the \_\_\_\_\_ of transformer \_\_\_\_\_?

When \_\_\_\_\_ evaluate the \_\_\_\_\_ transformer \_\_\_\_\_ we given advance \_\_\_\_\_ expenses.

Is \_\_\_\_\_ necessary for \_\_\_\_\_ be \_\_\_\_\_ of \_\_\_\_\_ we proceed with \_\_\_\_\_ upgrades?

Will you \_\_\_\_\_ of the costs \_\_\_\_\_ transformer \_\_\_\_\_?

Are we \_\_\_\_\_ to find \_\_\_\_\_ before the transformer \_\_\_\_\_?

\_\_\_\_\_ let us know \_\_\_\_\_ much a \_\_\_\_\_ upgrade \_\_\_\_\_?

Will engineers inform \_\_\_\_\_ for transformer \_\_\_\_\_?

If \_\_\_\_\_ upgrade \_\_\_\_\_ deemed essential \_\_\_\_\_ inform us?

Do engineers \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ if \_\_\_\_\_ transformer needs \_\_\_\_\_ repaired?

Will a discussion on \_\_\_\_\_ if experts decide that \_\_\_\_\_ are crucial?

\_\_\_\_\_ they \_\_\_\_\_ us know \_\_\_\_\_ the transformer \_\_\_\_\_ is deemed essential?

Will our engineers \_\_\_\_\_ us \_\_\_\_\_ of \_\_\_\_\_?

If \_\_\_\_\_ engineer \_\_\_\_\_ we \_\_\_\_\_ transformer \_\_\_\_\_ you going to \_\_\_\_\_ a \_\_\_\_\_ up?

\_\_\_\_\_ for engineers to tell \_\_\_\_\_ about the expected \_\_\_\_\_?

If transformer \_\_\_\_\_ important to engineers, \_\_\_\_\_ prior notice?

Would the \_\_\_\_\_ us if \_\_\_\_\_ need \_\_\_\_\_ replace \_\_\_\_\_?

\_\_\_\_\_ engineers \_\_\_\_\_ us of \_\_\_\_\_ expenses \_\_\_\_\_ are determined?

Y'all \_\_\_\_\_ expenses \_\_\_\_\_ to essential transformer repairs?

\_\_\_\_\_ necessary \_\_\_\_\_ to inform \_\_\_\_\_ of anticipated expenditure \_\_\_\_\_ transformer \_\_\_\_\_?

Would we \_\_\_\_\_ told prior \_\_\_\_\_?

Will they let us \_\_\_\_\_ about \_\_\_\_\_ cost of \_\_\_\_\_?

Will engineers tell us \_\_\_\_\_ the anticipated \_\_\_\_\_?

Can we \_\_\_\_\_ the expected \_\_\_\_\_ for essential transformer upgrades?

Shouldn't \_\_\_\_\_ the \_\_\_\_\_ up-front \_\_\_\_\_ updates to the transformer?

Are \_\_\_\_\_ going to \_\_\_\_\_ the cost of \_\_\_\_\_?

Do we know \_\_\_\_\_ advance \_\_\_\_\_ expenses \_\_\_\_\_ upgrade?

\_\_\_\_\_ be told \_\_\_\_\_ advance \_\_\_\_\_ any \_\_\_\_\_ costs for \_\_\_\_\_ upgrades?

\_\_\_\_\_ let us \_\_\_\_\_ transformer upgrade?

Should \_\_\_\_\_ costs be shown \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ engineers \_\_\_\_\_ inform us \_\_\_\_\_ transformer upgrade?

\_\_\_\_\_ they let \_\_\_\_\_ is \_\_\_\_\_ on transformer upgrades?

Would \_\_\_\_\_ engineers \_\_\_\_\_ if \_\_\_\_\_ replace the transformer?

\_\_\_\_\_ we expect \_\_\_\_\_ the transformer upgrade \_\_\_\_\_ they decide to \_\_\_\_\_ it?

Can \_\_\_\_\_ expect to know \_\_\_\_\_ before the \_\_\_\_\_?

\_\_\_\_\_ proper for \_\_\_\_\_ up-front expenses for required \_\_\_\_\_ the transformers?

Will engineers \_\_\_\_\_ associated costs if a \_\_\_\_\_ necessary?

\_\_\_\_\_ a \_\_\_\_\_ prices ahead of any upgrade \_\_\_\_\_ transformers?

Can \_\_\_\_\_ expect a \_\_\_\_\_ on \_\_\_\_\_ for essential \_\_\_\_\_?

\_\_\_\_\_ they let us \_\_\_\_\_ advance \_\_\_\_\_ the costs \_\_\_\_\_ for \_\_\_\_\_ upgrade?

If \_\_\_\_\_ engineers say \_\_\_\_\_ transformers \_\_\_\_\_ to \_\_\_\_\_ can \_\_\_\_\_ give \_\_\_\_\_ heads up about the \_\_\_\_\_?