

QRU • HEALTH



WORKBOOK

QRU Factory Acceptance Test — Understanding Sleep and Rest — Workbook

A Sleep & Rest learning product

Foundational • General public

**QRU Factory Acceptance Test - Understanding
Sleep and Rest - Workbook** Edition 1

QRU PRESS

TREASURE STANDARD(TM) CERTIFIED

QRU Workbook - Health

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

Manufactured by QRU Factory(TM). QRU simplifies the path to understanding the truth.

QRU® Learning Workbook

Understanding Sleep and Rest

Why Humans Need Sleep - and Why Rest Cannot Fully Replace It

Product Identity: QRU Factory Acceptance Test Workbook

Learner Name:

Date:

Instructor / Group:

QRU® Educational Use Notice

This workbook is designed for educational learning, reflection, and skill-building.

© QRU. All rights reserved. For classroom, training, or personal learning use unless otherwise authorized.

Medical Disclaimer

This workbook is for education only. It does not diagnose, treat, or replace medical or mental health care.

If you or someone else has serious, persistent, or unsafe sleep problems, seek help from a qualified healthcare professional. Sleep concerns can be connected to medical conditions, medications, mental health, breathing problems, breathing during sleep, work schedules, substance use, or safety risks.

If there is an immediate danger - such as trouble breathing, chest pain, fainting, severe confusion, suspected overdose, or thoughts of self-harm - seek emergency help right away.

QRU® Workbook | Understanding Sleep and Rest | Page 1

Table of Contents

1. [Big Idea and Learning Goals](big-idea-and-learning-goals)
2. [Key Vocabulary](key-vocabulary)

3. [Part 1: Warm-Up](part-1-warm-up)
 4. [Part 2: Sleep Is Active Maintenance](part-2-sleep-is-active-maintenance)
 5. [Part 3: Sleep Stages](part-3-sleep-stages)
 6. [Part 4: Why Sleep Is Biologically Necessary](part-4-why-sleep-is-biologically-necessary)
 7. [Part 5: Rest vs. Sleep](part-5-rest-vs-sleep)
 8. [Part 6: Risks of Sleep Deprivation](part-6-risks-of-sleep-deprivation)
 9. [Part 7: Sleep Hygiene Strategies](part-7-sleep-hygiene-strategies)
 10. [Part 8: When to Seek Professional Help](part-8-when-to-seek-professional-help)
 11. [Part 9: Guided Practice](part-9-guided-practice)
 12. [Part 10: Scenario-Based Practice](part-10-scenario-based-practice)
 13. [Part 11: Reflection and Action Plan](part-11-reflection-and-action-plan)
 14. [Part 12: Review Quiz](part-12-review-quiz)
 15. [Answer Key](answer-key)
 16. [Brief References](brief-references)
-

Big Idea and Learning Goals

Big Idea

Sleep is not just "doing nothing." Sleep is an essential biological process that helps the brain, immune system, heart, metabolism, emotions, and body recover.

Rest is helpful, but it is not the same as sleep.

Memory Sentence

Rest can pause the drain, but sleep does the repair.

Learning Goals

By the end of this workbook, you will be able to:

- Explain why humans need sleep.
 - Describe the difference between sleep and rest.
 - Identify how insufficient sleep can affect health, safety, mood, and thinking.
 - Describe basic sleep stages.
 - Recognize evidence-informed sleep hygiene habits.
 - Know when someone should seek clinical care for sleep concerns.
 - Apply sleep and rest concepts to everyday scenarios.
-

- Create a safe, realistic sleep-improvement action plan without using it as medical treatment.

How to Use This Workbook

1. Read each section slowly.
2. Complete the activities as you go.
3. Use the answer key to check your understanding.
4. Use the action plan to choose small, realistic sleep-supporting steps.
5. Seek professional help when symptoms are persistent, severe, unsafe, or connected to medical or mental health concerns.

QRU® Workbook | Understanding Sleep and Rest | Page 2

Key Vocabulary

| Term | Plain-Language Meaning |

|---|---|

| Sleep | A biologically essential state that supports the brain, body repair, immune system, heart, metabolism, memory, and emotional balance. |

| Rest | A period of reduced physical or mental demand. Rest can help the body and mind feel less strained, but it does not fully replace sleep. |

| Sleep hygiene | Habits and environment choices that support better sleep, such as a steady sleep schedule, less caffeine near bedtime, less bright light at night, and a quiet sleep space. |

| Metabolism | The way the body uses food and energy. Sleep helps regulate energy use, hunger hormones, and blood sugar balance. |

| Immune regulation | The way the body's defense system responds to germs, inflammation, and healing needs. Sleep supports this system. |

| Circadian rhythm | The body's internal 24-hour clock that helps time sleep, wakefulness, hunger, alertness, and body temperature. |

| REM sleep | A stage of sleep linked with dreaming, memory, emotional processing, and brain activity. REM stands for rapid eye movement. |

| Non-REM sleep | Sleep stages that include light sleep and deep sleep. Deep non-REM sleep helps physical recovery and body restoration. |

| Insomnia | Ongoing trouble falling asleep, staying asleep, or waking too early, especially when it causes daytime problems. |

| Sleep deprivation | Not getting enough sleep for your body's needs. |

| Sleep debt | The buildup of missed sleep over time. For example, losing 1 hour of sleep for several nights can add up. |

| Sleep apnea | A sleep-related breathing disorder in which breathing repeatedly stops, becomes shallow, or is interrupted during sleep. Common signs include loud snoring, gasping, pauses in breathing, and daytime sleepiness. |

| Drowsy driving | Driving while sleepy or not alert enough to drive safely. This can be as dangerous as impaired driving. |

| Shift work | Work schedules outside the typical daytime schedule, such as night shifts, rotating shifts, or very early morning shifts. These can disrupt circadian rhythm. |

| Sleep quality | How well a person sleeps, including how easily they fall asleep, how often they wake, and whether they feel restored. |

| Sleep quantity | How much sleep a person gets, usually measured in hours. |

Quick Vocabulary Check

Instructions: Write the correct term next to each definition.

1. The body's internal 24-hour clock:
2. Ongoing trouble falling asleep or staying asleep with daytime problems:
3. A stage of sleep linked with dreaming and emotional processing:
4. Habits and environment choices that support better sleep:
5. Driving while too sleepy to be safe:
6. The buildup of missed sleep over time:

Vocabulary Match

Instructions: Match each term to the best description.

| Term | Answer Letter |

|---|---|

| 1. Rest | |

| 2. Sleep apnea | |

| 3. Metabolism | |

| 4. Non-REM sleep | |

| 5. Sleep deprivation | |

| Letter | Description |

|---|---|

- | A | Not getting enough sleep for your needs |
 - | B | Reduced physical or mental demand |
 - | C | How the body uses food and energy |
 - | D | Sleep stages that include light sleep and deep sleep |
 - | E | A sleep-related breathing disorder with repeated breathing interruptions |
-

Part 1: Warm-Up

What Do You Already Believe About Sleep?

Instructions: Read each statement. Mark one answer.

- | Statement | Agree | Not Sure | Disagree |
|--|-------|----------|----------|
| --- ---: | ---: | ---: | |
| 1. Resting quietly gives the body everything sleep gives it. | ? | ? | ? |
| 2. Sleep helps memory and learning. | ? | ? | ? |
| 3. Missing sleep can affect mood. | ? | ? | ? |
| 4. Loud snoring with gasping can be a medical warning sign. | ? | ? | ? |
| 5. Drowsy driving can be dangerous. | ? | ? | ? |
| 6. A consistent sleep schedule can help support sleep. | ? | ? | ? |
-

Personal Sleep Snapshot

This activity is for awareness only. It is not a diagnosis.

1. About how many hours do you usually sleep on a typical night?
2. Do you usually wake feeling rested?
? Yes
? Sometimes
? No
3. What is one thing that makes sleep easier for you?
4. What is one thing that makes sleep harder for you?

5. What do you hope to understand better by the end of this workbook?

Warm-Up Reflection Box

Complete the sentence:

I used to think sleep was ,
but I am open to learning .

QRU® Workbook | Understanding Sleep and Rest | Page 4

Part 2: Sleep Is Active Maintenance

Plain-Language Summary

Sleep may look quiet from the outside, but inside the body, many important processes are happening. During sleep, the brain and body perform maintenance that supports learning, mood, healing, immune function, metabolism, and safety.

Sleep is not laziness. Sleep is biological maintenance.

What Happens During Sleep?

During healthy sleep, the body and brain may:

- Process and organize memories.
 - Support learning.
 - Regulate emotions.
 - Restore alertness.
 - Support immune defense.
 - Release and regulate hormones.
 - Support tissue repair and growth.
 - Help maintain heart and metabolic health.
 - Clear certain waste products from the brain.
 - Reset systems that help attention and decision-making.
-

Why Sleep Is Different From "Turning Off"

Sleep is an active state with changing brain activity, body temperature, breathing patterns, heart rate, hormones, and muscle activity.

When you are resting but awake, your body may relax. However, you do not move through the same sleep stages or receive the same full biological benefits as sleep.

Learning Check: Sleep Is Active

Instructions: Mark each statement True or False.

| Statement | True | False |

|---|---:|---:|

| 1. Sleep is a passive state where nothing important happens. | ? | ? |

| 2. Sleep supports memory and learning. | ? | ? |

| 3. Rest can be helpful, but it is not biologically identical to sleep. | ? | ? |

| 4. Sleep can affect emotions and decision-making. | ? | ? |

| 5. The body's immune system is unrelated to sleep. | ? | ? |

Short-Answer Prompt

In your own words, explain the memory sentence:

Rest can pause the drain, but sleep does the repair.

QRU® Workbook | Understanding Sleep and Rest | Page 5

Part 3: Sleep Stages

Plain-Language Summary

Sleep happens in repeating cycles. Each cycle includes different stages. The two main types are non-REM sleep and REM sleep. Both are important.

Most people cycle through sleep stages several times during the night. A full cycle often lasts about 90 minutes, but this can vary.

The Main Sleep Stages

| Stage | What It Means | Why It Matters |

|---|---|---|

| Non-REM Stage 1 | Very light sleep. This is the transition from being awake to sleeping. | Helps the body begin shifting into sleep. You may wake easily. |

| Non-REM Stage 2 | Light sleep becomes more stable. Heart rate and body temperature may decrease. | Supports sleep continuity and prepares the body for deeper sleep. |

| Non-REM Stage 3 | Deep sleep. It can be harder to wake from this stage. | Supports physical restoration, immune function, tissue repair, and feeling refreshed. |

| REM Sleep | Brain activity increases. Dreaming often occurs. Muscles are usually temporarily less active. | Supports memory, learning, emotional processing, and brain development. |

The Sleep Cycle

A simplified sleep cycle often looks like this:

1. Light non-REM sleep
2. Deeper non-REM sleep
3. REM sleep
4. Repeat several times through the night

Early in the night, deep non-REM sleep may be more common. Later in the night, REM sleep may become longer.

Why All Stages Matter

No single sleep stage does everything. Healthy sleep depends on enough total sleep and good sleep quality so the body can move through the stages it needs.

Sleep Stage Matching

Instructions: Match the stage to the best description.

| Sleep Stage | Answer Letter |

---|---

| 1. Non-REM Stage 1 | |

| 2. Non-REM Stage 2 | |

| 3. Non-REM Stage 3 | |

| 4. REM Sleep | |

| Letter | Description |

---|---

| A | Deep sleep; supports physical restoration |

| B | Transition from wakefulness to sleep |

| C | Often linked with dreaming, memory, and emotional processing |

| D | Stable light sleep; body settles further into sleep |

Knowledge Check

Answer in 1-2 sentences.

Why is it not enough to say, "I slept, so the stage does not matter"?

QRU® Workbook | Understanding Sleep and Rest | Page 6

Part 4: Why Sleep Is Biologically Necessary

Plain-Language Summary

Humans need sleep because sleep supports systems that keep the body and brain working. Sleep helps people think clearly, learn, regulate emotions, heal, fight infection, and maintain safer reaction times.

1. Sleep Supports the Brain

Sleep helps the brain:

- Store and organize memories.
- Connect new information with old information.
- Support focus and attention.
- Maintain decision-making.
- Clear certain waste products.
- Regulate mood and emotional reactions.

Example: A student may study for a test, but sleep helps the brain strengthen and organize what was learned.

2. Sleep Supports the Body

Sleep helps the body:

- Repair tissues.
 - Support growth and development.
 - Regulate hormones.
 - Support immune responses.
 - Help maintain healthy blood pressure and heart function.
 - Support metabolism and blood sugar regulation.
-

3. Sleep Supports Safety

Insufficient sleep can slow reaction time, reduce attention, and increase mistakes. This matters when driving, operating equipment, making decisions, supervising children, or performing safety-sensitive work.

4. Sleep Supports Emotional Balance

Sleep loss can make emotions feel stronger and harder to manage. It may increase irritability, anxiety, sadness, impulsive decisions, and conflict.

Sleep problems can also occur with depression, anxiety, trauma, chronic pain, substance use, and other health concerns. Persistent sleep changes with mood symptoms deserve professional attention.

Fill-In Summary

Instructions: Use words from the word bank to complete the sentences.

Word Bank: memory, immune, reaction time, metabolism, emotions

1. Sleep supports learning and .
2. Sleep helps regulate , including hunger and energy use.
3. Sleep supports the system.
4. Sleep loss can slow and increase safety risks.
5. Sleep helps people manage .

Short-Answer Prompt

Choose one body system sleep supports. Explain why it matters in daily life.

Body system:

Why it matters:

QRU® Workbook | Understanding Sleep and Rest | Page 7

Part 5: Rest vs. Sleep

Plain-Language Summary

Rest is valuable. It can reduce strain, calm the nervous system, and help people recover from effort. But rest is not the same as sleep. Rest does not fully replace sleep stages, deep sleep, or REM sleep.

How Rest Helps

Rest may include:

- Sitting quietly.
- Taking a break from work or screens.

- Gentle stretching.
- Prayer, meditation, or breathing practice.
- Listening to calm music.
- Lying down with eyes closed.
- Quiet time after stress.
- Low-stimulation activities.

Rest can help reduce stress and support recovery. It can also help prepare the body for sleep.

How Sleep Is Different

Sleep includes organized biological stages that affect:

- Brain activity.
- Hormone patterns.
- Memory processing.
- Immune function.
- Physical repair.
- Emotional processing.
- Energy regulation.

Rest can support well-being, but it cannot fully replace the biological work of sleep.

Rest vs. Sleep Sorting Activity

Instructions: Write each item under the best heading.

Items to Sort:

- Deep non-REM sleep
- Quiet breathing break
- REM sleep
- Sitting calmly
- Memory consolidation
- Short screen-free pause
- Physical restoration during deep sleep
- Gentle stretching

| Mostly Rest | Mostly Sleep |

|---|---|

Reflection Box

1. What is one type of rest that helps you feel calmer?
2. What is one sign that rest is not enough and you truly need sleep?
3. How could rest help you prepare for sleep tonight?

QRU® Workbook | Understanding Sleep and Rest | Page 8

Part 6: Risks of Sleep Deprivation

Plain-Language Summary

Sleep deprivation means not getting enough sleep for your body's needs. It can happen after one short night, or it can build over many nights. The risks affect health, mood, thinking, relationships, school, work, and safety.

Common Effects of Too Little Sleep

Sleep deprivation may cause:

- Daytime sleepiness.
- Trouble focusing.
- Slower reaction time.
- Forgetfulness.
- Irritability or mood swings.
- Lower motivation.
- More mistakes.

- Headaches.
 - Stronger food cravings.
 - Reduced physical performance.
 - Greater risk of accidents.
-

Longer-Term Health Concerns

Regular insufficient sleep is linked with higher risk for several health concerns, including:

- High blood pressure.
- Heart disease.
- Type 2 diabetes.
- Obesity.
- Depression.
- Weakened immune function.
- Increased risk of injuries and crashes.

These links do not mean sleep is the only cause. Health is complex. However, sleep is an important part of health maintenance.

Drowsy Driving Safety

Drowsy driving is dangerous because sleepiness can reduce attention and slow reaction time. A person may even have brief "microsleeps" without realizing it.

Warning Signs of Drowsy Driving

Do not ignore these signs:

- Frequent yawning or blinking.
- Trouble keeping your eyes open.
- Difficulty remembering the last few miles.
- Drifting from your lane.
- Missing exits or traffic signs.
- Hitting rumble strips.
- Feeling impatient, foggy, or disconnected.

Safer Response

If you are drowsy while driving:

1. Do not try to "push through."
2. Pull over to a safe place.
3. Switch drivers if possible.
4. Take a short nap if safe to do so.
5. Use caffeine only as a short-term support, not a replacement for sleep.
6. Do not continue driving until you are alert.

Opening a window, turning up music, or splashing water on your face is not reliable protection.

Sleep Deprivation Risk Check

Instructions: Place a check beside each possible effect of too little sleep.

- ? Slower reaction time
 - ? Improved long-term concentration
 - ? Mood changes
 - ? Higher accident risk
 - ? Better immune function
 - ? Forgetfulness
 - ? More alert driving
 - ? Daytime sleepiness
-

Short-Answer Prompt

Why can sleep deprivation be a safety issue, not just a comfort issue?

QRU® Workbook | Understanding Sleep and Rest | Page 9

Part 7: Sleep Hygiene Strategies

Plain-Language Summary

Sleep hygiene means habits and environmental choices that support sleep. These strategies do

not cure every sleep problem, but they can improve the conditions that make sleep more likely.

If sleep problems are severe, persistent, or connected to symptoms such as breathing pauses, depression, pain, trauma, or medication effects, professional care may be needed.

Sleep Hygiene Strategy Checklist

Instructions: Check the strategies you already use. Circle or underline 1-2 you want to try.

Schedule

- ? Keep a consistent wake time, including weekends when possible.
- ? Go to bed when sleepy, not just when the clock says so.
- ? Avoid long or late naps if they make nighttime sleep harder.
- ? Build a calming wind-down routine before bed.

Light and Screens

- ? Get bright light in the morning when possible.
- ? Dim lights in the evening.
- ? Reduce bright screens close to bedtime.
- ? Keep the bed for sleep and intimacy rather than work, scrolling, or stressful tasks.

Food, Drinks, and Substances

- ? Limit caffeine late in the day. Caffeine can last for hours.
- ? Avoid heavy meals right before bed if they disrupt sleep.
- ? Avoid nicotine near bedtime. Nicotine is stimulating.
- ? Avoid using alcohol as a sleep aid. It can worsen sleep quality and breathing.
- ? Use medications only as directed and ask a professional if they affect sleep.

Environment

- ? Keep the sleep space dark or use an eye covering if helpful.
- ? Keep the sleep space quiet or use safe white noise/earplugs if helpful.
- ? Keep the temperature comfortable.
- ? Use a supportive pillow and sleep surface when possible.
- ? Reduce interruptions when possible.

Mind and Body

- ? Use a calming routine such as reading, gentle stretching, quiet prayer, breathing, or journaling.
- ? If worry keeps you awake, write down tomorrow's tasks earlier in the evening.
- ? Exercise regularly, but avoid intense exercise too close to bedtime if it keeps you awake.

? If unable to sleep after a while, consider getting out of bed briefly for a quiet, low-light activity until sleepy.

Important Note About Sleep Aids

Over-the-counter, prescription, herbal, or supplement sleep aids may have side effects and may interact with medications or medical conditions. Some can cause next-day drowsiness, falls, confusion, or dependence.

Ask a healthcare professional or pharmacist before using sleep aids, especially if you:

- Are pregnant or breastfeeding.
 - Are older.
 - Have breathing problems.
 - Take other medications.
 - Have liver, kidney, heart, mental health, or substance use concerns.
 - Need to drive or operate equipment the next day.
-

Myth or Fact?

Instructions: Mark each statement as Myth or Fact.

| Statement | Myth | Fact |

|---|---:|---:|

| 1. Alcohol is a safe and reliable way to improve sleep quality. | ? | ? |

| 2. Morning light can help support the body clock. | ? | ? |

| 3. Caffeine can affect sleep for hours after use. | ? | ? |

| 4. Sleep hygiene is guaranteed to cure all sleep disorders. | ? | ? |

| 5. A calming bedtime routine can help the body prepare for sleep. | ? | ? |

Build a Better Wind-Down Routine

Choose three calming activities you could realistically do before bed.

? Reading something calming

? Gentle stretching

? Quiet music

- ? Prayer or meditation
- ? Breathing exercise
- ? Warm shower or bath
- ? Journaling
- ? Preparing clothes/items for tomorrow
- ? Dimming lights
- ? Other:

My 15-30 minute wind-down routine could be:

- 1.
- 2.
- 3.

QRU® Workbook | Understanding Sleep and Rest | Page 10

Part 8: When to Seek Professional Help

Plain-Language Summary

Many people have occasional poor sleep. But some sleep problems need professional evaluation. This is especially true when symptoms are persistent, severe, unsafe, or connected to breathing, mood, medications, pain, or medical conditions.

Seek Professional Guidance If...

Consider contacting a healthcare professional if you or someone else has:

Possible Insomnia

- Trouble falling asleep, staying asleep, or waking too early.
- Sleep trouble that happens often and causes daytime problems.
- Sleep problems lasting weeks or longer despite basic sleep-supporting habits.
- Worry about sleep that is making the problem worse.

Clinical insomnia is commonly described as sleep difficulty at least several nights per week for several months with daytime impairment, but you do not need to wait that long to ask for help if the problem is affecting life or safety.

Possible Sleep Apnea or Sleep-Related Breathing Problem

Seek evaluation if there is:

- Loud, frequent snoring.
- Gasping, choking, or snorting during sleep.
- Pauses in breathing noticed by another person.
- Waking short of breath.
- Morning headaches.
- Dry mouth on waking.
- Daytime sleepiness despite enough time in bed.
- High blood pressure or heart concerns with snoring/sleepiness.

Sleep apnea can affect adults and children. It is treatable, but it needs proper evaluation.

Mood, Mental Health, or Safety Concerns

Seek help if sleep problems occur with:

- Depression.
- Anxiety.
- Trauma symptoms.
- Panic attacks.
- Thoughts of self-harm or suicide.
- Extreme mood changes.
- Substance use concerns.
- Hallucinations or severe confusion.

If someone may harm themselves or others, seek emergency help immediately.

Medication, Substance, or Health-Condition Concerns

Ask a healthcare professional or pharmacist if sleep problems started after:

- Starting, stopping, or changing a medication.
- Using alcohol, nicotine, cannabis, stimulants, or other substances.
- New pain, breathing symptoms, heart symptoms, hormone changes, pregnancy, menopause, or neurological symptoms.
- Use of sleep aids causing next-day sleepiness or confusion.

Do not stop prescribed medication without professional guidance unless emergency instructions tell you to do so.

Shift Work or Irregular Schedules

Professional guidance may help if night shifts, rotating shifts, or early shifts cause:

- Severe sleepiness.
- Trouble sleeping when off work.
- Repeated mistakes or injuries.
- Drowsy driving.
- Mood changes.
- Dependence on sedatives or stimulants to function.

Shift workers may need specific scheduling, light exposure, nap, and safety planning.

Emergency Warning Signs

Seek emergency help right away for:

- Trouble breathing, blue lips, or severe shortness of breath.
 - Chest pain or pressure.
 - Fainting or unresponsiveness.
 - Severe confusion.
 - New weakness, facial droop, or trouble speaking.
 - Suspected overdose or dangerous medication reaction.
 - Thoughts of suicide, self-harm, or harming someone else.
 - A person who is too sleepy to stay awake after a head injury or possible poisoning.
-

Professional Help Decision Practice

Instructions: Read each sign. Mark "Monitor," "Schedule Help," or "Emergency."

Situation	Monitor	Schedule Help	Emergency
-----------	---------	---------------	-----------

---	---	---	---
-----	-----	-----	-----

1. One night of poor sleep before an exciting event	?	?	?
---	---	---	---

2. Loud snoring with witnessed breathing pauses	?	?	?
---	---	---	---

3. Sleep trouble for weeks with daytime work problems	?	?	?
---	---	---	---

4. Chest pain and trouble breathing at night	?	?	?
--	---	---	---

5. Feeling sleepy while driving	?	?	?
---------------------------------	---	---	---

6. Thoughts of self-harm with severe insomnia	?	?	?
---	---	---	---

Reflection Box

What is one sleep-related symptom you would not ignore?

Who could you contact for help if you needed support?

QRU® Workbook | Understanding Sleep and Rest | Page 11

Part 9: Guided Practice

Guided Practice A: Identify the Sleep Concept

Instructions: Read each example. Write the best concept from the word bank.

Word Bank: circadian rhythm, sleep hygiene, REM sleep, sleep deprivation, rest, drowsy driving

1. Maya has slept only 5 hours per night for the past week and feels foggy during the day.

Concept:

2. Jordan turns down the lights, avoids late caffeine, and keeps a steady wake time.

Concept:

3. Lee is driving home and keeps drifting onto the rumble strip.

Concept:

4. Priya takes a quiet 10-minute breathing break after a stressful meeting.

Concept:

5. Sam feels sleepy at night and awake during the day because the body clock follows a 24-hour pattern.

Concept:

6. Dreaming and emotional memory processing are often linked with this stage.

Concept:

Guided Practice B: Cause and Effect

Instructions: Draw a line in your mind or write the matching letter.

| Cause | Effect Letter |

---|---

| 1. Too little sleep | |

| 2. Consistent wake time | |

| 3. Loud snoring with gasping | |

| 4. Late caffeine use | |

| 5. Resting quietly | |

| Letter | Possible Effect |

---|---

| A | May support circadian rhythm |

| B | May signal possible sleep apnea and need evaluation |

| C | May reduce stress but does not fully replace sleep |

| D | May increase sleepiness, mistakes, and mood changes |

| E | May make it harder to fall asleep |

Guided Practice C: Short Response

A friend says:

"I was lying on the couch for eight hours. That is basically the same as sleeping."

Write a kind, accurate response.

Guided Practice D: Sleep Habit Audit

Choose one habit from each category that could support sleep.

| Category | My Realistic Choice |

---|---

| Schedule | |

| Light/screens | |

| Food/drinks/substances | |

| Environment | |

| Mind/body wind-down | |

Part 10: Scenario-Based Practice

Scenario 1: The Exhausted Driver

Alex slept 4 hours last night. On the drive home, Alex keeps yawning, misses an exit, and drifts toward the side of the road.

Questions

1. What is the main safety concern?
 2. What should Alex do now?
 3. Name one strategy that is not reliable for safe driving while sleepy.
-

Scenario 2: The Loud Snorer

Taylor's partner says Taylor snores loudly and sometimes seems to stop breathing, then gasps. Taylor also wakes with headaches and feels sleepy at work.

Questions

1. What sleep concern could these signs suggest?
 2. Should Taylor ignore this, try only a new pillow, or seek professional evaluation?
 3. Why is this more than just an annoyance?
-

Scenario 3: The Shift Worker

Rina works rotating shifts. Some weeks she works nights, and other weeks she starts at 5:00 a.m. She feels sleepy while driving home and has trouble sleeping during the day.

Questions

1. What body system may be disrupted?
 2. What are two safety-focused steps Rina could consider?
 3. When should Rina seek professional guidance?
-

Scenario 4: Sleep and Mood

Chris has had trouble sleeping for several weeks. Chris also feels hopeless, avoids friends, and has lost interest in normal activities.

Questions

1. Why should this be taken seriously?
 2. What kind of help could Chris seek?
 3. What should happen if Chris has thoughts of self-harm?
-

Scenario 5: Medication Effects

Nia started a new medication and now feels restless at night and very sleepy in the morning. Nia is considering stopping the medication immediately.

Questions

1. Why might medication be relevant to sleep?
 2. What should Nia do before stopping or changing a prescribed medication?
 3. What safety issue should Nia consider if she feels very sleepy in the morning?
-

Part 11: Reflection and Action Plan

Personal Reflection

Complete the prompts.

1. One important thing I learned about sleep is:
 2. One important thing I learned about rest is:
 3. One sleep habit that may be helping me is:
 4. One sleep habit that may be making sleep harder is:
 5. One warning sign I should not ignore is:
-

My Sleep-Support Action Plan

This plan is for general wellness and safety. It is not medical treatment.

Step 1: Choose One Goal

Choose one realistic goal for the next 7 days.

- ? Keep a more consistent wake time.
- ? Reduce caffeine later in the day.
- ? Create a 15-30 minute wind-down routine.
- ? Reduce bright screens close to bedtime.
- ? Make my sleep space quieter, darker, or more comfortable.
- ? Add a calming rest break during the day.
- ? Avoid drowsy driving by planning safer transportation.
- ? Ask a professional about sleep symptoms.
- ? Other:

My goal:

Step 2: Make It Specific

I will do this action:

I will do it on these days/times:

I will know I completed it when:

Step 3: Identify Barriers

What might get in the way?

- ? Work schedule
- ? School schedule
- ? Caregiving responsibilities
- ? Stress or worry
- ? Phone or screen use
- ? Noise
- ? Pain or health symptoms
- ? Caffeine, nicotine, alcohol, or other substances
- ? Medication timing or side effects
- ? Other:

My biggest barrier is:

Step 4: Choose a Backup Plan

If my plan is difficult, I can make it easier by:

Example: "If I cannot do a 30-minute routine, I will do a 5-minute breathing break and dim the lights."

Step 5: Safety Plan

If I feel too sleepy to drive or do a safety-sensitive task, I will:

If I notice serious warning signs, I will contact:

- ? Healthcare professional
- ? Pharmacist
- ? Mental health professional
- ? Emergency services
- ? Trusted adult/family member/friend
- ? Workplace/school support person

Name or contact option:

7-Day Sleep-Support Tracker

Instructions: Track only the goal you chose. Keep it simple.

| Day | Did I try my goal? | What helped or got in the way? |

|---|---|---|

| Day 1 | ? Yes ? No ? Partly | |

| Day 2 | ? Yes ? No ? Partly | |

| Day 3 | ? Yes ? No ? Partly | |

| Day 4 | ? Yes ? No ? Partly | |

| Day 5 | ? Yes ? No ? Partly | |

| Day 6 | ? Yes ? No ? Partly | |

| Day 7 | ? Yes ? No ? Partly | |

End-of-Week Reflection

1. What worked best?
2. What was harder than expected?
3. What is one adjustment I can make next week?
4. Do I need professional support for any sleep concern?
? No
? Maybe
? Yes

If maybe or yes, my next safe step is:

QRU® Workbook | Understanding Sleep and Rest | Page 14

Part 12: Review Quiz

Section A: Multiple Choice

Instructions: Circle or mark the best answer.

1. Which statement best describes sleep?
 - A. Sleep is wasted time.
 - B. Sleep is an active biological process that supports the brain and body.
 - C. Sleep only matters for children.
 - D. Sleep can be fully replaced by sitting quietly.
 2. Which is an example of rest?
 - A. Deep non-REM sleep
 - B. REM sleep
 - C. A quiet breathing break
 - D. A full sleep cycle
 3. Which sleep stage is often linked with dreaming, memory, and emotional processing?
 - A. REM sleep
 - B. Drowsy driving
 - C. Circadian rhythm
 - D. Sleep hygiene
 4. Which habit may support sleep hygiene?
 - A. Drinking caffeine late at night
 - B. Keeping a steady wake time
 - C. Using alcohol as a sleep aid
 - D. Driving while sleepy
 5. Which sign may suggest possible sleep apnea?
 - A. Occasional tiredness after one late night
 - B. Loud snoring with gasping or breathing pauses
 - C. Feeling calm after stretching
 - D. Remembering a dream
 6. What should someone do if they become very sleepy while driving?
 - A. Turn the music up and keep going
 - B. Open the window and speed up
 - C. Pull over safely, stop driving, and rest or switch drivers
 - D. Ignore it because sleepiness is harmless
-

Section B: True or False

| Statement | True | False |

|---|---:|---:|

| 7. Rest can reduce strain, but it does not fully replace sleep. | ? | ? |

| 8. Sleep deprivation can affect mood, attention, and safety. | ? | ? |

| 9. Sleep hygiene is a guaranteed cure for all sleep disorders. | ? | ? |

| 10. Medication changes can affect sleep and should be discussed with a professional when concerning. | ? | ? |

| 11. Thoughts of self-harm with severe sleep problems should be treated as urgent. | ? | ? |

Section C: Short Answer

12. Explain the difference between sleep quantity and sleep quality.

13. Name two reasons sleep is biologically necessary.

14. Name two sleep hygiene strategies.

15. Give one example of when someone should seek professional help for sleep.

Section D: Apply What You Learned

16. A person says, "I only slept three hours, but I relaxed on the couch for five hours, so I'm fine to drive."

Write a safe and accurate response.

QRU® Workbook | Understanding Sleep and Rest | Page 15

Answer Key

Key Vocabulary: Quick Vocabulary Check

1. Circadian rhythm

Explanation: The circadian rhythm is the body's internal 24-hour clock.

2. Insomnia

Explanation: Insomnia involves ongoing trouble falling asleep, staying asleep, or waking too early, especially with daytime problems.

3. REM sleep

Explanation: REM sleep is linked with dreaming, memory, emotional processing, and active brain patterns.

4. Sleep hygiene

Explanation: Sleep hygiene means habits and environment choices that support better sleep.

5. Drowsy driving

Explanation: Drowsy driving means driving while sleepy or not alert enough to drive safely.

6. Sleep debt

Explanation: Sleep debt is the buildup of missed sleep over time.

Vocabulary Match

1. Rest - B

Explanation: Rest is a period of reduced physical or mental demand.

2. Sleep apnea - E

Explanation: Sleep apnea involves repeated breathing interruptions during sleep.

3. Metabolism - C

Explanation: Metabolism is how the body uses food and energy.

4. Non-REM sleep - D

Explanation: Non-REM sleep includes light sleep and deep sleep.

5. Sleep deprivation - A

Explanation: Sleep deprivation means not getting enough sleep for your needs.

Part 2: Learning Check

1. False

Explanation: Sleep is active maintenance, not a state where nothing important happens.

2. True

Explanation: Sleep supports memory, learning, and brain organization.

3. True

Explanation: Rest can help reduce strain, but it does not include all sleep stages.

4. True

Explanation: Sleep affects emotional regulation, attention, and decision-making.

5. False

Explanation: Sleep supports immune regulation and the body's defense system.

Part 2: Short-Answer Sample

A strong answer may say:

Rest can help me feel calmer and reduce stress, but sleep does deeper biological work. Sleep helps the brain and body repair, process memories, regulate emotions, and restore energy.

Part 3: Sleep Stage Matching

1. Non-REM Stage 1 - B

Explanation: Stage 1 is the transition from wakefulness to sleep.

2. Non-REM Stage 2 - D

Explanation: Stage 2 is stable light sleep where the body settles further.

3. Non-REM Stage 3 - A

Explanation: Stage 3 is deep sleep that supports physical restoration.

4. REM Sleep - C

Explanation: REM sleep is often linked with dreaming, memory, and emotional processing.

Part 3: Knowledge Check Sample

A strong answer may say:

Different stages support different functions. Deep sleep helps physical restoration, while REM sleep supports memory and emotional processing. Healthy sleep needs enough time and quality to move through these stages.

Part 4: Fill-In Summary

1. memory

Explanation: Sleep helps the brain organize and store information.

2. metabolism

Explanation: Sleep helps regulate energy use, hunger hormones, and blood sugar balance.

3. immune

Explanation: Sleep supports immune defense and healing.

4. reaction time

Explanation: Sleep loss can slow responses and increase accident risk.

5. emotions

Explanation: Sleep supports emotional balance and coping.

Part 4: Short-Answer Sample

Example:

Body system: Immune system.

Why it matters: Sleep helps the body defend against illness and recover. When I do not sleep enough, I may feel run down and may have a harder time functioning.

Part 5: Sorting Activity

| Mostly Rest | Mostly Sleep |

|---|---|

| Quiet breathing break | Deep non-REM sleep |

| Sitting calmly | REM sleep |

| Short screen-free pause | Memory consolidation |

| Gentle stretching | Physical restoration during deep sleep |

Explanation: Rest activities reduce demand while awake. Sleep items involve sleep stages and biological processes that occur during sleep.

Part 6: Sleep Deprivation Risk Check

Correct items to check:

- Slower reaction time
- Mood changes
- Higher accident risk
- Forgetfulness
- Daytime sleepiness

Do not check:

- Improved long-term concentration
- Better immune function
- More alert driving

Explanation: Sleep deprivation usually worsens attention, safety, mood, memory, and daytime alertness.

Part 6: Short-Answer Sample

A strong answer may say:

Sleep deprivation can slow reaction time and reduce attention. That can lead to crashes, mistakes at work, injuries, or unsafe decisions.

Part 7: Myth or Fact

1. Myth

Explanation: Alcohol may make someone feel sleepy, but it can worsen sleep quality and breathing.

2. Fact

Explanation: Morning light helps support circadian rhythm.

3. Fact

Explanation: Caffeine can stay active for hours and interfere with sleep.

4. Myth

Explanation: Sleep hygiene can help, but it does not cure all sleep disorders or medical causes.

5. Fact

Explanation: A calming routine can signal the body to prepare for sleep.

Part 8: Professional Help Decision Practice

1. Monitor

Explanation: One poor night before an exciting event is common. If it becomes frequent or unsafe, seek help.

2. Schedule Help

Explanation: Loud snoring with witnessed breathing pauses can suggest sleep apnea and should be evaluated.

3. Schedule Help

Explanation: Sleep trouble lasting weeks with daytime problems deserves professional guidance.

4. Emergency

Explanation: Chest pain and trouble breathing can be urgent warning signs.

5. Emergency/Safety Stop Needed

Explanation: Feeling sleepy while driving requires immediate safety action: stop driving, pull over safely, switch drivers, or rest. If sleepiness is repeated or severe, schedule professional help too.

6. Emergency

Explanation: Thoughts of self-harm require urgent support, especially with severe insomnia or distress.

Part 9: Guided Practice A

1. Sleep deprivation

Explanation: Maya is not getting enough sleep and has daytime effects.

2. Sleep hygiene

Explanation: Jordan is using habits that support sleep.

3. Drowsy driving

Explanation: Drifting onto the rumble strip is a warning sign of unsafe sleepiness while driving.

4. Rest

Explanation: Priya is reducing stress while awake.

5. Circadian rhythm

Explanation: The body clock helps time sleep and wakefulness across 24 hours.

6. REM sleep

Explanation: REM sleep is linked with dreaming and emotional memory processing.

Part 9: Guided Practice B

1. Too little sleep - D

Explanation: Too little sleep can increase sleepiness, mistakes, and mood changes.

2. Consistent wake time - A

Explanation: A steady wake time can support circadian rhythm.

3. Loud snoring with gasping - B

Explanation: This can be a sign of possible sleep apnea.

4. Late caffeine use - E

Explanation: Caffeine can make it harder to fall asleep.

5. Resting quietly - C

Explanation: Rest can reduce stress but does not fully replace sleep.

Part 9: Guided Practice C Sample

A strong answer may say:

Resting on the couch can help your body relax, but it is not the same as sleep. Sleep includes stages like deep sleep and REM sleep that support repair, memory, and emotional regulation. If you were awake most of the time, your body probably did not get the same benefits as sleeping.

Part 10: Scenario-Based Practice

Scenario 1: The Exhausted Driver

1. Main safety concern: Drowsy driving.

Explanation: Yawning, missing an exit, and drifting are warning signs.

2. What Alex should do: Pull over safely, stop driving, switch drivers if possible, and rest or nap if safe.

Explanation: Alex should not push through sleepiness while driving.

3. Not reliable: Turning up music, opening a window, splashing water, or simply trying harder.

Explanation: These do not reliably restore safe alertness.

Scenario 2: The Loud Snorer

1. Possible concern: Sleep apnea or another sleep-related breathing problem.

Explanation: Loud snoring, breathing pauses, gasping, morning headaches, and daytime sleepiness are warning signs.

2. Best response: Seek professional evaluation.

Explanation: A new pillow may help comfort, but it does not evaluate breathing interruptions.

3. Why it matters: Sleep-related breathing problems can affect oxygen levels, sleep quality, daytime alertness, heart health, and safety.

Explanation: It is more than noise; it can be a health issue.

Scenario 3: The Shift Worker

1. Disrupted system: Circadian rhythm.

Explanation: Rotating shifts can conflict with the body's internal clock.

2. Safety-focused steps: Avoid driving while sleepy, plan transportation, nap before driving if safe, use light exposure strategically, keep a sleep routine when possible, and discuss scheduling safety.

Explanation: The most urgent risk is sleepiness during driving or safety-sensitive tasks.

3. When to seek help: If Rina has severe sleepiness, drowsy driving, repeated mistakes, inability to sleep, mood changes, or reliance on substances to function.

Explanation: Shift work sleep problems can need professional guidance.

Scenario 4: Sleep and Mood

1. Why serious: Sleep trouble with hopelessness, withdrawal, and loss of interest may be connected to depression or another mental health concern.

Explanation: Sleep and mood affect each other, and persistent symptoms deserve support.

2. Help to seek: A healthcare professional, mental health professional, counselor, crisis line, or trusted support person.

Explanation: Professional support can assess risk and provide appropriate care.

3. If self-harm thoughts occur: Seek emergency help immediately or contact a crisis service.

Explanation: Self-harm thoughts are urgent safety concerns.

Scenario 5: Medication Effects

1. Why medication matters: Some medications can cause insomnia, restlessness, vivid dreams, or next-day sleepiness.

Explanation: Timing, dose, interactions, and side effects can affect sleep.

2. Before stopping medication: Contact the prescribing healthcare professional or pharmacist.

Explanation: Stopping suddenly can be unsafe for some medications.

3. Safety issue: Drowsy driving, falls, operating equipment, or making safety-sensitive decisions.

Explanation: Next-day sleepiness can increase injury risk.

Part 12: Review Quiz

Section A: Multiple Choice

1. B

Explanation: Sleep is an active biological process that supports the brain and body.

2. C

Explanation: A quiet breathing break is rest while awake.

3. A

Explanation: REM sleep is often linked with dreaming, memory, and emotional processing.

4. B

Explanation: A steady wake time can support sleep hygiene and circadian rhythm.

5. B

Explanation: Loud snoring with gasping or breathing pauses may suggest sleep apnea.

6. C

Explanation: The safe response is to stop driving, pull over safely, rest, or switch drivers.

Section B: True or False

7. True

Explanation: Rest is helpful but does not fully replace sleep stages.

8. True

Explanation: Sleep deprivation can affect mood, attention, reaction time, and safety.

9. False

Explanation: Sleep hygiene can help but is not a guaranteed cure for medical sleep disorders.

10. True

Explanation: Medication changes can affect sleep and should be discussed with a professional when concerning.

11. True

Explanation: Thoughts of self-harm are urgent and require immediate support.

Section C: Short Answer Samples

12. Sleep quantity vs. sleep quality:

Sleep quantity is how much sleep a person gets. Sleep quality is how well they sleep, including whether they fall asleep easily, stay asleep, and wake restored.

13. Two reasons sleep is biologically necessary:

Sleep supports memory and learning, immune function, emotional balance, metabolism, heart health, tissue repair, and safety.

14. Two sleep hygiene strategies:

Examples include keeping a consistent wake time, limiting late caffeine, dimming lights at night, reducing screens before bed, creating a wind-down routine, and keeping the sleep space quiet and comfortable.

15. When to seek professional help:

Examples include loud snoring with gasping, breathing pauses, persistent insomnia with daytime problems, severe daytime sleepiness, drowsy driving, sleep problems with depression, or medication-related sleep concerns.

Section D: Apply What You Learned Sample

16. A strong response may say:

Relaxing on the couch is rest, but it does not fully replace sleep. If you only slept three hours, you may have slower reaction time and reduced attention. It would be safer not to drive while sleepy. Consider resting first, switching drivers, using safe transportation, or delaying the trip until alert.

Brief References

The educational information in this workbook is aligned with general sleep health guidance from reputable public health and medical sources, including:

1. Centers for Disease Control and Prevention. Sleep and Sleep Disorders.
<https://www.cdc.gov/sleep/>
2. National Heart, Lung, and Blood Institute. Sleep Deprivation and Deficiency. National Institutes of Health.
<https://www.nhlbi.nih.gov/health/sleep-deprivation>
3. National Institute of Neurological Disorders and Stroke. Brain Basics: Understanding Sleep. National Institutes of Health.
<https://www.ninds.nih.gov/health-information/public-education/brain-basics/brain-basics-understanding-sleep>
4. MedlinePlus. Healthy Sleep. U.S. National Library of Medicine.
<https://medlineplus.gov/healthysleep.html>
5. American Academy of Sleep Medicine. Sleep Education: Healthy Sleep Habits and Sleep Disorders.
<https://sleepeducation.org/>
6. Watson, N. F., Badr, M. S., Belenky, G., et al. Recommended Amount of Sleep for a Healthy Adult: A Joint Consensus Statement of the American Academy of Sleep Medicine and Sleep Research Society. *Journal of Clinical Sleep Medicine*, 2015;11(6):591-592.
<https://doi.org/10.5664/jcsm.4758>

QRU® Closing Summary

Sleep is essential biological maintenance. Rest matters, but rest cannot fully replace sleep.

Remember:

Rest can pause the drain, but sleep does the repair.

Use what you learned to protect your health, support your learning, improve safety, and know when to ask for help.

Continue your understanding at QRU:

