

QRU • HEALTH



WORKBOOK

QRU Factory Acceptance Test — Understanding Sleep and Rest — Workbook

A Sleep & Rest learning product

Foundational • General public

**QRU Factory Acceptance Test - Understanding
Sleep and Rest - Workbook** Edition 1

QRU PRESS

TREASURE STANDARD(TM) CERTIFIED

QRU Workbook - Health

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

Manufactured by QRU Factory(TM). QRU simplifies the path to understanding the truth.

QRU Factory Acceptance Test

Understanding Sleep and Rest - Workbook

Why do humans need sleep, and can rest replace it?

Learner Name:

Date:

Facilitator/Class:

QRU Workbook Use Notice

This workbook is for educational purposes only. It is not medical advice and does not diagnose, treat, prevent, or cure health conditions. If you have ongoing sleep problems, severe daytime sleepiness, breathing pauses during sleep, chest pain, fainting, major mood changes, or safety concerns such as falling asleep while driving, speak with a qualified healthcare professional.

© 2026 QRU. All rights reserved.

Printable educational workbook. Reproduction or distribution outside authorized use is prohibited.

Table of Contents

1. Learning Goals
 2. Big Idea
 3. Part 1: Warm-Up
 4. Part 2: Key Vocabulary
 5. Part 3: Guided Practice
 6. Part 4: Why Sleep Matters
 7. Part 5: Rest vs. Sleep
 8. Part 6: How Much Sleep Do Adults Need?
 9. Part 7: Sleep Habits That Help
 10. Part 8: When to Seek Clinical Care
 11. Part 9: Practice Activities
 12. Part 10: Final Review
 13. Final Assessment
 14. Answer Key and Facilitator Guide
-

<div style="page-break-after: always;">/div

Learning Goals

By the end of this workbook, you will be able to:

1. Explain why sleep is biologically essential.
2. Describe how rest is different from sleep.
3. Explain why most adults need at least 7 hours of sleep per night, while individual needs can vary.
4. Identify practical habits that support better sleep quality.
5. Recognize when someone should seek clinical care for sleep concerns.
6. Explain why rest can reduce fatigue or stress but cannot reproduce all biological processes of sleep.
7. Identify safety concerns related to sleep loss, including drowsy driving.

Big Idea

Sleep is not just "doing nothing."

Sleep is an active biological process that supports important maintenance for the brain and body.

During enough good-quality sleep, the body supports:

- Brain function and memory
- Immune regulation
- Heart and blood vessel health
- Metabolism and appetite regulation
- Emotional regulation
- Physical recovery
- Attention, judgment, and reaction time

Rest is helpful, but rest does not fully replace sleep.

Memory Sentence

Rest can pause the drain, but sleep does the repair.

Plain-Language Summary

- Sleep is a biological need.

- Rest can help you feel calmer and less strained.
 - Rest may reduce fatigue or stress for a while.
 - Rest does not reproduce all the biological processes that happen during sleep.
 - Most adults need 7 or more hours of sleep each night.
 - Some people need more than 7 hours to feel and function well.
 - Persistent sleep problems should be discussed with a qualified clinician.
-

QRU | Understanding Sleep and Rest - Workbook | Page 2

<div style="page-break-after: always;">/div

Part 1: Warm-Up

A. Think About It

Read the situation below.

Scenario:

A person stays up late most nights during the week. By Friday, they feel irritable, crave more high-calorie foods, struggle to focus at work, and react more slowly while driving. They take a quiet break during the day and feel a little calmer.

1. What problems is this person experiencing?
 2. Did the quiet break help at all? Explain.
 3. Did the quiet break fully replace the sleep they missed? Why or why not?
-

B. Quick Prediction

Before learning the details, circle your best answer.

Can rest fully replace sleep?

- A. Yes, if the rest is quiet enough
- B. Yes, if the person lies down for several hours
- C. No, rest may help but does not reproduce all sleep processes
- D. No, because rest is never useful

My answer:

C. Warm-Up Reflection

Complete the sentence:

When I do not get enough sleep, I usually notice changes in my:

? Focus

? Mood

? Energy

? Appetite

? Memory

? Reaction time

? Motivation

? Other:

One example from my life or observation:

QRU | Understanding Sleep and Rest - Workbook | Page 3

<div style="page-break-after: always;">

Part 2: Key Vocabulary

Use the vocabulary list below as you complete the workbook.

| Term | Plain-Language Meaning |

|---|---|

| Sleep | A natural biological state with changes in brain activity, body regulation, awareness, and responsiveness. |

| Rest | A period of reduced activity or reduced stress. Rest may be physical, mental, emotional, or sensory. |

| Circadian rhythm | The body's internal timing system that helps regulate sleep, wakefulness,

hormones, temperature, and alertness across roughly a 24-hour cycle. |
Sleep pressure	The biological drive to sleep that builds the longer a person is awake.
REM sleep	A sleep stage associated with dreaming, emotional processing, learning, and brain activity patterns that differ from non-REM sleep.
Non-REM sleep	Sleep stages that include lighter sleep and deeper sleep. Deep non-REM sleep supports physical restoration and other body processes.
Sleep quality	How well sleep supports recovery and functioning, including continuity, depth, and feeling reasonably refreshed.
Sleep deprivation	Not getting enough sleep for the body's needs.
Sleep debt	The cumulative effect of repeatedly getting less sleep than needed.
Drowsy driving	Driving while sleepy or fatigued, which can slow reaction time and increase crash risk.
Sleep hygiene	Habits and environment choices that support healthy sleep.

Vocabulary Check

Match each term to the correct description.

| Term | Answer Letter |

|---|---:|

| 1. Circadian rhythm | |

| 2. Sleep pressure | |

| 3. Rest | |

| 4. Sleep debt | |

| 5. Drowsy driving | |

Descriptions

- A. A build-up of missed sleep over time
 - B. Reduced activity or reduced stress
 - C. Driving while sleepy, which can increase risk
 - D. The body's internal timing system
 - E. The drive to sleep that grows the longer you are awake
-

Memory Reinforcement

Write the memory sentence from memory:

Rest can .

QRU | Understanding Sleep and Rest - Workbook | Page 4

<div style="page-break-after: always;">/div

Part 3: Guided Practice

A. Rest or Sleep?

Read each example. Mark whether it is mostly Rest, Sleep, or Both.

| Example | Rest | Sleep | Both |

|---|:---|:---|:---|

- | 1. Taking a quiet walk after a stressful meeting | ? | ? | ? |
- | 2. Lying down with eyes closed for 10 minutes | ? | ? | ? |
- | 3. Sleeping for 8 hours with normal sleep cycles | ? | ? | ? |
- | 4. Meditating in a quiet room | ? | ? | ? |
- | 5. Taking a short nap and actually falling asleep | ? | ? | ? |
- | 6. Sitting quietly without screens before bed | ? | ? | ? |

B. What Does Rest Help With?

Rest can help reduce strain, but it does not replace all the biological work of sleep.

Check the benefits that rest may support.

- ? Calming the nervous system
- ? Reducing immediate stress
- ? Giving muscles a break from effort
- ? Helping attention briefly recover
- ? Replacing all sleep stages
- ? Completing all sleep-related memory processing
- ? Making someone safe to drive when they are very sleepy

C. What Does Sleep Help With?

Check the functions supported by enough good-quality sleep.

- ? Memory and learning
 - ? Attention and judgment
 - ? Emotional regulation
 - ? Immune regulation
 - ? Metabolism and appetite regulation
 - ? Reaction time
 - ? Physical recovery
 - ? Long-term health support
-

D. Guided Sentence Frames

Complete each sentence.

1. Sleep is biologically active because during sleep the body and brain
.
 2. Rest is helpful because it can
.
 3. Rest cannot fully replace sleep because sleep includes
.
-

QRU | Understanding Sleep and Rest - Workbook | Page 5

<div style="page-break-after: always;"</div

Part 4: Why Sleep Matters

Sleep supports the body and brain in ways that quiet rest alone cannot fully reproduce. Sleep is not one single state. It includes cycles and stages that repeat through the night.

A. Two Major Sleep Systems

1. Circadian Rhythm: The Body Clock

Your circadian rhythm helps regulate when you feel alert and when you feel sleepy. It is influenced by:

- Light exposure, especially morning light
-

- Darkness in the evening
- Meal timing
- Activity patterns
- Work or school schedules
- Travel across time zones
- Screen and bright light exposure at night

The circadian rhythm helps coordinate many body processes, including alertness, body temperature, and some hormone patterns.

2. Sleep Pressure: The Need Builds

Sleep pressure increases the longer you are awake. After many waking hours, the body's drive to sleep becomes stronger.

A short rest may reduce stress, but it usually does not remove sleep pressure the way actual sleep can.

B. Sleep Stages

Sleep cycles through different stages across the night.

| Sleep Stage | What It Generally Supports |

|---|---|

| Light non-REM sleep | Transition into sleep, reduced awareness, beginning of sleep cycles |

| Deep non-REM sleep | Physical recovery, immune and metabolic support, restoration processes |

| REM sleep | Dreaming, emotional processing, learning, memory, flexible thinking |

A full night of sleep gives the brain and body repeated opportunities to move through these stages.

C. Why Cutting Sleep Short Matters

When sleep is regularly too short or disrupted, people may notice changes in:

- Focus
- Memory
- Mood
- Patience

- Reaction time
- Decision-making
- Appetite and cravings
- Motivation
- Physical recovery
- Safety during driving or operating equipment

Not every person feels sleep loss the same way. Some people feel sleepy; others feel wired, irritable, unfocused, or emotionally reactive.

QRU | Understanding Sleep and Rest - Workbook | Page 6

<div style="page-break-after: always;">/div

Part 4 Continued: Why Sleep Matters

D. Sleep and the Brain

During sleep, the brain supports:

- Learning from the day
- Memory consolidation
- Emotional processing
- Attention and mental flexibility
- Clearing and regulating normal brain activity patterns

Sleep loss can make it harder to:

- Concentrate
 - Remember information
 - Solve problems
 - Control impulses
 - Interpret emotions accurately
 - Respond quickly
-

E. Sleep and the Body

During sleep, the body supports:

- Immune regulation

- Heart and blood vessel health
- Metabolic regulation
- Appetite hormone balance
- Muscle and tissue recovery
- Hormonal rhythms
- Energy regulation

This does not mean sleep is a cure for disease. It means sleep is one important part of normal body regulation and health support.

F. Check for Understanding

Circle the best answer.

1. Sleep pressure means:

- A. Stress from school or work
- B. The biological drive to sleep that builds while awake
- C. Pressure from other people to go to bed
- D. A medical emergency

Answer:

2. Circadian rhythm is influenced by:

- A. Light and darkness
- B. Consistent schedules
- C. Activity patterns
- D. All of the above

Answer:

3. Why are sleep stages important?

- A. Different stages support different functions
- B. Only REM sleep matters
- C. Sleep stages are the same as resting quietly
- D. Stages happen only during naps

Answer:

G. Memory Reinforcement

Complete the phrase:

Sleep is not "doing nothing." Sleep is an biological process.

Answer:

QRU | Understanding Sleep and Rest - Workbook | Page 7

<div style="page-break-after: always;">/div

Part 5: Rest vs. Sleep

Rest and sleep are both useful, but they are not the same.

A. What Rest Can Do

Rest can help by:

- Reducing stress or overstimulation
- Giving muscles a break
- Supporting calm breathing
- Helping someone reset emotionally
- Reducing mental load
- Providing a pause before making decisions
- Supporting recovery after effort

Examples of rest include:

- Sitting quietly
- Taking a screen-free break
- Stretching gently
- Meditating
- Practicing calm breathing
- Listening to peaceful music
- Taking a quiet walk
- Lying down without necessarily sleeping

Rest is valuable. It is not "bad" or "useless." It simply does not do everything sleep does.

B. What Sleep Does That Rest Does Not Fully Do

Sleep includes biological changes that are not fully reproduced by quiet wakefulness, such as:

- Repeating sleep cycles
- Moving through non-REM and REM sleep stages
- Reducing awareness and responsiveness in a regulated sleep state
- Supporting sleep-specific memory and emotional processing
- Supporting physical recovery processes linked to sleep stages
- Lowering sleep pressure through actual sleep

This is why a person can rest for hours and still feel sleepy if they did not actually sleep.

C. Simple Comparison

Question	Rest	Sleep
----------	------	-------

Can it reduce stress?	Yes, often	Yes, often
-----------------------	------------	------------

Can it help the body pause from effort?	Yes	Yes
---	-----	-----

Does it include sleep stages?	No	Yes
-------------------------------	----	-----

Does it reduce sleep pressure the same way sleep does?	No	Yes
--	----	-----

Can it fully replace a full night of sleep?	No	Yes, when sleep is adequate and good quality
---	----	--

Can it support safety when very sleepy?	Only partly; it may not be enough	Adequate sleep is essential for alertness
---	-----------------------------------	---

D. Key Takeaway

Rest is a helpful pause. Sleep is a biological requirement.

Write that idea in your own words:

QRU | Understanding Sleep and Rest - Workbook | Page 8

<div style="page-break-after: always;">

Part 5 Continued: Rest vs. Sleep Practice

A. Scenario Sorting

Read each scenario. Write R for rest, S for sleep, or B for both.

1. A person takes 15 minutes to breathe slowly after a stressful call.
 2. A person sleeps from 10:30 p.m. to 6:30 a.m.
 3. A person closes their eyes for 20 minutes but stays awake.
 4. A person takes a 25-minute nap and falls asleep.
 5. A person goes on a quiet walk without checking their phone.
 6. A person has a full night of sleep and wakes feeling reasonably refreshed.
-

B. Explain the Difference

Use the word bank to complete the paragraph.

Word Bank

sleep stages | stress | biological | replace | rest

Quiet can reduce and help a person feel calmer. However, it cannot fully sleep. Sleep is a process that includes such as non-REM and REM sleep.

C. Memory Sentence Practice

Write the memory sentence three times.

- 1.
 - 2.
 - 3.
-

D. Apply It

A student says, "I only slept 4 hours, but I rested on the couch for 3 hours, so I'm fine."

Write a respectful response that explains the difference between rest and sleep.

<div style="page-break-after: always;">/div

Part 6: How Much Sleep Do Adults Need?

Most adults need 7 or more hours of sleep per night for best health and functioning. Some adults need more than 7 hours to feel and function well.

Sleep need can vary based on factors such as:

- Age
- Health status
- Physical activity
- Stress level
- Pregnancy or postpartum demands
- Work schedule
- Sleep quality
- Recent sleep debt
- Individual biology

A person who spends 7 hours in bed may not actually get 7 hours of sleep if they wake often, take a long time to fall asleep, or have disrupted sleep.

A. Sleep Duration and Sleep Quality

Both duration and quality matter.

Sleep Duration

Sleep duration means the amount of time actually spent sleeping.

Sleep Quality

Sleep quality includes:

- Falling asleep within a reasonable time
- Staying asleep most of the night
- Moving through sleep stages
- Waking reasonably refreshed
- Having enough alertness during the day

B. Common Misunderstandings

Myth 1: "Everyone only needs 5 hours if they are disciplined."

Reality: Most adults need at least 7 hours. A small number of people may naturally need less, but regularly sleeping far less than 7 hours is not enough for most adults.

Myth 2: "If I feel wired, I must not be tired."

Reality: Some people feel restless, anxious, or wired when overtired.

Myth 3: "I can fully catch up with one long sleep on the weekend."

Reality: Extra sleep may help reduce sleep debt, but a repeated pattern of short sleep during the week can still affect functioning.

Myth 4: "Resting in bed is the same as sleeping."

Reality: Resting may help, but it does not fully reproduce the biological processes of sleep.

C. Quick Calculation

If an adult needs about 8 hours of sleep and wakes at 6:30 a.m., what bedtime would allow 8 hours of sleep opportunity?

Wake time: 6:30 a.m.

Target sleep time: 8 hours

Possible bedtime:

Reminder: Some people need extra time in bed because they do not fall asleep instantly.

QRU | Understanding Sleep and Rest - Workbook | Page 10

<div style="page-break-after: always;">

Part 6 Continued: Sleep Need Practice

A. Sleep Opportunity vs. Actual Sleep

Sleep opportunity means the time available for sleep.

Actual sleep means the time actually spent sleeping.

Complete the examples.

Situation	Sleep Opportunity	Actual Sleep Estimate
In bed 10:00 p.m.-6:00 a.m.; asleep most of the time	8 hours	About
In bed 10:00 p.m.-6:00 a.m.; awake for 2 total hours	8 hours	About
In bed 12:30 a.m.-6:30 a.m.; asleep most of the time	6 hours	About
In bed 9:30 p.m.-6:30 a.m.; awake for 1 hour total	9 hours	About

B. Personal Sleep Reflection

This activity is for awareness only. It is not a diagnosis.

On a typical weekday:

I usually go to bed at:

I usually wake up at:

My sleep opportunity is about: hours

I estimate my actual sleep is about: hours

On a typical weekend or day off:

I usually go to bed at:

I usually wake up at:

My sleep opportunity is about: hours

I estimate my actual sleep is about: hours

C. What Do You Notice?

Check any patterns that apply.

? I usually have at least 7 hours of sleep opportunity.

? I usually have less than 7 hours of sleep opportunity.

? I wake often during the night.

? I feel sleepy during the day.

? My schedule changes a lot between weekdays and weekends.

? I use screens close to bedtime.

? I drink caffeine late in the day.

? I am not sure how much I sleep.

One pattern I noticed:

QRU | Understanding Sleep and Rest - Workbook | Page 11

<div style="page-break-after: always;">

Part 7: Sleep Habits That Help

Sleep habits do not guarantee perfect sleep, and they are not a substitute for clinical care when needed. However, many people can support sleep quality by improving daily routines and sleep environment.

A. Helpful Sleep-Supporting Habits

1. Keep a Consistent Schedule

Try to wake up around the same time most days. A consistent wake time can help stabilize the body clock.

2. Get Morning Light

Morning light helps signal daytime to the circadian system. If outdoor light is not practical or safe, bright indoor light may still help support alertness.

3. Create a Wind-Down Routine

A wind-down routine tells the brain and body that sleep is approaching. Examples:

- Dim lights
- Reduce stimulating tasks
- Prepare for the next day
- Read something calming
- Stretch gently
- Practice quiet breathing
- Avoid upsetting or intense content right before bed

4. Manage Caffeine Timing

Caffeine can remain active for hours. People who have trouble sleeping may benefit from avoiding caffeine later in the day.

Common caffeine sources include:

- Coffee

- Tea
- Energy drinks
- Cola
- Chocolate
- Some medications or supplements

5. Make the Sleep Environment Supportive

A helpful sleep environment is often:

- Dark or dim
- Quiet or with steady background sound
- Comfortable
- Cool enough for sleep
- Safe
- As free from interruptions as possible

6. Use Screens Thoughtfully

Screens can affect sleep through bright light, stimulation, stress, or time loss. Consider:

- Reducing screen use near bedtime
- Using night settings if needed
- Avoiding emotionally intense content before bed
- Charging devices away from the bed when possible

QRU | Understanding Sleep and Rest - Workbook | Page 12

<div style="page-break-after: always;">/div

Part 7 Continued: Sleep Habits That Help

B. Additional Habits That May Support Sleep

7. Move Your Body During the Day

Regular physical activity can support sleep for many people. Very intense activity right before bed may be stimulating for some people.

8. Be Careful With Long or Late Naps

Naps can be useful, especially when someone is sleep deprived. However, long or late naps may make it harder to fall asleep at night.

9. Avoid Using Alcohol as a Sleep Tool

Alcohol may make a person feel sleepy at first, but it can disrupt sleep quality later in the night. This workbook does not provide substance use treatment guidance. Anyone concerned about alcohol or substance use should speak with a qualified professional.

10. Do Not Force Sleep

Trying hard to force sleep can create stress. A calming routine and consistent schedule are usually more helpful than pressure or frustration.

11. Protect Sleep Opportunity

If you need 7-9 hours of sleep, your schedule needs enough time in bed to allow that sleep to happen.

C. Habit Reflection

Choose three habits that may support sleep quality.

| Habit | Do I already do this? | Could I improve it? |

|---|:---|:---|

| Consistent wake time | ? | ? |

| Morning light | ? | ? |

| Wind-down routine | ? | ? |

| Caffeine timing | ? | ? |

| Supportive sleep environment | ? | ? |

| Thoughtful screen use | ? | ? |

| Movement during the day | ? | ? |

| Nap timing | ? | ? |

| Protecting enough sleep opportunity | ? | ? |

One habit I want to strengthen:

Why I chose it:

QRU | Understanding Sleep and Rest - Workbook | Page 13

<div style="page-break-after: always;">/div

Part 7 Continued: Build a Sleep-Support Plan

This plan is educational and practical. It is not medical treatment.

A. My One-Week Sleep-Support Plan

Choose one small action for each category.

1. Schedule

This week, I will support my sleep schedule by:

2. Light and Screens

This week, I will manage light or screens by:

3. Evening Routine

This week, I will wind down by:

4. Sleep Environment

This week, I will adjust my sleep environment by:

5. Caffeine or Food Timing

This week, I will support sleep by:

B. Make It Realistic

A good plan is specific and realistic.

| Weak Plan | Stronger Plan |

|---|---|

| "I'll sleep better." | "I'll start my wind-down routine at 10:00 p.m. on weeknights." |

| "I'll use my phone less." | "I'll charge my phone across the room after 10:15 p.m." |

| "I'll stop being tired." | "I'll set a reminder to prepare for bed 45 minutes earlier." |

My strongest sleep-support action:

C. Memory Reinforcement

Complete the key idea:

Most adults need _____ or more hours of sleep each night, and some adults need _____.

QRU | Understanding Sleep and Rest - Workbook | Page 14

<div style="page-break-after: always;">

Part 8: When to Seek Clinical Care

Many people have occasional poor sleep. Stress, travel, illness, caregiving, work schedules, and life changes can disrupt sleep temporarily.

However, some sleep concerns should be discussed with a qualified healthcare professional, especially when they are persistent, severe, or create safety risks.

This section is educational only. It does not diagnose sleep disorders.

A. Clinical Warning Signs

Consider seeking clinical guidance if someone experiences:

- Ongoing difficulty falling asleep, staying asleep, or waking too early
 - Sleep problems that continue for weeks or affect daily functioning
 - Loud snoring with choking, gasping, or observed breathing pauses
 - Severe daytime sleepiness
 - Falling asleep during conversations, work, school, meals, or driving
 - Morning headaches along with poor sleep or breathing concerns
 - Restless, uncomfortable sensations in the legs that interfere with sleep
 - Unusual movements, behaviors, or confusion during sleep
 - Nightmares or sleep problems related to trauma or severe stress
 - Shift-work sleep problems that affect safety or functioning
 - Mood changes, anxiety, depression symptoms, or thoughts of self-harm
 - Use of alcohol, sedatives, or other substances to sleep
 - Sleep concerns during pregnancy, postpartum, or while managing medical conditions
 - Sleepiness or fatigue that does not improve despite adequate sleep opportunity
-

B. Safety Warning: Drowsy Driving

Drowsy driving can be dangerous. Sleep loss can slow reaction time, reduce attention, and impair judgment.

Warning signs include:

- Heavy eyelids
- Frequent yawning
- Drifting from your lane
- Missing exits or turns
- Trouble remembering the last few miles
- Nodding off
- Difficulty keeping your head up

If someone is too sleepy to drive safely, resting quietly may not be enough. Safer options may include stopping in a safe location, arranging another ride, or delaying driving until adequately alert.

C. Important Note About Emergencies

If someone has symptoms that feel urgent or dangerous, such as chest pain, trouble breathing while awake, fainting, severe confusion, or thoughts of self-harm, they should seek urgent or emergency help according to local emergency resources.

QRU | Understanding Sleep and Rest - Workbook | Page 15

<div style="page-break-after: always;">/div

Part 8 Continued: Clinical Care Practice

A. Seek Care or Try a Basic Habit First?

Read each example. Mark the best educational response.

| Scenario | Basic Sleep Habit May Be Enough | Seek Clinical Guidance |

|---|:---|:---|

| 1. Someone stays up late once to finish a project and feels tired the next day. | ? | ? |

| 2. Someone has loud snoring, gasping, and observed breathing pauses. | ? | ? |

- | 3. Someone feels sleepy while driving. | ? | ? |
 - | 4. Someone drinks coffee at 8 p.m. and cannot fall asleep that night. | ? | ? |
 - | 5. Someone has trouble sleeping for weeks and struggles at work. | ? | ? |
 - | 6. Someone uses alcohol every night to fall asleep. | ? | ? |
 - | 7. Someone has occasional poor sleep after travel but improves in a few days. | ? | ? |
 - | 8. Someone falls asleep during meals or conversations. | ? | ? |
-

B. Safety Response Practice

A coworker says, "I only slept three hours, but I'll just open the window and drive home."

Write a safety-focused response.

C. Educational Boundary

Complete the sentence.

This workbook can help me learn about sleep, but it cannot

.

QRU | Understanding Sleep and Rest - Workbook | Page 16

<div style="page-break-after: always;"</div

Part 9: Practice Activities

Activity 1: Myth or Fact?

Write M for myth or F for fact.

1. Rest can reduce stress and fatigue for a while.
2. Rest fully replaces sleep if you lie still long enough.
3. Most adults need 7 or more hours of sleep per night.
4. Sleep is an active biological process.

5. Drowsy driving can be risky.
 6. People always know when sleep loss affects their performance.
 7. Sleep includes different stages such as non-REM and REM sleep.
 8. A consistent wake time can support the body clock.
-

Activity 2: Cause and Effect

Draw a line from each sleep-related issue to a possible effect.

| Sleep-Related Issue | Possible Effect |

|---|---|

- | 1. Repeated short sleep | A. More stable circadian rhythm |
- | 2. Consistent wake time | B. Slower reaction time |
- | 3. Bright screens late at night | C. Less time for sleep stages |
- | 4. Cutting sleep short | D. Delayed sleepiness or increased stimulation |
- | 5. Drowsy driving | E. Increased crash risk |

Write your matches:

- 1.
 - 2.
 - 3.
 - 4.
 - 5.
-

Activity 3: Sort the Habits

Place each habit in the best category.

Habits

- A. Morning sunlight
- B. Late caffeine
- C. Consistent wake time
- D. Long late nap
- E. Calm wind-down routine
- F. Loud, bright sleep environment
- G. Screen-free bedtime period
- H. Enough time in bed

| Supports Sleep | May Interfere With Sleep |

|---|---|

|||

|||

|||

|||

QRU | Understanding Sleep and Rest - Workbook | Page 17

<div style="page-break-after: always;">/div

Part 9 Continued: Practice Activities

Activity 4: Read the Sleep Log

Review the sample sleep log.

| Day | Bedtime | Wake Time | Notes |

|---|---:|---:|---|

| Monday | 12:30 a.m. | 6:30 a.m. | Coffee at 5 p.m. |

| Tuesday | 12:15 a.m. | 6:30 a.m. | Scrolled phone in bed |

| Wednesday | 11:45 p.m. | 6:30 a.m. | Woke twice |

| Thursday | 1:00 a.m. | 6:30 a.m. | Work deadline |

| Friday | 12:45 a.m. | 7:00 a.m. | Very sleepy driving |

| Saturday | 2:00 a.m. | 10:30 a.m. | Slept late |

| Sunday | 12:30 a.m. | 8:30 a.m. | Trouble falling asleep |

1. What patterns do you notice?

2. Does this person usually have at least 7 hours of sleep opportunity on weekdays?

? Yes

? No

? Not enough information

Explain:

3. What safety concern appears in the log?

4. Choose two practical sleep-support changes this person might try.

Change 1:

Change 2:

Activity 5: Teach It Back

Explain the main idea to someone younger or new to the topic.

Use these words: rest, sleep, repair, stages, 7 hours

QRU | Understanding Sleep and Rest - Workbook | Page 18

<div style="page-break-after: always;">/div

Part 9 Continued: Practice Activities

Activity 6: The 3-2-1 Review

Write:

3 things sleep helps support:

1.

2.

3.

2 ways rest can help:

1.

2.

1 reason rest cannot fully replace sleep:

1.

Activity 7: Personal Action Commitment

Choose one realistic action you can take this week.

My action:

When I will do it:

What might get in the way?

My backup plan:

How I will know it helped:

Activity 8: Memory Sentence Final Practice

Fill in the missing words.

Rest can the , but sleep does the .

Now write it once without looking:

QRU | Understanding Sleep and Rest - Workbook | Page 19

<div style="page-break-after: always;">

Part 10: Final Review

A. Core Concepts

1. Sleep is biologically essential.

Sleep supports the brain and body through active processes, including sleep stages and cycles.

2. Rest is helpful but not equal to sleep.

Rest can reduce stress and fatigue for a while. It can help the body pause. But rest does not fully reproduce sleep stages or sleep-specific biological processes.

3. Most adults need at least 7 hours.

Most adults need 7 or more hours of sleep per night. Some adults need more. Sleep quality matters too.

4. Habits can support sleep.

Helpful habits include a consistent schedule, morning light, a wind-down routine, thoughtful screen use, caffeine timing, movement, and a supportive sleep environment.

5. Sleep problems sometimes need clinical care.

Persistent sleep problems, breathing concerns during sleep, severe daytime sleepiness, and safety risks such as drowsy driving should be discussed with a qualified healthcare professional.

B. Final Review Table

Question	Short Answer
----------	--------------

---	---
-----	-----

What is sleep?	A biological state with active brain and body processes.
----------------	--

What is rest?	Reduced activity or reduced stress.
---------------	-------------------------------------

Can rest replace sleep?	No. Rest helps, but it does not fully reproduce sleep.
-------------------------	--

How much sleep do most adults need?	7 or more hours per night.
-------------------------------------	----------------------------

Why does sleep loss affect safety?	It can slow reaction time, reduce attention, and impair judgment.
------------------------------------	---

When should someone seek clinical guidance?	When sleep concerns are persistent, severe, breathing-related, or unsafe.
---	---

C. Final Memory Set

Write the three key sentences.

1. Rest can pause the drain, but sleep does the repair.

2. Most adults need 7 or more hours of sleep each night.

3. Drowsy driving is a safety concern.

<div style="page-break-after: always;">/div

Final Assessment

Instructions

Answer each question. This assessment checks understanding of the workbook's main learning goals.

Section A: Multiple Choice

Circle the best answer.

1. Which statement best describes sleep?

- A. Sleep is simply doing nothing.
- B. Sleep is an active biological process.
- C. Sleep is the same as lying quietly.
- D. Sleep only matters for energy.

Answer:

2. Which statement best describes rest?

- A. Rest means reduced activity or reduced stress.
- B. Rest always includes REM sleep.
- C. Rest fully replaces sleep.
- D. Rest is never useful.

Answer:

3. Most adults need:

- A. 3-4 hours of sleep per night
- B. Exactly 6 hours of sleep per night
- C. 7 or more hours of sleep per night
- D. Sleep only on weekends

Answer:

4. Circadian rhythm is:

- A. The body's internal timing system
- B. A type of caffeine
- C. A breathing exercise
- D. A sleep medication

Answer:

5. Sleep pressure:

- A. Decreases the longer you stay awake
- B. Is the biological drive to sleep that builds while awake
- C. Is the same as stress
- D. Only happens after exercise

Answer:

6. Drowsy driving is concerning because sleep loss can:

- A. Improve reaction time
- B. Slow reaction time and reduce attention
- C. Make driving safer
- D. Replace the need for sleep

Answer:

QRU | Understanding Sleep and Rest - Workbook | Page 21

<div style="page-break-after: always;">/div

Final Assessment Continued

Section B: True or False

Write T for true or F for false.

1. Rest can help reduce stress.
 2. Rest fully reproduces all biological processes of sleep.
 3. Sleep includes stages such as non-REM and REM sleep.
 4. Sleep quality matters, not just time in bed.
 5. Loud snoring with gasping or breathing pauses should be ignored.
 6. A consistent wake time can support the body clock.
 7. Some people feel wired or irritable when sleep deprived.
 8. If someone is very sleepy while driving, opening a window is always enough.
-

Section C: Short Answer

1. Explain the difference between rest and sleep.

2. Name three body or brain functions supported by enough good-quality sleep.
 - 1.
 - 2.
 - 3.
3. Name three habits that can support better sleep quality.
 - 1.
 - 2.
 - 3.
4. List two signs that someone should seek clinical guidance for sleep concerns.
 - 1.
 - 2.
5. Explain the memory sentence: "Rest can pause the drain, but sleep does the repair."

QRU | Understanding Sleep and Rest - Workbook | Page 22

<div style="page-break-after: always;"</div

Final Assessment Continued

Section D: Application Scenario

Read the scenario and answer the questions.

Scenario:

Jordan sleeps about 5 hours on most weeknights. Jordan says, "It's fine because I rest on the couch after work." Jordan has trouble focusing, feels irritable, and recently noticed feeling sleepy while driving home.

1. What is the main sleep concern in this scenario?

2. Is couch rest the same as sleep? Explain.

3. What safety concern appears in the scenario?

4. Name two practical sleep-support changes Jordan could consider.

1.

2.

5. Should Jordan consider speaking with a qualified healthcare professional if the sleepiness while driving continues or feels unsafe?

? Yes

? No

Explain:

Section E: Confidence Check

After completing this workbook, I can:

| Skill | Not Yet | Somewhat | Yes |

|---|:---|:---|:---|

| Explain why sleep is biologically essential | ? | ? | ? |

| Explain how rest differs from sleep | ? | ? | ? |

| State adult sleep duration guidance | ? | ? | ? |

| Identify sleep-supporting habits | ? | ? | ? |

| Recognize warning signs for clinical guidance | ? | ? | ? |

| Explain drowsy driving risk | ? | ? | ? |

QRU | Understanding Sleep and Rest - Workbook | Page 23

<div style="page-break-after: always;"</div

Answer Key and Facilitator Guide

Answer Key

Part 1: Warm-Up

A1. Possible answers: irritability, cravings, poor focus, slow reaction time, sleepiness, accumulated sleep loss, safety risk while driving.

A2. Yes. A quiet break may reduce stress and help the person feel calmer.

A3. No. Rest does not fully reproduce sleep stages or sleep-specific biological processes.

B. C

Part 2: Key Vocabulary

1. D

2. E

3. B

4. A

5. C

Memory sentence: Rest can pause the drain, but sleep does the repair.

Part 3: Guided Practice

A. Rest or Sleep

1. Rest

2. Rest

3. Sleep

4. Rest

5. Both

6. Rest

B. What Does Rest Help With?

Correct:

- Calming the nervous system
 - Reducing immediate stress
 - Giving muscles a break from effort
 - Helping attention briefly recover
-

Incorrect:

- Replacing all sleep stages
- Completing all sleep-related memory processing
- Making someone safe to drive when they are very sleepy

C. What Does Sleep Help With?

All listed items are correct.

D. Sentence frames: Answers will vary. Look for the idea that sleep is biologically active, rest reduces strain, and rest cannot replace sleep stages/cycles.

Part 4: Why Sleep Matters

F1. B

F2. D

F3. A

G. active

Part 5: Rest vs. Sleep Practice

A. Scenario Sorting

1. R

2. S

3. R

4. B

5. R

6. S

B. Paragraph

Quiet rest can reduce stress and help a person feel calmer. However, it cannot fully replace sleep. Sleep is a biological process that includes sleep stages such as non-REM and REM sleep.

C. Rest can pause the drain, but sleep does the repair.

D. Answers should respectfully explain that couch rest or quiet rest may help calm the body, but actual sleep is needed for sleep stages and recovery processes.

QRU | Understanding Sleep and Rest - Workbook | Page 24

<div style="page-break-after: always;">

Answer Key Continued

Part 6: How Much Sleep Do Adults Need?

C. Quick Calculation: 10:30 p.m. bedtime allows 8 hours before 6:30 a.m., not including time to fall asleep.

A. Sleep Opportunity vs. Actual Sleep

Situation	Expected Answer
-----------	-----------------

---	---
-----	-----

In bed 10:00 p.m.-6:00 a.m.; asleep most of the time	About 8 hours
--	---------------

In bed 10:00 p.m.-6:00 a.m.; awake for 2 total hours	About 6 hours
--	---------------

In bed 12:30 a.m.-6:30 a.m.; asleep most of the time	About 6 hours
--	---------------

In bed 9:30 p.m.-6:30 a.m.; awake for 1 hour total	About 8 hours
--	---------------

Personal reflection answers will vary.

Part 7: Sleep Habits That Help

Responses will vary. Strong answers should be specific and realistic, such as:

- "I will start winding down at 10:00 p.m."
- "I will avoid caffeine after lunch."
- "I will charge my phone away from the bed."
- "I will keep my wake time consistent on weekdays."

Memory reinforcement: Most adults need 7 or more hours of sleep each night, and some adults need more.

Part 8: Clinical Care Practice

Scenario	Best Educational Response
----------	---------------------------

---	---
-----	-----

1. Stays up late once and feels tired next day	Basic sleep habit may be enough
--	---------------------------------

2. Loud snoring, gasping, observed breathing pauses	Seek clinical guidance
---	------------------------

3. Sleepy while driving	Seek clinical guidance / immediate safety response
-------------------------	--

4. Coffee at 8 p.m. and cannot sleep that night	Basic sleep habit may be enough
---	---------------------------------

5. Trouble sleeping for weeks and struggles at work	Seek clinical guidance
---	------------------------

6. Uses alcohol every night to fall asleep	Seek clinical guidance
--	------------------------

7. Occasional poor sleep after travel, improves in days	Basic sleep habit may be enough
---	---------------------------------

8. Falls asleep during meals or conversations	Seek clinical guidance
---	------------------------

- B. Safety response: Answers should recommend not driving while too sleepy and choosing safer options such as stopping safely, arranging a ride, or delaying driving.
- C. Educational boundary: diagnose, treat, or replace medical advice.
-

Part 9: Practice Activities

Activity 1: Myth or Fact

1. F
2. M
3. F
4. F
5. F
6. M
7. F
8. F

Activity 2: Cause and Effect

1. B
2. A
3. D
4. C
5. E

Activity 3: Sort the Habits

Supports Sleep: A, C, E, G, H

May Interfere With Sleep: B, D, F

Activity 4: Read the Sleep Log

1. Patterns: late bedtimes, short weekday sleep opportunity, caffeine late, phone in bed, weekend schedule shift, drowsy driving.
2. No. Weekday sleep opportunity is usually less than 7 hours or only around 6-6.75 hours.
3. Very sleepy driving.
4. Possible changes: earlier bedtime, consistent wake time, reduce late caffeine, reduce phone in bed, wind-down routine, protect sleep opportunity.

Activity 5: Answers should include the difference between rest and sleep and mention 7 hours, sleep stages, and repair/recovery processes.

Activity 6: Answers will vary.

Activity 8: Rest can pause the drain, but sleep does the repair.

<div style="page-break-after: always;">/div

Final Assessment Answer Key

Section A: Multiple Choice

1. B
 2. A
 3. C
 4. A
 5. B
 6. B
-

Section B: True or False

1. T
 2. F
 3. T
 4. T
 5. F
 6. T
 7. T
 8. F
-

Section C: Short Answer

1. Difference between rest and sleep

Strong answer: Rest is reduced activity or reduced stress while awake. Sleep is a biological state with sleep stages and active brain/body processes. Rest can help but cannot fully replace sleep.

2. Three functions supported by sleep

Any three:

- Memory
- Learning

- Attention
- Judgment
- Emotional regulation
- Immune regulation
- Metabolism
- Appetite regulation
- Reaction time
- Physical recovery
- Heart and blood vessel health support

3. Three habits that support sleep

Any three:

- Consistent wake time
- Morning light
- Wind-down routine
- Thoughtful screen use
- Avoid late caffeine
- Supportive sleep environment
- Regular daytime movement
- Avoid long or late naps
- Protect enough sleep opportunity

4. Two signs for clinical guidance

Any two:

- Persistent trouble falling or staying asleep
- Loud snoring with gasping or breathing pauses
- Severe daytime sleepiness
- Falling asleep while driving
- Falling asleep during conversations, meals, work, or school
- Sleep problems affecting daily functioning
- Unusual movements or behaviors during sleep
- Sleep problems with major mood concerns
- Using alcohol or sedatives to sleep
- Sleepiness despite adequate sleep opportunity

5. Memory sentence explanation

Strong answer: Rest can reduce stress and help someone pause from effort, but sleep is needed for sleep stages and biological recovery processes that rest cannot fully provide.

Section D: Application Scenario

1. Jordan is regularly getting too little sleep and has daytime impairment.
2. No. Couch rest can help reduce strain, but it does not fully replace sleep stages or sleep-specific biological processes.
3. Sleepy driving.
4. Possible changes: earlier bedtime, protect 7+ hours of sleep opportunity, reduce screens before bed, consistent wake time, wind-down routine, adjust caffeine timing, improve sleep environment.
5. Yes. Sleepiness while driving is a safety concern, and persistent or unsafe sleepiness should be discussed with a qualified healthcare professional.

QRU | Understanding Sleep and Rest - Workbook | Page 26

<div style="page-break-after: always;">

Facilitator Guide

Purpose

This workbook helps learners understand why sleep is biologically essential, how rest differs from sleep, how much sleep most adults need, which habits support sleep, and when clinical guidance may be needed.

Recommended Use

Estimated time: 60-90 minutes

| Section | Suggested Time |

|---|---:|

| Learning Goals and Big Idea | 5 minutes |

| Warm-Up | 10 minutes |

| Vocabulary | 10 minutes |

| Guided Practice | 10 minutes |

| Why Sleep Matters | 10-15 minutes |

| Rest vs. Sleep | 10 minutes |

| Sleep Duration and Habits | 15 minutes |

| Clinical Warning Signs | 10 minutes |

| Practice Activities | 15-20 minutes |

| Final Assessment | 15-20 minutes |

This workbook can also be divided into two shorter sessions.

Facilitation Notes

Tone

Use a practical, non-shaming tone. Many learners have sleep challenges because of work, caregiving, stress, health conditions, housing conditions, financial pressures, or safety issues. Avoid implying that sleep is only a matter of discipline.

Medical Boundary

Do not diagnose learners. If learners describe persistent or severe symptoms, breathing pauses during sleep, extreme daytime sleepiness, or drowsy driving, encourage them to speak with a qualified healthcare professional.

Safety Boundary

For drowsy driving discussions, emphasize immediate safety. Opening a window, turning up music, or relying on willpower may not be enough when someone is very sleepy.

Teaching Emphasis

Reinforce these points throughout:

1. Sleep is active biology.
 2. Rest helps but does not replace sleep.
 3. Most adults need 7 or more hours.
 4. Sleep quality and sleep opportunity both matter.
 5. Persistent or unsafe sleep problems deserve clinical guidance.
-

Discussion Prompts

Use any of the following:

1. Why might someone believe rest is the same as sleep?
 2. What is one way sleep loss can affect daily safety?
-

3. Why is a consistent wake time helpful for the body clock?
 4. What makes a sleep habit realistic instead of unrealistic?
 5. How can we talk about sleep without blaming people who face barriers?
-

Accessibility and Inclusion Options

- Allow learners to answer orally instead of writing.
 - Read scenarios aloud.
 - Use large-print copies if needed.
 - Let learners complete personal sleep reflections privately.
 - Avoid requiring learners to disclose medical or personal history.
 - Invite learners to adapt habits to their real circumstances.
 - Validate shift workers, caregivers, parents, and people with disrupted schedules while still teaching the biological importance of sleep.
-

Suggested Scoring for Final Assessment

Total suggested score: 30 points

| Section | Points |

|---|---:|

| Section A: Multiple Choice | 6 points |

| Section B: True/False | 8 points |

| Section C: Short Answer | 10 points |

| Section D: Application Scenario | 6 points |

Suggested mastery: 24/30 or higher

If a learner scores below mastery, review:

- Rest vs. sleep
 - Adult sleep duration
 - Sleep stages and sleep pressure
 - Clinical warning signs
 - Drowsy driving safety
-

Completion Statement

Learner has completed the QRU workbook:

Understanding Sleep and Rest

Learner Name:

Date Completed:

Facilitator Signature:

QRU | Understanding Sleep and Rest - Workbook | Page 27

<div style="page-break-after: always;">

QRU Closing Review

Final Takeaway

Sleep is not a luxury and not a sign of laziness. Sleep is a biological need that supports learning, mood, attention, immune regulation, metabolism, physical recovery, and safety.

Rest matters too. Rest can calm the system, lower stress, and create a helpful pause.

But rest and sleep are not interchangeable.

Rest can pause the drain, but sleep does the repair.

Learner Commitment

One thing I understand better now:

One sleep-supporting action I can try:

One warning sign I will take seriously:

© 2026 QRU. All rights reserved.

This workbook is for educational purposes only and is not medical advice.

Continue your understanding at QRU:

