

QRU • HEALTH



WORKBOOK

QRU Factory Acceptance Test — Understanding Sleep and Rest — Workbook

A Sleep & Rest learning product

Foundational • General public

**QRU Factory Acceptance Test - Understanding
Sleep and Rest - Workbook** Edition 1

QRU PRESS

TREASURE STANDARD(TM) CERTIFIED

QRU Workbook - Health

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

Manufactured by QRU Factory(TM). QRU simplifies the path to understanding the truth.

QRU Understanding Sleep and Rest Workbook

Why Sleep Matters, How Rest Helps, and When to Seek Support

Name:

Date:

Class/Group/Organization:

Instructor/Facilitator:

Page 1 - Medical Disclaimer

This workbook is for educational purposes only. It is not medical advice and is not a substitute for diagnosis, treatment, or guidance from a licensed healthcare professional.

If you have ongoing sleep problems, severe daytime sleepiness, breathing pauses during sleep, safety concerns such as drowsy driving, or any urgent medical symptoms, seek professional care.

If you believe you or someone else may be in immediate danger due to sleepiness, mental health symptoms, medication effects, substance use, or another health concern, contact emergency services or an appropriate crisis/support resource in your area.

Page 2 - Accessibility and Use Notes

This workbook is designed for individual, classroom, church, hospital, school district, community, or workplace learning.

Accessibility options:

- Read instructions aloud or use text-to-speech.
 - Allow typed, spoken, drawn, or dictated responses.
 - Use large print or high-contrast materials if needed.
 - Provide extra time for reflection and writing.
 - Use a sleep-tracking chart, color coding, stickers, or icons.
 - For visual learners, create diagrams, charts, or mind maps.
 - For auditory learners, discuss answers with a partner before writing.
 - For group settings, allow learners to skip personal questions they do not want to share.
-

Page 3 - The QRU Learning Promise

At QRU, learning is designed to be clear, practical, memorable, and usable in real life.

In this workbook, you will:

1. Learn the difference between sleep and rest.
2. Understand why sleep is biologically necessary.
3. Identify sleep habits that support better sleep quality.
4. Recognize warning signs that may require clinical care.
5. Build a practical 7-day sleep-support plan.

This workbook is not about perfection. It is about awareness, small improvements, and knowing when to ask for help.

Page 4 - Learning Goals

By the end of this workbook, you should be able to:

1. Explain why sleep is biologically essential.
 2. Describe the difference between sleep and rest.
 3. Identify how chronic insufficient sleep can affect health, safety, mood, and thinking.
 4. Recognize evidence-informed sleep hygiene habits.
 5. Know when someone should seek clinical care for sleep concerns.
 6. Apply sleep-supporting strategies to a realistic daily routine.
-

Page 5 - Big Idea

Sleep is not just "doing nothing."

Sleep is active biological maintenance.

During sufficient, good-quality sleep, the body supports:

- Brain function
 - Memory and learning
 - Immune regulation
 - Cardiovascular health
 - Metabolism and appetite regulation
 - Emotional regulation
-

- Physical recovery
- Hormone regulation
- Attention, decision-making, and safety

Most adults need at least 7 hours of sleep per night, although sleep needs vary by age, health, activity level, genetics, pregnancy status, work schedule, and individual circumstances.

Children and adolescents usually need more sleep because they are still growing and developing.

Rest is helpful, but it is not the same as sleep.

Memory Anchor:

Rest can pause the drain, but sleep does the repair.

Page 6 - Key Vocabulary

| Term | Meaning |

|---|---|

| Sleep | A biologically essential state that supports brain function, body repair, immune regulation, heart health, metabolism, emotional balance, and recovery. |

| Rest | A period of reduced physical or mental demand that can help reduce fatigue and support recovery, but does not fully replace sleep. |

| Sleep hygiene | Habits and environmental choices that support better sleep quality. |

| Circadian rhythm | The body's internal 24-hour timing system that helps regulate sleep, wakefulness, hormones, alertness, and energy. |

| Sleep insufficiency | Not getting enough sleep for the body's needs. |

| Sleep quality | How well a person sleeps, including how easily they fall asleep, stay asleep, and feel restored afterward. |

| Drowsy driving | Driving while sleepy or fatigued, which can slow reaction time and increase crash risk. |

| Insomnia | Difficulty falling asleep, staying asleep, or waking too early with daytime impairment. |

| Sleep apnea | A sleep-related breathing disorder in which breathing repeatedly pauses or becomes shallow during sleep. |

Part 1: Warm-Up

Page 7 - Personal Reflection

Answer in complete sentences, short phrases, drawings, or bullet points.

1. When you do not get enough sleep, what do you usually notice the next day?

2. What is one way rest can help a person during a busy day?

3. What is one question you have about sleep or rest?

Page 8 - Before You Learn: True or False

Write T for true or F for false.

| Statement | T/F |

|---|---|

| 1. Rest and sleep are exactly the same. | |

| 2. Sleep helps memory, learning, and emotional regulation. | |

| 3. Adults can usually stay healthy long-term on only 3-4 hours of sleep if they rest during the day. | |

| 4. Drowsy driving can be dangerous. | |

| 5. Sleep needs are the same for every age group. | |

Choose one answer you feel confident about and explain why.

Part 2: Why Humans Need Sleep

Page 9 - Sleep Is Active Maintenance

During sleep, the brain and body continue doing important work. Sleep supports many systems

at the same time.

Sleep Helps the Brain

Sleep supports:

- Memory storage
- Learning
- Focus
- Problem-solving
- Emotional regulation
- Decision-making
- Creativity

Sleep Helps the Body

Sleep supports:

- Immune function
- Hormone regulation
- Physical recovery
- Appetite and metabolism regulation
- Heart and blood vessel health
- Energy balance

Sleep Helps Safety

When people are sleep deprived, they may have:

- Slower reaction time
- More mistakes
- Poorer judgment
- Mood changes
- Reduced attention
- Higher risk of accidents

Recap Box:

Sleep is not wasted time. Sleep is maintenance time.

Page 10 - Quick Check: Why Sleep Matters

Circle the best answer.

1. Which statement is most accurate?

- A. Sleep only matters if someone feels tired.
- B. Sleep supports the brain, body, mood, and safety.
- C. Sleep can always be replaced by quiet rest.
- D. Sleep is only important for children.

Answer:

2. Name two things sleep helps support.

1.

2.

3. Complete the sentence:

Sleep is active biological .

Part 3: Sleep and Rest Are Not the Same

Page 11 - Understanding the Difference

Rest can be very helpful. It may reduce fatigue, calm the nervous system, decrease stress, and give the body a break from effort.

Examples of rest include:

- Sitting quietly
- Praying or meditating
- Taking a short break from work
- Stretching gently
- Lying down with eyes closed
- Listening to calming music
- Taking a screen-free pause
- Spending quiet time outdoors
- Practicing deep breathing

However, rest does not fully replace sleep.

Over time, the body still needs actual sleep for the full set of physiological functions that occur during sleep, including memory processing, immune regulation, hormone regulation, and deeper body restoration.

Memory Anchor:

Rest reduces demand. Sleep restores systems.

Page 12 - Sleep/Rest Comparison Chart

Complete the chart using your own words.

Question	Sleep	Rest
What does it look like?		
What does it help with?		
Can it support recovery?		
Can it fully replace the other?		
Example from my life		

Reflection

What is one situation where rest may help you?

What is one situation where sleep is the better solution?

Page 13 - Quick Check: Sleep vs. Rest

Write S for sleep, R for rest, or B for both.

Statement	S, R, or B
1. Supports memory consolidation and learning.	
2. Can include sitting quietly for ten minutes.	
3. Can reduce stress and fatigue.	
4. Is biologically necessary over time.	
5. Can help a person recover from effort.	
6. Fully replaces the physiological functions of sleep.	

Part 4: What Happens When Sleep Is Not Enough?

Page 14 - Short-Term Effects of Insufficient Sleep

Not getting enough sleep may affect a person quickly.

Possible short-term effects include:

- Feeling tired or sleepy
- Trouble focusing
- Irritability
- More emotional reactions
- Slower reaction time
- Headaches
- Reduced motivation
- More mistakes
- Cravings or appetite changes
- Difficulty remembering information

Personal Connection

Which short-term effects have you noticed in yourself or others?

Page 15 - Long-Term Effects of Chronic Sleep Insufficiency

When insufficient sleep continues over time, it may increase risk for or worsen several concerns, including:

- High blood pressure
- Heart disease risk
- Diabetes risk
- Weight and metabolism challenges
- Depression and anxiety symptoms
- Weakened immune response
- Workplace, school, or driving accidents
- Poor academic or job performance
- Relationship stress
- Reduced quality of life

Sleep problems can also be connected to medical conditions, mental health concerns, medications, pain, caregiving stress, shift work, or substance use.

Recap Box:

One rough night happens. A long pattern of poor sleep deserves attention.

Page 16 - Quick Check: Effects of Sleep Loss

Answer in short phrases.

1. Name one way lack of sleep can affect mood.
 2. Name one way lack of sleep can affect safety.
 3. Name one way chronic sleep insufficiency may affect health.
 4. Why is drowsy driving dangerous?
-

Part 5: Sleep Needs by Age

Page 17 - General Age-Based Sleep Guidance

Sleep needs vary by person, but reputable organizations such as the American Academy of Sleep Medicine, Sleep Foundation, and CDC provide age-based recommendations.

General guidance often includes:

Age Group	Typical Recommended Sleep Range
--- ---	
Infants 4-12 months	12-16 hours per 24 hours, including naps
Toddlers 1-2 years	11-14 hours per 24 hours, including naps
Preschoolers 3-5 years	10-13 hours per 24 hours, including naps
School-age children 6-12 years	9-12 hours per 24 hours
Teens 13-18 years	8-10 hours per 24 hours
Adults 18-60 years	7 or more hours per night
Adults 61-64 years	7-9 hours per night
Adults 65+ years	7-8 hours per night

These are general educational ranges, not personal medical instructions.

A healthcare professional can help when sleep needs, sleep quality, development, medical conditions, medication effects, or daytime functioning are concerns.

Reflection

Which age group applies to you or to the people you support?

What is one reason children and teens often need more sleep than adults?

Part 6: Sleep Habit Self-Assessment

Page 18 - Rate Your Current Sleep Habits

For each item, circle one number.

1 = rarely

2 = sometimes

3 = often

4 = almost always

| Sleep Habit | 1 | 2 | 3 | 4 |

|---|---:|---:|---:|---:|

| 1. I keep a fairly consistent wake-up time. | 1 | 2 | 3 | 4 |

| 2. I have a calming routine before bed. | 1 | 2 | 3 | 4 |

| 3. I limit caffeine later in the day. | 1 | 2 | 3 | 4 |

| 4. I avoid heavy meals close to bedtime when possible. | 1 | 2 | 3 | 4 |

| 5. I keep my sleep space comfortable. | 1 | 2 | 3 | 4 |

| 6. I reduce bright screens close to bedtime when possible. | 1 | 2 | 3 | 4 |

| 7. I get daylight or bright light earlier in the day. | 1 | 2 | 3 | 4 |

| 8. I move my body during the day in a way that is appropriate for me. | 1 | 2 | 3 | 4 |

| 9. I avoid using alcohol, nicotine, or other substances as sleep tools. | 1 | 2 | 3 | 4 |

| 10. I seek help when sleep problems affect my safety, mood, or daily life. | 1 | 2 | 3 | 4 |

Total Score

Add your numbers:

+ + + + + + + + + =

Page 19 - Self-Assessment Reflection

This score is not a diagnosis. It is a starting point for awareness.

1. Which habit is already a strength for you?
2. Which habit would be easiest to improve this week?
3. Which habit would be hardest to improve? Why?
4. What support, environment change, or schedule change might help?

Memory Anchor:

Small sleep habits repeated consistently can become powerful routines.

Part 7: Sleep-Supporting Strategies

Page 20 - Evidence-Informed Sleep Hygiene Habits

The following habits may support better sleep quality for many people:

Timing Habits

- Keep a consistent wake-up time when possible.
- Create a regular wind-down routine.
- Avoid long or late naps if they interfere with nighttime sleep.
- Get morning daylight when possible.
- Plan demanding tasks earlier when possible.

Environment Habits

- Keep the sleep space comfortable.
- Reduce noise when possible.
- Use darkness or dim lighting at night.
- Keep the room at a comfortable temperature.
- Use the bed mainly for sleep and intimacy when possible.

Body Habits

- Move your body during the day in a safe and appropriate way.
- Limit caffeine later in the day.

- Avoid heavy meals close to bedtime if they disrupt sleep.
- Avoid nicotine close to bedtime.
- Be cautious with alcohol; it may make someone sleepy at first but can worsen sleep quality.

Mind Habits

- Use a calming bedtime routine.
- Write down worries or tomorrow's tasks before bed.
- Practice breathing, prayer, meditation, gentle stretching, or relaxation.
- Avoid stressful conversations or intense work right before bed when possible.

Important Note:

Sleep hygiene can help many people, but it does not cure every sleep disorder. Persistent or severe sleep problems may require clinical evaluation.

Page 21 - Build a Bedtime Routine

Design a realistic 20-60 minute wind-down routine.

My target bedtime:

My target wake-up time:

Three calming activities I can include:

- 1.
- 2.
- 3.

One thing I can reduce before bed:

One thing I can prepare earlier in the evening:

My bedtime routine draft:

First, I will

Then, I will

Next, I will

Finally, I will

Page 22 - Rest Menu: Healthy Ways to Pause

Rest does not replace sleep, but it can help reduce overload during the day.

Choose five rest practices you could try.

| Rest Practice | I Could Try This |

|---|:---:|

| Take five slow breaths. | |

| Sit quietly for five minutes. | |

| Stretch gently. | |

| Pray, meditate, or reflect. | |

| Drink water and step away from work. | |

| Take a short walk. | |

| Listen to calming music. | |

| Spend quiet time outside. | |

| Close your eyes briefly in a safe place. | |

| Write down worries or tasks. | |

| Talk with a supportive person. | |

| Take a short nap, if appropriate and safe. | |

My top three rest practices:

1.

2.

3.

Part 8: When to Seek Clinical Care

Page 23 - Sleep Red Flags

Sleep problems are common, but some signs deserve professional attention.

Consider seeking care from a licensed healthcare professional if you or someone you support experiences:

Breathing or Possible Sleep Apnea Concerns

- Loud, frequent snoring with pauses in breathing
- Gasping, choking, or struggling to breathe during sleep
- Morning headaches with daytime sleepiness

- Waking up feeling unrefreshed despite enough time in bed

Insomnia Concerns

- Difficulty falling asleep or staying asleep for several weeks
- Waking too early and being unable to return to sleep
- Sleep problems causing distress or daytime impairment

Severe Sleepiness or Narcolepsy-Like Symptoms

- Sudden, uncontrollable sleep episodes
- Falling asleep during conversations, work, school, eating, or driving
- Sudden muscle weakness triggered by emotions
- Vivid dream-like experiences when falling asleep or waking
- Feeling unable to move briefly when waking or falling asleep

Restless Legs or Movement Concerns

- Uncomfortable leg sensations that create an urge to move
- Symptoms worse at rest or at night
- Leg movements that disrupt sleep

Page 24 - Additional Clinical Warning Signs

Seek support when sleep problems are connected with:

Mental Health Concerns

- Depression symptoms
- Anxiety symptoms
- Panic symptoms
- Trauma-related nightmares
- Thoughts of self-harm or hopelessness

If there is immediate danger or risk of self-harm, contact emergency services or a crisis resource right away.

Safety Concerns

- Drowsy driving
- Falling asleep while caring for children, patients, elders, or vulnerable people
- Mistakes at work or school because of sleepiness
- Sleepiness while operating machinery

Shift Work or Schedule Impairment

- Rotating schedules causing major sleep loss
- Night shift work causing unsafe sleepiness
- Inability to function due to schedule-related sleep disruption

Medication, Substance, or Health-Related Concerns

- Sleep problems after starting or changing medication
- Alcohol, cannabis, nicotine, caffeine, or other substances disrupting sleep
- Pain, breathing problems, heart symptoms, reflux, frequent urination, pregnancy-related discomfort, menopause symptoms, or other medical concerns affecting sleep

Safety Anchor:

If sleepiness affects driving, caregiving, work safety, or mental health, it is not "just tired." It is a safety concern.

Page 25 - Care-Seeking Reflection

1. Which red flag surprised you or felt important to remember?
 2. What is one reason someone might delay seeking help for sleep problems?
 3. What could make it easier for a person to ask for support?
-

Part 9: Scenario-Based Practice

Page 26 - Scenario 1: The Tired Student

Jordan is 15 years old. Jordan sleeps about 5-6 hours on school nights and sleeps late on weekends. Jordan often feels sleepy in class, struggles to focus, and drinks energy drinks in the afternoon.

Questions

1. Is Jordan likely getting enough sleep for a teen?

2. What are two sleep-supporting changes Jordan could try?

3. What adult or professional support might help?

4. Is rest helpful for Jordan? Does rest replace needed sleep?

Page 27 - Scenario 2: The Busy Caregiver

Maria cares for her father and works part-time. She rarely gets a full night of sleep. She rests on the couch when she can but feels exhausted and forgetful.

Questions

1. How might rest help Maria?

2. Why might rest not fully solve Maria's sleep problem?

3. What practical support might improve her sleep opportunity?

4. What signs would suggest Maria should seek professional guidance?

Page 28 - Scenario 3: The Loud Snorer

DeShawn's partner says he snores loudly and sometimes seems to stop breathing during sleep. DeShawn wakes with headaches and feels sleepy while driving to work.

Questions

1. What red flags are present?

2. Why is drowsy driving especially concerning?
 3. What should DeShawn do next?
 4. Would general sleep hygiene alone be enough to ignore these symptoms?
-

Page 29 - Scenario 4: The Night Shift Worker

Avery works rotating shifts. Some weeks Avery works days, and other weeks Avery works nights. Avery feels foggy, irritable, and has nearly fallen asleep driving home.

Questions

1. What sleep challenge may be affecting Avery?
 2. What safety concern is present?
 3. What workplace or schedule strategies might help?
 4. When should Avery seek clinical or occupational health support?
-

Part 10: My 7-Day Sleep-Support Plan

Page 30 - Plan Before You Track

This plan is not about perfect sleep. It is about noticing patterns and practicing one or two supportive habits.

My sleep goal for this week:

My target bedtime:

My target wake-up time:

One habit I will practice:

One rest strategy I will practice:

One barrier I expect:

My plan for that barrier:

Page 31 - 7-Day Sleep-Support Tracker

Use this chart for one week.

| Day | Bedtime | Wake Time | Estimated Sleep Hours | Sleep Quality 1-5 | Caffeine Late? Y/N |
Screens Near Bed? Y/N | Rest Practice Used | Notes |

|---|---|---|---|:---:|:---:|:---:|:---:|---|---|

| Day 1 | | | | | | | |

| Day 2 | | | | | | | |

| Day 3 | | | | | | | |

| Day 4 | | | | | | | |

| Day 5 | | | | | | | |

| Day 6 | | | | | | | |

| Day 7 | | | | | | | |

Sleep Quality Scale:

1 = poor, 2 = fair, 3 = okay, 4 = good, 5 = excellent

Page 32 - 7-Day Plan Reflection

After completing the tracker, answer these questions.

1. What pattern did I notice?

2. Which habit helped the most?
 3. What made sleep harder?
 4. Did rest help me during the day? If yes, how?
 5. What is one change I want to continue?
 6. Is there any sleep concern I should discuss with a healthcare professional?
-

Part 11: Review and Memory Reinforcement

Page 33 - Key Takeaways

Complete each sentence.

1. Sleep is biologically essential because it supports the brain, body, mood, and .
 2. Rest can reduce fatigue and stress, but it does not fully replace .
 3. Circadian rhythm means the body's internal timing system.
 4. Most adults need at least hours of sleep per night.
 5. Drowsy driving is dangerous because it slows reaction time and affects .
 6. If sleep problems last for weeks or affect safety, mood, breathing, or daily life, a person should consider seeking .
-

Page 34 - Learner-Friendly Review Questions

Circle or write the best answer.

1. Which is the best description of sleep?

- A. A time when the body shuts off completely
- B. Active biological maintenance
- C. A habit only needed when someone feels tired
- D. The same thing as resting quietly

Answer:

2. Which is an example of rest?

- A. Sitting quietly and breathing slowly
- B. Memory consolidation during sleep
- C. Breathing pauses during sleep
- D. Circadian rhythm

Answer:

3. Why can't rest fully replace sleep?

4. List three sleep hygiene habits.

- 1.
- 2.
- 3.

5. Name two red flags that should prompt clinical care.

- 1.
- 2.

6. What is one change you can make this week to support sleep?

Page 35 - Teach It Back

Teaching something helps memory.

Explain the difference between sleep and rest to a younger student, patient, coworker, family member, or friend.

Use simple language.

Include the memory sentence:

Rest can pause the drain, but sleep does the repair.

Now write your own memory sentence.

Part 12: Closing Reflection

Page 36 - My Sleep and Rest Commitment

1. The most important thing I learned is:
 2. One belief I changed or strengthened is:
 3. One action I will take this week is:
 4. One person or resource I can turn to for support is:
 5. If I notice serious sleep red flags, I will:
-

Page 37 - Closing Summary

Sleep is essential for human health, learning, mood, safety, and recovery. Rest is also valuable, especially during stressful or demanding days. Rest can reduce fatigue, calm the body, and help a person pause.

But rest does not replace sleep over time.

Healthy sleep is supported by consistent routines, appropriate light exposure, a comfortable sleep environment, mindful caffeine and substance use, daytime movement, stress-management strategies, and professional support when needed.

Final QRU Memory Anchor:

Rest helps you pause. Sleep helps you restore. Know the difference, protect your health, and ask for help when sleep becomes a safety or wellness concern.

Facilitator Notes and Answer Key

Page 38 - Facilitator Guidance

This workbook can be used in:

- Classrooms
- Church health ministries
- Hospital education settings
- School district wellness programs
- Corporate wellness workshops
- Community health sessions
- Individual coaching or self-study

Suggested Session Structure

Option A: 45-60 minutes

1. Welcome and disclaimer - 5 minutes
2. Warm-up reflection - 5 minutes
3. Teach sleep vs. rest - 10 minutes
4. Self-assessment - 10 minutes
5. Red flags discussion - 10 minutes
6. 7-day plan setup - 10 minutes

Option B: 90 minutes

1. Welcome and group norms - 5 minutes
2. Warm-up and vocabulary - 10 minutes
3. Sleep science overview - 15 minutes
4. Sleep/rest comparison activity - 10 minutes
5. Self-assessment - 10 minutes
6. Red flags and care-seeking - 15 minutes
7. Scenario practice - 15 minutes
8. 7-day plan and closing reflection - 10 minutes

Group Discussion Guidelines

- Do not pressure participants to share personal health details.
 - Keep discussion educational, not diagnostic.
 - Encourage learners with serious concerns to seek appropriate professional care.
 - Normalize that sleep can be affected by caregiving, stress, poverty, work schedules, housing, medical conditions, and family responsibilities.
 - Emphasize small, realistic changes.
-

Page 39 - Answer Key: True/False and Quick Checks

Page 8 - Before You Learn

1. False
2. True
3. False
4. True
5. False

Page 10 - Why Sleep Matters

1. B
2. Acceptable answers include memory, learning, mood, immune function, heart health, metabolism, safety, physical recovery, attention, decision-making.
3. Maintenance

Page 13 - Sleep vs. Rest

1. S
2. R
3. B
4. S
5. B
6. Neither / False statement. Rest does not fully replace sleep, and sleep does not remove the usefulness of rest.

Page 16 - Effects of Sleep Loss

Acceptable answers include:

1. Irritability, anxiety, sadness, mood swings, emotional reactivity.
2. Slower reaction time, drowsy driving, mistakes, accidents.
3. Increased risk related to blood pressure, heart health, diabetes, immune function, mood disorders, metabolism.

4. It slows reaction time, reduces attention, impairs judgment, and increases crash risk.
-

Page 40 - Answer Key: Review Questions

Page 33 - Key Takeaways

1. Safety
2. Sleep
3. 24-hour
4. 7
5. Judgment, attention, focus, or decision-making
6. Professional care, medical guidance, clinical support, or healthcare support

Page 34 - Learner-Friendly Review Questions

1. B
 2. A
 3. Acceptable answer: Rest can reduce demand and fatigue, but sleep performs essential biological functions such as memory processing, immune regulation, hormone regulation, and deeper restoration.
 4. Acceptable answers include consistent wake time, bedtime routine, reducing caffeine late in the day, limiting screens before bed, comfortable sleep environment, daylight exposure, movement during the day, relaxation practice.
 5. Acceptable answers include suspected sleep apnea, breathing pauses, insomnia lasting weeks, narcolepsy-like symptoms, restless legs symptoms, depression/anxiety concerns, drowsy driving, shift-work impairment, medication/substance-related sleep problems.
 6. Personal answer.
-

Page 41 - Scenario Notes

Scenario 1: The Tired Student

Key points:

- Teens generally need 8-10 hours of sleep.
- Jordan likely is not getting enough sleep.
- Helpful changes may include consistent schedule, reducing afternoon energy drinks/caffeine, earlier bedtime, morning light, less screen use before bed, support from caregivers/school.
- Rest may help during the day but does not replace needed sleep.

Scenario 2: The Busy Caregiver

Key points:

- Rest can reduce immediate fatigue and stress.
- Rest does not replace sustained sleep need.
- Support could include respite care, shared caregiving, schedule adjustments, community/church/family support, medical/social work resources.
- Seek guidance if exhaustion affects safety, memory, mood, driving, caregiving, or health.

Scenario 3: The Loud Snorer

Key points:

- Red flags include loud snoring, pauses in breathing, morning headaches, daytime sleepiness, drowsy driving.
- Drowsy driving is a serious safety concern.
- DeShawn should seek medical evaluation for possible sleep apnea and avoid driving when dangerously sleepy.
- Sleep hygiene alone should not be used to ignore breathing-related red flags.

Scenario 4: The Night Shift Worker

Key points:

- Rotating shifts can disrupt circadian rhythm.
- Nearly falling asleep while driving is a major safety concern.
- Strategies may include stable scheduling when possible, protected sleep time, light management, transportation planning, naps when appropriate, workplace accommodations, occupational health consultation.
- Seek support when impairment affects safety, health, mood, or job functioning.

Page 42 - Certificate of Completion

This certifies that:

Learner Name:

has completed the QRU workbook:

Understanding Sleep and Rest

Why Sleep Matters, How Rest Helps, and When to Seek Support

Date Completed:

Facilitator/Instructor:

Organization:

Learner Signature:

Facilitator Signature:

Final Note

You do not need perfect sleep habits to begin improving sleep health. Start with one realistic step, notice what changes, and seek help when sleep problems affect safety, health, mood, or daily functioning.

Continue your understanding at QRU:

