

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

QRU Press(TM)

QRU Press

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

Copyright © 2026 QRU Press

All rights reserved.

No part of this book may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without written permission from the publisher, except by a reviewer who may quote brief passages in a review.

This work is provided for general educational purposes. It has been prepared with care and reviewed for accuracy; where a subject carries real-world consequences, consult a qualified professional. See the governance and disclaimer notes that follow.

First Edition

ISBN: (assigned at publication)

Published by QRU Press.

AI content disclosure: AI-assisted manufacturing; human-reviewed and human-approved.

FRONT MATTER

© 2026 QRU. All rights reserved.

All rights reserved. Classroom/family use license as stated at point of sale.

Product Governance Package(TM)

- This material is educational and reflects governed knowledge at time of manufacture.
- This material is educational and is not medical advice, diagnosis, or treatment. Consult a qualified healthcare professional for personal decisions.
- Health & Medical: This material is educational and is not medical advice, diagnosis, or treatment. Consult a qualified healthcare professional for personal decisions.

Manufactured by the QRU Factory(TM) from a Verified Knowledge Record(TM). AI assisted drafting and advisory scoring; all governed standards were checked by the Factory. AI advisory never approves, certifies, or publishes - governance authority is human/constitutional.

Accessibility: Plain-language explanation, defined vocabulary, and alt-text for visuals where applicable.

Table of Contents

FRONT MATTER

Title Page

Copyright

Table of Contents

CHAPTERS

Chapter 1

QRU Workbook Use Notice

Chapter 2

A. Think About It

2.1 1. What problems is this person experiencing?

2.2 2. Did the quiet break help at all? Explain.

2.3 3. Did the quiet break fully replace the sleep they missed? Why or why not?

Chapter 3

B. Quick Prediction

3.1 Can rest fully replace sleep?

Chapter 4

C. Warm-Up Reflection

Chapter 5

Vocabulary Check

5.1 Descriptions

Chapter 6

Memory Reinforcement

Chapter 7

A. Rest or Sleep?

Chapter 8

B. What Does Rest Help With?

Chapter 9

C. What Does Sleep Help With?

Chapter 10

D. Guided Sentence Frames

Chapter 11

A. Two Major Sleep Systems

11.1 1. Circadian Rhythm: The Body Clock

11.2 2. Sleep Pressure: The Need Builds

Chapter 12

B. Sleep Stages

Chapter 13

C. Why Cutting Sleep Short Matters

Chapter 14

D. Sleep and the Brain

Chapter 15

E. Sleep and the Body

Chapter 16

F. Check for Understanding

16.1 1. Sleep pressure means:

16.2 2. Circadian rhythm is influenced by:

16.3 3. Why are sleep stages important?

Chapter 17

G. Memory Reinforcement

Chapter 18

A. What Rest Can Do

Chapter 19

B. What Sleep Does That Rest Does Not Fully Do

Chapter 20

C. Simple Comparison

Chapter 21

D. Key Takeaway

Chapter 22

A. Scenario Sorting

Chapter 23

B. Explain the Difference

23.1 Word Bank

Chapter 24

C. Memory Sentence Practice

Chapter 25

D. Apply It

Chapter 26

A. Sleep Duration and Sleep Quality

26.1 Sleep Duration

26.2 Sleep Quality

Chapter 27

B. Common Misunderstandings

27.1 Myth 1: "Everyone only needs 5 hours if they are disciplined."

27.2 Myth 2: "If I feel wired, I must not be tired."

27.3 Myth 3: "I can fully catch up with one long sleep on the weekend."

27.4 Myth 4: "Resting in bed is the same as sleeping."

Chapter 28

C. Quick Calculation

Chapter 29

A. Sleep Opportunity vs. Actual Sleep

Chapter 30

B. Personal Sleep Reflection

30.1 On a typical weekday:

30.2 On a typical weekend or day off:

Chapter 31

C. What Do You Notice?

Chapter 32

A. Helpful Sleep-Supporting Habits

- 32.1 1. Keep a Consistent Schedule
- 32.2 2. Get Morning Light
- 32.3 3. Create a Wind-Down Routine
- 32.4 4. Manage Caffeine Timing
- 32.5 5. Make the Sleep Environment Supportive
- 32.6 6. Use Screens Thoughtfully

Chapter 33

B. Additional Habits That May Support Sleep

- 33.1 7. Move Your Body During the Day
- 33.2 8. Be Careful With Long or Late Naps
- 33.3 9. Avoid Using Alcohol as a Sleep Tool
- 33.4 10. Do Not Force Sleep
- 33.5 11. Protect Sleep Opportunity

Chapter 34

C. Habit Reflection

Chapter 35

A. My One-Week Sleep-Support Plan

- 35.1 1. Schedule
- 35.2 2. Light and Screens
- 35.3 3. Evening Routine
- 35.4 4. Sleep Environment
- 35.5 5. Caffeine or Food Timing

Chapter 36

B. Make It Realistic

Chapter 37

C. Memory Reinforcement

Chapter 38

A. Clinical Warning Signs

Chapter 39

B. Safety Warning: Drowsy Driving

Chapter 40

C. Important Note About Emergencies

Chapter 41

A. Seek Care or Try a Basic Habit First?

Chapter 42

B. Safety Response Practice

Chapter 43

C. Educational Boundary

Chapter 44

Activity 1: Myth or Fact?

Chapter 45

Activity 2: Cause and Effect

Chapter 46

Activity 3: Sort the Habits

46.1 Habits

Chapter 47

Activity 4: Read the Sleep Log

47.1 1. What patterns do you notice?

47.2 2. Does this person usually have at least 7 hours of sleep opportunity on weekdays?

47.3 3. What safety concern appears in the log?

47.4 4. Choose two practical sleep-support changes this person might try.

Chapter 48

Activity 5: Teach It Back

Chapter 49

Activity 6: The 3-2-1 Review

- 49.1 3 things sleep helps support:
- 49.2 2 ways rest can help:
- 49.3 1 reason rest cannot fully replace sleep:

Chapter 50

Activity 7: Personal Action Commitment

Chapter 51

Activity 8: Memory Sentence Final Practice

Chapter 52

A. Core Concepts

- 52.1 1. Sleep is biologically essential.
- 52.2 2. Rest is helpful but not equal to sleep.
- 52.3 3. Most adults need at least 7 hours.
- 52.4 4. Habits can support sleep.
- 52.5 5. Sleep problems sometimes need clinical care.

Chapter 53

B. Final Review Table

Chapter 54

C. Final Memory Set

Chapter 55

Instructions

Chapter 56

Section A: Multiple Choice

- 56.1 1. Which statement best describes sleep?
- 56.2 2. Which statement best describes rest?
- 56.3 3. Most adults need:
- 56.4 4. Circadian rhythm is:
- 56.5 5. Sleep pressure:
- 56.6 6. Drowsy driving is concerning because sleep loss can:

Chapter 57

Section B: True or False

Chapter 58

Section C: Short Answer

- 58.1 1. Explain the difference between rest and sleep.
- 58.2 2. Name three body or brain functions supported by enough good-quality sleep.
- 58.3 3. Name three habits that can support better sleep quality.
- 58.4 4. List two signs that someone should seek clinical guidance for sleep concerns.
- 58.5 5. Explain the memory sentence: "Rest can pause the drain, but sleep does the repair."

Chapter 59

Section D: Application Scenario

- 59.1 1. What is the main sleep concern in this scenario?
- 59.2 2. Is couch rest the same as sleep? Explain.
- 59.3 3. What safety concern appears in the scenario?
- 59.4 4. Name two practical sleep-support changes Jordan could consider.
- 59.5 5. Should Jordan consider speaking with a qualified healthcare professional if the sleepiness while driving continues or feels unsafe?

Chapter 60

Section E: Confidence Check

Chapter 61

Section A: Multiple Choice

Chapter 62

Section B: True or False

Chapter 63

Section C: Short Answer

- 63.1 1. Difference between rest and sleep
- 63.2 2. Three functions supported by sleep
- 63.3 3. Three habits that support sleep
- 63.4 4. Two signs for clinical guidance
- 63.5 5. Memory sentence explanation

Chapter 64

Section D: Application Scenario

Chapter 65

Purpose

Chapter 66

Recommended Use

Chapter 67

Facilitation Notes

67.1 Tone

67.2 Medical Boundary

67.3 Safety Boundary

Chapter 68

Teaching Emphasis

Chapter 69

Discussion Prompts

Chapter 70

Accessibility and Inclusion Options

Chapter 71

Suggested Scoring for Final Assessment

Chapter 72

Completion Statement

Chapter 73

Final Takeaway

Chapter 74

Learner Commitment

BACK MATTER

Answer Key

QRU Workbook Use Notice

This workbook is for educational purposes only. It is not medical advice and does not diagnose, treat, prevent, or cure health conditions. If you have ongoing sleep problems, severe daytime sleepiness, breathing pauses during sleep, chest pain, fainting, major mood changes, or safety concerns such as falling asleep while driving, speak with a qualified healthcare professional.

© 2026 QRU. All rights reserved.

Printable educational workbook. Reproduction or distribution outside authorized use is prohibited.

Learning Goals

By the end of this workbook, you will be able to:

1. Explain why sleep is biologically essential.
2. Describe how rest is different from sleep.
3. Explain why most adults need at least 7 hours of sleep per night, while individual needs can vary.
4. Identify practical habits that support better sleep quality.
5. Recognize when someone should seek clinical care for sleep concerns.
6. Explain why rest can reduce fatigue or stress but cannot reproduce all biological processes of sleep.
7. Identify safety concerns related to sleep loss, including drowsy driving.

Big Idea

Sleep is not just "doing nothing."

Sleep is an active biological process that supports important maintenance for the brain and body.

During enough good-quality sleep, the body supports:

- Brain function and memory
- Immune regulation
- Heart and blood vessel health
- Metabolism and appetite regulation
- Emotional regulation
- Physical recovery
- Attention, judgment, and reaction time

Rest is helpful, but rest does not fully replace sleep.

Memory Sentence

Rest can pause the drain, but sleep does the repair.

Plain-Language Summary

- Sleep is a biological need.
- Rest can help you feel calmer and less strained.
- Rest may reduce fatigue or stress for a while.
- Rest does not reproduce all the biological processes that happen during sleep.
- Most adults need 7 or more hours of sleep each night.
- Some people need more than 7 hours to feel and function well.

- Persistent sleep problems should be discussed with a qualified clinician.

QRU | Understanding Sleep and Rest - Workbook | Page 2

<div style="page-break-after: always;">/div

Part 1: Warm-Up

CHAPTER 2

A. Think About It

Read the situation below.

Scenario:

A person stays up late most nights during the week. By Friday, they feel irritable, crave more high-calorie foods, struggle to focus at work, and react more slowly while driving. They take a quiet break during the day and feel a little calmer.

2.1 1. What problems is this person experiencing?

2.2 2. Did the quiet break help at all? Explain.

2.3 3. Did the quiet break fully replace the sleep they

missed? Why or why not?

CHAPTER 3

B. Quick Prediction

Before learning the details, circle your best answer.

3.1 Can rest fully replace sleep?

- A. Yes, if the rest is quiet enough
- B. Yes, if the person lies down for several hours
- C. No, rest may help but does not reproduce all sleep processes
- D. No, because rest is never useful

My answer:

CHAPTER 4

C. Warm-Up Reflection

Complete the sentence:

When I do not get enough sleep, I usually notice changes in my:

? Focus

? Mood

? Energy

- ? Appetite
- ? Memory
- ? Reaction time
- ? Motivation
- ? Other:

One example from my life or observation:

<div style="page-break-after: always;">/div

Part 2: Key Vocabulary

Use the vocabulary list below as you complete the workbook.

| Term | Plain-Language Meaning |

|---|---|

| Sleep | A natural biological state with changes in brain activity, body regulation, awareness, and responsiveness. |

| Rest | A period of reduced activity or reduced stress. Rest may be physical, mental, emotional, or sensory. |

| Circadian rhythm | The body's internal timing system that helps regulate sleep, wakefulness, hormones, temperature, and alertness across roughly a 24-hour cycle. |

| Sleep pressure | The biological drive to sleep that builds the longer a person is awake. |

| REM sleep | A sleep stage associated with dreaming, emotional processing, learning, and brain activity patterns that differ from

non-REM sleep. |

| Non-REM sleep | Sleep stages that include lighter sleep and deeper sleep. Deep non-REM sleep supports physical restoration and other body processes. |

| Sleep quality | How well sleep supports recovery and functioning, including continuity, depth, and feeling reasonably refreshed. |

| Sleep deprivation | Not getting enough sleep for the body's needs.

|

| Sleep debt | The cumulative effect of repeatedly getting less sleep than needed. |

| Drowsy driving | Driving while sleepy or fatigued, which can slow reaction time and increase crash risk. |

| Sleep hygiene | Habits and environment choices that support healthy sleep. |

CHAPTER 5

Vocabulary Check

Match each term to the correct description.

| Term | Answer Letter |

|---|---:|

| 1. Circadian rhythm | |

| 2. Sleep pressure | |

| 3. Rest | |

| 4. Sleep debt | |

| 5. Drowsy driving | |

5.1 Descriptions

- A. A build-up of missed sleep over time
 - B. Reduced activity or reduced stress
 - C. Driving while sleepy, which can increase risk
 - D. The body's internal timing system
 - E. The drive to sleep that grows the longer you are awake
-

CHAPTER 6

Memory Reinforcement

Write the memory sentence from memory:

Rest can .

<div style="page-break-after: always;">

Part 3: Guided Practice

CHAPTER 7

A. Rest or Sleep?

Read each example. Mark whether it is mostly Rest, Sleep, or Both.

| Example | Rest | Sleep | Both |

|---|:---:|:---:|:---:|

| 1. Taking a quiet walk after a stressful meeting | ? | ? | ? |

| 2. Lying down with eyes closed for 10 minutes | ? | ? | ? |

- | 3. Sleeping for 8 hours with normal sleep cycles | ? | ? | ? |
 - | 4. Meditating in a quiet room | ? | ? | ? |
 - | 5. Taking a short nap and actually falling asleep | ? | ? | ? |
 - | 6. Sitting quietly without screens before bed | ? | ? | ? |
-

CHAPTER 8

B. What Does Rest Help With?

Rest can help reduce strain, but it does not replace all the biological work of sleep.

Check the benefits that rest may support.

- ? Calming the nervous system
 - ? Reducing immediate stress
 - ? Giving muscles a break from effort
 - ? Helping attention briefly recover
 - ? Replacing all sleep stages
 - ? Completing all sleep-related memory processing
 - ? Making someone safe to drive when they are very sleepy
-

CHAPTER 9

C. What Does Sleep Help With?

Check the functions supported by enough good-quality sleep.

- ? Memory and learning
- ? Attention and judgment

- ? Emotional regulation
 - ? Immune regulation
 - ? Metabolism and appetite regulation
 - ? Reaction time
 - ? Physical recovery
 - ? Long-term health support
-

CHAPTER 10

D. Guided Sentence Frames

Complete each sentence.

1. Sleep is biologically active because during sleep the body and brain
.
 2. Rest is helpful because it can
.
 3. Rest cannot fully replace sleep because sleep includes
.
-

QRU | Understanding Sleep and Rest - Workbook | Page 5

<div style="page-break-after: always;">

Part 4: Why Sleep Matters

Sleep supports the body and brain in ways that quiet rest alone cannot fully reproduce. Sleep is not one single state. It includes

cycles and stages that repeat through the night.

CHAPTER 11

A. Two Major Sleep Systems

11.1 1. Circadian Rhythm: The Body Clock

Your circadian rhythm helps regulate when you feel alert and when you feel sleepy. It is influenced by:

- Light exposure, especially morning light
- Darkness in the evening
- Meal timing
- Activity patterns
- Work or school schedules
- Travel across time zones
- Screen and bright light exposure at night

The circadian rhythm helps coordinate many body processes, including alertness, body temperature, and some hormone patterns.

11.2 2. Sleep Pressure: The Need Builds

Sleep pressure increases the longer you are awake. After many waking hours, the body's drive to sleep becomes stronger.

A short rest may reduce stress, but it usually does not remove sleep pressure the way actual sleep can.

CHAPTER 12

B. Sleep Stages

Sleep cycles through different stages across the night.

| Sleep Stage | What It Generally Supports |

---|---|

| Light non-REM sleep | Transition into sleep, reduced awareness, beginning of sleep cycles |

| Deep non-REM sleep | Physical recovery, immune and metabolic support, restoration processes |

| REM sleep | Dreaming, emotional processing, learning, memory, flexible thinking |

A full night of sleep gives the brain and body repeated opportunities to move through these stages.

—

CHAPTER 13

C. Why Cutting Sleep Short Matters

When sleep is regularly too short or disrupted, people may notice changes in:

- Focus
- Memory
- Mood
- Patience
- Reaction time
- Decision-making
- Appetite and cravings
- Motivation

- Physical recovery
- Safety during driving or operating equipment

Not every person feels sleep loss the same way. Some people feel sleepy; others feel wired, irritable, unfocused, or emotionally reactive.

QRU | Understanding Sleep and Rest - Workbook | Page 6

<div style="page-break-after: always;">/div

Part 4 Continued: Why Sleep Matters

CHAPTER 14

D. Sleep and the Brain

During sleep, the brain supports:

- Learning from the day
- Memory consolidation
- Emotional processing
- Attention and mental flexibility
- Clearing and regulating normal brain activity patterns

Sleep loss can make it harder to:

- Concentrate
- Remember information
- Solve problems
- Control impulses
- Interpret emotions accurately

- Respond quickly
-

CHAPTER 15

E. Sleep and the Body

During sleep, the body supports:

- Immune regulation
- Heart and blood vessel health
- Metabolic regulation
- Appetite hormone balance
- Muscle and tissue recovery
- Hormonal rhythms
- Energy regulation

This does not mean sleep is a cure for disease. It means sleep is one important part of normal body regulation and health support.

CHAPTER 16

F. Check for Understanding

Circle the best answer.

16.1 1. Sleep pressure means:

- A. Stress from school or work
- B. The biological drive to sleep that builds while awake
- C. Pressure from other people to go to bed

D. A medical emergency

Answer:

16.2 2. Circadian rhythm is influenced by:

- A. Light and darkness
- B. Consistent schedules
- C. Activity patterns
- D. All of the above

Answer:

16.3 3. Why are sleep stages important?

- A. Different stages support different functions
- B. Only REM sleep matters
- C. Sleep stages are the same as resting quietly
- D. Stages happen only during naps

Answer:

CHAPTER 17

G. Memory Reinforcement

Complete the phrase:

Sleep is not "doing nothing." Sleep is an biological process.

Answer:

<div style="page-break-after: always;">/div

Part 5: Rest vs. Sleep

Rest and sleep are both useful, but they are not the same.

CHAPTER 18

A. What Rest Can Do

Rest can help by:

- Reducing stress or overstimulation
- Giving muscles a break
- Supporting calm breathing
- Helping someone reset emotionally
- Reducing mental load
- Providing a pause before making decisions
- Supporting recovery after effort

Examples of rest include:

- Sitting quietly
- Taking a screen-free break
- Stretching gently
- Meditating
- Practicing calm breathing
- Listening to peaceful music
- Taking a quiet walk
- Lying down without necessarily sleeping

Rest is valuable. It is not "bad" or "useless." It simply does not do

everything sleep does.

CHAPTER 19

B. What Sleep Does That Rest Does Not Fully Do

Sleep includes biological changes that are not fully reproduced by quiet wakefulness, such as:

- Repeating sleep cycles
- Moving through non-REM and REM sleep stages
- Reducing awareness and responsiveness in a regulated sleep state
- Supporting sleep-specific memory and emotional processing
- Supporting physical recovery processes linked to sleep stages
- Lowering sleep pressure through actual sleep

This is why a person can rest for hours and still feel sleepy if they did not actually sleep.

CHAPTER 20

C. Simple Comparison

Question	Rest	Sleep
Can it reduce stress?	Yes, often	Yes, often
Can it help the body pause from effort?	Yes	Yes
Does it include sleep stages?	No	Yes

| Does it reduce sleep pressure the same way sleep does? | No | Yes
|
| Can it fully replace a full night of sleep? | No | Yes, when sleep is
adequate and good quality |
| Can it support safety when very sleepy? | Only partly; it may not
be enough | Adequate sleep is essential for alertness |

CHAPTER 21

D. Key Takeaway

Rest is a helpful pause. Sleep is a biological requirement.

Write that idea in your own words:

QRU | Understanding Sleep and Rest - Workbook | Page 8

<div style="page-break-after: always;">/div

Part 5 Continued: Rest vs. Sleep Practice

CHAPTER 22

A. Scenario Sorting

Read each scenario. Write R for rest, S for sleep, or B for both.

1. A person takes 15 minutes to breathe slowly after a stressful call.
 2. A person sleeps from 10:30 p.m. to 6:30 a.m.
 3. A person closes their eyes for 20 minutes but stays awake.
 4. A person takes a 25-minute nap and falls asleep.
 5. A person goes on a quiet walk without checking their phone.
 6. A person has a full night of sleep and wakes feeling reasonably refreshed.
-

CHAPTER 23

B. Explain the Difference

Use the word bank to complete the paragraph.

23.1 Word Bank

sleep stages | stress | biological | replace | rest

Quiet can reduce and help a person feel calmer. However, it cannot fully sleep. Sleep is a process that includes such as non-REM and REM sleep.

CHAPTER 24

C. Memory Sentence Practice

Write the memory sentence three times.

- 1.

2.

3.

CHAPTER 25

D. Apply It

A student says, "I only slept 4 hours, but I rested on the couch for 3 hours, so I'm fine."

Write a respectful response that explains the difference between rest and sleep.

QRU | Understanding Sleep and Rest - Workbook | Page 9

<div style="page-break-after: always;">/div

Part 6: How Much Sleep Do Adults Need?

Most adults need 7 or more hours of sleep per night for best health and functioning. Some adults need more than 7 hours to feel and function well.

Sleep need can vary based on factors such as:

- Age

- Health status
- Physical activity
- Stress level
- Pregnancy or postpartum demands
- Work schedule
- Sleep quality
- Recent sleep debt
- Individual biology

A person who spends 7 hours in bed may not actually get 7 hours of sleep if they wake often, take a long time to fall asleep, or have disrupted sleep.

CHAPTER 26

A. Sleep Duration and Sleep Quality

Both duration and quality matter.

26.1 Sleep Duration

Sleep duration means the amount of time actually spent sleeping.

26.2 Sleep Quality

Sleep quality includes:

- Falling asleep within a reasonable time
- Staying asleep most of the night
- Moving through sleep stages
- Waking reasonably refreshed

- Having enough alertness during the day
-

CHAPTER 27

B. Common Misunderstandings

27.1 Myth 1: "Everyone only needs 5 hours if they are disciplined."

Reality: Most adults need at least 7 hours. A small number of people may naturally need less, but regularly sleeping far less than 7 hours is not enough for most adults.

27.2 Myth 2: "If I feel wired, I must not be tired."

Reality: Some people feel restless, anxious, or wired when overtired.

27.3 Myth 3: "I can fully catch up with one long sleep on the weekend."

Reality: Extra sleep may help reduce sleep debt, but a repeated pattern of short sleep during the week can still affect functioning.

27.4 Myth 4: "Resting in bed is the same as sleeping."

Reality: Resting may help, but it does not fully reproduce the biological processes of sleep.

C. Quick Calculation

If an adult needs about 8 hours of sleep and wakes at 6:30 a.m., what bedtime would allow 8 hours of sleep opportunity?

Wake time: 6:30 a.m.

Target sleep time: 8 hours

Possible bedtime:

Reminder: Some people need extra time in bed because they do not fall asleep instantly.

QRU | Understanding Sleep and Rest - Workbook | Page 10

<div style="page-break-after: always;">/div

Part 6 Continued: Sleep Need Practice

A. Sleep Opportunity vs. Actual Sleep

Sleep opportunity means the time available for sleep.

Actual sleep means the time actually spent sleeping.

Complete the examples.

| Situation | Sleep Opportunity | Actual Sleep Estimate |

|---|---:|---:|

| In bed 10:00 p.m.-6:00 a.m.; asleep most of the time | 8 hours |

About |

| In bed 10:00 p.m.-6:00 a.m.; awake for 2 total hours | 8 hours |

About |

| In bed 12:30 a.m.-6:30 a.m.; asleep most of the time | 6 hours |

About |

| In bed 9:30 p.m.-6:30 a.m.; awake for 1 hour total | 9 hours |

About |

CHAPTER 30

B. Personal Sleep Reflection

This activity is for awareness only. It is not a diagnosis.

30.1 On a typical weekday:

I usually go to bed at:

I usually wake up at:

My sleep opportunity is about: hours

I estimate my actual sleep is about: hours

30.2 On a typical weekend or day off:

I usually go to bed at:

I usually wake up at:

My sleep opportunity is about: hours

I estimate my actual sleep is about: hours

C. What Do You Notice?

- ? I usually have at least 7 hours of sleep opportunity.
- ? I usually have less than 7 hours of sleep opportunity.
- ? I wake often during the night.
- ? I feel sleepy during the day.
- ? My schedule changes a lot between weekdays and weekends.
- ? I use screens close to bedtime.
- ? I drink caffeine late in the day.
- ? I am not sure how much I sleep.

One pattern I noticed:

<div style="page-break-after: always;"</div

Part 7: Sleep Habits That Help

Sleep habits do not guarantee perfect sleep, and they are not a substitute for clinical care when needed. However, many people can support sleep quality by improving daily routines and sleep environment.

A. Helpful Sleep-Supporting Habits

32.1 1. Keep a Consistent Schedule

Try to wake up around the same time most days. A consistent wake time can help stabilize the body clock.

32.2 2. Get Morning Light

Morning light helps signal daytime to the circadian system. If outdoor light is not practical or safe, bright indoor light may still help support alertness.

32.3 3. Create a Wind-Down Routine

A wind-down routine tells the brain and body that sleep is approaching. Examples:

- Dim lights
- Reduce stimulating tasks
- Prepare for the next day
- Read something calming
- Stretch gently
- Practice quiet breathing
- Avoid upsetting or intense content right before bed

32.4 4. Manage Caffeine Timing

Caffeine can remain active for hours. People who have trouble sleeping may benefit from avoiding caffeine later in the day.

Common caffeine sources include:

- Coffee
- Tea

- Energy drinks
- Cola
- Chocolate
- Some medications or supplements

32.5 5. Make the Sleep Environment Supportive

A helpful sleep environment is often:

- Dark or dim
- Quiet or with steady background sound
- Comfortable
- Cool enough for sleep
- Safe
- As free from interruptions as possible

32.6 6. Use Screens Thoughtfully

Screens can affect sleep through bright light, stimulation, stress, or time loss. Consider:

- Reducing screen use near bedtime
- Using night settings if needed
- Avoiding emotionally intense content before bed
- Charging devices away from the bed when possible

QRU | Understanding Sleep and Rest - Workbook | Page 12

<div style="page-break-after: always;">

Part 7 Continued: Sleep Habits That

Help

CHAPTER 33

B. Additional Habits That May Support Sleep

33.1 7. Move Your Body During the Day

Regular physical activity can support sleep for many people. Very intense activity right before bed may be stimulating for some people.

33.2 8. Be Careful With Long or Late Naps

Naps can be useful, especially when someone is sleep deprived. However, long or late naps may make it harder to fall asleep at night.

33.3 9. Avoid Using Alcohol as a Sleep Tool

Alcohol may make a person feel sleepy at first, but it can disrupt sleep quality later in the night. This workbook does not provide substance use treatment guidance. Anyone concerned about alcohol or substance use should speak with a qualified professional.

33.4 10. Do Not Force Sleep

Trying hard to force sleep can create stress. A calming routine and consistent schedule are usually more helpful than pressure or

frustration.

33.5 11. Protect Sleep Opportunity

If you need 7-9 hours of sleep, your schedule needs enough time in bed to allow that sleep to happen.

CHAPTER 34

C. Habit Reflection

Choose three habits that may support sleep quality.

| Habit | Do I already do this? | Could I improve it? |

|---|:---|:---|

| Consistent wake time | ? | ? |

| Morning light | ? | ? |

| Wind-down routine | ? | ? |

| Caffeine timing | ? | ? |

| Supportive sleep environment | ? | ? |

| Thoughtful screen use | ? | ? |

| Movement during the day | ? | ? |

| Nap timing | ? | ? |

| Protecting enough sleep opportunity | ? | ? |

One habit I want to strengthen:

Why I chose it:

<div style="page-break-after: always;">/div

Part 7 Continued: Build a Sleep-Support Plan

This plan is educational and practical. It is not medical treatment.

CHAPTER 35

A. My One-Week Sleep-Support Plan

Choose one small action for each category.

35.1 1. Schedule

This week, I will support my sleep schedule by:

35.2 2. Light and Screens

This week, I will manage light or screens by:

35.3 3. Evening Routine

This week, I will wind down by:

35.4 4. Sleep Environment

This week, I will adjust my sleep environment by:

35.5 5. Caffeine or Food Timing

This week, I will support sleep by:

CHAPTER 36

B. Make It Realistic

A good plan is specific and realistic.

| Weak Plan | Stronger Plan |

|---|---|

| "I'll sleep better." | "I'll start my wind-down routine at 10:00 p.m. on weeknights." |

| "I'll use my phone less." | "I'll charge my phone across the room after 10:15 p.m." |

| "I'll stop being tired." | "I'll set a reminder to prepare for bed 45 minutes earlier." |

My strongest sleep-support action:

CHAPTER 37

C. Memory Reinforcement

Complete the key idea:

Most adults need or more hours of sleep each night, and some adults need .

QRU | Understanding Sleep and Rest - Workbook | Page 14

<div style="page-break-after: always;">/div

Part 8: When to Seek Clinical Care

Many people have occasional poor sleep. Stress, travel, illness, caregiving, work schedules, and life changes can disrupt sleep temporarily.

However, some sleep concerns should be discussed with a qualified healthcare professional, especially when they are persistent, severe, or create safety risks.

This section is educational only. It does not diagnose sleep disorders.

CHAPTER 38

A. Clinical Warning Signs

Consider seeking clinical guidance if someone experiences:

- Ongoing difficulty falling asleep, staying asleep, or waking too early
- Sleep problems that continue for weeks or affect daily functioning

- Loud snoring with choking, gasping, or observed breathing pauses
 - Severe daytime sleepiness
 - Falling asleep during conversations, work, school, meals, or driving
 - Morning headaches along with poor sleep or breathing concerns
 - Restless, uncomfortable sensations in the legs that interfere with sleep
 - Unusual movements, behaviors, or confusion during sleep
 - Nightmares or sleep problems related to trauma or severe stress
 - Shift-work sleep problems that affect safety or functioning
 - Mood changes, anxiety, depression symptoms, or thoughts of self-harm
 - Use of alcohol, sedatives, or other substances to sleep
 - Sleep concerns during pregnancy, postpartum, or while managing medical conditions
 - Sleepiness or fatigue that does not improve despite adequate sleep opportunity
-

CHAPTER 39

B. Safety Warning: Drowsy Driving

Drowsy driving can be dangerous. Sleep loss can slow reaction time, reduce attention, and impair judgment.

Warning signs include:

- Heavy eyelids

- Frequent yawning
- Drifting from your lane
- Missing exits or turns
- Trouble remembering the last few miles
- Nodding off
- Difficulty keeping your head up

If someone is too sleepy to drive safely, resting quietly may not be enough. Safer options may include stopping in a safe location, arranging another ride, or delaying driving until adequately alert.

CHAPTER 40

C. Important Note About Emergencies

If someone has symptoms that feel urgent or dangerous, such as chest pain, trouble breathing while awake, fainting, severe confusion, or thoughts of self-harm, they should seek urgent or emergency help according to local emergency resources.

QRU | Understanding Sleep and Rest - Workbook | Page 15

<div style="page-break-after: always;">/div

Part 8 Continued: Clinical Care Practice

CHAPTER 41

A. Seek Care or Try a Basic Habit First?

Read each example. Mark the best educational response.

| Scenario | Basic Sleep Habit May Be Enough | Seek Clinical Guidance |

|---|:---|:---|

| 1. Someone stays up late once to finish a project and feels tired the next day. | ? | ? |

| 2. Someone has loud snoring, gasping, and observed breathing pauses. | ? | ? |

| 3. Someone feels sleepy while driving. | ? | ? |

| 4. Someone drinks coffee at 8 p.m. and cannot fall asleep that night. | ? | ? |

| 5. Someone has trouble sleeping for weeks and struggles at work. | ? | ? |

| 6. Someone uses alcohol every night to fall asleep. | ? | ? |

| 7. Someone has occasional poor sleep after travel but improves in a few days. | ? | ? |

| 8. Someone falls asleep during meals or conversations. | ? | ? |

—

CHAPTER 42

B. Safety Response Practice

A coworker says, "I only slept three hours, but I'll just open the window and drive home."

Write a safety-focused response.

C. Educational Boundary

Complete the sentence.

This workbook can help me learn about sleep, but it cannot
.

QRU | Understanding Sleep and Rest - Workbook | Page 16

<div style="page-break-after: always;">/div

Part 9: Practice Activities

Activity 1: Myth or Fact?

Write M for myth or F for fact.

1. Rest can reduce stress and fatigue for a while.
2. Rest fully replaces sleep if you lie still long enough.
3. Most adults need 7 or more hours of sleep per night.
4. Sleep is an active biological process.
5. Drowsy driving can be risky.
6. People always know when sleep loss affects their performance.
7. Sleep includes different stages such as non-REM and REM sleep.
8. A consistent wake time can support the body clock.

CHAPTER 45

Activity 2: Cause and Effect

Draw a line from each sleep-related issue to a possible effect.

| Sleep-Related Issue | Possible Effect |

|---|---|

| 1. Repeated short sleep | A. More stable circadian rhythm |

| 2. Consistent wake time | B. Slower reaction time |

| 3. Bright screens late at night | C. Less time for sleep stages |

| 4. Cutting sleep short | D. Delayed sleepiness or increased stimulation |

| 5. Drowsy driving | E. Increased crash risk |

Write your matches:

- 1.
- 2.
- 3.
- 4.
- 5.

CHAPTER 46

Activity 3: Sort the Habits

Place each habit in the best category.

46.1 Habits

A. Morning sunlight

- B. Late caffeine
- C. Consistent wake time
- D. Long late nap
- E. Calm wind-down routine
- F. Loud, bright sleep environment
- G. Screen-free bedtime period
- H. Enough time in bed

| Supports Sleep | May Interfere With Sleep |

|---|---|

|||

|||

|||

|||

|||

QRU | Understanding Sleep and Rest - Workbook | Page 17

<div style="page-break-after: always;">/div

Part 9 Continued: Practice Activities

CHAPTER 47

Activity 4: Read the Sleep Log

Review the sample sleep log.

| Day | Bedtime | Wake Time | Notes |

|---|---:|---:|---|

| Monday | 12:30 a.m. | 6:30 a.m. | Coffee at 5 p.m. |

| Tuesday | 12:15 a.m. | 6:30 a.m. | Scrolled phone in bed |

Wednesday	11:45 p.m.	6:30 a.m.	Woke twice
Thursday	1:00 a.m.	6:30 a.m.	Work deadline
Friday	12:45 a.m.	7:00 a.m.	Very sleepy driving
Saturday	2:00 a.m.	10:30 a.m.	Slept late
Sunday	12:30 a.m.	8:30 a.m.	Trouble falling asleep

47.1 1. What patterns do you notice?

47.2 2. Does this person usually have at least 7 hours of sleep opportunity on weekdays?

? Yes

? No

? Not enough information

Explain:

47.3 3. What safety concern appears in the log?

47.4 4. Choose two practical sleep-support changes this person might try.

Change 1:

Change 2:

CHAPTER 48

Activity 5: Teach It Back

Explain the main idea to someone younger or new to the topic.

Use these words: rest, sleep, repair, stages, 7 hours

QRU | Understanding Sleep and Rest - Workbook | Page 18

<div style="page-break-after: always;">/div

Part 9 Continued: Practice Activities

CHAPTER 49

Activity 6: The 3-2-1 Review

Write:

49.1 3 things sleep helps support:

- 1.
- 2.
- 3.

49.2 2 ways rest can help:

- 1.

2.

49.3 1 reason rest cannot fully replace sleep:

1.

CHAPTER 50

Activity 7: Personal Action Commitment

Choose one realistic action you can take this week.

My action:

When I will do it:

What might get in the way?

My backup plan:

How I will know it helped:

CHAPTER 51

Activity 8: Memory Sentence Final Practice

Fill in the missing words.

Rest can the , but sleep does the .

Now write it once without looking:

QRU | Understanding Sleep and Rest - Workbook | Page 19

<div style="page-break-after: always;">/div

Part 10: Final Review

CHAPTER 52

A. Core Concepts

52.1 1. Sleep is biologically essential.

Sleep supports the brain and body through active processes, including sleep stages and cycles.

52.2 2. Rest is helpful but not equal to sleep.

Rest can reduce stress and fatigue for a while. It can help the body pause. But rest does not fully reproduce sleep stages or sleep-specific biological processes.

52.3 3. Most adults need at least 7 hours.

Most adults need 7 or more hours of sleep per night. Some adults need more. Sleep quality matters too.

52.4 4. Habits can support sleep.

Helpful habits include a consistent schedule, morning light, a

wind-down routine, thoughtful screen use, caffeine timing, movement, and a supportive sleep environment.

52.5 5. Sleep problems sometimes need clinical care.

Persistent sleep problems, breathing concerns during sleep, severe daytime sleepiness, and safety risks such as drowsy driving should be discussed with a qualified healthcare professional.

CHAPTER 53

B. Final Review Table

Question	Short Answer
What is sleep?	A biological state with active brain and body processes.
What is rest?	Reduced activity or reduced stress.
Can rest replace sleep?	No. Rest helps, but it does not fully reproduce sleep.
How much sleep do most adults need?	7 or more hours per night.
Why does sleep loss affect safety?	It can slow reaction time, reduce attention, and impair judgment.
When should someone seek clinical guidance?	When sleep concerns are persistent, severe, breathing-related, or unsafe.

CHAPTER 54

C. Final Memory Set

Write the three key sentences.

1. Rest can pause the drain, but sleep does the repair.
2. Most adults need 7 or more hours of sleep each night.
3. Drowsy driving is a safety concern.

QRU | Understanding Sleep and Rest - Workbook | Page 20

<div style="page-break-after: always;">/div

Final Assessment

CHAPTER 55

Instructions

Answer each question. This assessment checks understanding of the workbook's main learning goals.

CHAPTER 56

Section A: Multiple Choice

Circle the best answer.

56.1 1. Which statement best describes sleep?

- A. Sleep is simply doing nothing.
- B. Sleep is an active biological process.
- C. Sleep is the same as lying quietly.
- D. Sleep only matters for energy.

Answer:

56.2 2. Which statement best describes rest?

- A. Rest means reduced activity or reduced stress.
- B. Rest always includes REM sleep.
- C. Rest fully replaces sleep.
- D. Rest is never useful.

Answer:

56.3 3. Most adults need:

- A. 3-4 hours of sleep per night
- B. Exactly 6 hours of sleep per night
- C. 7 or more hours of sleep per night
- D. Sleep only on weekends

Answer:

56.4 4. Circadian rhythm is:

- A. The body's internal timing system
- B. A type of caffeine
- C. A breathing exercise
- D. A sleep medication

Answer:

56.5 5. Sleep pressure:

- A. Decreases the longer you stay awake
- B. Is the biological drive to sleep that builds while awake
- C. Is the same as stress
- D. Only happens after exercise

Answer:

56.6 6. Drowsy driving is concerning because sleep loss can:

- A. Improve reaction time
- B. Slow reaction time and reduce attention
- C. Make driving safer
- D. Replace the need for sleep

Answer:

QRU | Understanding Sleep and Rest - Workbook | Page 21

<div style="page-break-after: always;">/div

Final Assessment Continued

CHAPTER 57

Section B: True or False

Write T for true or F for false.

1. Rest can help reduce stress.
 2. Rest fully reproduces all biological processes of sleep.
 3. Sleep includes stages such as non-REM and REM sleep.
 4. Sleep quality matters, not just time in bed.
 5. Loud snoring with gasping or breathing pauses should be ignored.
 6. A consistent wake time can support the body clock.
 7. Some people feel wired or irritable when sleep deprived.
 8. If someone is very sleepy while driving, opening a window is always enough.
-

CHAPTER 58

Section C: Short Answer

58.1 1. Explain the difference between rest and sleep.

58.2 2. Name three body or brain functions supported by enough good-quality sleep.

- 1.
- 2.
- 3.

58.3 3. Name three habits that can support better sleep quality.

- 1.
- 2.
- 3.

58.4 4. List two signs that someone should seek clinical guidance for sleep concerns.

- 1.
- 2.

58.5 5. Explain the memory sentence: "Rest can pause the drain, but sleep does the repair."

QRU | Understanding Sleep and Rest - Workbook | Page 22

<div style="page-break-after: always;">/div

Final Assessment Continued

CHAPTER 59

Section D: Application Scenario

Read the scenario and answer the questions.

Scenario:

Jordan sleeps about 5 hours on most weeknights. Jordan says, "It's

fine because I rest on the couch after work." Jordan has trouble focusing, feels irritable, and recently noticed feeling sleepy while driving home.

59.1 1. What is the main sleep concern in this scenario?

59.2 2. Is couch rest the same as sleep? Explain.

59.3 3. What safety concern appears in the scenario?

59.4 4. Name two practical sleep-support changes Jordan could consider.

1.

2.

59.5 5. Should Jordan consider speaking with a qualified healthcare professional if the sleepiness while driving continues or feels unsafe?

? Yes

? No

Explain:

Section E: Confidence Check

After completing this workbook, I can:

- | Skill | Not Yet | Somewhat | Yes |
- |---|:---|:---|:---|
- | Explain why sleep is biologically essential | ? | ? | ? |
- | Explain how rest differs from sleep | ? | ? | ? |
- | State adult sleep duration guidance | ? | ? | ? |
- | Identify sleep-supporting habits | ? | ? | ? |
- | Recognize warning signs for clinical guidance | ? | ? | ? |
- | Explain drowsy driving risk | ? | ? | ? |

QRU | Understanding Sleep and Rest - Workbook | Page 23

<div style="page-break-after: always;">/div

Answer Key and Facilitator Guide

Answer Key

60.1 Part 1: Warm-Up

- A1. Possible answers: irritability, cravings, poor focus, slow reaction time, sleepiness, accumulated sleep loss, safety risk while driving.
- A2. Yes. A quiet break may reduce stress and help the person feel calmer.

A3. No. Rest does not fully reproduce sleep stages or sleep-specific biological processes.

B. C

60.2 Part 2: Key Vocabulary

1. D

2. E

3. B

4. A

5. C

Memory sentence: Rest can pause the drain, but sleep does the repair.

60.3 Part 3: Guided Practice

A. Rest or Sleep

1. Rest

2. Rest

3. Sleep

4. Rest

5. Both

6. Rest

B. What Does Rest Help With?

Correct:

- Calming the nervous system

- Reducing immediate stress
- Giving muscles a break from effort
- Helping attention briefly recover

Incorrect:

- Replacing all sleep stages
- Completing all sleep-related memory processing
- Making someone safe to drive when they are very sleepy

C. What Does Sleep Help With?

All listed items are correct.

D. Sentence frames: Answers will vary. Look for the idea that sleep is biologically active, rest reduces strain, and rest cannot replace sleep stages/cycles.

60.4 Part 4: Why Sleep Matters

F1. B

F2. D

F3. A

G. active

60.5 Part 5: Rest vs. Sleep Practice

A. Scenario Sorting

1. R

2. S

3. R

- 4. B
- 5. R
- 6. S

B. Paragraph

Quiet rest can reduce stress and help a person feel calmer. However, it cannot fully replace sleep. Sleep is a biological process that includes sleep stages such as non-REM and REM sleep.

- C. Rest can pause the drain, but sleep does the repair.
- D. Answers should respectfully explain that couch rest or quiet rest may help calm the body, but actual sleep is needed for sleep stages and recovery processes.

<div style="page-break-after: always;">/div

Answer Key Continued

60.6 Part 6: How Much Sleep Do Adults Need?

C. Quick Calculation: 10:30 p.m. bedtime allows 8 hours before 6:30 a.m., not including time to fall asleep.

A. Sleep Opportunity vs. Actual Sleep

Situation	Expected Answer
In bed 10:00 p.m.-6:00 a.m.; asleep most of the time	About 8 hours

| In bed 10:00 p.m.-6:00 a.m.; awake for 2 total hours | About 6 hours |

| In bed 12:30 a.m.-6:30 a.m.; asleep most of the time | About 6 hours |

| In bed 9:30 p.m.-6:30 a.m.; awake for 1 hour total | About 8 hours |

Personal reflection answers will vary.

60.7 Part 7: Sleep Habits That Help

Responses will vary. Strong answers should be specific and realistic, such as:

- "I will start winding down at 10:00 p.m."
- "I will avoid caffeine after lunch."
- "I will charge my phone away from the bed."
- "I will keep my wake time consistent on weekdays."

Memory reinforcement: Most adults need 7 or more hours of sleep each night, and some adults need more.

60.8 Part 8: Clinical Care Practice

| Scenario | Best Educational Response |

|---|---|

| 1. Stays up late once and feels tired next day | Basic sleep habit may be enough |

| 2. Loud snoring, gasping, observed breathing pauses | Seek clinical guidance |

- | 3. Sleepy while driving | Seek clinical guidance / immediate safety response |
- | 4. Coffee at 8 p.m. and cannot sleep that night | Basic sleep habit may be enough |
- | 5. Trouble sleeping for weeks and struggles at work | Seek clinical guidance |
- | 6. Uses alcohol every night to fall asleep | Seek clinical guidance |
- | 7. Occasional poor sleep after travel, improves in days | Basic sleep habit may be enough |
- | 8. Falls asleep during meals or conversations | Seek clinical guidance |

B. Safety response: Answers should recommend not driving while too sleepy and choosing safer options such as stopping safely, arranging a ride, or delaying driving.

C. Educational boundary: diagnose, treat, or replace medical advice.

60.9 Part 9: Practice Activities

Activity 1: Myth or Fact

1. F
2. M
3. F
4. F
5. F
6. M
7. F
8. F

Activity 2: Cause and Effect

1. B
2. A
3. D
4. C
5. E

Activity 3: Sort the Habits

Supports Sleep: A, C, E, G, H

May Interfere With Sleep: B, D, F

Activity 4: Read the Sleep Log

1. Patterns: late bedtimes, short weekday sleep opportunity, caffeine late, phone in bed, weekend schedule shift, drowsy driving.
2. No. Weekday sleep opportunity is usually less than 7 hours or only around 6-6.75 hours.
3. Very sleepy driving.
4. Possible changes: earlier bedtime, consistent wake time, reduce late caffeine, reduce phone in bed, wind-down routine, protect sleep opportunity.

Activity 5: Answers should include the difference between rest and sleep and mention 7 hours, sleep stages, and repair/recovery processes.

Activity 6: Answers will vary.

Activity 8: Rest can pause the drain, but sleep does the repair.

<div style="page-break-after: always;">/div

Final Assessment Answer Key

CHAPTER 61

Section A: Multiple Choice

1. B
 2. A
 3. C
 4. A
 5. B
 6. B
-

CHAPTER 62

Section B: True or False

1. T
 2. F
 3. T
 4. T
 5. F
 6. T
 7. T
 8. F
-

Section C: Short Answer

63.1 1. Difference between rest and sleep

Strong answer: Rest is reduced activity or reduced stress while awake. Sleep is a biological state with sleep stages and active brain/body processes. Rest can help but cannot fully replace sleep.

63.2 2. Three functions supported by sleep

Any three:

- Memory
- Learning
- Attention
- Judgment
- Emotional regulation
- Immune regulation
- Metabolism
- Appetite regulation
- Reaction time
- Physical recovery
- Heart and blood vessel health support

63.3 3. Three habits that support sleep

Any three:

- Consistent wake time
- Morning light
- Wind-down routine

- Thoughtful screen use
- Avoid late caffeine
- Supportive sleep environment
- Regular daytime movement
- Avoid long or late naps
- Protect enough sleep opportunity

63.4 4. Two signs for clinical guidance

Any two:

- Persistent trouble falling or staying asleep
- Loud snoring with gasping or breathing pauses
- Severe daytime sleepiness
- Falling asleep while driving
- Falling asleep during conversations, meals, work, or school
- Sleep problems affecting daily functioning
- Unusual movements or behaviors during sleep
- Sleep problems with major mood concerns
- Using alcohol or sedatives to sleep
- Sleepiness despite adequate sleep opportunity

63.5 5. Memory sentence explanation

Strong answer: Rest can reduce stress and help someone pause from effort, but sleep is needed for sleep stages and biological recovery processes that rest cannot fully provide.

CHAPTER 64

Section D: Application Scenario

1. Jordan is regularly getting too little sleep and has daytime impairment.
 2. No. Couch rest can help reduce strain, but it does not fully replace sleep stages or sleep-specific biological processes.
 3. Sleepy driving.
 4. Possible changes: earlier bedtime, protect 7+ hours of sleep opportunity, reduce screens before bed, consistent wake time, wind-down routine, adjust caffeine timing, improve sleep environment.
 5. Yes. Sleepiness while driving is a safety concern, and persistent or unsafe sleepiness should be discussed with a qualified healthcare professional.
-

QRU | Understanding Sleep and Rest - Workbook | Page 26

<div style="page-break-after: always;">/div

Facilitator Guide

CHAPTER 65

Purpose

This workbook helps learners understand why sleep is biologically essential, how rest differs from sleep, how much sleep most adults need, which habits support sleep, and when clinical guidance may be needed.

CHAPTER 66

Recommended Use

Estimated time: 60-90 minutes

| Section | Suggested Time |

|---|---:|

| Learning Goals and Big Idea | 5 minutes |

| Warm-Up | 10 minutes |

| Vocabulary | 10 minutes |

| Guided Practice | 10 minutes |

| Why Sleep Matters | 10-15 minutes |

| Rest vs. Sleep | 10 minutes |

| Sleep Duration and Habits | 15 minutes |

| Clinical Warning Signs | 10 minutes |

| Practice Activities | 15-20 minutes |

| Final Assessment | 15-20 minutes |

This workbook can also be divided into two shorter sessions.

CHAPTER 67

Facilitation Notes

67.1 Tone

Use a practical, non-shaming tone. Many learners have sleep challenges because of work, caregiving, stress, health conditions, housing conditions, financial pressures, or safety issues. Avoid implying that sleep is only a matter of discipline.

67.2 Medical Boundary

Do not diagnose learners. If learners describe persistent or severe symptoms, breathing pauses during sleep, extreme daytime sleepiness, or drowsy driving, encourage them to speak with a qualified healthcare professional.

67.3 Safety Boundary

For drowsy driving discussions, emphasize immediate safety. Opening a window, turning up music, or relying on willpower may not be enough when someone is very sleepy.

CHAPTER 68

Teaching Emphasis

Reinforce these points throughout:

1. Sleep is active biology.
 2. Rest helps but does not replace sleep.
 3. Most adults need 7 or more hours.
 4. Sleep quality and sleep opportunity both matter.
 5. Persistent or unsafe sleep problems deserve clinical guidance.
-

CHAPTER 69

Discussion Prompts

Use any of the following:

1. Why might someone believe rest is the same as sleep?
 2. What is one way sleep loss can affect daily safety?
 3. Why is a consistent wake time helpful for the body clock?
 4. What makes a sleep habit realistic instead of unrealistic?
 5. How can we talk about sleep without blaming people who face barriers?
-

CHAPTER 70

Accessibility and Inclusion Options

- Allow learners to answer orally instead of writing.
 - Read scenarios aloud.
 - Use large-print copies if needed.
 - Let learners complete personal sleep reflections privately.
 - Avoid requiring learners to disclose medical or personal history.
 - Invite learners to adapt habits to their real circumstances.
 - Validate shift workers, caregivers, parents, and people with disrupted schedules while still teaching the biological importance of sleep.
-

CHAPTER 71

Suggested Scoring for Final Assessment

Total suggested score: 30 points

| Section | Points |

|---|---:|

| Section A: Multiple Choice | 6 points |

| Section B: True/False | 8 points |

| Section C: Short Answer | 10 points |

| Section D: Application Scenario | 6 points |

Suggested mastery: 24/30 or higher

If a learner scores below mastery, review:

- Rest vs. sleep
 - Adult sleep duration
 - Sleep stages and sleep pressure
 - Clinical warning signs
 - Drowsy driving safety
-

CHAPTER 72

Completion Statement

Learner has completed the QRU workbook:

Understanding Sleep and Rest

Learner Name:

Date Completed:

Facilitator Signature:

QRU | Understanding Sleep and Rest - Workbook | Page 27

<div style="page-break-after: always;">/div

QRU Closing Review

CHAPTER 73

Final Takeaway

Sleep is not a luxury and not a sign of laziness. Sleep is a biological need that supports learning, mood, attention, immune regulation, metabolism, physical recovery, and safety.

Rest matters too. Rest can calm the system, lower stress, and create a helpful pause.

But rest and sleep are not interchangeable.

Rest can pause the drain, but sleep does the repair.

CHAPTER 74

Learner Commitment

One thing I understand better now:

One sleep-supporting action I can try:

One warning sign I will take seriously:

© 2026 QRU. All rights reserved.

This workbook is for educational purposes only and is not medical advice.

QRU | Understanding Sleep and Rest - Workbook | Page 28

COLOPHON

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook was set in a classic serif text face chosen for comfortable long-form reading, with display typography in a complementary sans-serif.

Interior design and typesetting by QRU Press - QRU Publication Quality Standard(TM).

Continue your understanding at QRU:

