

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

QRU Press(TM)

QRU Press

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook

Copyright © 2026 QRU Press

All rights reserved.

No part of this book may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without written permission from the publisher, except by a reviewer who may quote brief passages in a review.

This work is provided for general educational purposes. It has been prepared with care and reviewed for accuracy; where a subject carries real-world consequences, consult a qualified professional. See the governance and disclaimer notes that follow.

First Edition

ISBN: (assigned at publication)

Published by QRU Press.

AI content disclosure: AI-assisted manufacturing; human-reviewed and human-approved.

FRONT MATTER

© 2026 QRU. All rights reserved.

All rights reserved. Classroom/family use license as stated at point of sale.

Product Governance Package(TM)

- This material is educational and reflects governed knowledge at time of manufacture.
- This material is educational and is not medical advice, diagnosis, or treatment. Consult a qualified healthcare professional for personal decisions.
- Health & Medical: This material is educational and is not medical advice, diagnosis, or treatment. Consult a qualified healthcare professional for personal decisions.

Manufactured by the QRU Factory(TM) from a Verified Knowledge Record(TM). AI assisted drafting and advisory scoring; all governed standards were checked by the Factory. AI advisory never approves, certifies, or publishes - governance authority is human/constitutional.

Accessibility: Plain-language explanation, defined vocabulary, and alt-text for visuals where applicable.

Table of Contents

FRONT MATTER

Title Page

Copyright

Table of Contents

CHAPTERS

Chapter 1

Understanding Sleep and Rest

1.1 Why Humans Need Sleep - and Why Rest Cannot Fully Replace It

Chapter 2

QRU Memory Sentence

Chapter 3

How to Use This Workbook

Chapter 4

Important Health Note

Chapter 5

A. Think About It

5.1 1. What signs suggest Jordan may not be getting enough sleep?

5.2 2. Did the quiet lunch break help Jordan?

5.3 3. Did the quiet lunch break fully replace the sleep Jordan missed?

Chapter 6

B. Quick Check: Sleep or Rest?

Chapter 7

Optional Discussion Prompt

Chapter 8

A. The Car Maintenance Analogy

Chapter 9

B. Guided Notes: What Sleep Supports

9.1 Word Bank

Chapter 10

C. Why Rest Helps - and Why It Is Not Enough

Chapter 11

A. Match the Sleep Connection

Chapter 12

B. Drowsy Driving Safety Check

12.1 1. What are two warning signs that Taylor may be too sleepy to drive safely?

12.2 2. What should Taylor do?

12.3 3. Why is drowsy driving dangerous?

Chapter 13

A. Sleep Diary

13.1 Sleep Diary Reflection

Chapter 14

B. Bedtime Routine Planner

14.1 My Target Bedtime

14.2 My Target Wake Time

14.3 My 30-60 Minute Wind-Down Plan

14.4 My Bedtime Routine Draft

Chapter 15

C. Screen and Caffeine Reflection

15.1 1. Screen Reflection

15.2 2. Caffeine Reflection

Chapter 16

D. Rest Menu: Healthy Ways to Pause the Drain

Chapter 17

E. Personal Sleep Action Plan

17.1 My Sleep Goal

17.2 My Reason

- 17.3 My Specific Plan
- 17.4 Possible Barrier
- 17.5 My Backup Plan
- 17.6 Confidence Rating

Chapter 18

Seek Care for Persistent Insomnia

Chapter 19

Seek Care for Loud Snoring or Pauses in Breathing

Chapter 20

Seek Care for Excessive Daytime Sleepiness

Chapter 21

Take Immediate Action for Unsafe Drowsy Driving

Chapter 22

Seek Care for Restless Legs Symptoms

Chapter 23

Seek Care for Shift-Work Sleep Problems

Chapter 24

Seek Care for Mood Concerns

Chapter 25

A. Multiple Choice

- 25.1 1. Most adults need about how much sleep per night?
- 25.2 2. Which statement is most accurate?
- 25.3 3. Which is a possible sign of sleep apnea?
- 25.4 4. Sleep supports emotional regulation by helping with:
- 25.5 5. Drowsy driving is dangerous because sleepiness can:

Chapter 26

B. Short Answer

- 26.1 1. Name three functions supported by sleep.
- 26.2 2. Explain the QRU Memory Sentence in your own words.
- 26.3 3. Give two examples of rest.
- 26.4 4. Give two examples of sleep habits that may support better

sleep.

26.5 5. List two sleep-related concerns that may require clinical care.

Chapter 27

C. Apply What You Learned

27.1 1. What sleep habits could Maya try changing?

27.2 2. What symptom suggests Maya should seek clinical care?

27.3 3. Why would rest alone not solve Maya's sleep problem?

Chapter 28

Part 1: Warm-Up

28.1 A. Think About It

28.2 B. Quick Check: Sleep or Rest?

Chapter 29

Part 2: Guided Practice

29.1 A. The Car Maintenance Analogy

29.2 B. Guided Notes: What Sleep Supports

29.3 C. Why Rest Helps - and Why It Is Not Enough

Chapter 30

Part 3: Sleep, Safety, and Daily Life

30.1 A. Match the Sleep Connection

30.2 B. Drowsy Driving Safety Check

Chapter 31

Part 4: Practical Sleep-Habit Activities

31.1 A. Sleep Diary

31.2 B. Bedtime Routine Planner

31.3 C. Screen and Caffeine Reflection

31.4 D. Rest Menu

31.5 E. Personal Sleep Action Plan

Chapter 32

Part 5: When to Seek Clinical Care

Chapter 33

Part 6: End-of-Workbook Review

33.1 A. Multiple Choice

33.2 B. Short Answer

33.3 C. Apply What You Learned

CHAPTER 1

Understanding Sleep and Rest

1.1 Why Humans Need Sleep - and Why Rest Cannot Fully Replace It

Name:

Date:

Class/Group:

CHAPTER 2

QRU Memory Sentence

Rest can pause the drain, but sleep does the repair.

CHAPTER 3

How to Use This Workbook

Use this workbook to learn, reflect, and build practical sleep habits. You may complete it independently, with a partner, or in a group.

Accessibility Supports

- Key terms are explained in plain language.
- Writing spaces are provided for short responses.
- Optional discussion prompts are included for classroom, coaching, or workplace learning.

- If writing is difficult, you may answer verbally, use bullet points, or draw your response.
-

CHAPTER 4

Important Health Note

This workbook is for education only. It does not diagnose or treat medical conditions. If you have ongoing sleep problems, loud snoring, pauses in breathing, unsafe daytime sleepiness, mood concerns, or other symptoms listed in the clinical care section, speak with a qualified healthcare professional.

Workbook Learning Outcomes

By the end of this workbook, you will be able to:

1. Define sleep, rest, and sleep quality in plain language.
2. Identify at least five body systems or functions supported by sleep.
3. Explain why rest can reduce stress and fatigue but cannot fully replace sleep.
4. Compare examples of sleep and rest using real-life scenarios.
5. Track sleep habits using a simple sleep diary.
6. Create a bedtime routine and personal action plan to support better sleep.
7. Recognize warning signs that may require clinical care.
8. Answer review questions about sleep duration, health effects, and safe decision-making.

Key Ideas

Sleep is not just "doing nothing." Sleep is an active biological process that supports the brain and body.

Sleep helps support:

- Brain function
- Learning and memory
- Immune regulation
- Cardiovascular health
- Metabolism
- Emotional regulation
- Reaction time and safety
- Physical and brain recovery

Most adults need at least 7 hours of sleep per night. Children and adolescents usually need more because their brains and bodies are still growing and developing.

Rest matters too. Rest means reducing physical, mental, or emotional demand. Rest can help a person feel calmer and less fatigued. However, rest does not fully replace sleep-dependent processes such as:

- Memory consolidation
- Hormonal regulation
- Some immune and metabolic processes
- Certain stages of physical recovery
- Brain cleanup and restoration processes that occur during sleep
- REM and non-REM sleep cycles that support emotion, learning, and recovery

Bottom line: Rest helps you recover from effort. Sleep helps your body and brain perform essential maintenance.

Plain-Language Definitions

- | Term | Plain-Language Meaning |
 - | ---|---|
 - | Sleep | A natural state when the brain and body cycle through stages that support repair, learning, regulation, and recovery. |
 - | Rest | A break from effort or stress. Rest can be physical, mental, emotional, social, or sensory. |
 - | Sleep quality | How well you sleep, including how long you sleep, how often you wake up, and whether you feel restored. |
 - | Circadian rhythm | The body's internal clock that helps regulate sleep and wake timing. |
 - | Insomnia | Ongoing trouble falling asleep, staying asleep, or waking too early, especially when it affects daytime life. |
 - | Sleep apnea | A sleep-related breathing disorder that may include loud snoring, choking/gasping, or pauses in breathing. |
 - | Drowsy driving | Driving while sleepy, which can slow reaction time and increase crash risk. |
-

Part 1: Warm-Up

CHAPTER 5

A. Think About It

Read the situation below.

Jordan has been staying up late all week. By Friday, Jordan feels irritable, craves high-calorie foods, struggles to focus at work, and reacts more slowly while driving. Jordan takes a quiet break during lunch and feels calmer afterward.

5.1 1. What signs suggest Jordan may not be getting enough sleep?

5.2 2. Did the quiet lunch break help Jordan?

Circle one:

Yes / No

Explain your answer.

5.3 3. Did the quiet lunch break fully replace the sleep Jordan missed?

Circle one:

Yes / No

Explain your answer.

CHAPTER 6

B. Quick Check: Sleep or Rest?

Write S for sleep, R for rest, or B for both.

1. Helps reduce physical or mental demand
 2. Supports brain function and body repair
 3. Can include taking a quiet break
 4. Is biologically essential
 5. Can help a person feel calmer
 6. Cannot be fully replaced by simply relaxing
-

CHAPTER 7

Optional Discussion Prompt

In pairs or small groups, discuss:

Why do people sometimes treat sleep as optional, even though the body needs it?

Notes:

Part 2: Guided Practice

CHAPTER 8

A. The Car Maintenance Analogy

Read the analogy.

Rest is like parking a car for a while so the engine cools down. Sleep is like taking the car into the shop for essential maintenance, system checks, and repairs.

Use the analogy to complete the chart.

Car Analogy Sleep and Rest Meaning	
--- ---	
Parking the car so the engine cools down	
Taking the car into the shop	
Essential maintenance and repairs	
Driving without maintenance for too long	

CHAPTER 9

B. Guided Notes: What Sleep Supports

Complete the sentences using the word bank.

9.1 Word Bank

- brain function
- immune regulation
- cardiovascular health
- metabolism
- emotional regulation
- physical recovery

1. Sleep supports , which affects how clearly a person thinks.
2. Sleep supports , which helps the body regulate defense and recovery systems.

3. Sleep supports , which is connected to heart and blood vessel health.
 4. Sleep supports , which affects how the body uses and stores energy.
 5. Sleep supports , which affects mood, patience, and stress response.
 6. Sleep supports , which helps the body recover from daily wear, activity, and strain.
-

CHAPTER 10

C. Why Rest Helps - and Why It Is Not Enough

Read each statement. Write T for true or F for false.

1. Rest can reduce stress and fatigue.
2. Rest can include quiet time, breathing exercises, stretching, or a break from screens.
3. Rest fully replaces the need for sleep.
4. Sleep supports memory consolidation and hormonal regulation.
5. A person can miss sleep all week and completely fix it with one short break.
6. Sleep and rest both matter for health.

Choose one false statement and correct it.

False statement number:

Correction:

Part 3: Sleep, Safety, and Daily Life

CHAPTER 11

A. Match the Sleep Connection

Match each sleep-related effect with the correct example.

- | | |
|------------------------------------|--|
| Sleep-Related Effect | Example |
| --- --- | |
| 1. Slower reaction time | A. Snapping at someone over a small problem |
| 2. Emotional regulation difficulty | B. Having trouble remembering what you studied |
| 3. Metabolism changes | C. Braking too late while driving |
| 4. Memory and learning difficulty | D. Craving high-calorie foods after a short night of sleep |
| 5. Immune regulation changes | E. Feeling more run-down and less resilient during a busy week |

Write the matching letter.

- 1.
- 2.
- 3.
- 4.
- 5.

CHAPTER 12

B. Drowsy Driving Safety Check

Read the situation.

Taylor slept only 4 hours last night and has a 45-minute drive home. Taylor keeps yawning, misses an exit, and notices heavy eyelids.

12.1 1. What are two warning signs that Taylor may be too sleepy to drive safely?

- 1.
- 2.

12.2 2. What should Taylor do?

Check all that apply.

- ☐ Keep driving and open the window only
- ☐ Pull over somewhere safe
- ☐ Call someone for a ride if possible
- ☐ Take public transportation, rideshare, or delay the trip if possible
- ☐ Use caffeine as a short-term alertness tool, but not as a replacement for sleep
- ☐ Ignore the signs because the drive is less than an hour

12.3 3. Why is drowsy driving dangerous?

Part 4: Practical Sleep-Habit Activities

A. Sleep Diary

Track your sleep for at least 3 nights. If possible, track for 7 nights.

Day	Bedtime	Estimated Time to Fall Asleep	Wake Time	Total Sleep Time	Night Wakings	Caffeine After Lunch?	Screen Use in Last Hour?	Morning Energy 1-5
---	---:	---:	---:	---:	---:	---	---	---:
Night 1		Yes / No	Yes / No					
Night 2		Yes / No	Yes / No					
Night 3		Yes / No	Yes / No					
Night 4		Yes / No	Yes / No					
Night 5		Yes / No	Yes / No					
Night 6		Yes / No	Yes / No					
Night 7		Yes / No	Yes / No					

13.1 Sleep Diary Reflection

- 1. On which night did you get the most sleep?
- 2. On which night did you feel the most rested the next morning?
- 3. Did caffeine, screens, stress, schedule, noise, or light seem to affect your sleep?
- 4. What pattern do you notice?

B. Bedtime Routine Planner

A bedtime routine helps signal to your body that sleep is approaching. Choose simple habits that are realistic for your life.

14.1 My Target Bedtime

I would like to be in bed by:

14.2 My Target Wake Time

I would like to wake up around:

14.3 My 30-60 Minute Wind-Down Plan

Check the habits you want to try.

- ☐ Dim lights
- ☐ Put phone away or use "Do Not Disturb"
- ☐ Read something calming
- ☐ Take a warm shower or bath
- ☐ Stretch gently
- ☐ Prepare clothes, bag, or lunch for tomorrow
- ☐ Write a short to-do list to clear my mind
- ☐ Practice breathing, prayer, meditation, or quiet reflection
- ☐ Listen to calming music or audio
- ☐ Avoid intense work, arguments, or stressful content near bedtime
- ☐ Other:

14.4 My Bedtime Routine Draft

Step 1:

Step 2:

Step 3:

Step 4:

CHAPTER 15

C. Screen and Caffeine Reflection

Screens and caffeine do not affect everyone in exactly the same way, but both can interfere with sleep for many people.

15.1 1. Screen Reflection

What do you usually do on a screen during the hour before bed?

How might this affect your sleep?

One screen habit I could try changing is:

15.2 2. Caffeine Reflection

List any caffeine you commonly use.

Examples: coffee, tea, soda, energy drinks, pre-workout drinks, chocolate.

What time do you usually have your last caffeine?

One caffeine habit I could test is:

CHAPTER 16

D. Rest Menu: Healthy Ways to Pause the Drain

Rest cannot replace sleep, but it can help reduce stress, overload, and fatigue.

Check three types of rest you could use this week.

- [] Physical rest: sitting, lying down, gentle stretching
- [] Mental rest: short break from problem-solving or decision-making
- [] Emotional rest: journaling, talking to a trusted person, quiet time
- [] Sensory rest: reducing noise, bright light, or screen stimulation
- [] Social rest: taking a break from social demands
- [] Spiritual or values-based rest: prayer, reflection, nature, meaning-making
- [] Creative rest: music, art, reading, or beauty without performance pressure

My three choices:

- 1.
 - 2.
 - 3.
-

E. Personal Sleep Action Plan

Choose one realistic sleep goal for the next week.

17.1 My Sleep Goal

This week, I will:

17.2 My Reason

This matters to me because:

17.3 My Specific Plan

I will do this on these days:

I will start at this time:

I may need support from:

17.4 Possible Barrier

One thing that might get in the way is:

17.5 My Backup Plan

If that happens, I will:

17.6 Confidence Rating

How confident are you that you can try this plan?

Circle one:

- 1 - Not confident
- 2 - Slightly confident
- 3 - Somewhat confident
- 4 - Confident
- 5 - Very confident

If your confidence is 1 or 2, make the plan smaller or easier.

Revised plan, if needed:

Part 5: When to Seek Clinical Care

Sleep problems are common, but some signs deserve professional support. Consider speaking with a healthcare professional, sleep specialist, mental health professional, or qualified clinician if you experience any of the following.

CHAPTER 18

Seek Care for Persistent Insomnia

Talk to a clinician if you regularly have trouble:

- Falling asleep
- Staying asleep
- Waking too early

- Feeling unrefreshed despite enough time in bed

This is especially important if it lasts for several weeks or affects school, work, mood, safety, or relationships.

CHAPTER 19

Seek Care for Loud Snoring or Pauses in Breathing

Get evaluated if you or someone else notices:

- Loud, frequent snoring
- Pauses in breathing during sleep
- Choking, gasping, or snorting awake
- Morning headaches
- Dry mouth on waking
- High blood pressure with poor sleep
- Daytime sleepiness despite enough time in bed

These may be signs of sleep apnea or another sleep-related breathing problem.

CHAPTER 20

Seek Care for Excessive Daytime Sleepiness

Talk with a clinician if you often:

- Fall asleep unintentionally
- Struggle to stay awake in class, meetings, or conversations

- Need frequent naps and still feel exhausted
 - Feel sleepy even after what should be enough sleep
-

CHAPTER 21

Take Immediate Action for Unsafe Drowsy Driving

If you are too sleepy to drive safely:

- Pull over somewhere safe.
- Do not rely only on opening a window, loud music, or willpower.
- Call someone, use public transportation or rideshare, delay the drive, or take a safe nap if appropriate.
- Caffeine may help short-term alertness, but it is not a replacement for sleep.

If drowsy driving happens repeatedly, seek clinical care and review your sleep schedule.

CHAPTER 22

Seek Care for Restless Legs Symptoms

Talk to a clinician if you experience:

- Uncomfortable sensations in the legs
- A strong urge to move the legs
- Symptoms that are worse at rest or in the evening

- Relief when moving
 - Sleep disruption because of leg discomfort
-

CHAPTER 23

Seek Care for Shift-Work Sleep Problems

If your work schedule makes sleep difficult, seek support if you have:

- Trouble sleeping during your available sleep window
 - Severe sleepiness during work
 - Frequent schedule changes that disrupt sleep
 - Safety concerns at work or while commuting
 - Mood, health, or performance problems connected to shift work
-

CHAPTER 24

Seek Care for Mood Concerns

Sleep and mental health influence each other. Reach out for professional support if sleep problems occur with:

- Ongoing sadness, hopelessness, or anxiety
- Panic symptoms
- Loss of interest in normal activities
- Irritability that feels hard to control
- Thoughts of self-harm or suicide

If you may harm yourself or someone else, seek emergency help

immediately through local emergency services or a crisis hotline in your area.

Part 6: End-of-Workbook Review

CHAPTER 25

A. Multiple Choice

Circle the best answer.

25.1 1. Most adults need about how much sleep per night?

- A. 3-4 hours
- B. At least 7 hours
- C. 12-14 hours
- D. Sleep is optional if you rest enough

25.2 2. Which statement is most accurate?

- A. Rest and sleep are exactly the same.
- B. Rest can help reduce stress and fatigue, but sleep is still biologically essential.
- C. Relaxing for 10 minutes replaces a full night of sleep.
- D. Only children need sleep.

25.3 3. Which is a possible sign of sleep apnea?

- A. Loud snoring with pauses in breathing

- B. Feeling bored during a movie
- C. Liking a quiet bedroom
- D. Going to bed at the same time each night

25.4 4. Sleep supports emotional regulation by helping with:

- A. Mood and stress response
- B. Shoe size
- C. Eye color
- D. Hair growth only

25.5 5. Drowsy driving is dangerous because sleepiness can:

- A. Improve reaction time
 - B. Slow reaction time and attention
 - C. Replace the need for brakes
 - D. Make driving safer
-

CHAPTER 26

B. Short Answer

26.1 1. Name three functions supported by sleep.

- 1.
- 2.
- 3.

26.2 2. Explain the QRU Memory Sentence in your own words.

Rest can pause the drain, but sleep does the repair.

26.3 3. Give two examples of rest.

- 1.
- 2.

26.4 4. Give two examples of sleep habits that may support better sleep.

- 1.
- 2.

26.5 5. List two sleep-related concerns that may require clinical care.

- 1.
- 2.

CHAPTER 27

C. Apply What You Learned

Read the scenario.

Maya sleeps 5 hours most nights. She drinks coffee late in the afternoon, scrolls on her phone in bed, and feels tired during the

day. Her partner says she snores loudly and sometimes seems to stop breathing during sleep.

27.1 1. What sleep habits could Maya try changing?

27.2 2. What symptom suggests Maya should seek clinical care?

27.3 3. Why would rest alone not solve Maya's sleep problem?

QRU Final Reflection

Complete the sentence.

The most important thing I learned about sleep and rest is:

One action I will try this week is:

Answer Key

CHAPTER 28

Part 1: Warm-Up

28.1 A. Think About It

1. What signs suggest Jordan may not be getting enough sleep?

Accept answers such as:

- Irritability
- Craving high-calorie foods
- Trouble focusing
- Slower reaction time while driving
- Staying up late all week
- Feeling worn down by Friday

2. Did the quiet lunch break help Jordan?

Correct answer: Yes

Explanation should include that the break helped Jordan feel calmer, reduced stress, or reduced immediate mental demand.

3. Did the quiet lunch break fully replace the sleep Jordan missed?

Correct answer: No

Explanation should include that rest can help with stress or fatigue, but it cannot fully replace sleep-dependent recovery, memory consolidation, hormonal regulation, and brain/body repair.

28.2 B. Quick Check: Sleep or Rest?

1. R - Helps reduce physical or mental demand
2. S - Supports brain function and body repair
3. R - Can include taking a quiet break

4. S - Is biologically essential
 5. B - Can help a person feel calmer
 6. S - Cannot be fully replaced by simply relaxing
-

CHAPTER 29

Part 2: Guided Practice

29.1 A. The Car Maintenance Analogy

Sample answers:

| Car Analogy | Sleep and Rest Meaning |

|---|---|

| Parking the car so the engine cools down | Rest reduces demand and helps the body calm down. |

| Taking the car into the shop | Sleep allows deeper biological maintenance. |

| Essential maintenance and repairs | Sleep supports memory, immune regulation, metabolism, hormones, and recovery. |

| Driving without maintenance for too long | Not getting enough sleep can lead to poor focus, slower reaction time, mood problems, and health strain. |

29.2 B. Guided Notes: What Sleep Supports

1. brain function
2. immune regulation
3. cardiovascular health

4. metabolism
 5. emotional regulation
 6. physical recovery
-

29.3 C. Why Rest Helps - and Why It Is Not Enough

1. T - Rest can reduce stress and fatigue.
2. T - Rest can include quiet time, breathing exercises, stretching, or a break from screens.
3. F - Rest fully replaces the need for sleep.
4. T - Sleep supports memory consolidation and hormonal regulation.
5. F - A person can miss sleep all week and completely fix it with one short break.
6. T - Sleep and rest both matter for health.

Sample corrections:

- Statement 3 correction: Rest helps, but it cannot fully replace sleep.
 - Statement 5 correction: A short break may help someone feel calmer, but it cannot fully repair repeated sleep loss.
-

CHAPTER 30

Part 3: Sleep, Safety, and Daily Life

30.1 A. Match the Sleep Connection

1. C - Slower reaction time: Braking too late while driving
 2. A - Emotional regulation difficulty: Snapping at someone over a small problem
 3. D - Metabolism changes: Craving high-calorie foods after a short night of sleep
 4. B - Memory and learning difficulty: Having trouble remembering what you studied
 5. E - Immune regulation changes: Feeling more run-down and less resilient during a busy week
-

30.2 B. Drowsy Driving Safety Check

1. Warning signs:

Accept answers such as:

- Yawning
- Missing an exit
- Heavy eyelids
- Slept only 4 hours
- Trouble staying alert

2. What should Taylor do?

Correct choices:

- ☒ Pull over somewhere safe
- ☒ Call someone for a ride if possible
- ☒ Take public transportation, rideshare, or delay the trip if possible
- ☒ Use caffeine as a short-term alertness tool, but not as a replacement for sleep

Incorrect choices:

- ☐ Keep driving and open the window only
- ☐ Ignore the signs because the drive is less than an hour

3. Why is drowsy driving dangerous?

Accept answers such as:

- It slows reaction time.
 - It reduces attention.
 - It increases crash risk.
 - A sleepy driver may drift, miss signs, or fall asleep.
-

CHAPTER 31

Part 4: Practical Sleep-Habit Activities

These activities are personal. Answers will vary.

31.1 A. Sleep Diary

A complete answer includes:

- Bedtime and wake time for at least 3 nights
- Estimated time to fall asleep
- Total sleep time
- Night wakings
- Caffeine and screen-use notes
- Morning energy rating

Reflection answers should identify at least one observed pattern, such as:

- "I slept better when I stopped caffeine earlier."
 - "I felt worse after using my phone in bed."
 - "My sleep was shorter on work nights."
 - "Stress seemed to make it harder to fall asleep."
-

31.2 B. Bedtime Routine Planner

A complete answer includes:

- Target bedtime
- Target wake time
- At least two selected wind-down habits
- A routine with 3-4 realistic steps

Example:

1. Dim lights at 9:30 p.m.
 2. Put phone on charger outside the bed area.
 3. Shower and prepare clothes for tomorrow.
 4. Read for 10 minutes and turn lights out at 10:15 p.m.
-

31.3 C. Screen and Caffeine Reflection

A complete answer includes:

- A description of screen use before bed
- A possible sleep effect
- One screen habit to test
- A list of caffeine sources
- Usual last caffeine time

- One caffeine habit to test

Example caffeine habit:

- "I will stop drinking coffee after 1:00 p.m. for one week."
-

31.4 D. Rest Menu

A complete answer includes three selected rest strategies. Answers will vary.

Example:

1. Take a 10-minute quiet break after work.
 2. Reduce screen noise before bed.
 3. Journal for five minutes when stressed.
-

31.5 E. Personal Sleep Action Plan

A complete answer includes:

- One specific sleep goal
- A reason
- Days and time
- Support needed
- Possible barrier
- Backup plan
- Confidence rating

Strong example:

"This week, I will put my phone away by 10:00 p.m. on Sunday

through Thursday because I want to feel more alert at work. If I forget, I will set a reminder alarm at 9:45 p.m."

CHAPTER 32

Part 5: When to Seek Clinical Care

No written answer is required unless assigned by an instructor. Learners should be able to identify that clinical care may be needed for:

- Persistent insomnia
 - Loud snoring or pauses in breathing
 - Excessive daytime sleepiness
 - Unsafe drowsy driving
 - Restless legs symptoms
 - Shift-work sleep problems
 - Mood concerns, especially severe or worsening symptoms
-

CHAPTER 33

Part 6: End-of-Workbook Review

33.1 A. Multiple Choice

1. B - At least 7 hours
2. B - Rest can help reduce stress and fatigue, but sleep is still biologically essential.
3. A - Loud snoring with pauses in breathing

4. A - Mood and stress response
 5. B - Slow reaction time and attention
-

33.2 B. Short Answer

1. Name three functions supported by sleep.

Accept any three:

- Brain function
- Memory and learning
- Immune regulation
- Cardiovascular health
- Metabolism
- Emotional regulation
- Physical recovery
- Reaction time and safety
- Hormonal regulation

2. Explain the QRU Memory Sentence in your own words.

Accept answers that include:

- Rest helps reduce stress or fatigue.
- Sleep does deeper biological repair and regulation.
- Rest is helpful but cannot fully replace sleep.

3. Give two examples of rest.

Accept examples such as:

- Quiet break
- Stretching
- Breathing exercise
- Meditation or prayer

- Sitting calmly
- Taking a screen break
- Listening to calming music
- Journaling
- Gentle walk

4. Give two examples of sleep habits that may support better sleep.
Accept examples such as:

- Consistent bedtime and wake time
- Reducing caffeine later in the day
- Limiting screens before bed
- Keeping the bedroom dark, quiet, and cool
- Creating a wind-down routine
- Avoiding intense work right before bed
- Getting morning light
- Using the bed mainly for sleep

5. List two sleep-related concerns that may require clinical care.
Accept examples such as:

- Persistent insomnia
- Loud snoring
- Pauses in breathing
- Excessive daytime sleepiness
- Unsafe drowsy driving
- Restless legs symptoms
- Shift-work sleep problems
- Mood concerns
- Choking or gasping during sleep

33.3 C. Apply What You Learned

1. What sleep habits could Maya try changing?

Accept answers such as:

- Increase sleep opportunity beyond 5 hours.
- Reduce or move caffeine earlier.
- Stop scrolling in bed.
- Create a wind-down routine.
- Keep a consistent sleep schedule.
- Reduce screen stimulation before bed.

2. What symptom suggests Maya should seek clinical care?

Correct answer should include:

- Loud snoring and possible pauses in breathing during sleep.

3. Why would rest alone not solve Maya's sleep problem?

Accept answers such as:

- Rest may reduce stress, but it does not replace sleep cycles.
- Rest cannot fully replace memory consolidation, hormonal regulation, breathing evaluation, or physical and brain recovery during sleep.
- Possible sleep apnea requires clinical evaluation, not just relaxation.

QRU-Reviewed Evidence-Informed Source List

The following sources support the key claims in this workbook

about sleep duration, immune regulation, cardiovascular health, metabolism, emotional regulation, and reaction time.

1. American Academy of Sleep Medicine and Sleep Research Society. Consensus recommendation that adults should sleep 7 or more hours per night on a regular basis to promote optimal health.

- Watson NF, Badr MS, Belenky G, et al. Sleep. 2015.

2. Centers for Disease Control and Prevention. Sleep and Sleep Disorders resources, including adult sleep duration, insufficient sleep, and drowsy driving safety.

- CDC Sleep and Sleep Disorders: <https://www.cdc.gov/sleep/>

3. National Heart, Lung, and Blood Institute. Sleep deprivation and deficiency information, including effects on heart health, immune function, metabolism, learning, and safety.

- NHLBI Sleep Deprivation and Deficiency: <https://www.nhlbi.nih.gov/health/sleep-deprivation>

4. National Institute of Neurological Disorders and Stroke. Brain basics on understanding sleep, including sleep stages, memory, brain function, and restoration.

- NINDS Brain Basics: Understanding Sleep: <https://www.ninds.nih.gov/>

5. Institute of Medicine. Sleep Disorders and Sleep Deprivation: An Unmet Public Health Problem. National Academies Press, 2006.

- Reviews public health impacts of sleep loss, safety, performance, and health outcomes.

6. Walker MP and Stickgold R. Research reviews on sleep, learning, and memory consolidation.

- Stickgold R, Walker MP. Nature Neuroscience. 2013.
7. Medic G, Wille M, Hemels ME. Short- and long-term health consequences of sleep disruption.
- Nature and Science of Sleep. 2017.
8. Killgore WDS. Effects of sleep deprivation on cognition, mood, and performance.
- Progress in Brain Research. 2010.

COLOPHON

QRU Factory Acceptance Test - Understanding Sleep and Rest - Workbook was set in a classic serif text face chosen for comfortable long-form reading, with display typography in a complementary sans-serif.

Interior design and typesetting by QRU Press - QRU Publication Quality Standard(TM).

Continue your understanding at QRU:

