

FULL WELLNESS FORM (RESEARCH-GRADE VERSION) – 3 VERSIONS MUST EXIST

VERSION 1

1. PLAYER & SESSION CONTEXT

- Player Name / ID
- Date
- Team / Squad
- Age Category (Youth / Adult) (*aligns with consensus classification*)
- Playing Level (Professional / Amateur / Recreational)

Exposure Context

- Previous Day:
 - ☐ Match
 - ☐ Football Training
 - ☐ Strength & Conditioning
 - ☐ Rest
 - Minutes Played (if match)
 - Training Duration (minutes)
-

2. AVAILABILITY STATUS (CRITICAL — MOST PEOPLE MISS THIS)

This is where most forms fail. This determines whether the player contributes to **time-loss data**.

Today, are you:

- ☐ Fully available (no restrictions)
- ☐ Available with modifications
- ☐ Unavailable for training
- ☐ Unavailable for match selection

If MODIFIED or UNAVAILABLE:

- Reason:
 - ☐ Injury
 - ☐ Illness
 - ☐ Fatigue / soreness
 - ☐ Other

◆ 3. HEALTH PROBLEM IDENTIFICATION (CORE OF FIFA MODEL)

You are now entering surveillance territory — this must be structured.

3.1 Do you have ANY physical complaint?

- ☐ No
- ☐ Yes

3.2 If YES → CLASSIFICATION

A. Type of Problem

- ☐ Injury (musculoskeletal)
- ☐ Illness

B. Onset Type

- ☐ Sudden (specific event)
- ☐ Gradual

C. Is this:

- ☐ New problem
- ☐ Recurrence (same injury, healed before)
- ☐ Exacerbation (never fully healed)

3.3 LOCATION (FOOTBALL-SPECIFIC BREAKDOWN)

(Aligned with consensus body areas)

- ☐ Head
- ☐ Neck

- ☐ Shoulder
 - ☐ Arm / Elbow
 - ☐ Wrist / Hand
 - ☐ Spine
 - ☐ Hip
 - ☐ Groin
 - ☐ Thigh (Hamstring / Quad)
 - ☐ Knee
 - ☐ Lower leg
 - ☐ Ankle
 - ☐ Foot
-

3.4 MECHANISM (if sudden injury)

- ☐ Running
 - ☐ Change of direction
 - ☐ Kicking
 - ☐ Landing
 - ☐ Tackle
 - ☐ Collision
 - ☐ Other
-

3.5 IMPACT ON PERFORMANCE

- ☐ No impact
 - ☐ Minor (can fully train)
 - ☐ Moderate (reduced performance)
 - ☐ Severe (cannot complete session)
-

3.6 TIME-LOSS STATUS (IMPORTANT)

- ☐ No time-loss expected
 - ☐ 1–3 days
 - ☐ 4–7 days
 - ☐ 8–28 days
 - ☐ 29+ days
-

◆ 4. PERCEPTUAL WELLNESS (NOW YOU EARN YOUR RPE DATA)

Use **1–10 scale (standardised anchors)** Ours at the moment is the **1-4 scale**.

Fatigue

1 = fully fresh
10 = completely exhausted

Muscle Soreness

1 = none
10 = severe pain

Sleep Quality

1 = very poor
10 = excellent

Stress (non-training)

1 = none
10 = extreme

Mood

1 = very low
10 = very positive

Energy Levels

1 = no energy
10 = high energy

◆ 5. CONTEXTUAL MODIFIERS (THIS IS WHERE YOU OUTCLASS OTHERS)

5.1 Sleep Quantity

- Hours slept: ____

5.2 Recovery Behaviours

- ☐ Nutrition on point
 - ☐ Hydration adequate
 - ☐ Recovery modalities used (ice bath, massage, etc.)
 - ☐ None
-

5.3 External Load Factors

- ☐ Travel
- ☐ Academic/work stress
- ☐ Personal stress
- ☐ None

5.4 Subjective Readiness

- ☐ Ready to train fully
- ☐ Slightly compromised
- ☐ Not ready

◆ TIER 1: DAILY WELLNESS (HIGH COMPLIANCE ENGINE)

VERSION 2

⚠ Rule:

If this takes longer than **2 minutes**, it's not feasible.

□ DAILY FORM STRUCTURE

1. Availability (NON-NEGOTIABLE)

- ☐ Fully available
- ☐ Modified training
- ☐ Unavailable

☞ This is your **anchor variable** (everything else revolves around this)

2. Health Problem Flag

- Do you have any physical complaint?
 - ☐ No
 - ☐ Yes

☞ No detail here — just detection

3. Perceptual Wellness (5 metrics max)

Use 1–10 scale:

- Fatigue
- Muscle soreness
- Sleep quality
- Stress
- Mood

☞ That's it.

4. Sleep Duration

- Hours slept: ____

5. Readiness

- ☐ Ready
- ☐ Slightly off
- ☐ Not ready

DAILY AUTO-FLAGS (THIS IS WHERE VALUE IS)

Your system should automatically flag:

● RED FLAGS

- Unavailable
- New complaint = YES
- Fatigue ≥ 8
- Sleep ≤ 5 hrs
- Sudden drop in mood

☐ AMBER FLAGS

- Modified training
- Soreness ≥ 7
- Stress ≥ 7

◆ TIER 2: WEEKLY DEEP CHECK (THE REAL WORK)

This is most NB as this one most closely aligns with FIFA/IOC properly.

☞ Only triggered:

- Once per week **OR**
- When daily flags appear

VERSION 3

☐ WEEKLY FORM STRUCTURE

1. HEALTH PROBLEM CLASSIFICATION

Any issue in past 7 days?

- ☐ No
 - ☐ Yes
-

If YES → Full classification:

Type:

- ☐ Injury
- ☐ Illness

Onset:

- ☐ Sudden
- ☐ Gradual

Status:

- ☐ New
- ☐ Recurrence
- ☐ Exacerbation

☞ This is directly aligned with consensus logic

2. LOCATION (MANDATORY DETAIL)

- Hip / Groin split (important)
- Thigh (Hamstring / Quad)
- Knee
- Ankle
- etc.

☞ This is what allows proper injury reporting later.

***CHECK DIFFERENT MUSCLE GROUPS AND CLASSIFICATIONS FROM ARTICLE
ALL NEED TO BE INCLUDED.***

3. MECHANISM (if applicable)

- Running
- Change of direction
- Landing
- Tackle
- Collision

☞ You're now collecting **action-based injury data** (rare and valuable)

4. IMPACT ON PARTICIPATION

- ☐ No impact
 - ☐ Reduced performance
 - ☐ Modified training
 - ☐ Missed sessions
-

5. TIME-LOSS TRACKING

- Days missed this week: ____
- Expected time-loss category:
 - 0
 - 1–3
 - 4–7
 - 8–28
 - 29+

☞ This aligns with severity classification

6. TRAINING LOAD CONTEXT

- Average RPE (week): ____
 - Total session load: ____
 - Matches played: ____
-

7. WELLNESS TREND REFLECTION

- Fatigue trend:
 - ☐ Improving
 - ☐ Stable
 - ☐ Worsening
 - Sleep trend:
 - ☐ Improving
 - ☐ Stable
 - ☐ Worsening
-

8. RECOVERY & LIFESTYLE

- Nutrition consistency (1–10)
 - Hydration (1–10)
 - Stress sources:
 - ☐ Football
 - ☐ Work/School
 - ☐ Personal
-

9. MEDICAL / STAFF INPUT (OPTIONAL BUT ELITE)

- Diagnosis (if confirmed)
 - Return-to-training date
 - Notes
-

WE NEED AN IMBEDDED WAY TO CHECK MORE FREQUENTLY IF SOMEONE NEEDS MORE EXTENSIVE QUESTIONING IN THIS REGARD.

SEE BELOW

HOW THE TWO TIERS CONNECT (THIS IS EVERYTHING)

DAILY → triggers WEEKLY deep dive

Example:

- Player reports:
 - Fatigue = 9
 - Soreness = 8
 - Modified training

☞ Automatically flagged → included in weekly deep check

WEEKLY → explains DAILY noise

Example:

- Weekly shows:
 - Gradual onset groin issue
 - Exacerbation

☞ Now your daily soreness spikes make sense

FIRST — WHAT “TRIGGERED” ACTUALLY MEANS

A trigger is NOT:

“Coach notices something and sends a form”

A trigger IS:

“System detects threshold breach → automatically assigns follow-up”. If there’s a human bottleneck, it won’t scale. And we more than likely can’t depend on clubs to do the deep analysis so we need an evergreen system that allows us to collect data the moment it detects a threshold breach.

POTENTIAL OPTIONS 1 BASIC, OPTION 2 IDEAL.

OPTION 1: SMART AUTOMATION (THIS IS WHAT YOU ACTUALLY WANT)

Now we build something closer to a real system.

METHOD A: GOOGLE FORMS + GOOGLE SHEETS + SCRIPT

Flow:

1. Player submits daily form
2. Data hits Google Sheet
3. Script runs:
 - Checks thresholds
 - If triggered → sends weekly form automatically

*Only drawback here is that there can’t be a feedback delay in receiving the weekly form automation.

Example logic (conceptually):

If:

- Fatigue ≥ 8
- OR soreness ≥ 8
- OR availability $\neq$ full

☞ THEN:

- Email / WhatsApp:
“You’ve been flagged for a weekly check-in” – that’s what the player then would be responsible for.
-

METHOD B: CONDITIONAL FORM REDIRECTION (VERY CLEAN)

This is underrated and simple.

In your DAILY FORM:

At the end, add:

“Based on your answers, you may need a deeper check.”

Then use logic:

If:

- Complaint = YES
- OR fatigue $\geq$ threshold

☞ Show section:

- “Please complete weekly deep check”

☞ OR redirect link to weekly form

Result:

- Player self-progresses into weekly
 - No admin needed
-

⚠ BUT HERE'S THE PROBLEM

However the risk this one poses is that, players will:

- Rush it
- Click through
- Give low-quality answers

☞ So don't rely on this alone, and players will always jippon the system to fill in a shorter form.

OPTION 2: HYBRID SYSTEM (BEST PRACTICAL SETUP)

This is the one I would push for us to begin to build or integrate.

FINAL SYSTEM FLOW

DAILY (automated collection)



SYSTEM FLAGS



2 OUTPUTS:

● 1. STAFF VIEW (SPORT SCIENTIST GETS NOTIFIED)

- Dashboard shows:
 - Flagged players
 - Trends
 - Risk levels
-

2. PLAYER ACTION

- ONLY flagged players receive:
 - Weekly form link before the week is up.
 - Short message:
“Quick check to help us manage your load better”
-

WEEKLY FORM RESPONSES



YOU INTERPRET + ACT

- Modify training
 - Flag medical
 - Adjust load
-

POTENTIAL CONSIDERATION IN DESIGN (AS ANOTHER LAYER TO MOVE INTO)

☞ The player should NOT feel like:
“I got flagged because something is wrong”

☞ Instead:
“This helps the staff manage me better”

WHAT WE’LL AIM TO AVOID.

1. Too many triggers

→ If everyone gets weekly → system collapses

☞ Fix:

- We have to be strict with thresholds
-

2. We need to have suggestion to action after weekly

→ Players stop caring

☞ Fix:

- Visible adjustments:
 - Modified training
 - Recovery focus
-

3. No feedback loop

→ Data becomes meaningless

☞ Fix:

- Weekly report to players:

- “Here’s what we’re seeing” – so some form of interpretation even if it’s a prompting of sorts to the areas that are outlined to empower player to what needs to be changed.
-