
RTI P-3 Exploded view



1 SL-1. Front 1 2 SL-2. Body P3 1 3 3. AR-15 Grip 1 4 3-2. Rail 20MOA 1 5 5. Right cover 1 6 6. Left Cover 1 7 7-610. Shroud 1 8 8. Shroud cap 1 9 9. Shroud thread cover 1 10 10. Barrel 1 11 11. Muzzle cap 1 12 SL-12. Cocking handle 1 13 SL-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking handle grip 2 21 21. Cocking rod short 1 22 Ball form 2 23 SL-23. Silder 1 24 24. Plenum cap 2	ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
3 3. AR-15 Grip 4 3-2. Roil 20MOA 5 5. Right cover 6 6. Left Cover 7 7-610. Shroud 8 8. Shroud cop 1 1 9 9. Shroud thread cover 10 10. Barrel 11 11. Muzzle cap 11 2 3L-12. Cocking rod link 14 Spring 5 15 Spring 1 16 SL-16. Cocking handle grip 17 17. Trigger blade 18 18. Safety knob 19 Spring 7 10 SL-20. Cocking rod 11 Sal-13. Cocking rod 11 Spring 7 12 SL-12. Cocking handle grip 12 Sung 7 13 Spring 1 14 Spring 7 15 Spring 1 16 SL-16. Cocking handle grip 17 Spring 7 18 Spring 7 19 Spring 7 10 SL-20. Cocking rod 10 SL-20. Cocking rod 11 Spring 7 11 Spring 7 12 SL-20. Cocking rod 11 Spring 7 12 Sung Spring 7 13 Sung Spring 7 14 Spring 7 15 Spring 7 16 Sung Spring 7 17 Spring 7 18 Spring 7 19 Spring 7 10 Sung Spring 7 10 Sung Spring 7 11 Spring 7 11 Spring 7 12 Sung Spring 7 11 Spring 7 12 Sung Spring 7 11 Spring 7 11 Spring 7 11 Spring 7 12 Sung Spring 7 11 Spring 7 11 Spring 7 12 Sung Spring 7 11 Spring 7 12 Sung Spring 7 11 Spring 7 12 Sung Spring 7 13 Sung Spring 7 14 Sung Spring 7 15 Spring 7 16 Sung Spring 7 17 Sung Spring 7 18 Sung Spring 7 19 Sung Spring 7 10 Sung Spring 7 10 Sung Spring 7 11 Sung Spring 7 12 Sung Spring 7 11 Sung Spring 7 12 Sung Spring 8	1	SL-1. Front		1
4 3-2. Rail 20MOA 1 5 5. Right cover 1 6 6. Left Cover 1 7 7-610. Shroud 1 8 8. Shroud cap 1 9 9. Shroud thread cover 1 10 10. Barrel 1 11 11. Muzzle cap 1 12 SL-12. Cocking handle 1 13 SL-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plostic tip 1 29 M5x4 DIN913 3 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Volve pin nut 1 34 34-3. Volve pin nut 1 35 SL-37-1. Retaining tube 1 36 M4x30 DIN791 1 37 M4x30 DIN791	2	SL-2. Body P3		1
5 5. Right cover 1 6 6. Left Cover 1 7 7-610. Shroud 1 8 8. Shroud cap 1 9 9. Shroud thread cover 1 10 10. Barrel 1 11 11. Muzzle cap 1 11 11. Muzzle cap 1 12 St-12. Cocking handle 1 13 St-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 St-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 St-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball dfmm 2 23 St-23. Slider 1 24 24. Plenum cap 2 25 St-25. Cocking handle screw spacer 1 26 St-26. P-3 Hammer 1 27 Ball detent	3	3. AR-15 Grip		1
6 6. Left Cover 7 7-610. Shroud 1 1 8 8 8. Shroud cap 9 9. Shroud thread cover 1 1 10 10. Barrel 11 11. Muzzle cap 1 1 12 SL-12. Cocking handle 13 SL-13. Cocking rod link 1	4	3-2. Rail 20MOA		1
7 7-610. Shroud 8 8. Shroud cap 9 9. Shroud thread cover 10 10. Barrel 11 11. Muzzle cap 12 SL-12. Cocking handle 13 SL-13. Cocking rod link 14 Spring 5 15 Spring 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 18 18. Safety knob 19 Spring 7 20 SL-20. Cocking rod 21 21. Cocking rod short 22 Ball form 23 SL-23. Slider 24 24. Plenum cap 25 SL-25. Cocking handle screw 26 SL-26. P-3 Hammer 27 Ball detent 28 M4x10 DIN913 Plastic tip 29 M5x4 DIN913 30 30. Locking screw spacer 31 31. Pusher guide 32 SL-35. Valve pin nut 34 34-3. Valve pin nut 35 SL-37-2. Connecting tube 37 M4x30 DIN7991 10 10. Barrel 1 1 1 1 1. Muzzle cap 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	5	5. Right cover		1
8 8. Shroud cap 1 9 9. Shroud thread cover 1 10 10. Barrel 1 11 11. Muzzle cap 1 12 St-12. Cocking handle 1 13 St-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 St-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 St-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 St-23. Slider 1 24 24. Plenum cap 2 25 St-25. Cocking handle screw 1 26 St-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide	6	6. Left Cover		1
9 9. Shroud thread cover 10 10. Barrel 11 11. Muzzle cap 11 11. Muzzle cap 11 12. SL-12. Cocking handle 11 13. SL-13. Cocking rod link 11 4 Spring 5 11 15 Spring 1 11 6 SL-16. Cocking handle grip 12 17. Trigger blade 18 18. Safety knob 19 Spring 7 10 SL-20. Cocking rod 10 12 1. Cocking rod short 10 21 21. Cocking rod short 11 22 Ball 6mm 12 23 SL-23. Slider 13 SL-23. Slider 14 24. Plenum cap 15 SL-26. Cocking handle screw 16 SL-26. P-3 Hammer 17 Ball detent 18 Max10 DIN913 Plastic tip 19 Spring 7 10 10 10 10 10 10 10 10 10 10 10 10 10 1	7	7-610. Shroud		1
10	8	8. Shroud cap		1
11 11. Muzzle cap 1 12 SL-12. Cocking handle 1 13 SL-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 25 SL-26. P-3 Hammer 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher ,22 1 33 3	9	9. Shroud thread cover		1
12 SL-12. Cocking handle 1 13 SL-13. Cocking rod link 1 14 Spring 5 1 1 15 Spring 1 1 1 16 SL-16. Cocking handle grip 2 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 1 1 1 1 1 1 1 1	10			1
13 SL-13. Cocking rod link 1 14 Spring 5 1 15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5.5. Pellet pusher .22 1 33 33-3. Valve pin P-3 1	11	11. Muzzle cap		1
14 Spring 5 1 15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 25 SL-25. Cocking handle screw 1 26 SL-25. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 <td>12</td> <td>SL-12. Cocking handle</td> <td></td> <td>1</td>	12	SL-12. Cocking handle		1
15 Spring 1 1 16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin Pu-3 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1	13	SL-13. Cocking rod link		1
16 SL-16. Cocking handle grip 2 17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve scal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1 <td>14</td> <td>Spring 5</td> <td></td> <td>1</td>	14	Spring 5		1
17 17. Trigger blade 1 18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve scal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1 </td <td>15</td> <td>Spring 1</td> <td></td> <td>1</td>	15	Spring 1		1
18 18. Safety knob 1 19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 39 M4x30 DIN7991 1	16	SL-16. Cocking handle grip		2
19 Spring 7 1 20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5.5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	17	17. Trigger blade		1
20 SL-20. Cocking rod 1 21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	18	18. Safety knob		1
21 21. Cocking rod short 1 22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	19	Spring 7		1
22 Ball 6mm 2 23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	20	SL-20. Cocking rod		1
23 SL-23. Slider 1 24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	21	21. Cocking rod short		1
24 24. Plenum cap 2 25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	22	Ball 6mm		2
25 SL-25. Cocking handle screw 1 26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	23	SL-23. Slider		1
26 SL-26. P-3 Hammer 1 27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	24	24. Plenum cap		2
27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	25			1
27 Ball detent 2 28 M4x10 DIN913 Plastic tip 1 29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	26	SL-26. P-3 Hammer		1
29 M5x4 DIN913 5 30 30. Locking screw spacer 1 31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 \$L-37-2. Connecting tube 1 38 \$L-37-1. Retaining tube 1 39 M4x30 DIN7991 1		Ball detent		2
30 30. Locking screw spacer 1	28	M4x10 DIN913 Plastic tip		1
31 31. Pusher guide 1 32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 \$L-37-2. Connecting tube 1 38 \$L-37-1. Retaining tube 1 39 M4x30 DIN7991 1	29	M5x4 DIN913		5
32 32-5,5. Pellet pusher .22 1 33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 \$L-37-2. Connecting 1 38 \$L-37-1. Retaining tube 1 39 M4x30 DIN7991 1	30	30. Locking screw spacer		1
33 33-3. Valve pin nut 1 34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	31	31. Pusher guide		1
34 34-3. Valve pin P-3 1 35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	32	32-5,5. Pellet pusher .22		1
35 35-3. Valve seal Prophet 1 36 36-3. Valve cylinder 1 37 \$\text{SL-37-2. Connecting tube} 1 38 \$\text{SL-37-1. Retaining tube} 1 39 \$\text{M4x30 DIN7991} 1	33	33-3. Valve pin nut		1
36 36-3. Valve cylinder 1 37 SL-37-2. Connecting tube 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	34	34-3. Valve pin P-3		1
37 SL-37-2. Connecting 1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	35	35-3. Valve seal Prophet		1
1 38 SL-37-1. Retaining tube 1 39 M4x30 DIN7991 1	36	36-3. Valve cylinder		1
39 M4x30 DIN7991 1	37	1		1
	38	SL-37-1. Retaining tube		1
40 M5x5 DIN913 2	39	M4x30 DIN7991		1
	40	M5x5 DIN913		2

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
41	41. Trigger arm		1
42	42. Clevis		1
43	43. Trigger link rod		1
44	M4x4 DIN913		3
45	45. Trigger sear		1
46	SL-46. Trigger pivot sear		1
47	M3x5 DIN913		3
48	O-ring pellet probe		1
49	M8x8 DIN913		1
50	M8x6 DIN913		3
51	M6x16 DIN912		1
52	52. Trigger axis		1
53	53. Safety ball 3mm		1
54	7-3. Recoil pad		1
55	7-5. Buttplate holder fixed		1
56	Spring 3		1
57	O-ring ID 4x1 NBR70		1
58	58. Trigger screw		3
59	M5x16 DIN7991		2
60	M3x6 DIN912		2
61	SL-61. Hammer spring adjuster screw		1
62	62. Trigger clip		1
63	63. Cocking handle plug		2
64	M3x6 DIN7991		12
65	Spring 2		2
66	M4x10 DIN912		1
67	M3x8 ISO7380-2		2
68	O-ring ID 6x1 NBR70		1
69	SL-69. Hammer spring adjuster		1
70	SL-70. Cheek riser		1
71	SL-71. Valve seat		1
72	SL-72. Port plug		1
73	M4x10 DIN7991		4
74	O-ring ID 7x1.5 NBR70		1
75	O-ring ID 5x1 NBR70		1
76	O-ring ID 6x1 NBR70 RED		1
77	O-ring ID 17x2 NBR70		1
78	O-ring ID 20x2.5 NBR70		2
79	O-ring ID 12x1.5 NBR70		3
80	O-ring ID 3x2 NBR70		2
81	O-ring ID 10x1.5 NBR70		1
82	O-ring ID 5x2 NBR70		1
83	O-ring ID 6x1.5 NBR90		1