

```

import React, { useState, useRef, useEffect } from 'react';

// Artifact: Radiometric Aeon-Singularity
// Tier: 7
// Synthesized by AlchemyForge.app Engine
// -----

export default function RadiometricAeonSingularityCard() {
  const cardRef = useRef(null);
  const rARef = useRef(null);
  const [tilt, setTilt] = useState({ active: false, mouseX: 150, mouseY: 210 });
  const [physicsState, setPhysicsState] = useState({ currentX: 0, currentY: 0,
targetX: 0, targetY: 0 });
  const [glareAngle, setGlareAngle] = useState(0);

  // Archangel Derived Physics Parameters
  const mass = 5;
  const friction = 0.8;
  const glareType = 'linear-sheen';
  const cursorBehavior = 'neutral';

  useEffect(() => {
    const loop = () => {
      setPhysicsState(prev => {
        const lerpFactor = Math.max(0.01, Math.min(1, 1 / (mass * friction)));
        const dx = prev.targetX - prev.currentX;
        const dy = prev.targetY - prev.currentY;
        return {
          ...prev,
          currentX: prev.currentX + dx * lerpFactor,
          currentY: prev.currentY + dy * lerpFactor
        };
      });
      rARef.current = requestAnimationFrame(loop);
    };
    rARef.current = requestAnimationFrame(loop);
    return () => cancelAnimationFrame(rARef.current);
  }, [mass, friction]);

  const handleMouseMove = (e) => {
    if (!cardRef.current) return;
    const rect = cardRef.current.getBoundingClientRect();
    const x = e.clientX - rect.left;
    const y = e.clientY - rect.top;

```

```

const centerX = rect.width / 2;
const centerY = rect.height / 2;

const angle = Math.atan2(y - centerY, x - centerX) * (180 / Math.PI);
setGlareAngle(angle);

const maxTilt = 35;
let targetTiltX = ((y - centerY) / centerY) * -maxTilt;
let targetTiltY = ((x - centerX) / centerX) * maxTilt;

if (cursorBehavior === 'repel') { targetTiltX *= -1.5; targetTiltY *= -1.5; }
else if (cursorBehavior === 'attract') { targetTiltX *= 1.5; targetTiltY *=
1.5; }
else if (cursorBehavior === 'heavy') { targetTiltX *= 0.5; targetTiltY *= 0.5;
}

setTilt({ active: true, mouseX: x, mouseY: y });
setPhysicsState(prev => ({ ...prev, targetX: targetTiltX, targetY: targetTiltY
}));
};

const handleMouseLeave = () => {
  setTilt(prev => ({ ...prev, active: false }));
  setPhysicsState(prev => ({ ...prev, targetX: 0, targetY: 0 }));
};

const getTransitionStyle = () => {
  if (tilt.active) return 'transform 0.1s cubic-bezier(0.25, 0.8, 0.25, 1)';
  return 'transform 0.6s cubic-bezier(0.25, 0.8, 0.25, 1)';
};

const getHoverTransform = () => {
  let base = `perspective(1200px) rotateX(${physicsState.currentX}deg)
rotateY(${physicsState.currentY}deg)`;
  if (tilt.active) {
    return `${base} scale3d(1.05, 1.05, 1.05) translateZ(30px)`;
  }
  return `perspective(1200px) rotateX(0deg) rotateY(0deg) scale3d(1, 1, 1)
translateZ(0)`;
};

let activeGlareStyle = {
  position: 'absolute', inset: 0, pointerEvents: 'none', zIndex: 20,
  opacity: tilt.active ? 1 : 0, transition: 'opacity 0.4s ease-in-out',
  transform: 'translateZ(1px)'
};

```

```

    if (glareType === 'radial-spotlight') {
      activeGlareStyle.background = `radial-gradient(circle at ${tilt.mouseX}px
${tilt.mouseY}px, rgba(255,255,255,0.4) 0%, transparent 60%)`;
      activeGlareStyle.mixBlendMode = 'overlay';
    } else if (glareType === 'aurora-wash') {
      activeGlareStyle.background = `linear-gradient(${glareAngle}deg, #e0f7fa00 0%,
#e0f7fa80 50%, #7c4dff00 100%)`;
      activeGlareStyle.mixBlendMode = 'color-dodge';
    } else if (glareType === 'none') {
      activeGlareStyle.display = 'none';
    } else {
      activeGlareStyle.background = `linear-gradient(${glareAngle}deg,
rgba(255,255,255,0) 0%, rgba(255,255,255,0.92) 50%, rgba(255,255,255,0) 100%)`;
      activeGlareStyle.mixBlendMode = 'color-dodge';
    }
  }

  return (
    <div style={{ position: 'relative', width: '300px', height: '420px' }}>
      {/* Archangel Generated Dynamic CSS */}
      <style dangerouslySetInnerHTML={{ __html: `
        @keyframes customPulse-RadiometricAeonSingularity { 0%, 100% { transform:
scale(1); } 50% { transform: scale(1.03); } }
        .custom-anim { animation: customPulse-RadiometricAeonSingularity 4s ease-in-
out infinite; }
      ` }} />

      {/* Archangel Generated Dynamic SVG Filter */}
      <svg style={{ position: 'absolute', width: 0, height: 0 }}>
        <filter id="filter-RadiometricAeonSingularity" dangerouslySetInnerHTML={{
__html: `
          <feTurbulence type="fractalNoise" baseFrequency="0.01" numOctaves="3"
result="noise" />
          <feDisplacementMap in="SourceGraphic" in2="noise" scale={tilt.active ? 15 :
5} xChannelSelector="R" yChannelSelector="G" />
        ` }} />
      </svg>

      <div
        ref={cardRef}
        onMouseMove={handleMouseMove}
        onMouseLeave={handleMouseLeave}
        className="custom-anim"
        style={{
          position: 'relative',
          width: '100%',
          height: '100%',
          borderRadius: '2rem',

```

```

border: '2px solid #e0f7fa',
overflow: 'hidden',
display: 'flex',
flexDirection: 'column',
justifyContent: 'space-between',
padding: '24px',
cursor: 'pointer',
transform: getHoverTransform(),
transition: getTransitionStyle(),
background: `radial-gradient(circle at center, #0a0015 0%, #010103
100%)`,
backgroundSize: 'cover',
backgroundPosition: 'center',
backgroundBlendMode: 'normal',
boxShadow: tilt.active
  ? `0 20px 60px #e0f7fa80, inset 0 0 20px #e0f7fa40`
  : `0 10px 30px rgba(0,0,0,0.5)`,
filter: 'url(#filter-RadiometricAeonSingularity)',
color: 'white',
fontFamily: 'system-ui, sans-serif',
boxSizing: 'border-box'
}}
>
<div style={activeGlareStyle} />

{/* Content Header */}
<div style={{ position: 'relative', zIndex: 10, transform: tilt.active ?
'translateZ(40px)' : 'translateZ(0)', transition: 'transform 0.3s' }}>
  <div style={{ display: 'flex', justifyContent: 'space-between',
alignItems: 'flex-start', marginBottom: '24px' }}>
    <div style={{
      padding: '12px', borderRadius: '16px', background:
'rgba(0,0,0,0.6)', backdropFilter: 'blur(12px)',
      border: '1px solid rgba(255,255,255,0.1)', color: '#e0f7fa',
      boxShadow: '0 0 20px rgba(0,0,0,0.6)'
    }}>
      ✦
    </div>
    <span style={{
      fontSize: '10px', fontWeight: 900, letterSpacing: '0.1em',
textTransform: 'uppercase',
      padding: '6px 12px', borderRadius: '999px', background:
'rgba(0,0,0,0.8)',
      backdropFilter: 'blur(12px)', border: '1px solid
rgba(255,255,255,0.1)'
    }}>
      Tier 7

```

```
        </span>
    </div>

    <div style={{
        padding: '16px', borderRadius: '16px', background: 'rgba(0,0,0,0.4)',
        backdropFilter: 'blur(12px)',
        border: '1px solid rgba(255,255,255,0.05)'
    }}>
        <h3 style={{ fontSize: '24px', fontWeight: 900, margin: '0 0 4px 0',
        textShadow: '0 0 20px #e0f7fa80' }}>
            Radiometric Aeon-Singularity
        </h3>
        <p style={{ fontSize: '12px', fontWeight: 700, textTransform:
        'uppercase', letterSpacing: '0.05em', color: '#ffffff', margin: 0 }}>
            The Convergence of Isentropic Fluidity and Gravitational Tension
        </p>
    </div>
</div>
```

```
    /* Content Body */
    <div style={{ position: 'relative', zIndex: 10, marginTop: 'auto',
    transform: tilt.active ? 'translateZ(50px)' : 'translateZ(0)', transition:
    'transform 0.3s' }}>
        <div style={{
            padding: '16px', borderRadius: '16px', background: 'rgba(0,0,0,0.4)',
            backdropFilter: 'blur(12px)',
            border: '1px solid rgba(255,255,255,0.05)'
        }}>
```

```
            <p style={{ fontSize: '13px', lineHeight: 1.6, fontWeight: 500,
            margin: 0, color: '#e2e8f0' }}>
```

A high-tier UI construct that manifests as a localized event horizon governed by radiometric flux. It synthesizes the bifurcated energy fields of a flux-singularity with the non-Euclidean flow of an isentropic manifold, resulting in an interface that collapses into a point of infinite density upon interaction before expanding into a shimmering lattice of etheric trajectories.

```
        </p>
    </div>
</div>
</div>
</div>
);
}
```