DANIO PROJECT

W

Weave design specimen

Functional Petri nets

Draft specification / Release 0.2-draft

Danio project

REFERENCE SNAPSHOT / SHA-256

f65b8bf08a285f82476a54bee836a21b4a556dc6b58d65dfc489b83cc8f28412

Specification

1 Typography & structure **2**
1.1 Reference material 2
1.2 Code and exact tokens 2
1.3 Mathematical notation 3
1.4 Notes and alternatives 3

2 Reading this specimen **4**

Index **5**

Functional Petri nets. A considered reading experience for a precise language.

Important

Design specimen

This is sample content used to validate the documentation design. It does not define Weave syntax or semantics, and its fingerprint is synthetic.

CHAPTER 1

Typography & structure

This specimen exercises the layouts used in a technical specification: prose, literal tokens, definitions, cross-references, equations, and tabular data. The examples below describe the documentation system, not the Weave language.

1.1 Reference material

specimen
: A sample document used to inspect a typesetting system.

reference snapshot
: The source snapshot identified by the digest in the provenance file.

Use named labels for durable links, such as *definitions* (page 2). Glossary terms such as *specimen* remain linked in both formats.

Table 1.1: Presentation features

Element	HTML	PDF
Navigation	Search and navigation	Contents and bookmarks
Examples	Coloured, copyable code	Framed, wrapped listings
References	Linked labels	Links and page references

As shown in Table 1.1, each output has a distinct reading model.

1.2 Code and exact tokens

Inline tokens such as `$`, `...`, and `->` keep their literal spelling. This is a plain-text token specimen, not an example program.

Listing 1.1: Literal token specimen

```
$amount ... -> result
alpha beta gamma
{ [ ( ) ] }
unicode: λ ∀ ∈ →
```

The next listing is a Python example for testing syntax colours only.

Listing 1.2: A documentation build helper

```python
from pathlib import Path

def read_source(path: Path) -> str:
    """Read a source document without changing its contents."""
    return path.read_text(encoding="utf-8")
```

1.3 Mathematical notation

An ordinary mathematical identity exercises the browser and PDF renderers:

$$\sum_{k=1}^{n} k = \frac{n(n+1)}{2} \tag{1.1}$$

The linked reference Eq. 1.1 should resolve in both outputs.

1.4 Notes and alternatives

Warning

Requirements should remain visible. Reserve collapsible content for explanatory details that readers can safely skip.

Implementation note

This explanatory paragraph must also appear in the PDF.

HTML

HTML tab body: search, navigation, and a selectable colour mode.

PDF

PDF tab body: stable pagination, bookmarks, and vector text.

The PDF should include both tab bodies, regardless of the active browser tab.

CHAPTER 2

Reading this specimen

The HTML and PDF share a restrained teal palette. The browser layout adapts to the viewport, while the PDF uses a dedicated cover, a contents page, and book-like serif typography. Neither output relies on remote fonts.

> **Note**
>
> This page demonstrates presentation only. The production configuration retains the existing Weave lexer, checks, and single-page extension.

Index

R

`reference snapshot`, **2**

S

`specimen`, **2**
    `typography`, 3