



Pages by Rank - 0




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 500




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 1000



The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 1500




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 2000




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 2500




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 3000




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 3500




The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 4000



The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.

Pages by Rank - 4500



The trends of Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874, Avg. 1875-1899, Avg. 1600-1624, Avg. 1625-1649, Avg. 1650-1674, Avg. 1675-1699, Avg. 1700-1724, Avg. 1725-1749, Avg. 1750-1774, Avg. 1775-1799, Avg. 1800-1824, Avg. 1825-1849, Avg. 1850-1874 and Avg. 1875-1899 for Kmeans Cluster. Color shows sum of Complex Substance (Locke) <> Mixed Modes (Locke). For pane Measure Values: The marks are labeled by Word. For pane Measure Values (2): Details are shown for Word. The data is filtered on Pos, Corr W Clust P, Polyfit P and Rank. The Pos filter keeps nn1. The Corr W Clust P filter ranges from 1.632291752e-06 to 0.05. The Polyfit P filter ranges from 1.393019330e-05 to 0.05. The Rank filter ranges from 126 to 5000. The view is filtered on Word, which keeps multiple members.