




Quadro authentication with M2M (Client credentials)



Example in Postman

Configure New Token

Token Name	QuadroM2M
Grant type	Client Credentials
Access Token URL	https://api.quadro.nl/2.0/oauth2/token
Client ID	
Client Secret	
Scope	e.g. read:org
Client Authentication	Send as Basic Auth header
Advanced	
Refresh Token URL	https://api.quadro.nl/2.0/oauth2/token

Token Request

	Key	Value	Send In
☒	audience		Request Body
	Create parameter	Value	

Refresh Request

	Key	Value	Send In
	Create parameter	Value	

Clear cookies

Get New Access Token

Fill in these details:

- Token Name (any name you want)
- Grant type -> Client Credentials
- Access Token URL (provided by Quadro)
- Client ID (provided by Quadro)
- Client Secret (provided by Quadro)
- Client Authentication -> Send as Basic Auth header
- Add Token Request key: audience (value provided by Quadro)

Headers
 [Hide auto-generated headers](#)

	Key	
☒	Authorization	i
☒	Postman-Token	i
☒	Host	i
☒	User-Agent	i
☒	Accept	i
☒	Accept-Encoding	i
☒	Connection	i
☒	X-Org-Id	
	Key	

Add custom header X-Org-Id with the org id provided by Quadro. This is needed to identify from which company your doing the requests.

Quadro Swagger files

It is possible to obtain the Swagger files on [https://\[quadro_base_url\]/swagger](https://[quadro_base_url]/swagger)
 You must login to get access to the pages. You'll need elevation for that.
 The full URL will be provided by Quadro.