42 Evals

Points earned
0

Back to all evaluation sheets

CPP Module 01

You should evaluate 1 student in this team

Introduction

Please follow the rules below:

- Remain polite, courteous, respectful, and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is being evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only if the peer-evaluation is done seriously.

Guidelines

Please follow the guidelines below:

- Only grade the work that was turned in to the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases were used to fool you into evaluating something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to

facilitate the grading (scripts for testing or automation).

- If you have not completed the assignment you are going to evaluate, you must read the entire subject prior to starting the evaluation process.

- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth. In these cases, the evaluation process ends and the final grade is 0, or -42 in the case of cheating. However, except for cheating, students are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.

- Remember that for the duration of the defense, no segfaults or other unexpected, premature, or uncontrolled terminations of the program will be tolerated, else the final grade is 0. Use the appropriate flag.

- You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explain the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

- You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e_fence. In case of memory leaks, tick the appropriate flag.

Attachments

Please download the attachments below:

subject.pdf

Mandatory Part

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Prerequisites

The code must compile with c++ and the flags -Wall -Wextra -Werror

Don't forget this project has to follow the C++98 standard. Thus, C++11 (and later) functions or containers are NOT expected.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header file (except for template functions).
- A Makefile compiles without the required flags and/or another compiler than `c++`.

Any of these means that you must flag the project with "Forbidden Function":

- Use of a "C" function (*alloc, *printf, free).
- Use of a function not allowed in the exercise guidelines.
- Use of "using namespace <ns_name>" or the "friend" keyword.
- Use of an external library, or features from versions other than C++98.

Yes No

Exercise 00: BraiiiiiiinnnzzzZ

The goal of this exercise is to understand how to allocate memory in C++.

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

Zombie Class

Zombie Class

There is a Zombie Class.

It has a private name attribute.

It has at least a constructor.

It has a member function announce(void) that prints: "<name>: BraiiiiiiinnnzzzZ..."

The destructor prints a debug message that includes the name of the zombie.

Yes No

newZombie

newZombie

There is a newZombie() function prototyped as: [Zombie* newZombie(std::string name);]

It should allocate a Zombie on the heap and return it.

Ideally, it should call the constructor that takes a string and initializes the name.

The exercise should be marked as correct if the Zombie can announce itself with the name passed to the function.

There are tests to prove everything works.

The zombie is deleted correctly before the end of the program.

Yes No

randomChump

randomChump

There is a randomChump() function prototyped as: [void randomChump(std::string name);]

It should create a Zombie on the stack, and make it announce itself.

Ideally the zombie should be allocated on the stack (so implicitly deleted at the end of the function). It can also be allocated on the heap and then explicitly deleted.

The student must justify their choices.

There are tests to prove everything works.

Yes No

Exercise 01: Moar brainz!

The goal of this exercise is to allocate a number of objects at the same time using new[], initialize them, and to properly delete them.

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

zombieHorde

zombieHorde

The Zombie Class has a default constructor.

There is a zombieHorde() function prototyped as: [Zombie* zombieHorde(int N, std::string name);]

It allocates N zombies on the heap explicitly using new[].

After the allocation, there is an initialization of the objects to set their name.

It returns a pointer to the first zombie.

There are enough tests in the main to prove the previous points.

Like: calling announce() on all the zombies.

Last, all the zombies should be deleted at the same time in the main.

Yes No

Exercise 02: HI THIS IS BRAIN

Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references! Demystify references!

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

HI THIS IS BRAIN

HI THIS IS BRAIN

There is a string containing "HI THIS IS BRAIN".

stringPTR is a pointer to the string.

stringREF is a reference to the string.

The address of the string is displayed using the string variable, the stringPTR and the stringREF.

The variable content is displayed using the stringPTR and the stringREF.

Yes No

Exercise 03: Unnecessary violence

The objective of this exercise is to understand that pointers and references present some small differences that make them less or more appropriate depending on the use and the lifecycle of the object used.

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

Weapon

Weapon

There is a Weapon class that has a type string, a getType() and a setType().

The getType() function returns a const reference to the type string.

Yes No

HumanA and HumanB

HumanA and HumanB

HumanA can have a reference or a pointer to the Weapon.

Ideally, it should be implemented as a reference, since the Weapon exists from creation until destruction, and never changes.

HumanB must have a pointer to a Weapon since the field is not set at creation time, and the weapon can be NULL.

Yes No

Exercise 04: Sed is for losers

Thanks to this exercise, the student should have gotten familiar with ifstream and ofstream.

Makefile and tests

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

Exercise 04

Exercise 04

There is a function replace (or other name) that works as specified in the subject.

The error management is efficient: try to pass a file that does not exist, change the permissions, pass it empty, etc.

If you can find an error that isn't handled, and isn't completely esoteric, no points for this exercise.

The program must read from the file using an ifstream or equivalent, and write using an ofstream or equivalent.

The implementation of the function should be done using functions from std::string, no by reading the string character by character.

This is not C anymore!

Yes No

Exercise 05: Harl 2.0

The goal of this exercise is to use pointers to class member functions. Also, this is the opportunity to discover the different log levels.

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

Our beloved Harl

Our beloved Harl

There is a class Harl with at least the 5 functions required in the subject.

The function complain() executes the other functions using a pointer to them.

Ideally, the student should have implemented a way of matching the different

strings corresponding to the log level to the pointers of the corresponding member function.

If the implementation is different but the exercise works, you should mark it as valid. The only thing that is not allowed is using a ugly if/elseif/else.

The student could have chosen to change the message Harl displays or to display the examples given in the subject, both are valid.

Yes No

Exercise 06: Harl filter

Now that you are experienced coders, you should use new instruction types, statements, loops, etc. The goal of this last exercise is to make you discover the switch statement.

∗Makefile and tests*

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

Yes No

Switching Harl Off

Switching Harl Off

The program harlFilter takes as argument any of the log levels ("DEBUG",

"INFO", "WARNING" or "ERROR"). It should then display just the messages that are at the same level or above (DEBUG < INFO < WARNING < ERROR). This must be implemented using a switch statement with a default case.

Once again, no if/elseif/else anymore please.

Yes No

Bonus Part

no bonus

no bonus

no bonus

Yes No

Ratings

OK Outstanding Empty Work

Incomplete Work Invalid Compilation

Cheat Crash Concerning Situations

Leaks Forbidden Functions