




Software Test Report (STR) & Software Test Description (STD)



Prepared by

Kirill Kovalevski

System under Test

KSP Website - Core Shopping Flow

Course | Verification

Manual QA Project | Verified by Gal Matalon

Document Structure

1. **Test cases summary** [P.6](#)
 - [Execution summary](#)
 - [Release position](#)
 - [Key findings](#)
 - [Execution by module](#)
2. **Test Cases Traceability** [P.7-10](#)
 - [Test cases traceability](#)
 - [Bug traceability](#)
3. **Software Test Report (STR)** [P.11-15](#)
 - [Introduction](#)
 - [Execution overview](#)
 - [Release position](#)
 - [Execution metrics](#)
 - [Execution by module](#)
 - [Not executed scenarios](#)
 - [Defect severity summary](#)
 - [Quality assessment](#)
 - [Key findings](#)
 - [Recommended next actions](#)
 - [Execution assessment by area](#)
4. **Software Test Description (STD)** [P.16-18](#)
 - [Purpose](#)
 - [Objective](#)
 - [Test Approach](#)
 - [Scope](#)
 - [Environment](#)
 - [Assumptions](#)
 - [Test Items](#)
 - [Features to be tested](#)
 - [Test tree](#)
 - [Entry criteria](#)
 - [Exit criteria](#)
 - [Risks and limitations](#)
5. **Detailed Test Cases** [P.19-52](#)
 - **Functional Tests**
 - **Authentication - Login**
 - [TC-LOGIN-01](#): Login with valid credentials
 - [TC-LOGIN-02](#): Login with an invalid password
 - [TC-LOGIN-03](#): Login with empty fields
 - [TC-LOGIN-04](#): Login after multiple failed attempts
 - [TC-LOGIN-05](#): Login with a non-existing user
 - [TC-LOGIN-06](#): Login with an invalid email format
 - [TC-LOGIN-07](#): Login with an empty password field

- [TC-LOGIN-08](#): Login with an empty email field
- [TC-LOGIN-09](#): Login via Google (SSO)
- [TC-LOGIN-10](#): Login via Apple (SSO)
- **Authentication - Registration**
 - [TC-REGISTER-01](#): Valid registration
 - [TC-REGISTER-02](#): Registration with missing required fields
 - [TC-REGISTER-03](#): Registration with an invalid email format
 - [TC-REGISTER-04](#): Registration with a password mismatch
 - [TC-REGISTER-05](#): Registration with an already existing email
 - [TC-REGISTER-06](#): Registration with an empty form (all fields are empty)
 - [TC-REGISTER-07](#): Registration with an invalid password format
- **Search**
 - [TC-SEARCH-01](#): Search with a valid product name
 - [TC-SEARCH-02](#): Search with partial keyword
 - [TC-SEARCH-03](#): Search with an invalid / unrelated input
 - [TC-SEARCH-04](#): Search with an empty input
 - [TC-SEARCH-05](#): Navigation from search results to product page
 - [TC-SEARCH-06](#): No results message is clearly displayed
 - [TC-SEARCH-07](#): System should not display unrelated results without clear indication for alternative suggestions
 - [TC-SEARCH-08](#): System should provide clear guidance to a user after “No results found” state
 - [TC-SEARCH-09](#): Search should handle invalid input without breaking the user flow (special signs)
 - [TC-SEARCH-10](#): Search should handle invalid input without breaking the user flow (gibberish)
- **Product**
 - [TC-PRODUCT-01](#): Product page displays correct product information
 - [TC-PRODUCT-02](#): Add product to cart from product page
 - [TC-PRODUCT-03](#): Add product to cart with quantity below minimum
 - [TC-PRODUCT-04](#): Update quantity within valid range (1-5)
 - [TC-PRODUCT-05](#): Product page displays correct price
 - [TC-PRODUCT-06](#): Product image loads correctly
 - [TC-PRODUCT-07](#): Product title is displayed correctly
 - [TC-PRODUCT-08](#): Product price information remains accurate when quantity changes
 - [TC-PRODUCT-09](#): Out of stock product behavior
 - [TC-PRODUCT-10](#): Product image fallback behavior
 - [TC-PRODUCT-11](#): Product quantity controls remain synchronized across all controls
- **Cart**
 - [TC-CART-01](#): An added product is represented correctly in the cart
 - [TC-CART-02](#): Remove a product from the cart
 - [TC-CART-03](#): Increase product quantity in the cart (valid range)

- [TC-CART-04](#): Decrease product quantity in the cart (valid range)
 - [TC-CART-05](#): Cart persists after page refresh
 - [TC-CART-06](#): Cart is empty when all products are removed
 - [TC-CART-07](#): Cart total is recalculated correctly after removing one product
 - [TC-CART-08](#): Cart icon should reflect the correct number of selected products
 - [TC-CART-09](#): Clear cart action should remove all items consistently from both cart page and cart icon
- **Non-functional Tests**
 - **Usability**
 - [TC-NF-USABILITY-01](#): Search bar is clearly visible and easy to access
 - [TC-NF-USABILITY-02](#): Clear and understandable error messages on login failure
 - [TC-NF-USABILITY-03](#): Navigation between search results and product page is clear and consistent
 - [TC-NF-USABILITY-04](#): System provides clear feedback after adding a product to cart
 - [TC-NF-USABILITY-05](#): Search with invalid characters yields a clear error message
 - **Security**
 - [TC-NF-SECURITY-01](#): System limits multiple failed login attempts (brute force protection)
 - [TC-NF-SECURITY-02](#): Handling of special characters in registration name fields
 - [TC-NF-SECURITY-03](#): Session is invalidated after logout (back button does not restore access)
 - [TC-NF-SECURITY-04](#): Access restriction to protected pages without authentication
 - **Compatibility**
 - [TC-NF-COMPATIBILITY-01](#): Core shopping flow works consistently across supported browsers
 - [TC-NF-COMPATIBILITY-02](#): Responsive layout remains usable across different screen sizes
 - **Performance**
 - [TC-NF-PERFORMANCE-01](#): Search results are displayed within acceptable response time
 - [TC-NF-PERFORMANCE-02](#): Product page loads within acceptable time
 - [TC-NF-PERFORMANCE-03](#): System handles repeated search actions without degradation
 - [TC-NF-PERFORMANCE-04](#): Home Page should meet acceptable desktop performance and layout stability thresholds
 - **Localization**
 - [TC-NF-I18N-01](#): All category names should be displayed in the selected site language
 - [TC-NF-I18N-02](#): The “Worlds” button layout remains visually consistent across supported languages
 - [TC-NF-I18N-03](#): Search dropdown labels should match the selected site language

6. Jira Bug Report


[P. 53-73](#)

- Bug inventory
 - [KSP-1](#): Registration allows invalid characters in the first name field
 - [KSP-2](#): Search with invalid characters displays an unclear error message
 - [KSP-3](#): Product page does not update the total price when quantity changes
 - [KSP-4](#): Product quantity controls are not synchronized on product page
 - [KSP-5](#): Search displays results for a different query without informing the user
 - [KSP-6](#): Cart icon counter is not synchronized with product quantity in the cart
 - [KSP-7](#): No clear user guidance after “No results found” state
 - [KSP-8](#): No results state is displayed inconsistently on the Search Results Page
 - [KSP-9](#): Home Page shows excessive CLS and fails Core Web Vitals in desktop analysis
 - [KSP-10](#): Multiple category labels are displayed in English on the Russian Home Page
 - [KSP-11](#): Search dropdown contains Hebrew text in Russian and English site modes
 - [KSP-12](#): Search with ‘%’ character redirects the user to a malformed URI error page in multiple language modes
 - [KSP-13](#): Search with a long invalid input refreshes the Home Page without no-results or validation feedback
 - [KSP-18](#): Clear cart action updates cart icon only two clicks, but does not remove items from Cart Page consistently
 - [KSP-19](#): The “worlds” button layout is inconsistent across Hebrew, English, and Russian site modes

Test Cases Summary

Execution summary:

65 Planned	48 Passed	15 Failed	2 Not executed
----------------------	---------------------	---------------------	--------------------------




Release position:

Conditional Go

The main shopping flow is stable. However, defect fixing and retesting are recommended before treating the tested scope as release-ready with strong confidence.

Key findings:

- Most executed scenarios passed, so the main shopping flow works in many core cases.
- Primary defects cluster around search behavior, product quantity/price behavior, and cart synchronization.
- No-results and invalid input scenarios are unclear and may confuse users.
- Two scenarios were not executed because of environment limitations and unavailable product conditions.



Test-Case Traceability

TC ID	Type	Title	Status	Severity	Bug ID
TC-LOGIN-01	Functional / Login	Login with valid credentials	Passed	—	—
TC-LOGIN-02	Functional / Login	Login with invalid password	Passed	—	—
TC-LOGIN-03	Functional / Login	Login with empty fields	Passed	—	—
TC-LOGIN-04	Functional / Login	Login after multiple failed attempts	Passed	—	—
TC-LOGIN-05	Functional / Login	Login with non-existing user	Passed	—	—
TC-LOGIN-06	Functional / Login	Login with invalid email format	Passed	—	—
TC-LOGIN-07	Functional / Login	Login with empty password only	Passed	—	—
TC-LOGIN-08	Functional / Login	Login with empty email field	Passed	—	—
TC-LOGIN-09	Functional / Login	Login via Google (SSO)	Passed	—	—
TC-LOGIN-10	Functional / Login	Login via Apple (SSO)	Passed	—	—
TC-REGISTER-01	Functional / Registration	Valid registration	Passed	—	—
TC-REGISTER-02	Functional / Registration	Registration with missing required fields	Passed	—	—
TC-REGISTER-03	Functional / Registration	Registration with invalid email format	Passed	—	—
TC-REGISTER-04	Functional / Registration	Registration with password mismatch	Passed	—	—
TC-REGISTER-05	Functional / Registration	Registration with already existing email	Passed	—	—
TC-REGISTER-06	Functional / Registration	Registration with empty form (all fields empty)	Passed	—	—
TC-REGISTER-07	Functional / Registration	Registration with weak password	Passed	—	—
TC-SEARCH-01	Functional / Search	Search with valid product name	Passed	—	—
TC-SEARCH-02	Functional / Search	Search with partial keyword	Passed	—	—
TC-SEARCH-03	Functional / Search	Search with invalid / unrelated input	Passed	—	—
TC-SEARCH-04	Functional / Search	Search with empty input	Passed	—	—
TC-SEARCH-05	Functional / Search	Navigation from search results to product page	Passed	—	—
TC-SEARCH-06	Functional / Search	No results message is clearly displayed	Failed	Minor	KSP-8
TC-SEARCH-07	Functional / Search	System should not display unrelated results without clear indication for alternative suggestions	Failed	Major	KSP-5
TC-SEARCH-08	Functional / Search	System should provide clear guidance to user after “No results found” state	Failed	Major	KSP-7
TC-SEARCH-09	Functional / Validation / Error Handling	Search should handle invalid input without breaking the user flow	Failed	Major	KSP-12
TC-SEARCH-10	Functional / Search	Search should handle invalid input without breaking the user flow	Failed	Minor	KSP-13
TC-PRODUCT-01	Functional / Product	Product page displays correct product information	Passed	—	—

TC-PRODUCT-02	Functional / Product	Add product to cart from product page	Passed	—	—
TC-PRODUCT-03	Functional / Product	Add product to cart with quantity below minimum	Passed	—	—
TC-PRODUCT-04	Functional / Product	Update quantity within valid range (1-5)	Passed	—	—
TC-PRODUCT-05	Functional / Product	Product page displays correct price	Passed	—	—
TC-PRODUCT-06	Functional / Product	Product image loads correctly	Passed	—	—
TC-PRODUCT-07	Functional / Product	Product title is displayed correctly	Passed	—	—
TC-PRODUCT-08	Functional / Product	Product price behavior when quantity changes	Failed	Major	KSP-3
TC-PRODUCT-09	Functional / Product	Out of stock product behavior	Not executed	—	—
TC-PRODUCT-10	Functional / Product	Product image fallback behavior	Not executed	—	—
TC-PRODUCT-11	Functional / Product	Product quantity controls remain synchronized across all controls	Failed	Major	KSP-4
TC-CART-01	Functional / Cart	Add product to cart from product page	Passed	—	—
TC-CART-02	Functional / Cart	Remove product from cart	Passed	—	—
TC-CART-03	Functional / Cart	Increase product quantity in cart (valid range)	Passed	—	—
TC-CART-04	Functional / Cart	Decrease product quantity in cart (valid range)	Passed	—	—
TC-CART-05	Functional / Cart	Cart persists after page refresh	Passed	—	—
TC-CART-06	Functional / Cart	Cart is empty when all products are removed	Passed	—	—
TC-CART-07	Functional / Cart	Cart total updates correctly after product removal	Passed	—	—
TC-CART-08	Functional / Cart	Cart icon should reflect the correct number of selected products	Failed	Major	KSP-6
TC-CART-09	Functional / Cart	Clear cart action should remove all items consistently from both cart page and cart icon	Failed	Major	KSP-18
TC-NF-USABILIT Y-01	Non-Functional Usability	Search bar is clearly visible and easy to access	Passed	—	—
TC-NF-USABILIT Y-02	Non-Functional Usability	Clear and understandable error messages on login failure	Passed	—	—
TC-NF-USABILIT Y-03	Non-Functional Usability	Navigation between search results and product page is clear and consistent	Passed	—	—
TC-NF-USABILIT Y-04	Non-Functional Usability	System provides clear feedback after adding product to cart	Passed	—	—
TC-NF-USABILIT Y-05	Non-Functional Usability	Search with invalid characters yields a clear error message	Failed	Major	KSP-2
TC-NF-SECURITY -01	Non-Functional Security	System limits multiple failed login attempts (brute force protection)	Passed	—	—

TC-NF-SECURITY-02	Non-Functional Security	/	Handling of special characters in registration name fields	Failed	Major	KSP-1
TC-NF-SECURITY-03	Non-Functional Security	/	Session is invalidated after logout (back button does not restore access)	Passed	—	—
TC-NF-SECURITY-04	Non-Functional Security	/	Access restriction to protected pages without authentication	Passed	—	—
TC-NF-COMPATIBILITY-01	Non-Functional Compatibility	/	Core shopping flow works consistently across supported browsers	Passed	—	—
TC-NF-COMPATIBILITY-02	Non-Functional Compatibility	/	Responsive layout remains usable across different screen sizes	Passed	—	—
TC-NF-PERFORMANCE-01	Non-Functional Performance	/	Search results are displayed within acceptable response time	Passed	—	—
TC-NF-PERFORMANCE-02	Non-Functional Performance	/	Product page loads within acceptable response time	Passed	—	—
TC-NF-PERFORMANCE-03	Non-Functional Performance	/	System handles repeated search actions without degradation	Passed	—	—
TC-NF-PERFORMANCE-04	Non-Functional Performance	/	Homepage should meet acceptable desktop performance and layout stability	Failed	Major	KSP-9
TC-NF-I18N-01	Localization Internationalization	/	All the category names should be displayed in the selected site language	Failed	Minor	KSP-10
TC-NF-I18N-02	Localization Internationalization	/	Worlds” button should maintain consistent layout across supported site languages	Failed	Minor	KSP-19
TC-NF-I18N-03	Localization Internationalization	/	Search dropdown labels should match the selected site language	Failed	Minor	KSP-11



Bug Traceability Summary

Bug ID	Bug Title	Status
KSP-1	Registration allows invalid characters in first name field	Failed
KSP-2	Search with invalid characters displays unclear error message	Failed
KSP-3	Product does not update total price when quantity changes	Failed
KSP-4	Product quantity controls are not synchronized	Failed
KSP-5	Search displays results for a different query without informing the user	Failed
KSP-6	Cart icon is not synchronized with product quantity in the cart	Failed
KSP-7	No clear user guidance after “No results found” state	Failed
KSP-8	No results state is displayed inconsistently on Search Results Page	Failed
KSP-9	Homepage fails Core Web Vitals / shows excessive layout instability on desktop	Failed
KSP-10	Multiple category labels are displayed in English on the Russian homepage	Failed
KSP-11	Search dropdown contains Hebrew text in Russian and English site modes	Failed
KSP-13	Search with long invalid input refreshes homepage without showing no-results or validation feedback	Failed
KSP-18	Clear cart action updates cart icon only after two clicks, but does not remove items from cart page consistently	Failed
KSP-19	The “Worlds” button layout is inconsistent across Hebrew, English, and Russian site language modes	Failed



Software Test Report (STR)

Introduction

This section summarizes the execution results of the test cases designed for the KSP website core shopping flow. It presents the actual execution status, major findings, and final conclusion based on the performed test cycle. The tested scope was derived from the Software Test Description (STD) and covered the main user journey across authentication, registration, search, product page interaction, shopping cart behavior, and selected non-functional checks. The overall tested module is the KSP website - Core Shopping Flow.

Execution Overview

Project Name	KSP Website - Core Shopping Flow
Test Type	Manual functional testing with selected non-functional validation checks
Environment	• Production • Google Chrome V.146.0.7680.154 • Safari V. 3.525.21.0 • Edge V. 148.0.3967.54 • Windows 11 Pro
Test Basis	Software Test Description (STD), defined test cases, and actual system behavior during execution
Executed by	Kirill Kovalevski


A total of 65 cases were planned for execution in this test cycle. Out of them, 48 test cases passed, 15 failed, and 2 were not executed.

Release Position - Conditional Go

The main shopping flow is operational and supports many of the critical user actions within the tested scope. However, the number and concentration of defects in search, product behavior, and cart consistency indicate that the release should not be treated as fully stable with strong confidence at this stage. Defect fixing and focused retesting are recommended before considering the tested scope release-ready from a quality standpoint.




Execution Metrics



Execution snapshot

- Total planned: 65
- Passed: 48
- Failed: 15
- Not executed: 2
- Pass rate: 73.8%


Execution by module



Module	Total	Passed	Failed	Not executed
Authentication	17	17	0	0
Search	10	5	5	0
Product	11	7	2	2
Cart	9	7	2	0
Non-functional	18	12	6	0

Not executed scenarios

TC ID	Test Case Title	Reason
TC-PRODUCT-09	Out of stock product behavior	No suitable out-of-stock product was found during the testing session
TC-PRODUCT-10	Product image fallback behavior	Environment limitation



Severity	Show-Stopper	Critical	Major	Minor
Issues	0	0	10	5



Quality Assessment

The executed scope covered login, registration, search, product page behavior, and shopping-cart functionality, as well as selected non-functional areas including usability, security, compatibility, performance, and localization.

- The results show that the system supports many of the main shopping scenarios and that the primary business flow works in a substantial portion of the executed cases. At the same time, the execution uncovered a meaningful number of defects in search behavior, product-page logic, and cart consistency. These issues reduce confidence in the stability and usability of the tested scope.
- Overall, the tested scope can be considered partially stable, but not yet fully mature from a release-quality perspective. Further defect fixing and retesting are recommended in order to improve reliability, strengthen user confidence, and support a more solid release decision.

Key Findings

- Most executed test cases passed successfully, indicating that the KSP website supports the main shopping flow in many core user scenarios.
- The main defects were concentrated in search behavior, product quantity, price behavior, and cart synchronization logic.
- Search-related issues showed unclear system behavior in invalid-input and no-results scenarios, which may confuse users and reduce the clarity of the user journey.
- Product-page issues affected quantity handling, price behavior, and consistency between the controls presented to the user.
- Cart-related issues affected synchronization between the actual selected quantity and the visual indicators shown in the interface.
- Two scenarios were not executed due to environment limitations and unavailable product conditions during the test cycle.

Recommended Next Actions

1. Fix search-result clarity and no-results-state usability defects
2. Fix quantity / price consistency issues on the Product Page
3. Fix cart synchronization issues between Cart Page and cart icon
4. Retest all failed core-flow cases
5. Re-run blocked scenarios when environment conditions are available



Execution Assessment by Area

Authentication and Registration

The authentication and registration flows were generally stable across core positive and validation scenarios. Basic user actions such as valid login, invalid login handling, required-field validation, and core registration flow were largely covered. At the same time, several negative and protection-related scenarios still require stronger confidence through defect fixing and retesting. The STD includes both classic authentication and SSO coverage, as well as validation checks around missing or invalid user input.

Search

Search was one of the weaker areas in the tested scope. The defined test inventory includes full product-name search, partial keyword search, invalid or unrelated input, empty input, no-results behavior, alternative suggestions, and invalid-input handling without breaking the user flow. Based on the overall execution summary, this area is one of the main defect clusters and should be treated as a priority for correction and retesting.

Product Page

Product-page testing covered information display, image behavior, add to cart functionality, quantity validation, price consistency, out-of-stock behavior, and synchronization between multiple quantity controllers. Findings in the execution summary indicate that this area contains defects related mainly to quantity and price behavior, which directly affect shopping confidence and transactional clarity.

Cart

Cart testing covered add-to-cart flow, item removal, quantity increase and decrease, cart persistence after refresh, empty-cart behavior, and cart total consistency. According to the execution summary, one of the main defects was cart synchronization, meaning that this area still requires stabilization before the tested scope can be considered strongly release-ready.

Selected Non-functional Coverage

The test scope also included selected non-functional checks such as usability, security, compatibility, performance, and localization / internationalization. These areas were not the primary focus of the cycle, but they contributed additional quality signals and helped identify user-facing weaknesses beyond pure functional flow.



Software Test Description (STD)

Purpose

As part of a Manual-QA course project that was verified by Gal Matalon, this document describes the test design for the KSP website, an Israeli e-commerce and retail platform, focusing on its core shopping flow. It defines what will be tested, how it will be tested, and the scope of the testing process. The tested user journey includes: login, register, product search, product page interaction, and cart functionality.

Objective

Validate that the core user flows of the KSP website function correctly, consistently, and according to the defined requirements, ensuring a reliable user experience. The goal is to verify that users can successfully complete basic shopping actions without errors and with expected system behavior.

Test approach

Manual functional testing was used for the core flows, with positive, negative, boundary-value, and edge-case coverage. Basic UI/usability checks, and limited, basic security-related checks around validation and login behavior were also included. The focus remained on business-critical user interactions within the defined scope.

Scope

In scope

- User login
- User registration
- Product search
- Navigation to product page
- Product page behavior
- Add to cart
- Cart management

Out of scope

- Payment process
- Shipping and delivery
- Order history
- Native mobile application testing
- Accessibility
- Admin panel
- Profile page

Environment

Environment	Production
Browsers	Google Chrome V.146.0.7680.154 Safari V. 3.525.21.0 Edge V.148.0.3967.54
Operating system	Windows 11 Pro
Device	Laptop
Network	Stable Wi-Fi connection
Website URL	https://ksp.co.il



Assumptions

- A valid email address is assumed to contain one @ symbol and a proper domain format
- Third-party SSO services are available when relevant
- Product data and stock availability may change dynamically in production
- A stable internet connection is available during testing
- No direct backend, database, or server-log access is available

Test items

- Login form
- Registration form
- Search bar
- Search results page
- Product page
- Shopping cart

Features to be tested

Authentication • Login with valid credentials • Login with invalid credentials • Login via social login (SSO) • Required fields validation • Error message behavior	Search • Search with valid product name • Search with partial keyword • Search with invalid or unrelated input • Search with empty input • Navigation from search results to product page
Product page • Product information display • Product price visibility • Product image and title display • Add to cart action from product page	Cart • Adding a product to the cart from a product page • Updating product quantity • Removing product from cart • Cart behavior after page refresh • Cart content accuracy



Test tree

Authentication • Login - valid credentials, invalid credentials, empty fields, incorrect password, non-existing user, error messages, multiple failed attempts. • Registration - valid registration, invalid input, missing required fields, email format validation, duplicated email • Social login - Google, Apple, failure handling	Search • Full product name • Partial keyword • Invalid or unrelated input • Empty search input • Search results accuracy • No-results scenario • Navigation from search results to product page
Product page • Product information display • Product image display • Add to cart functionality • Valid quantity • Invalid quantity • Out-of-stock behavior • Product data accuracy	Cart • Adding product • Removing product • Updating quantity • Invalid quantity updates • Price calculation accuracy • Cart content accuracy • Behavior after refresh

Entry Criteria

- Test environment is reachable
- Core pages are accessible
- Test accounts are available
- Search, product, and cart flows are available for execution

Exit Criteria

- All planned core test cases were executed or marked as blocked / not executed
- Critical and major defects were documented
- Release recommendation was provided based on actual execution results

Risks & Limitations

- Testing was executed on production environment
- No backend / database / log access was available
- Product availability and site content may change dynamically during testing
- Some scenarios depended on third-party services or unavailable data conditions



Detailed Test Cases

Authentication - Login

TC-LOGIN-01: Login with valid credentials

Preconditions	- User is registered - User is on the login page
Test Steps	- Enter valid email - Enter valid password - Click login button
Test Data	- Email: testUser@gmail.com - Password: Test1234
Expected Result	- User is successfully logged in - User is redirected to homepage - No error message is displayed

TC-LOGIN-02: Login with an invalid password

Preconditions	- User is registered - User is on the login page
Test Steps	- Enter valid email - Enter invalid password - Click login button
Test Data	- Email: testUser@gmail.com - Password: Wrong123
Expected Result	- Login is rejected - Error message is displayed yet there is no indication whether email or password is incorrect - User remains on login page



TC-LOGIN-03: Login with empty fields

Preconditions	User is on the login page
Test Steps	1. Leave email empty 2. Leave password empty 3. Click login button
Expected Result	- Login is rejected - Error message is displayed yet there is no indication whether email or password is incorrect - User remains on login page

TC-LOGIN-04: Login after multiple failed attempts

Preconditions	- User account exists and is active - User is on the login page
Test Steps	1. Enter valid email 2. Enter wrong password 3. Click Login 4. Repeat steps 1-3, 5 times
Expected Result	- System blocks further attempts - Account is protected from brute force

TC-LOGIN-05: Login with a non-existing user

Preconditions	User is on the login page
Test Steps	1. Enter non-existing email 2. Enter any password 3. Click login button
Test Data	- Email: userNotExist@gmail.com - Password: 1234
Expected Result	- System prevents login - System displays a generic error message: "Invalid email or password" - User remains on login page - System doesn't indicate whether the email exists



TC-LOGIN-06: Login with an invalid email format	
Preconditions	User is on the login page
Test Steps	- Enter invalid email - Enter valid password - Click login button
Test Data	- Email: invalidEmailFormat@@gmail.com - Password: Test1234
Expected Result	- System prevents log-in - System displays validation error for invalid email format - User remains on log-in page

TC-LOGIN-07: Login with an empty password field	
Preconditions	User is on the login page
Test Steps	- Enter valid email - Leave password field empty - Click login button
Test Data	Email: testUser@gmail.com
Expected Result	- System prevents log-in - System displays validation error for invalid password format - User remains on log-in page



TC-LOGIN-08: Login with an empty email field

Preconditions	User is on the login page
Test Steps	1. Leave email field empty 2. Enter a valid password 3. Click login button
Test Data	Password: Test1234
Expected Result	- System prevents log-in - System displays validation error for required email field - User remains on log-in page

TC-LOGIN-09: Login via Google (SSO)

Preconditions	- User is on the login page - Google SSO service is available and operational - User has a valid Google account
Test Steps	1. Navigate to login page 2. Click on "Continue with Google" 3. Select a Google account 4. Approve authentication request
Test Data	Google Account Email: GoogleSSOTest@gmail.com
Expected Result	- User is successfully authenticated via Google - User is logged into the system - User session is created successfully - User is redirected to home page - If user exists → system logs into existing account - If user does not exist → system creates a new account and logs in



TC-LOGIN-10: Login via Apple (SSO)	
Preconditions	• User is on the login page • Apple SSO service is available and operational • User has a valid account on Apple
Test Steps	1. Navigate to login page 2. Click on "Continue with Apple" 3. Select an Apple account 4. Approve authentication request
Test Data	• Apple Account Email: AppleSSOTest@gmail.com
Expected Result	• User is successfully authenticated via Apple • User is logged into the system • User session is created successfully • User is redirected to home page • If user exists → system logs into existing account • If user doesn't exist → system creates a new account and logs in



Authentication - Registration

TC-REGISTER-01: Valid registration	
Preconditions	- User is on the register page - Backend services (API & DB) are available and operational
Test Steps	- Navigate to register page - Enter valid first name - Enter valid last name - Enter valid password - Enter matching confirm password - Click on "Register" button
Test Data	- Name: Israel - Last name: Knaan - Email: userRegisterValid@gmail.com - Password: userRegisterValid123 - Confirm password: userRegisterValid123
Expected Result	- User is successfully registered in the system - User account is created in the database - User is redirected to home page - User can access one's profile page

TC-REGISTER-02 Registration with missing required fields	
Preconditions	- User is on the register page - Backend services (API & DB) are available and operational
Test Steps	- Navigate to register page - Enter valid first name - Leave last name empty - Enter valid email - Enter valid password - Enter matching confirm password - Click on "Register" button
Test Data	- Name: Israel - Email: userRegisterValid@gmail.com - Password: userRegisterValid123

	Confirm password: userRegisterValid123
Expected Result	- Registration is not complete - System displays validation message under the missing required field - The missing field is highlighted in red - User remains on registration page - No user account is created

TC-REGISTER-03: Registration with an invalid email format	
Preconditions	- User is on the register page - Backend services (API & DB) are available and operational
Test Steps	1. Navigate to the register page 2. Enter valid first name 3. Enter valid last name 4. Enter email with invalid format 5. Enter valid password 6. Enter matching confirm password 7. Click on "Register" button
Test Data	- Name: Israel - Last name: Knaan - Email: userRegisterInvalid@@gmail.com - Password: userRegisterValid123 - Confirm password: userRegisterValid123
Expected Result	- Registration is not complete - System displays validation message for invalid email format - Email field is highlighted - User remains on registration page - No user account is created



TC-REGISTER-04: Registration with a password mismatch

Preconditions	• User is on the register page • Backend services (API & DB) are available and operational
Test Steps	1. Navigate to register page 2. Enter valid first name 3. Enter valid last name 4. Enter valid email 5. Enter valid password 6. Enter mismatched confirm password 7. Click on "Register" button
Test Data	• Name: Israel • Last name: Knaan • Email: userRegisterValid@gmail.com • Password: userRegisterValid123 • Confirm password: userRegisterMismatched123
Expected Result	• Registration is not completed • System displays validation message indicating password mismatch • Confirm password field is highlighted • User remains on registration page • No user account is created

TC-REGISTER-05: Registration with an already existing email

Preconditions	• User is on the register page • Backend services (API & DB) are available and operational • User with the given email (Test Data) already exists in the system
Test Steps	1. Navigate to registration page 2. Enter valid first name 3. Enter valid last name 4. Enter an email that already exists in the system 5. Enter valid password 6. Enter matched confirm password 7. Click on "Register" button

Test Data	• Name: Israel • Last name: Knaan • Email: userRegisterInUseEmail@gmail.com • Password: userRegisterValid123 • Confirm password: userRegisterValid123
Expected Result	• Registration is not completed • System displays an error message indicating the email is already registered • User remains on registration page • No user account is created

TC-REGISTER-06: Registration with an empty form (all fields are empty)	
Preconditions	• User is on the register page • Backend services (API & DB) are available and operational
Test Steps	1. Navigate to register page 2. Leave first name field empty 3. Leave last name field empty 4. Leave email field empty 5. Leave password field empty 6. Leave confirm password field empty 7. Click on "Register" button
Expected Result	• Registration is not complete • System displays validation message for all required fields • Each empty required field is highlighted • User remains on registration page • No user account is created

TC-REGISTER-07: Registration with an invalid password format	
Preconditions	• User is on the registration page
Test Steps	1. Enter valid first name 2. Enter valid last name 3. Enter valid email

	4. Enter password that does not meet system requirement (e.g., "1234") 5. Confirm password 6. Click "Register"
Expected Result	• System prevents registration • System displays a clear password validation message indicating the requirements • User remains on registration page

Search

TC-SEARCH-01: Search with a valid product name	
Preconditions	• User is on the home page • Backend services (API & DB) are available and operational
Test Steps	1. Locate the search bar 2. Enter a valid product name (e.g., iPhone 13) 3. Press "Enter"
Expected Result	• System displays a search suggestions dropdown and/or a search results page, according to the implemented search behavior • Results include products relevant to the search input • Product names in results match or are related to the search query • User can navigate to product page from results

TC-SEARCH-02: Search with partial keyword	
Preconditions	• User is on the home page • Backend services (API & DB) are available and operational
Test Steps	1. Locate the search bar 2. Enter partial keyword of a product name (e.g., iPh) 3. Observe autocomplete suggestions 4. Press "Enter"

Test Data	• Search input: iPh
Expected Result	• System displays autocomplete suggestions relevant to the partial input • Suggestions include products related to the search query • After pressing "Enter", system displays search results page • Results include products relevant to the partial input • User can navigate to product page from results

TC-SEARCH-03: Search with an invalid / unrelated input	
Preconditions	• User is on the home page • Backend services (API & DB) are available and operational
Test Steps	1. Locate the search bar 2. Enter an unrelated or invalid input (e.g., \$) 3. Observe autocomplete suggestions 4. Press "Enter"
Test Data	• Search input: \$
Expected Result	• Autocomplete suggestions may be empty or not relevant to the input • System displays search results page • No relevant results are found for the input • System displays "no results found" indication • User remains able to perform a new search



TC-SEARCH-04: Search with an empty input

Preconditions	• User is on the home page • Backend services (API & DB) are available and operational
Test Steps	1. Locate the search bar 2. Leave the search field empty 3. Observe autocomplete suggestions 4. Press "Enter"
Expected Result	• System displays recent search history • System doesn't perform a search • User remains on the current page • User can enter a new search query

TC-SEARCH-05: Navigation from search results to product page

Preconditions	• User is on the home page • Backend services (API & DB) are available and operational
Test Steps	1. Locate the search bar 2. Enter a valid product name (e.g., iPhone 17) 3. Observe autocomplete suggestions 4. Press "Enter" 5. Click on a product from the search results
Test Data	• Product: https://ksp.co.il/web/item/410163
Expected Result	• User is redirected to results page • Product page displays the selected product • Product title matches the selected product from search results • Product price and details are displayed



TC-SEARCH-06: No results message is clearly displayed

Preconditions	User is on the home page
Test Steps	1. Enter an invalid or unrelated search query (e.g., "zxcvb12") 2. Press "Enter"
Expected Result	- System displays "no results found" message - Message is clear and visible to the user - User is able to perform a new search - No broken layout or empty undefined state is shown

TC-SEARCH-07: System should not display unrelated results without clear indication for alternative suggestions

Preconditions	- User is on the home page - Search functionality is available
Test Steps	1. Enter an invalid or unrelated search query (e.g., "zxcvb12") 2. Press "Enter" 3. Observe search results page
Test Data	Search input: "zxcvb12"
Expected Result	If no exact match is found, the system must either display a clear "No results found" state or display alternative suggestions with explicit wording such as "Did you mean.." or "Showing results for...". The system must not display unrelated results without clearly indicating that the displayed results differ from the original query.



TC-SEARCH-08: System should provide clear guidance to a user after “No results found” state

Preconditions	• User is on the home page • Search functionality is available
Test Steps	1. Enter an invalid or unrelated search query (e.g., “zxcvb12”) 2. Press “Enter” 3. Observe the search results page 4. Attempt to understand how to proceed with a new search
Test Data	• Search input: “zxcvb12”
Expected Result	System should: • Display “No results found” message • Provide clear guidance for next steps, such as: ○ Highlighting or focusing in the search input field ○ Suggesting alternative queries ○ Providing navigation options User should be able to easily understand how to perform a new search without confusion

TC-SEARCH-09: Search should handle invalid input without breaking the user flow (special signs)

Preconditions	• User is on the home page • Search functionality is available • Language is switched to Russian
Test Steps	1. Click inside the search field 2. Enter an invalid input such as % 3. Submit the search by pressing Enter or clicking the search icon 4. Observe the response of the system 5. Repeat the same steps after switching the site language to English
Test Data	• Search input: %
Expected Result	• System handles the input gracefully • System displays a controlled response such as:

	○ No results found message ○ Validation / guidance message
--	---

TC-SEARCH-10: Search should handle invalid input without breaking the user flow (gibberish)

Preconditions	• User is on the home page • Search functionality is available
Test Steps	1. Click inside the search field 2. Enter a very long unrelated / invalid search string 3. Press "Enter" 4. Observe system behavior
Test Data	• Search input: חלגנחדכרלחחחחחלדגכל34חחמגדכלחדמגכ תדמכחכדלגחילגדחכדחגכיצמ'תצקכמלחית דכגמדחגילדגחכים'קורקחיקרצמגחכיון38ח כגלגחכחגלכילגלכחגדכמצדגנכלח2י4לרחי2ל ח3מתצ2מ3כחגילדלכחמדגתכמתחגכחדגמכך לי'קריח'רקלחךל2חךל3חךל4
Expected Result	• The system handles the long invalid query gracefully • A controlled response is displayed (for example, no-results state or validation message) • The page does not crash, freeze, or break the user flow.

Product

TC-PRODUCT-01: Product page displays correct product information

Preconditions	• User is on the product page • Backend services (API & DB) are available and operational
Test Steps	1. Observe the product page
Test Data	• Product: https://ksp.co.il/web/item/410163

Expected Result	• Product title is displayed • Product price is displayed • Product image is displayed • Product description is displayed (if applicable) • Product details correspond to the selected product
------------------------	--

TC-PRODUCT-02: Add product to cart from product page	
Preconditions	• User is on the product page • Backend services (API & DB) are available and operational
Test Steps	1. Click on "Add to cart" button
Test Data	• Product: https://ksp.co.il/web/item/410163
Expected Result	• Product is added to the cart • System displays confirmation • Cart icon is updated (e.g., item count increases)

TC-PRODUCT-03: Add product to cart with quantity below minimum	
Preconditions	• User is on the product page • Product quantity selector is available • Product is in stock
Test Steps	1. Attempt to set the product quantity to 0 2. Click on "Add to cart" button
Test Data	• Product: https://ksp.co.il/web/item/410163
Expected Result	• System prevents setting quantity below minimum value • Product is not added to cart with invalid quantity • System enforces minimum quantity of 1



TC-PRODUCT-04: Update quantity within valid range (1-5)	
Preconditions	- User is on the product page - Product quantity selector is available - Product is in stock
Test Steps	- Set product quantity to a valid value within range (e.g., 3) - Click on "Add to cart" button
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Product is added to cart successfully - Product is added to cart with the selected quantity - Cart is updated according to the number of products the user orders

TC-PRODUCT-05: Product page displays correct price	
Preconditions	- User is on the home page - Backend services are available
Test Steps	- Enter a valid product name in the search bar (e.g., iPhone 17) - Press "Enter" - Observe the product's price on the results page - Click on the product - Observe the product's price on the product page
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	Product price displayed on search results matches the price displayed on product page



TC-PRODUCT-06: Product image loads correctly

Preconditions	- User is on the product page - Backend services are available
Test Steps	- Observe the product image section - Wait for the image to load
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Product image is displayed correctly - Image is fully loaded (not broken) - No placeholder or error icon is displayed

TC-PRODUCT-07: Product title is displayed correctly

Preconditions	- User is on the product page - Backend services are available
Test Steps	Observe the product title section
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Product title is visible on the page - Product title matches the selected product from previous page - No missing or corrupted text is displayed

TC-PRODUCT-08: Product price information remains accurate when quantity changes

Preconditions	- User is on the product page - Product is in stock - Product quantity selector is available
Test Steps	- Observe the displayed product price when quantity = 1 - Set product quantity to a value greater than 1 (e.g., 3) - Observe product price on product page

Test Data	- Product: https://ksp.co.il/web/item/410163 - Quantity: 3
Expected Result	- The displayed price information remains accurate after the quantity changes - If the page displays a total price, the total is updated according to the selected quantity - If the page displays a unit price only, this is clearly indicated and does not mislead the user - No inconsistent or outdated price information is shown after the quantity is changed

TC-PRODUCT-09: Out of stock product behavior	
Preconditions	- User is on the product page - The product is marked as out of stock
Test Steps	1. Observe product availability status 2. Attempt to click on the "Add to cart" button
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- System clearly indicates that the product is out of stock - User cannot add the product to the cart - If "Add to cart" button is displayed, it is disabled or the system prevents the action - No product is added to the cart
Notes	No out-of-stock product found during testing



TC-PRODUCT-10: Product image fallback behavior	
Preconditions	- User is on the product page - Product image fails to load (network issue or missing image)
Test Steps	- Navigate to product page - Simulate image loading failure (disable images / slow network) - Observe image area
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- System displays placeholder image or fallback UI - Page layout remains intact - No broken image icon is shown

TC-PRODUCT-11: Product quantity controls remain synchronized across all controls	
Preconditions	- User is on the product page - Product has multiple quantity control elements
Test Steps	- Locate all quantity control elements on the product page - Increase quantity using one control - Observe other quantity control elements - Decrease quantity using a different control - Observe all quantity controls again
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- All quantity controls display the same value at all times - Any change in quantity is reflected consistently across all controls - System maintains a single source of truth for quantity

Cart

TC-CART-01: An added product is represented correctly in the cart	
Preconditions	- User is on the product page - Product is in stock
Test Steps	- Set product quantity to a valid value (e.g., 2) - Click on "Add to cart" button - Navigate to cart page
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Product is added to the cart - Product appears in cart with the selected quantity - Product details (name, price) are displayed correctly

TC-CART-02: Remove a product from the cart	
Preconditions	- User is on the cart page - At least one product exists in the cart
Test Steps	- Click on the "X" to remove the product from the page - Observe cart page
Expected Result	- Product is removed from the cart - If no products remain, cart is empty and the user is notified by the system that there are no products in one's cart

TC-CART-03: Increase product quantity in the cart (valid range)	
Preconditions	- User is on the cart page - At least one product exists in the cart
Test Steps	- Increase product quantity using "+" button to a valid value (e.g., 4) - Observe updated quantity - Observe updated total price

Expected Result	- Product quantity is updated correctly in the cart - Total price is updated according to the selected quantity
------------------------	--

TC-CART-04: Decrease product quantity in the cart (valid range)	
Preconditions	- User is on the cart page - At least one product exists in the cart
Test Steps	- Decrease product quantity to minimum value (1) - Attempt to decrease quantity further using "-" button - Increase product quantity to maximum allowed value (5) - Attempt to increase quantity further using "+" button
Expected Result	- System prevents quantity from going below minimum value (1) - System prevents quantity from exceeding maximum allowed value - Quantity remains within valid range - No invalid quantity is applied

TC-CART-05: Cart persists after page refresh	
Preconditions	- User is on the cart page - At least one product exists in the cart
Test Steps	Refresh the page
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Cart contents remain unchanged after refresh - Product/s still appear in the cart - Product quantity remains the same - Total price remains unchanged



TC-CART-06: Cart is empty when all products are removed

Preconditions	- User is on the cart page - At least one product is selected in the cart
Test Steps	- Remove all products from the cart using the "X" button - Observe cart page
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- System displays empty state (no products shown) - All products are removed from the cart - The user is notified that the cart is empty

TC-CART-07: Cart total is recalculated correctly after removing one product

Preconditions	- User is on the cart page - At least two products exist in the cart
Test Steps	- Observe total price - Remove one product - Observe updated total price
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- Removed product is no longer displayed - Total price is recalculated correctly

TC-CART-08: Cart icon should reflect the correct number of selected products

Preconditions	- User is on the product page - At least one product is available for purchase
Test Steps	Add a product to the cart

	2. Observe the cart icon counter 3. Navigate to the cart page 4. Change the quantity of the product (e.g., from 1 to 3) 5. Observe the updated quantity on the cart page 6. Observe the cart icon again
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	The system should display the same total number of selected products both: - On the cart page - On the cart icon counter The values should be updated immediately and remain synchronized across all relevant UI elements

TC-CART-09: Clear cart action should remove all items consistently from both cart page and cart icon	
Preconditions	- User is on the cart page - At least one product exists in the cart - Cart icon displays existing items
Test Steps	1. Add one or more products to the cart 2. Open the cart page 3. Verify that the products are displayed in the cart 4. Click the down-facing arrow near the cart icon 5. Click on the "Reset cart" button 6. Observe the cart page 7. Observe the cart icon/counter
Test Data	Product: https://ksp.co.il/web/item/410163
Expected Result	- All products are removed from the cart - Cart page is updated immediately and displays an empty state

	• Cart icon/counter is updated accordingly • Cart page and cart icon remain fully synchronized after the clear cart action
--	---

Non-Functional - Usability

TC-NF-USABILITY-01: Search bar is clearly visible and easy to access	
Preconditions	• User is on the home page
Test Steps	1. Observe the top section of the page 2. Locate the search bar 3. Attempt to click inside the search bar
Expected Result	• Search bar is clearly visible on the page • Search bar is easy to identify as a searchable input field • User can click the search bar without confusion • Search bar is accessible without unnecessary scrolling

TC-NF-USABILITY-02: Clear and understandable error messages on login failure	
Preconditions	• User is on the login page
Test Steps	1. Enter a valid email and incorrect password 2. Click on "Login via password" multiple times 3. Observe the error message displayed
Test Data	• Email: testUser@gmail.com • Password: Wrong123
Expected Result	• System does not allow login • Error message is displayed to the user • Error message is clear and understandable • Error message indicates a problem with the login credentials

	• Error message does not expose whether the email or password is incorrect • User remains on login page
--	--

TC-NF-USABILITY-03: Navigation between search results and product page is clear and consistent

Preconditions	• User is on the home page • Search functionality is available
Test Steps	1. Enter a valid product name (e.g., AirPods) in the search bar 2. Press "Enter" 3. Observe the search results page 4. Click on a product from the results 5. Observe the product page
Test Data	• Search input: AirPods
Expected Result	• User is redirected to search results page after submitting search • Search results page displays products related to the search input • Clicking a product redirects the user to the corresponding product page • Product page displays the selected product (title, image, price) • Navigation flow is consistent and follows user expectations • No unexpected page transitions occur

TC-NF-USABILITY-04: System provides clear feedback after adding a product to cart

Preconditions	• User is on the product page • Product is in stock
Test Steps	1. Click on "Add to cart" 2. Observe system response
Test Data	• Product: https://ksp.co.il/web/item/410163

Expected Result	• System displays a loading circle • Product is added to the cart • System displays a clear visual indication that the product was added (e.g., confirmation message) • User is able to continue browsing without confusion • No unclear or missing feedback is observed after the action
------------------------	---

TC-NF-USABILITY-05: Search with invalid characters yields a clear error message	
Preconditions	• User is on the home page
Test Steps	1. Enter special character in search field (e.g., \$) 2. Press "Enter" 3. Observe the error message
Expected Result	• Display a clear and user friendly message (e.g., invalid search input) • Explain what input is allowed • Allow user to correct the input easily

Non-Functional - Security

TC-NF-SECURITY-01: System limits multiple failed login attempts (brute force protection)	
Preconditions	• User is on the login page • User account exists
Test Steps	1. Enter valid email and incorrect password 2. Click on "Continue with password" repeatedly (up to system limit) 3. Observe system behavior after each failed attempt 4. Continue attempts until system blocks further login attempts 5. Attempt to login again after being blocked
Test Data	• Email: testUser@gmail.com

	• Password: Wrong123
Expected Result	• System does not allow login with incorrect credentials • System displays a generic error message for failed login attempts (does not specify whether email or password is incorrect) • After repeated failed attempts, the system should enforce an anti-brute-force protection mechanism according to the implemented security policy • System displays a message indicating that login attempts are limited and user should try again later • During the block period, user cannot perform additional login attempts • After the block period expires, user is able to attempt login again

TC-NF-SECURITY-02: Handling of special characters in registration name fields

Preconditions	• User is on the registration page
Test Steps	1. Enter special characters in first name field 2. Enter valid last name 3. Enter valid email 4. Enter valid password 5. Enter valid password confirmation 6. Click on "Continue via password" button
Test Data	• First name: @ • Last name: Knaan • Email: testUser@gmail.com • Password: validStrong123! • Password confirmation: validStrong123!
Expected Result	• System handles the input according to its validation rules

	• If special characters are not allowed, system displays a validation message and prevents registration • If special characters are allowed, system accepts the input without breaking the registration flow • System does not crash or expose unexpected behavior
--	--

TC-NF-SECURITY-03: Session is invalidated after logout (back button does not restore access)

Preconditions	• User is logged in • User is on the home page
Test Steps	1. Click on "Logout" 2. Click the browser "back" button 3. Observe the page state 4. Attempt to perform an action that requires authentication (e.g., add product to cart or access account page)
Test Data	• Email: testUser@gmail.com • Password: validStrong123!
Expected Result	• User is not authenticated after logout • System does not restore logged-in state when using the back button • If a protected page is displayed, system restricts access or redirects the user • User is required to login again to perform authenticated actions

TC-NF-SECURITY-04: Access restriction to protected pages without authentication

Preconditions	• User is not logged in
Test Steps	1. Attempt to access a protected page directly via URL (e.g., account page)
Test Data	• https://ksp.co.il/web/account/security

Expected Result	• System redirects user to login page • User cannot access protected content without authentication
------------------------	--

Non-Functional - Compatibility

TC-NF-COMPATIBILITY-01: Core shopping flow works consistently across supported browsers	
Preconditions	• User is on the home page • Supported browsers are available (e.g., Chrome, Safari, Edge)
Test Steps	1. Open the website in Chrome 2. Login using valid credentials 3. Search for a product 4. Navigate to product page 5. Add product to cart 6. Observe the cart page 7. Repeat steps 1-6 in other browsers (Safari & Edge)
Test Data	• Email: testUser@gmail.com • Password: validStrong123!
Expected Result	• Core flow (login → search → product → cart) works in all tested browsers • Cart displays correct product, price and quantity • No functional errors occur in any browser • Layout and UI elements are displayed correctly (no broken layout or missing elements) • Behavior is consistent across browsers

TC-NF-COMPATIBILITY-02: Responsive layout remains usable across different screen sizes	
Preconditions	• User is on the product page
Test Steps	1. Open browser DevTools 2. Enable device toolbar (responsive mode)

	- Set screen size to a small resolution (e.g., 375x667) - Observe product page layout - Change screen size to medium resolution (e.g., 768x1024) - Observe layout again - Perform a basic action (e.g., click "Add to cart") - Observe cart page layout
Expected Result	- Page layout adapts correctly to different screen sizes - Text remains readable without overlapping or truncation - UI elements (buttons, images, inputs) are properly aligned - No elements are cut off or hidden - Core actions (e.g., "Add to cart") remain usable at all tested resolutions

Non-Functional - Performance

TC-NF-PERFORMANCE-01: Search results are displayed within acceptable response time	
Preconditions	User is on the home page
Test Steps	- Enter a valid product name in the search bar (e.g., "AirPods") - Press "Enter" - Measure the time from submitting the search until results are displayed
Test Data	Search input: AirPods
Expected Result	- System displays search results relevant to the query - The search results are displayed within a reasonable time-frame (1-3 seconds) - No significant delay or freezing occurs during the search process

TC-NF-PERFORMANCE-02: Product page loads within acceptable time

Preconditions	User is on the search results page
Test Steps	- Click on a product that appears in the search results - Measure the time from click until product page is fully loaded
Expected Result	- Product page is displayed within a reasonable time-frame (1-3 seconds) - Selected product details (title, price, image) are fully loaded - No significant delay, freezing, or partial loading is observed

TC-NF-PERFORMANCE-03: System handles repeated search actions without degradation

Preconditions	User is on the home page
Test Steps	- Perform multiple searches consecutively (e.g., 10-15 searches) - Observe system behavior
Expected Result	- System continues to respond within acceptable time - No freezing or crashes occur - Search results are displayed correctly each time

TC-NF-PERFORMANCE-04: Home Page should meet acceptable desktop performance and layout stability thresholds

Preconditions	- User has access to the KSP homepage URL - Google PageSpeed Insights is available - Desktop mode is selected
Test Steps	- Open Google PageSpeed Insights - Enter the KSP homepage URL - Run analysis in Desktop mode - Observe the core Web Vitals result - Observe CLS, LCP, and overall Performance score

	6. Review whether the page meets acceptable layout stability and performance expectations
Expected Result	The homepage should pass Core Web Vitals assessment and maintain acceptable desktop performance and layout stability metrics

Non-functional - Localization

TC-NF-I18N-01: All category names should be displayed in the selected site language	
Preconditions	- User is on the homepage - Site language is switched to Russian
Test Steps	- Change the site language to Russian - Observe the category section displayed on the homepage - Review the category names shown in the category grid - Check whether all category labels are displayed in Russian consistently
Expected Result	All category names should be displayed in Russian when the Russian language is selected

TC-NF-I18N-02: The “Worlds” button layout remains visually consistent across supported languages	
Preconditions	- User is on the homepage - Site language switch is available
Test Steps	- Open the homepage in Hebrew - Observe the blue “Worlds” button - Switch the site language to English - Observe the same button - Switch the site language to Russian - Compare the button layout across all languages

Expected Result	• The “Worlds” button should maintain consistent alignment, spacing, and visual structure across all supported languages • Text and icon should appear properly aligned in each language • Button styling should remain visually balanced and consistent
------------------------	--


TC-NF-I18N-03: Search dropdown labels should match the selected site language	
Preconditions	• User is on the homepage • Site language can be switched • Search bar is operational • Site language is switched to Russian
Test Steps	1. Switch the site language to Russian 2. Click inside the search input field 3. Observe the recent-searches / search dropdown content 4. Repeat the same steps after switching the site language to English 5. Review the labels shown inside the dropdown panel
Expected Result	• Search dropdown labels are displayed in the currently selected site language • No labels remain in a different language • The dropdown content is linguistically consistent with the selected locale

Jira Bug report

[KSP-1] Registration allows invalid characters in the first name field Created: 28/Mar/26 Updated: 28/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il		

Attachments:	 Registration allows invalid character use in first and last names.png
Severity:	S3-Major

Preconditions:

User is on the registration page

Test Data:

- First name: @
- Last name: Knaan

- Email: testUser@gmail.com
- Password: validStrong123!
- Password confirmation: validStrong123!

Steps to Reproduce:

1. Enter invalid characters in the "First Name" field (e.g., @)
2. Enter a valid last name
3. Enter a valid email
4. Enter a valid Password
5. Enter matching password confirmation
6. Click on "Continue via password"

Actual Result:

- The system accepts invalid characters in the first name field and allows the user to proceed with registration.

Expected Result:

System should:

- Allow only alphabetic characters in the first and last name fields.
- Display a clear validation message for invalid input.
- Prevent the user from completing registration with invalid characters.

Impact:


- Allows invalid registration data to be submitted.
- Creates inconsistent user-data quality.
- Weakens input-validation reliability.

[KSP-2] [Search with invalid characters displays unclear error message](#)

Created: 28/Mar/26 Updated: 28/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop		

Attachments:	 Invalid search result No clear message.png
Severity:	S3-Major

Preconditions:

- User is on the home page

Steps to Reproduce:

- Enter special character in search field (e.g., \$)
- Press "Enter"

Actual Result:

- The system displays a generic error message:

"Select stream request failed - אירעה שגיאה בהבאת נתונים מהשרת"

Expected Result:

System should:

- Display a clear and user-friendly message (e.g., invalid search input).
- Explain what input is allowed.
- Allow the user to correct the input easily.

Impact:

- Reduces the clarity of the search flow and weakens the usability of the search error handling.


[KSP-3] Product page does not update total price when quantity changes

Created: 28/Mar/26 Updated: 28/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining	Not Specified		

Estimate:	
Time Spent:	Not Specified
Original estimate:	Not Specified
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il

Severity:	S3-Major
Attachments:	 Add to cart more than one product no price update.mp4 No total price change upon adding more products on product page.png No total price change upon adding more products on product page 2.png

Preconditions:	User is on product page
Steps to Reproduce:	1. Navigate to a product page 2. Increase product quantity 3. Observe product price
Actual Result:	

- The product page does not update according to the selected quantity.

Expected Result:

- Product price should dynamically update based on selected quantity.

Impact:


- The user cannot rely on product-page price information after changing quantity; the correct total is only visible in the cart.

[KSP-4] Product quantity controls are not synchronized on product page

Created: 28/Mar/26 Updated: 28/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il		

Attachments:

Severity:	S3-Major
------------------	----------

Preconditions:

- User is on the product page

Steps to Reproduce:

1. Locate multiple quantity controls on the product page
2. Increase quantity using one control
3. Observe the other quantity control

Actual Result:

- Quantity value is not synchronized between controls.

Expected Result:

- All quantity controls should reflect the same value consistently.

Impact:


- Creates inconsistency between quantity controls on the product page.
- Reduces confidence in the selected quantity.
- Weakens transactional clarity for the user.

This issue was identified during exploratory testing

[KSP-5] [Search displays results for a different query without informing the user](#) Created: 28/Mar/26 Updated: 28/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il		

Attachments:	 Search displays results for a different query.png
Severity:	S3-Major

Preconditions:

- User is on the home page
- Search functionality is available

Steps to Reproduce:

1. Enter an invalid or unrelated search query (e.g., "zxcvb12")
2. Press "Enter"
3. Observe the search results page

Actual Result:

- The system displays a message indicating that no good matches were found for the entered search term.
- At the same time, the system displays results for a different search term ("proxinverter12") without clearly informing the user that the displayed results were modified or suggested automatically.

Expected Result:

System should either:

- Display a clear "No results found" state **or** display alternative suggestions with explicit wording such as "Did you mean..." or "Showing results for..."

[KSP-6] [Cart icon counter is not synchronized with product quantity in the cart](#)

Created: 29/Mar/26 Updated: 29/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev

Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il		

Attachments:	Cart icon doesn't update.mp4
Severity:	S3-Major

Preconditions:

- User is on the home page
- At least one product is available for purchase

Steps to Reproduce:

1. Add a product to the cart
2. Observe the cart icon counter
3. Navigate to the cart page
4. Increase the product quantity (e.g., from 1 to 3)
5. Observe the updated quantity on the cart page
6. Observe the cart icon counter

Actual Result:

- Product quantity is updated on the cart page.
- However, the cart icon counter does not reflect the updated quantity and remains unchanged or displays an incorrect number.

Expected Result:

- The cart icon counter should always reflect the correct total number of selected products.
- The value displayed in the cart icon should be updated immediately and remain synchronized with the cart page.

Impact:

This issue impacts the core shopping flow and may mislead users regarding the actual cart quantity.

[KSP-7] [No clear user guidance after "No results found" state](#) Created: 29/Mar/26 Updated: 29/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None

Fix versions:	None
----------------------	------


Type:	Bug	Priority:	Medium
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il		

Attachments:	No call-to-action after no results search.mp4
Severity:	S3-Major

Preconditions: • User is on search page Steps to Reproduce: 1. Enter an invalid search query 2. Press "Enter" 3. Observe the "no results" state Actual Result: • The system displays a "No results found" message, but does not provide clear guidance or call-to-action for next steps. Expected Result: System should provide clear user guidance, such as: • Highlighting the search bar. • Providing a suggestion to refine the search. • Offer quick navigation options.
--

[KSP-8] No results state is displayed inconsistently on the search results page Created: 30/Mar/26 Updated: 30/Mar/26	
Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il		

Attachments:	 No results state is displayed inconsistently.png
Severity:	S4-Minor

Preconditions:

- User is on the home page
- Search functionality is available

Steps to Reproduce:

1. Enter an invalid or unrelated search query (e.g., "zxcvb12")
2. Press "Enter"
3. Observe the search results page

Actual Result:

- The system displays a message indicating that no good matches were found for the entered search query.
- However, the page still displays alternative product suggestions/results, which makes the no-results state unclear and inconsistent.

Expected Result:

- The system should display a clear and visually consistent "No results found" state. If alternative suggestions are shown, they should be clearly separated from the no-results message and presented in a way that does not confuse the user.



[KSP-9] Homepage shows excessive CLS and fails Core Web Vitals in desktop analysis

Created: 31/Mar/26 Updated: 31/Mar/26

Status: To Do


Project: [KSP Bug Rep](#)

Components: None


Affects versions: None

Fix versions: None

Attachments:



[PageSpeed Insights.png](#)



[PageSpeed Insights 2.png](#)

Severity: S3-Major

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining	Not Specified		

Estimate:	
Time Spent:	Not Specified
Original estimate:	Not Specified
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • Analysis Tool: Google PageSpeed Insights: https://pagespeed.web.dev • Test Mode: Desktop • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il

Desktop performance analysis of the KSP homepage shows that the page fails Core Web Vitals assessment and demonstrates excessive layout instability during load. The main observed issue is a very high Cumulative Layout Shift (CLS) value, alongside weak overall performance metrics, indicating unstable visual rendering and poor load behavior on desktop analysis.

Steps to Reproduce:

1. Open Google PageSpeed Insights
2. Enter the KSP homepage URL
3. Run the analysis in Desktop mode
4. Wait for the report to finish loading
5. Review the Core Web Vitals assessment and performance metrics
6. Observe the CLS value, Performance score, and other related desktop results

Actual Result:

- The homepage fails Core Web Vitals assessment in Desktop mode and shows excessive layout instability, including a very high CLS value and low overall Performance score.

Expected Result:

- The homepage should pass Core Web Vitals assessment in Desktop mode and maintain acceptable layout stability and performance metrics during page load.

Impact:


- This issue negatively affects user experience, visual stability, perceived quality, and usability of the homepage during loading.

[KSP-10] [Multiple category labels are displayed in English on the Russian Home Page](#) Created: 31/Mar/26 Updated: 31/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0

Labels:	None
Remaining Estimate:	Not Specified
Time Spent:	Not Specified
Original estimate:	Not Specified
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il - Language Mode: Russian

Attachments:	 UI English in Russian layout.png
Severity:	S4-Minor

[KSP-11] Search dropdown contains Hebrew text in Russian and English site modes Created: 31/Mar/26 Updated: 31/Mar/26	
Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

When the website language is set to Russian, one of the category labels on the homepage is still displayed in English instead of Russian. This creates an inconsistent multilingual user experience and indicates incomplete localization of category content.

Steps to Reproduce:

1. Open the KSP website homepage
2. Switch the website language to Russian
3. Scroll to the category section on the homepage

4. Observe the category names displayed in the category grid
5. Locate the category labeled: "Wallets And Bags"


Actual Result:

- The category label "Wallets And Bags" is displayed in English on the Russian version of the homepage.


Expected Result:

- The category label should be translated and displayed in Russian, consistent with the selected language.

Type:	Bug	Priority:	Medium
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il • Language mode: Russian & English		

Attachments:

[Search in Hebrew while site in English.png](#)

	 Search in Hebrew while site in Russian.png
Severity:	S4-Minor

When the website language is switched to Russian or English, the search dropdown panel still displays Hebrew labels instead of matching the selected site language. This causes inconsistent localization and creates a mixed-language user experience in the search.

Steps to Reproduce:

1. Open the KSP website homepage
2. Switch the site language to Russian
3. Click inside the search field
4. Observe the labels displayed in the search dropdown
5. Repeat the same steps after switching the site language to English

Actual Result:

- The search dropdown displays Hebrew labels such as recent-search and view-more text while the site is shown in Russian or English mode.

Expected Result:

- All search dropdown labels should be displayed in the currently selected site language.

Impact:



- This issue causes inconsistent localization in the search component and reduces UI language consistency for non-Hebrew users.

[KSP-12] Search with '%' character redirects user to malformed URI error page in multiple language modes Created: 31/Mar/26 Updated: 31/Mar/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	High
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		

Remaining Estimate:	Not Specified
Time Spent:	Not Specified
Original estimate:	Not Specified
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il • Language modes Tested: Russian, English

Severity:	S3-Major
Attachments:	 Search % URI bug Russian.png  Search URI bug English.png URI Bug.mp4

When the user submits an invalid search input such as %, the system does not handle the input safely and redirects to an error page instead of responding gracefully. The issue was reproduced in multiple language modes, indicating a general validation or URI-handling defect rather than a language-specific issue.

Steps to Reproduce:

1. Open the KSP website homepage
2. Switch the site language to English or Russian

3. Click inside the search input field
4. Enter %
5. Submit the search
6. Observe the resulting page

Actual Result:

- The user is redirected to an error page displaying a malformed URI message.

Expected Result:

- The system should handle invalid input safely and return a controlled response such as no results, a validation message, or another non-breaking error state.

Notes:

- The issue was reproduced in both English and Russian site modes, with the same system behavior.
- This issue breaks the search flow and exposes improper handling of invalid input across multiple language modes, reducing reliability and user confidence.

[KSP-13] [Search with long invalid input refreshes homepage without showing no-results or validation feedback](#) Created: 01/Apr/26 Updated: 01/Apr/26

Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	• Environment: Production • Browser: Google Chrome (Version 146.0.7680.154) • OS: Windows 11 Pro • Device: Laptop • Network: Stable Wi-Fi connection • Website URL: https://ksp.co.il		

Attachments:	Long invalid search input bug.mp4
Severity:	S4-Minor

Preconditions:

- User is on the home page

Preconditions:

- Cart functionality is available and active

Steps to Reproduce:


1. Open the KSP website
2. Add product(s) to the cart
3. Open the cart page
4. Verify that the products appear in the cart
5. Click the down-facing arrow next to the cart icon
6. Click the "Clear cart" button
7. Observe the cart icon/counter and the cart page
8. Click the "Clear cart" button again
9. Observe the cart icon/counter and the cart page again


Actual Result:

- After clicking "Clear cart", the system does not remove the items consistently from the cart page.
- After two clicks on the "Clear cart" button, the cart icon/counter is updated, but the items are still displayed on the cart page.

Expected Result:

- After clicking "Clear cart", all items should be removed from the cart page and the cart icon/counter should be updated immediately and consistently. Both representations of the cart should remain synchronized.

Attachments:

	 Worlds button bug Russian.png
Severity:	S4-Minor

[KSP-19] The "Worlds" button layout is inconsistent across Hebrew, English and Russian site languages Created: 01/Apr/26 Updated: 01/Apr/26	
Status:	To Do
Project:	KSP Bug Rep
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Lowest
Reporter:	Kirill Kovalevski	Assignee:	dev
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	- Environment: Production - Browser: Google Chrome (Version 146.0.7680.154) - OS: Windows 11 Pro - Device: Laptop - Network: Stable Wi-Fi connection - Website URL: https://ksp.co.il		

Preconditions:	
- User is on the homepage - Language switch is available	
Steps to Reproduce:	
1. Verify that the homepage is in Hebrew	
2. Observe the blue "Worlds" button	
3. Switch the site language to English	
4. Observe the same button	

5. Switch the site language to Russian
6. Compare the button layout across the three languages

Actual Result:

- The blue “Worlds” button does not maintain a consistent layout across Hebrew, English, and Russian. Differences are visible in alignment, spacing, and overall button presentation between languages.

Expected Result:

- The “Worlds” button should preserve consistent alignment, spacing, and visual structure across all supported languages.

