

TS_Login

Execution Environment

Host name	ThangComputer - host.docker.internal
Local OS	Windows 11 64bit
Katalon version	10.4.1.0
Browser	Chrome 142.0.7444.176
Device name	

Summary

ID	Test Suites/TS_Login/TS_Login		
Description			
Total	8		
Passed	8	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	27-11-2025 12:51:12	End	27-11-2025 12:52:16
Elapsed	1m - 4.767s		

#	ID	Description	Status
1	Test Cases/FE_Login/TC_LoginFailed		PASSED
2	Test Cases/FE_Login/TC_LoginFailed		PASSED
3	Test Cases/FE_Login/TC_LoginFailed		PASSED
4	Test Cases/FE_Login/TC_LoginFailed		PASSED
5	Test Cases/FE_Login/TC_LoginFailed		PASSED
6	Test Cases/FE_Login/TC_LoginPass		PASSED
7	Test Cases/FE_Login/TC_LoginPass		PASSED
8	Test Cases/FE_Login/TC_LoginPass		PASSED

TC_LoginFailed

Information

ID	Test Cases/FE_Login/TC_LoginFailed		
Description			
Tag			
Start	27-11-2025 12:51:12	End	27-11-2025 12:51:24
Elapsed	11.442s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	testType = determineTestType(account, password)	0.011s	PASSED
2	if (email == null email.isEmpty())	0.004s	PASSED
3	if (password == null password.isEmpty())	0.004s	PASSED
4	if (!(email.contains("@")) !(email.contains(".")))	0.025s	PASSED
5	comment("===== =====")	0.111s	PASSED
6	comment("TEST DATA SUMMARY:") TEST DATA SUMMARY:	0.008s	PASSED
7	comment(" Account (Email): " + (account) ? account : (EMPTY)) Account (Email): thang	0.011s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
8	comment(" Password: " + (password) ? "*****" : (EMPTY)) Password: *****	0.009s	PASSED
9	comment(" Calculated Test Type: " + testType) Calculated Test Type: invalid_email	0.008s	PASSED
10	comment("===== =====	0.008s	PASSED
11	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.011s	PASSED
12	emailInput.addProperty("id", EQUALS, "email")	0.021s	PASSED
13	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.002s	PASSED
14	passwordInput.addProperty("id", EQUALS, "password")	0.003s	PASSED
15	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.003s	PASSED
16	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.003s	PASSED
17	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.004s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
18	errorMsg.addProperty("xpath", EQUALS, "//*[contains(text(), \"Login failed\") or contains(text(), \"error\") or contains(text(), \"credentials\") or @data-testid=\"error-message\"]")	0.014s	PASSED
19	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	3.508s	PASSED
20	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.364s	PASSED
21	maximizeWindow() Current window maximized	0.091s	PASSED
22	waitForPageLoad(10) Wait for page load successfully	0.246s	PASSED
23	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.032s	PASSED
24	comment("===== RUNNING TEST: " + testType.toUpperCase() + " =====") ===== RUNNING TEST: INVALID_EMAIL =====	0.014s	PASSED
25	setText(emailInput, account) Text 'thang' is set on object 'email'	0.980s	PASSED
26	setText(passwordInput, password) Text 'thang' is set on object 'password'	0.793s	PASSED
27	if (testType.contains("empty"))	0.004s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
28	click(submitBtn) Object: 'submit' is clicked on	0.438s	PASSED
29	delay(3) Delayed 3 second(s)	3.027s	PASSED
30	if (testType == "valid")	0.002s	PASSED
31	else	0.008s	PASSED
32	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.018s	PASSED
33	if (!(currentUrl.contains("login")))	0.006s	PASSED
34	comment(" TEST PASSED: Login blocked as expected.") TEST PASSED: Login blocked as expected.	0.010s	PASSED
35	hasError = verifyElementPresent(errorMsg, 2, OPTIONAL) Object 'error' is present	0.283s	PASSED
36	if (hasError) Message: Server error/general message displayed:	0.290s	PASSED
37	closeBrowser() Browser is closed	0.301s	PASSED

TC_LoginFailed

Information

ID	Test Cases/FE_Login/TC_LoginFailed		
Description			
Tag			
Start	27-11-2025 12:51:24	End	27-11-2025 12:51:32
Elapsed	7.921s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	testType = determineTestType(account, password)	0.000s	PASSED
2	if (email == null email.isEmpty())	0.002s	PASSED
3	comment("===== =====	0.004s	PASSED
4	comment("TEST DATA SUMMARY:") TEST DATA SUMMARY:	0.004s	PASSED
5	comment(" Account (Email): " + (account) ? account : (EMPTY)) Account (Email): (EMPTY)	0.002s	PASSED
6	comment(" Password: " + (password) ? ***** : (EMPTY)) Password: (EMPTY)	0.004s	PASSED
7	comment(" Calculated Test Type: " + testType) Calculated Test Type: empty_email	0.002s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
8	comment("===== =====	0.002s	PASSED
9	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.003s	PASSED
10	emailInput.addProperty("id", EQUALS, "email")	0.000s	PASSED
11	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.000s	PASSED
12	passwordInput.addProperty("id", EQUALS, "password")	0.002s	PASSED
13	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.001s	PASSED
14	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.000s	PASSED
15	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.002s	PASSED
16	errorMsg.addProperty("xpath", EQUALS, "//*[contains(text(), 'Login failed') or contains(text(), 'error') or contains(text(), 'credentials') or @data-testid='error-message']")	0.000s	PASSED
17	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.234s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
18	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.313s	PASSED
19	maximizeWindow() Current window maximized	0.068s	PASSED
20	waitForPageLoad(10) Wait for page load successfully	0.065s	PASSED
21	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.026s	PASSED
22	comment("===== ===== RUNNING TEST: " + testType.toUpperCase() + " =====") ===== RUNNING TEST: EMPTY_EMAIL =====	0.012s	PASSED
23	setText(emailInput, account) Text " is set on object 'email'	0.771s	PASSED
24	setText(passwordInput, password) Text " is set on object 'password'	0.747s	PASSED
25	if (testType.contains("empty")) Execute JavaScript 'document.getElementById('email').value = "';' successfully	0.344s	PASSED
26	click(submitBtn) Object: 'submit' is clicked on	0.407s	PASSED
27	delay(3) Delayed 3 second(s)	3.007s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
28	if (testType == "valid")	0.000s	PASSED
29	else	0.000s	PASSED
30	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.015s	PASSED
31	if (!(currentUrl.contains("login")))	0.003s	PASSED
32	comment(" TEST PASSED: Login blocked as expected.") TEST PASSED: Login blocked as expected.	0.004s	PASSED
33	hasError = verifyElementPresent(errorMsg, 2, OPTIONAL) Object 'error' is present	0.258s	PASSED
34	if (hasError) Message: Server error/general message displayed:	0.272s	PASSED
35	closeBrowser() Browser is closed	0.278s	PASSED

TC_LoginFailed

Information

ID	Test Cases/FE_Login/TC_LoginFailed		
Description			
Tag			
Start	27-11-2025 12:51:32	End	27-11-2025 12:51:40
Elapsed	7.952s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	testType = determineTestType(account, password)	0.000s	PASSED
2	if (email == null email.isEmpty())	0.001s	PASSED
3	comment("===== =====")	0.004s	PASSED
4	comment("TEST DATA SUMMARY:") TEST DATA SUMMARY:	0.004s	PASSED
5	comment(" Account (Email): " + (account) ? account : (EMPTY)) Account (Email): (EMPTY)	0.003s	PASSED
6	comment(" Password: " + (password) ? ***** : (EMPTY)) Password: (EMPTY)	0.005s	PASSED
7	comment(" Calculated Test Type: " + testType) Calculated Test Type: empty_email	0.003s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
8	comment("===== =====	0.000s	PASSED
9	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.004s	PASSED
10	emailInput.addProperty("id", EQUALS, "email")	0.000s	PASSED
11	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.006s	PASSED
12	passwordInput.addProperty("id", EQUALS, "password")	0.000s	PASSED
13	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.000s	PASSED
14	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.002s	PASSED
15	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.000s	PASSED
16	errorMsg.addProperty("xpath", EQUALS, "//*[contains(text(), 'Login failed') or contains(text(), 'error') or contains(text(), 'credentials') or @data-testid='error-message']")	0.000s	PASSED
17	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.306s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
18	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.330s	PASSED
19	maximizeWindow() Current window maximized	0.066s	PASSED
20	waitForPageLoad(10) Wait for page load successfully	0.034s	PASSED
21	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.018s	PASSED
22	comment("===== RUNNING TEST: " + testType.toUpperCase() + " =====") ===== RUNNING TEST: EMPTY_EMAIL =====	0.005s	PASSED
23	setText(emailInput, account) Text " is set on object 'email'	0.867s	PASSED
24	setText(passwordInput, password) Text " is set on object 'password'	0.766s	PASSED
25	if (testType.contains("empty")) Execute JavaScript 'document.getElementById('email').value = "';' successfully	0.291s	PASSED
26	click(submitBtn) Object: 'submit' is clicked on	0.391s	PASSED
27	delay(3) Delayed 3 second(s)	3.016s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
28	if (testType == "valid")	0.001s	PASSED
29	else	0.002s	PASSED
30	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.013s	PASSED
31	if (!(currentUrl.contains("login")))	0.001s	PASSED
32	comment(" TEST PASSED: Login blocked as expected.") TEST PASSED: Login blocked as expected.	0.004s	PASSED
33	hasError = verifyElementPresent(errorMsg, 2, OPTIONAL) Object 'error' is present	0.243s	PASSED
34	if (hasError) Message: Server error/general message displayed:	0.271s	PASSED
35	closeBrowser() Browser is closed	0.250s	PASSED

TC_LoginFailed

Information

ID	Test Cases/FE_Login/TC_LoginFailed		
Description			
Tag			
Start	27-11-2025 12:51:40	End	27-11-2025 12:51:47
Elapsed	7.539s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	testType = determineTestType(account, password)	0.001s	PASSED
2	if (email == null email.isEmpty())	0.000s	PASSED
3	if (password == null password.isEmpty())	0.001s	PASSED
4	if (!(email.contains("@")) !(email.contains(".")))	0.003s	PASSED
5	if (email.contains("valid") && password.contains("valid"))	0.002s	PASSED
6	return wrong_credentials	0.000s	PASSED
7	comment("===== =====	0.004s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
8	comment("TEST DATA SUMMARY:") TEST DATA SUMMARY:	0.002s	PASSED
9	comment(" Account (Email): " + (account) ? account : (EMPTY)) Account (Email): thang@gmail.com	0.002s	PASSED
10	comment(" Password: " + (password) ? ***** : (EMPTY)) Password: *****	0.010s	PASSED
11	comment(" Calculated Test Type: " + testType) Calculated Test Type: wrong_credentials	0.002s	PASSED
12	comment("===== =====	0.002s	PASSED
13	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.000s	PASSED
14	emailInput.addProperty("id", EQUALS, "email")	0.000s	PASSED
15	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.000s	PASSED
16	passwordInput.addProperty("id", EQUALS, "password")	0.001s	PASSED
17	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.001s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
18	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.000s	PASSED
19	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.001s	PASSED
20	errorMsg.addProperty("xpath", EQUALS, "//*[contains(text(), 'Login failed') or contains(text(), 'error') or contains(text(), 'credentials') or @data-testid='error-message']")	0.001s	PASSED
21	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.179s	PASSED
22	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.298s	PASSED
23	maximizeWindow() Current window maximized	0.061s	PASSED
24	waitForPageLoad(10) Wait for page load successfully	0.034s	PASSED
25	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.018s	PASSED
26	comment("===== RUNNING TEST: " + testType.toUpperCase() + " =====") ===== RUNNING TEST: WRONG_CREDENTIALS =====	0.006s	PASSED
27	setText(emailInput, account) Text 'thang@gmail.com' is set on object 'email'	0.918s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
28	setText(passwordInput, password) Text 'thang@gmail.com' is set on object 'password'	0.780s	PASSED
29	if (testType.contains("empty"))	0.000s	PASSED
30	click(submitBtn) Object: 'submit' is clicked on	0.385s	PASSED
31	delay(3) Delayed 3 second(s)	3.015s	PASSED
32	if (testType == "valid")	0.000s	PASSED
33	else	0.002s	PASSED
34	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.012s	PASSED
35	if (!(currentUrl.contains("login")))	0.002s	PASSED
36	comment(" TEST PASSED: Login blocked as expected.") TEST PASSED: Login blocked as expected.	0.003s	PASSED
37	hasError = verifyElementPresent(errorMsg, 2, OPTIONAL) Object 'error' is present	0.250s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
38	if (hasError) Message: Server error/general message displayed:	0.267s	PASSED
39	closeBrowser() Browser is closed	0.244s	PASSED

TC_LoginFailed

Information

ID	Test Cases/FE_Login/TC_LoginFailed		
Description			
Tag			
Start	27-11-2025 12:51:47	End	27-11-2025 12:51:55
Elapsed	7.462s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	testType = determineTestType(account, password)	0.000s	PASSED
2	if (email == null email.isEmpty())	0.000s	PASSED
3	if (password == null password.isEmpty())	0.001s	PASSED
4	if (!(email.contains("@")) !(email.contains(".")))	0.000s	PASSED
5	comment("=====") =====	0.002s	PASSED
6	comment("TEST DATA SUMMARY:") TEST DATA SUMMARY:	0.002s	PASSED
7	comment(" Account (Email): " + (account) ? account : (EMPTY)) Account (Email): thang	0.003s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
8	comment(" Password: " + (password) ? "*****" : (EMPTY)) Password: *****	0.004s	PASSED
9	comment(" Calculated Test Type: " + testType) Calculated Test Type: invalid_email	0.002s	PASSED
10	comment("===== =====	0.003s	PASSED
11	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.000s	PASSED
12	emailInput.addProperty("id", EQUALS, "email")	0.000s	PASSED
13	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.000s	PASSED
14	passwordInput.addProperty("id", EQUALS, "password")	0.001s	PASSED
15	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.000s	PASSED
16	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.001s	PASSED
17	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.000s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
18	errorMsg.addProperty("xpath", EQUALS, "//*[contains(text(), \"Login failed\") or contains(text(), \"error\") or contains(text(), \"credentials\") or @data-testid=\"error-message\"]")	0.001s	PASSED
19	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.225s	PASSED
20	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.309s	PASSED
21	maximizeWindow() Current window maximized	0.064s	PASSED
22	waitForPageLoad(10) Wait for page load successfully	0.033s	PASSED
23	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.018s	PASSED
24	comment("===== RUNNING TEST: " + testType.toUpperCase() + " =====") ===== RUNNING TEST: INVALID_EMAIL =====	0.006s	PASSED
25	setText(emailInput, account) Text 'thang' is set on object 'email'	0.880s	PASSED
26	setText(passwordInput, password) Text 'thang' is set on object 'password'	0.731s	PASSED
27	if (testType.contains("empty"))	0.000s	PASSED

TC_LoginFailed

#	Description	Elapsed	Status
28	click(submitBtn) Object: 'submit' is clicked on	0.382s	PASSED
29	delay(3) Delayed 3 second(s)	3.006s	PASSED
30	if (testType == "valid")	0.000s	PASSED
31	else	0.000s	PASSED
32	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.014s	PASSED
33	if (!(currentUrl.contains("login")))	0.000s	PASSED
34	comment(" TEST PASSED: Login blocked as expected.") TEST PASSED: Login blocked as expected.	0.005s	PASSED
35	hasError = verifyElementPresent(errorMsg, 2, OPTIONAL) Object 'error' is present	0.242s	PASSED
36	if (hasError) Message: Server error/general message displayed:	0.260s	PASSED
37	closeBrowser() Browser is closed	0.229s	PASSED

TC_LoginPass

Information

ID	Test Cases/FE_Login/TC_LoginPass		
Description			
Tag			
Start	27-11-2025 12:51:55	End	27-11-2025 12:52:02
Elapsed	7.328s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.002s	PASSED
2	emailInput.addProperty("id", EQUALS, "email")	0.002s	PASSED
3	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.002s	PASSED
4	passwordInput.addProperty("id", EQUALS, "password")	0.001s	PASSED
5	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.001s	PASSED
6	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid="btn-submit"]")	0.002s	PASSED
7	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.001s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
8	errorMsg.addProperty("xpath", EQUALS, "//*[@data-testid='error-message']")	0.001s	PASSED
9	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.195s	PASSED
10	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.293s	PASSED
11	waitForPageLoad(10) Wait for page load successfully	0.026s	PASSED
12	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.013s	PASSED
13	setText(emailInput, account) Text 'thang@gmail.com' is set on object 'email'	0.905s	PASSED
14	setText(passwordInput, password) Text '123456' is set on object 'password'	0.752s	PASSED
15	click(submitBtn) Object: 'submit' is clicked on	0.368s	PASSED
16	delay(3) Delayed 3 second(s)	3.010s	PASSED
17	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/'	0.014s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
18	println("URL after login: " + currentUrl)	0.007s	PASSED
19	verifyElementNotPresent(errorMsg, 2, CONTINUE_ON_FAILURE) Web element with id: 'error' located by 'By.xpath: //*[@data-testid="error-message"]' is not present after '2' second(s)	0.329s	PASSED
20	verifyNotMatch(currentUrl, loginUrl, false, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text 'http://localhost:8080/login' are not matched	0.018s	PASSED
21	verifyNotMatch(currentUrl, ".*login.*", true, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text '.*login.*' are not matched using regular expression	0.004s	PASSED
22	comment(" All verifications completed") All verifications completed	0.005s	PASSED
23	closeBrowser() Browser is closed	0.245s	PASSED

TC_LoginPass

Information

ID	Test Cases/FE_Login/TC_LoginPass		
Description			
Tag			
Start	27-11-2025 12:52:02	End	27-11-2025 12:52:09
Elapsed	7.144s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.001s	PASSED
2	emailInput.addProperty("id", EQUALS, "email")	0.001s	PASSED
3	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.000s	PASSED
4	passwordInput.addProperty("id", EQUALS, "password")	0.000s	PASSED
5	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.001s	PASSED
6	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid='btn-submit']")	0.000s	PASSED
7	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.001s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
8	errorMsg.addProperty("xpath", EQUALS, "//*[@data-testid='error-message']")	0.001s	PASSED
9	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.235s	PASSED
10	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.316s	PASSED
11	waitForPageLoad(10) Wait for page load successfully	0.025s	PASSED
12	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.012s	PASSED
13	setText(emailInput, account) Text 'nhath@gmail.com' is set on object 'email'	0.897s	PASSED
14	setText(passwordInput, password) Text '123456' is set on object 'password'	0.729s	PASSED
15	click(submitBtn) Object: 'submit' is clicked on	0.374s	PASSED
16	delay(3) Delayed 3 second(s)	3.006s	PASSED
17	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/'	0.011s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
18	println("URL after login: " + currentUrl)	0.001s	PASSED
19	verifyElementNotPresent(errorMsg, 2, CONTINUE_ON_FAILURE) Web element with id: 'error' located by 'By.xpath: //*[@data-testid="error-message"]' is not present after '2' second(s)	0.253s	PASSED
20	verifyNotMatch(currentUrl, loginUrl, false, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text 'http://localhost:8080/login' are not matched	0.003s	PASSED
21	verifyNotMatch(currentUrl, ".*login.*", true, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text '.*login.*' are not matched using regular expression	0.002s	PASSED
22	comment(" All verifications completed") All verifications completed	0.003s	PASSED
23	closeBrowser() Browser is closed	0.242s	PASSED

TC_LoginPass

Information

ID	Test Cases/FE_Login/TC_LoginPass		
Description			
Tag			
Start	27-11-2025 12:52:09	End	27-11-2025 12:52:16
Elapsed	7.137s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	emailInput = new com.kms.katalon.core.testobject.TestObject(email)	0.000s	PASSED
2	emailInput.addProperty("id", EQUALS, "email")	0.001s	PASSED
3	passwordInput = new com.kms.katalon.core.testobject.TestObject(password)	0.000s	PASSED
4	passwordInput.addProperty("id", EQUALS, "password")	0.001s	PASSED
5	submitBtn = new com.kms.katalon.core.testobject.TestObject(submit)	0.000s	PASSED
6	submitBtn.addProperty("xpath", EQUALS, "//button[@data-testid="btn-submit"]")	0.001s	PASSED
7	errorMsg = new com.kms.katalon.core.testobject.TestObject(error)	0.000s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
8	errorMsg.addProperty("xpath", EQUALS, "//*[@data-testid='error-message']")	0.002s	PASSED
9	openBrowser("", STOP_ON_FAILURE) Browser is opened with url: "	1.191s	PASSED
10	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.329s	PASSED
11	waitForPageLoad(10) Wait for page load successfully	0.024s	PASSED
12	loginUrl = getUrl() Current window's url is: 'http://localhost:8080/login'	0.012s	PASSED
13	setText(emailInput, account) Text 'thang2@gmail.com' is set on object 'email'	0.887s	PASSED
14	setText(passwordInput, password) Text '123456' is set on object 'password'	0.765s	PASSED
15	click(submitBtn) Object: 'submit' is clicked on	0.380s	PASSED
16	delay(3) Delayed 3 second(s)	3.004s	PASSED
17	currentUrl = getUrl() Current window's url is: 'http://localhost:8080/'	0.011s	PASSED

TC_LoginPass

#	Description	Elapsed	Status
18	println("URL after login: " + currentUrl)	0.000s	PASSED
19	verifyElementNotPresent(errorMsg, 2, CONTINUE_ON_FAILURE) Web element with id: 'error' located by 'By.xpath: //*[@data-testid="error-message"]' is not present after '2' second(s)	0.252s	PASSED
20	verifyNotMatch(currentUrl, loginUrl, false, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text 'http://localhost:8080/login' are not matched	0.003s	PASSED
21	verifyNotMatch(currentUrl, ".*login.*", true, CONTINUE_ON_FAILURE) Actual text 'http://localhost:8080/' and expected text '.*login.*' are not matched using regular expression	0.004s	PASSED
22	comment(" All verifications completed") All verifications completed	0.002s	PASSED
23	closeBrowser() Browser is closed	0.252s	PASSED