Excel_Test

Execution time	Computer name	Language
11/23/2023 11:13:53 AM	LGVN14254	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1280x1024	1.4m
Run configuration name	Username	
TestRun	quang.nhat.tran	

■ 1 x Failed

Total warnings
0

Total errors
1

Table of Contents

Global Parameters:

AppProcessID:

TestCase

▶ TestCase

1.4m ⬆

SETUP

46.15s ⬆

🎥 StartAUT

46.12s ⬆

Time	Level	Category	Message
00:00.111	Info	Data	Current variable values: $StartAutProcessIDVar = ''
00:00.197	Info	Application	Run application 'C:\Program Files (x86)\Microsoft Office\Office15\EXCEL.EXE' in normal mode. Return value bound to $StartAutProcessIDVar.
00:03.179	Info	Validation	Validating Exists on item 'Excel'.
00:46.159 ✅	Success	Validation	Element for item 'Self' does exist.

🎥 OpenBlankDocument

4.67s ⬆

Time	Level	Category	Message
00:46.222	Info	Validation	Validating AttributeEqual (Text='Blank workbook') on item 'Excel.blank_workbook_link'.
00:47.697 ✅	Success	Validation	Attribute 'Text' of element for item 'Excel_TestRepository.Excel.blank_workbook_link' does match the specified value.
00:47.850	Info	Mouse	Mouse Left Click item 'Excel.blank_workbook_link' at 106;126.

🎥 DefineHeader

28.68s ⬆

Time	Level	Category	Message
00:50.912	Info	Mouse	Mouse Left Click item 'Excel.Row1.CellA1' at 25;11.
00:55.087	Info	Keyboard	Key sequence 'Ho va Ten' with focus on 'Excel.Row1.CellA1'.
00:58.459	Info	Keyboard	Key sequence '{Return}'.
00:58.780	Info	Mouse	Mouse Left Click item 'Excel.Row1.CellB1' at 30;13.
01:02.020	Info	Keyboard	Key sequence 'Ma nhan vien' with focus on 'Excel.Row1.CellB1'.

01:05.718	Info	Keyboard	Key sequence '{Return}'.
01:06.027	Info	Mouse	Mouse Left Click item 'Excel.Row1.CellC1' at 26;12.
01:09.301	Info	Keyboard	Key sequence 'Tuoi' with focus on 'Excel.Row1.CellC1'.
01:12.101	Info	Keyboard	Key sequence '{Return}'.
01:12.413	Info	Mouse	Mouse Left Click item 'Excel.Row1.CellD1' at 32;11.
01:15.713	Info	Keyboard	Key sequence 'Nghe nghiep' with focus on 'Excel.Row1.CellD1'.
01:19.294	Info	Keyboard	Key sequence '{Return}'.

TEARDOWN

2.14s

CloseAUT

2.13s

Time	Level	Category	Message
01:19.609	Info	Data	Current variable values: $CloseAutProcessIDVar = '25028'
01:19.655	Info	Application	Closing application with Process ID bound to variable $CloseAutProcessIDVar.
01:21.548	Error	Module	The process with id '25028' does not exist. Process with an Id of 25028 is not running.