```csharp
namespace Meditech.App.CommonService.Reports.DonKSK
{
    partial class rptDonKSK
    {
        /// <summary>
        /// Required designer variable.
        /// </summary>
        private System.ComponentModel.IContainer components = null;

        /// <summary>
        /// Clean up any resources being used.
        /// </summary>
        /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
        protected override void Dispose(bool disposing)
        {
            if (disposing && (components != null))
            {
                components.Dispose();
            }
            base.Dispose(disposing);
        }

        #region Designer generated code

        /// <summary>
        /// Required method for Designer support - do not modify
        /// the contents of this method with the code editor.
        /// </summary>
        private void InitializeComponent()
        {
            this.components = new System.ComponentModel.Container();
            DevExpress.DataAccess.ObjectBinding.ObjectConstructorInfo objectConstructorInfo1 = new DevExpress.DataAccess.ObjectBinding.ObjectConstructorInfo();
            DevExpress.DataAccess.ObjectBinding.Parameter parameter1 = new DevExpress.DataAccess.ObjectBinding.Parameter();
            this.Detail = new DevExpress.XtraReports.UI.DetailBand();
            this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
            this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
            this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
            this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
            this.xrLabel26 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel25 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel20 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel17 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel13 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
            this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow();
            this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
            this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
            this.pic1 = new DevExpress.XtraReports.UI.XRPictureBox();
            this.pic2 = new DevExpress.XtraReports.UI.XRPictureBox();
            this.xrLabel24 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel23 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel22 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel21 = new DevExpress.XtraReports.UI.XRLabel();
            this.id = new DevExpress.XtraReports.Parameters.Parameter();
            this.objectDataSource1 = new DevExpress.DataAccess.ObjectBinding.ObjectDataSource(this.components);
            this.DetailReport = new DevExpress.XtraReports.UI.DetailReportBand();
            this.Detail1 = new DevExpress.XtraReports.UI.DetailBand();
            this.xrTable4 = new DevExpress.XtraReports.UI.XRTable();
            this.xrTableRow4 = new DevExpress.XtraReports.UI.XRTableRow();
            this.xrTableCell16 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell17 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell18 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell19 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell20 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrLabel19 = new DevExpress.XtraReports.UI.XRLabel();
            ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
            ((System.ComponentModel.ISupportInitialize)(this.objectDataSource1)).BeginInit();
            ((System.ComponentModel.ISupportInitialize)(this.xrTable4)).BeginInit();
            ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
            //
            // Detail
            //
            this.Detail.HeightF = 0F;
            this.Detail.Name = "Detail";
            this.Detail.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
            this.Detail.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // TopMargin
            //
            this.TopMargin.HeightF = 46.875F;
            this.TopMargin.Name = "TopMargin";
            this.TopMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
            this.TopMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // BottomMargin
            //
            this.BottomMargin.HeightF = 54.16667F;
            this.BottomMargin.Name = "BottomMargin";
            this.BottomMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
```

```
this.BottomMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
//
// xrLabel1
//
this.xrLabel1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 14F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(214.5834F, 97.50001F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(295.8333F, 23F);
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "CÔNG LỆNH";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
//
// ReportHeader
//
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel19,
this.xrLabel26,
this.xrLabel25,
this.xrLabel20,
this.xrLabel18,
this.xrLabel17,
this.xrLabel16,
this.xrLabel15,
this.xrLabel14,
this.xrLabel2,
this.xrLabel13,
this.xrTable1,
this.xrLabel12,
this.xrLabel11,
this.xrLabel10,
this.xrLabel9,
this.xrLabel8,
this.xrLabel7,
this.xrLabel6,
this.xrLabel5,
this.xrLabel4,
this.xrLabel3,
this.xrLabel1});
this.ReportHeader.HeightF = 366.6667F;
this.ReportHeader.Name = "ReportHeader";
//
// xrLabel26
//
this.xrLabel26.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[DaCoSo]")});
this.xrLabel26.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel26.LocationFloat = new DevExpress.Utils.PointFloat(310.5F, 220.8334F);
this.xrLabel26.Multiline = true;
this.xrLabel26.Name = "xrLabel26";
this.xrLabel26.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel26.SizeF = new System.Drawing.SizeF(178.2917F, 23F);
this.xrLabel26.StylePriority.UseFont = false;
this.xrLabel26.StylePriority.UseTextAlignment = false;
this.xrLabel26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
//
// xrLabel25
//
this.xrLabel25.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel25.LocationFloat = new DevExpress.Utils.PointFloat(288.4584F, 220.8334F);
this.xrLabel25.Multiline = true;
this.xrLabel25.Name = "xrLabel25";
this.xrLabel25.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel25.SizeF = new System.Drawing.SizeF(22.04163F, 23F);
this.xrLabel25.StylePriority.UseFont = false;
this.xrLabel25.StylePriority.UseTextAlignment = false;
this.xrLabel25.Text = "5. ";
this.xrLabel25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
//
// xrLabel20
//
this.xrLabel20.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[KhoaPhong]")});
this.xrLabel20.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel20.LocationFloat = new DevExpress.Utils.PointFloat(1.666641F, 23F);
this.xrLabel20.Multiline = true;
this.xrLabel20.Name = "xrLabel20";
this.xrLabel20.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel20.SizeF = new System.Drawing.SizeF(331.2499F, 23F);
this.xrLabel20.StylePriority.UseFont = false;
this.xrLabel20.StylePriority.UseTextAlignment = false;
this.xrLabel20.Text = "xrLabel20";
this.xrLabel20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
//
// xrLabel18
//
this.xrLabel18.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[DiaChi]")});
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(110.8334F, 167.8334F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(504.5835F, 23.00002F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.Text = "xrLabel18";
//
// xrLabel17
//
this.xrLabel17.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[NgayIn]")});
this.xrLabel17.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel17.LocationFloat = new DevExpress.Utils.PointFloat(401.7498F, 59.58335F);
this.xrLabel17.Multiline = true;
this.xrLabel17.Name = "xrLabel17";
this.xrLabel17.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel17.SizeF = new System.Drawing.SizeF(296.1669F, 23F);
this.xrLabel17.StylePriority.UseFont = false;
this.xrLabel17.Text = "xrLabel17";
```

```csharp
//
// xrLabel16
//
this.xrLabel16.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[NgayKhamThuc]")});
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(150.4166F, 193.8334F);
this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel16.SizeF = new System.Drawing.SizeF(465.0002F, 23F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.Text = "xrLabel16";
//
// xrLabel15
//
this.xrLabel15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[TenCongTy]")});
this.xrLabel15.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(182.4167F, 141.8334F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel15.SizeF = new System.Drawing.SizeF(433.0002F, 23F);
this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.Text = "xrLabel15";
//
// xrLabel14
//
this.xrLabel14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[SoLuotKham]")});
this.xrLabel14.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(127.0417F, 245.8334F);
this.xrLabel14.Multiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel14.SizeF = new System.Drawing.SizeF(300.8751F, 23F);
this.xrLabel14.StylePriority.UseFont = false;
this.xrLabel14.Text = "xrLabel14";
//
// xrLabel2
//
this.xrLabel2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[NguoiLienHe]")});
this.xrLabel2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(168.7917F, 273.8333F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(431.25F, 23F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.Text = "xrLabel2";
//
// xrLabel13
//
this.xrLabel13.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[SoPhieu]")});
this.xrLabel13.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
this.xrLabel13.LocationFloat = new DevExpress.Utils.PointFloat(127.0417F, 59.58335F);
this.xrLabel13.Multiline = true;
this.xrLabel13.Name = "xrLabel13";
this.xrLabel13.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel13.SizeF = new System.Drawing.SizeF(100F, 23F);
this.xrLabel13.StylePriority.UseFont = false;
this.xrLabel13.Text = "xrLabel13";
//
// xrTable1
//
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 341.6667F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(703.0001F, 25F);
//
// xrTableRow1
//
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3,
this.xrTableCell4,
this.xrTableCell5});
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
//
// xrTableCell1
//
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.StylePriority.UseBorders = false;
this.xrTableCell1.StylePriority.UseFont = false;
this.xrTableCell1.StylePriority.UseTextAlignment = false;
this.xrTableCell1.Text = "STT";
this.xrTableCell1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
this.xrTableCell1.Weight = 0.35494009627223488D;
//
// xrTableCell2
//
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.StylePriority.UseFont = false;
```

```
            this.xrTableCell2.StylePriority.UseTextAlignment = false;
            this.xrTableCell2.Text = "Họ và tên";
            this.xrTableCell2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            this.xrTableCell2.Weight = 1.105097481722177D;
            //
            // xrTableCell3
            //
            this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
            | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrTableCell3.Multiline = true;
            this.xrTableCell3.Name = "xrTableCell3";
            this.xrTableCell3.StylePriority.UseBorders = false;
            this.xrTableCell3.StylePriority.UseFont = false;
            this.xrTableCell3.StylePriority.UseTextAlignment = false;
            this.xrTableCell3.Text = "Khoa/phòng";
            this.xrTableCell3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            this.xrTableCell3.Weight = 1.2882317812686561D;
            //
            // xrTableCell4
            //
            this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
            | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrTableCell4.Multiline = true;
            this.xrTableCell4.Name = "xrTableCell4";
            this.xrTableCell4.StylePriority.UseBorders = false;
            this.xrTableCell4.StylePriority.UseFont = false;
            this.xrTableCell4.StylePriority.UseTextAlignment = false;
            this.xrTableCell4.Text = "Nhiệm vụ";
            this.xrTableCell4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            this.xrTableCell4.Weight = 1.2517306407369317D;
            //
            // xrTableCell5
            //
            this.xrTableCell5.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
            | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrTableCell5.Multiline = true;
            this.xrTableCell5.Name = "xrTableCell5";
            this.xrTableCell5.StylePriority.UseBorders = false;
            this.xrTableCell5.StylePriority.UseFont = false;
            this.xrTableCell5.StylePriority.UseTextAlignment = false;
            this.xrTableCell5.Text = "Ghi chú";
            this.xrTableCell5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            this.xrTableCell5.Weight = 1.270612212232479D;
            //
            // xrLabel12
            //
            this.xrLabel12.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 298.8333F);
            this.xrLabel12.Multiline = true;
            this.xrLabel12.Name = "xrLabel12";
            this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel12.SizeF = new System.Drawing.SizeF(224.375F, 22.99997F);
            this.xrLabel12.StylePriority.UseFont = false;
            this.xrLabel12.StylePriority.UseTextAlignment = false;
            this.xrLabel12.Text = "8. Thành phần:";
            this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel11
            //
            this.xrLabel11.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 272.8334F);
            this.xrLabel11.Multiline = true;
            this.xrLabel11.Name = "xrLabel11";
            this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel11.SizeF = new System.Drawing.SizeF(136.875F, 22.99998F);
            this.xrLabel11.StylePriority.UseFont = false;
            this.xrLabel11.StylePriority.UseTextAlignment = false;
            this.xrLabel11.Text = "7. Người liên hệ: ";
            this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel10
            //
            this.xrLabel10.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 245.8334F);
            this.xrLabel10.Multiline = true;
            this.xrLabel10.Name = "xrLabel10";
            this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel10.SizeF = new System.Drawing.SizeF(100F, 23F);
            this.xrLabel10.StylePriority.UseFont = false;
            this.xrLabel10.StylePriority.UseTextAlignment = false;
            this.xrLabel10.Text = "6. Số lượng:          \r\n";
            this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel9
            //
            this.xrLabel9.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 219.8334F);
            this.xrLabel9.Multiline = true;
            this.xrLabel9.Name = "xrLabel9";
            this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel9.SizeF = new System.Drawing.SizeF(240.7916F, 23F);
            this.xrLabel9.StylePriority.UseFont = false;
            this.xrLabel9.StylePriority.UseTextAlignment = false;
            this.xrLabel9.Text = "4. Nhiệm vụ:     Khám sức khỏe";
            this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel8
            //
            this.xrLabel8.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 193.8334F);
            this.xrLabel8.Multiline = true;
            this.xrLabel8.Name = "xrLabel8";
            this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel8.SizeF = new System.Drawing.SizeF(123.3333F, 23F);
            this.xrLabel8.StylePriority.UseFont = false;
```

```
            this.xrLabel8.StylePriority.UseTextAlignment = false;
            this.xrLabel8.Text = "3. Thời gian từ:";
            this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel7
            //
            this.xrLabel7.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 167.8334F);
            this.xrLabel7.Multiline = true;
            this.xrLabel7.Name = "xrLabel7";
            this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel7.SizeF = new System.Drawing.SizeF(84.79169F, 23F);
            this.xrLabel7.StylePriority.UseFont = false;
            this.xrLabel7.StylePriority.UseTextAlignment = false;
            this.xrLabel7.Text = "2. Địa chỉ:";
            this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel6
            //
            this.xrLabel6.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 141.8334F);
            this.xrLabel6.Multiline = true;
            this.xrLabel6.Name = "xrLabel6";
            this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel6.SizeF = new System.Drawing.SizeF(154.5833F, 23F);
            this.xrLabel6.StylePriority.UseFont = false;
            this.xrLabel6.StylePriority.UseTextAlignment = false;
            this.xrLabel6.Text = "1. Đơn vị công tác:";
            this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel5
            //
            this.xrLabel5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(64.16664F, 59.58335F);
            this.xrLabel5.Multiline = true;
            this.xrLabel5.Name = "xrLabel5";
            this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel5.SizeF = new System.Drawing.SizeF(37.5F, 23F);
            this.xrLabel5.StylePriority.UseFont = false;
            this.xrLabel5.StylePriority.UseTextAlignment = false;
            this.xrLabel5.Text = "Số:";
            this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
            //
            // xrLabel4
            //
            this.xrLabel4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(332.9166F, 24.58334F);
            this.xrLabel4.Multiline = true;
            this.xrLabel4.Name = "xrLabel4";
            this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel4.SizeF = new System.Drawing.SizeF(370.0834F, 23F);
            this.xrLabel4.StylePriority.UseFont = false;
            this.xrLabel4.StylePriority.UseTextAlignment = false;
            this.xrLabel4.Text = "Độc lập - Tự do - Hạnh phúc";
            this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // xrLabel3
            //
            this.xrLabel3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(332.9165F, 0F);
            this.xrLabel3.Multiline = true;
            this.xrLabel3.Name = "xrLabel3";
            this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel3.SizeF = new System.Drawing.SizeF(370.0833F, 23F);
            this.xrLabel3.StylePriority.UseFont = false;
            this.xrLabel3.StylePriority.UseTextAlignment = false;
            this.xrLabel3.Text = "CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM";
            this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // ReportFooter
            //
            this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
            this.pic1,
            this.pic2,
            this.xrLabel24,
            this.xrLabel23,
            this.xrLabel22,
            this.xrLabel21});
            this.ReportFooter.HeightF = 152.0833F;
            this.ReportFooter.Name = "ReportFooter";
            //
            // pic1
            //
            this.pic1.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "ImageUrl", "[Cuong].[UrlNguoiLapPhieu]")});
            this.pic1.LocationFloat = new DevExpress.Utils.PointFloat(81.45828F, 47.16663F);
            this.pic1.Name = "pic1";
            this.pic1.SizeF = new System.Drawing.SizeF(127.0833F, 61.37499F);
            this.pic1.Sizing = DevExpress.XtraPrinting.ImageSizeMode.ZoomImage;
            //
            // pic2
            //
            this.pic2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "ImageUrl", "[Cuong].[UrlNguoiDuyetPhieu]")});
            this.pic2.LocationFloat = new DevExpress.Utils.PointFloat(489.9167F, 47.16663F);
            this.pic2.Name = "pic2";
            this.pic2.SizeF = new System.Drawing.SizeF(127.0833F, 61.37499F);
            this.pic2.Sizing = DevExpress.XtraPrinting.ImageSizeMode.ZoomImage;
            //
            // xrLabel24
            //
            this.xrLabel24.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[NguoiDuyetPhieu]")});
            this.xrLabel24.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel24.LocationFloat = new DevExpress.Utils.PointFloat(429.4166F, 119.0833F);
            this.xrLabel24.Multiline = true;
            this.xrLabel24.Name = "xrLabel24";
            this.xrLabel24.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel24.SizeF = new System.Drawing.SizeF(253.125F, 23F);
            this.xrLabel24.StylePriority.UseFont = false;
            this.xrLabel24.StylePriority.UseTextAlignment = false;
```

```
            this.xrLabel24.Text = "CÔNG LỆNH";
            this.xrLabel24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // xrLabel23
            //
            this.xrLabel23.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[NguoiLapPhieu]")});
            this.xrLabel23.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel23.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 119.0833F);
            this.xrLabel23.Multiline = true;
            this.xrLabel23.Name = "xrLabel23";
            this.xrLabel23.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel23.SizeF = new System.Drawing.SizeF(253.125F, 23F);
            this.xrLabel23.StylePriority.UseFont = false;
            this.xrLabel23.StylePriority.UseTextAlignment = false;
            this.xrLabel23.Text = "CÔNG LỆNH";
            this.xrLabel23.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // xrLabel22
            //
            this.xrLabel22.Font = new DevExpress.Drawing.DXFont("Times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel22.LocationFloat = new DevExpress.Utils.PointFloat(429.4166F, 9.999974F);
            this.xrLabel22.Multiline = true;
            this.xrLabel22.Name = "xrLabel22";
            this.xrLabel22.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel22.SizeF = new System.Drawing.SizeF(253.125F, 23F);
            this.xrLabel22.StylePriority.UseFont = false;
            this.xrLabel22.StylePriority.UseTextAlignment = false;
            this.xrLabel22.Text = "NGƯỜI DUYỆT";
            this.xrLabel22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // xrLabel21
            //
            this.xrLabel21.Font = new DevExpress.Drawing.DXFont("Times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel21.LocationFloat = new DevExpress.Utils.PointFloat(26.04167F, 9.999974F);
            this.xrLabel21.Multiline = true;
            this.xrLabel21.Name = "xrLabel21";
            this.xrLabel21.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel21.SizeF = new System.Drawing.SizeF(253.125F, 23F);
            this.xrLabel21.StylePriority.UseFont = false;
            this.xrLabel21.StylePriority.UseTextAlignment = false;
            this.xrLabel21.Text = "NGƯỜI LẬP";
            this.xrLabel21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // id
            //
            this.id.Description = "id";
            this.id.Name = "id";
            this.id.Type = typeof(global::System.Guid);
            this.id.ValueInfo = "00000000-0000-0000-0000-000000000000";
            //
            // objectDataSource1
            //
            this.objectDataSource1.Constructor = objectConstructorInfo1;
            this.objectDataSource1.DataMember = "GetDonHang";
            this.objectDataSource1.DataSource = typeof(global::Meditech.App.CommonService.Services.DonKSKData);
            this.objectDataSource1.Name = "objectDataSource1";
            parameter1.Name = "id";
            parameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
            parameter1.Value = new DevExpress.DataAccess.Expression("?id", typeof(System.Guid));
            this.objectDataSource1.Parameters.AddRange(new DevExpress.DataAccess.ObjectBinding.Parameter[] {
            parameter1});
            //
            // DetailReport
            //
            this.DetailReport.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
            this.Detail1});
            this.DetailReport.DataMember = "ChiTiet";
            this.DetailReport.DataSource = this.objectDataSource1;
            this.DetailReport.Level = 0;
            this.DetailReport.Name = "DetailReport";
            //
            // Detail1
            //
            this.Detail1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
            this.xrTable4});
            this.Detail1.HeightF = 25F;
            this.Detail1.Name = "Detail1";
            //
            // xrTable4
            //
            this.xrTable4.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
            this.xrTable4.Name = "xrTable4";
            this.xrTable4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
            this.xrTable4.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
            this.xrTableRow4});
            this.xrTable4.SizeF = new System.Drawing.SizeF(702.9999F, 25F);
            //
            // xrTableRow4
            //
            this.xrTableRow4.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
            this.xrTableCell16,
            this.xrTableCell17,
            this.xrTableCell18,
            this.xrTableCell19,
            this.xrTableCell20});
            this.xrTableRow4.Name = "xrTableRow4";
            this.xrTableRow4.Weight = 1D;
            //
            // xrTableCell16
            //
            this.xrTableCell16.Borders = ((DevExpress.XtraPrinting.BorderSide)(((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell16.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ChiTiet].[Stt]")});
            this.xrTableCell16.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrTableCell16.Multiline = true;
            this.xrTableCell16.Name = "xrTableCell16";
            this.xrTableCell16.StylePriority.UseBorders = false;
            this.xrTableCell16.StylePriority.UseFont = false;
            this.xrTableCell16.Weight = 0.35752489124181541D;
```

```csharp
            //
            // xrTableCell17
            //
            this.xrTableCell17.Borders = ((DevExpress.XtraPrinting.BorderSide)(((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell17.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ChiTiet].[TenNhanVien]")});
            this.xrTableCell17.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrTableCell17.Multiline = true;
            this.xrTableCell17.Name = "xrTableCell17";
            this.xrTableCell17.StylePriority.UseBorders = false;
            this.xrTableCell17.StylePriority.UseFont = false;
            this.xrTableCell17.Weight = 1.1131462873498914D;
            //
            // xrTableCell18
            //
            this.xrTableCell18.Borders = ((DevExpress.XtraPrinting.BorderSide)(((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell18.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ChiTiet].[KhoaPhong]")});
            this.xrTableCell18.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrTableCell18.Multiline = true;
            this.xrTableCell18.Name = "xrTableCell18";
            this.xrTableCell18.StylePriority.UseBorders = false;
            this.xrTableCell18.StylePriority.UseFont = false;
            this.xrTableCell18.Weight = 1.297614871634134D;
            //
            // xrTableCell19
            //
            this.xrTableCell19.Borders = ((DevExpress.XtraPrinting.BorderSide)(((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell19.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ChiTiet].[NhiemVu]")});
            this.xrTableCell19.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrTableCell19.Multiline = true;
            this.xrTableCell19.Name = "xrTableCell19";
            this.xrTableCell19.StylePriority.UseBorders = false;
            this.xrTableCell19.StylePriority.UseFont = false;
            this.xrTableCell19.Weight = 1.2608480395484665D;
            //
            // xrTableCell20
            //
            this.xrTableCell20.Borders = ((DevExpress.XtraPrinting.BorderSide)(((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Right)
            | DevExpress.XtraPrinting.BorderSide.Bottom)));
            this.xrTableCell20.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ChiTiet].[GhiChu]")});
            this.xrTableCell20.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrTableCell20.Multiline = true;
            this.xrTableCell20.Name = "xrTableCell20";
            this.xrTableCell20.StylePriority.UseBorders = false;
            this.xrTableCell20.StylePriority.UseFont = false;
            this.xrTableCell20.Weight = 1.2798649240690547D;
            //
            // xrLabel19
            //
            this.xrLabel19.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Cuong].[TenDonVi]")});
            this.xrLabel19.Font = new DevExpress.Drawing.DXFont("Times New Roman", 12F);
            this.xrLabel19.LocationFloat = new DevExpress.Utils.PointFloat(1.666705F, 0F);
            this.xrLabel19.Multiline = true;
            this.xrLabel19.Name = "xrLabel19";
            this.xrLabel19.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel19.SizeF = new System.Drawing.SizeF(331.2498F, 23F);
            this.xrLabel19.StylePriority.UseFont = false;
            this.xrLabel19.StylePriority.UseTextAlignment = false;
            this.xrLabel19.Text = "xrLabel20";
            this.xrLabel19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopCenter;
            //
            // rptDonKSK
            //
            this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
            this.Detail,
            this.TopMargin,
            this.BottomMargin,
            this.ReportHeader,
            this.ReportFooter,
            this.DetailReport});
            this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
            this.objectDataSource1});
            this.DataSource = this.objectDataSource1;
            this.Margins = new DevExpress.Drawing.DXMargins(65F, 59F, 46.875F, 54.16667F);
            this.PageHeight = 1169;
            this.PageWidth = 827;
            this.PaperKind = System.Drawing.Printing.PaperKind.A4;
            this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
            this.id});
            this.Version = "22.2";
            ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
            ((System.ComponentModel.ISupportInitialize)(this.objectDataSource1)).EndInit();
            ((System.ComponentModel.ISupportInitialize)(this.xrTable4)).EndInit();
            ((System.ComponentModel.ISupportInitialize)(this)).EndInit();

        }

        #endregion

        private DevExpress.XtraReports.UI.DetailBand Detail;
        private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
        private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
        private DevExpress.XtraReports.UI.XRLabel xrLabel1;
        private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
        private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
        private DevExpress.XtraReports.UI.XRLabel xrLabel4;
        private DevExpress.XtraReports.UI.XRLabel xrLabel3;
        private DevExpress.XtraReports.UI.XRLabel xrLabel5;
        private DevExpress.XtraReports.UI.XRLabel xrLabel8;
        private DevExpress.XtraReports.UI.XRLabel xrLabel7;
        private DevExpress.XtraReports.UI.XRLabel xrLabel6;
        private DevExpress.XtraReports.UI.XRLabel xrLabel12;
        private DevExpress.XtraReports.UI.XRLabel xrLabel11;
        private DevExpress.XtraReports.UI.XRLabel xrLabel10;
```

```
        private DevExpress.XtraReports.UI.XRLabel xrLabel9;
        private DevExpress.XtraReports.UI.XRTable xrTable1;
        private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
        private DevExpress.XtraReports.Parameters.Parameter id;
        private DevExpress.XtraReports.UI.XRLabel xrLabel13;
        private DevExpress.DataAccess.ObjectBinding.ObjectDataSource objectDataSource1;
        private DevExpress.XtraReports.UI.XRLabel xrLabel14;
        private DevExpress.XtraReports.UI.XRLabel xrLabel2;
        private DevExpress.XtraReports.UI.XRLabel xrLabel17;
        private DevExpress.XtraReports.UI.XRLabel xrLabel16;
        private DevExpress.XtraReports.UI.XRLabel xrLabel15;
        private DevExpress.XtraReports.UI.XRLabel xrLabel18;
        private DevExpress.XtraReports.UI.XRLabel xrLabel20;
        private DevExpress.XtraReports.UI.XRLabel xrLabel22;
        private DevExpress.XtraReports.UI.XRLabel xrLabel21;
        private DevExpress.XtraReports.UI.XRLabel xrLabel24;
        private DevExpress.XtraReports.UI.XRLabel xrLabel23;
        private DevExpress.XtraReports.UI.DetailReportBand DetailReport;
        private DevExpress.XtraReports.UI.DetailBand Detail1;
        private DevExpress.XtraReports.UI.XRTable xrTable4;
        private DevExpress.XtraReports.UI.XRTableRow xrTableRow4;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell16;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell17;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell18;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell19;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell20;
        private DevExpress.XtraReports.UI.XRPictureBox pic1;
        private DevExpress.XtraReports.UI.XRPictureBox pic2;
        private DevExpress.XtraReports.UI.XRLabel xrLabel25;
        private DevExpress.XtraReports.UI.XRLabel xrLabel26;
        private DevExpress.XtraReports.UI.XRLabel xrLabel19;
    }
}
```