```
namespace Meditech.App.CommonService.Reports.BanHang
    partial class rptPhieuBanLe
          /// <summary>
          /// Required designer variable.
          /// </summary>
          private System.ComponentModel.IContainer components = null;
          /// <summary>
          /// Clean up any resources being used.
          /// </summary>
          /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
          protected override void Dispose(bool disposing)
               if (disposing && (components != null))
                     components.Dispose();
               base.Dispose(disposing);
          #region Designer generated code
          /// Required method for Designer support - do not modify
          /// the contents of this method with the code editor.
          /// </summary>
          private void InitializeComponent()
               this.components = new System.ComponentModel.Container():
               DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
               DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptPhieuBanLe));
               this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand()
               this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
this.Detail = new DevExpress.XtraReports.UI.DetailBand();
               this.xrLabel19 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
               this.mabanhang = new DevExpress.XtraReports.Parameters.Parameter();
this.ct = new DevExpress.XtraReports.Parameters.Parameter();
               this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel()
               this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
               this.xrLabel26 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel24 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel25 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel23 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel20 = new DevExpress.XtraReports.UI.XRLabel();
               this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
               this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
               this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow()
               this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell()
               this.DetailReport = new DevExpress.XtraReports.UI.DetailReportBand();
this.Detail1 = new DevExpress.XtraReports.UI.DetailBand();
               this.xrTable2 = new DevExpress.XtraReports.UI.XRTable();
               this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell(); this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
               this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
               ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
               // TopMargin
               this.TopMargin.HeightF = 25F;
this.TopMargin.Name = "TopMargin";
               // BottomMargin
               this.BottomMargin.HeightF = 28.125F;
               this.BottomMargin.Name = "BottomMargin";
               //
               // Detail
               this.Detail.HeightF = 0F;
               this.Detail.Name = "Detail";
               // xrLabel19
               this.xrLabel19.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
               this.xrLabel19.LocationFloat = new DevExpress.Utils.PointFloat(0F, 120.2083F);
```

```
this.xrLabel19.Multiline = true;
this.xrLabel19.Name = "xrLabel19";
this.xrLabel19.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel19.SizeF = new System.Drawing.SizeF(71.04176F, 22.99998F);
this.xrLabel19.StylePriority.UseFont = false;
this.xrLabel19.StylePriority.UseTextAlignment = false;
this.xrLabel19.Text = "Kho xuất:";
this.xrLabel19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel18
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(0F, 97.20831F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(86.66676F, 22.99998F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.StylePriority.UseTextAlignment = false;
this.xrLabel18.Text = "Khách hàng:";
this.xrLabel18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel16
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 97.20831F);
this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel16.SizeF = new System.Drawing.SizeF(79.99997F, 22.99998F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.StylePriority.UseTextAlignment = false;
this.xrLabel16.Text = "Đối tượng:";
this.xrLabel16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel15
this.xrLabel 15. {\tt ExpressionBindings.AddRange(new\ DevExpress.XtraReports.UI.ExpressionBinding[]} \ \{ this.xrLabel 15. {\tt ExpressionBindings.AddRange(new\ DevExpress.XtraReports.UI.ExpressionBindings.AddRange(new\ DevExpress.XtraReports.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBindings.UI.ExpressionBinding
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[sophieu]")});
this.xrLabel15.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 22.99997F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel15.SizeF = new System.Drawing.SizeF(402F, 22.99998F);
this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.StylePriority.UseTextAlignment = false;
this.xrLabel15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrLabel15.TextFormatString = "Số phiếu: {0}";
//
// xrLabel14
this.xrLabel14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[hoten]")});
    this.xrLabel14.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(86.66676F, 97.20832F);
this.xrLabel14.Nultiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel14.SizeF = new System.Drawing.SizeF(278.333F, 23F);
this.xrLabel14.StylePriority.UseFont = false;
this.xrLabel14.StylePriority.UseTextAlignment = false;
this.xrLabel14.Text = "xrLabel14";
this.xrLabel14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel12
this.xrLabel12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[sokhoan]")});
    this.xrLabel12.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(110.6251F, 0F);
this.xrLabel12.Multiline = true;
this.xrLabel12.Name = "xrLabel12";
this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel12.SizeF = new System.Drawing.SizeF(656.3746F, 22.99998F); this.xrLabel12.StylePriority.UseFont = false;
this.xrLabel12.StylePriority.UseTextAlignment = false;
this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft; this.xrLabel12.TextFormatString = "{0:###,###,###,###,#00.####} khoản";
// xrLabel9
this.xrLabel9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[khoxuat]")});
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(71.04176F, 120.2083F);
this.xrLabel9.Multiline = true;
this.xrLabel9.Name = "xrLabel9"
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel9.SizeF = new System.Drawing.SizeF(293.958F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment = false;
this.xrLabel9.Text = "xrLabel9";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel7
This.xrLabel7.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[doituong]")});
    this.xrLabel7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
    this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(444.9998F, 97.20831F);
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel7.SizeF = new System.Drawing.SizeF(322.0004F, 22.99998F);
this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "xrLabel7";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
```

```
// xrLabel6
//
this.xrLabel6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[ngay]")});
    this.xrLabel6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
    this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(400.0001F, 22.99995F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Multiline = true;
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6";
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(366.9998F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:HH\}:\{0:mm\}, ngay \{0:dd\} tháng \{0:MM\} năm \{0:yyyy\}"; this.xrLabel6.TextFormatString = "\{0:MM\} năm \{0:yyyyy\}"; this.xrLabel6.TextFormatString = "\{0:MM\} năm \{0:yyyyy\}"; this.xrLabel6.TextFormatString = "\{0:MM\} năm \{0:yyyyy\}"; this.xrLabel6.TextFormatString = "\{0:MM\} na
 //
// xrLabel4
this.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[tendonvi]")});
    this.xrLabel4.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
    this.xrLabel4.ForeColor = System.Drawing.Color.Blue;
    this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(0F, 22.99995F);
 this.xrLabel4.Multiline = true;
 this.xrLabel4.Name = "xrLabel4"
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel4.SizeF = new System.Drawing.SizeF(300F, 23F); this.xrLabel4.StylePriority.UseFont = false;
 this.xrLabel4.StylePriority.UseForeColor = false;
 this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
 this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 //
// xrLabel3
 this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[tensoyte]")});
    this.xrLabel3.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
 this.xrLabel3.ForeColor = System.Drawing.Color.Red;
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
 this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(300F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
 this.xrLabel3.StylePriority.UseForeColor = false;
 this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
 this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 // xrLabel2
 this.xrLabel2.Font = new DevExpress.Drawing.DXFont("times New Roman", 14F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 68.99999F);
this.xrLabel2.Multiline = true;
 this.xrLabel2.Name = "xrLabel2";
 this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel2.SizeF = new System.Drawing.SizeF(766.9999F, 28.20833F);
this.xrLabel2.StylePriority.UseFoxt = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "ĐON BẮN LẾ";
 this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 //
 // mabanhang
//
this.mabanhang.Description = "mabanhang";
 this.mabanhang.Name = "mabanhang";
this.mabanhang.Type = typeof(int);
 this.mabanhang.ValueInfo = "0";
 // ct
 this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "0";
 //
 // xrLabel1
 //
 this.xrLabel1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
 this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 120.2083F);
 this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
 this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel1.SizeF = new System.Drawing.SizeF(80F, 22.99998F);
 this.xrLabel1.StylePriority.UseFont = false;
 this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "Danh muc:";
 this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 // xrLabel10
this.xrLabel10.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spprintphieubanhang].[Result1].[danhmuc]")});
    this.xrLabel10.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
 this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(444.9998F, 120.2083F);
 this.xrLabel10.Multiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Name = xrLabel10;
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel10.SizeF = new System.Drawing.SizeF(322.0001F, 22.99998F);
this.xrLabel10.StylePriority.UseFont = false;
this.xrLabel10.StylePriority.UseTextAlignment = false;
 this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 //
// ReportHeader
 this. Report Header. Controls. Add Range (new \ Dev Express. X traReports. UI. XR Control [] \ \{ (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.
 this.xrLabel1.
 this.xrLabel10,
 this.xrLabel19,
 this.xrLabel18
```

```
this.xrLabel16.
this.xrLabel15,
this.xrLabel14,
this.xrLabel9,
this.xrLabel7.
this.xrLabel4,
this.xrLabel2
this.xrLabel3});
this.ReportHeader.HeightF = 143.2083F;
this.ReportHeader.Name = "ReportHeader";
//
// ReportFooter
this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel6.
this.xrLabel26,
this.xrLabel24,
this.xrLabel25,
this.xrLabel23.
this.xrLabel20,
this.xrLabel12});
this.ReportFooter.HeightF = 183.7082F;
this.ReportFooter.Name = "ReportFooter";
// xrLabel26
this.xrLabel26.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel26.LocationFloat = new DevExpress.Utils.PointFloat(0F, 45.99995F);
this.xrLabel26.Multiline = true;
this.xrLabel26.Name = "xrLabel26";
this.xrLabel26.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel26.SizeF = new System.Drawing.SizeF(300.0001F, 23.00001F);
this.xrLabel26.StylePriority.UseFont = false;
this.xrLabel26.StylePriority.UseTextAlignment = false;
this.xrLabel26.Text = "Người giao";
this.xrLabel26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel24
this.xrLabel24.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel24.LocationFloat = new DevExpress.Utils.PointFloat(528.7502F, 45.99995F);
this.xrLabel24.Multiline = true;
this.xrLabel24.Name = "xrLabel24";
this.xrLabel24.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel24.SizeF = new System.Drawing.SizeF(238.2496F, 22.99999F);
this.xrLabel24.StylePriority.UseFont = false;
this.xrLabel24.StylePriority.UseTextAlignment = false;
this.xrLabel24.Text = "Người nhận"
this.xrLabel24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel25
this.xrLabel25.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel25.LocationFloat = new DevExpress.Utils.PointFloat(528.7502F, 68.99998F);
this.xrLabel25.Multiline = true;
this.xrLabel25.Name = "xrLabel25";
this.xrLabel25.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel25.SizeF = new System.Drawing.SizeF(238.2496F, 23F);
this.xrLabel25.StylePriority.UseFont = false;
this.xrLabel25.StylePriority.UseTextAlignment = false;
this.xrLabel25.Text = "(Ký, ghi rỗ họ tên)";
this.xrLabel25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel23
this.xrLabel23.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel23.LocationFloat = new DevExpress.Utils.PointFloat(0F, 68.99998F);
this.xrLabel23.Multiline = true;
this.xrLabel23.Name = "xrLabel23";
this.xrLabel23.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel23.SizeF = new System.Drawing.SizeF(300.0001F, 23F);
this.xrLabel23.StylePriority.UseFont = false;
this.xrLabel23.StylePriority.UseTextAlignment = false;
this.xrLabel23.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel23.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel20
//
this.xrLabel20.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel20.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel20.Multiline = true;
this.xrLabel20.Name = "xrLabel20";
this.xrLabel20.Name = ArLabel20, this.xrLabel20.Radding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel20.SizeF = new System.Drawing.SizeF(110.6251F, 22.99998F);
this.xrLabel20.StylePriority.UseFont = false;
this.xrLabel20.StylePriority.UseTextAlignment = false;
this.xrLabel20.Text = "Tổng số khoản:";
this.xrLabel20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 45.83333F;
this.GroupHeader1.Name = "GroupHeader1";
//
// xrTable1
this.xrTable1.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(767.0001F, 45.83333F);
this.xrTable1.StylePriority.UseFont = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow1
```

```
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3.
this.xrTableCell4,
this.xrTableCell5,
this.xrTableCell6
this.xrTableCell7);
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
//
// xrTableCell1
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.RowSpan = 2;
this.xrTableCell1.StylePriority.UseBorders = false;
this.xrTableCell1.Text = "STT";
this.xrTableCell1.Weight = 0.4D;
// xrTableCell2
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.RowSpan = 2;
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.Text = "Tên thuốc - Hàm lượng";
this.xrTableCell2.Weight = 2.6000002415145875D;
// xrTableCell3
this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.RowSpan = 2;
this.xrTableCell3.StylePriority.UseBorders = false;
this.xrTableCell3.Text = "ĐVT"
this.xrTableCell3.Weight = 0.64999696017889974D;
//
// xrTableCell4
this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.RowSpan = 2;
this.xrTableCell4.StylePriority.UseBorders = false;
this.xrTableCell4.Text = "Số lượng";
this.xrTableCell4.Weight = 0.79999925297590013D;
//
// xrTableCell5
this.xrTableCell5.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.RowSpan = 2:
this.xrTableCell5.StylePriority.UseBorders = false;
this.xrTableCell5.Text = "Đơn giá";
this.xrTableCell5.Weight = 0.83750418054977172D;
//
// xrTableCell6
this.xrTableCell6.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.RowSpan = 2;
this.xrTableCell6.StylePriority.UseBorders = false;
this.xrTableCell6.Text = "Thành tiền";
this.xrTableCell6.Weight = 1.1124993647808417D;
// xrTableCell7
this.xrTableCell7.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
 DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.RowSpan = 2;
this.xrTableCell7.StylePriority.UseBorders = false;
this.xrTableCell7.Text = "Ghi chú";
this.xrTableCell7.Weight = 1.2700006103515624D;
//
// DetailReport
this.DetailReport.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail1}):
this.DetailReport.DataMember = "spprintphieubanhang.Result2";
this.DetailReport.DataSource = this.sqlDataSource1;
this.DetailReport.Level = 0;
this.DetailReport.Name = "DetailReport";
// Detail1
this.Detail1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable2});
this.Detail1.HeightF = 25F;
```

```
this.Detail1.Name = "Detail1";
 // xrTable2
 this.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
      DevExpress.XtraPrinting.BorderSide.Bottom)));
 this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
 this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
 this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(767.0001F, 25F);
 this.xrTable2.StylePriority.UseBorders = false;
 //
// xrTableRow2
 this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
 this.xrTableCell8.
 this.xrTableCell9,
 this.xrTableCell11,
 this.xrTableCell12,
 this.xrTableCell14,
 this.xrTableCell15
 this.xrTableCell10);
this.xrTableRow2.Name = "xrTableRow2";
 this.xrTableRow2.Weight = 1D;
 // xrTableCell8
 this.xr Table Cell 8. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. Add \ Reports. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Expression Binding) \} \ \{ (n
this.xrlableCell8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.Expressionew DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[stt]")});
this.xrTableCell8.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.StylePriority.UseFont = false;
this.xrTableCell8.StylePriority.UseTextAlignment = false;
this.xrTableCell8.Text = "xrTableCell8";
this.xrTableCell8.Text = "xrTableCell8";
this.xrTableCell8.Weight = 0.40000007629394529D;
//
 // xrTableCell9
 this.xrTableCell9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
 new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")});
this.xrTableCell9.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
 this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
 this.xrTableCell9.StylePriority.UseFont = false;
 this.xrTableCell9.StylePriority.UseTextAlignment = false;
this.xrTableCell9.Text = "xrTableCell9";
 this.xrTableCell9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell9.Weight = 2.599999790659437D;
 // xrTableCell11
 this.xrTableCell11.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")});
    this.xrTableCell11.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
 this.xrTableCell11.Multiline = true;
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.StylePriority.UseFont = false;
this.xrTableCell11.StylePriority.UseTextAlignment = false;
this.xrTableCell11.Text = "xrTableCell11";
this.xrTableCell11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell11.Weight = 0.64999685386272521D;
 // xrTableCell12
//
this.xrTableCell12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[soluong]")});
    this.xrTableCell12.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
    this.xrTableCell12.Mame = "xrTableCell12";
    this.xrTableCell12.Name = "xrTableCell12";
    this.xrTableCell12.StylePriority.UseFont = false;
    this.xrTableCell12.StylePriority.UseTextAlignment = false;
    this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight:
 this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell12.TextFormatString = "{0:###,###,###,##0.####}"; this.xrTableCell12.Weight = 0.79999923706067377D;
 // xrTableCell14
//
this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongia]")});
    this.xrTableCell14.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
    this.xrTableCell14.Multiline = true;
    this.xrTableCell14.Name = "xrTableCell14";
    this.xrTableCell14.StylePriority.UseFont = false;
    this.xrTableCell14.StylePriority.UseTextAlignment = false;
    this.xrTableCell14.Text = "xrTableCell14";
    this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
    this.xrTableCell14.TextFormatString = "{0:###, ###, ###, ###, ###, #####";
    this.xrTableCell14.Weight = 0.83750533433872354D;
    //
 // xrTableCell15
 //
this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtien]")});
    this.xrTableCell15.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
    this.xrTableCell15.Multiline = true;
    this.xrTableCell15.Multiline = true;
 this.xrTableCell15.Name = "xrTableCell15";
this.xrTableCell15.StylePriority.UseFont = false;
this.xrTableCell15.StylePriority.UseTextAlignment = false;
this.xrTableCell15.Text = "xrTableCell15";
 this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell15.TextFormatString = "{0:###,###,###,##0.#####}";
this.xrTableCell15.Weight = 1.1124980425514062D;
 // xrTableCell10
```

```
this.xr Table Cell 10. Expression Bindings. Add Range (new Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Expression Binding) \} 
        new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[cachdung]"));
this.xrTableCell10.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
        this.xrTableCell10.Multiline = true;
        this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseFont = false;
        this.xrTableCell10.StylePriority.UseTextAlignment = false;
this.xrTableCell10.Text = "xrTableCell10";
       this.xrTableCell10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell10.Weight = 1.2700006103515624D;
        // sqlDataSource1
       //
this.sqlDataSource1.ConnectionName = "SaleDatabase";
this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "sprintphieubanhang";
queryParameter1.Name = "@mabanhang";
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter1.Type = typeof(global::bevExpress.DataAccess.Expression);
queryParameter1.Value = new DevExpress.DataAccess.Expression("?mabanhang", typeof(int));
queryParameter2.Name = "@ct";
queryParameter2.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter2.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
        storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
        queryParameter1,
        queryParameter2}):
        storedProcQuery1.StoredProcName = "spprintphieubanhang";
        this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
        storedProcQuery1});
        this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
        // rptPhieuBanLe
        this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
        this.TopMargin,
        this.BottomMargin.
        this.Detail,
        this.ReportHeader,
        this.ReportFooter,
        this.GroupHeader1
        this.DetailReport});
        this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
        this.sqlDataSource1});
        this.DataSource = this.sqlDataSource1;
        this.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.Margins = new DevExpress.Drawing.DXMargins(30F, 30F, 25F, 28.125F);
        this.PageHeight = 1169;
        this.PageWidth = 827;
        this.PaperKind = System.Drawing.Printing.PaperKind.A4;
        this.ParameterPanelLayoutItems.AddRange(new DevExpress.XtraReports.Parameters.ParameterPanelLayoutItem[] {
    new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.mabanhang, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
        new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.ct, DevExpress.XtraReports.Parameters.Orientation.Horizontal)});
        this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
        this.mabanhang,
        this.ct});
        this. Version = "22.2";
        ((System. Component Model. IS upport Initialize) (this.xrTable1)). End Init();\\
        ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
#endregion
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.Parameters.Parameter mabanhang;
private DevExpress.XtraReports.UI.XRLabel xrLabel12;
private DevExpress.XtraReports.UI.XRLabel xrLabel14;
private DevExpress.XtraReports.UI.XRLabel xrLabel19;
private DevExpress.XtraReports.UI.XRLabel xrLabel18;
private DevExpress.XtraReports.UI.XRLabel xrLabel16;
private DevExpress.XtraReports.UI.XRLabel xrLabel15;
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.UI.XRLabel xrLabel10;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRLabel xrLabel20;
private DevExpress.XtraReports.UI.XRLabel xrLabel26;
private DevExpress.XtraReports.UI.XRLabel xrLabel24;
private DevExpress.XtraReports.UI.XRLabel xrLabel25;
private DevExpress.XtraReports.UI.XRLabel xrLabel23;
private DevExpress.XtraReports.UI.DetailReportBand DetailReport;
private DevExpress.XtraReports.UI.DetailBand Detail1;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
```

}

private DevExpress.XtraReports.UI.XRTableCell xrTableCell10; private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;

}