```csharp
namespace Meditech.App.CommonService.Reports.NhapXuat
{
    partial class rptPhieuXuatKho
    {
        /// <summary>
        /// Required designer variable.
        /// </summary>
        private System.ComponentModel.IContainer components = null;

        /// <summary>
        /// Clean up any resources being used.
        /// </summary>
        /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
        protected override void Dispose(bool disposing)
        {
            if (disposing && (components != null))
            {
                components.Dispose();
            }
            base.Dispose(disposing);
        }

        #region Designer generated code

        /// <summary>
        /// Required method for Designer support - do not modify
        /// the contents of this method with the code editor.
        /// </summary>
        private void InitializeComponent()
        {
            this.components = new System.ComponentModel.Container();
            DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
            DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
            DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
            DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
            DevExpress.DataAccess.Sql.QueryParameter queryParameter4 = new DevExpress.DataAccess.Sql.QueryParameter();
            System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptPhieuXuatKho));
            this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
            this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
            this.Detail = new DevExpress.XtraReports.UI.DetailBand();
            this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel22 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel19 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel17 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel13 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
            this.manx = new DevExpress.XtraReports.Parameters.Parameter();
            this.ct = new DevExpress.XtraReports.Parameters.Parameter();
            this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
            this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
            this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
            this.xrLabel26 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel24 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel27 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel28 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel25 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel23 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel20 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel21 = new DevExpress.XtraReports.UI.XRLabel();
            this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
            this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
            this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow();
            this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
            this.DetailReport = new DevExpress.XtraReports.UI.DetailReportBand();
            this.Detail1 = new DevExpress.XtraReports.UI.DetailBand();
            this.xrTable2 = new DevExpress.XtraReports.UI.XRTable();
            this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
            this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
            this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
            this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
            ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
            ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
            ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
            //
            // TopMargin
            //
            this.TopMargin.HeightF = 25F;
            this.TopMargin.Name = "TopMargin";
            //
            // BottomMargin
            //
```

```
this.BottomMargin.HeightF = 28.125F;
this.BottomMargin.Name = "BottomMargin";
//
// Detail
//
this.Detail.HeightF = 0F;
this.Detail.Name = "Detail";
//
// xrLabel5
//
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(0F, 46.00003F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5";
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel5.SizeF = new System.Drawing.SizeF(300F, 22.99998F);
this.xrLabel5.StylePriority.UseFont = false;
this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "Mã QHNS: ......................";
this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel22
//
this.xrLabel22.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel22.LocationFloat = new DevExpress.Utils.PointFloat(560F, 0F);
this.xrLabel22.Multiline = true;
this.xrLabel22.Name = "xrLabel22";
this.xrLabel22.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel22.SizeF = new System.Drawing.SizeF(206.9999F, 22.99998F);
this.xrLabel22.StylePriority.UseFont = false;
this.xrLabel22.StylePriority.UseTextAlignment = false;
this.xrLabel22.Text = "Mẫu số: C31-HD";
this.xrLabel22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel19
//
this.xrLabel19.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel19.LocationFloat = new DevExpress.Utils.PointFloat(0F, 189.2083F);
this.xrLabel19.Multiline = true;
this.xrLabel19.Name = "xrLabel19";
this.xrLabel19.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel19.SizeF = new System.Drawing.SizeF(157.5001F, 22.99998F);
this.xrLabel19.StylePriority.UseFont = false;
this.xrLabel19.StylePriority.UseTextAlignment = false;
this.xrLabel19.Text = "- Xuất tại kho (ngăn lô):";
this.xrLabel19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel18
//
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(0F, 166.2083F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(101.2501F, 22.99998F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.StylePriority.UseTextAlignment = false;
this.xrLabel18.Text = "- Lý do xuất:";
this.xrLabel18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel17
//
this.xrLabel17.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel17.LocationFloat = new DevExpress.Utils.PointFloat(0F, 143.2083F);
this.xrLabel17.Multiline = true;
this.xrLabel17.Name = "xrLabel17";
this.xrLabel17.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel17.SizeF = new System.Drawing.SizeF(143.9584F, 22.99998F);
this.xrLabel17.StylePriority.UseFont = false;
this.xrLabel17.StylePriority.UseTextAlignment = false;
this.xrLabel17.Text = "- Họ tên người nhận:";
this.xrLabel17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel16
//
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 166.2083F);
this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel16.SizeF = new System.Drawing.SizeF(122.7083F, 22.99998F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.StylePriority.UseTextAlignment = false;
this.xrLabel16.Text = "Địa chỉ (bộ phận):";
this.xrLabel16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel15
//
this.xrLabel15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[sophieu]")});
this.xrLabel15.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(0F, 120.2083F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel15.SizeF = new System.Drawing.SizeF(766.9999F, 22.99998F);
this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.StylePriority.UseTextAlignment = false;
this.xrLabel15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrLabel15.TextFormatString = "Số phiếu: {0}";
//
// xrLabel14
//
this.xrLabel14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[sohoadon]")});
this.xrLabel14.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(101.2501F, 166.2083F);
this.xrLabel14.Multiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
```

```
            this.xrLabel14.SizeF = new System.Drawing.SizeF(263.7498F, 23F);
            this.xrLabel14.StylePriority.UseFont = false;
            this.xrLabel14.StylePriority.UseTextAlignment = false;
            this.xrLabel14.Text = "xrLabel14";
            this.xrLabel14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            // 
            // xrLabel13
            // 
            this.xrLabel13.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel13.LocationFloat = new DevExpress.Utils.PointFloat(600.625F, 124.7916F);
            this.xrLabel13.Multiline = true;
            this.xrLabel13.Name = "xrLabel13";
            this.xrLabel13.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel13.SizeF = new System.Drawing.SizeF(166.3749F, 23F);
            this.xrLabel13.StylePriority.UseFont = false;
            this.xrLabel13.StylePriority.UseTextAlignment = false;
            this.xrLabel13.Text = "Thủ kho";
            this.xrLabel13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            // 
            // xrLabel12
            // 
            this.xrLabel12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tongtienthuedocso]")});
            this.xrLabel12.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(170.0001F, 0F);
            this.xrLabel12.Multiline = true;
            this.xrLabel12.Name = "xrLabel12";
            this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel12.SizeF = new System.Drawing.SizeF(596.9998F, 22.99998F);
            this.xrLabel12.StylePriority.UseFont = false;
            this.xrLabel12.StylePriority.UseTextAlignment = false;
            this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            // 
            // xrLabel11
            // 
            this.xrLabel11.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(600.625F, 147.7916F);
            this.xrLabel11.Multiline = true;
            this.xrLabel11.Name = "xrLabel11";
            this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel11.SizeF = new System.Drawing.SizeF(166.3749F, 23F);
            this.xrLabel11.StylePriority.UseFont = false;
            this.xrLabel11.StylePriority.UseTextAlignment = false;
            this.xrLabel11.Text = "(Ký, ghi rõ họ tên)";
            this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            // 
            // xrLabel9
            // 
            this.xrLabel9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tenkho]")});
            this.xrLabel9.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(157.5001F, 189.2083F);
            this.xrLabel9.Multiline = true;
            this.xrLabel9.Name = "xrLabel9";
            this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel9.SizeF = new System.Drawing.SizeF(207.4998F, 23F);
            this.xrLabel9.StylePriority.UseFont = false;
            this.xrLabel9.StylePriority.UseTextAlignment = false;
            this.xrLabel9.Text = "xrLabel9";
            this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            // 
            // xrLabel8
            // 
            this.xrLabel8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[nguoigiao]")});
            this.xrLabel8.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(143.9584F, 143.2083F);
            this.xrLabel8.Multiline = true;
            this.xrLabel8.Name = "xrLabel8";
            this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel8.SizeF = new System.Drawing.SizeF(623.0415F, 23F);
            this.xrLabel8.StylePriority.UseFont = false;
            this.xrLabel8.StylePriority.UseTextAlignment = false;
            this.xrLabel8.Text = "xrLabel8";
            this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            // 
            // xrLabel7
            // 
            this.xrLabel7.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tenkknhan]")});
            this.xrLabel7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(487.7083F, 166.2083F);
            this.xrLabel7.Multiline = true;
            this.xrLabel7.Name = "xrLabel7";
            this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel7.SizeF = new System.Drawing.SizeF(279.2918F, 22.99998F);
            this.xrLabel7.StylePriority.UseFont = false;
            this.xrLabel7.StylePriority.UseTextAlignment = false;
            this.xrLabel7.Text = "xrLabel7";
            this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            // 
            // xrLabel6
            // 
            this.xrLabel6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[ngay]")});
            this.xrLabel6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(0F, 97.20827F);
            this.xrLabel6.Multiline = true;
            this.xrLabel6.Name = "xrLabel6";
            this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel6.SizeF = new System.Drawing.SizeF(766.9999F, 23F);
            this.xrLabel6.StylePriority.UseFont = false;
            this.xrLabel6.StylePriority.UseTextAlignment = false;
            this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            this.xrLabel6.TextFormatString = "Ngày {0:dd} tháng {0:MM} năm {0:yyyy}";
            // 
            // xrLabel4
            // 
            this.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tendonvi]")});
```

```
this.xrLabel4.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel4.ForeColor = System.Drawing.Color.Blue;
this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(0F, 22.99995F);
this.xrLabel4.Multiline = true;
this.xrLabel4.Name = "xrLabel4";
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel4.SizeF = new System.Drawing.SizeF(300F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseForeColor = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel3
//
this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tensoyte]")});
this.xrLabel3.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel3.ForeColor = System.Drawing.Color.Red;
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(300F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
this.xrLabel3.StylePriority.UseForeColor = false;
this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel2
//
this.xrLabel2.Font = new DevExpress.Drawing.DXFont("times New Roman", 14F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 68.99999F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(766.9999F, 28.20833F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "PHIẾU XUẤT KHO";
this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// manx
//
this.manx.Description = "manx";
this.manx.Name = "manx";
this.manx.Type = typeof(int);
this.manx.ValueInfo = "0";
//
// ct
//
this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "0";
//
// xrLabel1
//
this.xrLabel1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 189.2083F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(72.70825F, 22.99998F);
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "Địa điểm:";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel10
//
this.xrLabel10.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(437.7081F, 189.2083F);
this.xrLabel10.Multiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel10.SizeF = new System.Drawing.SizeF(329.2918F, 22.99998F);
this.xrLabel10.StylePriority.UseFont = false;
this.xrLabel10.StylePriority.UseTextAlignment = false;
this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// ReportHeader
//
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel1,
this.xrLabel10,
this.xrLabel5,
this.xrLabel22,
this.xrLabel19,
this.xrLabel18,
this.xrLabel17,
this.xrLabel16,
this.xrLabel15,
this.xrLabel14,
this.xrLabel9,
this.xrLabel8,
this.xrLabel7,
this.xrLabel6,
this.xrLabel4,
this.xrLabel2,
this.xrLabel3});
this.ReportHeader.HeightF = 212.2083F;
this.ReportHeader.Name = "ReportHeader";
//
// ReportFooter
//
this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel26,
this.xrLabel24,
```

```
            this.xrLabel27,
            this.xrLabel28,
            this.xrLabel25,
            this.xrLabel23,
            this.xrLabel20,
            this.xrLabel21,
            this.xrLabel13,
            this.xrLabel12,
            this.xrLabel11});
            this.ReportFooter.HeightF = 231.0832F;
            this.ReportFooter.Name = "ReportFooter";
            //
            // xrLabel26
            //
            this.xrLabel26.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel26.LocationFloat = new DevExpress.Utils.PointFloat(0F, 124.7916F);
            this.xrLabel26.Multiline = true;
            this.xrLabel26.Name = "xrLabel26";
            this.xrLabel26.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel26.SizeF = new System.Drawing.SizeF(131.4584F, 23.00001F);
            this.xrLabel26.StylePriority.UseFont = false;
            this.xrLabel26.StylePriority.UseTextAlignment = false;
            this.xrLabel26.Text = "Người lập";
            this.xrLabel26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel24
            //
            this.xrLabel24.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel24.LocationFloat = new DevExpress.Utils.PointFloat(196.6666F, 124.7916F);
            this.xrLabel24.Multiline = true;
            this.xrLabel24.Name = "xrLabel24";
            this.xrLabel24.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel24.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
            this.xrLabel24.StylePriority.UseFont = false;
            this.xrLabel24.StylePriority.UseTextAlignment = false;
            this.xrLabel24.Text = "Người nhận";
            this.xrLabel24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel27
            //
            this.xrLabel27.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel27.LocationFloat = new DevExpress.Utils.PointFloat(400F, 147.7915F);
            this.xrLabel27.Multiline = true;
            this.xrLabel27.Name = "xrLabel27";
            this.xrLabel27.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel27.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
            this.xrLabel27.StylePriority.UseFont = false;
            this.xrLabel27.StylePriority.UseTextAlignment = false;
            this.xrLabel27.Text = "(Ký, ghi rõ họ tên)";
            this.xrLabel27.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel28
            //
            this.xrLabel28.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
            this.xrLabel28.LocationFloat = new DevExpress.Utils.PointFloat(400F, 124.7915F);
            this.xrLabel28.Multiline = true;
            this.xrLabel28.Name = "xrLabel28";
            this.xrLabel28.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel28.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
            this.xrLabel28.StylePriority.UseFont = false;
            this.xrLabel28.StylePriority.UseTextAlignment = false;
            this.xrLabel28.Text = "Kế toán";
            this.xrLabel28.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel25
            //
            this.xrLabel25.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel25.LocationFloat = new DevExpress.Utils.PointFloat(196.6666F, 147.7916F);
            this.xrLabel25.Multiline = true;
            this.xrLabel25.Name = "xrLabel25";
            this.xrLabel25.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel25.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
            this.xrLabel25.StylePriority.UseFont = false;
            this.xrLabel25.StylePriority.UseTextAlignment = false;
            this.xrLabel25.Text = "(Ký, ghi rõ họ tên)";
            this.xrLabel25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel23
            //
            this.xrLabel23.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel23.LocationFloat = new DevExpress.Utils.PointFloat(0F, 147.7916F);
            this.xrLabel23.Multiline = true;
            this.xrLabel23.Name = "xrLabel23";
            this.xrLabel23.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel23.SizeF = new System.Drawing.SizeF(131.4584F, 23F);
            this.xrLabel23.StylePriority.UseFont = false;
            this.xrLabel23.StylePriority.UseTextAlignment = false;
            this.xrLabel23.Text = "(Ký, ghi rõ họ tên)";
            this.xrLabel23.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
            //
            // xrLabel20
            //
            this.xrLabel20.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel20.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
            this.xrLabel20.Multiline = true;
            this.xrLabel20.Name = "xrLabel20";
            this.xrLabel20.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
            this.xrLabel20.SizeF = new System.Drawing.SizeF(170.0001F, 22.99998F);
            this.xrLabel20.StylePriority.UseFont = false;
            this.xrLabel20.StylePriority.UseTextAlignment = false;
            this.xrLabel20.Text = "Tổng tiền (viết bằng chữ):";
            this.xrLabel20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
            //
            // xrLabel21
            //
            this.xrLabel21.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
            this.xrLabel21.LocationFloat = new DevExpress.Utils.PointFloat(0F, 23.00002F);
            this.xrLabel21.Multiline = true;
            this.xrLabel21.Name = "xrLabel21";
            this.xrLabel21.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
```

```
this.xrLabel21.SizeF = new System.Drawing.SizeF(220.0001F, 23F);
this.xrLabel21.StylePriority.UseFont = false;
this.xrLabel21.StylePriority.UseTextAlignment = false;
this.xrLabel21.Text = "Chứng từ kèm theo:";
this.xrLabel21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// GroupHeader1
//
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 45.83333F;
this.GroupHeader1.Name = "GroupHeader1";
//
// xrTable1
//
this.xrTable1.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(767.0001F, 45.83333F);
this.xrTable1.StylePriority.UseFont = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrTableRow1
//
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3,
this.xrTableCell4,
this.xrTableCell5,
this.xrTableCell6,
this.xrTableCell7});
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
//
// xrTableCell1
//
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.RowSpan = 2;
this.xrTableCell1.StylePriority.UseBorders = false;
this.xrTableCell1.Text = "STT";
this.xrTableCell1.Weight = 0.4D;
//
// xrTableCell2
//
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.RowSpan = 2;
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.Text = "Tên nhãn hiệu, quy cách, phẩm chất";
this.xrTableCell2.Weight = 1.8D;
//
// xrTableCell3
//
this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.RowSpan = 2;
this.xrTableCell3.StylePriority.UseBorders = false;
this.xrTableCell3.Text = "Mã số";
this.xrTableCell3.Weight = 0.8D;
//
// xrTableCell4
//
this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.RowSpan = 2;
this.xrTableCell4.StylePriority.UseBorders = false;
this.xrTableCell4.Text = "ĐVT";
this.xrTableCell4.Weight = 1D;
//
// xrTableCell5
//
this.xrTableCell5.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.RowSpan = 2;
this.xrTableCell5.StylePriority.UseBorders = false;
this.xrTableCell5.Text = "Số lượng";
this.xrTableCell5.Weight = 1.6D;
//
// xrTableCell6
//
this.xrTableCell6.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.RowSpan = 2;
this.xrTableCell6.StylePriority.UseBorders = false;
this.xrTableCell6.Text = "Đơn giá";
this.xrTableCell6.Weight = 0.8D;
```

```
//
// xrTableCell7
//
this.xrTableCell7.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.RowSpan = 2;
this.xrTableCell7.StylePriority.UseBorders = false;
this.xrTableCell7.Text = "Thành tiền";
this.xrTableCell7.Weight = 1.2700006103515624D;
//
// DetailReport
//
this.DetailReport.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail1});
this.DetailReport.DataMember = "spprintnhapxuat.Result2";
this.DetailReport.DataSource = this.sqlDataSource1;
this.DetailReport.Level = 0;
this.DetailReport.Name = "DetailReport";
//
// Detail1
//
this.Detail1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable2});
this.Detail1.HeightF = 25F;
this.Detail1.Name = "Detail1";
//
// xrTable2
//
this.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)(((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(767.0001F, 25F);
this.xrTable2.StylePriority.UseBorders = false;
//
// xrTableRow2
//
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell8,
this.xrTableCell9,
this.xrTableCell10,
this.xrTableCell11,
this.xrTableCell12,
this.xrTableCell13,
this.xrTableCell14,
this.xrTableCell15});
this.xrTableRow2.Name = "xrTableRow2";
this.xrTableRow2.Weight = 1D;
//
// xrTableCell8
//
this.xrTableCell8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[stt]")});
this.xrTableCell8.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.StylePriority.UseFont = false;
this.xrTableCell8.StylePriority.UseTextAlignment = false;
this.xrTableCell8.Text = "xrTableCell8";
this.xrTableCell8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell8.Weight = 0.40000007629394529D;
//
// xrTableCell9
//
this.xrTableCell9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")});
this.xrTableCell9.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
this.xrTableCell9.StylePriority.UseFont = false;
this.xrTableCell9.StylePriority.UseTextAlignment = false;
this.xrTableCell9.Text = "xrTableCell9";
this.xrTableCell9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell9.Weight = 1.7999999237060547D;
//
// xrTableCell10
//
this.xrTableCell10.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[maview]")});
this.xrTableCell10.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseFont = false;
this.xrTableCell10.StylePriority.UseTextAlignment = false;
this.xrTableCell10.Text = "xrTableCell10";
this.xrTableCell10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell10.Weight = 0.8D;
//
// xrTableCell11
//
this.xrTableCell11.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")});
this.xrTableCell11.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell11.Multiline = true;
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.StylePriority.UseFont = false;
this.xrTableCell11.StylePriority.UseTextAlignment = false;
this.xrTableCell11.Text = "xrTableCell11";
this.xrTableCell11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell11.Weight = 1D;
//
// xrTableCell12
//
```

```csharp
            this.xrTableCell12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[soluong]")});
            this.xrTableCell12.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
            this.xrTableCell12.Multiline = true;
            this.xrTableCell12.Name = "xrTableCell12";
            this.xrTableCell12.StylePriority.UseFont = false;
            this.xrTableCell12.StylePriority.UseTextAlignment = false;
            this.xrTableCell12.Text = "xrTableCell12";
            this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
            this.xrTableCell12.TextFormatString = "{0:###,###,###,###,##0.#####}";
            this.xrTableCell12.Weight = 0.8D;
            //
            // xrTableCell13
            //
            this.xrTableCell13.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
            this.xrTableCell13.Multiline = true;
            this.xrTableCell13.Name = "xrTableCell13";
            this.xrTableCell13.StylePriority.UseFont = false;
            this.xrTableCell13.StylePriority.UseTextAlignment = false;
            this.xrTableCell13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
            this.xrTableCell13.Weight = 0.8D;
            //
            // xrTableCell14
            //
            this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongiathue]")});
            this.xrTableCell14.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
            this.xrTableCell14.Multiline = true;
            this.xrTableCell14.Name = "xrTableCell14";
            this.xrTableCell14.StylePriority.UseFont = false;
            this.xrTableCell14.StylePriority.UseTextAlignment = false;
            this.xrTableCell14.Text = "xrTableCell14";
            this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
            this.xrTableCell14.TextFormatString = "{0:###,###,###,###,##0.#####}";
            this.xrTableCell14.Weight = 0.8D;
            //
            // xrTableCell15
            //
            this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
            new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtienthue]")});
            this.xrTableCell15.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
            this.xrTableCell15.Multiline = true;
            this.xrTableCell15.Name = "xrTableCell15";
            this.xrTableCell15.StylePriority.UseFont = false;
            this.xrTableCell15.StylePriority.UseTextAlignment = false;
            this.xrTableCell15.Text = "xrTableCell15";
            this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
            this.xrTableCell15.TextFormatString = "{0:###,###,###,###,##0.#####}";
            this.xrTableCell15.Weight = 1.2700006103515624D;
            //
            // sqlDataSource1
            //
            this.sqlDataSource1.ConnectionName = "SaleDatabase";
            this.sqlDataSource1.Name = "sqlDataSource1";
            storedProcQuery1.Name = "spprintnhapxuat";
            queryParameter1.Name = "@manx";
            queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
            queryParameter1.Value = new DevExpress.DataAccess.Expression("?manx", typeof(int));
            queryParameter2.Name = "@maloaidichvu";
            queryParameter2.Type = typeof(string);
            queryParameter3.Name = "@mahh";
            queryParameter3.Type = typeof(string);
            queryParameter4.Name = "@ct";
            queryParameter4.Type = typeof(global::DevExpress.DataAccess.Expression);
            queryParameter4.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
            storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
            queryParameter1,
            queryParameter2,
            queryParameter3,
            queryParameter4});
            storedProcQuery1.StoredProcName = "spprintnhapxuat";
            this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
            storedProcQuery1});
            this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
            //
            // rptPhieuXuatKho
            //
            this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
            this.TopMargin,
            this.BottomMargin,
            this.Detail,
            this.ReportHeader,
            this.ReportFooter,
            this.GroupHeader1,
            this.DetailReport});
            this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
            this.sqlDataSource1});
            this.DataMember = "spprintnhapxuat";
            this.DataSource = this.sqlDataSource1;
            this.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F);
            this.Margins = new DevExpress.Drawing.DXMargins(30F, 30F, 25F, 28.125F);
            this.PageHeight = 1169;
            this.PageWidth = 827;
            this.PaperKind = System.Drawing.Printing.PaperKind.A4;
            this.ParameterPanelLayoutItems.AddRange(new DevExpress.XtraReports.Parameters.ParameterPanelLayoutItem[] {
            new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.manx, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
            new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.ct, DevExpress.XtraReports.Parameters.Orientation.Horizontal)});
            this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
            this.manx,
            this.ct});
            this.Version = "22.2";
            ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
            ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
            ((System.ComponentModel.ISupportInitialize)(this)).EndInit();

        }

        #endregion

        private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
```

```csharp
        private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
        private DevExpress.XtraReports.UI.DetailBand Detail;
        private DevExpress.XtraReports.UI.XRLabel xrLabel4;
        private DevExpress.XtraReports.UI.XRLabel xrLabel3;
        private DevExpress.XtraReports.UI.XRLabel xrLabel2;
        private DevExpress.XtraReports.UI.XRLabel xrLabel11;
        private DevExpress.XtraReports.UI.XRLabel xrLabel9;
        private DevExpress.XtraReports.UI.XRLabel xrLabel8;
        private DevExpress.XtraReports.UI.XRLabel xrLabel7;
        private DevExpress.XtraReports.UI.XRLabel xrLabel6;
        private DevExpress.XtraReports.Parameters.Parameter manx;
        private DevExpress.XtraReports.UI.XRLabel xrLabel13;
        private DevExpress.XtraReports.UI.XRLabel xrLabel12;
        private DevExpress.XtraReports.UI.XRLabel xrLabel14;
        private DevExpress.XtraReports.UI.XRLabel xrLabel19;
        private DevExpress.XtraReports.UI.XRLabel xrLabel18;
        private DevExpress.XtraReports.UI.XRLabel xrLabel17;
        private DevExpress.XtraReports.UI.XRLabel xrLabel16;
        private DevExpress.XtraReports.UI.XRLabel xrLabel15;
        private DevExpress.XtraReports.Parameters.Parameter ct;
        private DevExpress.XtraReports.UI.XRLabel xrLabel22;
        private DevExpress.XtraReports.UI.XRLabel xrLabel5;
        private DevExpress.XtraReports.UI.XRLabel xrLabel1;
        private DevExpress.XtraReports.UI.XRLabel xrLabel10;
        private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
        private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
        private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
        private DevExpress.XtraReports.UI.XRTable xrTable1;
        private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
        private DevExpress.XtraReports.UI.XRLabel xrLabel20;
        private DevExpress.XtraReports.UI.XRLabel xrLabel21;
        private DevExpress.XtraReports.UI.XRLabel xrLabel26;
        private DevExpress.XtraReports.UI.XRLabel xrLabel24;
        private DevExpress.XtraReports.UI.XRLabel xrLabel27;
        private DevExpress.XtraReports.UI.XRLabel xrLabel28;
        private DevExpress.XtraReports.UI.XRLabel xrLabel25;
        private DevExpress.XtraReports.UI.XRLabel xrLabel23;
        private DevExpress.XtraReports.UI.DetailReportBand DetailReport;
        private DevExpress.XtraReports.UI.DetailBand Detail1;
        private DevExpress.XtraReports.UI.XRTable xrTable2;
        private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell9;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
        private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
        private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
    }
}
```