```
namespace Meditech.App.CommonService.Reports.BaoCao
     partial class rptXuatNhapTon
          /// <summarv>
          /// Required designer variable.
          /// </summary>
          private System.ComponentModel.IContainer components = null;
           /// Clean up any resources being used.
          /// </summary>
          /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
          protected override void Dispose(bool disposing)
                if (disposing && (components != null))
                     components.Dispose();
                base.Dispose(disposing);
          #region Designer generated code
          /// <summarv>
              Required method for Designer support - do not modify
           /// the contents of this method with the code editor.
          /// </summary>
          private void InitializeComponent()
                this.components = new System.ComponentModel.Container();
               DevExpress.XtraReports.UI.XRSummary xrSummary1 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary2 = new DevExpress.XtraReports.UI.XRSummary();
                DevExpress.XtraReports.UI.XRSummary xrSummary3 = new DevExpress.XtraReports.UI.XRSummary();
               DevExpress.XtraReports.UI.XRSummary xrSummary4 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary5 = new DevExpress.XtraReports.UI.XRSummary();
                DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
               DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
                DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
                DevExpress.DataAccess.Sql.QueryParameter queryParameter4 = new DevExpress.DataAccess.Sql.QueryParameter();
               DevExpress.DataAccess.Sql.QueryParameter queryParameter5 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter6 = new DevExpress.DataAccess.Sql.QueryParameter();
                DevExpress.DataAccess.Sql.QueryParameter queryParameter7 = new DevExpress.DataAccess.Sql.QueryParameter();
                System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptXuatNhapTon)); this.Detail = new DevExpress.XtraReports.UI.DetailBand();
                this.xrTable2 = new DevExpress.XtraReports.UI.XRTable()
                this.xrTableRow3 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell19 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell23 = new DevExpress.XtraReports.UI.XRTableCell(); this.xrTableCell27 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell31 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell33 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell34 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell35 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell36 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell37 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell38 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell39 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell40 = new DevExpress.XtraReports.UI.XRTableCell(); this.xrTableCell41 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell42 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell43 = new DevExpress.XtraReports.UI.XRTableCell();
                this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
                this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
                this.xrLabe15 = new DevExpress.XtraReports.UI.XRLabe1();
this.xrLabe14 = new DevExpress.XtraReports.UI.XRLabe1();
                this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
                this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
                this.xrTable3 = new DevExpress.XtraReports.UI.XRTable();
                this.xrTableRow4 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell45 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell46 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell47 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell48 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell49 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell50 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel17 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel13 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
                this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
                this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
                this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
                this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow()
                this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell17 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell21 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell25 = new DevExpress.XtraReports.UI.XRTableCell();
```

```
this.xrTableCell29 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell16 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell18 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell20 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell22 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell24 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell26 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell28 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell30 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell32 = new DevExpress.XtraReports.UI.XRTableCell();
this.soyte = new DevExpress.XtraReports.Parameters.Parameter();
this.tendonvi = new DevExpress.XtraReports.Parameters.Parameter();
this.tungaydenngay = new DevExpress.XtraReports.Parameters.Parameter();
this.tungay = new DevExpress.XtraReports.Parameters.Parameter();
this.denngay = new DevExpress.XtraReports.Parameters.Parameter();
this.tenkho = new DevExpress.XtraReports.Parameters.Parameter();
this.makk = new DevExpress.XtraReports.Parameters.Parameter();
this.mahh = new DevExpress.XtraReports.Parameters.Parameter();
this.maloaidichvu = new DevExpress.XtraReports.Parameters.Parameter();
this.manhomthuoc = new DevExpress.XtraReports.Parameters.Parameter();
this.ct = new DevExpress.XtraReports.Parameters.Parameter();
this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable3)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
// Detail
this.Detail.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable2});
this.Detail.HeightF = 25F;
this.Detail.Name = "Detail";
this.Detail.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.Detail.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// xrTable2
this.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right)
    DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow3));
this.xrTable2.SizeF = new System.Drawing.SizeF(1123F, 25F);
this.xrTable2.StylePriority.UseBorders = false;
this.xrTable2.StylePriority.UseTextAlignment = false;
this.xrTable2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrTableRow3
this.xrTableRow3.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell15,
this xrTableCell19.
this.xrTableCell23
this.xrTableCell27,
this.xrTableCell31,
this.xrTableCell33.
this.xrTableCell34,
this.xrTableCell35,
this.xrTableCell36.
this.xrTableCell37,
this.xrTableCell38,
this.xrTableCell39
this.xrTableCell40,
this.xrTableCell41,
this.xrTableCell42
this.xrTableCell43});
this.xrTableRow3.Name = "xrTableRow3";
this.xrTableRow3.Weight = 1D;
// xrTableCell15
this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
   new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[stt]")});
this.xrTableCell15.Multiline = true;
this.xrTableCell15.Name = "xrTableCell15"
this.xrTableCell15.tytlePriority.UseTextAlignment = false;
this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell15.Weight = 0.4375D;
// xrTableCell19
this.xr Table Cell 19. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express) \} \ (new \
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[maview]")});
this.xrTableCell19.Multiline = true;
this.xrTableCell19.Name = "xrTableCell19";
this.xrTableCell19.Weight = 0.60416664123535158D;
// xrTableCell23
.
this.xrTableCell23.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")});
this.xrTableCell23.Multiline = true;
this.xrTableCell23.Name = "xrTableCell23";
this.xrTableCell23.Weight = 2.9374992982880519D;
// xrTableCell27
this.xr Table Cell 27. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express) \} \ (new \
```

new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhoatchat]")));

```
this.xrTableCell27.Multiline = true;
this.xrTableCell27.Name = "xrTableCell27";
this.xrTableCell27.Weight = 0.58333460062489872D;
//
// xrTableCell31
//
this.xrTableCell31.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
   new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")});
this.xrTableCell31.Multiline = true;
this.xrTableCell31.Name = "xrTableCell31";
this.xrTableCell31.Weight = 0.552083382599052D;
// xrTableCell33
this.xrTableCell33.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongia]")});
this.xrTableCell33.Multiline = true;
this.xrTableCell33.Name = "xrTableCell33"
this.xrTableCell33.StylePriority.UseTextAlignment = false;
this.xrTableCell33.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell33.TextFormatString = "{0:N0}";
this.xrTableCell33.Weight = 0.58333215921885784D;
// xrTableCell34
this.xrTableCell34.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
   new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[luongtondau]")});
   this.xrTableCell34.Multiline = true;
this.xrTableCell34.Name = "xrTableCell34";
this.xrTableCell34.TextFormatString = "{0:N1}"
this.xrTableCell34.Weight = 0.42708487628712821D;
// xrTableCell35
this.xrTableCell35.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tientondau]")});
this.xrTableCell35.Multiline = true;
this.xrTableCell35.Name = "xrTableCell35"
this.xrTableCell35.StylePriority.UseTextAlignment = false;
this.xrTableCell35.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell35.TextFormatString = "{0:N0}"; this.xrTableCell35.Weight = 0.65624936746794837D;
//
// xrTableCell36
///
this.xrTableCell36.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
   new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[luongnhap]")});
this.xrTableCell36.Multiline = true;
this.xrTableCell36.Name = "xrTableCell36";
this.xrTableCell36.TextFormatString = "{0:N1}";
this.xrTableCell36.Weight = 0.45833304334743397D;
// xrTableCell37
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tiennhap]")});
this.xrTableCell37.Multiline = true;
this.xrTableCell37.Name = "xrTableCell37"
this.xrTableCell37.StylePriority.UseTextAlignment = false;
this.xrTableCell37.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell37.TextFormatString = "{0:N0}"; this.xrTableCell37.Weight = 0.62499753829848848D;
// xrTableCell38
this.xrTableCell38.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] { new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[luongtralai]")});
this.xrTableCell38.Multiline = true;
this.xrTableCell38.Name = "xrTableCell38";
this.xrTableCell38.TextFormatString = "{0:N1}";
this.xrTableCell38.Weight = 0.45833670545658806D;
//
// xrTableCell39
this.xrTableCell39.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tientralai]")});
this.xrTableCell39.Multiline = true;
this.xrTableCell39.Name = "xrTableCell39"
this.xrTableCell39.StylePriority.UseTextAlignment = false;
this.xrTableCell39.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell39.TextFormatString = "{0:N0}"; this.xrTableCell39.Weight = 0.6666662369567512D;
//
// xrTableCell40
this.xrTableCell40.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[luongxuat]")});
    this.xrTableCell40.Multiline = true;
this.xrTableCell40.Name = "xrTableCell40";
this.xrTableCell40.TextFormatString = "{0:N1}";
this.xrTableCell40.Weight = 0.46875025615896992D;
//
// xrTableCell41
this.xrTable Cell 41. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express. Add \ Part \ Part
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tienxuat]")});
this.xrTableCell41.Multiline = true;
this.xrTableCell41.Name = "xrTableCell41"
this.xrTableCell41.StylePriority.UseTextAlignment = false;
this.xrTableCell41.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell41.TextFormatString = "{0:N0}"; this.xrTableCell41.Weight = 0.66666650398554361D;
// xrTableCell42
//
this.xrTableCell42.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
  new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[luongxuat]")});
this.xrTableCell42.Multiline = true;
this.xrTableCell42.Name = "xrTableCell42";
this.xrTableCell42.TextFormatString = "{0:N1}
this.xrTableCell42.Weight = 0.47916712070585571D;
```

```
// xrTableCell43
//
this.xrTableCell43.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
   new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tiencuoiky]")});
this.xrTableCell43.Multiline = true;
this.xrTableCell43.Name = "xrTableCell43";
this.xrTableCell43.Name = ArabeCetal3;
this.xrTableCell43.StylePriority.UseTextAlignment = false;
this.xrTableCell43.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell43.TextFormatString = "{0:N0}";
this.xrTableCell43.Weight = 0.62583337902112945D;
// TopMargin
//
this.TopMargin.HeightF = 27.08333F;
this.TopMargin.Name = "TopMargin";
this.TopMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.TopMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// BottomMargin
this.BottomMargin.HeightF = 25F;
this.BottomMargin.Name = "BottomMargin";
this.BottomMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.BottomMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// ReportHeader
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel5,
this.xrLabel4.
this.xrLabel3,
this.xrLabel2
this.xrLabel1});
this.ReportHeader.HeightF = 133.3333F;
this.ReportHeader.Name = "ReportHeader";
//
// xrLabel5
this.xrLabel5.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tenkho")});
    this.xrLabel5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(0F, 99.125F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5"
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel5.SizeF = new System.Drawing.SizeF(1123F, 23F); this.xrLabel5.StylePriority.UseFont = false;
this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "xrLabel5";
this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel4
// this.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] \{ (x,y) \in \mathbb{R}^n \}
this.xrLabel4.ExpressionBindings.AddKange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tungaydenngay")});
    this.xrLabel4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
    this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(359.25F, 76.125F);
    this.xrLabel4.Name = "xrLabel4";
    this.xrLabel4.Name = "xrLabel4";
    this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
    this.xrLabel4.SizeF = new System.Drawing.SizeF(425F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel3
this.xrLabel3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(359.25F, 53.125F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3"
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel3.SizeF = new System.Drawing.SizeF(425F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "BÁO CÁO TỔNG HƠP XUẤT NHẬP TỒN";
this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel2
this.xrLabel2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tendonvi")});
    this.xrLabel2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 23F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Name = xrLabel2;
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(277.0833F, 23F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "xrLabel2";
this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
this.xrLabel1.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?soyte")});
    this.xrLabel1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
    this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel1.LocationFloat = new DevExpress.Utils.Pointribat(@F, @F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(277.0833F, 23F);
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "xrLabel1";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// ReportFooter
```

```
this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable3,
this.xrLabel18,
this.xrLabel17,
this.xrLabel16,
this.xrLabel15,
this.xrLabel14.
this.xrLabel13,
this.xrLabel12,
this.xrLabel11.
this.xrLabel10,
this.xrLabel9,
this.xrLabel8,
this.xrLabel7,
this.xrLabel6});
this.ReportFooter.HeightF = 142.7083F;
this.ReportFooter.Name = "ReportFooter";
// xrTable3
this.xrTable3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable3.LocationFloat = new DevExpress.Utils.PointFloat(0.0001220703F, 0F);
this.xrTable3.Name = "xrTable3";
this.xrTable3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F); this.xrTable3.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow4});
this.xrTable3.SizeF = new System.Drawing.SizeF(1123F, 25F);
this.xrTable3.StylePriority.UseBorders = false;
this.xrTable3.StylePriority.UseTextAlignment = false;
this.xrTable3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrTableRow4
this.xrTableRow4.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell45.
this.xrTableCell46,
this.xrTableCell47,
this.xrTableCell48,
this.xrTableCell49
this.xrTableCell50);
this.xrTableRow4.Name = "xrTableRow4":
this.xrTableRow4.Weight = 1D;
// xrTableCell45
//
this.xrTableCell45.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell45.Multiline = true;
this.xrTableCell45.Name = "xrTableCell45";
this.xrTableCell45.StylePriority.UseFont = false;
this.xrTableCell45.Text = "Cộng tổng";
this.xrTableCell45.Weight = 5.697914591159047D;
// xrTableCell46
//
this.xrTableCell46.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([tientondau])")});
    this.xrTableCell46.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
    this.xrTableCell46.Multiline = true;
    this.xrTableCell46.Name = "xrTableCell46";
    this.xrTableCell46.StylePriority.UseFont = false;
    this.xrTableCell46.StylePriority.UseFont = false;
this.xrTableCell46.StylePriority.UseTextAlignment = false;
xrSummary1.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell46.Summary = xrSummary1;
this.xrTableCell46.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell46.TextFormatString = "{0:N0}";
this.xrTableCell46.Weight = 1.083333728323014D;
// xrTableCell47
this.xrTableCell47.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([tiennhap])")});
    this.xrTableCell47.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell47.Multiline = true;
this.xrTableCell47.Name = "xrTableCell47";
this.xrTableCell47.StylePriority.UseFont = false;
this.xrTableCell47.StylePriority.UseTextAlignment = false;
xrSummary2.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell47.Summary = xrSummary2;
this.xrTableCell47.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell47.TextFormatString = "{0:N0}";
this.xrTableCell47.Weight = 1.0833315274427484D;
// xrTableCell48
this.xrTableCell48.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([tientralai])")});
this.xrTableCell48.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrTableCell48.Multiline = true; this.xrTableCell48.Name = "xrTableCell48"; this.xrTableCell48.StylePriority.UseFont = false; this.xrTableCell48.StylePriority.UseFont = false;
this.xrTableCell48.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell48.TextFormatString = "{0:N0}";
this.xrTableCell48.Weight = 1.125002364397738D;
//
// xrTableCell49
this.xrTableCell49.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([tienxuat])")});
this.xrTableCell49.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell49.Multiline = true;
this.xrTableCell49.Name = "xrTableCell49";
this.xrTableCell49.StylePriority.UseFont = false;
this.xrTableCell49.StylePriority.UseTextAlignment = false;
xrSummary4.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell49.Summary = xrSummary4;
```

```
this.xrTableCell49.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell49.TextFormatString = "{0:N0}";
this.xrTableCell49.Weight = 1.1354174016758734D;
//
// xrTableCell50
this.xrTableCell50.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([tiencuoiky])")});
this.xrTableCell50.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell50.Multiline = true;
this.xrTableCell50.Name = "xrTableCell50";
this.xrTableCell50.StylePriority.UseFont = false;
this.xrTableCell50.StylePriority.UseTextAlignment = false;
xrSummary5.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell50.Summary = xrSummary5;
this.xrTableCell50.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell50.TextFormatString = "{0:N0}";
this.xrTableCell50.Weight = 1.1049986655986173D;
// xrLabel18
this.xrLabel18.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tungaydenngay")});
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(912.5002F, 32.20835F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(210.4999F, 23F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.StylePriority.UseTextAlignment = false;
this.xrLabel18.Text = "xrLabel18";
this.xrLabel18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel17
this.xrLabel17.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic); this.xrLabel17.LocationFloat = new DevExpress.Utils.PointFloat(0.0001271566F, 78.20835F);
this.xrLabel17.Multiline = true;
this.xrLabel17.Name = "xrLabel17";
this.xrLabel17.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel17.SizeF = new System.Drawing.SizeF(163.5417F, 23F);
this.xrLabel17.StylePriority.UseFont = false;
this.xrLabel17.StylePriority.UseTextAlignment = false;
this.xrLabel17.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel16
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic); this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(192.7085F, 78.20835F); this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel16.SizeF = new System.Drawing.SizeF(163.5417F, 23F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.StylePriority.UseTextAlignment = false;
this.xrLabel16.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel15
this.xrLabel15.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(370.8335F, 78.20835F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel15.SizeF = new System.Drawing.SizeF(163.5417F, 23F); this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.StylePriority.UseTextAlignment = false;
this.xrLabel15.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel14
this.xrLabel14.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(545.8335F, 78.20835F);
this.xrLabel14.Multiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel14.SizeF = new System.Drawing.SizeF(178.125F, 23F);
this.xrLabel14.StylePriority.UseFont = false;
this.xrLabel14.StylePriority.UseTextAlignment = false;
this.xrLabel14.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel13
this.xrLabel13.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel13.LocationFloat = new DevExpress.Utils.PointFloat(740.6251F, 78.20835F);
this.xrLabel13.Multiline = true;
this.xrLabel13.Name = "xrLabel13";
this.xrLabell3.Name = xrLabell3;
this.xrLabell3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabell3.SizeF = new System.Drawing.SizeF(158.3334F, 23F);
this.xrLabell3.StylePriority.UseFont = false;
this.xrLabell3.StylePriority.UseTextAlignment = false;
this.xrLabell3.Text = "(Ký, ghi rõ họ tên)";
this.xrLabell3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel12
this.xrLabel12.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(911.5417F, 78.20835F);
this.xrLabel12.Multiline = true;
this.xrLabel12.Name = "xrLabel12";
this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel12.SizeF = new System.Drawing.SizeF(211.4584F, 23F);
this.xrLabel12.StylePriority.UseFont = false;
this.xrLabel12.StylePriority.UseTextAlignment = false;
this.xrLabel12.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
```

```
// xrLabel11
this.xrLabel11.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(911.5417F, 55.20833F);
this.xrLabel11.Multiline = true;
this.xrLabel11.Name = "xrLabel11";
this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel11.SizeF = new System.Drawing.SizeF(211.4584F, 23F);
this.xrLabel11.StylePriority.UseFont = false;
this.xrLabel11.StylePriority.UseTextAlignment = false;
this.xrLabel11.Text = "GIÁM ĐỐC";
this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel10
this.xrLabel10.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(740.6251F, 55.20833F);
this.xrLabel10.Multiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel10.SizeF = new System.Drawing.SizeF(158.3334F, 23F);
this.xrLabel10.StylePriority.UseFont = false;
this.xrLabel10.StylePriority.UseTextAlignment = false;
this.xrLabel10.Text = "KÉ TOÁN TRƯỞNG";
this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel9
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(545.8335F, 55.20833F);
this.xrLabel9.Multiline = true;
this.xrLabel9.Name = "xrLabel9"
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel9.SizeF = new System.Drawing.SizeF(178.125F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment = false;
this.xrLabel9.Text = "TRUONG KHO";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel8
this.xrLabel8.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(370.8335F, 55.20833F);
this.xrLabel8.Multiline = true;
this.xrLabel8.Name = "xrLabel8"
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel8.SizeF = new System.Drawing.SizeF(163.5417F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrLabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "KÉ TOÁN DƯỚC";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel7
this.xrLabel7.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(192.7085F, 55.20833F);
this.xrLabel7.Multiline = true;
this.xrLabel7.Name = "xrLabel7"
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel7.SizeF = new System.Drawing.SizeF(163.5417F, 23F); this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "THU KHO";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel6
this.xrLabel6.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(0.0001271566F, 55.20833F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6";
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(163.5417F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.Text = "NGUÖI BÁO CÁO";
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 50F;
this.GroupHeader1.Name = "GroupHeader1";
// xrTable1
this.xrTable1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1.
this.xrTableRow2});
this.xrTable1.SizeF = new System.Drawing.SizeF(1123F, 50F);
this.xrTable1.StylePriority.UseFont = false;
// xrTableRow1
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3
this.xrTableCell7,
this.xrTableCell9,
this.xrTableCell11,
this.xrTableCell13,
this.xrTableCell17,
this.xrTableCell21,
this.xrTableCell25
```

```
this.xrTableCell29});
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
// xrTableCell1
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.RowSpan = 2;
this.xrTableCell1.StylePriority.UseBorders = false;
this.xrTableCell1.StylePriority.UseTextAlignment = false;
this.xrTableCell1.Text = "STT";
this.xrTableCell1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell1.Weight = 0.43750002047582703D;
//
// xrTableCell2
//
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.RowSpan = 2;
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.StylePriority.UseTextAlignment = false;
this.xrTableCell2.Text = "Mā số";
this.xrTableCell2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell2.Weight = 0.60416643282938765D;
// xrTableCell3
this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.RowSpan = 2;
this.xrTableCell3.StylePriority.UseBorders = false;
this.xrTableCell3.StylePriority.UseTextAlignment = false;
this.xrTableCell3.Text = "Tên thuốc, nồng độ, hàm lượng";
this.xrTableCell3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell3.Weight = 2.9374989453231546D;
// xrTableCell7
//
this.xrTableCell7.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.RowSpan = 2;
this.xrTableCell7.StylePriority.UseBorders = false;
this.xrTableCell7.StylePriority.UseTextAlignment = false;
this.xrTableCell7.Text = "Hoạt chất";
this.xrTableCell7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell7.Weight = 0.58333421642610928D;
//
// xrTableCell9
this.xrTableCell9.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
this.xrTableCell9.RowSpan = 2:
this.xrTableCell9.StylePriority.UseBorders = false;
this.xrTableCell9.StylePriority.UseTextAlignment =
this.xrTableCell9.Text = "ĐVT";
this.xrTableCell9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell9.Weight = 0.55208330704169262D;
// xrTableCell11
this.xrTableCell11.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell11.Multiline = true;
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.RowSpan = 2;
this.xrTableCell11.StylePriority.UseBorders = false;
this.xrTableCell11.StylePriority.UseTextAlignment = false;
this.xrTableCell11.Text = "Đơn giá";
this.xrTableCell11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell11.Weight = 0.5833333008989452D;
this.xrTableCell13.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell13.Nultiline = true;
this.xrTableCell13.Name = "xrTableCell13";
this.xrTableCell13.StylePriority.UseBorders = false;
this.xrTableCell13.StylePriority.UseTextAlignment = false;
this.xrTableCell13.Text = "Ton đầu kỳ";
this.xrTableCell13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell13.Weight = 1.0833328779442553D;
//
// xrTableCell17
this.xrTableCell17.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell17.Multiline = true;
this.xrTableCell17.Name = "xrTableCell17";
this.xrTableCell17.StylePriority.UseBorders = false;
this.xrTableCell17.5tylePriority.UseTextAlignment = false;
this.xrTableCell17.Text = "Nhập trong kỳ";
```

```
this.xrTableCell17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell17.Weight = 1.0833325727685339D;
// xrTableCell21
this.xrTableCell21.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Bottom))); this.xrTableCell21.Multiline = true; this.xrTableCell21.Name = "xrTableCell21";
tnis.xriableCell21.Name = XriableCell21;
this.xrTableCell21.StylePriority.UseBorders = false;
this.xrTableCell21.StylePriority.UseTextAlignment = false;
this.xrTableCell21.Text = "Trå lại trong kỳ";
this.xrTableCell21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell21.Weight = 1.1250012657496793D;
// xrTableCell25
.
this.xrTableCell25.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell25.Multiline = true;
this.xrTableCell25.Name = "xrTableCell25";
this.xrTableCell25.StylePriority.UseTextAlignment = false;
this.xrTableCell25.StylePriority.UseTextAlignment = false;
this.xrTableCell25.Text = "Xuất trong kỳ";
this.xrTableCell25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter; this.xrTableCell25.Weight = 1.1354171801451149D;
// xrTableCell29
this.xrTableCell29.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell29.Multiline = true;
this.xrTableCell29.Name = "xrTableCell29";
this.xrTableCell29.StylePriority.UseBorders = false;
this.xrTableCell29.StylePriority.UseTextAlignment = false;
this.xrTableCell29.Text = "Ton cuối kỳ";
this.xrTableCell29.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell29.Weight = 1.1049976729396052D;
// xrTableRow2
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell4,
this.xrTableCell5
this.xrTableCell6,
this.xrTableCell8,
this.xrTableCell10,
this.xrTableCell12,
this.xrTableCell14,
this.xrTableCell16,
this.xrTableCell18, this.xrTableCell20,
this.xrTableCell22,
this.xrTableCell24,
this.xrTableCell26.
this.xrTableCell28,
this.xrTableCell30,
this.xrTableCell32}):
this.xrTableRow2.Name = "xrTableRow2";
this.xrTableRow2.Weight = 1D;
//
// xrTableCell4
this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.StylePriority.UseBorders = false;
this.xrTableCell4.StylePriority.UseTextAlignment = false;
this.xrTableCell4.Text = "xrTableCell4";
this.xrTableCell4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell4.Weight = 0.43750002047582703D;
//
// xrTableCell5
...
this.xrTableCell5.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.StylePriority.UseBorders = false;
this.xrTableCell5.StylePriority.UseTextAlignment = false;
this.xrTableCell5.Text = "xrTableCell5";
this.xrTableCell5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter; this.xrTableCell5.Weight = 0.60416643282938765D;
// xrTableCell6
//
this.xrTableCell6.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.StylePriority.UseBorders = false;
this.xrTableCell6.StylePriority.UseTextAlignment = false;
this.xrTableCell6.Text = "xrTableCell6";
this.xrTableCell6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell6.Weight = 2.9374989453231546D;
// xrTableCell8
this.xrTableCell8.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.StylePriority.UseBorders = false;
```

```
this.xrTableCell8.StylePriority.UseTextAlignment = false;
this.xrTableCell8.Text = "xrTableCell8";
this.xrTableCell8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell8.Weight = 0.58333421642610928D;
this.xrTableCell10.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseBorders = false;
this.xrTableCell10.StylePriority.UseTextAlignment = false;
this.xrTableCell10.Text = "xrTableCell10";
this.xrTableCell10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell10.Weight = 0.55208330704169262D;
//
// xrTableCell12
//
this.xrTableCell12.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell12.Multiline = true;
this.xrTableCell12.Name = "xrTableCell12";
this.xrTableCell12.StylePriority.UseBorders = false;
this.xrTableCell12.StylePriority.UseTextAlignment = false;
this.xrTableCell12.Text = "xrTableCell12";
this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell12.Weight = 0.583333300898945D;
// xrTableCell14
this.xrTableCell14.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell14.Multiline = true;
this.xrTableCell14.Name = "xrTableCell14";
this.xrTableCell14.StylePriority.UseBorders = false;
this.xrTableCell14.StylePriority.UseTextAlignment = false;
this.xrTableCell14.Text = "S.L";
this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell14.Weight = 0.42708302643696117D;
// xrTableCell16
this.xrTableCell16.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell16.Multiline = true;
this.xrTableCell16.Name = "xrTableCell16";
this.xrTableCell16.StylePriority.UseBorders = false;
this.xrTableCell16.StylePriority.UseTextAlignment = false;
this.xrTableCell16.Text = "Thành tiền";
this.xrTableCell16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell16.Weight = 0.65624985150729431D;
// xrTableCell18
.
this.xrTableCell18.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell18.Multiline = true;
this.xrTableCell18.Name = "xrTableCell18";
this.xrTableCell18.StylePriority.UseBorders = false;
this.xrTableCell18.StylePriority.UseTextAlignment = false;
this.xrTableCell18.Text = "S.L";
this.xrTableCell18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell18.Weight = 0.45833332546993466D;
// xrTableCell20
this.xrTableCell20.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell20.Multiline = true;
this.xrTableCell20.Name = "xrTableCell20";
this.xrTableCell20.StylePriority.UseBorders = false;
this.xrTableCell20.StylePriority.UseTextAlignment = false;
this.xrTableCell20.Text = "Thành tiền";
this.xrTableCell20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell20.Weight = 0.624999247298599D;
// xrTableCell22
this.xrTableCell22.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Bottom))); this.xrTableCell22.Multiline = true; this.xrTableCell22.Name = "xrTableCell22";
this.xrTableCell22.NtylePriority.UseBorders = false;
this.xrTableCell22.StylePriority.UseTextAlignment = false;
this.xrTableCell22.Text = "S.L";
this.xrTableCell22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter; this.xrTableCell22.Weight = 0.45833485134854124D;
// xrTableCell24
this.xrTableCell24.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell24.Multiline = true;
this.xrTableCell24.Name = "xrTableCell24";
this.xrTableCell24.StylePriority.UseBorders = false;
this.xrTableCell24.StylePriority.UseTextAlignment = false;
this.xrTableCell24.Text = "Thành tiền";
this.xrTableCell24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell24.Weight = 0.66666641440113794D;
// xrTableCell26
```

```
this.xrTableCell26.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
   DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell26.Multiline = true;
this.xrTableCell26.Name = "xrTableCell26";
this.xrTableCell26.StylePriority.UseBorders = false;
this.xrTableCell26.StylePriority.UseTextAlignment = false;
this.xrTableCell26.Text = "S.L";
this.xrTableCell26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell26.Weight = 0.46874988836377823D;
// xrTableCell28
this.xrTableCell28.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right)
   DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell28.Multiline = true;
this.xrTableCell28.Name = "xrTableCell28";
this.xrTableCell28.StylePriority.UseBorders = false;
this.xrTableCell28.StylePriority.UseTextAlignment = false;
this.xrTableCell28.Text = "Thành tiền";
this.xrTableCell28.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell28.Weight = 0.66666729178133677D;
//
// xrTableCell30
//
this.xrTableCell30.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
| DevExpress.XtraPrinting.BorderSide.Right)
   DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell30.Multiline = true;
this.xrTableCell30.Name = "xrTableCell30";
this.xrTableCell30.StylePriority.UseBorders = false;
this.xrTableCell30.StylePriority.UseBorders = Talse;
this.xrTableCell30.StylePriority.UseTextAlignment = false;
this.xrTableCell30.Text = "S.L";
this.xrTableCell30.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell30.Weight = 0.47916496352598104D;
//
// xrTableCell32
this.xrTableCell32.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell32.Nultiline = true;
this.xrTableCell32.Name = "xrTableCell32";
this.xrTableCell32.StylePriority.UseBorders = false;
this.xrTableCell32.StylePriority.UseTextAlignment = false;
this.xrTableCell32.Text = "Thành tiền";
this.xrTableCell32.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell32.Weight = 0.62583270941362412D;
// soyte
this.soyte.Description = "soyte";
this.soyte.Name = "soyte";
//
// tendonvi
this.tendonvi.Description = "tendonvi";
this.tendonvi.Name = "tendonvi";
//
// tungaydenngay
this.tungaydenngay.Description = "tungaydenngay";
this.tungaydenngay.Name = "tungaydenngay";
// tungay
this.tungay.Description = "tungay";
this.tungay.Name = "tungay";
this.tungay.Type = typeof(global::System.DateTime);
this.tungay.ValueInfo = "2024-05-20";
//
// denngay
this.denngay.Description = "denngay";
this.denngay.Name = "denngay";
this.denngay.Type = typeof(global::System.DateTime);
this.denngay.ValueInfo = "2024-05-20";
// tenkho
this.tenkho.Description = "tenkho";
this.tenkho.Name = "tenkho";
//
// makk
this.makk.Description = "makk";
this.makk.Name = "makk";
// mahh
//
this.mahh.Description = "mahh";
this.mahh.Name = "mahh";
//
// maloaidichvu
this.maloaidichvu.Description = "maloaidichvu";
this.maloaidichvu.Name = "maloaidichvu";
// manhomthuoc
this.manhomthuoc.Description = "manhomthuoc";
this.manhomthuoc.Name = "manhomthuoc";
//
// ct
this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "0";
```

```
// sqlDataSource1
       this.sqlDataSource1.ConnectionName = "MasterDatabase";
       this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "spBCDUOC_NXT";
queryParameter1.Name = "@tungay";
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter1.Value = new DevExpress.DataAccess.Expression("?tungay", typeof(System.DateTime));
       queryParameter2.Name = "@denngay"
       queryParameter2.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter2.Value = new DevExpress.DataAccess.Expression("?denngay", typeof(System.DateTime));
       queryParameter3.Name = "@makk";
       queryParameter3.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter3.Value = new DevExpress.DataAccess.Expression("?makk", typeof(string));
       queryParameter4.Name =
                                               "@mahh";
       queryParameter4.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter4.Value = new DevExpress.DataAccess.Expression("?mahh", typeof(string));
       quervParameter5.Name =
                                              "@maloaidichvu"
       queryParameter5.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter5.Value = new DevExpress.DataAccess.Expression("?maloaidichvu", typeof(string));
       queryParameter6.Name =
                                              "@manhomthuoc"
                                             typeof(global::DevExpress.DataAccess.Expression);
       queryParameter6.Type =
       queryParameter6.Value =
                                               new DevExpress.DataAccess.Expression("?manhomthuoc", typeof(string));
       queryParameter7.Name = "@ct"
       queryParameter7.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter7.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
       storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
       quervParameter1.
       queryParameter2,
       queryParameter3,
       queryParameter4,
       queryParameter5,
       queryParameter6
       queryParameter7});
       storedProcQuery1.StoredProcName = "spBCDUOC NXT";
       this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
       storedProcQuery1});
       this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
       // rptXuatNhapTon
       this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
       this.Detail,
       this.TopMargin, this.BottomMargin,
       this.ReportHeader,
       this.ReportFooter
       this.GroupHeader1});
       this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
       this.sqlDataSource1});
this.DataMember = "spBCDUOC_NXT";
this.DataSource = this.sqlDataSource1;
       this.Landscape = true;
       this.Margins = new DevExpress.Drawing.DXMargins(22F, 24F, 27.08333F, 25F); this.PageHeight = 827;
       this.PageWidth = 1169;
       this.PaperKind = System.Drawing.Printing.PaperKind.A4;
       this. Parameters. Add Range (new \ Dev Express. X traReports. Parameters. Parameter[] \ \{ (new \ Dev Express. X traReports. Parameters. Parameter) \} \ \{ (new \ Dev Express. X traReports. Parameters. Parameter) \} \ \{ (new \ Dev Express. X traReports. Parameters. Parameter) \} \ \{ (new \ Dev Express. X traReports. Parameters. Parameters. Parameter) \} \ \{ (new \ Dev Express. X traReports. Parameters. 
       this.soyte,
       this.tendonvi,
       this.tungaydenngay,
       this.tungay,
       this.denngay,
       this.tenkho
       this.makk,
       this.mahh,
       this.maloaidichvu,
       this.manhomthuoc,
       this.ct});
       this.Version = "22.2";
((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.xrTable3)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this)).EndInit();
#endregion
\verb"private DevExpress.XtraReports.UI.DetailBand Detail";\\
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.Parameters.Parameter soyte;
private DevExpress.XtraReports.Parameters.Parameter tendonvi;
private DevExpress.XtraReports.Parameters.Parameter tungaydenngay;
private DevExpress.XtraReports.Parameters.Parameter tungay;
private DevExpress.XtraReports.Parameters.Parameter denngay;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
private DevExpress.XtraReports.Parameters.Parameter tenkho;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9
private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell17;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell21
private DevExpress.XtraReports.UI.XRTableCell xrTableCell25;
```

```
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell16;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell18;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell20;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell22;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell24;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell26;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell28;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell30;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell32;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell29;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
private DevExpress.XtraReports.UI.XRLabel xrLabel18;
private DevExpress.XtraReports.UI.XRLabel xrLabel17;
private DevExpress.XtraReports.UI.XRLabel xrLabel16;
private DevExpress.XtraReports.UI.XRLabel xrLabel15;
private DevExpress.XtraReports.UI.XRLabel xrLabel14;
private DevExpress.XtraReports.UI.XRLabel xrLabel13;
private DevExpress.XtraReports.UI.XRLabel xrLabel112;
private DevExpress.XtraReports.UI.XRLabel xrLabel11;
private DevExpress.XtraReports.UI.XRLabel xrLabel10;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow3;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell19;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell23;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell27;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell31;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell33;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell34;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell35;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell36;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell37;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell38;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell39;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell40;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell41;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell42;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell43;
private DevExpress.XtraReports.UI.XRTable xrTable3;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell45;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell46;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell47;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell48;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell49;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell50;
private DevExpress.XtraReports.Parameters.Parameter makk;
private DevExpress.XtraReports.Parameters.Parameter mahh;
private DevExpress.XtraReports.Parameters.Parameter maloaidichvu;
private DevExpress.XtraReports.Parameters.Parameter manhomthuoc:
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
```

}