```
namespace Meditech.App.CommonService.Reports.NhapXuat
    partial class rptPhieuNhapKho
          /// <summary>
          /// Required designer variable.
          /// </summary>
          private System.ComponentModel.IContainer components = null;
          /// <summary>
          /// Clean up any resources being used.
          /// </summary>
          /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
          protected override void Dispose(bool disposing)
               if (disposing && (components != null))
                     components.Dispose();
               base.Dispose(disposing);
          #region Designer generated code
          /// Required method for Designer support - do not modify
          /// the contents of this method with the code editor.
          /// </summary>
          private void InitializeComponent()
               this.components = new System.ComponentModel.Container():
               DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
               DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
               DevExpress.DataAccess.Sql.QueryParameter queryParameter4 = new DevExpress.DataAccess.Sql.QueryParameter();
               System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptPhieuNhapKho)); this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
               this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
               this.Detail = new DevExpress.XtraReports.UI.DetailBand();
this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel22 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel19 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel17 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel13 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
this.manx = new DevExpress.XtraReports.Parameters.Parameter();
               this.ct = new DevExpress.XtraReports.Parameters.Parameter();
               this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
               this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
               this.xrLabel26 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel24 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel27 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel28 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel25 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel23 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel20 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel21 = new DevExpress.XtraReports.UI.XRLabel();
               this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
               this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
               this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow()
               this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell(); this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
                this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
               this.DetailReport = new DevExpress.XtraReports.UI.DetailReportBand();
this.Detail1 = new DevExpress.XtraReports.UI.DetailBand();
               this.xrTable2 = new DevExpress.XtraReports.UI.XRTable()
               this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
               this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
               this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
                ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit()
                ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
               ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
               // TopMargin
               this.TopMargin.HeightF = 25F;
this.TopMargin.Name = "TopMargin";
               // BottomMargin
```

```
this.BottomMargin.HeightF = 28.125F;
this.BottomMargin.Name = "BottomMargin";
//
// Detail
this.Detail.HeightF = 0F;
this.Detail.Name = "Detail";
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(0F, 46.00003F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5";
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel5.SizeF = new System.Drawing.SizeF(300F, 22.99998F);
this.xrLabel5.StylePriority.UseFont = false;
this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "Mã QHNS: ....."
this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel22
this.xrLabel22.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel22.LocationFloat = new DevExpress.Utils.PointFloat(560F, 0F);
this.xrLabel22.Multiline = true;
this.xrLabel22.Name = "xrLabel22";
this.xrLabel22.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel22.SizeF = new System.Drawing.SizeF(206.9999F, 22.99998F); this.xrLabel22.StylePriority.UseFont = false;
this.xrLabel22.StylePriority.UseTextAlignment = false;
this.xrLabel22.Text = "Māu số: C30-HD";
this.xrLabel22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel19
this.xrLabel19.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel19.LocationFloat = new DevExpress.Utils.PointFloat(0F, 189.2083F);
this.xrLabel19.Multiline = true;
this.xrLabel19.Name = "xrLabel19";
this.xrLabel19.Name = xrLabel19;
this.xrLabel19.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel19.SizeF = new System.Drawing.SizeF(131.4584F, 22.99998F);
this.xrLabel19.StylePriority.UseFont = false;
this.xrLabel19.StylePriority.UseTextAlignment = false;
this.xrLabel19.Text = "- Nhập tại kho:";
this.xrLabel19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel18
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(0F, 166.2083F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(131.4584F, 22.99998F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.StylePriority.UseTextAlignment = false;
this.xrLabel18.Text = "- Theo số hóa đơn:";
this.xrLabel18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel17
this.xrLabel17.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel17.LocationFloat = new DevExpress.Utils.PointFloat(0F, 143.2083F);
this.xrLabel17.Multiline = true;
this.xrLabel17.Name = "xrLabel17";
this.xrLabel17.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel17.SizeF = new System.Drawing.SizeF(131.4584F, 22.99998F); this.xrLabel17.StylePriority.UseFont = false;
this.xrLabel17.StylePriority.UseTextAlignment = false;
this.xrLabel17.Text = "- Ho tên người giao:";
this.xrLabel17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel16
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 166.2083F);
this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Name = xrLabel16;
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel16.SizeF = new System.Drawing.SizeF(122.7083F, 22.99998F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.StylePriority.UseTextAlignment = false;
this.xrLabel16.Text = "Dia chi (bō phān):";
this.xrLabel16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel15
this.xrLabel15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[sophieu]")});
    this.xrLabel15.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel15.Font = new DevExpress.DrawIng.DXFONT("times New Roman", 11F);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(0F, 120.2083F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel15.SizeF = new System.Drawing.SizeF(766.9999F, 22.99998F);
this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.StylePriority.UseTextAlignment = false;
this.xrLabel15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter; this.xrLabel15.TextFormatString = "Số phiếu: {0}";
//
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[sohoadon]")});
this.xrLabel14.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(131.4584F, 166.2083F);
this.xrLabel14.Multiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
```

```
this.xrLabel14.SizeF = new System.Drawing.SizeF(233.5415F, 23F);
this.xrLabel14.StylePriority.UseFont = false;
this.xrLabel14.StylePriority.UseTextAlignment = false;
this.xrLabel14.Text = "xrLabel14";
this.xrLabel14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel13
//
this.xrLabel13.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel13.LocationFloat = new DevExpress.Utils.PointFloat(600.625F, 124.7916F);
this.xrLabel13.Multiline = true;
this.xrLabel13.Name = "xrLabel13";
this.xrLabel13.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel13.SizeF = new System.Drawing.SizeF(166.3749F, 23F);
this.xrLabel13.StylePriority.UseFont = false;
this.xrLabel13.StylePriority.UseTextAlignment = false;
this.xrLabel13.Text = "Giám đốc";
this.xrLabel13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel12
//
this.xrLabel12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tongtienthuedocso]")});
    this.xrLabel12.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
    this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(170.0001F, 0F);
    this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(170.0001F, 0F);
this.xrLabel12.Multiline = true;
this.xrLabel12.Name = "xrLabel12";
this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel12.SizeF = new System.Drawing.SizeF(596.9998F, 22.99998F);
this.xrLabel12.StylePriority.UseFont = false;
this.xrLabel12.StylePriority.UseTextAlignment = false;
this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel11
this.xrLabel11.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(600.625F, 147.7916F);
this.xrLabel11.Multiline = true;
this.xrLabel11.Name = "xrLabel11";
this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel11.SizeF = new System.Drawing.SizeF(166.3749F, 23F);
this.xrLabel11.StylePriority.UseFont = false;
this.xrLabel11.StylePriority.UseTextAlignment = false;
this.xrLabel11.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel9
this.xrLabel9. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] and the sum of the property of the
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tenkho]")});
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(131.4584F, 189.2083F);
this.xrLabel9.Multiline = true;
this.xrLabel9.Name = "xrLabel9";
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel9.SizeF = new System.Drawing.SizeF(233.5415F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment = false;
this.xrLabel9.Text = "xrLabel9";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrLabel8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[nguoigiao]")});
    this.xrLabel8.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(131.4584F, 143.2083F);
this.xrLabel8.Multiline = true;
this.xrLabel8.Name = "xrLabel8";
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel8.SizeF = new System.Drawing.SizeF(635.5415F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrLabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "xrLabel8";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel7
this.xrLabel7.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tenkkgiao]")});
    this.xrLabel7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(487.7083F, 166.2083F); this.xrLabel7.Multiline = true;
this.xrLabel7.Name = "xrLabel7"
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel7.SizeF = new System.Drawing.SizeF(279.2918F, 22.99998F);
this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "xrLabel7";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel6
this.xrLabel6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.traReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[ngay]")});
this.xrLabel6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(0F, 97.20827F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6";
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(766.9999F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrLabel6.TextFormatString = "Ngày {0:dd} tháng {0:MM} năm {0:yyyy}";
//
// xrLabel4
//
this.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tendonvi]")});
```

```
this.xrLabel4.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel4.ForeColor = System.Drawing.Color.Blue;
this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(0F, 22.99995F);
this.xrLabel4.Multiline = true;
this.xrLabel4.Name = "xrLabel4";
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel4.SizeF = new System.Drawing.SizeF(300F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseFoneColor = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 // xrLabel3
 this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
this.xrLabel3.ForeColor = System.Drawing.Color.Red;
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(300F, 23F);
this.xrLabel3.StylePriority.UseForeColor = false;
this.xrLabel3.StylePriority.UseForeColor = false;
 this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
 this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 // xrLabel2
 this.xrLabel2.Font = new DevExpress.Drawing.DXFont("times New Roman", 14F, DevExpress.Drawing.DXFontStyle.Bold);
 this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 68.99999F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(766.9999F, 28.20833F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "PHIEU NHĀP KHO";
 this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// manx
 this.manx.Description = "manx";
this.manx.Name = "manx";
this.manx.Type = typeof(int);
 this.manx.ValueInfo = "0";
//
// ct
this.ct.Description = "ct";
this.ct.Name = "ct";
 this.ct.Type = typeof(int);
 this.ct.ValueInfo = "0";
 //
 // xrLabel1
 this.xrLabel1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
 this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(364.9998F, 189.2083F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel1.SizeF = new System.Drawing.SizeF(72.70825F, 22.99998F);
 this.xrLabel1.StylePriority.UseFont = false;
 this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "Địa điểm:";
 this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 // xrLabel10
 //
 this.xr Label 10. Expression Bindings. Add Range (new \ DevExpress. Xtra Reports. UI. Expression Binding [] + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) + (1.1) 
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[Result1].[tenkho]")});
this.xrLabel10.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(437.7081F, 189.2083F);
this.xrLabel10.Nultiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel10.SizeF = new System.Drawing.SizeF(329.2918F, 22.99998F);
 this.xrLabel10.StylePriority.UseFont = false;
 this.xrLabel10.StylePriority.UseTextAlignment = false;
this.xrLabel10.Text = "xrLabel7";
 this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 //
// ReportHeader
 this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
 this.xrLabel1.
 this.xrLabel10,
 this.xrLabel5,
 this.xrLabel22,
 this.xrLabel19.
 this.xrLabel18,
 this.xrLabel17,
 this.xrLabel16,
 this.xrLabel15,
 this.xrLabel14,
 this.xrLabel9,
 this.xrLabel8.
 this.xrLabel7,
 this.xrLabel6,
this.xrLabel4,
this.xrLabel2,
 this.xrLabel3});
this.ReportHeader.HeightF = 212.2083F;
this.ReportHeader.Name = "ReportHeader";
 // ReportFooter
```

```
this. Report Footer. Controls. Add Range (new \ Dev Express. XtraReports. UI. XR Control [] \ \{ (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5)^2 (1.5
this.xrLabel26,
this.xrLabel24,
this.xrLabel27,
this.xrLabel28,
this.xrLabel25,
this.xrLabel23,
this.xrLabel20,
this.xrLabel21,
this.xrLabel13,
this.xrLabel12
this.xrLabel11}):
this.ReportFooter.HeightF = 231.0832F;
this.ReportFooter.Name = "ReportFooter";
//
// xrLabel26
... this.xrLabel26.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel26.LocationFloat = new DevExpress.Utils.PointFloat(0F, 124.7916F);
this.xrLabel26.Multiline = true;
this.xrLabel26.Name = "xrLabel26";
this.xrLabel26.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel26.SizeF = new System.Drawing.SizeF(131.4584F, 23.00001F);
this.xrLabel26.StylePriority.UseFont = false;
this.xrLabel26.StylePriority.UseTextAlignment = false;
this.xrLabel26.Text = "Người lập";
this.xrLabel26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel24
this.xrLabel24.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel24.LocationFloat = new DevExpress.Utils.PointFloat(196.6666F, 124.7916F);
this.xrLabel24.Multiline = true;
this.xrLabel24.Name = "xrLabel24";
this.xrLabel24.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel24.SizeF = new System.Drawing.SizeF(140.9166F, 23F); this.xrLabel24.StylePriority.UseFont = false;
this.xrLabel24.StylePriority.UseTextAlignment = false;
this.xrLabel24.Text = "Thủ kho";
this.xrLabel24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel27
this.xrLabel27.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel27.LocationFloat = new DevExpress.Utils.PointFloat(400F, 147.7915F);
this.xrLabel27.Name = "xrLabel27";
this.xrLabel27.Name = "xrLabel27";
this.xrLabel27.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel27.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
tnis.xrLabel27.StzeF = new System.Drawing.StzeF(140.9166F, 23F);
this.xrLabel27.StylePriority.UseFont = false;
this.xrLabel27.StylePriority.UseTextAlignment = false;
this.xrLabel27.Text = "(Ký, ghi rō họ tên)";
this.xrLabel27.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel28
this.xrLabel28.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel28.LocationFloat = new DevExpress.Utils.PointFloat(400F, 124.7915F);
this.xrLabel28.Multiline = true;
this.xrLabel28.Name = "xrLabel28";
this.xrLabel28.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel28.SizeF = new System.Drawing.SizeF(140.9166F, 23F);
this.xrLabel28.StylePriority.UseFont = false;
this.xrLabel28.StylePriority.UseTextAlignment = false;
this.xrLabel28.Text = "Kế toán";
this.xrLabel28.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel25
//
this.xrLabel25.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel25.LocationFloat = new DevExpress.Utils.PointFloat(196.6666F, 147.7916F);
this.xrLabel25.Multiline = true;
this.xrLabel25.Name = "xrLabel25";
this.xrLabel25.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel25.SizeF = new System.Drawing.SizeF(140.9166F, 23F); this.xrLabel25.StylePriority.UseFont = false;
this.xrLabel25.StylePriority.UseTextAlignment
this.xrLabel25.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel23
this.xrLabel23.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel23.LocationFloat = new DevExpress.Utils.PointFloat(0F, 147.7916F);
this.xrLabel23.LocationFloat = new Devtxpress.Utils.PointFloat(0F, 14/./916F);
this.xrLabel23.Multiline = true;
this.xrLabel23.Name = "xrLabel23";
this.xrLabel23.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel23.SizeF = new System.Drawing.SizeF(131.4584F, 23F);
this.xrLabel23.StylePriority.UseFont = false;
this.xrLabel23.StylePriority.UseFoxtAlignment = false;
this.xrLabel23.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel23.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
//
// xrLabel20
this.xrLabel20.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F); this.xrLabel20.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel20.Multiline = true;
this.xrLabel20.Name = "xrLabel20";
this.xrLabel20.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel20.SizeF = new System.Drawing.SizeF(170.0001F, 22.99998F);
this.xrLabel20.StylePriority.UseFont = false;
this.xrLabel20.StylePriority.UseTextAlignment = false;
this.xrLabel20.Text = "Tổng tiền (viết bằng chữ):";
this.xrLabel20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel21
this.xrLabel21.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F)
this.xrLabel21.LocationFloat = new DevExpress.Utils.PointFloat(0F, 23.00002F);
```

```
this.xrLabel21.Multiline = true:
this.xrLabel21.Name = "xrLabel21";
this.xrLabel21.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel21.SizeF = new System.Drawing.SizeF(220.0001F, 23F);
this.xrLabel21.StylePriority.UseFont = false;
this.xrLabel21.StylePriority.UseTextAlignment = false;
this.xrLabel21.Text = "Chứng từ kèm theo:";
this.xrLabel21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.GroupHeader1.HeightF = 45.83333F;
this.GroupHeader1.Name = "GroupHeader1";
// xrTable1
this.xrTable1.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(767.0001F, 45.83333F);
this.xrTable1.StylePriority.UseFont = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow1
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3,
this.xrTableCell4
this.xrTableCell5,
this.xrTableCell6
this.xrTableCell7});
this.xrTableRow1.Name = "xrTableRow1":
this.xrTableRow1.Weight = 1D;
// xrTableCell1
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
 DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell11.RowSpan = 2;
this.xrTableCell11.StylePriority.UseBorders = false;
this.xrTableCell1.Text = "STT
this.xrTableCell1.Weight = 0.4D;
//
// xrTableCell2
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.RowSpan = 2;
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.Text = "Tên nhãn hiệu, quy cách, phẩm chất";
this.xrTableCell2.Weight = 1.8D;
// xrTableCell3
this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell3.Multiline = true
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.RowSpan = 2;
this.xrTableCell3.StylePriority.UseBorders = false;
this.xrTableCell3.Text = "Mã số";
this.xrTableCell3.Weight = 0.8D;
//
// xrTableCell4
this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
 DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.RowSpan = 2;
this.xrTableCell4.StylePriority.UseBorders = false;
this.xrTableCell4.Text = "ĐVT";
this.xrTableCell4.Weight = 1D;
//
// xrTableCell5
//
this.xr Table Cell 5. Borders = ((Dev Express.Xtra Printing.Border Side)((((Dev Express.Xtra Printing.Border Side.Left \mid Dev Express.Xtra Printing.Border Side.Top)) \\
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.RowSpan = 2;
this.xrTableCell5.StylePriority.UseBorders = false;
this.xrTableCell5.Text = "Số lượng";
this.xrTableCell5.Weight = 1.6D;
// xrTableCell6
this.xrTableCell6.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.RowSpan = 2;
```

```
this.xrTableCell6.StylePriority.UseBorders = false;
this.xrTableCell6.Text = "Đơn giá";
this.xrTableCell6.Weight = 0.8D;
//
// xrTableCell7
this.xr Table Cell 7. Borders = ((Dev Express.Xtra Printing.Border Side)((((Dev Express.Xtra Printing.Border Side.Left \mid Dev Express.Xtra Printing.Border Side.Top)) \\
    DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
 this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.RowSpan = 2;
this.xrTableCell7.StylePriority.UseBorders = false;
this.xrTableCell7.Text = "Thành tiền"
this.xrTableCell7.Weight = 1.2700006103515624D;
// DetailReport
this.DetailReport.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail1});
this.DetailReport.DataMember = "spprintnhapxuat.Result2";
this.DetailReport.DataSource = this.sqlDataSource1;
this.DetailReport.Level = 0;
this.DetailReport.Name = "DetailReport";
//
// Detail1
this.Detail1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable2}):
this.Detail1.HeightF = 25F;
this.Detail1.Name = "Detail1";
// xrTable2
This.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top) | DevExpress.XtraPrinting.BorderSide.Right) | DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(767.0001F, 25F);
this.xrTable2.StylePriority.UseBorders = false;
// xrTableRow2
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell8,
this.xrTableCell9
this.xrTableCell10,
this.xrTableCell11,
this.xrTableCell12,
this.xrTableCell13
this.xrTableCell14
this.xrTableCell15);
this.xrTableRow2.Name = "xrTableRow2";
this.xrTableRow2.Weight = 1D;
//
// xrTableCell8
this.xr Table Cell 8. Expression Bindings. Add Range (new Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5)^{-1} (1.5
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[stt]")));
this.xrTableCell8.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.StylePriority.UseFont = false;
this.xrTableCell8.StylePriority.UseTextAlignment = false;
this.xrTableCell8.Text = "xrTableCell8";
this.xrTableCell8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell8.Weight = 0.40000007629394529D;
// xrTableCell9
this.xrTableCell9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")}); this.xrTableCell9.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
this.xrTableCell9.StylePriority.UseFont = false;
this.xrTableCell9.StylePriority.UseTextAlignment = false;
this.xrTableCell9.Text = "xrTableCell9";
this.xrTableCell9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell9.Weight = 1.7999999237060547D;
// xrTableCell10
this.xrTableCell10.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[maview]")});
    this.xrTableCell10.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseFont = false;
this.xrTableCell10.StylePriority.UseTextAlignment = false;
this.xrTableCell10.Text = "xrTableCell10";
this.xrTableCell10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell10.Weight = 0.8D;
// xrTableCell11
this.xrTableCell11.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
this.xrlableCell11.txpressionBindings.AddRange(new DevExpress.XtraReports.U1.txpressionBind:
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")));
this.xrTableCell11.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell11.Multiline = true;
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.StylePriority.UseFont = false;
this.xrTableCell11.StylePriority.UseFont = false;
this.xrTableCell11.Tayt = "xrTableCell11";
this.xrTableCell11.Text = "xrTableCell11";
this.xrTableCell11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell11.Weight = 1D;
```

```
// xrTableCell12
this.xrTableCell12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[soluong]")});
    this.xrTableCell12.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell12.Multiline = true;
this.xrTableCell12.Name = "xrTableCell12";
this.xrTableCell12.StylePriority.UseFont = false;
this.xrTableCell12.StylePriority.UseTextAlignment = false;
this.xrTableCell12.Text = "xrTableCell12";
this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell12.TextFormatString = "{0:###,###,###,###,##0.#####}";
this.xrTableCell12.Weight = 0.8D;
//
// xrTableCell13
this.xrTableCell13.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell13.Multiline = true;
this.xrTableCell13.Name = "xrTableCell13";
this.xrTableCell13.StylePriority.UseFont = false;
this.xrTableCell13.StylePriority.UseTextAlignment = false;
this.xrTableCell13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell13.Weight = 0.8D;
//
// xrTableCell14
this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongiathue]")});
    this.xrTableCell14.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell14.Nont = new Devtxpress.Drawing.DXFont("times New Roman", 9.75F);
this.xrTableCell14.Multilline = true;
this.xrTableCell14.Name = "xrTableCell14";
this.xrTableCell14.StylePriority.UseFont = false;
this.xrTableCell14.StylePriority.UseFont = false;
this.xrTableCell14.Text = "xrTableCell14";
this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell14.TextFormatString = "{0:###,###,###,##0.#####}";
this.xrTableCell14.Weight = 0.870.
this.xrTableCell14.Weight = 0.8D;
//
// xrTableCell15
//
this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtienthue]")});
    this.xrTableCell15.Font = new DevExpress.Drawing.DXFont("times New Roman", 9.75F);
    this.xrTableCell15.Multiline = true;
    this.xrTableCell15.Name = "xrTableCell15";
    this.xrTableCell15.StylePriority.UseFont = false;
    this.xrTableCell15.StylePriority.UseTextAlignment = false;
    this.xrTableCell15.Toxt = "xrTableCell15";
this.xrTableCell15.Text = "xrTableCell15";
this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell15.TextFormatString = "{0:###,###,###,###,##0.#####}";
this.xrTableCell15.Weight = 1.2700006103515624D;
//
// sqlDataSource1
this.sqlDataSource1.ConnectionName = "SaleDatabase";
this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "sprintnhapxuat";
queryParameter1.Name = "@manx";
queryParameter1.Name = "@manx";
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter1.Value = new DevExpress.DataAccess.Expression("?manx", typeof(int));
queryParameter2.Name = "@maloaidichvu";
queryParameter2.Type = typeof(string);
queryParameter3.Name = "@mahh";
queryParameter3.Type = typeof(string);
queryParameter4.Name = "@ct";
queryParameter4.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter4.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
queryParameter1,
queryParameter2,
queryParameter3,
queryParameter4});
 storedProcQuery1.StoredProcName = "spprintnhapxuat";
this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
storedProcQuery1});
this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
//
// rptPhieuNhapKho
this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.TopMargin, this.BottomMargin,
this.Detail,
this.ReportHeader, this.ReportFooter,
this.GroupHeader1,
this.DetailReport});
this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
this.sqlDataSource1});
this.DataMember = "spprintnhapxuat";
this.DataSource = this.sqlDataSource1;
this.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F);
this.Margins = new DevExpress.Drawing.DXMargins(30F, 30F, 25F, 28.125F);
this.PageHeight = 1169;
this.PageWidth = 827;
this.PaperKind = System.Drawing.Printing.PaperKind.A4;
this.ParameterPanelLayoutItems.AddRange(new DevExpress.XtraReports.Parameters.ParameterPanelLayoutItem[] {
new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.manx, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.Parameters.ParameterLayoutItem(this.ct, DevExpress.XtraReports.Parameters.Orientation.Horizontal))); this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
this.manx,
this.ct});
this.Version = "22.2";
 ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
 ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
((System.ComponentModel.ISupportInitialize)(this)).EndInit();
```

}

```
#endregion
```

}

```
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel11;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.Parameters.Parameter manx;
private DevExpress.XtraReports.UI.XRLabel xrLabel13;
private DevExpress.XtraReports.UI.XRLabel xrLabel112;
private DevExpress.XtraReports.UI.XRLabel xrLabel14;
private DevExpress.XtraReports.UI.XRLabel xrLabel19;
private DevExpress.XtraReports.UI.XRLabel xrLabel18:
private DevExpress.XtraReports.UI.XRLabel xrLabel17;
private DevExpress.XtraReports.UI.XRLabel xrLabel16;
private DevExpress.XtraReports.UI.XRLabel xrLabel15;
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.XtraReports.UI.XRLabel xrLabel22;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
private DevExpress.XtraReports.UI.XRLabel xrLabel1:
private DevExpress.XtraReports.UI.XRLabel xrLabel10;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooters
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRLabel xrLabel20;
private DevExpress.XtraReports.UI.XRLabel xrLabel21;
private DevExpress.XtraReports.UI.XRLabel xrLabel26;
private DevExpress.XtraReports.UI.XRLabel xrLabel24;
private DevExpress.XtraReports.UI.XRLabel xrLabel27;
private DevExpress.XtraReports.UI.XRLabel xrLabel28;
private DevExpress.XtraReports.UI.XRLabel xrLabel25;
private DevExpress.XtraReports.UI.XRLabel xrLabel23:
private DevExpress.XtraReports.UI.DetailReportBand DetailReport;
private DevExpress.XtraReports.UI.DetailBand Detail1;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
```